

# **EXHIBIT I**

The U.S. Food and Drug Administration (FDA) has issued several safety communications about the use of mesh for pelvic organ prolapse (POP). However, this AUA guideline reviews the current literature regarding SUI alone, and covers neither POP nor mini-incision slings. The FDA warning does not apply to biologicals used in POP. Based on continuing adverse event reports that have been received by the FDA since their initial warning in 2008, the FDA has stated that serious complications associated with surgical mesh in transvaginal POP repairs are not rare.

The AUA will continue to monitor the FDA's alerts and notices and will update the guideline as additional warnings or alerts regarding this device are issued. Informed consent requires that patients be advised of the risks of vaginal mesh.

The FDA will provide updates on its Web page:

<http://www.fda.gov/MedicalDevices/ProductsandMedicalProcedures/ImplantsandProsthetics/UroGynSurgicalMesh/default.htm>.

# Guideline for the Surgical Management of Female Stress Urinary Incontinence: 2009 Update

## Female Stress Urinary Incontinence Guideline Update Panel:

Rodney A. Appell, MD, Chair  
Roger R. Dmochowski, MD, Facilitator  
Jerry M. Blaivas, MD  
E. Ann Gormley, MD  
Mickey M. Karram, MD  
Saad Juma, MD  
Deborah J. Lightner, MD  
Karl M. Luber, MD  
Eric Scott Rovner, MD  
David R. Staskin, MD  
J. Christian Winters, MD

## Consultants:

Hanan S. Bell, PhD  
Patrick M. Florer  
Linda Whetter, DVM, PhD

## AUA Staff:

Heddy Hubbard, PhD, MPH  
Edith Budd  
Suzanne Pope, MBA  
Michael Folmer  
Katherine Moore  
Cynthia Janus, MLS  
Kadiatu Kebe



**American  
Urological  
Association**

Education and Research, Inc.

**Rodney Alan Appell, MD, FACS**

**1948 – 2009**



Dr. Rodney Appell served as Professor of Urology and Gynecology and Chief, Division of Voiding Dysfunction and Female Urology, at Baylor College of Medicine and held a large private practice in Houston, Texas. He was a highly respected surgeon in female urology and an active member of the American Urological Association (AUA), serving on the Practice Guidelines Committee and the Special Women's Issues in Urology Committee.

At the time of his death, he was Chair of the expert Panel that developed the Stress Urinary Incontinence Clinical Guideline. Directing the Panel members through the painstaking and analytical challenge of systematically reviewing clinical studies so that appropriate practice recommendations could be made was an undertaking at which Dr. Appell excelled. In remembering him, the current guideline Chair, Roger R. Dmochowski, M.D., Professor, Dept of Urologic Surgery, Vanderbilt University, speaking for the Panel, remarked that "Rodney will be missed by us all. His vision of mentorship was the inspiration for a whole generation of residents and fellows. Those of us who knew him will treasure the memory of his unique insight and clinical expertise."

After receiving his medical degree from Jefferson Medical College, Dr. Appell completed his surgical residency at George Washington University Medical Center and residency in urology at Yale University. Since that time and until his death he achieved extensive accomplishments in his field through research, clinical practice, and education activities. Consistently included in the publication *The Best Doctors in America*, Dr. Appell published over 100 full papers or editorials in peer-reviewed journals, authored several book chapters, was invited to participate in more than 200 lectureships and symposia, and delivered over 800 educational talks and presentations both across the United States and around the world. He served on the editorial boards of many publications, including the AUA Journal of Urology. In February 2008, he was awarded the Lifetime Achievement Award by the Society for Urodynamics and Female Urology and was named Continence Care Champion by the National Association for Continence.

Dr. Appell's leadership and expertise will be missed by all who knew him. The Stress Urinary Incontinence Guidelines Panel dedicates this Clinical Guideline to his memory.

## **Table of Contents**

|  |    |
|--|----|
| Introduction .....   | 5  |
| Definitions .....  | 6  |
| Index patient .....  | 7  |
| Methodology .....  | 7  |
| PROBLEM DEFINITION .....                                       | 8  |
| LITERATURE SEARCH AND DATA EXTRACTION .....                    | 9  |
| EVIDENCE COMBINATION .....                                     | 9  |
| PATIENT GROUPS .....   | 10 |
| EFFICACY ANALYSIS .....  | 10 |
| COMPLICATIONS .....  | 11 |
| GUIDELINE GENERATION AND APPROVALS .....                       | 12 |
| DISSEMINATION .....  | 13 |
| Diagnostic Evaluation of the Index Patient .....               | 13 |
| TO CONFIRM THE DIAGNOSIS AND CHARACTERIZE SUI .....            | 13 |
| TO ASSESS DIFFERENTIAL DIAGNOSIS AND COMORBIDITIES .....       | 14 |
| TO AID IN PROGNOSIS AND SELECTION OF TREATMENT .....           | 15 |
| Diagnostic Guidelines for the Index Patient .....              | 16 |
| Therapeutic Options .....                                      | 18 |
| NONSURGICAL TREATMENT .....                                    | 18 |
| SURGICAL TREATMENT .....                                       | 18 |
| Outcomes Analysis .....  | 18 |
| EFFICACY .....   | 18 |
| COMPLICATIONS .....  | 19 |
| Surgical Treatments Analyzed - Descriptions and Outcomes ..... | 20 |
| RETROPUBIC SUSPENSIONS .....                                   | 20 |
| SLINGS 22  |    |
| <i>Autologous Fascial Slings</i> .....                         | 22 |
| <i>Cadaveric Slings</i> .....                                  | 23 |
| <i>Synthetic Slings</i> .....                                  | 25 |
| INJECTABLE AGENTS .....  | 28 |
| ARTIFICIAL URINARY SPHINCTERS .....                            | 29 |
| Treatment Guidelines for the Index Patient .....               | 30 |
| Recommendations for Future Research and Reporting .....        | 33 |

|   |    |
|---|----|
| RECOMMENDATIONS TO EDITORS AND REVIEWERS..... | 33 |
| TRANSOBTURATOR TAPE PROCEDURES .....          | 35 |
| Conflict of Interest Disclosures .....        | 36 |
| Acknowledgments and Disclaimers .....         | 37 |
| References .....                              | 43 |
| Abbreviations and Acronyms .....              | 46 |

## ***Introduction***

Stress urinary incontinence (SUI) has a significant impact on the quality of life for many women, although estimates of prevalence vary widely due to inconsistencies in the definitions of SUI and differences in populations studied.<sup>1</sup> A large meta-analysis reported an estimated prevalence for urinary incontinence of 30% in women aged 30 to 60 years, with approximately half of the cases attributed to SUI;<sup>2</sup> another study reported the prevalence of SUI was 5% to 30% in European women.<sup>3</sup> Many women in the United States (U.S.) elect to have a surgical procedure for management of their SUI symptoms each year. The first Female Stress Urinary Incontinence Clinical Guidelines Panel reviewed literature available up to January 1994 and published its report in 1997.<sup>4</sup> Since that time, a new body of literature has emerged on primarily novel surgical interventions for the treatment of SUI. For these reasons, the American Urological Association (AUA) has elected to update the initial report on the Surgical Management of Stress Urinary Incontinence. The literature search used in this analysis had a conclusion date of June 2005; it is recognized that this guideline will likely change in response to new information and further developments in the field.

In the 1997 guideline, the index patient was an otherwise healthy female patient with SUI without significant pelvic organ prolapse. It has become apparent since the prior guideline that many women with SUI also have pelvic organ prolapse and that these two issues may be addressed concurrently. Therefore, in constructing this guideline update, the index patient is defined as an otherwise healthy female patient who has elected surgical therapy for the correction of SUI as in the previous guideline. An additional index patient defined by the panel is an otherwise healthy female patient with SUI and prolapse who elects to have treatment of her

SUI along with surgical correction of prolapse. The current Female Stress Urinary Incontinence Guideline Update Panel (the Panel) was selected by the Panel chair and approved by the Practice Guidelines Committee (PGC) of the AUA. The Panel members are representative of different medical specialties and geographic regions of the U.S. and are from both academic and private institutions.

This report describes an analysis of efficacy and safety outcomes for surgical procedures for use in treatment of SUI and provides a guideline based on review of these data and/or panel consensus. It also offers a discussion about the diagnostic evaluation of the index patient and recommendations for outcomes reporting and future research.

## **Definitions**

Stress urinary incontinence is a symptom that refers to leakage of urine during events that result in increased abdominal pressure such as sneezing, coughing, physical exercise, lifting, bending and even changing positions. There are two principle causes of this symptom – SUI and the rarer stress-induced detrusor overactivity (involuntary detrusor contractions that are caused by sudden increases in abdominal pressure). The distinction between these two can be determined by (in order of increasing specificity) patient history, physical examination (e.g., urinary loss after a stress event) and urodynamic studies. For the purposes of this guideline, it is assumed that patients in the extracted studies had surgical management of SUI.

Urgency refers to a sudden, compelling desire to pass urine which is difficult to defer<sup>5</sup> or a strong need to pass urine for fear of leakage.<sup>6</sup> Urge urinary incontinence is defined as

involuntary leakage accompanied by or immediately preceded by urgency.<sup>5</sup> Mixed incontinence refers to SUI that occurs in combination with urge urinary incontinence.

### ***Index patient***

The index patient is defined as an otherwise healthy female patient who has elected surgical therapy for the correction of SUI as in the previous guideline. An additional index patient defined by the panel is an otherwise healthy female patient with SUI and pelvic organ prolapse who elects to have treatment of her SUI along with surgical correction of pelvic organ prolapse. Either index patient may be untreated or previously surgically-treated and may have urethral hypermobility and/or intrinsic sphincter deficiency. Urethral hypermobility was defined by the author; no uniform definition was used.

### ***Methodology***

This guideline included analysis of those relevant factors (perceived risks and outcomes of the interventions, patient preferences and relative priorities of the interventions given limited health care resources) used to choose among alternative treatment interventions.<sup>7</sup> The peer-reviewed medical literature was meta-analyzed to estimate outcomes of treatment modalities, and Panel members themselves served as proxies for patients in considering preferences. The steps taken to develop this guideline, further detailed in Chapter 2, included problem definition, literature search, data extraction, systematic evidence combination, guideline generation, approval and dissemination. The Panel did not review needle suspensions or anterior colporrhaphy in



developing this guideline update. Since development of the 1997 guideline, very limited new data has been published addressing these procedures, and there is a lack of current use or interest in them as well. Though these operations may still be performed in isolated circumstances by some surgeons, the Panel believes that they are largely of historical interest only and no longer considers these procedures contemporary treatments for SUI.

### **Problem Definition**

This guideline update was based on the original AUA Guideline on the Surgical Management of Female Stress Urinary Incontinence published in 1997 using a similar methodology. The analysis was likewise limited to surgical treatments but included new procedures and those considered the most efficacious as determined by the previous analysis. Unlike the 1997 guideline, outcomes of surgical therapies for prolapse were also included.

Surgical efficacy was defined in three parts: 1) the resolution and lack of recurrence of SUI and urgency; 2) the resolution of prolapse and the lack of recurrence or new onset of prolapse; and 3) the incidence and severity of adverse events of these treatments. Urgency (resolution and de novo) was included as an efficacy outcome due to its significant impact on patient quality of life. The treatments included in the analysis were retropubic suspensions, slings, injection therapy and artificial sphincters; the analysis excluded those procedures not generally available in the U.S. or not expected to be approved at the time of publication. Anterior repairs for prolapse reduction in conjunction with other surgical treatments for incontinence were included as prolapse surgeries. Procedures used to correct prolapse included hysterectomy in conjunction with or as a component of surgical treatment of SUI and site-specific repairs.

## **Literature Search and Data Extraction**

A database was generated that included articles retrieved for the previous guideline and those resulting from a series of four MEDLINE® searches beginning in December 2002 and concluding in June 2005. The searches were limited to papers involving human subjects and published in the English language on or after 1990 which included the MeSH term “female.” The MeSH headings used were “urinary incontinence, stress,” “stress incontinence” and “urinary incontinence” in any field. A total of 7,111 citations and abstracts were reviewed for relevance by the panel chairs, of which 1,302 citations entered the extraction process. Panel members extracted data from the articles which were then entered into a Microsoft Access® (Microsoft, Redmond, WA) database. In person and via conference calls, the Panel collectively reviewed the extracted data. A total of 436 articles were suitable for inclusion in the meta-analysis; an additional 155 articles were deemed suitable only for their complications data due to an insufficient follow-up duration for the efficacy outcomes analysis.

## **Evidence Combination**

To generate outcomes tables, estimates of the probabilities and/or magnitudes of the outcomes are required for each intervention. Ideally, these come from a synthesis or combination of the evidence. Combination can be performed in a variety of ways depending on the nature and quality of the evidence. For this guideline, the panel used the confidence profile method,<sup>8,9</sup> which provides methods for meta-analyzing data from studies that are not randomized controlled trials (RCTs). Meta-analysis was performed using the Fast\*Pro software to combine individual arms from controlled trials and clinical series where similar patients were similarly treated. Although a number of RCTs were found through the literature search, there were insufficient numbers on any one topic to warrant an independent meta-analysis of RCTs. The results of

certain trials are discussed where relevant. Frequently, published series used in a combined analysis showed very divergent results implying site-to-site variations, variability in patient populations, in the performance of the intervention, the skill of the surgeon or normal statistical variation. Given these differences, a random-effects, or hierarchical, model was used to combine the studies.

### **Patient Groups**

While stratifying outcomes based on patient characteristics such as type of incontinence, previous treatment(s), presence of prolapse, prior pregnancy and severity of incontinence would be most instructive, in most cases the outcomes data were not fully or consistently identified by these criteria. Therefore, analysis was limited to two patient groups; one in which no patient received concomitant surgical treatment for prolapse (comparable to the previous guideline) and another in which some or all patients received concomitant treatment for prolapse. Very few published studies included all of the SUI patients receiving concomitant prolapse treatment, therefore, the analysis was based mainly on data from studies that included some patients with prolapse treatment. This did not permit a clear distinction to be made between these groups in the analysis. An attempt to stratify the outcomes of SUI surgical interventions by the presence of prolapse was thwarted by insufficient data since few published studies stratified results in this manner.

### **Efficacy Analysis**

The efficacy outcomes analyzed included two levels of continence: cured/dry and cured/dry/improved; these are reported percentages and credible intervals (Bayesian confidence intervals [CIs]). Allocation to the previously mentioned categories was determined by author definition of continence. For the analysis of postoperative urgency, patients were divided into

three categories: without pre-existing urgency, with pre-existing urgency, and unknown or uncertain pre-existing urgency. Postoperative urgency categories included urge incontinence, urge symptoms and unspecified. Again, the results are reported as the percent of the relevant patient group having each outcome. Abbreviated tables summarizing the cured/dry and resolution or urge incontinence for the time interval of 12-23 months for patients with or without concurrent prolapse treatment are provided with this document (see Tables 1–3); for a complete set of data tables see Appendices A7-A16.

## **Complications**

Complications were analyzed similarly to the efficacy outcomes. However, because of the wide variety of ways authors name and describe complications, the panel attempted to group complications together that represented the same or related outcomes. As discussed in Chapter 2, this could result in some inaccuracies in the resultant estimates. Appendix A-17 shows how the panel grouped outcomes. Certain complication outcomes such as pain and de novo urgency were tabulated as defined by the author, and no further analysis was performed based upon the limitations of data reporting. After grouping the complications for analysis, the grouped complications were then put into general categories for display and discussion. Outcomes tables were developed for each group of complications. Separate tables were again created for patients with and without prolapse treatment. The format of the tables is the same as the efficacy tables. An abbreviated table summarizing retention data for patients with or without concurrent prolapse treatment is provided with this document (see Table 4); for a complete set of data tables see Appendices A7 – A16.

## Guideline Generation and Approvals

After the evidence was combined and outcome tables were produced, the Panel reviewed the results and identified anomalies, updated the outcomes tables based on the problems identified, and based on evidence from the outcome tables and expert opinion, the Panel drafted the treatment guideline. Based on 24 peer reviewer comments, the Panel revised the document. The guideline was submitted for approval to the PGC of the AUA and the Board of Directors for final approval.

As in the previous guideline, the present statements are graded with respect to the degree of flexibility in application. Although the terminology has changed slightly, the current three levels are essentially the same as in the previous guideline. A "standard" has the least flexibility as a treatment policy. A "recommendation" has significantly more flexibility, and an "option" is even more flexible. These terms are defined as follows:

1. **Standard:** A guideline statement is a standard if (1) the health outcomes of the alternative interventions are sufficiently well known to permit meaningful decisions, and (2) there is virtual unanimity about which intervention is preferred.
2. **Recommendation:** A guideline statement is a recommendation if (1) the health outcomes of the alternative interventions are sufficiently well known to permit meaningful decisions, and (2) an appreciable, but not unanimous majority agrees on which intervention is preferred.
3. **Option:** A guideline statement is an option if (1) the health outcomes of the interventions are not sufficiently well known to permit meaningful decisions, or (2) preferences are unknown or equivocal.

## **Dissemination**

The guideline is published on the web site for the AUA and can be found at

<http://www.auanet.org>. A version of Chapter 1 will be published in the *Journal of Urology*.

## ***Diagnostic Evaluation of the Index Patient***

The purpose of diagnostic evaluation is three-fold: 1) to document and characterize SUI; 2) to assess differential diagnosis and comorbidities; and 3) to prognosticate and aid in the selection of treatment.

### **To confirm the diagnosis and characterize SUI**

Stress urinary incontinence may be characterized by the following:

- demonstration of leakage with increasing abdominal pressure (see below)
- frequency of incontinence episodes (diagnosed by history, questionnaire, bladder diary)
- severity (the volume of urine leakage diagnosed by history, questionnaire, bladder diary, pad test)
- degree of bother (diagnosed by history, bladder diary, questionnaire)
- sphincter function (diagnosed by examination, Valsalva leak point pressure, urethral pressure profile)
- degree of urethral mobility (diagnosed by estimation at time of physical examination, cotton-swab test, or imaging)

On the basis of a focused history and physical examination with a comfortably full bladder, the diagnosis of SUI is fairly straightforward in the index patient. The *sine-qua-non* for a definitive diagnosis is for the examiner to witness involuntary urine loss from the urethral meatus

coincident with increased abdominal pressure (positive stress test) such as those occurring during coughing and straining; a standing position may facilitate the diagnosis. Once the increase in abdominal pressure has subsided, flow through the urethra should subside. Rarely, one may witness urine loss after increases in intra-abdominal pressure. In this scenario, one should suspect that the incontinence is, at least in part, due to an abnormal detrusor contraction (stress-induced detrusor overactivity).

### **To assess differential diagnosis and comorbidities**

The differential diagnosis of stress incontinence includes detrusor overactivity, low bladder compliance, overflow incontinence, stress-induced detrusor overactivity, urethral diverticulum, urinary fistula and ectopic ureter. Overflow incontinence is a clinical diagnosis, whereas detrusor overactivity, low bladder compliance, and stress-induced detrusor overactivity are essentially urodynamic diagnoses while urethral diverticulum and urinary fistula can be sometimes be confirmed on the basis of history and exam but may in some instances require urinary tract imaging or other procedures for confirmation. Various imaging techniques for urethral diverticula may be used. Urinary fistula and ectopic ureter may be diagnosed by examination, cystoscopy and upper and lower urinary tract imaging.

Certain comorbidities relating to coexisting conditions might affect the outcome of treatment and influence surgical technique and the specifics of patient counseling. For example, a patient with mixed and stress incontinence who has a large post-void residual volume and impaired detrusor contractility might be counseled that her urge symptoms are more likely than usual to persist and that urinary retention is more likely. Further, the technique of surgery might be tailored such that a mid urethral, rather than bladder neck, sling is performed and it might be placed a bit looser than otherwise. These comorbidities include:

- urinary urgency and urge incontinence (diagnosed by history, questionnaire, bladder diary);
- anatomic features such as pelvic organ prolapse (diagnosed by history, exam); urethral mobility and other urethral abnormalities such as intrinsic stricture disease (diagnosed by cystoscopy, cotton-swab test, ultrasound);
- the number and location of ureteral orifices e.g. ectopic (diagnosed by cystoscopy); and/or
- the presence of detrusor overactivity, urethral obstruction, low bladder compliance and impaired or absent detrusor contractility (diagnosed by uroflow, postvoid residual volume determination, urodynamics).

### **To aid in prognosis and selection of treatment**

There are few facts and many opinions about predicting the outcome of surgery based on the comorbidities described above, though few would disagree that operations for SUI should be confined to those who actually have demonstrable SUI, including occult SUI demonstrable only after reduction of pelvic organ prolapse. There is no standardized way to reduce a prolapse to unmask stress incontinence, and this patient falls outside the index patient identified by the panel. Nevertheless, an understanding of the specific comorbidities allows for individualized treatment planning, for informed consent and for the surgeon's estimate of a successful outcome and the potential occurrence of complications such as incomplete bladder emptying, persistent or de novo urgency/urge incontinence and recurrent sphincter incontinence. Urodynamic evaluation may be of assistance in elucidating complex presentations of incontinence.



## ***Diagnostic Guidelines for the Index Patient***

Amendments to 1997 Standards, Recommendations and Options are indicated (words that are in italics denote changes from the 1997 guideline document to improve clarity).

**Standard: The evaluation of the index patient should include the following components:**

- ***Focused* history**
- ***Focused* physical examination**
- **Objective demonstration of SUI**
- ***Assessment of postvoid residual urine volume***
- **Urinalysis, and culture if indicated**

[Based on Panel consensus]

**Recommendation: Elements of the history should include the following:**

- **Characterization of incontinence (stress, urge, etc.)**
- **Frequency, bother and severity of incontinence episodes**
- **Impact of symptoms on lifestyle**
- **Patient's expectations of treatment**

[Based on Panel consensus]

**Recommendation: Additional diagnostic studies can be performed to assess the integrity and function of the lower urinary tract.**

- **Pad testing and/or voiding diary**
- **Urodynamics**

- **Cystoscopy**
- **Imaging**

[Based on Panel consensus]

**Recommendation: Indications for further testing include the following:**

- **An inability to make a definitive diagnosis based on symptoms and the initial evaluation**
- **Concomitant overactive bladder symptoms**
- **Prior lower urinary tract surgery, including failed anti-incontinence procedures**
- **Known or suspected neurogenic bladder**
- **Negative stress test**
- **Abnormal urinalysis such as unexplained hematuria or pyuria**
- **Excessive residual urine volume**
- **Grade III or greater pelvic organ prolapse**
- **Any evidence for dysfunctional voiding**

[Based on Panel consensus]

The need for further evaluation of any given patient depends on a number of other factors including the degree of certainty and comfort that the physician has about the diagnosis, the impact that further studies will have on diagnosis, treatment options and treatment risks and likely outcomes as well as the desire and willingness of the patient to undergo further studies.

## ***Therapeutic Options***

### **Nonsurgical Treatment**

Management of SUI includes the option of nonsurgical therapies. The Panel did not review nonsurgical therapies because they are outside the scope of this report.

### **Surgical Treatment**

The outcomes analyzed fell into two general categories: efficacy outcomes and complications.

The results of the analysis are provided under each treatment below. For a more detailed discussion of the outcomes, see Chapter 3. Comparative results of the meta-analysis of efficacy and complications are shown in the tables and graphs in Chapter 3.

## ***Outcomes Analysis***

### **Efficacy**

The primary efficacy outcome was the resolution of stress incontinence as measured two ways—patients who were completely dry (cured/dry) or patients who showed improvement (cured/dry/improved). The cured/dry/improved measure may include patients who were completely dry. Secondary efficacy outcomes dealt with changes in urgency as described in the methodology section above. Data were accepted as reported except when described in terms that conflicted with the definition in the methodology. For example, if a study reported any patients with minimal persistent incontinence as cured, these data were included only in the cured/dry/improved category.

Outcomes were analyzed separately based on whether the continence evaluation was subjective or objective; only results that were clearly based on subjective or objective criteria

were included in their respective analyses. An additional category was created (defined as “any” method of evaluation) to include all studies irrespective of the method of assessment used. For studies reporting both subjective and objective results, the subjective results for the study were included in the “any” category.

Outcomes also were analyzed separately according to the postsurgical interval of the final assessment of continence, with a minimum period of follow-up of 12 months. Three intervals were analyzed: 12 to 23 months, 24 to 47 months and greater than 48 months. If a study reported data at multiple times during one of these intervals, the time point closest to 18 months, 36 months and 60 months were used for the three time ranges, respectively.

## **Complications**

In order to facilitate the analysis of complications for the various SUI surgical procedures and because of the lack of standardized complications nomenclature in the literature the Panel grouped the reported complications into the following classes:

- Urinary retention      • Perioperative genitourinary      • Delayed genitourinary
- Gastrointestinal      • Vascular      • Neurological
- Infectious      • General medical      • Death

Details of these groups are described in Chapter 3. Appendix A-17 lists the specific complications that were included in each of the above classes. Subjective complications (pain, sexual dysfunction, and voiding dysfunction) were also included as a separate category.

Important complications for specific treatments are discussed below under the relevant treatment.

## ***Surgical Treatments Analyzed - Descriptions and Outcomes***

The surgical treatments analyzed fell into four categories: retropubic suspensions, slings, injectable agents and artificial urinary sphincters (AUS). Within each class, modifications of these treatments were analyzed where appropriate. For some categories, only minimal data were available. As noted in the methods section, definitions of cured, dry and improved were those of the authors.

In this section, brief descriptive results are provided for outcomes. The complete results are provided in Chapter 3 and Appendices A7-A16.

### **Retropubic Suspensions**

Although the techniques for performing retropubic suspensions were essentially unchanged since the 1997 Guideline, the Panel elected to determine if there were any new studies since that analysis that would result in significantly different outcomes. Data from three categories of retropubic suspensions were analyzed: 1) open suspensions regardless of type (including Burch suspensions); 2) open Burch suspensions alone; and 3) laparoscopic suspensions.

The Panel's meta-analysis estimated cured/dry rates at 12 to 23 months based on 1,085 patients for open suspensions with no concomitant prolapse treatment to be 82% (CI: 74%-87%) while cured/dry rates for laparoscopic suspensions were 69% (368 patients; CI: 52%-84%) (Table 1). At 24 to 47 months, the cured/dry rates were similar among all procedures, ranging from 74% to 76%. At 48 months or longer, cured/dry rates for all open procedures were 73%. No data were available for laparoscopic procedures. These rates are similar to those reported for retropubic suspensions in the previous Guideline, in which estimated cured/dry rates were 84% at all time points.<sup>4</sup>

The meta-analysis estimate of postoperative urge incontinence was 14% from data from 186 patients (CI: 6%-25%) with pre-existing urge incontinence when treated with open retropubic suspensions, while de novo urge incontinence and “unspecified” urge incontinence was estimated in 8% (713 patients; CI: 5%-12%) and 41% of patients (305 patients; CI: 30%-54%), respectively (Table 3). Of patients undergoing laparoscopic retropubic suspensions, the meta-analytic results indicate that an estimated 5% of patients (CI: 1%-14%) will experience de novo urge incontinence and approximately 6% (CI: 1%-14%) will have “unspecified” urge incontinence. There were few data available for laparoscopic retropubic suspensions or for longer term outcomes of open retropubic suspensions (for longer term outcomes on urge incontinence, see Chapter 3). Based on 1,154 patients in 18 studies, retention could occur in 3% to 4% of patients (Table 4). The most common complications and estimated rates of occurrence for open retropubic suspensions determined in the meta-analysis (see Chapter 3) were febrile complications (8%), urinary tract infection (13%), bladder injury (4%) and voiding dysfunction (9%). Laparoscopic suspensions appeared to have a lower overall risk of febrile complications (0% reported) and urinary tract infection (2%), although these estimates were based on limited data. Ureteral injury was estimated to occur in 4-11% of patients receiving laparoscopic retropubic suspensions (see later discussion in Chapter 3), but only 1% of patients receiving open suspensions. Again, these estimates were based on a very small number of patients.

For patients with concomitant prolapse treatment, the estimated cured/dry rates for open retropubic suspensions, Burch suspensions and laparoscopic suspensions were all 88% at 12 to 23 months and 83% to 85% at 24 to 47 months (Table 2). The cured/dry rate was estimated to be 67% (1,072 patients; CI: 56%-76%) for all open retropubic suspensions at 48 months or longer, and data were insufficient for an approximation of efficacy for laparoscopic therapy at 48 months

or longer. The postoperative urge incontinence rate was based on 143 patients with pre-existing urge incontinence who were treated with open retropubic suspensions with concurrent prolapse repair; the rate of occurrence was approximately 22% (CI: 4%-56%). Further, the analysis estimates 14% of patients (457 patients; CI: 8%-21%) may experience de novo urge incontinence and 13% of patients (256 patients; CI: 7%-22%) may report “unspecified” urge incontinence (Table 3). By comparison, the results estimate that 11% of patients treated with laparoscopic suspensions will have de novo urge incontinence (344 patients; CI: 6%-17%); data were unavailable or insufficient for the other urge incontinent outcomes with laparoscopic retropubic suspensions (for longer term outcomes on urge incontinence, see Chapter 3). Retention was estimated in 1% to 2% of patients (Table 4).

## **Slings**

### **Autologous Fascial Slings**

Efficacy data were available for a variety of types of autologous fascial slings, including suprapubic slings with bone anchors, autologous vaginal wall slings with or without bone anchors and the general category of autologous fascial slings without bone anchors (detailed outcomes for the different types of autologous fascial slings are provided in Chapter 3).

Most of the available studies described patients treated with autologous slings without bone anchors. For patients without concurrent prolapse treatment, the estimated cured/dry rates ranged between 90% at 12 to 23 months and 82% at 48 months or longer (Table 1). The Panel’s meta-analysis estimated rates of postsurgical urge incontinence were 33% in patients with pre-existing urge incontinence and de novo urge incontinence in 9% of patients without pre-existing urge incontinence (Table 3). The estimated rate of retention was 8% (Table 4). Complications estimates for autologous fascial slings without bone anchors were generally infrequent and

included urinary tract infection (11%), bladder injury (4%) and wound complications (8%). There were also a few studies published between 2001 and 2003 reporting data on a small number of patients who received autologous fascial vaginal wall slings with or without bone anchors. Complete data are provided in Chapter 3.

For patients treated with autologous slings without bone anchors and a concurrent prolapse treatment, cured/dry rates ranged from 85% to 92%, although these estimates were based on a very small number of patients (Table 2). Based on the results of the meta-analysis, approximately 10% of patients could experience de novo urge incontinence, and an estimated 5% of patients will be subject to retention (Table 3).

### **Cadaveric Slings**

Cadaveric slings came into wide use following a report by Handa et al.,<sup>10</sup> and other authors have since reported favorable results using this procedure.<sup>11, 12</sup> However, the long-term durability of these procedures has been questioned,<sup>13, 14</sup> with reports of graft failure<sup>15, 16</sup> and declining success rates over time<sup>17, 18</sup> (for a more complete discussion on the use of cadaveric slings, see Chapter 3). The use of these materials has dramatically declined over time as a result of these concerns, thus severely limiting data available for analysis.

Based on the limited data available for analysis, the estimated cured/dry rate for patients undergoing cadaveric slings without bone anchors and no concomitant prolapse treatment was 74% at 12 to 23 months and 80% at 24 to 47 months (Table 1). There were no data for longer term efficacy (48 months or longer) for cadaveric slings, and few studies reported data on retention, urge incontinence or complications.

For patients with concomitant prolapse treatment, the Panel's meta-analysis estimates of cure/dry rates were 82% (234 patients CI: 77%-86%) at 12 to 23 months using a cadaveric sling



with bone anchors, whereas the rate was 58% based on patients from three studies totaling 133 patients (CI: 36%-78%) where bone anchors were not utilized (Table 2). Despite the fact that these confidence intervals barely overlap, the consensus of the Panel is that these represent statistical aberrations inherent in evidence combination and are likely not representative of a true difference in outcomes. There were no data for bone-anchored slings beyond two years. At 24 to 47 months, for patients undergoing a cadaveric sling procedure without bone anchors in addition to prolapse treatment, the cured/dry rate was 64%, and at > 48 months based on 13 patients, only an estimated 31% receiving a cadaveric sling without bone anchor will be cured/dry.

Little is known about the graft-host relationship and possible mechanisms of graft degradation for cadaveric materials. In addition, processing and storage of these materials is variable, which could account for the disparity of results as reflected by the wide CIs in our analysis. There were insufficient data to assess the long-term efficacy of these procedures, with very few studies reporting results at 48 months or longer. Furthermore, the risks of disease transmission with these materials remain unknown. Traces of genetic material have been isolated from commercially available cadaveric sling materials<sup>19</sup> although there have been no reports of disease transmission related to cadaveric grafts in the urologic literature.

There were few complications reported in the literature for procedures using cadaveric sling materials. Vaginal extrusion was reported in one study,<sup>20</sup> but erosion of cadaveric materials into the urinary tract was not identified in this meta-analysis. Other reported complications were similar to other procedures for the surgical correction of SUI. When these materials have been used with concomitant prolapse repair, complications such as infection and graft extrusion have been reported.<sup>21</sup>

## **Synthetic Slings**

Efficacy data were available for synthetic slings placed at the bladder neck and synthetic slings placed at the midurethra. Outcomes are discussed separately for each of these procedures.

### **Synthetic Slings at the Bladder Neck**

Efficacy data were available for synthetic slings at the bladder neck with or without bone anchors; most of the data came from studies involving synthetic slings without bone anchors. With this procedure, the estimated cured/dry rate based on 349 patients in nine studies without prolapse treatment was 73% (CI: 64%-80%) at 24 to 47 months; longer term data were not available (Table 1). De novo urgency was approximated at 12% of patients (132 patients; CI: 6%-20%) at 12 to 23 months; there were limited data on other urge incontinence outcomes (Table 3). The retention rate was an estimated 9% (360 patients; CI: 5%-15%) (Table 4). The most common complications occurring with synthetic slings at the bladder neck without bone anchors (provided in Chapter 3) were urinary tract infection (10%) and erosion/extrusion (5% for urethral/bladder, 8% for vaginal and 17% for unknown). However, because only studies that report a given complication were included in the analysis and many of these studies were small case series, these percentages may represent an overestimation of the risk of these complications. Despite these limitations, these data suggest an increased probability of urinary tract erosion following synthetic slings placed at the bladder neck.

For those treated with synthetic slings at the bladder neck with concurrent prolapse treatment, the meta-analysis estimated cured/dry rates of 73% to 75% at 24 months and longer (Table 2). Estimates of postoperative urge incontinence based on 119 patients with pre-existing urge incontinence in three studies was 29% (CI: 16%-46%), and estimates suggested that only

15% of patients (150 patients; CI: 5%-31%) will experience de novo urge incontinence (Table 3). The estimated retention rate was 10% (422 patients; CI: 5%-18%) (Table 4).

### **Synthetic Slings at the Midurethra**

Since the publication of the 1997 guideline, there has been a proliferation of new modifications to the pubovaginal sling that have largely replaced the retropubic suspension and the autologous sling as the primary procedures for SUI. In these procedures the synthetic sling is placed at the midurethra as opposed to the bladder neck. These procedures are performed using one of two techniques –transvaginal/retropubic or transobturator. In the retropubic technique, trocars or long needles are passed at the midurethra through the retropubic space from the vagina to the abdomen or from the abdomen to the vagina. In the transobturator technique, the slings are passed with a curved trocar from the vagina behind the ischium (inside-out) or from the ischium to the vagina (outside-in). At the time of this analysis, data on the transobturator technique was limited, with insufficient numbers of patients having long-term follow-up to reach any conclusions regarding efficacy (see final section of this document for further discussion of these procedures).

For the transvaginal/retropubic technique, the Panel's meta-analysis estimated cured/dry rates in patients without prolapse treatment ranging from 81% to 84% at all time points (Table 1), which is comparable to the medium-term results for the Burch suspensions and autologous fascial slings. De novo urge incontinence was projected in 6% of patients (323 patients; CI: 3%-10%) (Table 3) while retention estimates were 3% of patients (2119 patients; CI: 2%-4%) (Table 4); insufficient data were available for an estimate of resolution of pre-existing urgency, with only 1 group of 25 patients providing data. Complication rates (see Chapter 3) included bladder injury as defined by the study authors (6%), urinary tract infection (11%) and extrusions

(7% for vaginal extrusions and 1% for unknown). Wound complications were also reported in the literature. Thirteen case reports identified the complications of urethral or bladder erosion of mesh into the urinary tract which occurred in over half of a cohort of 33 patients. Unfortunately, the probability of urinary tract erosion was unable to be calculated precisely from the database as all of these were reports of individual cases or small case series which would result in an overestimation of the risk of these complications. Similar efficacy results were found for those treated with midurethral synthetic slings with concurrent prolapse treatment.

### **Mesh in pelvic floor surgery\*\*:**

Recently, the U.S. Food and Drug Administration (FDA) released a warning position statement concerning the use of mesh materials in stress incontinence surgery and pelvic organ prolapse surgery. They noted over 1,000 reported complications of vaginal and urinary erosion as well as bowel and vascular injuries (<http://www.fda.gov/cdrh/safety/102008-surgicalmesh.html>). This data has been extracted from the FDA Manufacturer and User Facility Device Experience Database (MAUDE) database, which promotes voluntary reporting of complications. The Panel has reviewed this statement and the results of this meta-analysis. Based on this review, the Panel has reached the following conclusions:

- 1) In this meta-analysis, the midurethral slings had an efficacy comparable to autologous slings in the surgical treatment of SUI.
- 2) Several “versions” of the midurethral sling procedures do not have similar long-term efficacy data.

**\*\*The FDA issued an updated warning in July 2011 regarding the use of vaginal mesh. Please read the alert on the cover of this guideline.**

- 3) There are complications that may occur that are unique to specific mesh materials; however, these complications appear to be rare. Intraoperative use of cystoscopy can be performed to minimize the risk of urinary tract injury or erosion.
- 4) The midurethral sling is an alternative in the management of SUI. The incidence and implications of these complications along with the more rapid recovery and more efficient return to normal voiding after surgery should be discussed with patients before surgery.

### **Injectable Agents**

Injectable agents may provide immediate relief for some patients and are an option for patients who do not wish to undergo more invasive surgery and who understand that both efficacy and duration are inferior to surgery. Other possible indications for the use of injectable agents include patients who are elderly, those who are at high anesthetic risk or those willing to accept an improvement in their incontinence without necessarily achieving dryness.

For this analysis, injectable agents were subdivided into collagen (bovine glutaraldehyde cross-linked) and other nondegradable synthetic agents. The literature reviewed for this guideline offered minimal new data, with sufficient data available for an analysis of only collagen. The anticipated efficacy for patients treated with collagen without concomitant prolapse treatment declined over time, from 48% at 12 to 23 months to 32% at 24 to 47 months (Table 1). The estimated rates of de novo and unspecified urge incontinence as well as the rates of complications were low.

Very limited information is available for the other injectable agents with the exception of the multicenter trials that won approval for these agents by the U.S. FDA. These include carbon-coated zirconium beads in beta-glucan gel<sup>22</sup> and calcium hydroxylapatite.<sup>23</sup> Data regarding newer agents under FDA review or not yet in the literature were not included. There were limited data with which to assess the long-term safety and efficacy of injectable agents. These agents are an option for women who require or prefer a minimally invasive procedure under local anesthesia.

### **Artificial Urinary Sphincters**

In the U.S., use of the AUS is generally restricted to children with nonfunctioning urethras (i.e., those with spina bifida), in adults with nonfunctioning urethras secondary to trauma to the nerves of the pelvis such as following automobile accidents or in male adults with postprostatectomy incontinence. Data on use of the AUS in the index patient are limited. It is occasionally used in a patient with severe intrinsic sphincteric deficiency who has failed other surgical procedures, or patients with significant SUI and poor bladder contractility such as those with diabetes or back injury. Although limited, available data on the AUS in over a decade of use demonstrate that it can be a valuable therapy with a high degree of effectiveness. Erosion, infection and device malfunction are potential complications. Based on the only recent study on complications, an anticipated erosion/extrusion rate was computed to be 28%.<sup>24</sup> With respect to the index patient, the AUS might be useful in the Valsalva-voiding woman who must abdominally strain to empty the bladder. When the cuff is opened for voiding, the AUS is likely nonobstructive to the bladder in contrast to slings where straining may cause obstruction to the flow of urine. The Panel feels that the role of the AUS is limited.

## ***Treatment Guidelines for the Index Patient***

The Panel updated existing guideline statements and developed new statements. Amendments to 1997 Standards, Recommendations and Options are indicated (words that are in italics denote changes from the 1997 guideline document to improve clarity).

**Standard: The patient should be counseled regarding the surgical and nonsurgical options including both benefits and risks. Choice of the procedure should be made as a collaborative effort between the surgeon and patient and should consider both patient preferences and the surgeon's experience and judgment.**

[Based on Panel consensus]

**Standard: Patients with urge incontinence without stress incontinence should not be offered a surgical procedure for stress incontinence.** The index patient has stress urinary incontinence with or without prolapse. The use of a prophylactic anti-incontinence procedure in the patient with occult incontinence with high grade prolapse is not the guideline index patient and the panel does not have an opinion about prophylactic incontinence surgery.

[Based on Panel consensus]

**Recommendation: Synthetic sling surgery is contraindicated in stress incontinent patients with a concurrent urethrovaginal fistula, urethral erosion, intraoperative urethral injury and/or urethral diverticulum.**

[Based on Panel consensus]

Although there is no peer-reviewed literature that specifically evaluates these uncommon conditions, the Panel believes that using synthetic material in these circumstances may place the patient at higher risk for subsequent urethral erosion, vaginal extrusion, urethrovaginal fistula and foreign body granuloma formation. In such patients, the Panel believes that autologous fascial and alternative biologic slings are an option in the treatment of concomitant stress incontinence. The decision to use these materials should be based on the judgment of the surgeon and made in the best interests of the patient.

**Standard: Intraoperative cystourethroscopy should be performed in all patients undergoing sling surgery.**

[Based on Panel consensus]

For detection of potential intraoperative complications, the bladder and urethra should be inspected either with a rigid or flexible cystoscope prior to the conclusion of the procedure. A short beak rigid cystoscope or flexible fiberoptic cystoscope provides optimal visualization of the female urethra.

**Option: The five major types of procedures (injectables, laparoscopic suspensions, midurethral slings, pubovaginal slings and retropubic suspensions), although not equivalent, may be considered for the index patient.**

[Based on Panel consensus]

Newer techniques and materials for the surgical treatment of stress incontinence such as midurethral synthetic slings have been developed. For the index patient, the Panel believes that these techniques, materials and accompanying physician expertise and



experience offer a number of advantages that include shorter operative time, shorter recovery time and less short-term morbidity; however, urethral erosion and vaginal extrusion of the synthetic material may occur, which can be very difficult to treat. In addition, perforation of bowel and blood vessels, which pose a life-threatening risk, may result from this procedure. Longer term follow-up is needed before any definitive statements regarding the long-term efficacy and life-long risk of erosion with these procedures can be made.

**Option: The artificial urinary sphincter may be indicated in certain circumstances.**

[Based on evidence and Panel opinion]

The Panel considers the use of the AUS in the index patient as an option, with a role limited to patients not amenable to treatment with other procedures.

**Option: Stress incontinence procedures may be considered for patients with mixed incontinence with a significant stress incontinence component.**

[Based on review of the data and Panel consensus]

Ample support exists for the role of surgery in mixed incontinence<sup>25</sup> The meta-analysis estimate of postoperative urge incontinence was 14% from data from 186 patients (CI: 6% - 25%) with pre-existing urge incontinence when treated with open retropubic suspensions while others have reported disparate outcomes.<sup>26</sup>

**Recommendation: Surgical procedures for SUI and prolapse may be safely performed concomitantly in appropriately selected women. Tensioning of any sling should not be performed until prolapse surgery is completed.**

[Based on Panel consensus]

## ***Recommendations for Future Research and Reporting***

### **Recommendations to Editors and Reviewers**

Although more than a decade has passed since the recommendations for improving the quality of data from clinical trials and studies were proposed by Leach et al.,<sup>4</sup> very little progress has been made by editors and reviewers in instituting these recommendations.<sup>27</sup> Furthermore, the FDA has not altered the approval process as discussed below. Thus, again, the Panel members were extremely disappointed in data available for meta-analysis. In addition to the specific data outlined by Leach et al.<sup>4</sup> in the original Panel report, editors and their reviewers should require:

- Defined outcome measures obtained preoperatively and followed postoperatively
  - validated questionnaires
  - bladder diary
  - pad test
  - exam with full bladder
- A minimum follow-up of at least 12 months of all surgically treated patients for reporting of efficacy data
- A grading of the degree of prolapse (anterior, posterior, apical) as determined by preoperative pelvic examination recorded on all patients

For adverse event data, complications should be categorized as occurring intraoperatively or postoperatively. It is essential to report the following adverse event data:

- Overactive bladder symptoms, which should include persistent overactivity (already present preoperatively) or de novo overactivity (occurring as a complication of the surgery)
- Persistent or de novo other lower urinary tract symptoms
- Urinary retention of greater than four weeks and/or requiring intervention
- Infection (reported as wound infection, vaginal infection, symptomatic urinary tract infection, pelvic abscess, etc.)
- Fever (sepsis)
- Postoperative pain, bleeding, thromboembolus formation (lower extremity, pulmonary or other)
- Lower urinary tract or vaginal injury or erosion
- Refractory pain
- Other serious complications, including vascular or bowel injury, death

The profession at large and the individual physician should insure the safety and efficacy of any new device or sling. If safety and efficacy has not been shown with reasonable certainty, the new treatment should only be performed as part of clinical research studies and/or with informed consent recognizing that safety and/or efficacy has not been demonstrated.

## **Transobturator Tape Procedures**

As previously discussed, modifications to the pubovaginal sling since the 1997 guideline include development of two minimally invasive procedures for the surgical treatment of SUI: the tension-free vaginal tape procedure introduced in 1996,<sup>28</sup> and the transobturator technique, introduced in 2001.<sup>29-31</sup>

In the development of this guideline, the Panel established June 2005 as a cut-off date for literature review. At that time, the transobturator was a novel procedure with limited information available in the published literature, precluding inclusion of the procedure in the data analyses. Since that deadline, numerous articles have been published in the peer-reviewed literature regarding the transobturator procedure. The Panel is very aware of the importance of the transobturator procedure in the current practice of urology and urogynecology.

## **Conflict of Interest Disclosures**

All panel members completed Conflict of Interest disclosures. Those marked with (C) indicate that compensation was received; relationships designated by (U) indicate no compensation was received.

**Consultant or Advisor:** Rodney Appell, Boston Scientific (C), Allergan (C), Astellas (C), Bayer, Schering-Plough (C), Pfizer (C), American Medical Systems (C); Roger R. Dmochowski, Novartis (C), Pfizer (C), Astellas (C), Watson Pharmaceuticals (C), Lilly (C); Mickey M. Karram, Astellas (C), Cooper Surgical (C), EWH&U (C); Karl M. Luber, Watson Pharmaceuticals (C), Indevus (C), Pfizer (C), Astella (C); David R. Staskin, Pfizer (C), GlaxoSmithKline (C), Astellas (C), Watson (C), Allergan (C), American Medical Systems (C); Saad Juma, Coloplast corporation (C), Contura (C); J. Christian Winters, Astellas (C); Jerry G. Blaivas, Navasys Medical (C), Bayer (C), Pfizer (C), Endogun (C); Eric Scott Rovner, Pfizer (C), Allergan (C), Astellas (C), Tengion (C). **Investigator:** Rodney Appell, Solace, Inc. (C), Novasys Medical, Inc. (C); Roger R. Dmochowski, Allergan (C); Saad Juma, Solace Therapeutics (C), Contura (C), Bioform (C); Eric Scott Rovner, Pfizer (C). **Scientific Study or Trial:** Eric Scott Rovner, Pfizer, (C), Solace, (C), Contura (C); J. Christian Winters, Solace Thera (U). **Meeting Participant or Lecturer:** Eric Scott Rovner, Allergan (C); **Other:** Rodney Appell, American Medical Systems (C), Boston Scientific Corporation (C); Jerry G. Blaivas, HDH (U); Mickey M. Karram, E-Medco (C), Ethicon Women's Health & Urology(C), Cooper Surgical (C), Astella (C); Linda E. Whetter, Zola Associates (C).

**Acknowledgments and Disclaimers: Guidelines for the Management of Female Stress Urinary Incontinence: 2009 Update**

This document was written by the Female Stress Urinary Incontinence Update Panel of the American Urological Association Education and Research, Inc., which was created in 2002. The PGC of the AUA selected the committee chair. Panel members were selected by the chair. Membership of the committee included urologists and gynecologists with specific expertise on this disorder. The mission of the committee was to develop recommendations that are analysis-based or consensus-based, depending on Panel processes and available data, for optimal clinical practices in the diagnosis and surgical treatment of female SUI. This document was submitted for peer review to 76 urologists and other healthcare professionals. After the final revisions were made, based upon the peer review process, the document was submitted to and approved by the PGC and the Board of Directors of the AUA. Funding of the committee was provided by the AUA. Committee members received no remuneration for their work. Each member of the committee provided a conflict of interest disclosure to the AUA.

This report is intended to provide medical practitioners with a consensus of principles and strategies for the surgical treatment of female stress urinary incontinence. The report is based on current professional literature, clinical experience and expert opinion. It does not establish a fixed set of rules or define the legal standard of care, and it does not preempt physician judgment in individual cases.

| <b>Table 1. Cured/dry analysis – No concurrent prolapse treatment*</b> |                     |                                      |            |  |                     |                                       |            |  |
|--|---------------------|--------------------------------------|------------|--|---------------------|---------------------------------------|------------|--|
|  | <b>12-23 months</b> |                                      |            |  | <b>24-47 months</b> |                                       |            |  |
|  | <b>G/P</b>          | <b>Median%<br/>(CI 2.5% - 97.5%)</b> |            |  | <b>G/P</b>          | <b>Median %<br/>(CI 2.5% - 97.5%)</b> |            |  |
| <b>Suspensions</b>   |                     |                                      |            |  |                     |                                       |            |  |
| All Open Retropubic  | 15/1085             | 82%                                  | (74 - 87)% |  | 13/803              | 76%                                   | (68 - 82)% |  |
| Burch  | 14/1070             | 81%                                  | (73 - 87)% |  | 12/775              | 76%                                   | (68 - 83)% |  |
| Laparoscopic   | 9/368               | 69%                                  | (52 - 84)% |  | 4/172               | 74%                                   | (61 - 85)% |  |
| <b>Slings</b>  |                     |                                      |            |  |                     |                                       |            |  |
| Autologous fascial   |                     |                                      |            |  |                     |                                       |            |  |
| without bone anchors   | 4/342               | 90%                                  | (76 - 98)% |  | 6/232               | 81%                                   | (72 - 88)% |  |
| vaginal wall slings w/without bone anchors                             | 1/39                | 79%                                  | (65 - 90)% |  |                     |                                       |            |  |
| vaginal wall slings with bone anchors                                  |                     |                                      |            |  | 1/58                | 79%                                   | (68 - 88)% |  |
| Cadaveric without bone anchors   | 1/104               | 74%                                  | (65 - 82)% |  | 2/71                | 80%                                   | (43 - 98)% |  |
| Synthetic at bladder neck  |                     |                                      |            |  |                     |                                       |            |  |
| with bone anchors  | 2/34                | 88%                                  | (71 - 97)% |  |                     |                                       |            |  |
| without bone anchors   |                     |                                      |            |  | 9/349               | 73%                                   | (64 - 80)% |  |
| Synthetic at midurethra  | 14/1215             | 84%                                  | (78 - 89)% |  | 7/483               | 81%                                   | (72 - 88)% |  |
| <b>Injectables</b>   |                     |                                      |            |  |                     |                                       |            |  |
| Collagen   | 7/340               | 48%                                  | (41 - 55)% |  | 4/210               | 32%                                   | (24 - 42)% |  |

G=number of groups/arms in analysis; P=number of patients in analysis

\*By any evaluation method, including subjective and objective

| Table 2. Cured/dry analysis: ANY patient in the group/arm receiving concurrent prolapse treatment* |              |                              |             |  |              |                               |            |  |            |                               |
|--|--------------|------------------------------|-------------|--|--------------|-------------------------------|------------|--|------------|-------------------------------|
|  | 12-23 months |                              |             |  | 24-47 months |                               |            |  | ≥48 months |                               |
|  | G/P          | Median%<br>(CI 2.5% - 97.5%) |             |  | G/P          | Median %<br>(CI 2.5% - 97.5%) |            |  | G/P        | Median %<br>(CI 2.5% - 97.5%) |
| Suspensions  |              |                              |             |  |              |                               |            |  |            |                               |
| All Open Retropubic  | 9/517        | 88%                          | (83 - 92)%  |  | 9/403        | 83%                           | (75 - 90)% |  | 13/1072    | 67% (56 - 76)%                |
| Burch  | 9/517        | 88%                          | (83 - 92)%  |  | 7/333        | 85%                           | (75 - 93)% |  | 12/954     | 65% (53 - 74)%                |
| Laparoscopic   | 12/564       | 88%                          | (85 - 91)%  |  | 7/359        | 83%                           | (73 - 91)% |  | 1/34       | 88% (74 - 96)%                |
| Slings   |              |                              |             |  |              |                               |            |  |            |                               |
| Autologous fascial   |              |                              |             |  |              |                               |            |  |            |                               |
| without bone anchors   | 3/78         | 92%                          | (82 - 97)%  |  | 1/80         | 85%                           | (76 - 92)% |  |            |                               |
| vaginal wall slings w/without bone anchors   | 1/20         | 70%                          | (48 - 86)%  |  | 2/60         | 89%                           | (64 - 99)% |  | 1/82       | 95% (89 - 98)%                |
| vaginal wall slings with bone anchors, suprapubic  | 1/19         | 99%                          | (88 - 100)% |  | 1/9          | 87%                           | (59 - 99)% |  |            |                               |
| Cadaveric  |              |                              |             |  |              |                               |            |  |            |                               |
| with bone anchors -transvaginal  | 1/234        | 82%                          | (77 - 86)%  |  |              |                               |            |  |            |                               |
| without bone anchors   | 3/133        | 58%                          | (36 - 78)%  |  | 2/92         | 64%                           | (21 - 95)% |  | 1/13       | 31% (11 - 58)%                |
| Homologous dermis without bone anchors   |              |                              |             |  | 1/19         | 89%                           | (70 - 98)% |  |            |                               |
| Synthetic at bladder neck  |              |                              |             |  |              |                               |            |  |            |                               |
| with bone anchors-suprapubic   |              |                              |             |  |              |                               |            |  | 1/49       | 85% (74 - 93)%                |
| with bone anchors- transvaginal  |              |                              |             |  | 1/32         | 81%                           | (65 - 92)% |  |            |                               |
| without bone anchors   | 1/20         | 94%                          | (79 - 99)%  |  | 3/184        | 75%                           | (56 - 90)% |  | 3/182      | 73% (62 - 82)%                |
| Synthetic at midurethra  | 14/1089      | 85%                          | (80 – 89)%  |  | 11/881       | 87%                           | (81 - 91)% |  | 2/101      | 76% (64 - 85)%                |
| Other Sling  | 1/126        | 92%                          | (86 - 96)%  |  |              |                               |            |  |            |                               |

G=number of groups/arms in analysis; P=number of patients in analysis

\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.



| Table 3. Urge incontinence outcomes at 12-23 months |                         |                              |            |  |              |                               |             |  |             |                               |
|---|-------------------------|------------------------------|------------|--|--------------|-------------------------------|-------------|--|-------------|-------------------------------|
|   | No Prolapse Treatment   |                              |            |  |              |                               |             |  |             |                               |
|   | De Novo                 |                              |            |  | Pre-Existing |                               |             |  | Unspecified |                               |
|   | G/P                     | Median%<br>(CI 2.5% - 97.5%) |            |  | G/P          | Median %<br>(CI 2.5% - 97.5%) |             |  | G/P         | Median %<br>(CI 2.5% - 97.5%) |
| Suspensions   |                         |                              |            |  |              |                               |             |  |             |                               |
| All Open Retropubic                                 | 10/713                  | 8%                           | (5 - 12)%  |  | 5/186        | 14%                           | (6 - 25)%   |  | 4/305       | 41%   (30 - 54)%              |
| Burch   | 9/695                   | 8%                           | (5 - 11)%  |  | 3/108        | 17%                           | (4 - 40)%   |  | 4/305       | 41%   (30 - 54)%              |
| Laparoscopic  | 2/112                   | 5%                           | (1 - 14)%  |  |              |                               |             |  | 2/100       | 6%     (1 - 14)%              |
| Slings  |                         |                              |            |  |              |                               |             |  |             |                               |
| Autologous fascial                                  |                         |                              |            |  |              |                               |             |  |             |                               |
| without bone anchors                                | 4/329                   | 9%                           | (6 - 13)%  |  | 4/358        | 33%                           | (28 - 40)%  |  |             |                               |
| vaginal wall slings w/without bone anchors          |                         |                              |            |  | 1/13         | 9%                            | (1 - 31)%   |  |             |                               |
| vaginal wall slings with bone anchors               |                         |                              |            |  |              |                               |             |  |             |                               |
| Cadaveric without bone anchors                      | 1/25                    | 28%                          | (13 - 47)% |  | 1/38         | 21%                           | (10 - 36)%  |  |             |                               |
| Synthetic at bladder neck with bone anchors         |                         |                              |            |  | 1/6          | 96%                           | (67 - 100)% |  |             |                               |
| Synthetic at bladder neck without bone anchors      | 4/132                   | 12%                          | (6 - 20)%  |  | 1/24         | 17%                           | (6 - 35)%   |  |             |                               |
| Synthetic at midurethra                             | 7/323                   | 6%                           | (3 - 10)%  |  | 1/25         | 44%                           | (26 - 63)%  |  | 2/532       | 22%   (3 - 58)%               |
| Other Sling   |                         |                              |            |  |              |                               |             |  |             |                               |
| Injectables   |                         |                              |            |  |              |                               |             |  |             |                               |
| Collagen  | 1/337                   | 13%                          | (10 - 17)% |  |              |                               |             |  | 1/50        | 8%     (3 – 18)%              |
|   | Any Prolapse Treatment* |                              |            |  |              |                               |             |  |             |                               |
| Suspensions   |                         |                              |            |  |              |                               |             |  |             |                               |
| All Open Retropubic                                 | 10/457                  | 14%                          | (8 - 21)%  |  | 2/143        | 22%                           | (4 - 56)%   |  | 2/256       | 13%   (7 - 22)%               |
| Burch   | 9/417                   | 14%                          | (8 - 22)%  |  | 1/25         | 48%                           | (30 - 67)%  |  | 2/256       | 13%   (7 - 22)%               |
| Laparoscopic  | 5/344                   | 11%                          | (6 - 17)%  |  |              |                               |             |  | 1/32        | 4%     (0 - 14)%              |
| Slings  |                         |                              |            |  |              |                               |             |  |             |                               |
| Autologous fascial                                  |                         |                              |            |  |              |                               |             |  |             |                               |

|  |        |     |           |  |       |     |            |       |              |
|--|--------|-----|-----------|--|-------|-----|------------|-------|--------------|
| without bone anchors                             | 2/97   | 10% | (4 - 19)% |  |       |     |            |       |              |
| vaginal wall slings w/without bone anchors       | 3/65   | 13% | (2 - 36)% |  | 2/15  | 47% | (21 - 75)% |       |              |
| vaginal wall slings with bone anchors suprapubic | 1/9    | 13% | (1 - 41)% |  |       |     |            |       |              |
| Cadaveric with bone anchors - transvaginal       | 1/238  | 6%  | (3 - 9)%  |  |       |     |            |       |              |
| Homologous tissue (dermis) without bone anchors  | 1/5    | 22% | (2 - 63)% |  |       |     |            |       |              |
| Synthetic at bladder neck without bone anchors   | 4/150  | 15% | (5 - 31)% |  | 3/119 | 29% | (16 - 46)% |       |              |
| Synthetic at midurethra                          | 11/805 | 11% | (7 - 16)% |  | 5/107 | 52% | (38 - 66)% | 2/174 | 9% (1 - 38)% |

G=number of groups/arms in analysis; P=number of patients in analysis

\*\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

| <b>Table 4. Retention*</b>                 |                              |                                      |           |                                 |                                       |
|--|------------------------------|--------------------------------------|-----------|---------------------------------|---------------------------------------|
|  | <b>No prolapse treatment</b> |                                      |           | <b>Any prolapse treatment**</b> |                                       |
|  | <b>G/P</b>                   | <b>Median %<br/>(CI 2.5%- 97.5%)</b> |           | <b>G/P</b>                      | <b>Median %<br/>(CI 2.5% - 97.5%)</b> |
| <b>Suspensions</b>                         |                              |                                      |           |                                 |                                       |
| All Open Retropubic                        | 8/619                        | 4%                                   | (1 - 8)%  | 13/851                          | 1% (1 - 3)%                           |
| Burch                                      | 5/347                        | 3%                                   | (1 - 7)%  | 10/710                          | 1% (1 - 3)%                           |
| Laparoscopic                               | 5/188                        | 4%                                   | (1 - 8)%  | 11/482                          | 2% (1 - 4)%                           |
| <b>Slings</b>                              |                              |                                      |           |                                 |                                       |
| Autologous fascial                         |                              |                                      |           |                                 |                                       |
| without bone anchors                       | 8/480                        | 8%                                   | (4 - 15)% | 3/301                           | 5% (2 - 11)%                          |
| vaginal wall slings w/without bone anchors | 2/68                         | 2%                                   | (0 - 8)%  | 3/142                           | 5% (1 - 17)%                          |
| Suprapubic                                 |                              |                                      |           | 1/25                            | 1% (0 - 9)%                           |
| Cadaveric without bone anchors             |                              |                                      |           | 1/26                            | 1% (0 - 10)%                          |
| Synthetic at bladder neck                  |                              |                                      |           |                                 |                                       |
| with bone anchors - suprapubic             |                              |                                      |           | 1/49                            | 4% (1 - 12)%                          |
| with bone anchors - transvaginal           |                              |                                      |           | 2/99                            | 1% (0 - 6)%                           |
| without bone anchors                       | 4/360                        | 9%                                   | (5 - 15)% | 7/422                           | 10% (5 - 18)%                         |
| Synthetic at midurethra                    | 17/2119                      | 3%                                   | (2 - 4)%  | 11/1107                         | 3% (2 - 5)%                           |
| <b>Injectables</b>                         |                              |                                      |           |                                 |                                       |
| Collagen                                   | 2/104                        | 1%                                   | (0 - 5)%  |                                 |                                       |

G=number of groups/arms in analysis; P=number of patients in analysis

\* Duration greater than 28 days or requiring intervention

\*\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

## References

1. Luber KM: The definition, prevalence, and risk factors for stress urinary incontinence. *Rev Urol* 2004; **6**: S3.
2. Hampel C, Weinhold D, Benken N et al: Definition of overactive bladder and epidemiology of urinary incontinence. *Urology* 1997; **50**: 4.
3. Hampel C, Artibani W, Espuña Pons M et al: Understanding the burden of stress urinary incontinence in Europe: a qualitative review of the literature. *Eur Urol* 2004; **46**: 15.
4. Leach GE, Dmochowski RR, Appell RA et al: Female Stress Urinary Incontinence Clinical Guidelines Panel summary report on surgical management of female stress urinary incontinence. The American Urological Association. *J Urol* 1997; **158**: 875.
5. Abrams P, Cardozo L, Fall M et al: The standardisation of terminology of lower urinary tract function: report from the Standardisation Sub-committee of the International Continence Society. *Neurourol Urodyn* 2002; **21**: 167.
6. Weber AM, Abrams P, Brubaker L et al: The Standardization of Terminology for Researchers in Female Pelvic Floor Disorders. *Int Urogynecol J* 2001; **12**: 178.
7. Eddy DM. (1992). *A manual for assessing health practices & designing practice policies: the explicit approach*. Philadelphia (AP): American College of Physicians.1992; 55.
8. Eddy DM: The confidence profile method: a Bayesian method for assessing health technologies. *Oper Res* 1989; **37**: 210.
9. Eddy DM, Hasselblad V and Schachter R: A Bayesian method for synthesizing evidence: the confidence profile method. *Int J Technol Assess Health Care* 1990; **6**: 31.
10. Handa VL, Jensen JK, Germain MM et al: Banked human fascia lata for the suburethral sling procedure: a preliminary report. *Obstet Gynecol* 1996; **88**: 1045.
11. Elliott DS and Boone TB: Is fascia lata allograft material trustworthy for pubovaginal sling repair? *Urology* 2000; **56**: 772.
12. Flynn BJ and Yap WT: Pubovaginal sling using allograft fascia lata versus autograft fascia for all types of stress urinary incontinence: 2-year minimum followup. *J Urol* 2002; **167**: 608.
13. Fitzgerald MP, Mollenhauer J, Bitterman P et al: Functional failure of fascia lata allografts. *Am J Obstet & Gynecol* 1999; **181**: 1339.
14. Huang Y, Lin A, Chen K et al: High failure rate using allograft fascia lata in pubovaginal sling surgery for female stress urinary incontinence. *Urology* 2001; **58**: 943.

15. Carbone JM, Kavalier E, Hu JC et al: Pubovaginal sling using cadaveric fascia and bone anchors: disappointing early results. J Urol 2001; **165**: 1605.
16. Fitzgerald MP, Mollenhauer J and Brubaker L: Failure of allograft suburethral slings. BJU Int 1999; **84**: 785.
17. Owens DC and Winters JC: Pubovaginal sling using Duraderm graft: intermediate follow-up and patient satisfaction. Neurourol Urodyn 2004; **23**: 115.
18. O'Reilly KJ and Govier FE: Intermediate term failure of pubovaginal slings using cadaveric fascia lata: a case series. J Urol 2002; **167**: 1356.
19. Hathaway JK and Choe JM: Intact Genetic material is present in commercially processed cadaver allografts used for pubovaginal slings. J Urol 2002; **168**: 1040.
20. Clemens JQ, DeLancey JO, Faerber GJ et al: Urinary tract erosions after synthetic pubovaginal slings: diagnosis and management strategy. Urology 2000; **56**: 589.
21. Chung SV, Franks M, Smith CP et al: Technique of combined pubovaginal sling and cystocele repair using a single piece of cadaveric dermal graft. Urology 2002; **59**: 538.
22. Lightner, D., Calvosa, C., Andersen, R., et al. A new injectable bulking agent for treatment of stress urinary incontinence: results of a multicenter, randomized, controlled, double-blind study of Durasphere. Urol, **58**:12-15, 2001
23. Mayer RD, Dmochowski RR, Appell RA et al: Multicenter prospective randomized 52-week trial of calcium hydroxyl apatite versus bovine dermal collagen for treatment of stress urinary incontinence. J Urol 2007; **69**: 876.
24. Costa, P., Motett, N., Rabut, B., et al. The use of an artificial urinary sphincter in women with type III incontinence and a negative Marshall test. JUrol **165**: 1172-6, 2001
25. Chou EC, Flisser AJ, Panappoulos G et al: Effective treatment for mixed urinary incontinence with a pubovaginal sling. J Urol 2003; **170**: 494.
26. Anger JT and Rodriguez LV: Mixed incontinence: stressing about urge. Curr Urol Rep 2004; **5**: 427.
27. Rovner ES, Wright CJ and Messer H: Adherence to the 1997 AUA Guidelines for the surgical treatment of stress urinary incontinence. Urology 2008; **71**: 239.
28. Ulmsten U, Henriksson L, Johnson P et al: An ambulatory surgical procedure under local anesthesia for treatment of female urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct 1996; **7**: 81.

29. Delorme E: Transobturator urethral suspension: mini-invasive procedure in the treatment of stress urinary incontinence in women. *Prog Urol* 2001; **11**: 1306-13.
30. Delorme E, Droupy S, de Tayrac Ret al: Transobturator tape (Uratape). A new minimally invasive method in the treatment of urinary incontinence in women. *Prog Urol* 2003; **13**: 656-9.
31. Delorme E, Droupy S, de Tayrac Ret al: Transobturator tape (Uratape): a new minimally-invasive procedure to treat female urinary incontinence. *Eur Urol* 2003; **45**: 203-7.

## ***Abbreviations and Acronyms***

|              |   |  |
|--------------|---|--|
| AUA          | = | American Urological Association                    |
| AUS          | = | artificial urinary sphincter                       |
| CI           | = | confidence interval                                |
| etc.         | = | et cetera; and the rest                            |
| et al.       | = | and others   |
| FDA          | = | Food and Drug Administration                       |
| G            | = | groups   |
| i.e.         | = | that is  |
| P            | = | patients   |
| PGC          | = | Practice Guidelines Committee                      |
| RCT          | = | randomized controlled trial                        |
| sine qua non | = | an essential or indispensable element or condition |
| SUI          | = | stress urinary incontinence                        |
| U.S.         | = | United States                                      |
| w/           | = | with   |

## Chapter 2. Methodology

### Table of Contents

|  |    |
|--|----|
| Problem Definition.....                    | 2  |
| Literature Search and Data Extraction..... | 3  |
| Evidence Combination.....                  | 4  |
| Patient Groups.....                        | 6  |
| Treatments.....                            | 7  |
| Efficacy Analysis.....                     | 7  |
| Complications.....                         | 8  |
| Guideline Generation and Approvals.....    | 9  |
| Dissemination.....                         | 10 |
| References.....                            | 11 |

This guideline used an explicit approach to address the relevant factors for choosing among alternative interventions.<sup>1</sup> These factors include outcomes of the interventions, patient preferences, and the relative priorities of interventions given limited health care resources. In developing the guideline, the Panel used scientific evidence to estimate outcomes of treatment modalities as accurately as possible. Panel members themselves served as proxies for patients in considering preferences with regard to health and economic outcomes.

The steps taken to develop this guideline are summarized in Chapter 1 and described in detail in the present Chapter. Steps included problem definition, literature search, data extraction, systematic evidence combination, guideline generation, approval, and dissemination.



## **Problem Definition**

This update guideline was based on the original AUA guideline on the Surgical Management of Female Stress Urinary Incontinence published in 1997. The methodology was similar to that used in the previous guideline. Like the previous guideline, the analysis was limited to surgical treatments. Non-surgical therapies such as biofeedback, pessaries, and pelvic floor exercises were not examined. Unlike the previous guideline, the update includes an analysis of patients who also received surgical therapy for prolapse although it doesn't attempt to compare their efficacy. This update is also restricted to therapies introduced since the last guidelines report and to the therapies that appeared to be the most efficacious in the previous guideline.

Like the previous guideline, the intention was to determine the impact of the various available treatments on the outcomes of importance to patients. The efficacy outcomes examined were resolution, improvement, and recurrence of incontinence and urgency. The panel also examined the impact of treatment on prolapse resolution, and post-operative recurrence or new onset. However, insufficient usable information was available to make meaningful estimates for these prolapse outcomes. The panel also attempted to estimate the occurrence of side effects and complications of treatments. Incontinence treatments analyzed included retropubic suspensions, slings, injection therapy, and artificial sphincters. The panel excluded treatments that were not generally available in the US and were not expected to be approved for general use by the time of the release of the guideline. The panel also decided not to update outcomes for treatments that were covered in the previous guideline, namely anterior repairs and transvaginal suspensions, but were no longer considered contemporary surgical treatments. Anterior repairs for prolapse reduction in conjunction with other surgical treatments for incontinence were included as prolapse surgeries. A wide variety of procedures were used

correct prolapse including hysterectomy, and position specific repairs (e.g. anterior, posterior, enterocele, and apical).

## **Literature Search and Data Extraction**

The review of the evidence began with a literature search and data extraction. Articles were selected from a database, based on articles retrieved for the previous guideline and a series of four Medline searches beginning in December 2002 and concluding in June 2005. The searches were limited to human subjects, English language, publication date on or after 1990, and the mesh term “female”. Searches were containing the mesh heading “urinary incontinence, stress”. Additional searches were done using the terms “urinary incontinence, stress”, “stress incontinence”, and “urinary-incontinence” in any field. A total of 7,111 citations and abstracts were reviewed for relevance. The abstracts were reviewed by the panel chairs and articles were selected for data extraction if any chair felt it might have useful data. In total 1302 citations entered the extraction process. A data extraction form was developed, tested and revised (see appendix A4. The panel was trained in data extraction. After double review and quality control of the initial extractions, single panel members extracted data from the articles with over 25% cross checked by another panel member. The final versions of the extracted data were entered into a Microsoft Access® (Microsoft, Redmond, WA) database. The Panel met in person and via conference calls to review the extracted data. Inconsistencies in data recording were reconciled, extraction errors were corrected, and some articles were excluded. Reasons for excluding articles from further analysis were as follows:

1. The article did not provide usable data on the outcomes of interest.

2. The article did not deal with stress incontinence, e.g. articles that dealt with patients who only had prolapse.
3. The article dealt only with basic science or epidemiology.
4. The treatments used were not current or were not the focus of the analysis.
5. The article was a review article or reported data reported elsewhere.
6. The treatment discussed was not available in the US or expected to be available when the guideline was scheduled for release.

A total of 436 of the articles were accepted. An additional 155 articles were accepted for complications data only. These 155 articles were otherwise acceptable but had insufficient follow-up for efficacy outcomes. Articles were only accepted for efficacy data if there was a minimum follow-up of at least 1 year. A complete list of the articles used is in Appendix A5, ordered by primary author, and in Appendix A6, ordered by reference number. Note that some articles excluded from evidence combination remained candidates for discussion in the text of the guideline.

## **Evidence Combination**

The analytic goals were expanded from the previous guideline. However, as mentioned above two patient groups were analyzed, one where no patients received treatment for prolapse, and another where some or all received prolapse repairs. To generate an outcome table, estimates of the probabilities and/or magnitudes of the outcomes are required for each intervention. Ideally, these come from a synthesis or combination of the evidence. Such a combination can be performed in a variety of ways depending on the nature and quality of the evidence. For example, if there is one good randomized controlled trial, the results of that trial alone may be used in the outcome table while findings of other studies of lesser quality are

ignored. Alternatively, if there are no studies of satisfactory quality for certain outcome table cells or if available studies are not commensurable, expert opinion may be used to complete those cells. Finally, if a number of studies have some degree of relevance to a particular cell or cells, then meta-analytic mathematical methods may be used.

A variety of specific meta-analytic methods are available, and selection of a particular method depends on the nature of the evidence. For this *guideline*, the panel elected to use the confidence profile method,<sup>2,3</sup> which provides methods for analyzing data from studies that are not randomized controlled trials. The Fast\*Pro computer software<sup>4</sup> was used in the analysis.

Although a number of randomized controlled trials were uncovered in the literature search, there were insufficient numbers on the same topic to warrant meta-analysis. Discussions of the results of some of these trials are included where relevant in the text of this document. Meta-analysis was performed using the individual arms of the controlled trials and the clinical series where similar patients were similarly treated. The Fast\*Pro software was used to perform the meta-analyses. Series that were combined frequently showed very different results implying site-to-site variations that may have resulted from differences in patient populations, in how the intervention was performed, or in the skill of those performing the intervention. Given these differences, a random-effects, or hierarchical, model was used to combine the studies.

A random-effects model assumes that there is an underlying true rate for the outcome being assessed for each site. It further assumes that this underlying rate varies from site to site. This site-to-site variation in the true rate is assumed to be normally distributed. The method of meta-analysis used in analyzing the data attempts to determine this underlying distribution.

The results of the confidence-profile method are probability distributions that are described using the median of the distribution with a confidence interval. In this case, the 95% confidence

interval indicates that the probability (Bayesian) of the true value being outside the interval is 5%. These Bayesian confidence intervals are sometimes called credible intervals.

The Bayesian method of computation assumes a “prior” distribution that reflects knowledge about the probability of the outcome before the results of any experiments are known. The prior distributions selected for this analysis are among a class of “noninformative” prior distributions, which means that they correspond to little or no prior knowledge. The existence of such a prior distribution can cause small changes in results, particularly for small studies. The prior distribution for all probability parameters is Jefferey’s prior (beta distribution with both parameters set to 0.5). The prior for the variance for the underlying normal distribution is gamma distributed with both parameters set to 0.5.

In addition to the outcomes table, some graphs showing the results were developed to visually show some treatment differences.

It is important to note that, for certain outcomes, more data were reported for one or another treatment modality. While resulting confidence intervals reflect available data, the probabilities for certain outcomes can vary widely from study to study within one treatment modality. For example, differences in patient selection may have had more weight in analyses than differing treatment effects. Nevertheless, the results obtained reflect the best outcome estimates presently available.

## **Patient Groups**

The panel attempted to evaluate outcomes based on a variety of patient characteristics including type of incontinence, previous treatment, presence of prolapse, prior pregnancy and severity of incontinence. However, in most cases, the outcomes data were not fully or consistently stratified by these conditions. Ultimately, patient groups were divided into 2

categories: groups where no patients received treatment for prolapse (comparable to the previous guideline) and groups where some or all patients received treatment for prolapse. Note that the distinction is based on treatment received, not on whether the women in the groups demonstrated prolapse. The panel desired to analyze the data based on whether or not patients had only stress incontinence or also evidenced prolapse. The data could not be analyzed in that manner since few studies stratified results in that manner. It was also not possible to find many groups of patients where all patients received prolapse treatment to enable a clean distinction between no prolapse treatment and those receiving incontinence treatment plus prolapse treatment.

## **Treatments**

The panel considered a wide variety of treatments (see extraction form, appendix A4). As mentioned above, treatments shown to be less efficacious by the previous guideline were not extracted and analyzed (anterior repairs and trans-vaginal needle suspensions). However, limited data were available for many of the treatments of interest. In some articles, patients were treated by a variety of treatments but the outcomes weren't stratified by treatment. These articles were ultimately rejected.

## **Efficacy Analysis**

The outcomes analyzed for efficacy included two levels of continence: cured/dry and cured/dry/improved. The first level includes patients reported as dry or totally cured. The second level also includes patients reported as improved. The percent of patients with each

condition were meta-analyzed. Credible intervals (Bayesian confidence intervals) were produced as well.

Urgency was also analyzed. Since not all patients had pre-operative urgency, an attempt was made to estimate urgency based on whether a patient had urgency prior to treatment. Patients were divided into three categories: 1) without pre-existing urgency, 2) with pre-existing urgency, and 3) unknown or uncertain pre-existing urgency. These categories are labeled 1) new onset, 2) pre-existing, and 3) unspecified in the outcomes tables. Urgency was further subdivided by type of post-operative urgency. The categories are 1) urge incontinence, 2) urge symptoms, and 3) unspecified for patients who have actual urge incontinence, urge symptoms alone, or unknown or unspecified urgency respectively. Again, the results are reported as the percent of the relevant patient group having each outcome.

The panel desired to estimate the impact of treatment on prolapse, both the resolution of existing prolapse and the development of new prolapse. However, the data extracted were insufficient to allow a meaningful analysis of these outcomes.

## **Complications**

Different studies report complications grouped differently. They also use different names for similar complications. The panel grouped complications to try to include all similar complications. Only studies that specifically reported data concerning occurrences of complications were included in the analysis of complications. The panel did not assume that the lack of reporting implied the lack of occurrence of any specific complication. Although investigators may not have reported complications that did not occur, combining complications reduces the possibility of overestimating the complication rate. The probability that a patient will have a complication probably is still overstated slightly because some patients experience multiple complications. Thus, the result of the meta-analysis is best interpreted as the mean

number of complications the patient may experience rather than as the probability of having a complication. There were insufficient data to permit meaningful meta-analyses of patient deaths. The estimates of death rates provided in the guideline are the Panel's expert opinion based on the limited data available.

Retention was given special attention by the panel. A special section of the extraction form was dedicated to assessing retention and its duration. Unfortunately, there was some confusion during the extraction process. Retention data were not extracted in some cases where the follow-up for efficacy outcomes was less than 1 year. This was discovered too late in the process to go back and extract the additional data. In order to be consistent and avoid bias, data were only included in the analysis from studies with 1 year or greater follow-up. The panel examined the possibility of trying to estimate the probability of retention lasting various lengths of time. Insufficient data were available to analyze retention duration in any substantial way. The panel finally decided to estimate the probability that a patient had significant retention. Significant retention was defined as retention lasting 4 weeks or longer or retention requiring treatment (e.g. cutting a sling or otherwise modifying the original operation).

## **Guideline Generation and Approvals**

After the evidence was combined and outcome tables were produced, the Panel met to review the results and identify anomalies. Additional teleconferences were held to review updates to the outcomes tables based on the problems identified. From the evidence in the outcome tables and expert opinion, the Panel drafted the treatment guideline. The draft was sent to 76 peer reviewers of whom 24 provided comments; the Panel revised the document based on the comments received. The guideline was submitted for approval first to the Practice Guidelines Committee of the AUA. Then it was forwarded to the Boards of Directors for final approval.



## **Dissemination**

The guideline is published on the web site for the American Urological Association. A version of Chapter 1 will be published in the *Journal of Urology*.

## References

1. Eddy DM. A manual for assessing health practices & designing practice policies: the explicit approach. Philadelphia (AP): American College of Physicians; 1992, p 126.
2. Eddy DM. The confidence profile method: a Bayesian method for assessing health technologies. Oper Res 1989; **37**: 210.
3. Eddy DM, Hasselblad V and Shachter R. A Bayesian method for synthesizing evidence: the confidence profile method. Int J Technol Assess Health Care 1990; **6**: 31.
4. Eddy DM, Hasselblad V. Fast\*Pro. Software for meta-analysis by the confidence profile method. San Diego: Academic Press, Inc. Harcourt Brace Jovanovich; 1992, p 196.

## Chapter 3: Outcomes Analysis for the Surgical Management of Stress Urinary Incontinence

### Table of Contents

|   |    |
|---|----|
| Introduction.....   | 2  |
| Efficacy Outcomes.....  | 3  |
| Resolution of Stress Incontinence .....   | 3  |
| Urgency .....   | 4  |
| Complications .....   | 7  |
| Retention .....   | 8  |
| Genitourinary Complications .....   | 9  |
| Intraoperative complications .....  | 9  |
| Other complications.....  | 10 |
| General Medical Complications .....   | 13 |
| Operative Complications .....   | 14 |
| Gastrointestinal complications .....  | 14 |
| Vascular complications .....  | 15 |
| Neurologic complications.....   | 15 |
| Infectious complications.....   | 16 |
| Death .....   | 16 |
| REFERENCES .....  | 19 |
| Table 1. Patients experiencing postoperative urgency or urge incontinence.....                  | 21 |
| Table 2. Estimated perioperative mortality for SUI and urogynecologic surgical procedures ..... | 22 |

## Introduction

This chapter provides the results of the Panel's review of the literature and analysis, presented in outcomes tables, as well as discussions of the outcomes. Two sets of outcomes tables are provided including one set for patients who were treated only for stress incontinence and another set for patients who received treatment for both stress incontinence and some form of pelvic organ prolapse. Since some reports did not segregate patient data accordingly, for the purposes of this analysis if any patient in a group received concomitant prolapse surgery the entire group was included in the category.

Outcomes estimates are presented in two cells for each estimate; the first contains the number of groups of patients followed by the total number of patients (G/P) included in the meta-analysis. A group of patients usually represents the patients in a single study that the received indicated treatment(s). However, if a study had multiple groups with varying factors (e.g. degree of incontinence, details of the procedure used) these patients were analyzed as a separate group in the meta-analysis. In the second cell, the bolded percentage indicates the best estimate of the rate of occurrence of an outcome (median of the Bayesian posterior from the meta-analysis) followed by the 95% credible interval (Bayesian confidence interval) for that estimate. These numbers represent the best estimates that can be made from the existing data and served as the primary basis for the guideline statements presented in Chapter 1.

## **Efficacy Outcomes**

### **Resolution of Stress Incontinence**

The main efficacy outcome was the resolution of the stress incontinence. Cured and dry (cure/dry) was defined by the Panel as the complete resolution of symptoms with no residual leakage under normal and stress situations. Patients reported as having incomplete improvement were considered cure/dry/improved. There were inconsistencies in the reporting of these outcomes in the literature, with some authors distinguishing cured patients from improved patients and others reporting only those cured or improved/cured. The Panel accepted the author's representation (i.e. if a report indicated that a group of patients was cured they were counted as cured) but it is likely that not all patients counted in the cure/dry category were truly dry. If the author defined cured to include some degree of leakage, the patients were counted in the cure/dry/improved category only.

The outcomes were analyzed separately according to the method of incontinence assessment; the "subjective" outcome category included primarily patient reports and diaries and the "objective" outcome category included a variety of formal tests including urodynamics. A separate category ("any") was created for studies that didn't clearly specify how an outcome was assessed or for those using a mixed collection of measures. To make this "any" category complete, outcomes from all studies were included. If a study reported both subjective and objective outcomes, then the subjective outcomes were included in the "any" analysis. If a study reported outcomes from a variety of subjective measures, the one with the highest number of patients was used for both the subjective and "any" analyses.

The outcomes were analyzed by time of last assessment with the following intervals: 12–23 months, 24–47 months, and 48 months or more. If a study reported results for multiple times within one of these ranges, reports closest to 18, 36, and 60 months respectively were used. In this analysis, only studies that had a 12 month minimum follow-up were included; this is in contrast to the 1997 guideline<sup>1</sup> in which studies with a follow-up of less than 12 months were included if the minimum of the range was at least 12 months or the mean or average follow-up was at least 24 months.

Appendices A12-A16 show the results for patients who had no concomitant prolapse surgery for the time intervals 12–23 months, 24–47 months, and greater than 48 months, respectively. Appendices A7 – A11 are arranged similarly and show data for patient groups in which some or all of the patients had concomitant prolapse treatment. Treatments with no available data in are excluded from the tables; thus, not all treatments are presented in all tables.

## **Urgency**

The Panel recognizes the importance of the relationship between surgery for SUI, the complaint of involuntary leakage on effort, exertion, sneezing or coughing (as defined by the International Continence Society [ICS])<sup>2</sup> or with physical exertion (as defined by the National Institutes of Health)<sup>3</sup> and other lower urinary tract symptoms (LUTS; defined as storage, voiding, and postmicturition symptoms by the ICS). OAB syndrome is comprised of the main storage symptoms of LUTS and is defined by the ICS as urgency (the complaint of a sudden, compelling desire to pass urine which is difficult to defer or a strong need to pass urine for fear of leakage (NIH), with or without urgency urinary

incontinence (UUI; involuntary leakage accompanied by or immediately preceded by urgency), usually with frequency and nocturia, in the absence of pathologic or metabolic factors that would explain these symptoms.<sup>2</sup>

The Panel accepted the author's use of "urge", "urge incontinence" or "urgency" with or without "incontinence" without requiring specific adherence to these definitions. The Panel attempted to distinguish those patients having urge incontinence from those having symptoms of urgency alone in the absence of urge incontinence. However, this distinction was not always reported. Three categories of studies were analyzed: 1) those that included patients with urge incontinence alone; 2) those that included patients with urgency symptoms alone; and 3) those that included patients with unspecified urgency or that combined patients with incontinence and urgency symptoms. Because urgency can occur with stress incontinence and is often resolved with treatment of stress incontinence, the data for urgency are listed in the efficacy section of this chapter; however, urgency occurring de novo after incontinence surgery could also be considered a complication of the treatment. A third category was analyzed for studies not reporting the preoperative urgency status of patients with postoperative urgency and those in which patients with and without preoperative urgency were combined.

Appendix A15 provides the results of the Panel's analyses of urge incontinence, urgency symptoms alone, and unspecified urgency for patients who did not receive concomitant prolapse surgery. Appendix A10 provides the same outcomes in the group of patients where some or all had concurrent prolapse repair. Each table contains three data sets corresponding to 1) continuing urgency in patients with pre-existing urgency; 2) de

novo urgency in patients who did not have preoperative urgency, and 3) unspecified or mixed cases. The format of each entry is the same as for stress incontinence resolution.

The success of surgery for decreased outlet resistance is intimately related to preoperative and postoperative storage and emptying function. The interrelationship of the individual symptoms comprising LUTS (storage and emptying), OAB or urgency/urgency incontinence and of the LUTS to the results of surgery is complex. Patients with SUI may experience no other LUTS or may develop one or more symptoms postoperatively. Alternatively, patients with one or more preoperative LUTS may have symptoms that independently improve, persist, or worsen. In addition, the de novo development, improvement or worsening of symptoms may be acute (temporary) or chronic (permanent). These symptoms may also increase (aging of population, comorbidities) or decrease (resolution of perioperative alterations) over time.

The Panel recognizes the symptoms of “urgency” and “urgency urinary incontinence” as the most commonly reported and most representative of pre-existing or de novo lower urinary tract storage symptoms. Although preoperative cystometry was performed in some studies, postoperative urodynamics were rarely performed in patients regardless of symptoms; thus, patient results are almost universally reported based on symptoms. It is recognized that the symptoms of urgency or UUI may or may not correlate with the urodynamic (cystometric) finding of detrusor overactivity. Additionally, patients may experience detrusor overactivity that is provoked by effort or exertion, or may experience detrusor overactivity without sensation, further confounding the diagnosis and therapy.



Table 1 provides data on patients experiencing postoperative urgency or urge incontinence from the 1997 review<sup>1</sup> and from the current analysis, although these data aren't directly comparable in that the 1997 analysis examined the correlations between urgency and detrusor instability. As mentioned above, the present analysis focused on the development of de novo urgency and urge incontinence and separately analyzed the resolution of these symptoms patients with the presence of urgency and urge incontinence.

OAB is common in women with SUI, occurring in 30%–50% of cases<sup>4</sup>, with surgical treatment of SUI often offering resolution of OAB.<sup>5,6</sup> Unfortunately, persistence of OAB after SUI surgery has been reported in up to 40% of patients.<sup>7,8</sup> Persistent OAB has been reported to complicate 8%–25% of all sling procedures,<sup>9</sup> as well as 7.6%–12% of TVT procedures and 1.4%–16.6% of retropubic urethropexies.<sup>10-12</sup> In the present analysis, persistence of urgency occurred in approximately 15% of those receiving suspension procedures and about 30% of those receiving sling procedures. Moreover in 7%–21% of cases, de novo OAB may occur.<sup>7,13-16</sup> Possible risk factors for de novo OAB include undiagnosed preoperative OAB, increased bladder wall thickness (induced by or associated with resultant changes in bladder afferent and/or efferent neuromuscular behavior), bladder neck dissection, greater patient age, and postoperative urethral obstruction.<sup>14</sup>

## Complications

Complications were analyzed similarly to the efficacy outcomes. Because of the wide variation in terms used to describe complications, the Panel grouped complications

together that represented similar or related outcomes (See Appendix A17 for complications groupings). As discussed in Chapter 2, this could result in some inaccuracies in the resultant estimates. Outcomes tables were developed for each group of complications, with separate tables created for the population of patients receiving or not receiving concurrent prolapse treatment. The format of the tables is the same as for the efficacy tables, but the layout is reversed. The treatments are across the top for complications and down the left side for the others.

## **Retention**

The Panel defined retention as catheter-dependency for greater than 28 days postoperatively and/or the need to undergo an intervention to correct retention following surgery. Using these definitions, retention estimates ranged from 1%–9% in the population without prolapse treatment and from 1%–10% in the population with concurrent prolapse treatment (Appendices A9 and A14). As a group, those undergoing retropubic procedures had retention estimates of 4% for the non-prolapse group and 1% for the prolapse group. Patients undergoing sling procedures were more likely to experience retention with the highest rates observed in those undergoing synthetic slings at the bladder neck without bone anchors. In these groups, the estimates were 9% and 10% for the non-prolapse treatment and the prolapse treatment populations, respectively. The lack of a standardized definition of retention and the failure of many studies to provide data regarding postoperative urinary retention were limitations to this analysis. Yet, from the present analysis it may be concluded that retention affects 1%–10% of

women postsurgically and varies by procedure, with sling procedures having higher rates of retention than retropubic procedures.

## **Genitourinary Complications**

With regard to genitourinary complications, the Panel analyzed these events as intraoperative complications (events occurring during the surgical procedure or in the immediate perioperative period) or other complications (events occurring after the immediate perioperative period). The purpose of this distinction was to identify complications that may be unique to the technical aspects of a particular procedure or complications that may be related to the consequences of or materials utilized in the procedure.

## **Intraoperative complications**

Bladder injury was reported with 3%–8% of procedures (Appendices A11 and A16).

Although the overall incidence was low, it appeared that bladder injury was more frequent in patients receiving SUI procedures with concomitant prolapse repair. This trend may be the result of the more extensive dissection needed when doing a simultaneous prolapse repair, however the trend did not reach significance and therefore may be not representative of actual experience as well. In addition, the risk of bladder injury was somewhat higher (not statistically significant) in procedures utilizing synthetic materials at the midurethra, particularly when compared to autologous slings and retropubic suspensions. This finding may have been a result of more stringent data recording in the use of synthetic materials or possibly related to technical aspects of

certain midurethral slings. Trocar placement into the retropubic space in the absence of advanced mobilization of the bladder and urethra may predispose to a higher incidence of bladder and urethral injury. Urethral injury was only identified in association with synthetic slings placed at the midurethra or laparoscopic retropubic suspensions. This may be related to technical aspects of the midurethral sling procedure that may predispose to these types of injuries. However, the small cohort of patients did not allow a direct comparison with other procedures. Ureteral injuries occurred during less than 5% of the procedures in most series; however, they were reported in 4%–11% of laparoscopic suspensions, which seemed to the Panel to be higher than expected based on their experience. Many of the reported cases of laparoscopic suspensions reflected the early experiences of surgeons and perhaps this could explain the increased risk of laparoscopic suspensions when compared with other procedures.

### **Other complications**

With the many different techniques and materials utilized in the surgical correction of SUI, surgeons must remain diligent in obtaining long-term outcomes data to understand the effects of these techniques and materials on quality-of-life and potential complications. Of major contemporary concern is the resurgence of the use of mesh materials in the surgical correction of SUI, particularly with the recent emergence of the tension-free midurethral sling procedures using synthetic materials. Early experience with synthetic mesh materials in pubovaginal sling and prolapse surgeries was associated with a considerable risk of mesh complications. Erosion rates of 20%–30% were reported in patients following implantation of Dacron™, Mersilene™, and Marlex™ mesh

materials.<sup>17-19</sup> In these early procedures, larger incisions with more extensive dissection may have increased the potential for bacterial exposure, and increased tension may have promoted tissue ischemia. The woven, multifilamentous nature of these mesh materials may have limited the ingrowth of host tissue, leading to erosions, draining sinuses, and fistulas. These early experiences forced many surgeons to abandon the use of synthetic material in pelvic reconstructive surgery.

The success of the TVT procedure introduced surgeons to several principles that have seemingly facilitated the safe use of synthetic material in pelvic reconstruction. The use of small incisions and minimal dissection decreases the potential for bacterial exposure. The avoidance of tension on the mesh material limits local tissue ischemia while the use of macroporous monofilament mesh materials promotes host tissue ingrowth and biocompatibility. Incorporating these principles, the synthetic tension-free slings have become one of the more commonly used procedures in the surgical management of SUI. The reported incidence of mesh erosions and complications with these procedures appears quite low, although the true incidence is not known. A recent report analyzing the United States Food and Drug Administration Manufacturer and User Facility Device Experience database (U.S. FDA MAUDE)<sup>20</sup> which collects data on U.S. FDA approved medical devices, suggests that these complications are indeed underreported.<sup>21</sup> In addition to mesh materials, permanent suture materials, tacking devices and laparoscopic instrumentation may also be associated with lower urinary tract or vaginal injuries.

Erosions and extrusions may also occur with the use of foreign materials such as mesh. For the purposes of this review, the Panel has defined erosion as the presence of a

foreign body in the lumen of the urinary tract (bladder, urethra or ureter) whereas extrusion was defined as the exposure of mesh in the vagina. Urinary tract erosion has been reported subsequent to all SUI procedures, but overall this does not appear to be a common event. In this meta-analysis (Appendices A11 and A16), erosion into the urethra and bladder occurred following 2%–4% of vaginal sling procedures. Erosions appear to occur more frequently following synthetic sling procedures; however, the method of reporting varies widely. Some authors have reported that “erosions” occurred but were not specific as to location and type. For example, 17% of erosions resulting from synthetic slings placed at the bladder neck were not classified. The incidence of urethral and bladder erosions appears to be higher following placement of synthetic slings at the bladder neck when compared to autologous slings. These data might suggest that synthetic slings have a higher rate of erosion than autologous or cadaveric slings. Based on these findings, the Panel believes that discussion of urinary tract erosion should be part of the informed consent process, particularly when selecting synthetic slings. The Panel also concludes that urinary tract erosion is a risk of any surgical procedure used in the treatment of SUI, with the risk appearing highest for synthetic slings, particularly when placed at the bladder neck.

Vaginal extrusion occurred in 1-8% of cases following synthetic slings. In this meta-analysis, the unexpectedly high risk of vaginal extrusion associated with cadaveric slings (23%) probably represents an anomaly resulting from the fact that few studies of cadaveric slings mentioned extrusion and the one study reporting this complication was small. Since the small number of series may affect the overall data reporting and incidence rates, this result is likely artifactual.

## **General Medical Complications**

General medical complications captured in this analysis included cardiovascular, dermatologic, febrile, infectious (local, systemic, and urinary tract), neurologic, and pulmonary complications as well as subjective complications such as pain and sexual dysfunction (Appendices A11 and A16). In addition, transfusion was analyzed as a separate category. There was variable and limited reporting of most general medical complications, with many authors not reporting any complications data. These findings reinforce the need for standardized reporting of complications, particularly as related to general medical complications.

Urinary tract infections were the most commonly reported infectious complication, with estimates following retropubic surgery of 13% for those not undergoing concurrent prolapse procedures and 17% for those receiving such procedures. Patients undergoing sling procedures were less likely to experience urinary tract infection, with estimates of 4%–16% for the no prolapse treatment groups and 1%–9% for the prolapse-treatment group. However, the majority of authors did not report specifically on the presence or absence of urinary tract infections and caution must be used in interpreting these data.

There was very little uniformity in reporting other infectious complications. Febrile morbidity estimates were between 0%–14% of patients depending upon the procedure. The highest estimates were noted in the retropubic groups with rates of 8%–11% for the non-prolapse and prolapse treatment groups, respectively. Patients undergoing sling procedures were less likely to have a febrile morbidity reported and this

was true for both treatment groups. The reported estimates of febrile morbidity ranged in those populations between 2%–8%.

Dermatologic complications were reported only in patients receiving injectable collagen, with an estimate of 5%. The estimates for sexual dysfunction were 4% for retropubic suspensions and 8% for autologous fascial slings. However, the definitions and reporting methods for identifying sexual dysfunction remain extremely variable in the evidence as assessed. Therefore the rates reported may not be representative of the true incidence of this outcome. Standardization of reporting indices is critically needed for a better understanding of the true rates of sexual dysfunction arising from interventions for stress incontinence and pelvic organ prolapse.

## **Operative Complications**

### **Gastrointestinal complications**

All procedures performed adjacent to the peritoneal lining and its contents are associated with risks of injury to the bowel and such injuries have been reported with open, laparoscopic and “minimally invasive” procedures. “Minimally invasive” synthetic-based retropubic procedures had the highest reported risk of bowel complications, with estimates of 1% for synthetic midurethral slings performed without concomitant prolapse repair (see Appendix A16). There were too few reports of bowel injuries resulting from the other procedures for a meaningful comparison.



### **Vascular complications**

Vascular complications were defined as any reported iatrogenic intraoperative injury to a specific major or significant blood vessel not including intraoperative or postoperative bleeding or hematomas. The estimates for vascular complications are found in Appendices A11 and A16. There were no reported vascular complications in over 400 articles reviewed for this meta-analysis involving an anti-incontinence procedure with or without pelvic organ prolapse repair in approximately 40,000 patients. Yet, it is well known that major vascular injuries including iliac, femoral, obturator, and epigastric vessel injury have been reported with the TVT procedure in the FDA MAUDE database.<sup>20</sup> The Panel believes that the risk of serious vascular complications with TVT procedures is very low; but nevertheless surgeons should bear this risk in mind when performing this technique.

### **Neurologic complications**

Neurologic complications occurring in association with SUI surgery are rare (see Appendices A11 and A16). A total of five cerebrovascular accidents (CVA) were reported. CVA occurred more frequently in patients undergoing retropubic suspensions (n=3) versus pubovaginal slings (n=1) or midurethral slings (n=1), although the small numbers of these events preclude statistical analysis. No patient required additional surgery as a result of a CVA but CVA was the cause of death in three patients. While all of the CVAs may be attributable to the patient having had an anesthetic and/or surgery, one must take into consideration the age and other comorbidities of patients who elect surgical correction of SUI.

Twelve nerve injuries were reported. In some cases these were listed only as “nerve injury” whereas in other reports they were described by the resulting deficit or as an injury to a discrete nerve. The most common nerve injury cited was to the obturator nerve, which occurred in three patients. There were nerve injuries described with the use of midurethral synthetic slings (n=5); however, none of these patients required additional surgical procedures. Two patients required additional surgical procedures to treat complications related to nerve entrapment. One patient had removal of a suture and a second patient underwent removal of a bone anchor using a hammer and osteotome.

### **Infectious complications**

The panel elected to divide infectious complications into multiple subsets to accommodate the various definitions presented in the literature; these included infection (undefined), infection with local extension, abscess, and osteomyelitis (see Appendices A11 and A16). Osteomyelitis, rarely reported, was observed in procedures with and without bone anchors.

### **Death**

The risk of perioperative mortality following surgical treatment of SUI is very low, although a precise estimate is difficult to achieve due to the paucity of studies that specifically evaluate mortality, compounded by the fact that published studies represent only a tiny fraction of all surgical procedures performed. To gain an estimate of perioperative mortality in the SUI patient population, a combined approach was taken: 1) the raw data from the current analysis were assessed; 2) a Medline search was performed

using the term “perioperative mortality” and reports were obtained for all surgical procedures in the U.S. and also for surgical procedures thought to be of comparable risk to SUI surgery; and 3) reports were obtained that specifically dealt with surgical procedures for SUI and urogynecology (shown in Table 2<sup>22-29</sup>). Finally, an estimate was determined for the added perioperative mortality from the special circumstances of vascular or bowel injury due passage of trocars from midurethral sling kits.

In contemporary series, overall perioperative mortality for all surgical procedures ranged from 0.02%–1.8% (Table 2). In the Medline search on which this review was based, there were three deaths out of 39,019 patients, for a mortality rate of 0.008%. Waetjen et al<sup>26</sup> reported an unadjusted mortality rate of 0.01% in a survey of 135,000 women undergoing incontinence surgery in the U.S. in 1998. However, in that series pubovaginal slings accounted for less than 15% of the procedures; nearly three-quarters had either retropubic suspension or anterior repair. This is probably an underestimation of mortality due to bowel or vascular injury from trocars. No other reports that dealt specifically with mortality after incontinence surgery were identified. Sung et al<sup>29</sup> reported an unadjusted risk of death following all urogynecologic procedures of 0.04% and noted that mortality rate increased with age. For women less than 60 years of age, the mortality rate was 0.01%; for those more than 80 years of age it rose to 0.28%. The authors noted that elderly women had a 13-fold increase in the risk of death and a 33% higher risk of suffering postoperative complications compared with younger women, irrespective of their co-morbidities.<sup>29</sup> Brown et al<sup>27</sup> reported a perioperative mortality of 0.03% after pelvic organ prolapse surgery. In a study of surgical mortality, Pine et al<sup>28</sup> reported mortality rates for various surgical procedures. The Panel selected those that

were the most comparable to incontinence surgery for a comparison of perioperative mortality data. The unadjusted mortality rates were 0.11%, 0.41% and 0.20% for hysterectomy, herniorrhaphy, and prostatectomy, respectively (Table 2).

Finally, the Panel estimated the minimal mortality after the TVT procedure by accessing the US FDA MAUDE Database<sup>20</sup> (now known as MedWatch) using the terms “TVT,” “transvaginal tape,” “sling,” “pubovaginal sling,” and “suburethral sling” which yielded incident reports that included six deaths. Three of the deaths were associated with bowel perforations and one each resulted from hemorrhage, myocardial infarction and pulmonary embolism. In addition, Panel members have documented at least two other deaths due to vascular injury.

In summary, perioperative mortality after sling surgery in the index patient is low; the Panel estimates it at between 0.01%–0.09%. However, mortality increases with advancing age and comorbidities, with mortality nearly three per 10,000 in patients over 80 years of age. Blind passage of trocars into the retropubic space potentially increases the possibility of bowel or vascular injury that could lead to mortality.

## 1 REFERENCES

- 2 1. Leach GE, Dmochowski RR, Appell RA *et al*: Female Stress Urinary  
3 Incontinence Clinical Guidelines Panel summary report on surgical management  
4 of female stress urinary incontinence. J Urol 1997; **158**: 875.
- 5 2. Abrams P, Cardozo L, Fall M *et al*: The standardisation of terminology of lower  
6 urinary tract function: report from the standardisation sub-committee of the  
7 International Continence Society. Neurourol\_Urodyn 2002; **21**: 167.
- 8 3. Weber AM, Abrams P, Brubaker L *et al* : The standardization of terminology for  
9 researchers in female pelvic floor disorders. Int Urogynecol Pelvic Floor  
10 Dysfunct 2001; **12**: 178.
- 11 4. Swami SK and Abrams P: Urge incontinence. Urol Clin North Am 1996; **23**: 417.
- 12 5. Griffiths D: Clinical aspects of detrusor instability and the value of urodynamics:  
13 a review of the evidence. Eur Urol 1998; **34** Suppl 1:13.
- 14 6. Morgan TO, Westney OL and McGuire EJ: Pubovaginal sling: 4-year outcome  
15 analysis and quality of life assessment. J Urol\_2000; **163**: 1845.
- 16 7. Langer R, Ron-El R, Newman M *et al*: Detrusor instability following  
17 colposuspension for urinary stress incontinence. Br J Obstet Gynaecol 1988; **95**:  
18 607.
- 19 8. Sand PK, Bowen LW, Ostergard DR *et al*: The effect of retropubic urethropexy  
20 on detrusor stability. Obstet Gynecol\_1988; **71**: 818.
- 21 9. Weinberger MW and Ostergard DR: Long term clinical and urodynamic  
22 evaluation of the polytetrafluoroethylene sub-urethral sling for treatment of  
23 genuine stress incontinence. Obstet Gynecol 1995; **86**: 92.
- 24 10. Alcalay M, Monga A and Stanton SL: Burch colposuspension: a 10-20 year  
25 follow up. Br J Obstet Gynaecol 1995; **102**: 740.
- 26 11. Langer R, Lipshitz Y, Halperin R *et al*: Long-Term (10-15 years) follow-up after  
27 Burch colposuspension for urinary stress incontinence. Int Urogynecol J 2001; **12**:  
28 323.
- 29 12. Demirci F, Yucel O, Eren S *et al*: Long-term results of Burch colposuspension  
30 Gynecol Obstet Invest 2001; **51**: 243.
- 31 13. Lose G, Jorgensen L, Mortensen SO *et al*: Voiding difficulties after  
32 colposuspension. Obstet Gynecol 1987; **69**: 33.
- 33 14. Bombieri L, Freeman RM, Perkins EP *et al*: Why do women have voiding  
34 dysfunction and de novo detrusor instability after colposuspension? Br J Obstet  
35 Gynaecol 2002; **109**(4): 402.
- 36 15. Cardozo LD, Stanton SL and Williams JE: Detrusor instability following surgery  
37 for genuine stress incontinence. Br J Urol 1979; **51**: 204.

- 1 16. Hilton P; A clinical and urodynamic study comparing the Stamey bladder neck  
2 suspension and suburethral sling procedures in the treatment of genuine stress  
3 incontinence. Br J Obstet Gynaecol 1989; **96**: 213.
- 4 17. Julian TM: The efficacy of Marlex mesh in the repair of severe recurrent vaginal  
5 prolapse of the anterior mid vaginal wall. Am J Obstet Gynecol 1996; **175**: 1472.
- 6 18. Debodinance P, Cosson M and Burlet G: Tolerance of synthetic tissues in touch  
7 with vaginal scar: review to the point of 287 cases. Eur J Obstet Gynecol Rep Biol  
8 1999; **87**: 23.
- 9 19. Cosson M, Vinatier D, Rajabally R et al: Rejection of stapled prosthetic mesh  
10 after laparoscopic sacropexy. Int Urogynecol J 1999; **10**: 349.
- 11 20. US Food and Drug Administration Manufacturer and User Facility Device  
12 Experience database:  
13 [www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/search.cfm](http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/search.cfm).
- 14 21. Deng D, Rutman M, Raz S et al: Presentation and management of major  
15 complications of midurethral slings: Are complications under-reported?  
16 Neurourol Urodyn 2007; **26**: 46.
- 17 22. Davies JM and Strunin L: Anesthesia in 1984: how safe is it? Can Med Assoc J  
18 1984; **131**: 437.
- 19 23. Lagasse RS: Anesthesia safety: Model or myth? Anesthesiology 2002; **97**: 1609.
- 20 24. Keats AS: Anesthesia mortality in perspective. Anesth Analg 1990; **71**: 113.
- 21 25. Maaloe R, Hansen CL and Pedersen T: Death under anesthesia. Ugeskr Laeger  
22 1995; **157**(47): 6561.
- 23 26. Waetjen LE, Subak LL, Shen H et al: Stress urinary incontinence surgery in the  
24 United States. Obstet Gynecol 2003; **101**: 671.
- 25 27. Brown JS, Waetjen LE, Subak LL et al: Pelvic organ prolapse surgery in the  
26 United States, 1997. Am J Obstet Gynecol 2002; **186**: 712.
- 27 28. Pine M, Holt KD and Lou YB: Surgical mortality and type of anesthesia provider.  
28 AANA J 2003; **71**(2): 109.
- 29 29. Sung VW, Weitzen S, Sokol ER et al: Effect of patient age on increasing  
30 morbidity and mortality following urogynecologic surgery. Am J Obstet Gynecol  
31 2006; **194**: 1411.

1 **Table 1. Patients experiencing postoperative urgency or**  
 2 **urge incontinence**

|  | Retropubic<br>Suspensions |                          | Transvaginal<br>Suspensions |                          | Sling Procedures |                          |
|--|---------------------------|--------------------------|-----------------------------|--------------------------|------------------|--------------------------|
|  | G/P                       | Median CI<br>(2.5-97.5%) | G/P                         | Median CI<br>(2.5-97.5%) | G/P              | Median CI<br>(2.5-97.5%) |
| <b><i>Prior Analysis<sup>1</sup></i></b> |                           |                          |                             |                          |                  |                          |
| Urgency                                  |                           |                          |                             |                          |                  |                          |
| + urgency/+DI*                           | 6/78                      | 66 (50–79)               | 6/33                        | 54 (35–73)               | 4/45             | 46 (24–68)               |
| + urgency/–DI*                           | 6/319                     | 36 (22–52)               |                             |                          | 5/110            | 34 (13–61)               |
| – urgency/+DI*                           | 1/6                       | 4 (0–33)                 | 1/3                         | 7 (0–54)                 | 4/36             | 20 (5–45)                |
| – urgency/–DI*                           | 8/241                     | 11 (8–16)                | 6/150                       | 5 (3–10)                 | 7/140            | 7 (3–11)                 |
| <b><i>Current Analysis</i></b>           |                           |                          |                             |                          |                  |                          |
| Urge Urinary<br>Incontinence             |                           |                          |                             |                          |                  |                          |
| New Onset                                |                           | 10-14                    |                             |                          |                  | 11-22                    |
| Pre-existing                             |                           | 22-48                    |                             |                          |                  | 29-52                    |
| Urgency                                  |                           |                          |                             |                          |                  |                          |
| New Onset                                |                           | 9-11                     |                             |                          |                  | 13<br>(Grade>1)          |
| Pre-existing                             |                           | 40<br>(Grade<1)          |                             |                          |                  | 21<br>(Grade>1)          |

3 \* Preoperative status

4 Abbreviations: CI, confidence interval; DI, detrusor instability; G/P, number of groups and number of  
 5 patients per treatment arm

1 **Table 2. Estimated perioperative mortality for SUI and**  
 2 **urogynecologic surgical procedures**

3

| Surgical procedure                                  | Mortality rate |
|---|----------------|
| Overall perioperative mortality <sup>22-25,28</sup> | 0.02 – 1.8%    |
| Stress incontinence <sup>26</sup>                   | 0.01%          |
| Urogynecology <sup>29</sup>                         | 0.04%          |
| < 60 years  | 0.01%          |
| 61 – 69 years                                       | 0.05%          |
| 70 – 79 years                                       | 0.09%          |
| > 80 years  | 0.28%          |
| Hysterectomy <sup>28</sup>                          | 0.11%          |
| Pelvic organ prolapse <sup>27</sup>                 | 0.03%          |
| Herniorraphy <sup>28</sup>                          | 0.41%          |
| Prostatectomy <sup>28</sup>                         | 0.20%          |

4



## **Appendix A1: Female Stress Urinary Incontinence Clinical Guidelines Panel, Consultants and Data Extractors (1997)**

### **Members:**

Gary E. Leach, MD (Panel Chair)  
University of California, Los Angeles  
Los Angeles, CA

Roger R. Dmochowski, MD (Panel Facilitator)  
University of Tennessee Medical Center  
Memphis, TN

Rodney A. Appell, MD  
Cleveland Clinic Foundation  
Cleveland, OH

Jerry G. Blaivas, MD  
New York Hospital/Cornell Medical Center  
New York, New York

H. Roger Hadley, MD  
Loma Linda University Medical Center  
Loma Linda, CA

Karl M. Luber, MD  
Southern California Permanente Medical Group  
San Diego, CA

Jacek L. Mostwin, MD  
Johns Hopkins Hospital  
Baltimore, MD

Pat D. O'Donnell, MD  
University of Arkansas  
Fayetteville, AR

### **Consultants:**

Claus G. Roehrborn, MD  
Hanan S. Bell, PhD  
Patrick M. Florer  
Curtis Colby

### **Data Extraction:**

Jeffrey Csiszar, MD  
Jill Gerspach, MD  
Steven Kurtz, MD  
Susan Martins-Levy, MD  
Hetal Patel, MD  
Lisa Stout, MD

## **Appendix A2: *Female Stress Urinary Incontinence Guideline Update Panel and Consultants (2009)***

### **Members:**

Rodney A. Appell, MD (Chair)  
Baylor College of Medicine  
Houston, TX

Roger R. Dmochowski, MD (Facilitator)  
Vanderbilt University  
Nashville, TN

E. Ann Gormley, MD  
Dartmouth-Hitchcock Medical Center  
Lebanon, NH

Mickey M. Karram, MD  
Good Samaritan Hospital  
Cincinnati, OH

Deborah J. Lightner, MD  
Mayo Clinic  
Rochester, MN

David R. Staskin, MD  
Weill-Cornell Medical School  
New York, New York

J. Christian Winters, MD  
Louisiana State University Health Sciences Center  
Baton Rouge, LA

Saad Juma, MD  
Incontinence Research Institute  
Encinitas, CA

Eric Scott Rovner, MD  
Medical University of South Carolina  
Charleston, SC

Jerry G. Blaivas, MD  
New York, New York

**Consultants:**

Hanan Bell, PhD

Linda E. Whetter, PhD, DVM

Patrick Florer

Kirsten H. Aquino

**Appendix A3 - Article Staus Report**  
**American Urological Association, Inc.**  
**SUI Guidelines Update Panel**

**November-09**

| <b>Literature Search</b> | <b>Articles<br/>Retreived</b> | <b>Selected<br/>for Extraction</b> | <b>% of Lit Search / Total</b> |
|--------------------------|-------------------------------|------------------------------------|--------------------------------|
| Original Guideline       | 1,069                         | 101                                | 9%                             |
| December, 2002           | 4,943                         | 942                                | 19%                            |
| May, 2004                | 787                           | 162                                | 21%                            |
| December, 2004           | 134                           | 60                                 | 45%                            |
| Jun, 2005                | 176                           | 37                                 | 21%                            |
|                          | 7,109                         | 1,302                              | 18%                            |

| <b>Data Entry</b> | <b>Articles</b> | <b>% Selected<br/>for Extraction</b> |
|-------------------|-----------------|--------------------------------------|
| Entered           | 1,302           | 100%                                 |
| in Process        | 0               | 0%                                   |
|                   | 1,302           | 100%                                 |

| <b>Article Status</b> | <b>Articles</b> | <b>% Data Entered</b> |
|-----------------------|-----------------|-----------------------|
| Accepted              | 436             | 33%                   |
| CX data only          | 155             | 12%                   |
| Rejected              | 866             | 67%                   |

| <b>Reasons for Rejection</b> | <b>Articles</b> | <b>% Total<br/>Rejected</b> |
|------------------------------|-----------------|-----------------------------|
| No Data                      | 292             | 34%                         |
| Insufficient Efficacy F/U    | 282             | 33%                         |
| RX not Current               | 124             | 14%                         |
| Not about RX                 | 100             | 12%                         |
| Basic Science                | 12              | 1%                          |
| Epidemiology                 | 4               | 0%                          |
| Other                        | 40              | 5%                          |
| Prolapse only                | 40              | 5%                          |
| Other Exclusion              | 264             | 30%                         |
| Duplicates                   | 5               | 1%                          |
| Panel Rejects                | 0               | 0%                          |

| <b>Analysis of Study Designs</b> | <b>Articles</b> | <b>Overall Number<br/>of Patients</b> |
|----------------------------------|-----------------|---------------------------------------|
| <b>Accepted Articles</b>         |                 |                                       |
| Case Series/Report               | 373             | 30,166                                |
| unknown at this time             | 16              | 4,295                                 |
| Controlled Trial                 | 31              | 2,833                                 |
| Case-control study               | 9               | 1,061                                 |
| Cohort Study                     | 5               | 449                                   |
| Opinion or Testimony             | 1               | 154                                   |
| Letter                           | 1               | 61                                    |
| <b>Total:</b>                    | <b>436</b>      | <b>39,019</b>                         |

| <b>Rejected Articles</b> | <b>Articles</b> |
|--------------------------|-----------------|
| not captured             | 730             |
| Case Series/Report       | 75              |
| Review/Policy            | 26              |
| Letter                   | 16              |
| Opinion or Testimony     | 6               |
| Controlled Trial         | 4               |
| Meta-analysis            | 4               |
| Other                    | 2               |
| Case-control study       | 1               |
| Cohort Study             | 1               |
| Database or Surveillance | 1               |
| <b>Total:</b>            | <b>866</b>      |

**Appendix A4- Extraction Form****American Urological Association, Inc.****Reference #** \_\_\_\_\_**SUI Guidelines Panel****Stress Urinary Incontinence  
Cover Sheets**

Citation:

Extractor A: \_\_\_\_\_ Date: \_\_\_\_\_

Extractor B: \_\_\_\_\_ Date: \_\_\_\_\_

Reconciliation Date: \_\_\_\_\_

**\_\_\_\_\_ ACCEPTED and Extracted**\_\_\_\_ Insufficient treatment efficacy follow-up  
Complications data only extracted

\_\_\_\_ Needs Panel Review

**1. Study Design**

\_\_\_\_ Case Series/Report  
 \_\_\_\_ Controlled trial  
 \_\_\_\_ Review/policy  
 \_\_\_\_ Case-control study  
 \_\_\_\_ Cohort Study  
 \_\_\_\_ Meta-analysis  
 \_\_\_\_ Data base or surveillance  
 \_\_\_\_ Letter: Ref. \_\_\_\_\_  
 \_\_\_\_ Opinion or testimony  
 \_\_\_\_ Other: spec. \_\_\_\_\_

**2. Are there particular difficulties with this study that make it less useful for our purposes (include study flaws and items that cause the study interventions or population not to match our needs)?**

\_\_\_\_ Serious design flaws (specify \_\_\_\_\_)  
 \_\_\_\_ Randomization failure  
 \_\_\_\_ Confounders present  
 \_\_\_\_ Selection bias  
 \_\_\_\_ Patient population not relevant  
 \_\_\_\_ Incomplete or biased statistics/data  
 Other: (describe)

\_\_\_\_ Blinding failure or insufficient  
 \_\_\_\_ Compliance problems (intensity)  
 \_\_\_\_ Cross-over problems  
 \_\_\_\_ Atypical intervention

**\_\_\_\_\_ REJECTED and not Extracted**

Article REJECTED due to (check all that apply):

\_\_\_\_ No relevant outcomes or complications data  
 \_\_\_\_ Insufficient treatment efficacy follow-up (must be > 12 months)  
 \_\_\_\_ Treatments not current (Stamey, etc.)  
 \_\_\_\_ Doesn't deal with treatment:  
     \_\_\_\_ Basic Science    \_\_\_\_ Epidemiology    \_\_\_\_ Other  
 \_\_\_\_ Purely Prolapse paper  
 \_\_\_\_ Other reason for exclusion:  
     specify: \_\_\_\_\_

Study Features (check all that apply)

\_\_\_\_ Retrospective  
 \_\_\_\_ Prospective  
 \_\_\_\_ Randomized  
 \_\_\_\_ Patient blinded  
 \_\_\_\_ Provider blinded  
 \_\_\_\_ Outcome evaluator blinded  
 \_\_\_\_ Cross-over

**3. Are there other data or points in this article that would be relevant that are not covered elsewhere?**

**Appendix A4- Extraction Form****American Urological Association, Inc.****Reference #** \_\_\_\_\_**SUI Guidelines Panel****Stress Urinary Incontinence  
Cover Sheets**

- 4. Study:** Total Patients enrolled: \_\_\_\_\_ (N)
- Country: \_\_\_\_\_ Check if multi-center/location
- Study Dates: \_\_\_\_\_ through \_\_\_\_\_ (leave blank if not specified)

**5. Group Definitions:**

| Group ID | Patients | Definition |
|----------|----------|------------|
|          |          |            |
|          |          |            |
|          |          |            |
|          |          |            |
|          |          |            |
|          |          |            |
|          |          |            |
|          |          |            |
|          |          |            |
|          |          |            |

**6. Comments:**

- 7. Total time completing this extraction:** \_\_\_\_\_ minutes.

**Stress Urinary Incontinence****Group Characteristics****8. Group Characteristics**

Patients: N = \_\_\_\_\_

Age: \_\_\_\_\_

Mean: \_\_\_\_\_

Med: \_\_\_\_\_

Min: \_\_\_\_\_

Max: \_\_\_\_\_

**9. Coexistent Conditions**

|                        | Check | % | Num | Comments/Definition |
|------------------------|-------|---|-----|---------------------|
| Cystocele B-W I        |       |   |     |                     |
| II                     |       |   |     |                     |
| III                    |       |   |     |                     |
| IV                     |       |   |     |                     |
| Cystocele unspecified  |       |   |     |                     |
| Rectocele              |       |   |     |                     |
| Enterocoele            |       |   |     |                     |
| Uterine Prolapse       |       |   |     |                     |
| Vaginal Vault Prolapse |       |   |     |                     |
| Neurogenic Bladder     |       |   |     |                     |
| Urethrovaginal Fistula |       |   |     |                     |
| Urethral Diverticulum  |       |   |     |                     |
| Other                  |       |   |     |                     |
| Other                  |       |   |     |                     |

**10. Other Patient Characteristics**

|  | Check | % | Num | Comments/Definition |
|--|-------|---|-----|---------------------|
| Pts. With Prior Incont. Surgery        |       |   |     |                     |
| Mean Procedures/Pt.                    |       |   |     |                     |
| Hyst Unspecified                       |       |   |     |                     |
| Vag Hyst                               |       |   |     |                     |
| TAH                                    |       |   |     |                     |
| TAH+BSO                                |       |   |     |                     |
| TV BNS                                 |       |   |     |                     |
| RP BNS                                 |       |   |     |                     |
| Previous Prolapse Repair - unspecified |       |   |     |                     |
| Cystocele - unspecified                |       |   |     |                     |
| A. Anterior Repair                     |       |   |     |                     |
| B. Paravaginal Repair                  |       |   |     |                     |
| Rectocele                              |       |   |     |                     |
| Enterocoele                            |       |   |     |                     |
| Uterine Prolapse                       |       |   |     |                     |
| Vault Prolapse                         |       |   |     |                     |
| Pts. With prior Surgery (notspec.)     |       |   |     |                     |
| Parity: Parous                         |       |   |     |                     |
| Mean Parity                            |       |   |     |                     |
| Min Parity                             |       |   |     |                     |
| Max Parity                             |       |   |     |                     |
| Mean Deliveries/Pt.                    |       |   |     |                     |
| Nulliparous                            |       |   |     |                     |

**Stress Urinary Incontinence****Group Characteristics****10. Other Patient Characteristics (cont.)**

|                 | Check | % | Num | Comments/Definition |
|-----------------|-------|---|-----|---------------------|
| Obesity         |       |   |     |                     |
| Pre-Menopausal  |       |   |     |                     |
| With Estrogen   |       |   |     |                     |
| Post-Menopausal |       |   |     |                     |
| With Estrogen   |       |   |     |                     |

**11. Methods of Evaluation**

| <b>Subjective</b> | Check | % | Num | Comments/Definition |
|-------------------|-------|---|-----|---------------------|
| Pt. Interview     |       |   |     |                     |
| Voiding Diary/Log |       |   |     |                     |
| MD Perception     |       |   |     |                     |
| Chart Review      |       |   |     |                     |
| Rating Form       |       |   |     |                     |
| QOL Rating        |       |   |     |                     |
| Analog Scale      |       |   |     |                     |
| Questionnaire     |       |   |     |                     |
| Other             |       |   |     |                     |
| Unspecified       |       |   |     |                     |

| <b>Objective</b>  | Check | % | Num | Comments/Definition |
|-------------------|-------|---|-----|---------------------|
| Physical Exam     |       |   |     |                     |
| Stress Test       |       |   |     |                     |
| BN Evaluation     |       |   |     |                     |
| Q-tip             |       |   |     |                     |
| Pad Test          |       |   |     |                     |
| Pads/Diapers      |       |   |     |                     |
| Baden-Walker      |       |   |     |                     |
| POP-Q             |       |   |     |                     |
| VCUG              |       |   |     |                     |
| Urodynamics       |       |   |     |                     |
| Video-Urodynamics |       |   |     |                     |
| Barrier Testing   |       |   |     |                     |
| Other             |       |   |     |                     |



American Urological Association, Inc.

Reference # \_\_\_\_\_

SUI Guidelines Panel

Group Number: \_\_\_\_\_

**Stress Urinary Incontinence****Group Characteristics**12. Diagnostic Findings ☐ Symptoms only ☐ Stress test ☐ Urodynamics

|     | Check | % | Num | Comments/Definition |
|-----|-------|---|-----|---------------------|
| SUI |       |   |     |                     |
| ISD |       |   |     |                     |

| Grade  | Check | % | Num | Comments/Definition |
|--------|-------|---|-----|---------------------|
| Mild   |       |   |     |                     |
| Mod    |       |   |     |                     |
| Severe |       |   |     |                     |

|         | Mean | Median | Min | Max | Check | % | Num | Comments/Definition |
|---------|------|--------|-----|-----|-------|---|-----|---------------------|
| Pads    |      |        |     |     |       |   |     |                     |
| Diapers |      |        |     |     |       |   |     |                     |

|                                 | Check | % | Num | Comments/Definition |
|---------------------------------|-------|---|-----|---------------------|
| Urodynamically proven motor DO  |       |   |     |                     |
| Urgency symptoms                |       |   |     |                     |
| Mixed (SUI/motor DO or Urgency) |       |   |     |                     |

13. Comments on Group Characteristics

**Stress Urinary Incontinence****Treatments****14. Treatments**

SUI handled before or after Prolapse repair or sling: before / after (circle one)

**A. Treatments for Incontinence  
Suspensions**

|   | Check | % | Num | Comments/Definition |
|---|-------|---|-----|---------------------|
| Open Retropubic Suspensions               |       |   |     |                     |
| Laparoscopic Suspension                   |       |   |     |                     |
| Transvaginal Cooper's Ligament Suspension |       |   |     |                     |
| Burch Suspension                          |       |   |     |                     |
| Other Suspensions (specify)               |       |   |     |                     |

**Slings**

|  | Check | % | Num | Comments/Definition |
|--|-------|---|-----|---------------------|
| Autologous fascia w/o bone anchors               |       |   |     |                     |
| Autologous fascia with bone anchors              |       |   |     |                     |
| transvaginal                                     |       |   |     |                     |
| suprapubic                                       |       |   |     |                     |
| Autologous vaginal wall slings w/o bone anchors  |       |   |     |                     |
| Autologous vaginal wall slings with bone anchors |       |   |     |                     |
| transvaginal                                     |       |   |     |                     |
| suprapubic                                       |       |   |     |                     |
| Cadaveric w/o bone anchors                       |       |   |     |                     |
| Cadaveric with bone anchors                      |       |   |     |                     |
| transvaginal                                     |       |   |     |                     |
| suprapubic                                       |       |   |     |                     |
| Xenograft w/o bone anchors                       |       |   |     |                     |
| Xenograft with bone anchors                      |       |   |     |                     |
| transvaginal                                     |       |   |     |                     |
| suprapubic                                       |       |   |     |                     |
| Synthetic at bladder neck w/o bone anchors       |       |   |     |                     |
| Synthetic at bladder neck with bone anchors      |       |   |     |                     |
| transvaginal                                     |       |   |     |                     |
| suprapubic                                       |       |   |     |                     |
| Synthetic at midurethra                          |       |   |     |                     |
| Homologous tissue (dermis) w/o bone anchors      |       |   |     |                     |
| Homologous tissue (dermis) with bone anchors     |       |   |     |                     |
| transvaginal                                     |       |   |     |                     |
| suprapubic                                       |       |   |     |                     |
| Cooper's ligament sling (all sling materials)    |       |   |     |                     |
| Other Sling (specify)                            |       |   |     |                     |

|  | Check | % | Num | Comments/Definition |
|--|-------|---|-----|---------------------|
|--|-------|---|-----|---------------------|

**Artificial Sphincter**

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

**Injectables**

|                                 | Check | % | Num | Comments/Definition |
|---------------------------------|-------|---|-----|---------------------|
| Collagen                        |       |   |     |                     |
| Other degradable materials      |       |   |     |                     |
| Other non-degradable synthetics |       |   |     |                     |
| Other Injectables (specify)     |       |   |     |                     |

**Stress Urinary Incontinence****Treatments****14B. Treatments for Prolapse****Anterior compartment repairs**

|                          | Check | % | Num | Comments/Definition |
|--------------------------|-------|---|-----|---------------------|
| Plication (colporrhaphy) |       |   |     |                     |
| Paravaginal              |       |   |     |                     |
| Abdominal approach       |       |   |     |                     |
| Vaginal approach         |       |   |     |                     |
| Interposition graft      |       |   |     |                     |
| Combination (specify)    |       |   |     |                     |
| Other (specify)          |       |   |     |                     |
| Not Stated               |       |   |     |                     |

**Apical Repair**

|                                    | Check | % | Num | Comments/Definition |
|------------------------------------|-------|---|-----|---------------------|
| McCall Procedure                   |       |   |     |                     |
| Uterosacral Suspension (plication) |       |   |     |                     |
| Levator myorrhaphy                 |       |   |     |                     |
| Iliococcygeus repair               |       |   |     |                     |
| Sacrocolpopexy                     |       |   |     |                     |
| Sacrospinous fixation              |       |   |     |                     |
| Other (specify)                    |       |   |     |                     |
| Not Stated                         |       |   |     |                     |

**Posterior Compartment Repairs**

|                     | Check | % | Num | Comments/Definition |
|---------------------|-------|---|-----|---------------------|
| Site specific       |       |   |     |                     |
| Plication           |       |   |     |                     |
| Interposition graft |       |   |     |                     |
| Combination repair  |       |   |     |                     |
| Other (specify)     |       |   |     |                     |
| Not Stated          |       |   |     |                     |

**Enterocoele repair**

|                            | Check | % | Num | Comments/Definition |
|----------------------------|-------|---|-----|---------------------|
| Culdoplasty (specify)      |       |   |     |                     |
| Plication                  |       |   |     |                     |
| Other, Transvaginal Repair |       |   |     |                     |
| Other, Abdominal Repair    |       |   |     |                     |

**C. Other Treatments**

|                        | Check | % | Num | Comments/Definition |
|------------------------|-------|---|-----|---------------------|
| Abdominal hysterectomy |       |   |     |                     |
| Vaginal hysterectomy   |       |   |     |                     |
|                        |       |   |     |                     |
|                        |       |   |     |                     |
|                        |       |   |     |                     |
|                        |       |   |     |                     |

**15. Comments about treatments for this group:**

**Stress Urinary Incontinence****Group Outcomes**

16. Patients w. Follow-up: N= \_\_\_\_\_ Mean: \_\_\_\_\_ Median: \_\_\_\_\_ Min: \_\_\_\_\_ Max: \_\_\_\_\_  
 Follow-up (mo): \_\_\_\_\_

**17. Outcome Assessment Tools:**

| Subjective        | Check | % | Num | Comments/Definition of Success/Failure |
|-------------------|-------|---|-----|--|
| Pt. Interview     |       |   |     |  |
| Voiding Diary/Log |       |   |     |  |
| MD Perception     |       |   |     |  |
| Chart Review      |       |   |     |  |
| Rating Form       |       |   |     |  |
| QOL Rating        |       |   |     |  |
| Analog Scale      |       |   |     |  |
| Questionnaire     |       |   |     |  |
| Other             |       |   |     |  |
| Unspecified       |       |   |     |  |

| Objective         | Check | % | Num | Comments/ Definition of Success/Failure |
|-------------------|-------|---|-----|---|
| Physical Exam     |       |   |     |   |
| Stress Test       |       |   |     |   |
| BN Evaluation     |       |   |     |   |
| Q-tip             |       |   |     |   |
| Pad Test          |       |   |     |   |
| Pads/Diapers      |       |   |     |   |
| Baden-Walker      |       |   |     |   |
| POP-Q             |       |   |     |   |
| VCUG              |       |   |     |   |
| Urodynamics       |       |   |     |   |
| Video-Urodynamics |       |   |     |   |
| Barrier Testing   |       |   |     |   |
| Other             |       |   |     |   |

**18. Outcomes in Regard to Continence Status only**

| 1 <sup>st</sup>                | Subj | Obj         | % | Num | Denom | Comments\Definition |
|--------------------------------|------|-------------|---|-----|-------|---------------------|
| _____ Months                   |      | Cure/Dry    |   |     |       |                     |
| _____ Mean Mos                 |      | Improved    |   |     |       |                     |
| _____ Median Mos               |      | Failure     |   |     |       |                     |
| _____ Min Mos                  |      | Retreatment |   |     |       |                     |
| _____ Max Mos                  |      |             |   |     |       |                     |
| _____ SE Mos                   |      |             |   |     |       |                     |
| _____ STDev Mos                |      |             |   |     |       |                     |
| _____ % CI, _____ to _____ Mos |      |             |   |     |       |                     |

**Stress Urinary Incontinence****Group Outcomes****18. Outcomes in Regard to Continence Status only (cont.)**

| 2 <sup>nd</sup>          | ___ Subj | ___ Obj     | % | Num | Denom | Comments\Definition |
|--------------------------|----------|-------------|---|-----|-------|---------------------|
| ___ Months               |          | Cure/Dry    |   |     |       |                     |
| ___ Mean Mos             |          | Improved    |   |     |       |                     |
| ___ Median Mos           |          | Failure     |   |     |       |                     |
| ___ Min Mos              |          | Retreatment |   |     |       |                     |
| ___ Max Mos              |          |             |   |     |       |                     |
| ___ SE Mos               |          |             |   |     |       |                     |
| ___ STDev Mos            |          |             |   |     |       |                     |
| ___ % CI, ___ to ___ Mos |          |             |   |     |       |                     |

| 3 <sup>rd</sup>          | ___ Subj | ___ Obj     | % | Num | Denom | Comments\Definition |
|--------------------------|----------|-------------|---|-----|-------|---------------------|
| ___ Months               |          | Cure/Dry    |   |     |       |                     |
| ___ Mean Mos             |          | Improved    |   |     |       |                     |
| ___ Median Mos           |          | Failure     |   |     |       |                     |
| ___ Min Mos              |          | Retreatment |   |     |       |                     |
| ___ Max Mos              |          |             |   |     |       |                     |
| ___ SE Mos               |          |             |   |     |       |                     |
| ___ STDev Mos            |          |             |   |     |       |                     |
| ___ % CI, ___ to ___ Mos |          |             |   |     |       |                     |

**19. Management of Bladder:**

| Method of Bladder Drainage | Check | % | Num | Denom | Comments\Definition |
|----------------------------|-------|---|-----|-------|---------------------|
| Foley Catheter             |       |   |     |       |                     |
| Suprapubic Catheter        |       |   |     |       |                     |
| Self Catheterization       |       |   |     |       |                     |

Author's Definition of Retention: \_\_\_\_\_

| Patients in Retention | @Days | % | Num | Denom | Comments\Definition |
|-----------------------|-------|---|-----|-------|---------------------|
| ___ @ Discharge       |       |   |     |       |                     |
|                       |       |   |     |       |                     |
|                       |       |   |     |       |                     |
|                       |       |   |     |       |                     |

| Days in Retention | Mean | Median | Min | Max | SE | STDev | %CI |
|-------------------|------|--------|-----|-----|----|-------|-----|
|                   |      |        |     |     |    |       |     |

| Secondary Procedures for Patients in Retention | @ Mo | Num | Prev. |
|--|------|-----|-------|
| 1.   |      |     |       |
| 2.   |      |     |       |
| 3.   |      |     |       |
| 4.   |      |     |       |

**Stress Urinary Incontinence****Group Outcomes****20. Complications (Peri-operative and during Follow-Up)**

|                             | Time | Check | % | Num | Denom | Comments\Definition |
|-----------------------------|------|-------|---|-----|-------|---------------------|
| None (per Author)           |      |       |   |     |       |                     |
| Transfusion                 |      |       |   |     |       |                     |
| Acute Bleeding              |      |       |   |     |       |                     |
| Hematoma                    |      |       |   |     |       |                     |
| Death                       |      |       |   |     |       |                     |
| Infection                   |      |       |   |     |       |                     |
| Local Extension             |      |       |   |     |       |                     |
| Systemic                    |      |       |   |     |       |                     |
| Wound                       |      |       |   |     |       |                     |
| UTI                         |      |       |   |     |       |                     |
| Wound                       |      |       |   |     |       |                     |
| Vaginal                     |      |       |   |     |       |                     |
| Major                       |      |       |   |     |       |                     |
| Minor                       |      |       |   |     |       |                     |
| Abdominal                   |      |       |   |     |       |                     |
| Major                       |      |       |   |     |       |                     |
| Minor                       |      |       |   |     |       |                     |
| Removal of For. Body- other |      |       |   |     |       |                     |
| Stitches                    |      |       |   |     |       |                     |
| Pledget                     |      |       |   |     |       |                     |
| PE/DVT                      |      |       |   |     |       |                     |
| MI                          |      |       |   |     |       |                     |
| CVA                         |      |       |   |     |       |                     |
| Pulmonary                   |      |       |   |     |       |                     |
| Bladder Injury              |      |       |   |     |       |                     |
| Bowel Injury                |      |       |   |     |       |                     |
| Vascular Injury             |      |       |   |     |       |                     |
| Rectal Injury               |      |       |   |     |       |                     |
| Fistula                     |      |       |   |     |       |                     |
| Dysuria                     |      |       |   |     |       |                     |
| Sexual Dysfunction          |      |       |   |     |       |                     |
| Urethral Erosion            |      |       |   |     |       |                     |
| Other Complications         |      |       |   |     |       |                     |
| Other Complications         |      |       |   |     |       |                     |
| Other Complications         |      |       |   |     |       |                     |
| Other Complications         |      |       |   |     |       |                     |

**21. Bleeding**

Mean: \_\_\_\_\_ Median: \_\_\_\_\_ Min: \_\_\_\_\_ Max: \_\_\_\_\_

**Stress Urinary Incontinence****Group Outcomes****22. Urgency and Urge Incontinence**

|                               | Time | Check | % | Num | Denom | Comments\Definition |
|-------------------------------|------|-------|---|-----|-------|---------------------|
| Urge Incontinence – New onset |      |       |   |     |       |                     |
| Pre-existing                  |      |       |   |     |       |                     |
| Unspecified                   |      |       |   |     |       |                     |
| Urgency symptoms – New onset  |      |       |   |     |       |                     |
| Pre-existing                  |      |       |   |     |       |                     |
| Unspecified                   |      |       |   |     |       |                     |
| Unspecified urgency–New onset |      |       |   |     |       |                     |
| Pre-existing                  |      |       |   |     |       |                     |
| Unspecified                   |      |       |   |     |       |                     |

**23. Prolapse Outcomes****A. Cystocele**

|                       | Time | Check | % | Num | Denom | Comments\Definition |
|-----------------------|------|-------|---|-----|-------|---------------------|
| Recurrence            |      |       |   |     |       |                     |
| Failure               |      |       |   |     |       |                     |
| New Prolapse          |      |       |   |     |       |                     |
| Post-op (unspecified) |      |       |   |     |       |                     |
| Other (specify)       |      |       |   |     |       |                     |

**B. Rectocele**

|                       | Time | Check | % | Num | Denom | Comments\Definition |
|-----------------------|------|-------|---|-----|-------|---------------------|
| Recurrence            |      |       |   |     |       |                     |
| Failure               |      |       |   |     |       |                     |
| New Prolapse          |      |       |   |     |       |                     |
| Post-op (unspecified) |      |       |   |     |       |                     |
| Other (specify)       |      |       |   |     |       |                     |

**C. Enterocele**

|                       | Time | Check | % | Num | Denom | Comments\Definition |
|-----------------------|------|-------|---|-----|-------|---------------------|
| Recurrence            |      |       |   |     |       |                     |
| Failure               |      |       |   |     |       |                     |
| New Prolapse          |      |       |   |     |       |                     |
| Post-op (unspecified) |      |       |   |     |       |                     |
| Other (specify)       |      |       |   |     |       |                     |

**D. Uterine Prolapse**

|                       | Time | Check | % | Num | Denom | Comments\Definition |
|-----------------------|------|-------|---|-----|-------|---------------------|
| Recurrence            |      |       |   |     |       |                     |
| Failure               |      |       |   |     |       |                     |
| New Prolapse          |      |       |   |     |       |                     |
| Post-op (unspecified) |      |       |   |     |       |                     |
| Other (specify)       |      |       |   |     |       |                     |

American Urological Association, Inc.

Reference # \_\_\_\_\_

SUI Guidelines Panel

Group Number: \_\_\_\_\_

**Stress Urinary Incontinence****Group Outcomes****E. Vault Prolapse**

|                       | Time | Check | % | Num | Denom | Comments\Definition |
|-----------------------|------|-------|---|-----|-------|---------------------|
| Recurrence            |      |       |   |     |       |                     |
| Failure               |      |       |   |     |       |                     |
| New Prolapse          |      |       |   |     |       |                     |
| Post-op (unspecified) |      |       |   |     |       |                     |
| Other (specify)       |      |       |   |     |       |                     |

**F. Other/unspecified/total ( \_\_\_\_\_ )**

|                       | Time | Check | % | Num | Denom | Comments\Definition |
|-----------------------|------|-------|---|-----|-------|---------------------|
| Recurrence            |      |       |   |     |       |                     |
| Failure               |      |       |   |     |       |                     |
| New Prolapse          |      |       |   |     |       |                     |
| Post-op (unspecified) |      |       |   |     |       |                     |
| Other (specify)       |      |       |   |     |       |                     |

**24. Comments** (regarding this group only)



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 40746** 24th annual meeting of the International Urogynecological Association (IUGA). A joint meeting with the International Continence Society (ICS) and the International Children's Continence Society (ICCS). August 23-26, 1999, Denver, Colorado, USA. Abstracts. Int Urogynecol J Pelvic Floor Dysfunct. 1999 Aug; 10 Suppl 1: S1-194
- 50760** Abstracts of the 28th Annual meeting of the International Urogynecological Association. Buenos Aires, Argentina, 28-31 October 2003. Int Urogynecol J Pelvic Floor Dysfunct. 2003; 14 Suppl 1: S1-S81
- 11406** ACOG criterial set. Surgery for genuine stress incontinence due to urethral hypermobility. American College of Obstetricians and Gynecologists Committee on Quality Assessment. Int J Gynaecol Obstet. 1996 Feb; 52: 211-2
- 41280** Assessment and treatment of urinary incontinence. Scientific Committee of the First International Consultation on Incontinence. Lancet. 2000 Jun 17; 355: 2153-8
- 56530** Behavior therapy and urge incontinence. Mayo Clin Health Lett. 2003 May; 21: 4
- 40106** Bibliography. Current world literature. Voiding dysfunction and female urology. Curr Opin Urol. 2002 Jul; 12: 363-9
- 41187** Bibliography. Current world literature. Voiding dysfunction and female urology. Curr Opin Urol. 2000 Sep; 10: 499-508
- 42009** Biofeedback, exercise for urge incontinence. Health News. 1999 Jan 5; 5: 7
- 42829** Bladder control. J Pract Nurs. 1997 Mar; 47: 9-11
- 41928** Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 11-1999. A 60-year-old woman with epidural and paraspinal masses. N Engl J Med. 1999 Apr 15; 340: 1188-96
- 40406** Controlling urinary incontinence. Aust Fam Physician. 2002 Jan; 31: 88-93
- 44561** Demand for urological devices increases among aging population. Front Med Biol Eng. 1992; 4: 65-6
- 44211** Diagnostic and therapeutic technology assessment. Use of Teflon preparations for urinary incontinence and vesicoureteral reflux. JAMA. 1993 Jun 16; 269: 2975-80
- 59231** Early symptoms of ovarian cancer exist but may not be recognized. Mayo Clin Womens Healthsource. 2005 Apr; 9: 3
- 44145** Effects of terodiline on urinary incontinence among older non- institutionalized women. Terodiline in the Elderly American Multicenter Study Group. J Am Geriatr Soc. 1993 Sep; 41: 915-22
- 3535** Efficacy and morbidity of. Urology. 1991 Dec; 38: 526-528
- 57120** Executive summary: a look at the proceedings of the symposium, 'The State of the Science on Urinary Incontinence.'. Am J Nurs. 2003 Mar; Suppl: 4-8
- 41196** Falls and incontinence: a missing link?. Health News. 2000 Sep; 6: 6
- 10133** Female stress urinary incontinence facts. Urol Nurs. 2001 Apr; 21: 134
- 59068** Gaining control of urinary stress incontinence. Johns Hopkins Med Lett Health After 50. 2004 Aug; 17: 3, 7
- 11109** GAX collagen for genuine stress incontinence. Drug Ther Bull. 1997 Nov; 35: 86-8
- 43830** Goals in continence training. Prof Nurse. 1994 Sep; 9: 783
- 44430** Gynecologic urology. Curr Opin Obstet Gynecol. 1992 Aug; 4: 627-31
- 11962** Gynecologic urology. Curr Opin Obstet Gynecol. 1991 Aug; 3: 610-3
- 54760** Identifying and treating reversible causes of urinary incontinence. Ostomy Wound Manage. 2003 Dec; 49: 28-33
- 43563** Incontinence. Causes, management and provision of services. A Working Party of the Royal College of Physicians. J R Coll Physicians Lond. 1995 Jul-Aug; 29: 272-4
- 42461** Incontinence. Ways to help you stay dry. Mayo Clin Health Lett. 1998 Jan; 16: 1-3

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 55700** Incontinence: the engineering challenge. Proceedings of a seminar sponsored by the Continence Foundation, the Engineering and Physical Sciences Research Council and the Association of Institutions concerned with Medical Engineering. 2001. Proc Inst Mech Eng [H]. 2003; 217: i-ii; 233-321
- 52090** Managing postpartum stress urinary incontinence. Drug Ther Bull. 2003 Jun; 41: 46-8
- 40256** Market research on urinary incontinence offers insightful findings. Urol Nurs. 2001 Dec; 21: 413
- 41308** Menopause and beyond. Advances in medicine, understanding, shift focus from an ending to a beginning. Mayo Clin Health Lett. 1999 Oct; Suppl: 1-8
- 42440** More ways to stay dry. Harv Womens Health Watch. 1998 Mar; 5: 2-3
- 11048** New solutions for urinary stress incontinence. Johns Hopkins Med Lett Health After 50. 1998 Mar; 10: 4-6
- 44397** New studies, new treatments, new organization discussed at national NP symposium. Nurse Pract. 1992 Oct; 17: 66-8
- 11869** Non-surgical treatment of stress incontinence. Lancet. 1992 Sep 12; 340: 643-4
- 40916** Optimizing quality of care and cost effectiveness in the treatment of overactive bladder. Am J Manag Care. 2001 Mar; 7: S43-5
- 41657** Overactive bladder. Harv Womens Health Watch. 1999 Oct; 7: 6
- 41428** Overactive Bladder and Its Treatments Consensus Conference. London, United Kingdom, July 4, 1999. Urology. 2000 May; 55: 1-84
- 54350** Overactive bladder. Relief for urgency, frequency and incontinence. Mayo Clin Womens Healthsource. 2004 Mar; 8: 1-2
- 40901** Page for patients. Menopause. Prev Med. 2001 Mar; 32: 207-8
- 41177** Pelvic floor electrical stimulation in the treatment of adult urinary incontinence. Tecnologica MAP Suppl. 2000 Apr; : 15-7
- 59159** Pelvic floor exercise can reduce stress incontinence. Health News. 2005 Apr; 11: 11
- 41488** Prevalent urinary incontinence as a correlate of pregnancy, vaginal childbirth and obstetric techniques. J Wound Ostomy Continence Nurs. 1999 May; 26: 28A-29A
- 43546** Products and services: continence/incontinence. Ostomy Wound Manage. 1995 Jul; 41: 19-22, 24-30, 32 passim
- 43765** Professional development. Promoting continence: knowledge for practice (continuing education credit). Nurs Times. 1994 Nov 2-8; 90: suppl 1-4
- 43763** Promoting continence. Part II. The role of the nurse. Nurs Times. 1994 Nov 9-15; 90: suppl 5-8
- 52320** Radio waves treat stress incontinence. Health News. 2003 Jun; 9: 8-9
- 41259** Reports from the Swedish Council on Technology Assessment in Health Care (SBU). Urinary incontinence. Int J Technol Assess Health Care. 2000 Spring; 16: 722-6
- 42140** RU3: making a difference for women. AWHONN's continence research reveals preliminary findings. AWHONN Lifelines. 1998 Aug; 2: 55-6
- 41125** Sacral nerve stimulation for the treatment of urinary urgency/frequency. Tecnologica MAP Suppl. 2000 Jun; : 12-5
- 43876** Science of urinary incontinence. Report of a meeting of Physicians and Scientists, University College London. Lancet. 1994 Jul 30; 344: 311-5
- 40407** Sexuality and reproductive issues. Aust Fam Physician. 2002 Jan; 31: 102-5
- 40047** Simpler solutions for incontinence. Health News. 2002 Sep; 8: 9

**American Urological Association, Inc.  
SUI Guidelines Panel**

**Master Bibliography  
sorted by Primary Author and Title**

- 42162 Statements of the committees of the WHO consensus conference, 20 August 1997. 1st International Conference on Urinary Incontinence in the Elderly. Bonn, Germany, 20-21 August 1997. World J Urol. 1998; 16 Suppl 1: S1-73
- 59253 Stem cells may cure urinary incontinence. In this experimental treatment, a patient's own cells can stop leaks in as little as one day. Health News. 2005 Mar; 11: 4-5
- 59204 Summaries for patients. Factors associated with acute kidney infections in healthy women. Ann Intern Med. 2005 Jan 4; 142: 134
- 3955 Taking the. Med J Aust. 1990 Sep 3; 153: 245-247
- 43612 The chief scientist reports .... 'Incontinence research--the way ahead'. Health Bull (Edinb). 1995 May; 53: 174-9
- 3195 The geriatric. J Am Geriatr Soc. 1993 Jan; 41: 78-84
- 42886 The Scandinavian opinion on assessment of female urinary incontinence. Proceedings of a meeting. Copenhagen, Denmark, 1995. Acta Obstet Gynecol Scand Suppl. 1997; 166: 1-60
- 56520 The state of the science of urinary incontinence. Urol Nurs. 2003 Apr; 23: 101-5
- 57030 The state of the science on urinary incontinence. Am J Nurs. 2003 Mar; 103: 45-9
- 41988 Towards continence. Nurs Stand. 1998 Dec 9-15; 13: 33-4
- 59305 Trospium chloride (Sanctura): another anticholinergic for overactive bladder. Obstet Gynecol. 2005 Feb; 105: 431-2
- 59065 Trospium chloride (Sanctura): another anticholinergic for overactive bladder. Med Lett Drugs Ther. 2004 Aug 2; 46: 63-4
- 3446 Two incontinence management devices: the benefits of the. Ostomy Wound Manage. 1992 Mar; 38: 28-35
- 58070 Urinary incontinence. Harv Mens Health Watch. 2002 Oct; 7: 6-7
- 44668 Urinary incontinence among hospitalized persons aged 65 years and older- -United States, 1984-1987. MMWR Morb Mortal Wkly Rep. 1991 Jul 5; 40: 433-6
- 44576 Urinary incontinence in adults. Agency for Health Care Policy and Research. Clin Pract Guidel Quick Ref Guide Clin. 1992; : QR1-27
- 43370 Urinary incontinence. Number 213--October 1995 (replaces No. 100, January 1987. Committee on Technical Bulletins of the American College of Obstetricians and Gynecologists. Int J Gynaecol Obstet. 1996 Jan; 52: 75-86
- 41929 Urinary incontinence. Putting an end to the embarrassment. Harv Health Lett. 1999 May; 24: 6-7
- 11789 Urogynecology. Curr Opin Obstet Gynecol. 1993 Aug; 5: 535-8
- 40912 What is urinary incontinence?. Health News. 2001 Mar; 7: 3
- 41344 Women's health literaturewatch. J Womens Health Gend Based Med. 1999 May; 8: 559-68
- 42237 Your article on incontinence did not mention collagen injections. Can you tell me something about them?. Johns Hopkins Med Lett Health After 50. 1998 Sep; 10: 8
- 10868 Aanestad, O., Flink, R. Urinary stress incontinence. A urodynamic and quantitative electromyographic study of the perineal muscles. Acta Obstet Gynecol Scand. 1999 Mar; 78: 245-53
- 10182 Aaron, R., Muliyl, J., Abraham, S. Medico-social dimensions of menopause: a cross-sectional study from rural south India. Natl Med J India. 2002 Jan-Feb; 15: 14-7
- 10103 Abbas Shobeiri, S., Garely, A. D., Chesson, R. R., Nolan, T. E. Recognition of occult bladder injury during the tension-free vaginal tape procedure. Obstet Gynecol. 2002 Jun; 99: 1067-72
- 51600 Abbas Shobeiri, S., Gasser, R. F., Chesson, R. R., Echols, K. T. The anatomy of midurethral slings and dynamics of neurovascular injury. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Aug; 14: 185-90; discussion 190

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

sorted by Primary Author and Title

- 3276 Abbott, D. Objective assessment ensures improved diagnosis. Principles and techniques of urodynamics. Prof Nurse. 1992 Aug; 7: 738,740-2
- 41893 Abd-El-Gawad, G., Abrahamsson, K., Hanson, E., Norlen, L., Sillen, U., Sixt, R., Hjalmas, K. Early and late metabolic alterations in children and adolescents with a kock urinary reservoir. BJU Int. 1999 Feb; 83: 285-9
- 41753 Abd-el-Gawad, G., Abrahamsson, K., Hanson, E., Norlen, L., Sillen, U., Sixt, R., Hjalmas, K. Evaluation of Kock urinary reservoir function in children and adolescents at 3-10 years' follow-up. Scand J Urol Nephrol. 1999 Jun; 33: 149-55
- 41691 Abd-el-Gawad, G., Abrahamsson, K., Hanson, E., Norlen, L., Sillen, U., Stokland, E., Hjalmas, K. Kock urinary reservoir maturation in children and adolescents: consequences for kidney and upper urinary tract. Eur Urol. 1999 Nov; 36: 443-9
- 40258 Abdelghany, S., Hughes, J., Lammers, J., Wellbrock, B., Buffington, P. J., Shank, R. A., 3rd Biofeedback and electrical stimulation therapy for treating urinary incontinence and voiding dysfunction: one center's experience. Urol Nurs. 2001 Dec; 21: 401-5, 410
- 59187 Abdel-Hady,, el-S, Constantine, G. Outcome of the use of tension-free vaginal tape in women with mixed urinary incontinence, previous failed surgery, or low valsalva pressure. J Obstet Gynaecol Res. 2005 Feb; 31: 38-42
- 10935 Abdel-Mageed, A. B., Ghoniem, G. M. Potential role of rel/nuclear factor-kappaB in the pathogenesis of interstitial cystitis. J Urol. 1998 Dec; 160: 2000-3
- 57230 Abes, M., Sarihan, H., Madenci, E. Evaluation of bone mineral density with dual x-ray absorptiometry for osteoporosis in children with bladder augmentation. J Pediatr Surg. 2003 Feb; 38: 230-2
- 59302 Abeygunasekera, A. M. Clean intermittent catheterisation. Ceylon Med J. 2004 Dec; 49: 107-9
- 10910 Aboseif, S. R., Borirakchanyavat, S., Lue, T. F., Carroll, P. R. Continence mechanism of the ileal neobladder in women: a urodynamics study. World J Urol. 1998; 16: 400-4
- 10077 Aboseif, S., Tamaddon, K., Chalfin, S., Freedman, S., Kaptein, J. Sacral neuromodulation as an effective treatment for refractory pelvic floor dysfunction. Urology. 2002 Jul; 60: 52-6
- 59081 Abouassaly, R., Steinberg, J. R., Lemieux, M., Marois, C., Gilchrist, L. I., Bourque, J. L., Tu le, M., Corcos, J. Complications of tension-free vaginal tape surgery: a multi-institutional review. BJU Int. 2004 Jul; 94: 110-3
- 4098 Aboulafia, D.M., Saxton, E.H., Koga, H., Diagne, A., and Rosenblatt, J.D. A patient with progressive myelopathy and antibodies to human T-cell leukemia virus type I and human immunodeficiency virus type 1 in serum and cerebrospinal fluid. Arch Neurol. 1990 Apr; 47: 477-479
- 59128 Abramov, Y., Sand, P. K., Gandhi, S., Botros-Brey, S., Goldberg, R. P. Chronic pelvic actinomycosis following a bone anchored sling procedure. J Urol. 2004 Jun; 171: 2381
- 42906 Abrams, P. Identifying and evaluating urinary incontinence in a female population. Eur Urol. 1997; 32 Suppl 2: 1-2
- 41978 Abrams, P. Urodynamics and the International Continence Society come of age. Br J Urol. 1993 Nov; 72: 527-33
- 57140 Abrams, P., Blaivas, J. G., Fowler, C. J., Fourcroy, J. L., Macdiarmid, S. A., Siegel, S. W., Van Kerrebroeck, P. The role of neuromodulation in the management of urinary urge incontinence. BJU Int. 2003 Mar; 91: 355-9
- 40962 Abrams, P., Kelleher, C. J., Kerr, L. A., Rogers, R. G. Overactive bladder significantly affects quality of life. Am J Manag Care. 2000 Jul; 6: S580-90
- 43320 Abrams, P., Klevmark, B. Frequency volume charts: an indispensable part of lower urinary tract assessment. Scand J Urol Nephrol Suppl. 1996; 179: 47-53
- 41102 Abrams, P., Wein, A. Recent advances: urology. BMJ. 2000 Dec 2; 321: 1393-6
- 40897 Abu, J., Wong, M. Y., Foo, K. T., Yu, S. L. A case report on vesico-uterine fistula: a very rare complication of the lower caesarean section. Singapore Med J. 2000 Nov; 41: 554-6
- 11681 Abu-Heija, A. T. Long-term results of colposuspension operation for genuine stress incontinence. Asia Oceania J Obstet Gynaecol. 1994 Jun; 20: 179-81

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

sorted by Primary Author and Title

- 2993 Acheson, L.S., Danner, S.C. Postpartum care and breast-feeding. *Prim Care*. 1993 Sep; 20: 729-747
- 10059 Adamiak, A., Milart, P., Skorupski, P., Kuchnicka, K., Nestorowicz, A., Jakowicki, J., Rechberger, T. The efficacy and safety of the tension-free vaginal tape procedure do not depend on the method of analgesia. *Eur Urol*. 2002 Jul; 42: 29-33
- 11686 Adams, C., Lorish, C., Cushing, C., Willis, E., Jackson, J., Walter, J. Anatomical urinary stress incontinence in women with rheumatoid arthritis: its frequency and coping strategies. *Arthritis Care Res*. 1994 Jun; 7: 97-103
- 41329 Adams, D., Samuel, D., Goulon-Goeau, C., Nakazato, M., Costa, P. M., Feray, C., Plante, V., Ducot, B., Ichai, P., Lacroix, C., Metral, S., Bismuth, H., Said, G. The course and prognostic factors of familial amyloid polyneuropathy after liver transplantation. *Brain*. 2000 Jul; 123 ( Pt 7): 1495-504
- 51800 Adams, I., Onwude, J. Secondary colposuspension: results of a prospective study from a tertiary centre. *BJOG*. 2003 Aug; 110: 785; author reply 785
- 11338 Adams, J. B., 2nd, Micali, S., Moore, R. G., Babayan, R. K., Kavoussi, L. R. Complications of extraperitoneal balloon dilation. *J Endourol*. 1996 Aug; 10: 375-8
- 43408 Addington-Hall, J., Lay, M., Altmann, D., McCarthy, M. Symptom control, communication with health professionals, and hospital care of stroke patients in the last year of life as reported by surviving family, friends, and officials. *Stroke*. 1995 Dec; 26: 2242-8
- 10548 Addison, R. Assessment of stress incontinence--1. *Nurs Times*. 1999 Nov 10-17; 95: suppl 1-2
- 10513 Addison, R. Assessment of stress incontinence--2. *Nurs Times*. 1999 Nov 17-23; 95: suppl 1-2
- 41486 Addison, R. Catheter valves: a special focus on the Bard Flip-Flo catheter. *Br J Nurs*. 1999 May 13-26; 8: 576-80
- 41103 Addison, R., Lavender, R. Vaginal examination--2 and teaching pelvic muscle exercises. *Nurs Times*. 1999 Dec 1-7; 95: suppl 1-2
- 40308 Addison, R., Roberts, J. Female devices: are your patients missing out?. *Nurs Times*. 2001 Feb 8-14; 97: III-V
- 40734 Ade-Ajayi, N., Wilcox, D. T., Duffy, P. G., Ransley, P. G. Upper pole heminephrectomy: is complete ureterectomy necessary?. *BJU Int*. 2001 Jul; 88: 77-9
- 51630 Adekanmi, O. A., Freeman, R. M., Bombieri, L. How colposuspensions are performed in the UK: a survey of gynecologists' practice. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Aug; 14: 151-9; discussion 159
- 53200 Adekanmi, O. A., Freeman, R. M., Reed, H., Bombieri, L. Improving the diagnosis of genuine stress incontinence in symptomatic women with negative cough stress test: the Distal Urethral Electrical Conductance test (DUEC) revisited. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Feb; 14: 9-12; discussion 12
- 53500 Adeyoju, A. A., Lupton, E. W. Thimble-assisted Burch colposuspension. *Ann R Coll Surg Engl*. 2002 Nov; 84: 433
- 54230 Adin, C. A., Farese, J. P., Cross, A. R., Provitola, M. K., Davidson, J. S., Jankunas, H. Urodynamic effects of a percutaneously controlled static hydraulic urethral sphincter in canine cadavers. *Am J Vet Res*. 2004 Mar; 65: 283-8
- 42821 Adkins, V. K., Mathews, R. M. Prompted voiding to reduce incontinence in community-dwelling older adults. *J Appl Behav Anal*. 1997 Spring; 30: 153-6
- 41366 Agarwal, V. Urinary incontinence with risperidone. *J Clin Psychiatry*. 2000 Mar; 61: 219
- 10047 Agarwala, N., Liu, C. Y. Minimally invasive management of urinary incontinence. *Curr Opin Obstet Gynecol*. 2002 Aug; 14: 429-33
- 41270 Aggazzotti, G., Pesce, F., Grassi, D., Fantuzzi, G., Righi, E., De Vita, D., Santacroce, S., Artibani, W. Prevalence of urinary incontinence among institutionalized patients: a cross-sectional epidemiologic study in a midsized city in northern Italy. *Urology*. 2000 Aug 1; 56: 245-9
- 41766 Aghaji, A. E., Odoemene, C. Ureteric injuries in Enugu, Nigeria. *East Afr Med J*. 1999 Apr; 76: 184-8
- 44032 Aguiar, P. H., Andrioli, M. S., Cabrera, H. N., Cabral, N. D., Scaff, M. Management of hydrocephalus in Paget's disease. Case report. *Zentralbl Neurochir*. 1994; 55: 60-2



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 40410** Agut, A., Fernandez del Palacio, M. J., Laredo, F. G., Murciano, J., Bayon, A., Soler, M. Unilateral renal agenesis associated with additional congenital abnormalities of the urinary tract in a Pekingese bitch. *J Small Anim Pract.* 2002 Jan; 43: 32-5
- 44691** Ahlering, T. E., Weinberg, A. C., Razor, B. Modified Indiana pouch. *J Urol.* 1991 Jun; 145: 1156-8
- 44771** Ahlering, T. E., Weinberg, A. C., Razor, B. The modified Indiana pouch. *Acta Urol Belg.* 1991; 59: 135-45
- 3697** Ahlering, T.E., Weinberg, A.C., and Razor, B. Modified Indiana pouch. *J Urol.* 1991 Jun; 145: 1156-1158
- 3894** Ahlstrom, K., Sandahl, B., Sjoberg, B., Ulmsten, U., Stormby, N., and Lindskog, M. Effect of combined treatment with phenylpropanolamine and estriol, compared with estriol treatment alone, in postmenopausal women with stress urinary incontinence. *Gynecol Obstet Invest.* 1990; 30: 37-43
- 12112** Ahlstrom, K., Sandahl, B., Sjoberg, B., Ulmsten, U., Stormby, N., Lindskog, M. Effect of combined treatment with phenylpropanolamine and estriol, compared with estriol treatment alone, in postmenopausal women with stress urinary incontinence. *Gynecol Obstet Invest.* 1990; 30: 37-43
- 59208** Ahmad, S., Nishtar, A., Hafeez, G. A., Khan, Z. Management of vesico-vaginal fistulas in women. *Int J Gynaecol Obstet.* 2005 Jan; 88: 71-5
- 43159** Ahmed, S., Fouda-Neel, K., Borghol, M. Continence after bladder-neck reconstruction in patients with bladder exstrophy and pubic diastasis. *Br J Urol.* 1996 Jun; 77: 896-9
- 44374** Ahmed, S., Morris, L. L., Byard, R. W. Ectopic ureter with complete ureteric duplication in the female child. *J Pediatr Surg.* 1992 Nov; 27: 1455-60
- 3188** Ahmed, S., Morris, L.L., and Byard, R.W. Ectopic ureter with complete ureteric duplication in the female child. *J Pediatr Surg.* 1992 Nov; 27: 1455-1460
- 42416** Ahmed, S., Sen, S. The Mitrofanoff procedure in paediatric urinary tract reconstruction. *Aust N Z J Surg.* 1998 Mar; 68: 199-202
- 59292** Akbal, C., Genc, Y., Burgu, B., Ozden, E., Tekgul, S. Dysfunctional voiding and incontinence scoring system: quantitative evaluation of incontinence symptoms in pediatric population. *J Urol.* 2005 Mar; 173: 969-73
- 10623** Akpınar, H., Cetinel, B., Demirkesen, O., Tufek, I., Yaycioglu, O., Solok, V. Long-term results of Burch colposuspension. *Int J Urol.* 2000 Apr; 7: 119-25
- 51880** Aksac, B., Aki, S., Karan, A., Yalcin, O., Isikoglu, M., Eskiuyurt, N. Biofeedback and pelvic floor exercises for the rehabilitation of urinary stress incontinence. *Gynecol Obstet Invest.* 2003; 56: 23-7
- 52060** Al-Badr, A., Ross, S., Soroka, D., Drutz, H. P. What is the available evidence for hormone replacement therapy in women with stress urinary incontinence?. *J Obstet Gynaecol Can.* 2003 Jul; 25: 567-74
- 51520** Al-Badr, A., Ross, S., Soroka, D., Minassian, V. A., Karahalios, A., Drutz, H. P. Voiding patterns and urodynamics after a tension-free vaginal tape procedure. *J Obstet Gynaecol Can.* 2003 Sep; 25: 725-30
- 11861** Albala, D. M., Schuessler, W. W., Vancaillie, T. G. Laparoscopic bladder suspension for the treatment of stress incontinence. *Semin Urol.* 1992 Nov; 10: 222-6
- 3179** Albala, D.M., Schuessler, W.W., and Vancaillie, T.G. Laparoscopic bladder suspension for the treatment of stress incontinence. *Semin Urol.* 1992 Nov; 10: 222-226
- 43601** Albers, P., Foster, R. S., Bihle, R., Adams, M. C., Keating, M. A. Ectopic ureters and ureteroceles in adults. *Urology.* 1995 May; 45: 870-4
- 43151** Albo, M., Dupont, M. C., Raz, S. Transvaginal correction of pelvic prolapse. *J Endourol.* 1996 Jun; 10: 231-9
- 11526** Alcalay, M., Monga, A., Stanton, S. L. Burch colposuspension: a 10-20 year follow up. *Br J Obstet Gynaecol.* 1995 Sep; 102: 740-5
- 41061** Alcalay, M., Thompson, P. K., Boone, T. B. Ball urethroplasty combined with Marshall-Marchetti-Krantz urethropexy versus suburethral sling in patients with intrinsic sphincter deficiency and urethral hypermobility. *Am J Obstet Gynecol.* 2000 Dec; 183: 1348-53; discussion 1353-4

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 57410** Alessi, C. A., Josephson, K. R., Harker, J. O., Pietruszka, F. M., Hoyle, M. T., Rubenstein, L. Z. The yield, reliability, and validity of a postal survey for screening community-dwelling older people. *J Am Geriatr Soc.* 2003 Feb; 51: 194-202
- 56340** Alessi, C. A., Ouslander, J. G., Maldague, S., Al-Samarrai, N. R., Saliba, D., Osterweil, D., Beck, J. C., Schnelle, J. F. Incidence and costs of acute medical conditions in long-stay incontinent nursing home residents. *J Am Med Dir Assoc.* 2003 Mar-Apr; 4: S4-S18
- 43458** Alessi, C. A., Schnelle, J. F., MacRae, P. G., Ouslander, J. G., al-Samarrai, N., Simmons, S. F., Traub, S. Does physical activity improve sleep in impaired nursing home residents?. *J Am Geriatr Soc.* 1995 Oct; 43: 1098-102
- 43556** Alessi, C. A., Schnelle, J. F., Traub, S., Ouslander, J. G. Psychotropic medications in incontinent nursing home residents: association with sleep and bed mobility. *J Am Geriatr Soc.* 1995 Jul; 43: 788-92
- 41808** Alessi, C. A., Yoon, E. J., Schnelle, J. F., Al-Samarrai, N. R., Cruise, P. A. A randomized trial of a combined physical activity and environmental intervention in nursing home residents: do sleep and agitation improve?. *J Am Geriatr Soc.* 1999 Jul; 47: 784-91
- 58020** Alewijnse, D., Mesters, I. E., Metsemakers, J. F., van den Borne, B. H. Program development for promoting adherence during and after exercise therapy for urinary incontinence. *Patient Educ Couns.* 2002 Oct -Nov; 48: 147-60
- 40835** Alewijnse, D., Mesters, I., Metsemakers, J., Adriaans, J., van den Borne, B. Predictors of intention to adhere to physiotherapy among women with urinary incontinence. *Health Educ Res.* 2001 Apr; 16: 173-86
- 55210** Alewijnse, D., Mesters, I., Metsemakers, J., van den Borne, B. Predictors of long-term adherence to pelvic floor muscle exercise therapy among women with urinary incontinence. *Health Educ Res.* 2003 Oct; 18: 511-24
- 52240** Alewijnse, D., Metsemakers, J. F., Mesters, I. E., van den Borne, B. Effectiveness of pelvic floor muscle exercise therapy supplemented with a health education program to promote long-term adherence among women with urinary incontinence. *Neurourol Urodyn.* 2003; 22: 284-95
- 30112** Al-Hadithi, H., Tincello, D. G., Vince, G. S., Richmond, D. H. Leukocyte populations in interstitial cystitis and idiopathic reduced bladder storage. *Urology.* 2002 Jun; 59: 851-5
- 10644** Alhasso, A., Bryden, A. A., Neilson, D. Lithium toxicity after urinary diversion with ileal conduit. *BMJ.* 2000 Apr 15; 320: 1037
- 52280** Alhasso, A., Glazener, C. M., Pickard, R., N'Dow, J. Adrenergic drugs for urinary incontinence in adults. *Cochrane Database Syst Rev.* 2003; : CD001842
- 4070** Aliabadi, H., Gonzalez, R. Success of the artificial urinary sphincter after failed surgery for incontinence. *J Urol.* 1990 May; 143: 987-990
- 41566** Ali-El-Dein, B., El-Demerdash, R., Kock, N. G., Ghoneim, M. A. A magnetic device for increasing the urethral resistance to flow: an experimental study in female dogs. *BJU Int.* 2000 Jan; 85: 150-4
- 10833** Ali-el-Dein, B., el-Sobky, E., Hohenfellner, M., Ghoneim, M. A. Orthotopic bladder substitution in women: functional evaluation. *J Urol.* 1999 Jun; 161: 1875-80
- 40621** Ali-El-Dein, B., Ghoneim, M. A. Effects of selective autonomic and pudendal denervation on the urethral function and development of retention in female dogs. *J Urol.* 2001 Oct; 166: 1549-54
- 4010** Ali-Khan, S., Washecka, R.M., D'Agostino, J., and Siddharth, P. Operative prostaticomy: an aid to urethral anastomosis. A preliminary report. *Scand J Urol Nephrol.* 1990; 24: 89-90
- 59026** Allahdin, S., McKinley, C. A., Mahmood, T. A. Tension free vaginal tape: a procedure for all ages. *Acta Obstet Gynecol Scand.* 2004 Oct; 83: 937-40
- 55980** Allahdin, S., McKinley, C. A., Mahmood, T. A., Lyth, D. Vaginal wall erosion of the tension-free vaginal tape procedure: an unusual complication. *J Obstet Gynaecol.* 2003 Jul; 23: 443
- 59042** Allahdin, S., McKinley, C., Mahmood, T. A., Lyth, D. Tension-free vaginal tape: 162 cases in a district general hospital. *J Obstet Gynaecol.* 2004 Aug; 24: 539-41
- 4051** Allen, F.J., de-Kock, M.L. Asymmetrical bilateral genital ureteric ectopy. *Br J Urol.* 1990 Mar; 65: 300-301

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 12042 Allen, R. E., Hosker, G. L., Smith, A. R., Warrell, D. W. Pelvic floor damage and childbirth: a neurophysiological study. *Br J Obstet Gynaecol.* 1990 Sep; 97: 770-9
- 3220 Allen, S. Continence. Undercover trials unfair [letter]. *Nurs Times.* 1992 Oct 28-Nov 3; 88: 74
- 44917 Allen-Mersh, T. G., Turner, M. J., Mann, C. V. Effect of abdominal Ivalon rectopexy on bowel habit and rectal wall. *Dis Colon Rectum.* 1990 Jul; 33: 550-3
- 4001 Allen-Mersh, T.G., Turner, M.J., and Mann, C.V. Effect of abdominal Ivalon rectopexy on bowel habit and rectal wall. *Dis Colon Rectum.* 1990 Jul; 33: 550-553
- 10558 Alling Moller, L., Lose, G., Jorgensen, T. Risk factors for lower urinary tract symptoms in women 40 to 60 years of age. *Obstet Gynecol.* 2000 Sep; 96: 446-51
- 54260 Almeida, F. G., Bruschini, H., Srougi, M. Urodynamic and clinical evaluation of 91 female patients with urinary incontinence treated with perineal magnetic stimulation: 1-year followup. *J Urol.* 2004 Apr; 171: 1571-4; discussion 1574-5
- 3519 Almog, S., Winkler, E., Amitai, Y., Dani, S., Shefi, M., Tirosh, M., and Shemer, J. Acute pyridostigmine overdose: a report of nine cases. *Isr J Med Sci.* 1991 Nov-Dec; 27: 659-663
- 44612 Almog, S., Winkler, E., Amitai, Y., Dani, S., Shefi, M., Tirosh, M., Shemer, J. Acute pyridostigmine overdose: a report of nine cases. *Isr J Med Sci.* 1991 Nov-Dec; 27: 659-63
- 10091 Al-Mulhim, A. A., Al-Gazzar, S. A., Bahnassy, A. A. Conservative treatment of idiopathic detrusor instability in elderly women. *Saudi Med J.* 2002 May; 23: 543-5
- 10367 Alnaif, B., Drutz, H. P. The prevalence of urinary and fecal incontinence in Canadian secondary school teenage girls: questionnaire study and review of the literature. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 134-137; discussion 138
- 10229 Alper, T., Cetinkaya, M., Okutgen, S., Kokcu, A., Malatyalioglu, E. Evaluation of urethrovesical angle by ultrasound in women with and without urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 308-11
- 40882 Al-Qutob, R. Menopause-associated problems: types and magnitude. A study in the Ain Al-Basha area, Jordan. *J Adv Nurs.* 2001 Mar; 33: 613-20
- 3836 al-Rifaei, M.A., Gaafar, S., and Abdel-Rahman, M. Management of posterior urethral strictures secondary to pelvic fractures in children. *J Urol.* 1991 Feb; 145: 353-356
- 41722 Al-Shammari, S. A., Al-Subaie, A. Prevalence and correlates of depression among Saudi elderly. *Int J Geriatr Psychiatry.* 1999 Sep; 14: 739-47
- 54650 Altman, A. U. Lessening the burden. *Rehab Manag.* 2003 Dec; 16: 16-20
- 3566 Alvarez, O.M., Childs, E.J. Pressure ulcers. Physical, supportive, and local aspects of management. *Clin Podiatr Med Surg.* 1991 Oct; 8: 869-890
- 42692 Alvi, T., Reza, H. Neuroleptic induced incontinence--case report. *J Pak Med Assoc.* 1997 Jul; 47: 195-6
- 41536 Al-Waili, N. S. Carbamazepine to treat primary nocturnal enuresis: double-blind study. *Eur J Med Res.* 2000 Jan 26; 5: 40-4
- 52900 Amarenco, G., Arnould, B., Carita, P., Haab, F., Labat, J. J., Richard, F. European psychometric validation of the CONTILIFE: a Quality of Life questionnaire for urinary incontinence. *Eur Urol.* 2003 Apr; 43: 391-404
- 10154 Amarenco, G., Bayle, B., Ismael, S. S., Kerdraon, J. Bulbocavernosus muscle responses after suprapubic stimulation: analysis and measurement of suprapubic bulbocavernosus reflex latency. *Neurourol Urodyn.* 2002; 21: 210-3
- 56540 Amarenco, G., Ismael, S. S., Even-Schneider, A., Raibaut, P., Demaille-Wlodyka, S., Parratte, B., Kerdraon, J. Urodynamic effect of acute transcutaneous posterior tibial nerve stimulation in overactive bladder. *J Urol.* 2003 Jun; 169: 2210-5



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 59216** Amarenco, G., Ismael, S. S., Lagauche, D., Raibaut, P., Rene-Corail, P., Wolff, N., Thoumie, P., Haab, F. Cough anal reflex: strict relationship between intravesical pressure and pelvic floor muscle electromyographic activity during cough. *Urodynamic and electrophysiological study. J Urol.* 2005 Jan; 173: 149-52
- 3378** Amark, P., Beck, O. Effect of phenylpropanolamine on incontinence in children with neurogenic bladders. A double-blind crossover study. *Acta Paediatr.* 1992 Apr; 81: 345-350
- 42252** Amark, P., Bussman, G., Eksborg, S. Follow-up of long-time treatment with intravesical oxybutynin for neurogenic bladder in children. *Eur Urol.* 1998 Aug; 34: 148-53
- 42056** Amark, P., Eksborg, S., Juneskans, O., Bussman, G., Palm, C. Pharmacokinetics and effects of intravesical oxybutynin on the paediatric neurogenic bladder. *Br J Urol.* 1998 Dec; 82: 859-64
- 51560** Amaro, J. L., Oliveira Gameiro, M. O., Padovani, C. R. Treatment of urinary stress incontinence by intravaginal electrical stimulation and pelvic floor physiotherapy. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 204-8; discussion 208
- 10711** Amaye-Obu, F. A., Drutz, H. P. Surgical management of recurrent stress urinary incontinence: A 12-year experience. *Am J Obstet Gynecol.* 1999 Dec; 181: 1296-307; discussion 1307-9
- 3914** Amdur, R.J., Parsons, J.T., Fitzgerald, L.T., and Million, R.R. Adenocarcinoma of the prostate treated with external-beam radiation therapy: 5-year minimum follow-up. *Radiother Oncol.* 1990 Jul; 18: 235-246
- 11578** Ames, D., Hastie, I. R. Urinary incontinence. *Postgrad Med J.* 1995 Apr; 71: 195-7
- 40242** Ammini, A. C., Gupta, R., Kapoor, A., Karak, A., Kriplani, A., Gupta, D. K., Kucheria, K. Etiology, clinical profile, gender identity and long-term follow up of patients with ambiguous genitalia in India. *J Pediatr Endocrinol Metab.* 2002 Apr; 15: 423-30
- 50800** Amna, M. B., Randrianantenaina, A., Michel, F. Colic perforation as a complication of tension-free vaginal tape procedure. *J Urol.* 2003 Dec; 170: 2387
- 52830** Amundsen, C. L., Flynn, B. J., Webster, G. D. Anatomical correction of vaginal vault prolapse by uterosacral ligament fixation in women who also require a pubovaginal sling. *J Urol.* 2003 May; 169: 1770-4
- 52300** Amundsen, C. L., Flynn, B. J., Webster, G. D. Urethral erosion after synthetic and nonsynthetic pubovaginal slings: differences in management and continence outcome. *J Urol.* 2003 Jul; 170: 134-7; discussion 137
- 10597** Amundsen, C. L., Guralnick, M. L., Webster, G. D. Variations in strategy for the treatment of urethral obstruction after a pubovaginal sling procedure. *J Urol.* 2000 Aug; 164: 434-7
- 10505** Amundsen, C. L., Visco, A. G., Ruiz, H., Webster, G. D. Outcome in 104 pubovaginal slings using freeze-dried allograft fascia lata from a single tissue bank. *Urology.* 2000 Dec 4; 56: 2-8
- 57570** Amundsen, C. L., Webster, G. D. Sacral neuromodulation in an older, urge-incontinent population. *Am J Obstet Gynecol.* 2002 Dec; 187: 1462-5; discussion 1465
- 10834** Amundsen, C., Lau, M., English, S. F., McGuire, E. J. Do urinary symptoms correlate with urodynamic findings?. *J Urol.* 1999 Jun; 161: 1871-4
- 42208** Amuzu, B. J. Nonsurgical therapies for urinary incontinence. *Clin Obstet Gynecol.* 1998 Sep; 41: 702-11
- 41507** Ana, J. N., Gana, B. M. Extra-urethral urinary incontinence after incompetent vaginal obstetrics. *BJU Int.* 2000 Jan; 85: 172-3
- 45037** Anand, K. B., Wolf-Klein, G. P., Silverstone, F. A., Foley, C. J. Demographic changes and their financial implications. *Clin Geriatr Med.* 1990 Feb; 6: 1-12
- 4185** Anand, K.B., Wolf-Klein, G.P., Silverstone, F.A., and Foley, C.J. Demographic changes and their financial implications. *Clin Geriatr Med.* 1990 Feb; 6: 1-12
- 41925** Anders, K. Bladder retraining. *Prof Nurse.* 1999 Feb; 14: 334-6
- 41283** Anders, K. Coping strategies for women with urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol.* 2000 Apr; 14: 355-61

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 59317 Anders, K. Devices for continence and prolapse. BJOG. 2004 Dec; 111 Suppl 1: 61-6
- 43319 Andersen, J. T., Sander, P. Minimal care--a new concept for the management of urinary incontinence in an open access, interdisciplinary incontinence clinic. The way ahead?. Scand J Urol Nephrol Suppl. 1996; 179: 55-60
- 43789 Anderson, C. S., Jamrozik, K. D., Broadhurst, R. J., Stewart-Wynne, E. G. Predicting survival for 1 year among different subtypes of stroke. Results from the Perth Community Stroke Study. Stroke. 1994 Oct; 25: 1935-44
- 3336 Anderson, C.L., Hughes, E. The maximizing urinary functioning program: an innovative approach to managing incontinence in long term care. Perspectives. 1992 Summer; 16: 6-11
- 3964 Anderson, M. Continence. Painting a new picture. Nurs Times. 1990 Aug 15-21; 86: 74
- 12001 Anderson, P. A., Rickwood, A. M. Detrusor hyper-reflexia as a factor in spontaneous perforation of augmentation cystoplasty for neuropathic bladder. Br J Urol. 1991 Feb; 67: 210-2
- 40120 Anderson, R. C., Grant, J. J., de la Paz, R., Frucht, S., Goodman, R. R. Volumetric measurements in the detection of reduced ventricular volume in patients with normal-pressure hydrocephalus whose clinical condition improved after ventriculoperitoneal shunt placement. J Neurosurg. 2002 Jul; 97: 73-9
- 41883 Anderson, R. U., Mobley, D., Blank, B., Saltzstein, D., Susset, J., Brown, J. S. Once daily controlled versus immediate release oxybutynin chloride for urge urinary incontinence. OROS Oxybutynin Study Group. J Urol. 1999 Jun; 161: 1809-12
- 10587 Andersson, K. E. Drug therapy for urinary incontinence. Baillieres Best Pract Res Clin Obstet Gynaecol. 2000 Apr; 14: 291-313
- 42332 Andersson, S. H., Lindgren, A., Postlind, H. Biotransformation of tolterodine, a new muscarinic receptor antagonist, in mice, rats, and dogs. Drug Metab Dispos. 1998 Jun; 26: 528-35
- 4174 Andrew, J. Adult aqueductal stenosis representing with double incontinence [letter; comment]. Surg Neurol. 1990 Feb; 33: 158-159
- 42057 Andrews, H. O., Shah, P. J. Surgical management of urethral damage in neurologically impaired female patients with chronic indwelling catheters. Br J Urol. 1998 Dec; 82: 820-4
- 11217 Ang, L. P., Tay, K. P., Lim, P. H., Chng, H. C. Endoscopic injection of collagen for the treatment of female urinary stress incontinence. Int J Urol. 1997 May; 4: 254-8
- 59226 Anger, J. T., Rodriguez, L. V. Mixed incontinence: stressing about urge. Curr Urol Rep. 2004 Dec; 5: 427-31
- 59047 Ankardal, M., Ekerydh, A., Crafoord, K., Milsom, I., Stjern Dahl, J. H., Engh, M. E. A randomised trial comparing open Burch colposuspension using sutures with laparoscopic colposuspension using mesh and staples in women with stress urinary incontinence. BJOG. 2004 Sep; 111: 974-81
- 4112 Anon. A.C.A. Continence. Nurs Times. 1990 Feb 14-20; 86: 65-76
- 3714 Anon. An integral theory of female urinary incontinence. Experimental and clinical considerations. Acta Obstet Gynecol Scand Suppl. 1990; 153: 1-78
- 3967 Anon. Continence. Nurs Times. 1990 Aug 15-21; 86: 62-76
- 3117 Anon. Continence. Providing an informed service. Nurs Times. 1992 Mar 25-31; 88: 88
- 3966 Anon. Continence. Reforming plans [editorial]. Nurs Times. 1990 Aug 15-21; 86: 65
- 4069 Anon. Continence: turning the tide [editorial]. Nurs Times. 1990 Apr 18-24; 86: 63
- 3552 Anon. Continence--whose responsibility?. Nurs Times. 1991 Oct 30-Nov 5; 87: 68
- 3390 Anon. Demand for urological devices increases among aging population [news]. Front Med Biol Eng. 1992; 4: 65-66
- 3075 Anon. Diagnostic and therapeutic technology assessment. Use of Teflon preparations for urinary incontinence and vesicoureteral reflux. Jama. 1993 Jun 16; 269: 2975-2980
- 3751 Anon. Evaluation and treatment of urinary incontinence. Urol Clin North Am. 1991 May; 18: 175-407

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3283** Anon. Gynecologic urology. Curr Opin Obstet Gynecol. 1992 Aug; 4: 627-631
- 3617** Anon. Gynecologic urology. Curr Opin Obstet Gynecol. 1991 Aug; 3: 610-613
- 3411** Anon. High quality long-term care for elderly people. A summary of a report of the Royal College of Physicians and the British Geriatrics Society. J R Coll Physicians Lond. 1992 Apr; 26: 130-133
- 3635** Anon. Incontinence. Comment--setting the sights. Nurs Times. 1991 Aug 7-13; 87: 72
- 3014** Anon. International Continence Society. 23rd annual meeting, Rome, Italy, 8-11 September 1993. Abstracts. Neurourol Urodyn. 1993; 12: 303-440
- 3349** Anon. Medical audit in general practice. I: Effects on doctors' clinical behaviour for common childhood conditions. North of England Study of Standards and Performance in General Practice. Bmj. 1992 Jun 6; 304: 1480-1484
- 4158** Anon. National Institutes of Health Consensus Development Conference on Urinary Incontinence in Adults. Bethesda, Maryland, October 3-5, 1988. Proceedings. J Am Geriatr Soc. 1990 Mar; 38: 263-386
- 3907** Anon. Neurobiology of incontinence. A symposium. London, 11-13 October 1989. Proceedings. Ciba Found Symp. 1990; 151: 1-322
- 3256** Anon. New studies, new treatments, new organization discussed at national NP symposium [news]. Nurse Pract. 1992 Oct; 17: 66-68
- 3277** Anon. Non-surgical treatment of stress incontinence [editorial]. Lancet. 1992 Sep 12; 340: 643-644
- 3595** Anon. Terodiline and torsades de pointes [letter; comment]. Bmj. 1991 Aug 31; 303: 519-520
- 3642** Anon. Urinary incontinence. J ET Nurs. 1991 Jul-Aug; 18: 136-140
- 3676** Anon. Urinary incontinence among hospitalized persons aged 65 years and older--United States, 1984-1987. MMWR Morb Mortal Wkly Rep. 1991 Jul 5; 40: 433-436
- 5237** Anon. Urinary incontinence in adults. Agency for Health Care Policy and Research. Clin Pract Guidel Quick Ref Guide Clin. 1992; 2: QR1-Q27
- 5238** Anon. Urinary incontinence in adults. Agency for Health Care Policy and Research. Clin Pract Guidel. 1992 Mar; 2: 1-125
- 3172** Anon. Urinary incontinence in adults: quick reference guide for clinicians. Agency for Health Care Policy and Research. J ET Nurs. 1992 Nov-Dec; 19: 216-224
- 3374** Anon. Urinary incontinence in children -- focusing on daytime wetting. Proceedings of a workshop. Beaune, France, 11 April 1991. Scand J Urol Nephrol Suppl. 1992; 141: 1-139
- 57160** Ansari, M. S., Gupta, N. P., Kriplani, A. Ectopic ureter with urinary incontinence. An unusual presentation of Mayer-Rokitansky-Kuster-Hauser syndrome. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Feb; 14: 64-6
- 55290** Ansari, M. S., Hemal, A. K., Gupta, N. P., Dogra, P. N. Laparoscopy for the diagnosis and treatment of radiologically occult but symptomatic hypoplastic kidneys. Urology. 2003 Oct; 62: 627-31
- 56430** Antonakos, C. L., Miller, J. M., Sampsel, C. M. Indices for studying urinary incontinence and levator ani function in primiparous women. J Clin Nurs. 2003 Jul; 12: 554-61
- 45028** Appeldoorn, A., Lemmens, P., Schrauwen, E. Urinary incontinence due to urovagina. Vet Rec. 1990 Feb 3; 126: 121
- 10556** Appell, R. A. Argument for sling surgery to replace bladder suspension for stress urinary incontinence. Urology. 2000 Sep 1; 56: 360-3
- 42565** Appell, R. A. Clinical efficacy and safety of tolterodine in the treatment of overactive bladder: a pooled analysis. Urology. 1997 Dec; 50: 90-6; discussion 97-9
- 43990** Appell, R. A. Collagen injection therapy for urinary incontinence. Urol Clin North Am. 1994 Feb; 21: 177-82
- 10555** Appell, R. A. In situ vaginal wall sling. Urology. 2000 Sep 1; 56: 499-503

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 11513 Appell, R. A. Injectables in the treatment of female stress incontinence. *Curr Opin Obstet Gynecol.* 1995 Oct; 7: 393-6
- 10920 Appell, R. A. Primary slings for everyone with genuine stress incontinence? The argument for... *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 249-51
- 10085 Appell, R. A. Surgery or collagen for the treatment of female stress urinary incontinence: results of a multicenter, randomized trial supports either as first line of treatment. *Curr Urol Rep.* 2001 Oct; 2: 343
- 10882 Appell, R. A. Teloscopy. *J Am Assoc Gynecol Laparosc.* 1998 Nov; 5: 445-6
- 11148 Appell, R. A. The use of bone anchoring in the surgical management of female stress urinary incontinence. *World J Urol.* 1997; 15: 300-5
- 11675 Appell, R. A. Urinary incontinence. *J Urol.* 1994 Jul; 152: 103-4
- 11370 Appell, R. A., Rackley, R. R., Dmochowski, R. R. Vesica percutaneous bladder neck stabilization. *J Endourol.* 1996 Jun; 10: 221-5
- 10391 Appell, R. A., Sand, P., Dmochowski, R., Anderson, R., Zinner, N., Lama, D., Roach, M., Miklos, J., Saltzstein, D., Boone, T., Staskin, D. R., Albrecht, D. Prospective randomized controlled trial of extended-release oxybutynin chloride and tolterodine tartrate in the treatment of overactive bladder: results of the OBJECT Study. *Mayo Clin Proc.* 2001 Apr; 76: 358-63
- 3164 Appell, R., Baum, N. Treatment of urinary incontinence in the elderly. *J La State Med Soc.* 1992 Dec; 144: 581-585
- 3240 Appell, R.A., Baum, N. Evaluation of urinary incontinence in the elderly. *J La State Med Soc.* 1992 Nov; 144: 517-522
- 5277 Appell, R.A., McGuire, E.J., DeRidder, P.A., Bennett, A.H., and Webster, G.D. Results of the multicenter study using injectable GAX-collagen in females. *J Urol.* 1991; 145: 225A
- 59398 Appendino, G., De Petrocellis, L., Trevisani, M., Minassi, A., Daddario, N., Moriello, A. S., Gazzieri, D., Ligresti, A., Campi, B., Fontana, G., Pinna, C., Geppetti, P., Di Marzo, V. Development of the first ultra-potent 'capsaicinoid' agonist at transient receptor potential vanilloid type 1 (TRPV1) channels and its therapeutic potential. *J Pharmacol Exp Ther.* 2005 Feb; 312: 561-70
- 10861 Appleby, S. Stress urinary incontinence: issues and answers for women. *Ostomy Wound Manage.* 1999 Jan; 45: 44-8, 50-3
- 43615 Appleby, S. L. A home health perspective on the management of urinary incontinence. *J Wound Ostomy Continence Nurs.* 1995 May; 22: 145-52
- 3293 Aprikian, A., Berardinucci, G., Pike, J., and Kiruluta, G. Experience with the AS-800 artificial urinary sphincter in myelodysplastic children. *Can J Surg.* 1992 Aug; 35: 396-400
- 43707 Aragona, F., Artibani, W. Re: Periurethral injection of autologous fat for the treatment of sphincteric incontinence. *J Urol.* 1995 Jan; 153: 162-3
- 41795 Arai, Y., Okubo, K., Konami, T., Kin, S., Kanba, T., Okabe, T., Hamaguchi, A., Okada, Y. Voiding function of orthotopic ileal neobladder in women. *Urology.* 1999 Jul; 54: 44-9
- 43843 Arai, Y., Shichiri, Y., Miyakawa, M., Ueda, T., Terai, A., Terachi, T., Takeuchi, H., Yoshida, O. Evolving experience with continent urinary diversion using the Indiana pouch. *Int J Urol.* 1994 Sep; 1: 241-5
- 41472 Araki, I., Kuno, S. Assessment of voiding dysfunction in Parkinson's disease by the international prostate symptom score. *J Neurol Neurosurg Psychiatry.* 2000 Apr; 68: 429-33
- 55340 Araki, I., Zakoji, H., Komuro, M., Furuya, Y., Fukasawa, M., Takihana, Y., Takeda, M. Lower urinary tract symptoms in men and women without underlying disease causing micturition disorder: a cross-sectional study assessing the natural history of bladder function. *J Urol.* 2003 Nov; 170: 1901-4
- 3988 Araki, T., Takamoto, H., Hara, T., Fujimoto, H., Yoshida, M., and Katayama, Y. The loop-loosening procedure for urination difficulties after Stamey suspension of the vesical neck [see comments]. *J Urol.* 1990 Aug; 144: 319-22;discussion322-3

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

sorted by Primary Author and Title

- 12052 Araki, T., Takamoto, H., Hara, T., Fujimoto, H., Yoshida, M., Katayama, Y. The loop-loosening procedure for urination difficulties after Stamey suspension of the vesical neck. *J Urol.* 1990 Aug; 144: 319-22; discussion 322-3
- 42389 Arango, O. The use of salivary stimulant pastilles to improve compliance in women taking oxybutinin hydrochloride for detrusor instability. *Br J Urol.* 1998 Apr; 81: 652
- 41614 Arena, F., Romeo, C., Cruccetti, A., Antonuccio, P., Basile, M., Romeo, G. The neonatal management and surgical correction of urinary hydrometrocolpos caused by a persistent urogenital sinus. *BJU Int.* 1999 Dec; 84: 1063-8
- 44565 Arena, M. G., Di Rosa, A. E., Arcudi, L., Ruello, C., Magaudo, A., Meduri, M. Voiding disorders in patients with cerebrovascular disease. *Funct Neurol.* 1992 Jan-Feb; 7: 47-9
- 3416 Arena, M.G., Di-Rosa, A.E., Arcudi, L., Ruello, C., Magaudo, A., and Meduri, M. Voiding disorders in patients with cerebrovascular disease. *Funct Neurol.* 1992 Jan-Feb; 7: 47-49
- 41794 Arikan, N., Soygun, T., Selcuki, M., Erden, I., Gogus, O. Role of magnetic resonance imaging in children with voiding dysfunction: retrospective analysis of 81 patients. *Urology.* 1999 Jul; 54: 157-60; discussion 160-1
- 40176 Armstrong, D. N., Frankum, C., Schertzer, M. E., Ambroze, W. L., Orangio, G. R. Harmonic scalpel hemorrhoidectomy: five hundred consecutive cases. *Dis Colon Rectum.* 2002 Mar; 45: 354-9
- 44883 Arnold, M. W., Stewart, W. R., Aguilar, P. S. Rectocele repair. Four years' experience. *Dis Colon Rectum.* 1990 Aug; 33: 684-7
- 43215 Arnold, S., Hubler, M., Lott-Stolz, G., Rusch, P. Treatment of urinary incontinence in bitches by endoscopic injection of glutaraldehyde cross-linked collagen. *J Small Anim Pract.* 1996 Apr; 37: 163-8
- 43552 Aronovitch, S. A. A descriptive study of the career mobility of ET nurses. *J Wound Ostomy Continence Nurs.* 1995 Jul; 22: 166-72
- 11487 Aronson, M. P., Bates, S. M., Jacoby, A. F., Chelmon, D., Sant, G. R. Periurethral and paravaginal anatomy: an endovaginal magnetic resonance imaging study. *Am J Obstet Gynecol.* 1995 Dec; 173: 1702-8; discussion 1708-10
- 44335 Arpa Gutierrez, J., Morales, C., Lara, M., Munoz, C., Garcia-Rojo, M., Caminero, A., Gutierrez, M. Type I familial amyloid polyneuropathy and pontine haemorrhage. *Acta Neuropathol (Berl).* 1993; 86: 542-5
- 43857 Arrowsmith, S. D. Genitourinary reconstruction in obstetric fistulas. *J Urol.* 1994 Aug; 152: 403-6
- 31358 Arrowsmith, S., Hamlin, E. C., Wall, L. L. Obstructed labor injury complex: obstetric fistula formation and the multifaceted morbidity of maternal birth trauma in the developing world. *Obstet Gynecol Surv.* 1996 Sep; 51: 568-74
- 59257 Artibani, W., Cerruto, M. A. The role of imaging in urinary incontinence. *BJU Int.* 2005 Apr; 95: 699-703
- 56820 Arunkalaivanan, A. S., Barrington, J. W. Questionnaire-based survey on obstetricians and gynaecologists' attitudes towards the surgical management of urinary incontinence in women during their childbearing years. *Eur J Obstet Gynecol Reprod Biol.* 2003 May 1; 108: 85-93
- 53180 Arunkalaivanan, A. S., Barrington, J. W. Randomized trial of porcine dermal sling (Pelvicol implant) vs. tension-free vaginal tape (TVT) in the surgical treatment of stress incontinence: a questionnaire-based study. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Feb; 14: 17-23; discussion 21-2
- 10259 Arvonen, T., Fianu-Jonasson, A., Tyni-Lenne, R. Effectiveness of two conservative modes of physical therapy in women with urinary stress incontinence. *Neurourol Urodyn.* 2001; 20: 591-9
- 40484 Arya, L. A., Jackson, N. D., Myers, D. L., Verma, A. Risk of new-onset urinary incontinence after forceps and vacuum delivery in primiparous women. *Am J Obstet Gynecol.* 2001 Dec; 185: 1318-23; discussion 1323-4
- 41333 Arya, L. A., Myers, D. L., Jackson, N. D. Dietary caffeine intake and the risk for detrusor instability: a case-control study. *Obstet Gynecol.* 2000 Jul; 96: 85-9
- 10356 Arya, L. A., Myers, D. L., Jackson, N. D. Office screening test for intrinsic urethral sphincter deficiency: pediatric Foley catheter test. *Obstet Gynecol.* 2001 Jun; 97: 885-9



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Primary Author and Title

- 41352** Asanuma, H., Nakai, H., Shishido, S., Tajima, E., Kawamura, T., Kawamura, T. Congenital vesicovaginal fistula. *Int J Urol.* 2000 May; 7: 195-8
- 41838** Asbury, N. Mines of information. *Nurs Times.* 1999 May 5-11; 95: 85-6
- 3981** Ashervath, J., Kizakipunner, K. Achieving continence in the confused elderly. *Adv Clin Care.* 1990 Jul-Aug; 5: 37-40
- 12093** Ashken, M. H. Follow-up results with the Stamey operation for stress incontinence of urine. *Br J Urol.* 1990 Feb; 65: 168-9
- 10347** Ashton-Miller, J. A., Howard, D., DeLancey, J. O. The functional anatomy of the female pelvic floor and stress continence control system. *Scand J Urol Nephrol Suppl.* 2001; : 1-7; discussion 106-25
- 44158** Ashworth, P. D., Hagan, M. T. The meaning of incontinence: a qualitative study of non-geriatric urinary incontinence sufferers. *J Adv Nurs.* 1993 Sep; 18: 1415-23
- 50960** Aslan, E., Beji, N. K., Coskun, A., Yalcin, O. An assessment of the importance of pad testing in stress urinary incontinence and the effects of incontinence on the life quality of women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 316-9; discussion 320
- 11242** Aslan, P., Woo, H. H. Ureteric injury following laparoscopic colposuspension. *Br J Obstet Gynaecol.* 1997 Feb; 104: 266-8
- 10931** Atahan, O., Kayigil, O., Metin, A. Modified four corner bladder neck suspension in anatomical stress incontinence with moderate cystocele. *Int Urol Nephrol.* 1998; 30: 439-44
- 41953** Atala, A. Future perspectives in reconstructive surgery using tissue engineering. *Urol Clin North Am.* 1999 Feb; 26: 157-65, ix-x
- 59048** Atala, A. What's new in urology. *J Am Coll Surg.* 2004 Sep; 199: 446-61
- 44422** Atala, A., Bauer, S. B., Dyro, F. M., Shefner, J., Shillito, J., Sathi, S., Scott, R. M. Bladder functional changes resulting from lipomyelomeningocele repair. *J Urol.* 1992 Aug; 148: 592-4
- 3300** Atala, A., Bauer, S.B., Dyro, F.M., Shefner, J., Shillito, J., Sathi, S., and Scott, R.M. Bladder functional changes resulting from lipomyelomeningocele repair. *J Urol.* 1992 Aug; 148: 592-594
- 11126** Atalan, G., Holt, P. E., Barr, F. J. Relationships between urethrovesical angles and urinary incontinence due to urethral sphincter mechanism incompetence in bitches. *J Small Anim Pract.* 1997 Dec; 38: 551-3
- 42340** Atalan, G., Holt, P. E., Barr, F. J. Ultrasonographic assessment of bladder neck mobility in continent bitches and bitches with urinary incontinence attributable to urethral sphincter mechanism incompetence. *Am J Vet Res.* 1998 Jun; 59: 673-9
- 10625** Atan, A., Basar, M. M. A multicenter study of tension-free vaginal tape (TVT) for surgical treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 130-2
- 41745** Atan, A., Konety, B. R., Erickson, J. R., Yokoyama, T., Kim, D. Y., Chancellor, M. B. Tolterodine for overactive bladder: time to onset of action, preferred dosage, and 9-month follow-up. *Tech Urol.* 1999 Jun; 5: 67-70
- 41697** Atan, A., Konety, B. R., Nangia, A., Chancellor, M. B. Advantages and risks of ileovesicostomy for the management of neuropathic bladder. *Urology.* 1999 Oct; 54: 636-40
- 10786** Athanasiou, S., Khullar, V., Boos, K., Salvatore, S., Cardozo, L. Imaging the urethral sphincter with three-dimensional ultrasound. *Obstet Gynecol.* 1999 Aug; 94: 295-301
- 52120** Athanasopoulos, A., Barlas, P., Perimenis, P., Dimitrakopoulos, S., Markou, S., Gianitsas, K., Gyftopoulos, K., Hatzipapas, J., Barbalias, G. Long-term results of transvaginal colposuspension for the treatment of genuine stress incontinence combined with vaginal hysterectomy. *Urol Int.* 2003; 71: 41-4
- 11443** Athanassopoulos, A., Barbalias, G. Burch colposuspension versus stamey endoscopic bladder neck suspension: a urodynamic appraisal. *Urol Int.* 1996; 56: 23-7

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 11732 Athanassopoulos, A., Melekos, M. D., Speakman, M., Perimenis, P., Markou, S., Barbalias, G. A. Stamey endoscopic vesical neck suspension in female urinary stress incontinence: results and changes in various urodynamic parameters. *Int Urol Nephrol.* 1994; 26: 293-9
- 11750 Athanassopoulos, A., Melekos, M., Perimenis, P., Markou, S., Speakman, M., Barbalias, G. Evaluation of urodynamic parameters following Burch colposuspension. *Urol Int.* 1994; 53: 150-4
- 11623 Athanassopoulos, A., Perimenis, P., Markou, S., Melekos, M., Barbalias, G. Prognostic factors for the operative correction of stress urinary incontinence. *Int Urol Nephrol.* 1995; 27: 43-9
- 10490 Atherton, M. J., Stanton, S. L. A comparison of bladder neck movement and elevation after tension-free vaginal tape and colposuspension. *BJOG.* 2000 Nov; 107: 1366-70
- 41234 Atkinson, M. Decisions on euthanasia. *Vet Rec.* 2000 Jul 15; 147: 82
- 42059 Augsburg, H. R., Cruz-Orive, L. M. Influence of ovariectomy on the canine striated external urethral sphincter (M. urethralis): a stereological analysis of slow and fast twitch fibres. *Urol Res.* 1998; 26: 417-22
- 43693 Augsburg, H. R., Cruz-Orive, L. M. Stereological analysis of the urethra in sexually intact and spayed female dogs. *Acta Anat (Basel).* 1995; 154: 135-42
- 59019 Aukee, P., Immonen, P., Laaksonen, D. E., Laippala, P., Penttinen, J., Airaksinen, O. The effect of home biofeedback training on stress incontinence. *Acta Obstet Gynecol Scand.* 2004 Oct; 83: 973-7
- 53560 Aukee, P., Immonen, P., Penttinen, J., Laippala, P., Airaksinen, O. Increase in pelvic floor muscle activity after 12 weeks' training: a randomized prospective pilot study. *Urology.* 2002 Dec; 60: 1020-3; discussion 1023-4
- 52760 Aukee, P., Penttinen, J., Airaksinen, O. The effect of aging on the electromyographic activity of pelvic floor muscles. A comparative study among stress incontinent patients and asymptomatic women. *Maturitas.* 2003 Apr 25; 44: 253-7
- 50630 Aungst, M., Wagner, M. Foley balloon to tamponade bleeding in the retropubic space. *Obstet Gynecol.* 2003 Nov; 102: 1037-8
- 42672 Austin, P. F., DeLeary, G., Homsy, Y. L., Persky, L., Lockhart, J. L. Long-term metabolic advantages of a gastrointestinal composite urinary reservoir. *J Urol.* 1997 Nov; 158: 1704-7; discussion 1707-8
- 10352 Austin, P. F., Westney, O. L., Leng, W. W., McGuire, E. J., Ritchey, M. L. Advantages of rectus fascial slings for urinary incontinence in children with neuropathic bladders. *J Urol.* 2001 Jun; 165: 2369-71; discussion 2371-2
- 42793 Austin, P., Spyropoulos, E., Arango, H., Fiorica, J., Homsy, Y., Lockhart, J. The failed anti-incontinence mechanism: a flap valve or cecal wrap for surgical reconstruction. *J Urol.* 1997 May; 157: 1638-41
- 11374 Austin, P., Spyropoulos, E., Lotenfoe, R., Helal, M., Hoffman, M., Lockhart, J. L. Urethral obstruction after anti-incontinence surgery in women: evaluation, methodology, and surgical results. *Urology.* 1996 Jun; 47: 890-4
- 44038 Autret, E., Jonville, A. P., Dutertre, J. P., Bertiere, M. C., Robert, M., Averous, M., Couet, W. Plasma levels of oxybutynine chloride in children. *Eur J Clin Pharmacol.* 1994; 46: 83-5
- 10015 Autry, M. G., Davis, J. W., Sanders, R. Type III stress urinary incontinence: response to interdisciplinary pelvic physiotherapy. *Urol Nurs.* 2002 Aug; 22: 251-5
- 43210 Avanoğlu, A., Ulman, I., Herek, O., Ozok, G., Gokdemir, A. Posterior urethral injuries in children. *Br J Urol.* 1996 Apr; 77: 597-600
- 59074 Avery, J. C., Gill, T. K., MacLennan, A. H., Chittleborough, C. R., Grant, J. F., Taylor, A. W. The impact of incontinence on health-related quality of life in a South Australian population sample. *Aust N Z J Public Health.* 2004 Apr; 28: 173-9
- 11050 Awad, S. A., Al-Zahrani, H. M., Gajewski, J. B., Bourque-Kehoe, A. A. Long-term results and complications of augmentation ileocystoplasty for idiopathic urge incontinence in women. *Br J Urol.* 1998 Apr; 81: 569-73
- 11910 Awad, S. A., Gajewski, J. B., Katz, N. O., Acker-Roy, K. Final diagnosis and therapeutic implications of mixed symptoms of urinary incontinence in women. *Urology.* 1992 Apr; 39: 352-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3447** Awad, S.A., Gajewski, J.B., Katz, N.O., and Acker-Roy, K. Final diagnosis and therapeutic implications of mixed symptoms of urinary incontinence in women. *Urology*. 1992 Apr; 39: 352-357
- 40668** Ayan, S., Gokce, G., Kilicarslan, H., Kaya, K., Gultekin, E. Y. An unusual cause of incontinence: urethral coitus. *Scand J Urol Nephrol*. 2001 Jun; 35: 254
- 41649** Aygen, E. M., Ekmekcioglu, O., Basbug, M. The menopause and bladder weight. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 316-20
- 40846** Aylett, V., Lynch, O. Catheterisation in elderly women is no 'easy' option. *BMJ*. 2001 Apr 21; 322: 997
- 40880** Azam, U., Castleden, M., Turner, D. Economics of lower urinary tract symptoms (LUTS) in older people. *Drugs Aging*. 2001; 18: 213-23
- 10314** Azam, U., Frazer, M. I., Kozman, E. L., Ward, K., Hilton, P., Rane, A. The tension-free vaginal tape procedure in women with previous failed stress incontinence surgery. *J Urol*. 2001 Aug; 166: 554-6
- 10527** Baba, T., Koizumi, M., Tanaka, R., Yamashita, S., Noda, M., Yamanaka, I., Suzuki, T., Ito, E., Kudo, R. Surgical management of genital prolapse: is chain cystourethrography useful for evaluating anatomical corrections and urinary symptoms after surgery?. *J Obstet Gynaecol Res*. 2000 Aug; 26: 289-94
- 11483** Bachmann, G. The estradiol vaginal ring--a study of existing clinical data. *Maturitas*. 1995 Dec; 22 Suppl: S21-9
- 43392** Bachmann, G. Urogenital ageing: an old problem newly recognized. *Maturitas*. 1995 Dec; 22 Suppl: S1-S5
- 53040** Bachmann, G., Wiita, B. External occlusive devices for management of female urinary incontinence. *J Womens Health (Larchmt)*. 2002 Nov; 11: 793-800
- 4019** Bachor, R., Frohneberg, D., Miller, K., Egghart, G., and Hautmann, R. Continence after total bladder replacement: urodynamic analysis of the ileal neobladder. *Br J Urol*. 1990 May; 65: 462-466
- 31900** Backer, M. H., Jr Success with sacrospinous suspension of the prolapsed vaginal vault. *Surg Gynecol Obstet*. 1992 Nov; 175: 419-20
- 59077** Bader, A. A., Tamussino, K. F., Winter, R. Placement of a retropubic drain with the tension-free vaginal tape operation. *Eur J Obstet Gynecol Reprod Biol*. 2004 Jul 15; 115: 101-3
- 10173** Bae, J. H., Moon, D. G., Lee, J. G. The effects of a selective noradrenaline reuptake inhibitor on the urethra: an in vitro and in vivo study. *BJU Int*. 2001 Nov; 88: 771-5
- 55260** Baessler, K., Schuessler, B. Childbirth-induced trauma to the urethral continence mechanism: review and recommendations. *Urology*. 2003 Oct; 62: 39-44
- 59135** Baessler, K., Stanton, S. L. Does Burch colposuspension cure coital incontinence?. *Am J Obstet Gynecol*. 2004 Apr; 190: 1030-3
- 59173** Bafghi, A., Benizri, E. I., Trastour, C., Benizri, E. J., Michiels, J. F., Bongain, A. Multifilament polypropylene mesh for urinary incontinence: 10 cases of infections requiring removal of the sling. *BJOG*. 2005 Mar; 112: 376-8
- 11768** Bagi, P., Thind, P., Colstrup, H. In vivo evaluation of visco-elasticity in a biological tube. Part 1. Stress relaxation in the female urethra studied by cross-sectional area and pressure measurements. *Med Biol Eng Comput*. 1993 Nov; 31: 576-9
- 59280** Bahl, R., Strachan, B., Murphy, D. J. Pelvic floor morbidity at 3 years after instrumental delivery and cesarean delivery in the second stage of labor and the impact of a subsequent delivery. *Am J Obstet Gynecol*. 2005 Mar; 192: 789-94
- 42500** Bahnson, R. R. Urology. *J Am Coll Surg*. 1998 Feb; 186: 241-6
- 51180** Bai, S. W., Chung, K. A., Rha, K. H., Kim, S. U., Kim, S. K., Park, K. H. Correlation between urodynamic test results, perineal ultrasound and degree of stress urinary incontinence. *J Reprod Med*. 2003 Sep; 48: 718-22
- 10034** Bai, S. W., Jeon, M. J., Kim, J. Y., Chung, K. A., Kim, S. K., Park, K. H. Relationship between stress urinary incontinence and pelvic organ prolapse. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 256-60; discussion 260



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 52690 Bai, S. W., Jung, B. H., Chung, B. C., Kim, S. U., Kim, J. Y., Rha, K. H., Cho, J. S., Park, Y. W., Park, K. H. Relationship between urinary profile of the endogenous steroids and postmenopausal women with stress urinary incontinence. *Neurourol Urodyn*. 2003; 22: 198-205
- 53110 Bai, S. W., Kang, S. H., Kim, S. K., Kim, J. Y., Park, K. H. The effect of pelvic organ prolapse on lower urinary tract function. *Yonsei Med J*. 2003 Feb; 44: 94-8
- 59044 Bai, S. W., Kim, B. J., Kim, S. K., Park, K. H. Comparison of outcomes between Burch colposuspension with and without concomitant abdominal hysterectomy. *Yonsei Med J*. 2004 Aug 31; 45: 665-70
- 59133 Bai, S. W., Lee, J. W., Shin, J. S., Park, J. H., Kim, S. K., Park, K. H. The predictive values of various parameters in the diagnosis of stress urinary incontinence. *Yonsei Med J*. 2004 Apr 30; 45: 287-92
- 53080 Bai, S. W., Roh, J. L., Kim, J. Y., Chung, K. A., Kim, S. K., Park, K. H. Outcomes and surgical therapeutic index of Burch colposuspension in stress urinary incontinence. *J Reprod Med*. 2003 Feb; 48: 102-6
- 41810 Baines, S. J., Speakman, A. J., Williams, J. M., Cheeseman, M. T. Genitourinary dysplasia in a cat. *J Small Anim Pract*. 1999 Jun; 40: 286-90
- 10102 Bakas, P., Liapis, A., Creatsas, G. Q-tip test and tension-free vaginal tape in the management of female patients with genuine stress incontinence. *Gynecol Obstet Invest*. 2002; 53: 170-3
- 10395 Bakas, P., Liapis, A., Karandreas, A., Creatsas, G. Pudendal nerve terminal motor latency in women with genuine stress incontinence and prolapse. *Gynecol Obstet Invest*. 2001; 51: 187-90
- 43579 Baker, D. I., Bice, T. W. The influence of urinary incontinence on publicly financed home care services to low-income elderly people. *Gerontologist*. 1995 Jun; 35: 360-9
- 43270 Baker, J., Norton, P. Evaluation of absorbent products for women with mild to moderate urinary incontinence. *Appl Nurs Res*. 1996 Feb; 9: 29-33
- 11909 Baker, K. R., Drutz, H. P. Age as a risk factor in major genitourinary surgery. *Can J Surg*. 1992 Apr; 35: 188-91
- 42709 Balcom, A. H., Wiatrak, M., Biefeld, T., Rauen, K., Langenstroer, P. Initial experience with home therapeutic electrical stimulation for continence in the myelomeningocele population. *J Urol*. 1997 Sep; 158: 1272-6
- 11238 Baldwin, D. D., Hadley, H. R. Epithelial inclusion cyst formation after free vaginal wall swing sling procedure for stress urinary incontinence. *J Urol*. 1997 Mar; 157: 952
- 54110 Bale, S., Tebble, N., Jones, V., Price, P. The benefits of implementing a new skin care protocol in nursing homes. *J Tissue Viability*. 2004 Apr; 14: 44-50
- 11198 Ball, T. P., Jr, Teichman, J. M., Sharkey, F. E., Rogenes, V. J., Adrian, E. K., Jr Terminal nerve distribution to the urethra and bladder neck: considerations in the management of stress urinary incontinence. *J Urol*. 1997 Sep; 158: 827-9
- 59151 Ballagh, S. A. Vaginal hormone therapy for urogenital and menopausal symptoms. *Semin Reprod Med*. 2005 May; 23: 126-40
- 10782 Ballanger, P., Rischmann, P. Female urinary incontinence. An overview of a report presented to the French Urological Association. *Eur Urol*. 1999 Sep; 36: 165-74
- 54890 Balmforth, J., Cardozo, L. Assessment of urinary incontinence. *J Br Menopause Soc*. 2003 Sep; 9: 111-6
- 51230 Balmforth, J., Cardozo, L. D. Trends toward less invasive treatment of female stress urinary incontinence. *Urology*. 2003 Oct; 62: 52-60
- 3826 Bander, N.H. Initial results with slightly modified Kock pouch. *Urology*. 1991 Feb; 37: 100-105
- 41264 Banerjee, N., Deka, D., Roy, K. K., Takkar, D. Vesicocervical fistula: an unusual presentation. *Aust N Z J Obstet Gynaecol*. 2000 May; 40: 219-20
- 44752 Banks, S. E., Fleming, I. R., Browning, T. N. Urinary incontinence in a bitch caused by vaginoureteral fistulation. *Vet Rec*. 1991 Feb 2; 128: 108

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 43697 Baradnay, G., Kiss, A., Scultety, A. The results and failures of creating a pelvic reservoir in oncology (surgery, urology). *Acta Chir Hung*. 1995-96; 35: 119-27
- 44681 Baraldi, M., Zanolì, P., Truzzi, C., Paro, M., Italiano, G., Prosdocimi, M. Urine retention due to intra-spinal cord injection of colchicine in rats: improved recovery of bladder function by monosialoganglioside GM1 and nerve growth factor administration. *Funct Neurol*. 1991 Jul-Sep; 6: 235-8
- 43655 Baram, D. A. Hypnosis in reproductive health care: a review and case reports. *Birth*. 1995 Mar; 22: 37-42
- 11043 Barbalias, G. A., Liatsikos, E. N., Athanasopoulos, A. Gore-Tex sling urethral suspension in type III female urinary incontinence: clinical results and urodynamic changes. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 344-50
- 42327 Barbalias, G. A., Nikiforidis, G., Liatsikos, E. N. Vesicourethral dysfunction associated with multiple sclerosis: clinical and urodynamic perspectives. *J Urol*. 1998 Jul; 160: 106-11
- 11273 Barbalias, G., Liatsikos, E., Barbalias, D. Use of slings made of indigenous and allogenic material (Goretex) in type III urinary incontinence and comparison between them. *Eur Urol*. 1997; 31: 394-400
- 40481 Barber, M. D., Kuchibhatla, M. N., Pieper, C. F., Bump, R. C. Psychometric evaluation of 2 comprehensive condition-specific quality of life instruments for women with pelvic floor disorders. *Am J Obstet Gynecol*. 2001 Dec; 185: 1388-95
- 10200 Barber, M. D., Visco, A. G., Wyman, J. F., Fantl, J. A., Bump, R. C. Sexual function in women with urinary incontinence and pelvic organ prolapse. *Obstet Gynecol*. 2002 Feb; 99: 281-9
- 10626 Barbic, M., Kralj, B. Effect of intra-abdominal position of the bladder neck and stability of its supporting structures on pressure transmission ratio after colposuspension. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 97-102
- 52250 Barbic, M., Kralj, B., Cor, A. Compliance of the bladder neck supporting structures: importance of activity pattern of levator ani muscle and content of elastic fibers of endopelvic fascia. *Neurourol Urodyn*. 2003; 22: 269-76
- 42853 Bardoux, N., Leroi, A. M., Touchais, J. Y., Weber, J., Denis, P. Difficult defaecation and/or faecal incontinence as a presenting feature of neurologic disorders in four patients. *Neurogastroenterol Motil*. 1997 Mar; 9: 13-8
- 59075 Bardsley, A. Key trends in the management and treatment of stress urinary incontinence. *Prof Nurse*. 2004 Jun; 19: 30-2
- 4084 Barer, D.H. The influence of visual and tactile inattention on predictions for recovery from acute stroke. *Q J Med*. 1990 Jan; 74: 21-32
- 43652 Barger, M., Woolner, B. Primary care for women. Assessment and management of genitourinary tract disorders. *J Nurse Midwifery*. 1995 Mar-Apr; 40: 231-45
- 10433 Barker, G. K. It is possible to perform a sacrospinous colpopexy via the incision of an anterior vaginal repair alone if a posterior repair is not required. *Aust N Z J Obstet Gynaecol*. 2000 Nov; 40: 477
- 11453 Barlas, P., Hatzipapas, J., Bias, A., Athanasopoulos, A. Transvaginal colposuspension for the treatment of genuine stress incontinence combined with vaginal hysterectomy: a preliminary report. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 20-3
- 10111 Barnes, N. M., Dmochowski, R. R., Park, R., Nitti, V. W. Pubovaginal sling and pelvic prolapse repair in women with occult stress urinary incontinence: effect on postoperative emptying and voiding symptoms. *Urology*. 2002 Jun; 59: 856-60
- 41313 Barnes, T. R., McPhillips, M. A. Critical analysis and comparison of the side-effect and safety profiles of the new antipsychotics. *Br J Psychiatry Suppl*. 1999; : 34-43
- 11792 Barnick, C. G., Cardozo, L. D. A comparison of bioelectrical and mechanical activity of the female urethra. *Br J Obstet Gynaecol*. 1993 Aug; 100: 754-7
- 11793 Barnick, C. G., Cardozo, L. D. Denervation and re-innervation of the urethral sphincter in the aetiology of genuine stress incontinence: an electromyographic study. *Br J Obstet Gynaecol*. 1993 Aug; 100: 750-3
- 10538 Barranger, E., Fritel, X., Kadoch, O., Liou, Y., Pigne, A. Results of transurethral injection of silicone micro-implants for females with intrinsic sphincter deficiency. *J Urol*. 2000 Nov; 164: 1619-22

## American Urological Association, Inc.

## Master Bibliography

## SUI Guidelines Panel

sorted by Primary Author and Title

- 44140** Barrett, D. M., Parulkar, B. G., Kramer, S. A. Experience with AS 800 artificial sphincter in pediatric and young adult patients. *Urology*. 1993 Oct; 42: 431-6
- 44356** Barrett, J. A., Banks, A., Roe, B. Urodynamic investigation in elderly women. *BMJ*. 1992 Dec 5; 305: 1438
- 3177** Barrett, J.A., Banks, A., and Roe, B. Urodynamic investigation in elderly women [letter]. *Bmj*. 1992 Dec 5; 305: 1438
- 3682** Barrett, J.A., Oldham, J.A. Physiotherapy for stress urinary incontinence [letter; comment]. *Bmj*. 1991 May 18; 302: 1208
- 59041** Barrington, J. W., Abdel-Fattah, M., Arunkalaivanan, A. S., Austin, S., Isaacs, J. Longitudinal study of Pelvicol pubovaginal slings using magnetic resonance imaging. *J Obstet Gynaecol*. 2004 Aug; 24: 542-6
- 10051** Barrington, J. W., Arunkalaivanan, A. S., Swart, M. Post-colposuspension syndrome following a tension-free vaginal tape procedure. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 187-8
- 10541** Barrington, J. W., Edwards, G. Posthysterectomy vault prolapse. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 241-5
- 10057** Barrington, J. W., Edwards, G., Arunkalaivanan, A. S., Swart, M. The use of porcine dermal implant in a minimally invasive pubovaginal sling procedure for genuine stress incontinence. *BJU Int*. 2002 Aug; 90: 224-7
- 11604** Barrington, J. W., Roberts, A. Burch colposuspension facilitated by means of the Ferguson speculum. *Br J Urol*. 1995 Feb; 75: 242-3
- 50330** Barroso, J. C., Ramos, J. G., Martins-Costa, S., Sanches, P. R., Muller, A. F. Transvaginal electrical stimulation in the treatment of urinary incontinence. *BJU Int*. 2004 Feb; 93: 319-23
- 41983** Barroso, U., Jr, Duel, B., Barthold, J. S., Gonzalez, R. Orthotopic urethral substitution in female patients using the mitrofanoff principle. *J Urol*. 1999 Jan; 161: 251-3
- 40658** Barroso, U., Jr, Jednak, R., Barthold, J. S., Gonzalez, R. Outcome of ureteral reimplantation in children with the urge syndrome. *J Urol*. 2001 Sep; 166: 1031-5
- 3272** Barrows, B., Bavendam, T., and Leach, G.E. Ectopically draining dysplastic kidney associated with genuine stress urinary incontinence: unusual combined cause of incontinence. *Urology*. 1992 Sep; 40: 283-285
- 11872** Barrows, B., Bavendam, T., Leach, G. E. Ectopically draining dysplastic kidney associated with genuine stress urinary incontinence: unusual combined cause of incontinence. *Urology*. 1992 Sep; 40: 283-5
- 42999** Bartels, R. H., de Vries, J. Hemi-cauda equina syndrome from herniated lumbar disc: a neurosurgical emergency?. *Can J Neurol Sci*. 1996 Nov; 23: 296-9
- 42825** Bartels, R. H., van Overbeeke, J. J. Lumbar cerebrospinal fluid drainage for symptomatic sacral nerve root cysts: an adjuvant diagnostic procedure and/or alternative treatment? Technical case report. *Neurosurgery*. 1997 Apr; 40: 861-4; discussion 864-5
- 59335** Barth, A., Reichler, I. M., Hubler, M., Hassig, M., Arnold, S. Evaluation of long-term effects of endoscopic injection of collagen into the urethral submucosa for treatment of urethral sphincter incompetence in female dogs: 40 cases (1993-2000). *J Am Vet Med Assoc*. 2005 Jan 1; 226: 73-6
- 40229** Barhet, M., Bellon, P., Abou, E., Portier, F., Berdah, S., Lesavre, N., Orsoni, P., Bouvier, M., Grimaud, J. C. Anal endosonography for assessment of anal incontinence with a linear probe: relationships with clinical and manometric features. *Int J Colorectal Dis*. 2002 Mar; 17: 123-8
- 11354** Bartholomew, B., Grimaldi, T. Collagen injection therapy for type III stress urinary incontinence. *AORN J*. 1996 Jul; 64: 75-83, 85-6
- 41896** Bartholomew, J. District nursing. What they really, really want. *Nurs Times*. 1999 Mar 24-30; 95: 30-1
- 40417** Barton, D. L., Loprinzi, C., Gostout, B. Current management of menopausal symptoms in cancer patients. *Oncology (Huntingt)*. 2002 Jan; 16: 67-72, 74; discussion 75-6, 79-80
- 42907** Basar, H., Aydoganli, L., Yuksel, M., Basar, M., Akdemir, G., Kaptanoglu, E. The outcome of urological findings in operated tethered cord patients. *Int Urol Nephrol*. 1997; 29: 167-71

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 40213 Baseman, A. G., Baseman, J. G., Zimmern, P. E., Lemack, G. E. Effect of 6F urethral catheterization on urinary flow rates during repeated pressure-flow studies in healthy female volunteers. *Urology*. 2002 Jun; 59: 843-6
- 10079 Baseman, A. G., Lemack, G. E. Practical outcome measures for assessing efficacy of incontinence procedures. *Curr Urol Rep*. 2001 Oct; 2: 407-12
- 10600 Bash, K. L. Review of vaginal pessaries. *Obstet Gynecol Surv*. 2000 Jul; 55: 455-60
- 55170 Basinski, C., Fuller, E., Brizendine, E. J., Benson, J. T. Bladder-anal reflex. *Neurourol Urodyn*. 2003; 22: 683-6
- 40153 Baskerville, J. R., McAninch, S. A. Focal lingual dystonia, urinary incontinence, and sensory deficits secondary to low voltage electrocution: case report and literature review. *Emerg Med J*. 2002 Jul; 19: 368-71
- 42129 Baskin, L. S. Case no. 2. Right-sided single system ureterocele. *Tech Urol*. 1998 Sep; 4: 152-3
- 11987 Bass, J. S., Leach, G. E. Surgical treatment of concomitant urethral diverticulum and stress incontinence. *Urol Clin North Am*. 1991 May; 18: 365-73
- 40854 Bass, J., Rubin, S. Z., Walton, J. M., Cada, M. Combined posterior sagittal and three-flap anoplasty in the repair of anorectal anomalies. *J Pediatr Surg*. 2001 May; 36: 711-4
- 41319 Bassili, A., Zaki, A., Zaher, S. R., El-Sawy, I. H., Ahmed, M. H., Omar, M., Omar, T., Bedwani, R. N., Davies, C., Tognoni, G. Quality of care of children with chronic diseases in Alexandria, Egypt: the models of asthma, type I diabetes, epilepsy, and rheumatic heart disease. Egyptian-Italian Collaborative Group on Pediatric Chronic Diseases. *Pediatrics*. 2000 Jul; 106: E12
- 3205 Bassiouny, I.E. Continent urinary reservoir in exstrophy/epispadias complex. *Br J Urol*. 1992 Nov; 70: 558-562
- 57920 Bates, F. Assessment of the female patient with urinary incontinence. *Urol Nurs*. 2002 Oct; 22: 305-13, 317; quiz 314
- 57280 Bates-Jensen, B. M., Alessi, C. A., Al-Samarrai, N. R., Schnelle, J. F. The effects of an exercise and incontinence intervention on skin health outcomes in nursing home residents. *J Am Geriatr Soc*. 2003 Mar; 51: 348-55
- 10522 Batislam, E., Germiyanoglu, C., Erol, D. Simplification of laparoscopic extraperitoneal colposuspension: results of two-port technique. *Int Urol Nephrol*. 2000; 32: 47-51
- 43475 Batista, J. E., Bauer, S. B., Shefner, J. M., Kelly, M. D., Darbey, M. D., Siroky, M. B. Urodynamic findings in children with spinal cord ischemia. *J Urol*. 1995 Sep; 154: 1183-7
- 42289 Batista, J. E., Caffaratti, J., Arano, P., Regalado, R., Garat, J. M. The reliability of cysto-urethrographic signs in the diagnosis of detrusor instability in children. *Br J Urol*. 1998 Jun; 81: 900-4
- 11120 Batra, A. K., Mathews, R., Lopresti, A. Initial experience with the modified vaginal wall sling in the treatment of female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 209-12
- 12094 Battcock, T. M., Castleden, C. M. Pharmacological treatment of urinary incontinence. *Br Med Bull*. 1990 Jan; 46: 147-55
- 40816 Bau, M. O., Younes, S., Aupy, A., Bernuy, M., Rouffet, M. J., Yepremian, D., Lottmann, H. B. The Malone antegrade colonic enema isolated or associated with urological incontinence procedures: evaluation from patient point of view. *J Urol*. 2001 Jun; 165: 2399-403
- 55640 Bauer, S. B. The management of the myelodysplastic child: a paradigm shift. *BJU Int*. 2003 Oct; 92 Suppl 1: 23-8
- 3646 Baum, N., Suarez, G., and Appell, R.A. Urinary incontinence. Not a 'normal' part of aging [see comments]. *Postgrad Med*. 1991 Aug; 90: 99-102,107-9
- 44659 Baum, N., Suarez, G., Appell, R. A. Urinary incontinence. Not a 'normal' part of aging. *Postgrad Med*. 1991 Aug; 90: 99-102, 107-9
- 54950 Baumgarten, M., Margolis, D., Gruber-Baldini, A. L., Zimmerman, S., German, P., Hebel, J. R., Magaziner, J. Pressure ulcers and the transition to long-term care. *Adv Skin Wound Care*. 2003 Nov; 16: 299-304
- 42847 Bavendam, T. G. Female incontinence. *J Urol*. 1997 Mar; 157: 828-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11471 Bavendam, T. G. Incontinence--lower urinary tract dysfunction and urodynamic evaluations. *J Urol*. 1996 Jan; 155: 286-7
- 12082 Bavendam, T. G. Stress urinary incontinence in women. *J Enterostomal Ther*. 1990 Mar-Apr; 17: 57-66
- 44022 Bax, M. Bladder and bowel. *Dev Med Child Neurol*. 1994 Jan; 36: 1-2
- 3997 Bax, M. Managing incontinence [editorial]. *Dev Med Child Neurol*. 1990 Jun; 32: 471-472
- 41197 Bayles, K. A., Tomoeda, C. K., Cruz, R. F., Mahendra, N. Communication abilities of individuals with late-stage Alzheimer disease. *Alzheimer Dis Assoc Disord*. 2000 Jul-Sep; 14: 176-81
- 40351 Bayliss, V., Cherry, M., Locke, R., Salter, L. Pathways for continence care: background and audit. *Br J Nurs*. 2000 May 11-24; 9: 590-2, 594, 596
- 40574 Bayraktar, Z., Sevin, G., Gurbuz, G., Tasci, A. I. Ileal orthotopic neobladder in women: the first experiences from Turkey and our modifications. *Int Urol Nephrol*. 2001; 32: 371-5
- 4067 Beadle, J., de-Laine, C., and Morgan, S. Continence: a new regional model. *Nurs Times*. 1990 Apr 18-24; 86: 71-73
- 57240 Bean, J. F., Kiely, D. K., Cairns, K. D., Morris, J. N. Influence of poststroke urinary incontinence on disability: the nursing home setting. *Am J Phys Med Rehabil*. 2003 Mar; 82: 175-81
- 42773 Bear, M., Dwyer, J. W., Benveneste, D., Jett, K., Dougherty, M. Home-based management of urinary incontinence: a pilot study with both frail and independent elders. *J Wound Ostomy Continence Nurs*. 1997 May; 24: 163-71
- 11690 Beck, R. O., Betts, C. D., Fowler, C. J. Genitourinary dysfunction in multiple system atrophy: clinical features and treatment in 62 cases. *J Urol*. 1994 May; 151: 1336-41
- 11933 Beck, R. P., McCormick, S., Nordstrom, L. A 25-year experience with 519 anterior colporrhaphy procedures. *Obstet Gynecol*. 1991 Dec; 78: 1011-8
- 3572 Beck, R.P. Detrusor instability: diagnosis and therapy. *Curr Opin Obstet Gynecol*. 1990 Aug; 2: 591-598
- 3555 Beck, R.P., McCormick, S., and Nordstrom, L. A 25-year experience with 519 anterior colporrhaphy procedures. *Obstet Gynecol*. 1991 Dec; 78: 1011-1018
- 40584 Beck, S. D., Koch, M. O. Spiral ileal neobladder substitution with orthotopic ureteral reimplantation: early results. *Tech Urol*. 2001 Sep; 7: 223-8
- 43810 Becker, K., Enck, P., Wilhelm, K., Fischer, H., Lubke, H. J. Colonic and anorectal dysfunction in a patient with the tethered cord syndrome. *Am J Gastroenterol*. 1994 Sep; 89: 1564-8
- 11892 Beckingham, I. J., Wemyss-Holden, G., Lawrence, W. T. Long-term follow-up of women treated with perurethral Teflon injections for stress incontinence. *Br J Urol*. 1992 Jun; 69: 580-3
- 3309 Beckingham, I.J., Wemyss-Holden, G., and Lawrence, W.T. Long-term follow-up of women treated with perurethral Teflon injections for stress incontinence. *Br J Urol*. 1992 Jun; 69: 580-583
- 11428 Beco, J. Functional sonography of the lower urinary tract. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 270-3
- 43594 Beco, J. Reducing uncertainty for vesico-urethral sonography in women. *Acta Urol Belg*. 1995 May; 63: 13-29
- 11741 Beco, J., Leonard, D., Lambotte, R. Study of the artefacts induced by linear array transvaginal ultrasound scanning in urodynamics. *World J Urol*. 1994; 12: 329-32
- 11018 Beco, J., Leonard, D., Leonard, F. Study of the female urethra's submucous vascular plexus by color Doppler. *World J Urol*. 1998; 16: 224-8
- 40387 Beer-Gabel, M., Teshler, M., Barzilai, N., Lurie, Y., Malnick, S., Bass, D., Zbar, A. Dynamic transperineal ultrasound in the diagnosis of pelvic floor disorders: pilot study. *Dis Colon Rectum*. 2002 Feb; 45: 239-45; discussion 245-8



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42852 Beguin, A. M., Combes, T., Lutzler, P., Laffond, G., Belmin, J. Health education improves older subjects' attitudes toward urinary incontinence and access to care: a randomized study in sheltered accommodation centers for the aged. *J Am Geriatr Soc.* 1997 Mar; 45: 391-2
- 42074 Beheshti, P., Fonteyn, M. Role of the advanced practice nurse in continence care in the home. *AACN Clin Issues.* 1998 Aug; 9: 389-95
- 43982 Beier-Holgersen, R., Kirkeby, L. T., Nordling, J. 'Clam' ileocystoplasty. *Scand J Urol Nephrol.* 1994 Mar; 28: 55-8
- 11395 Beizer, J. L. Urinary incontinence in women: a review for the pharmacist. *J Am Pharm Assoc (Wash).* 1996 Mar; NS36: 196-202
- 51370 Beji, N. K., Yalcin, O., Erkan, H. A. The effect of pelvic floor training on sexual function of treated patients. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Oct; 14: 234-8; discussion 238
- 11202 Belair, G., Tessier, J., Bertrand, P. E., Schick, E. Retropubic cystourethropexy: is it an obstructive procedure?. *J Urol.* 1997 Aug; 158: 533-8
- 4131 Bellin, C. Relocating adult day care: its impact on persons with dementia. *J Gerontol Nurs.* 1990 Mar; 16: 11-14
- 11038 Bellin, P., Smith, J., Poll, W., Bogojavlensky, S., Knoll, D., Childs, S., Tuttle, J., Barada, J., Dann, J. Results of a multicenter trial of the CapSure (Re/Stor) Continence shield on women with stress urinary incontinence. *Urology.* 1998 May; 51: 697-706
- 41918 Bellina, J., Kelly, R., Sartin, B. A unique cause of unconscious urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 36-8
- 3187 Belloli, G., Campobasso, P., and Mercurella, A. Neuropathic urinary incontinence in pediatric patients: management with artificial sphincter. *J Pediatr Surg.* 1992 Nov; 27: 1461-1464
- 44373 Belloli, G., Campobasso, P., Mercurella, A. Neuropathic urinary incontinence in pediatric patients: management with artificial sphincter. *J Pediatr Surg.* 1992 Nov; 27: 1461-4
- 42865 Belmin, J. Urine sampling methods in the elderly. *Drugs Aging.* 1997 Feb; 10: 167
- 44111 Belmin, J., Hervias, Y., Avellano, E., Oudart, O., Durand, I. Reliability of sampling urine from disposable diapers in elderly incontinent women. *J Am Geriatr Soc.* 1993 Nov; 41: 1182-6
- 44352 Belville, W. D., Swierzewski, S. J., 3rd, Wedemeyer, G., McGuire, E. J. Fiberoptic microtransducer pressure technology: urodynamic implications. *Neurourol Urodyn.* 1993; 12: 171-8
- 52210 Bemelmans, B. L., Chapple, C. R. Are slings now the gold standard treatment for the management of female urinary stress incontinence and if so which technique?. *Curr Opin Urol.* 2003 Jul; 13: 301-7
- 41356 Bemelmans, B. L., Kiemeney, L. A., Debruyne, F. M. Low-dose oxybutynin for the treatment of urge incontinence: good efficacy and few side effects. *Eur Urol.* 2000 Jun; 37: 709-13
- 3123 Benarroch, E.E., Chang, F.L. Central autonomic disorders. *J Clin Neurophysiol.* 1993 Jan; 10: 39-50
- 12114 Benassayag, E. Simple surgical procedure for urinary stress incontinence. *Eur Urol.* 1990; 18: 68-70
- 3537 Benbow, S., Sangster, G., and Barer, D. Incontinence after stroke [letter; comment]. *Lancet.* 1991 Dec 21-28; 338: 1602-1603
- 43229 Ben-Chaim, J., Jeffs, R. D., Reiner, W. G., Gearhart, J. P. The outcome of patients with classic bladder exstrophy in adult life. *J Urol.* 1996 Apr; 155: 1251-2
- 3210 Bender, P. Deceptive distress in the elderly. *Am J Nurs.* 1992 Oct; 92: 28-32
- 11629 Benderev, T. V. A modified percutaneous outpatient bladder neck suspension system. *J Urol.* 1994 Dec; 152: 2316-20
- 11864 Benderev, T. V. Anchor fixation and other modifications of endoscopic bladder neck suspension. *Urology.* 1992 Nov; 40: 409-18

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 59125** Benedetti-Panici, P., Zullo, M. A., Plotti, F., Mancini, N., Muzii, L., Angioli, R. Long-term bladder function in patients with locally advanced cervical carcinoma treated with neoadjuvant chemotherapy and type 3-4 radical hysterectomy. *Cancer*. 2004 May 15; 100: 2110-7
- 11313** Benizri, E. J., Volpe, P., Pushkar, D., Chevallier, D., Amiel, J., Sanian, H., Toubol, J. A new vaginal procedure for cystocele repair and treatment of stress urinary incontinence. *J Urol*. 1996 Nov; 156: 1623-5
- 10682** Benjamin, C. R., Hearon, C. M. Urinary continence in women during centrifuge exposure to high +Gz. *Aviat Space Environ Med*. 2000 Feb; 71: 131-6
- 11473** Bennett, C. J. The evolving importance of neurourology and urodynamics. *J Urol*. 1996 Jan; 155: 275-6
- 43607** Bennett, C. J., Young, M. N., Adkins, R. H., Diaz, F. Comparison of bladder management complication outcomes in female spinal cord injury patients. *J Urol*. 1995 May; 153: 1458-60
- 42819** Bennett, J. K., Foote, J. E., King, T. L. Treating urinary incontinence in the elderly population: accepting the challenge. *J Med Assoc Ga*. 1997 Apr; 86: 97-100
- 11478** Bennett, J. K., Green, B. G., Foote, J. E., Gray, M. Collagen injections for intrinsic sphincter deficiency in the neuropathic urethra. *Paraplegia*. 1995 Dec; 33: 697-700
- 42404** Bennett, R. G., Baran, P. J., DeVone, L. V., Bacetti, H., Kristo, B., Tayback, M., Greenough, W. B., 3rd Low airloss hydrotherapy versus standard care for incontinent hospitalized patients. *J Am Geriatr Soc*. 1998 May; 46: 569-76
- 11033** Benshushan, A., Brzezinski, A., Shoshani, O., Rojansky, N. Periurethral injection for the treatment of urinary incontinence. *Obstet Gynecol Surv*. 1998 Jun; 53: 383-8
- 55840** Benson, D. The importance of a thorough continence assessment. *Nurs Times*. 2003 Jul 22-28; 99: 53-4
- 10073** Benson, J. T. New therapeutic options for urge incontinence. *Curr Womens Health Rep*. 2001 Aug; 1: 61-6
- 41018** Benson, J. T. Sacral nerve stimulation results may be improved by electrodiagnostic techniques. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000 Dec; 11: 352-7
- 12073** Benson, J. T., Agosta, A., McClellan, E. Evaluation of a minimal-incision pubovaginal suspension as an adjunct to other pelvic-floor surgery. *Obstet Gynecol*. 1990 May; 75: 844-7
- 42975** Benson, J. T., Lucente, V., McClellan, E. Vaginal versus abdominal reconstructive surgery for the treatment of pelvic support defects: a prospective randomized study with long-term outcome evaluation. *Am J Obstet Gynecol*. 1996 Dec; 175: 1418-21; discussion 1421-2
- 44151** Benson, J. T., McClellan, E. The effect of vaginal dissection on the pudendal nerve. *Obstet Gynecol*. 1993 Sep; 82: 387-9
- 44700** Benson, J. T., Sumners, J. E., Pittman, J. S. Definition of normal female pelvic floor anatomy using ultrasonographic techniques. *J Clin Ultrasound*. 1991 Jun; 19: 275-82
- 4087** Benson, J.T., Agosta, A., and McClellan, E. Evaluation of a minimal-incision pubovaginal suspension as an adjunct to other pelvic-floor surgery. *Obstet Gynecol*. 1990 May; 75: 844-847
- 3640** Benson, J.T., Sumners, J.E., and Pittman, J.S. Definition of normal female pelvic floor anatomy using ultrasonographic techniques. *JCU J Clin Ultrasound*. 1991 Jun; 19: 275-282
- 12065** Bent, A. E. Management of recurrent genuine stress incontinence. *Clin Obstet Gynecol*. 1990 Jun; 33: 358-66
- 10273** Bent, A. E., Foote, J., Siegel, S., Faerber, G., Chao, R., Gormley, E. A. Collagen implant for treating stress urinary incontinence in women with urethral hypermobility. *J Urol*. 2001 Oct; 166: 1354-7
- 10885** Bent, A. E., McLennan, M. T. Surgical management of urinary incontinence. *Obstet Gynecol Clin North Am*. 1998 Dec; 25: 883-906
- 44120** Bent, A. E., Ostergard, D. R., Zwick-Zaffuto, M. Tissue reaction to expanded polytetrafluoroethylene suburethral sling for urinary incontinence: clinical and histologic study. *Am J Obstet Gynecol*. 1993 Nov; 169: 1198-204

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10445** Bent, A. E., Tutrone, R. T., McLennan, M. T., Lloyd, L. K., Kennelly, M. J., Badlani, G. Treatment of intrinsic sphincter deficiency using autologous ear chondrocytes as a bulking agent. *Neurourol Urodyn.* 2001; 20: 157-65
- 11733** Bercovich, E., Manferrari, F., Fiore, F. A new device for self-adjustment of colposuspension. *Eur Urol.* 1994; 26: 189-92
- 40631** Bergamaschi, R., Berzuini, C., Romani, A., Cosi, V. Predicting secondary progression in relapsing-remitting multiple sclerosis: a Bayesian analysis. *J Neurol Sci.* 2001 Aug 15; 189: 13-21
- 40170** Berghmans, B., van Waalwijk van Doorn, E., Nieman, F., de Bie, R., van den Brandt, P., Van Kerrebroeck, P. Efficacy of physical therapeutic modalities in women with proven bladder overactivity. *Eur Urol.* 2002 Jun; 41: 581-7
- 11461** Berghmans, L. C., Frederiks, C. M., de Bie, R. A., Weil, E. H., Smeets, L. W., van Waalwijk van Doorn, E. S., Janknegt, R. A. Efficacy of biofeedback, when included with pelvic floor muscle exercise treatment, for genuine stress incontinence. *Neurourol Urodyn.* 1996; 15: 37-52
- 10984** Berghmans, L. C., Hendriks, H. J., Bo, K., Hay-Smith, E. J., de Bie, R. A., van Waalwijk van Doorn, E. S. Conservative treatment of stress urinary incontinence in women: a systematic review of randomized clinical trials. *Br J Urol.* 1998 Aug; 82: 181-91
- 41524** Berghmans, L. C., Hendriks, H. J., De Bie, R. A., van Waalwijk van Doorn, E. S., Bo, K., van Kerrebroeck, P. E. Conservative treatment of urge urinary incontinence in women: a systematic review of randomized clinical trials. *BJU Int.* 2000 Feb; 85: 254-63
- 11246** Berglund, A. L., Eisemann, M., Lalos, A., Lalos, O. Predictive factors of the outcome of primary surgical treatment of stress incontinence in women. *Scand J Urol Nephrol.* 1997 Feb; 31: 49-55
- 11360** Berglund, A. L., Eisemann, M., Lalos, A., Lalos, O. Social adjustment and spouse relationships among women with stress incontinence before and after surgical treatment. *Soc Sci Med.* 1996 Jun; 42: 1537-44
- 11656** Berglund, A. L., Eisemann, M., Lalos, O. Personality characteristics of stress incontinent women: a pilot study. *J Psychosom Obstet Gynaecol.* 1994 Sep; 15: 165-70
- 11359** Berglund, A. L., Fugl-Meyer, K. S. Some sexological characteristics of stress incontinent women. *Scand J Urol Nephrol.* 1996 Jun; 30: 207-12
- 11399** Berglund, A. L., Lalos, O. The pre- and postsurgical nursing of women with stress incontinence. *J Adv Nurs.* 1996 Mar; 23: 502-11
- 3760** Berglund, A.L., Fugl-Meyer, K.S. Sexual problems in women with urinary incontinence. A retrospective study of medical records. *Scand J Caring Sci.* 1991; 5: 13-16
- 12059** Bergman, A., Bader, K. Reliability of the patient's history in the diagnosis of urinary incontinence. *Int J Gynaecol Obstet.* 1990 Jul; 32: 255-9
- 11553** Bergman, A., Elia, G. Three surgical procedures for genuine stress incontinence: five-year follow-up of a prospective randomized study. *Am J Obstet Gynecol.* 1995 Jul; 173: 66-71
- 11727** Bergman, A., Elia, G., Cheung, D., Perelman, N., Nimni, M. E. Biochemical composition of collagen in continent and stress urinary incontinent women. *Gynecol Obstet Invest.* 1994; 37: 48-51
- 12097** Bergman, A., Karram, M. M., Bhatia, N. N. Changes in urethral cytology following estrogen administration. *Gynecol Obstet Invest.* 1990; 29: 211-3
- 4008** Bergman, A., Karram, M.M., and Bhatia, N.N. Changes in urethral cytology following estrogen administration. *Gynecol Obstet Invest.* 1990; 29: 211-213
- 12000** Bergman, A., Koonings, P. P., Ballard, C. A. The Ball-Burch procedure for stress incontinence with low urethral pressure. *J Reprod Med.* 1991 Feb; 36: 137-40
- 3769** Bergman, A., Koonings, P.P., and Ballard, C.A. The Ball-Burch procedure for stress incontinence with low urethral pressure. *J Reprod Med.* 1991 Feb; 36: 137-140
- 44596** Bergman, A., Stanczyk, F. Z., Lobo, R. A. The role of prostaglandins in detrusor instability. *Am J Obstet Gynecol.* 1991 Dec; 165: 1833-6



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 3527 Bergman, A., Stanczyk, F.Z., and Lobo, R.A. The role of prostaglandins in detrusor instability. *Am J Obstet Gynecol.* 1991 Dec; 165: 1833-1836
- 10700 Bergman, J., Elia, G. Effects of the menstrual cycle on urodynamic work-up: should we change our practice?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 375-7
- 59116 Bergman, J., Robertson, J. R., Elia, G. Effects of a magnetic field on pelvic floor muscle function in women with stress urinary incontinence. *Altern Ther Health Med.* 2004 May-Jun; 10: 70-2
- 10115 Bergmark, K., Avall-Lundqvist, E., Dickman, P. W., Henningsohn, L., Steineck, G. Patient-rating of distressful symptoms after treatment for early cervical cancer. *Acta Obstet Gynecol Scand.* 2002 May; 81: 443-50
- 56460 Bergquist, S. Pressure ulcer prediction in older adults receiving home health care: implications for use with the OASIS. *Adv Skin Wound Care.* 2003 May-Jun; 16: 132-9
- 41499 Bergstrom, K., Carlsson, C. P., Lindholm, C., Widengren, R. Improvement of urge- and mixed-type incontinence after acupuncture treatment among elderly women - a pilot study. *J Auton Nerv Syst.* 2000 Mar 15; 79: 173-80
- 59084 Berkowitz, L. R. Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 20-2004. A 46-year-old woman with pelvic-floor relaxation after a second vaginal delivery. *N Engl J Med.* 2004 Jun 24; 350: 2699-706
- 41857 Berlowitz, D. R., Brand, H. K., Perkins, C. Geriatric syndromes as outcome measures of hospital care: can administrative data be used?. *J Am Geriatr Soc.* 1999 Jun; 47: 692-6
- 11286 Berman, C. J., Kreder, K. J. Comparative cost analysis of collagen injection and fascia lata sling cystourethropexy for the treatment of type III incontinence in women. *J Urol.* 1997 Jan; 157: 122-4
- 54770 Berman, M. L., Truong, T. H., DiSaia, P. J., Chan, J. K. Modified technique for suprapubic catheter insertion that avoids urinary leakage. *Am J Obstet Gynecol.* 2003 Dec; 189: 1670-1
- 43932 Bernard, M. A. Urinary incontinence in elderly females. *J Okla State Med Assoc.* 1994 May; 87: 217-24
- 44379 Berned Muller, E., Nordwall, A., von Wendt, L. The influence of scoliosis brace treatment on function in children with myelomeningocele. *Acta Paediatr.* 1992 Nov; 81: 925-8
- 3208 Berned-Muller, E., Nordwall, A., and von-Wendt, L. The influence of scoliosis brace treatment on function in children with myelomeningocele. *Acta Paediatr.* 1992 Nov; 81: 925-928
- 57250 Bernier, F. Applying Orem's Self-Care Deficit Theory of Nursing to continence care: Part 2. *Urol Nurs.* 2002 Dec; 22: 384-90
- 57260 Bernier, F. Relationship of a pelvic floor rehabilitation program for urinary incontinence to Orem's Self-Care Deficit Theory of Nursing: Part 1. *Urol Nurs.* 2002 Dec; 22: 378-83, 390; quiz 391
- 11594 Bernier, F., Harris, L. Treating stress incontinence with the bladder neck support prosthesis. *Urol Nurs.* 1995 Mar; 15: 5-9
- 42605 Bernier, F., Jenkins, P. The role of vaginal estrogen in the treatment of urogenital dysfunction in postmenopausal women. *Urol Nurs.* 1997 Sep; 17: 92-5
- 10982 Bernier, P. A., Zimmern, P. E. Bone anchor removal after bladder neck suspension. *Br J Urol.* 1998 Aug; 82: 302-3
- 42663 Bernier, P. A., Zimmern, P. E., Saboorian, M. H., Chassagne, S. Female outlet obstruction after repeated collagen injections. *Urology.* 1997 Oct; 50: 618-21
- 11270 Bernstein, I. T. The pelvic floor muscles: muscle thickness in healthy and urinary- incontinent women measured by perineal ultrasonography with reference to the effect of pelvic floor training. Estrogen receptor studies. *Neurourol Urodyn.* 1997; 16: 237-75
- 44773 Bernstein, I. T., Bennicke, K., Rordam, P., Klarskov, P., Iversen, H. G. Bricker's ileal conduit urinary diversion with a simple non-refluxing uretero ileal anastomosis. *Scand J Urol Nephrol.* 1991; 25: 29-33

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43343** Bernstein, I., Sejr, T., Able, I., Andersen, J. T., Fischer-Rasmussen, W., Klarskov, P., Lose, G., Madsen, H., Mortensen, S., Tetzschner, T., Walter, S. Assessment of lower urinary tract symptoms in women by a self-administered questionnaire: test-retest reliability. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 37-47
- 3678** Bernstein, I.T., Bennicke, K., Rordam, P., Klarskov, P., and Iversen, H.G. Bricker's ileal conduit urinary diversion with a simple non-refluxing uretero ileal anastomosis. *Scand J Urol Nephrol.* 1991; 25: 29-33
- 3716** Bethell, C. Pre-school and adolescent incontinence [letter]. *N Z Nurs J.* 1991 Apr; 84: 4-5
- 51460** Betson, L. H., Siddiqui, G., Bhatia, N. N. Intrinsic urethral sphincteric deficiency: critical analysis of various diagnostic modalities. *Curr Opin Obstet Gynecol.* 2003 Oct; 15: 411-7
- 10063** Bewley, S., Cockburn, J. II. The unfacts of 'request' caesarean section. *BJOG.* 2002 Jun; 109: 597-605
- 40830** Beyersdorff, D., Schiemann, T., Taupitz, M., Kooijman, H., Hamm, B., Nicolas, V. Sectional depiction of the pelvic floor by CT, MR imaging and sheet plastination: computer-aided correlation and 3D model. *Eur Radiol.* 2001; 11: 659-64
- 10248** Bezerra, C. A., Bruschini, H. Suburethral sling operations for urinary incontinence in women. *Cochrane Database Syst Rev.* 2001; : CD001754
- 10583** Bezerra, C. A., Bruschini, H. Suburethral sling operations for urinary incontinence in women. *Cochrane Database Syst Rev.* 2000; : CD001754
- 10624** Bezerra, C. A., Sadi, M. V. Comparison of vaginal wall sling and modified vaginal wall sling for stress urinary incontinence. *Sao Paulo Med J.* 2000 May 4; 118: 63-8
- 41448** Bhandarkar, A. D., Raju, A. M., Rao, M. S. Single unilateral ectopic bifid ureter with contralateral orthotopic quadrifid ureter--a rare combination. *J Postgrad Med.* 1997 Oct-Dec; 43: 104-5
- 10753** Bhatia, N. N. A vaginal approach to Burch's retropubic urethropexy. *Curr Opin Obstet Gynecol.* 1999 Oct; 11: 473-6
- 10509** Bhatia, N. N. Dynamics of voiding in women. *Curr Opin Obstet Gynecol.* 2000 Oct; 12: 383-6
- 10545** Bhatia, N. N. Transvaginal approach to Cooper's ligament during incontinence surgery. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 201-3
- 10206** Bhatnagar, V., Dave, S., Agarwala, S., Mitra, D. K. Augmentation colocolocystoplasty in bladder exstrophy. *Pediatr Surg Int.* 2002 Jan; 18: 43-9
- 41847** Bhatnagar, V., Lal, R., Agarwala, S., Mitra, D. K. Bladder-neck repair in urinary bladder exstrophy. *Pediatr Surg Int.* 1999; 15: 290-3
- 11331** Bhattacharya, S., Mollison, J., Pinion, S., Parkin, D. E., Abramovich, D. R., Terry, P., Kitchener, H. C. A comparison of bladder and ovarian function two years following hysterectomy or endometrial ablation. *Br J Obstet Gynaecol.* 1996 Sep; 103: 898-903
- 10507** Bidmead, J., Cardozo, L. Genuine stress incontinence: colposystourethropexy versus sling procedures. *Curr Opin Obstet Gynecol.* 2000 Oct; 12: 421-6
- 10261** Bidmead, J., Cardozo, L. Retropubic urethropexy (Burch colposuspension). *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 262-5
- 10604** Bidmead, J., Cardozo, L. Short cut to continence?. *Lancet.* 2000 Jun 24; 355: 2183-4
- 10678** Bidmead, J., Cardozo, L. Sling techniques in the treatment of genuine stress incontinence. *BJOG.* 2000 Feb; 107: 147-56
- 10675** Bidmead, J., Cardozo, L., Khullar, V., Tooze-Hobson, P. The pubofascial anchor sling procedure for recurrent genuine urinary stress incontinence. *BJU Int.* 2000 Jan; 85: 171-2
- 10401** Bidmead, J., Cardozo, L., McLellan, A., Khullar, V., Kelleher, C. A comparison of the objective and subjective outcomes of colposuspension for stress incontinence in women. *BJOG.* 2001 Apr; 108: 408-13

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10431 Bidmead, J., Tooze-Hobson, P., Cardozo, L., Robinson, D., Bailey, J. Randomised comparison of Burch colposuspension versus anterior colporrhaphy for patients with stress urinary incontinence. *BJOG*. 2001 Jan; 108: 128-9
- 3353 Bierwirth, W.W. Which pad is for you?. *Urol Nurs*. 1992 Jun; 12: 75-77
- 43653 Biesecker, J. E., Edlich, R. F., Thomas, H. L., Jr, Steers, W. D. Recent advances in absorbent products for the incontinent patient with burns. *J Burn Care Rehabil*. 1995 Mar-Apr; 16: 146-53; discussion 145
- 42734 Bigio, E. H., Weiner, M. F., Bonte, F. J., White, C. L. Familial dementia due to adult polyglucosan body disease. *Clin Neuropathol*. 1997 Jul-Aug; 16: 227-34
- 10661 Bignell, V. Alleviating the distress of urinary incontinence. *Community Nurse*. 1999 Oct; 5: 19-20, 22
- 40959 Bignell, V. Using charts to assess urinary incontinence. *Community Nurse*. 1999 Dec; 5: 23-4
- 42622 Bihrl, R. The Indiana pouch continent urinary reservoir. *Urol Clin North Am*. 1997 Nov; 24: 773-9
- 12088 Bihrl, W., 3rd, Tarantino, A. F. Complications of retropubic bladder neck suspension. *Urology*. 1990 Mar; 35: 213-4
- 5267 Bihrl, W., Tarantino, A.F. Complications of retropubic bladder neck suspension. *Urology*. 1990 Mar; 35: 213-214
- 41576 Billington, A. Incontinence in older women. *Elder Care*. 1999 Nov; 11: 32-3
- 43245 Billington, A. Workplace continence awareness. *Occup Health (Lond)*. 1996 Mar; 48: 96
- 41534 Bingol, A., Yucemen, N., Meco, O. Medically treated intraspinal 'Brucella' granuloma. *Surg Neurol*. 1999 Dec; 52: 570-6
- 3125 Binnie, F. Incontinent patients take part in test. *N Z Nurs J*. 1993 Feb; 86: 12-14
- 44842 Binstock, M. A., Semrad, N., Dubow, L., Watring, W. Combined vesicovaginal-ureterovaginal fistulas associated with a vaginal foreign body. *Obstet Gynecol*. 1990 Nov; 76: 918-21
- 3915 Binstock, M.A., Semrad, N., Dubow, L., and Watring, W. Combined vesicovaginal-ureterovaginal fistulas associated with a vaginal foreign body. *Obstet Gynecol*. 1990 Nov; 76: 918-921
- 58000 Birch, C., Fynes, M. M. The role of synthetic and biological prostheses in reconstructive pelvic floor surgery. *Curr Opin Obstet Gynecol*. 2002 Oct; 14: 527-35
- 42630 Bird, M. R., Hii, S., McCrory, P. R., Donnan, G. A. Urinary incontinence in elderly patients with acute stroke and hip fracture. *Med J Aust*. 1997 Oct 20; 167: 415
- 50370 Birnbaum, H. G., Leong, S. A., Oster, E. F., Kinchen, K., Sun, P. Cost of stress urinary incontinence: a claims data analysis. *Pharmacoeconomics*. 2004; 22: 95-105
- 50620 Birnbaum, H., Leong, S., Kabra, A. Lifetime medical costs for women: cardiovascular disease, diabetes, and stress urinary incontinence. *Womens Health Issues*. 2003 Nov-Dec; 13: 204-13
- 44416 Bishop, K. R., Dougherty, M., Mooney, R., Gimotty, P., Williams, B. Effects of age, parity, and adherence on pelvic muscle response to exercise. *J Obstet Gynecol Neonatal Nurs*. 1992 Sep-Oct; 21: 401-6
- 3261 Bishop, K.R., Dougherty, M., Mooney, R., Gimotty, P., and Williams, B. Effects of age, parity, and adherence on pelvic muscle response to exercise. *J Obstet Gynecol Neonatal Nurs*. 1992 Sep-Oct; 21: 401-406
- 4103 Bitsch, M., Nerstrom, H., Nordling, J., and Hald, T. Upper urinary tract deterioration after implantation of artificial urinary sphincter. *Scand J Urol Nephrol*. 1990; 24: 31-34
- 45056 Bitsch, M., Nerstrom, H., Nordling, J., Hald, T. Upper urinary tract deterioration after implantation of artificial urinary sphincter. *Scand J Urol Nephrol*. 1990; 24: 31-4
- 42081 Biyani, C. S., Upsdell, S. M. An unusual foreign body in the bladder 7 years after a Stamey endoscopic bladder neck suspension. *Int Urogynecol J Pelvic Floor Dysfunct*. 1998; 9: 303-4

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 59217** Bjelic-Radisic, V., Dorfer, M., Tamussino, K., Greimel, E. Psychometric properties and validation of the German-language King's Health Questionnaire in women with stress urinary incontinence. *Neurourol Urodyn.* 2005; 24: 63-8
- 11094** Bjornsdottir, L. T., Geirsson, R. T., Jonsson, P. V. Urinary incontinence and urinary tract infections in octogenarian women. *Acta Obstet Gynecol Scand.* 1998 Jan; 77: 105-9
- 11030** Black, N. A., Bowling, A., Griffiths, J. M., Pope, C., Abel, P. D. Impact of surgery for stress incontinence on the social lives of women. *Br J Obstet Gynaecol.* 1998 Jun; 105: 605-12
- 11317** Black, N. A., Downs, S. H. The effectiveness of surgery for stress incontinence in women: a systematic review. *Br J Urol.* 1996 Oct; 78: 497-510
- 11291** Black, N. A., Griffiths, J. M., Pope, C., Stanley, J., Bowling, A., Abel, P. D. Sociodemographic and symptomatic characteristics of women undergoing stress incontinence surgery in the UK. *Br J Urol.* 1996 Dec; 78: 847-55
- 11434** Black, N., Griffiths, J., Pope, C. Development of a symptom severity index and a symptom impact index for stress incontinence in women. *Neurourol Urodyn.* 1996; 15: 630-40
- 11141** Black, N., Griffiths, J., Pope, C., Bowling, A., Abel, P. Impact of surgery for stress incontinence on morbidity: cohort study. *BMJ.* 1997 Dec 6; 315: 1493-8
- 4042** Black, P.A. Urinary incontinence: a many faceted problem. *Prof Nurse.* 1990 Apr; 5: 378-384
- 11054** Black, S. A., Goodwin, J. S., Markides, K. S. The association between chronic diseases and depressive symptomatology in older Mexican Americans. *J Gerontol A Biol Sci Med Sci.* 1998 May; 53: M188-94
- 50310** Blackwell, A. L., Yoong, W., Moore, K. H. Criterion validity, test-retest reliability and sensitivity to change of the St George Urinary Incontinence Score. *BJU Int.* 2004 Feb; 93: 331-5
- 43333** Bladou, F., Houvenaeghel, G., Delpero, J. R., Monges, G., Serment, G., Guerin, G. Construction of a urinary sphincter by means of an electrically stimulated striated muscle: experimental procedure and urodynamic results on canine model. *Int Surg.* 1996 Jan-Mar; 81: 94-8
- 42015** Blair, K. A., White, N. Are older women offered adequate health care?. *J Gerontol Nurs.* 1998 Oct; 24: 39-44
- 11088** Blaivas, J. G. Female urology. *J Urol.* 1998 Apr; 159: 1202
- 42532** Blaivas, J. G. 'If you build it, they will come'. *Neurourol Urodyn.* 1998; 17: 1-2
- 42484** Blaivas, J. G. Outcome measures for urinary incontinence. *Urology.* 1998 Feb; 51: 11-9
- 53550** Blaivas, J. G. The Emperor's new clothes. *Neurourol Urodyn.* 2003; 22: 1
- 42923** Blaivas, J. G., Appell, R. A., Fantl, J. A., Leach, G., McGuire, E. J., Resnick, N. M., Raz, S., Wein, A. J. Standards of efficacy for evaluation of treatment outcomes in urinary incontinence: recommendations of the Urodynamic Society. *Neurourol Urodyn.* 1997; 16: 145-7
- 50280** Blaivas, J. G., Flisser, A. J., Tash, J. A. Treatment of primary bladder neck obstruction in women with transurethral resection of the bladder neck. *J Urol.* 2004 Mar; 171: 1172-5
- 41191** Blaivas, J. G., Groutz, A. Bladder outlet obstruction nomogram for women with lower urinary tract symptomatology. *Neurourol Urodyn.* 2000; 19: 553-64
- 11404** Blaivas, J. G., Heritz, D. M. Vaginal flap reconstruction of the urethra and vesical neck in women: a report of 49 cases. *J Urol.* 1996 Mar; 155: 1014-7
- 31608** Blaivas, J. G., Heritz, D. M., Romanzi, L. J. Early versus late repair of vesicovaginal fistulas: vaginal and abdominal approaches. *J Urol.* 1995 Apr; 153: 1110-2; discussion 1112-3
- 11978** Blaivas, J. G., Jacobs, B. Z. Pubovaginal fascial sling for the treatment of complicated stress urinary incontinence. *J Urol.* 1991 Jun; 145: 1214-8
- 4150** Blaivas, J.G. Diagnostic evaluation of incontinence in patients with neurologic disease. *J Am Geriatr Soc.* 1990 Mar; 38: 306-310

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 5282 Blaivas, J.G. Surgical treatment of urinary incontinence in 223 consecutive women. *Neurourology and Urodynamics*. 1990; 9: 401-402
- 3739 Blaivas, J.G. Treatment of female incontinence secondary to urethral damage or loss. *Urol Clin North Am*. 1991 May; 18: 355-363
- 41279 Blakeman, P. J., Hilton, P., Bulmer, J. N. Oestrogen and progesterone receptor expression in the female lower urinary tract, with reference to oestrogen status. *BJU Int*. 2000 Jul; 86: 32-8
- 43029 Blakeman, P., Hilton, P. Cellular and molecular biology in urogynaecology. *Curr Opin Obstet Gynecol*. 1996 Oct; 8: 357-60
- 56200 Bland, D. R., Dugan, E., Cohen, S. J., Preisser, J., Davis, C. C., McGann, P. E., Suggs, P. K., Pearce, K. F. The effects of implementation of the Agency for Health Care Policy and Research urinary incontinence guidelines in primary care practices. *J Am Geriatr Soc*. 2003 Jul; 51: 979-84
- 41593 Bland, D. R., Earle, B. B., Vitolins, M. Z., Burke, G. Use of the Pelvic Organ Prolapse staging system of the International Continence Society, American Urogynecologic Society, and Society of Gynecologic Surgeons in perimenopausal women. *Am J Obstet Gynecol*. 1999 Dec; 181: 1324-7; discussion 1327-8
- 10842 Blander, D. S., Carpinello, V. L., Harryhill, J. F., Malloy, T. R., Rovner, E. S. Extraperitoneal laparoscopic urethropexy with Marlex mesh. *Urology*. 1999 May; 53: 985-9
- 44640 Blandy, J. P., Badenoch, D. F., Fowler, C. G., Jenkins, B. J., Thomas, N. W. Early repair of iatrogenic injury to the ureter or bladder after gynecological surgery. *J Urol*. 1991 Sep; 146: 761-5
- 3628 Blandy, J.P., Badenoch, D.F., Fowler, C.G., Jenkins, B.J., and Thomas, N.W. Early repair of iatrogenic injury to the ureter or bladder after gynecological surgery. *J Urol*. 1991 Sep; 146: 761-765
- 40362 Blanes, L., Pinto Rde, C., Santos, V. L. Urinary incontinence knowledge and attitudes in Sao Paulo. *Ostomy Wound Manage*. 2001 Dec; 47: 43-51
- 3482 Blannin, J. Continence--breaking point. *Nurs Times*. 1992 Jan 29-Feb 4; 88: 61-64
- 3432 Bliss, M.R. Stroke [letter]. *Lancet*. 1992 May 2; 339: 1113
- 57460 Bloch, J., Vernet, O., Aube, M., Villemure, J. G. Non-obstructive hydrocephalus associated with intracranial schwannomas: hyperproteinorrachia as an etiopathological factor?. *Acta Neurochir (Wien)*. 2003 Jan; 145: 73-8
- 57680 Block, C. A., Cooper, C. S., Hawtrey, C. E. Long-term efficacy of periurethral collagen injection for the treatment of urinary incontinence secondary to myelomeningocele. *J Urol*. 2003 Jan; 169: 327-9
- 43376 Blok, C. Re: Extensive urodynamic investigation: interaction among diuresis, detrusor instability, urethral relaxation, incontinence and complaints in women with a history of urge incontinence. *J Urol*. 1996 Jan; 155: 290-1
- 3138 Blomerth, P.R. Normal pressure hydrocephalus. *J Manipulative Physiol Ther*. 1993 Feb; 16: 104-106
- 10226 Blonski, J. Is tolterodine (Detrol) or oxybutynin (Ditropan) the best for treatment of urge urinary incontinence?. *J Fam Pract*. 2001 Dec; 50: 1017
- 43514 Bloom, D. A., Faerber, G., Bomalaski, M. D. Urinary incontinence in girls. Evaluation, treatment, and its place in the standard model of voiding dysfunctions in children. *Urol Clin North Am*. 1995 Aug; 22: 521-38
- 50590 Blue, D. R., Daniels, D. V., Gever, J. R., Jett, M. F., O'Yang, C., Tang, H. M., Williams, T. J., Ford, A. P. Pharmacological characteristics of Ro 115-1240, a selective alpha1A/1L-adrenoceptor partial agonist: a potential therapy for stress urinary incontinence. *BJU Int*. 2004 Jan; 93: 162-70
- 42341 Blute, M. L., Gburek, B. M. Continent orthotopic urinary diversion in female patients: early Mayo Clinic experience. *Mayo Clin Proc*. 1998 Jun; 73: 501-7
- 11603 Bo, K. Adherence to pelvic floor muscle exercise and long-term effect on stress urinary incontinence. A five-year follow-up study. *Scand J Med Sci Sports*. 1995 Feb; 5: 36-9
- 10976 Bo, K. Effect of electrical stimulation on stress and urge urinary incontinence. Clinical outcome and practical recommendations based on randomized controlled trials. *Acta Obstet Gynecol Scand Suppl*. 1998; 168: 3-11



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 51050** Bo, K. Pelvic floor muscle strength and response to pelvic floor muscle training for stress urinary incontinence. *Neurourol Urodyn.* 2003; 22: 654-8
- 11709** Bo, K. Reproducibility of instruments designed to measure subjective evaluation of female stress urinary incontinence. *Scand J Urol Nephrol.* 1994 Mar; 28: 97-100
- 11601** Bo, K. Vaginal weight cones. Theoretical framework, effect on pelvic floor muscle strength and female stress urinary incontinence. *Acta Obstet Gynecol Scand.* 1995 Feb; 74: 87-92
- 41427** Bo, K., Berghmans, L. C. Nonpharmacologic treatments for overactive bladder-pelvic floor exercises. *Urology.* 2000 May; 55: 7-11; discussion 14-6
- 10247** Bo, K., Borgen, J. S. Prevalence of stress and urge urinary incontinence in elite athletes and controls. *Med Sci Sports Exerc.* 2001 Nov; 33: 1797-802
- 51010** Bo, K., Finckenhagen, H. B. Is there any difference in measurement of pelvic floor muscle strength in supine and standing position?. *Acta Obstet Gynecol Scand.* 2003 Dec; 82: 1120-4
- 10257** Bo, K., Finckenhagen, H. B. Vaginal palpation of pelvic floor muscle strength: inter-test reproducibility and comparison between palpation and vaginal squeeze pressure. *Acta Obstet Gynecol Scand.* 2001 Oct; 80: 883-7
- 30453** Bo, K., Lilleas, F., Talseth, T., Hedland, H. Dynamic MRI of the pelvic floor muscles in an upright sitting position. *Neurourol Urodyn.* 2001; 20: 167-74
- 11441** Bo, K., Maanum, M. Does vaginal electrical stimulation cause pelvic floor muscle contraction? A pilot study. *Scand J Urol Nephrol Suppl.* 1996; 179: 39-45
- 59283** Bo, K., Sherburn, M. Evaluation of female pelvic-floor muscle function and strength. *Phys Ther.* 2005 Mar; 85: 269-82
- 11627** Bo, K., Stien, R., Kulseng-Hanssen, S., Kristofferson, M. Clinical and urodynamic assessment of nulliparous young women with and without stress incontinence symptoms: a case-control study. *Obstet Gynecol.* 1994 Dec; 84: 1028-32
- 11256** Bo, K., Talseth, T. Change in urethral pressure during voluntary pelvic floor muscle contraction and vaginal electrical stimulation. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 3-6; discussion 6-7
- 11414** Bo, K., Talseth, T. Long-term effect of pelvic floor muscle exercise 5 years after cessation of organized training. *Obstet Gynecol.* 1996 Feb; 87: 261-5
- 10877** Bo, K., Talseth, T., Holme, I. Single blind, randomised controlled trial of pelvic floor exercises, electrical stimulation, vaginal cones, and no treatment in management of genuine stress incontinence in women. *BMJ.* 1999 Feb 20; 318: 487-93
- 10575** Bo, K., Talseth, T., Vinsnes, A. Randomized controlled trial on the effect of pelvic floor muscle training on quality of life and sexual problems in genuine stress incontinent women. *Acta Obstet Gynecol Scand.* 2000 Jul; 79: 598-603
- 42329** Bochner, B. H., Figueroa, A. J., Skinner, E. C., Lieskovsky, G., Petrovich, Z., Boyd, S. D., Skinner, D. G. Salvage radical cystoprostatectomy and orthotopic urinary diversion following radiation failure. *J Urol.* 1998 Jul; 160: 29-33
- 10836** Boddén-Heidrich, R., Beckmann, M. W., Libera, B., Rechenberger, I., Bender, H. G. Psychosomatic aspects of urinary incontinence. *Arch Gynecol Obstet.* 1999; 262: 151-8
- 10092** Bodelsson, G., Henriksson, L., Osseir, S., Stjernquist, M. Short term complications of the tension free vaginal tape operation for stress urinary incontinence in women. *BJOG.* 2002 May; 109: 566-9
- 11213** Bodis, J., Domany, B., Torok, A., Buzogany, I., Gotz, F. Modified Gittes's needle colposuspension method complemented with the laparoscopic ventrosuspension of the uterus for the treatment of stress incontinence associated with stage III or IV pelvic organ prolapse. *Am J Obstet Gynecol.* 1997 Jun; 176: 1394-5
- 40286** Boemers, T. M. Urinary incontinence and vesicourethral dysfunction in pediatric surgical conditions. *Semin Pediatr Surg.* 2002 May; 11: 91-9
- 43177** Boemers, T. M., de Jong, T. P., van Gool, J. D., Bax, K. M. Urologic problems in anorectal malformations. Part 2: functional urologic sequelae. *J Pediatr Surg.* 1996 May; 31: 634-7

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 59234 Boemers, T. M., Schimke, C. M. Colpo-wrap: a new continence procedure. BJU Int. 2005 May; 95: 1063-4
- 43254 Boemers, T. M., Soorani-Lunsing, I. J., de Jong, T. P., Pruijs, H. E. Urological problems after surgical treatment of scoliosis in children with myelomeningocele. J Urol. 1996 Mar; 155: 1066-9
- 11752 Boemers, T. M., van Gool, J. D., de Jong, T. P. Displacement of incontinence device into the bladder. Br J Urol. 1993 Dec; 72: 985
- 40321 Bogner, H. R., Gallo, J. J., Sammel, M. D., Ford, D. E., Armenian, H. K., Eaton, W. W. Urinary incontinence and psychological distress in community-dwelling older adults. J Am Geriatr Soc. 2002 Mar; 50: 489-95
- 11160 Bogren, M. A., Hvarfwen, E., Fridlund, B. Urinary incontinence among a 65-year old Swedish population: medical history and psychosocial consequences. Vard Nord Utveckl Forsk. 1997; 17: 21-4
- 11108 Bogren, M. A., Hvarfwen, E., Fridlund, B. Urinary incontinence among a 65-year old Swedish population: medical history and psychosocial consequences. Vard Nord Utveckl Forsk. 1997 Winter; 17: 14-7
- 11819 Bohm-Velez, M., Mendelson, E. B. Transperineal ultrasound assists in GU diagnoses. Diagn Imaging (San Franc). 1993 Apr; Suppl: 48-53, 64
- 57870 Bolduc, S., Capolicchio, G., Upadhyay, J., Bagli, D. J., Khoury, A. E., McLorie, G. A. The fate of the upper urinary tract in exstrophy. J Urol. 2002 Dec; 168: 2579-82; discussion 2582
- 57130 Bolduc, S., Upadhyay, J., Payton, J., Bagli, D. J., McLorie, G. A., Khoury, A. E., Farhat, W. The use of tolterodine in children after oxybutynin failure. BJU Int. 2003 Mar; 91: 398-401
- 55880 Bollard, R. C., Gardiner, A., Duthie, G. S., Lindow, S. W. Anal sphincter injury, fecal and urinary incontinence: a 34-year follow-up after forceps delivery. Dis Colon Rectum. 2003 Aug; 46: 1083-8
- 11416 Bomalaski, M. D., Bloom, D. A., McGuire, E. J., Panzl, A. Glutaraldehyde cross-linked collagen in the treatment of urinary incontinence in children. J Urol. 1996 Feb; 155: 699-702
- 10120 Bombier, L., Freeman, R. M., Perkins, E. P., Williams, M. P., Shaw, S. R. Why do women have voiding dysfunction and de novo detrusor instability after colposuspension?. BJOG. 2002 Apr; 109: 402-12
- 59192 Bombieri, L. Is there a role for colposuspension?. BJOG. 2004 Dec; 111 Suppl 1: 46-8
- 53120 Bombieri, L., Freeman, R. M. Do bladder neck position and amount of elevation influence the outcome of colposuspension?. BJOG. 2003 Feb; 110: 197-200
- 11022 Bombieri, L., Freeman, R. M. Recurrence of stress incontinence after vault suspension: can it be prevented?. Int Urogynecol J Pelvic Floor Dysfunct. 1998; 9: 58-60
- 10121 Bombieri, L., Freeman, R. M., Perkins, E. P., Williams, M. P., Shaw, S. R. Objective assessment of bladder neck elevation and urethral compression at colposuspension. BJOG. 2002 Apr; 109: 395-401
- 59168 Bonnet, P., Waltregny, D., Reul, O., de Leval, J. Transobturator vaginal tape inside out for the surgical treatment of female stress urinary incontinence: anatomical considerations. J Urol. 2005 Apr; 173: 1223-8
- 11908 Bonney, W. Voiding dysfunction and incontinence. Iowa Med. 1992 Apr; 82: 173-5
- 42749 Bonney, W. W., Gupta, S., Hunter, D. R., Arndt, S. Bladder dysfunction in schizophrenia. Schizophr Res. 1997 Jun 20; 25: 243-9
- 44423 Boone, T. B., Roehrborn, C. G., Hurt, G. Transurethral intravesical electrotherapy for neurogenic bladder dysfunction in children with myelodysplasia: a prospective, randomized clinical trial. J Urol. 1992 Aug; 148: 550-4
- 3301 Boone, T.B., Roehrborn, C.G., and Hurt, G. Transurethral intravesical electrotherapy for neurogenic bladder dysfunction in children with myelodysplasia: a prospective, randomized clinical trial. J Urol. 1992 Aug; 148: 550-554
- 3259 Boone, T.B., Wilson, W.T., and Husmann, D.A. Postpubertal genitourinary function following posterior urethral disruptions in children. J Urol. 1992 Oct; 148: 1232-1234
- 3226 Borenstein, R., Elchalal, U., Goldchmit, R., Rosenman, D., Ben-Hur, H., and Katz, Z. The importance of the endopelvic fascia repair during vaginal hysterectomy. Surg Gynecol Obstet. 1992 Dec; 175: 551-554

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11858 Borenstein, R., Elchalal, U., Goldchmit, R., Rosenman, D., Ben-Hur, H., Katz, Z. The importance of the endopelvic fascia repair during vaginal hysterectomy. *Surg Gynecol Obstet.* 1992 Dec; 175: 551-4
- 42455 Borer, J. G., Bauer, S. B., Peters, C. A., Diamond, D. A., Decter, R. M., Shapiro, E. A single-system ectopic ureter draining an ectopic dysplastic kidney: delayed diagnosis in the young female with continuous urinary incontinence. *Br J Urol.* 1998 Mar; 81: 474-8
- 44237 Borer, J. G., Corgan, F. J., Krantz, R., Gordon, D. H., Maiman, M., Glassberg, K. I. Unilateral single vaginal ectopic ureter with ipsilateral hypoplastic pelvic kidney and bicornuate uterus. *J Urol.* 1993 May; 149: 1124-7
- 3093 Borer, J.G., Corgan, F.J., Krantz, R., Gordon, D.H., Maiman, M., and Glassberg, K.I. Unilateral single vaginal ectopic ureter with ipsilateral hypoplastic pelvic kidney and bicornuate uterus. *J Urol.* 1993 May; 149: 1124-1127
- 40201 Borrie, M. J., Bawden, M., Speechley, M., Klooseck, M. Interventions led by nurse continence advisers in the management of urinary incontinence: a randomized controlled trial. *CMAJ.* 2002 May 14; 166: 1267-73
- 40385 Borrie, M. J., Valiquette, L. Managing adults with urinary incontinence. Clinical practice guidelines. *Can Fam Physician.* 2002 Jan; 48: 114-6
- 3298 Borrie, M.J., Davidson, H.A. Incontinence in institutions: costs and contributing factors. *Can Med Assoc J.* 1992 Aug 1; 147: 322-328
- 3510 Borstad, E., Skrede, M., and Rud, T. Failure to predict and attempts to explain urinary stress incontinence following vaginal repair in continent women by using a modified lateral urethrocystography. *Acta Obstet Gynecol Scand.* 1991; 70: 501-506
- 12014 Borstad, E., Skrede, M., Rud, T. Failure to predict and attempts to explain urinary stress incontinence following vaginal repair in continent women by using a modified lateral urethrocystography. *Acta Obstet Gynecol Scand.* 1991; 70: 501-6
- 11758 Bortel, D. T. Candida osteomyelitis pubis following a Marshall-Marchetti procedure. *Orthopedics.* 1993 Dec; 16: 1353-5
- 10685 Bortolotti, A., Bernardini, B., Colli, E., Di Benedetto, P., Giocoli Nacci, G., Landoni, M., Lavezzari, M., Pagliarulo, A., Salvatore, S., von Heland, M., Parazzini, F., Artibani, W. Prevalence and risk factors for urinary incontinence in Italy. *Eur Urol.* 2000 Jan; 37: 30-5
- 10113 Borup, K., Nielsen, J. B. Results in 32 women operated for genuine stress incontinence with the pubovaginal sling procedure ad modum Ed McGuire. *Scand J Urol Nephrol.* 2002; 36: 128-33
- 44359 Borzi, P. A., Bruce, J., Gough, D. C. Continent cutaneous diversions in children: experience with the Mitrofanoff procedure. *Br J Urol.* 1992 Dec; 70: 669-73
- 3005 Borzi, P., Gough, D.C. Pedicled gastric tube as a catheterising conduit. *Eur Urol.* 1993; 24: 103-105
- 3176 Borzi, P.A., Bruce, J., and Gough, D.C. Continent cutaneous diversions in children: experience with the Mitrofanoff procedure. *Br J Urol.* 1992 Dec; 70: 669-673
- 41336 Bosch, J. L. The contemporary role of the artificial urinary sphincter. *Curr Opin Urol.* 2000 May; 10: 219-23
- 42317 Bosch, J. L., Groen, J. Neuromodulation: urodynamic effects of sacral (S3) spinal nerve stimulation in patients with detrusor instability or detrusor hyperflexia. *Behav Brain Res.* 1998 May; 92: 141-50
- 43526 Bosch, J. L., Groen, J. Sacral (S3) segmental nerve stimulation as a treatment for urge incontinence in patients with detrusor instability: results of chronic electrical stimulation using an implantable neural prosthesis. *J Urol.* 1995 Aug; 154: 504-7
- 41461 Bosch, J. L., Groen, J. Sacral nerve neuromodulation in the treatment of patients with refractory motor urge incontinence: long-term results of a prospective longitudinal study. *J Urol.* 2000 Apr; 163: 1219-22
- 41302 Bosch, J. L., Klijn, A. J., Schroder, F. H., Hop, W. C. The artificial urinary sphincter in 86 patients with intrinsic sphincter deficiency: satisfactory actuarial adequate function rates. *Eur Urol.* 2000 Aug; 38: 156-60
- 44663 Bosco, P. J., Bauer, S. B., Colodny, A. H., Mandell, J., Retik, A. B. The long-term results of artificial sphincters in children. *J Urol.* 1991 Aug; 146: 396-9



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 3655** Bosco, P.J., Bauer, S.B., Colodny, A.H., Mandell, J., and Retik, A.B. The long-term results of artificial sphincters in children. *J Urol*. 1991 Aug; 146: 396-399
- 11843** Bosman, G., Vierhout, M. E., Huikeshoven, F. J. A modified Raz bladder neck suspension operation. Results of a one to three years follow-up investigation. *Acta Obstet Gynecol Scand*. 1993 Jan; 72: 47-9
- 3145** Bosman, G., Vierhout, M.E., and Huikeshoven, F.J. A modified Raz bladder neck suspension operation. Results of a one to three years follow-up investigation. *Acta Obstet Gynecol Scand*. 1993 Jan; 72: 47-49
- 53770** Boubllil, V., Ciofu, C., Traxer, O., Sebe, P., Haab, F. Complications of urethral sling procedures. *Curr Opin Obstet Gynecol*. 2002 Oct; 14: 515-20
- 11650** Boulet, M. J., Oddens, B. J., Lehert, P., Vemer, H. M., Visser, A. Climacteric and menopause in seven South-east Asian countries. *Maturitas*. 1994 Oct; 19: 157-76
- 43434** Boulter, P. Increasing independence. *Nurs Stand*. 1995 Oct 18-24; 10: 18-20
- 43871** Bourcier, A. P. Physical therapy for female pelvic floor disorders. *Curr Opin Obstet Gynecol*. 1994 Aug; 6: 331-5
- 11539** Bourcier, A. P., Juras, J. C. Nonsurgical therapy for stress incontinence. *Urol Clin North Am*. 1995 Aug; 22: 613-27
- 10144** Boustead, G. B. The tension-free vaginal tape for treating female stress urinary incontinence. *BJU Int*. 2002 May; 89: 687-93
- 40529** Bower, W. F., Moore, K. H., Adams, R. D. A pilot study of the home application of transcutaneous neuromodulation in children with urgency or urge incontinence. *J Urol*. 2001 Dec; 166: 2420-2
- 42118** Bower, W. F., Moore, K. H., Adams, R. D., Shepherd, R. A urodynamic study of surface neuromodulation versus sham in detrusor instability and sensory urgency. *J Urol*. 1998 Dec; 160: 2133-6
- 42651** Bower, W. F., Moore, K. H., Adams, R. D., Shepherd, R. B. Frequency-volume chart data from incontinent children. *Br J Urol*. 1997 Oct; 80: 658-62
- 3652** Boyd, G. Terodiline for treating detrusor instability in elderly people [letter; comment]. *Bmj*. 1991 Jul 13; 303: 124
- 3547** Boyd, S.D., Lieskovsky, G., and Skinner, D.G. Kock pouch bladder replacement. *Urol Clin North Am*. 1991 Nov; 18: 641-648
- 10543** Boyington, A. R., Dougherty, M. C. Pelvic muscle exercise effect on pelvic muscle performance in women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 212-8
- 51190** Boyington, A. R., Dougherty, M. C., Liao, Y. M. Analysis of interactive continence health information on the Web. *J Wound Ostomy Continence Nurs*. 2003 Sep; 30: 280-6
- 41579** Boyington, A. R., Tomlinson, B. U., Dougherty, M. C. Using a relational database to support nursing research. *Comput Nurs*. 1999 Nov-Dec; 17: 269-74; quiz 275-7
- 50360** Boyles, S. H., Weber, A. M., Meyn, L. Ambulatory procedures for urinary incontinence in the United States, 1994-1996. *Am J Obstet Gynecol*. 2004 Jan; 190: 33-6
- 57450** Boyles, S. H., Weber, A. M., Meyn, L. Procedures for pelvic organ prolapse in the United States, 1979-1997. *Am J Obstet Gynecol*. 2003 Jan; 188: 108-15
- 56060** Boyles, S. H., Weber, A. M., Meyn, L. Procedures for urinary incontinence in the United States, 1979-1997. *Am J Obstet Gynecol*. 2003 Jul; 189: 70-5
- 3119** Bozier, K. Continence. Part of the problem. *Nurs Times*. 1992 Mar 25-31; 88: 84-86
- 42554** Bozorgi, F., Connolly, L. P., Bauer, S. B., Neish, A. S., Tan, P. E., Schofield, D., Treves, S. T. Hypoplastic dysplastic kidney with a vaginal ectopic ureter identified by technetium-99m-DMSA scintigraphy. *J Nucl Med*. 1998 Jan; 39: 113-5
- 44006** Brading, A. F., Turner, W. H. The unstable bladder: towards a common mechanism. *Br J Urol*. 1994 Jan; 73: 3-8
- 50420** Bradley, C. S., Rovner, E. S. Uroynamically defined stress urinary incontinence and bladder outlet obstruction coexist in women. *J Urol*. 2004 Feb; 171: 757-60; discussion 760-1

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 59184** Bradley, C. S., Rovner, E. S., Morgan, M. A., Berlin, M., Novi, J. M., Shea, J. A., Arya, L. A. A new questionnaire for urinary incontinence diagnosis in women: development and testing. *Am J Obstet Gynecol.* 2005 Jan; 192: 66-73
- 43461** Bradley, M., Ferris, W., Barr, O. Continence promotion in adults with learning disabilities. *Nurs Times.* 1995 Sep 27-Oct 3; 91: 38-9
- 59161** Bradshaw, H. D., Radley, S. C., Rosario, D. J., Chapple, C. R. Towards a better understanding of involuntary detrusor activity. *BJU Int.* 2005 Apr; 95: 799-803
- 51870** Bradway, C. Urinary incontinence among older women. Measurement of the effect on health-related quality of life. *J Gerontol Nurs.* 2003 Jul; 29: 13-9
- 10381** Brady, C. M., Ahmed, I., Drumm, J., Flood, H. D. A prospective evaluation of the efficiency of early postoperative bladder emptying after the Stamey procedure or pubovaginal sling for stress urinary incontinence. *J Urol.* 2001 May; 165: 1601-4
- 43745** Branch, L. G., Walker, L. A., Wetle, T. T., DuBeau, C. E., Resnick, N. M. Urinary incontinence knowledge among community-dwelling people 65 years of age and older. *J Am Geriatr Soc.* 1994 Dec; 42: 1257-62
- 42878** Brandeis, G. H., Baumann, M. M., Hossain, M., Morris, J. N., Resnick, N. M. The prevalence of potentially remediable urinary incontinence in frail older people: a study using the Minimum Data Set. *J Am Geriatr Soc.* 1997 Feb; 45: 179-84
- 43953** Brandeis, G. H., Ooi, W. L., Hossain, M., Morris, J. N., Lipsitz, L. A. A longitudinal study of risk factors associated with the formation of pressure ulcers in nursing homes. *J Am Geriatr Soc.* 1994 Apr; 42: 388-93
- 44349** Brandell, R. A., Brock, J. W., 3rd Common problems in pediatric urology. *Compr Ther.* 1993; 19: 11-6
- 3026** Brandell, R.A., Brock, J.W., 3d. Common problems in pediatric urology. *Compr Ther.* 1993; 19: 11-16
- 41452** Brandt, F. T., Albuquerque, C. D., Lorenzato, F. R., Amaral, F. J. Perineal assessment of urethrovesical junction mobility in young continent females. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 18-22
- 44080** Braslis, K. G., Stephens, D. A. Uretero-fallopian fistula: an unusual complication of open ureterolithotomy. *J Urol.* 1993 Dec; 150: 1900-2
- 10973** Bratt, H., Salvesen, K. A., Eriksen, B. C., Kulseng-Hanssen, S. Long-term effects ten years after maximal electrostimulation of the pelvic floor in women with unstable detrusor and urge incontinence. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 22-4
- 41681** Braun, P. M., Boschert, J., Bross, S., Scheepe, J. R., Alken, P., Juenemann, P. Tailored laminectomy: a new technique for neuromodulator implantation. *J Urol.* 1999 Nov; 162: 1607-9
- 40086** Braverman, A. S., Tallarida, R. J., Ruggieri, M. R., Sr Interaction between muscarinic receptor subtype signal transduction pathways mediating bladder contraction. *Am J Physiol Regul Integr Comp Physiol.* 2002 Sep; 283: R663-8
- 42629** Braverman, D. L., Lachmann, E. A., Tunkel, R., Nagler, W. Multiple sclerosis presenting as a spinal cord tumor. *Arch Phys Med Rehabil.* 1997 Nov; 78: 1274-6
- 3846** Braverman, R.M., Lebowitz, R.L. Occult ectopic ureter in girls with urinary incontinence: diagnosis by using CT. *AJR Am J Roentgenol.* 1991 Feb; 156: 365-366
- 40429** Brazzelli, M., Shirran, E., Vale, L. Absorbent products for containing urinary and/or fecal incontinence in adults. *J Wound Ostomy Continence Nurs.* 2002 Jan; 29: 45-54
- 11366** Breda, G., Silvestre, P., Gherardi, L., Xausa, D., Tamai, A., Giunta, A. Correction of stress urinary incontinence: laparoscopy combined with vaginal suturing. *J Endourol.* 1996 Jun; 10: 251-3
- 11138** Breen, J. M., Geer, B. E., May, G. E. The fascia lata suburethral sling for treating recurrent urinary stress incontinence. *Am J Obstet Gynecol.* 1997 Dec; 177: 1363-5; discussion 1365-6
- 3860** Breitenbucher, R.B. Minimizing urinary incontinence in the nursing home. *Geriatrics.* 1990 Dec; 45: 32-40

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 55300** Bremer, R. E., Barber, M. D., Coates, K. W., Dolber, P. C., Thor, K. B. Innervation of the levator ani and coccygeus muscles of the female rat. *Anat Rec.* 2003 Nov; 275A: 1031-41
- 3389** Brendler, C., Schlegel, P., Dowd, J., Kirby, R., and Zattoni, F. Surgical treatment for benign prostatic hyperplasia. *Cancer.* 1992 Jul 1; 70: 371-373
- 3330** Brendler, C.B., Walsh, P.C. The role of radical prostatectomy in the treatment of prostate cancer. *CA Cancer J Clin.* 1992 Jul-Aug; 42: 212-222
- 40179** Brennan, M. L., Evans, A. Why catheterize?: audit findings on the use of urinary catheters. *Br J Nurs.* 2001 May 10-23; 10: 580-90
- 11393** Brenner, B. Colposuspension: a comparison of Stamey and laparoscopic Burch procedures. *N Z Med J.* 1996 Mar 8; 109: 84
- 10377** Brenner, B. Comparing the laparoscopic Burch colposuspension and the suburethral sling. *N Z Med J.* 2001 Mar 23; 114: 146
- 11142** Brenner, B. Expert system technology: a new aid for the gynaecologist in managing stress urinary incontinence. *N Z Med J.* 1997 Nov 14; 110: 425
- 11599** Brenner, B. Is the Stamey colposuspension feasible as a day stay procedure?. *N Z Med J.* 1995 Feb 8; 108: 43
- 42977** Brenner, H. Measures of differential diagnostic value of diagnostic procedures. *J Clin Epidemiol.* 1996 Dec; 49: 1435-39
- 44039** Breza, J., Alemayehu, H. M., Hornak, M., Zvara, V. Advantages of converting incontinent to continent urinary diversion. *Int Urol Nephrol.* 1994; 26: 447-53
- 43702** Breza, J., Hornak, M., Bardos, A., Zvara, P. Transformation of the Bricker to a continent urinary reservoir to eliminate severe complications of uretero-ileostomy performed in eight patients among 200 Bricker. *Ann Urol (Paris).* 1995; 29: 227-31
- 11123** Brieger, G. M., Mongelli, M., Hin, L. Y., Chung, T. K. The epidemiology of urinary dysfunction in Chinese women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 191-5
- 11408** Brieger, G. M., Yip, S. K., Fung, Y. M., Chung, T. Genital prolapse: a legacy of the West?. *Aust N Z J Obstet Gynaecol.* 1996 Feb; 36: 52-4
- 11298** Brieger, G. M., Yip, S. K., Hin, L. Y., Chung, T. K. The prevalence of urinary dysfunction in Hong Kong Chinese women. *Obstet Gynecol.* 1996 Dec; 88: 1041-4
- 11606** Brieger, G., Ditton, J., Korda, A. Insertion of a permanent electrode for intractable detrusor instability. *Aust N Z J Obstet Gynaecol.* 1995 Feb; 35: 107-8
- 11918** Brieger, G., Korda, A. The effect of obesity on the outcome of successful surgery for genuine stress incontinence. *Aust N Z J Obstet Gynaecol.* 1992 Feb; 32: 71-2
- 44534** Briggs, M., Williams, E. S. Urinary incontinence. *BMJ.* 1992 Jan 25; 304: 255
- 3477** Briggs, M., Williams, E.S. Urinary incontinence [letter; comment]. *Bmj.* 1992 Jan 25; 304: 255
- 11427** Briggs, T. P., Shah, P. J., Rickards, D. Newer surgical techniques in urology. *Chir Ital.* 1996; 48: 5-6
- 3904** Brindley, G.S. Treatment of urinary and faecal incontinence by surgically implanted devices. *Ciba Found Symp.* 1990; 151: 267-74;discussion274-82
- 3852** Brindley, G.S., Rushton, D.N. Long-term follow-up of patients with sacral anterior root stimulator implants. *Paraplegia.* 1990 Oct; 28: 469-475
- 43769** Brink, C. A., Wells, T. J., Sampsel, C. M., Taillie, E. R., Mayer, R. A digital test for pelvic muscle strength in women with urinary incontinence. *Nurs Res.* 1994 Nov-Dec; 43: 352-6
- 4136** Brink, C.A. Absorbent pads, garments, and management strategies. *J Am Geriatr Soc.* 1990 Mar; 38: 368-373
- 10585** Brink, D. M. Bowel injury following insertion of tension-free vaginal tape. *S Afr Med J.* 2000 May; 90: 450, 452

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 10715 Brink, D. M., de Jong, P. R. New thoughts in the understanding of female urinary incontinence. *S Afr Med J*. 1999 Oct; 89: 1059-60
- 10594 Bristow, S. E., Hasan, S. T., Neal, D. E. TENS: a treatment option for bladder dysfunction. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 185-90
- 41288 Bristow, S. E., Hilton, P. Assessment and investigations for urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol*. 2000 Apr; 14: 227-49
- 3169 Brito, C.G., Mulcahy, J.J., Mitchell, M.E., and Adams, M.C. Use of a double cuff AMS800 urinary sphincter for severe stress incontinence. *J Urol*. 1993 Feb; 149: 283-285
- 3636 Britton, B. Continence. Marketing forces. *Nurs Times*. 1991 Aug 7-13; 87: 68,70
- 44261 Brocklehurst, J. C. Urinary incontinence in the community--analysis of a MORI poll. *BMJ*. 1993 Mar 27; 306: 832-4
- 4133 Brocklehurst, J.C. Professional and public education about incontinence. The British experience. *J Am Geriatr Soc*. 1990 Mar; 38: 384-386
- 3896 Brocklehurst, J.C. Urinary incontinence in old age: helping the general practitioner to make a diagnosis. *Gerontology*. 1990; 36 Suppl 2: 3-7
- 3083 Brocklehurst, J.C. Urinary incontinence in the community--analysis of a MORI poll [see comments]. *Bmj*. 1993 Mar 27; 306: 832-834
- 11874 Brodak, P. P., Juma, S., Raz, S. Levator hernia. *J Urol*. 1992 Sep; 148: 872-3
- 43773 Brodak, P. P., Scherz, H. C., Packer, M. G., Kaplan, G. W. Is urinary tract screening necessary for patients with cerebral palsy?. *J Urol*. 1994 Nov; 152: 1586-7
- 3278 Brodak, P.P., Juma, S., and Raz, S. Levator hernia. *J Urol*. 1992 Sep; 148: 872-873
- 40701 Brolmann, H. A., Vervest, H. A., Heineman, M. J. Declining trend in major gynaecological surgery in The Netherlands during 1991-1998. Is there an impact on surgical skills and innovative ability?. *BJOG*. 2001 Jul; 108: 743-8
- 41429 Brook, I., Frazier, E. H. Aerobic and anaerobic microbiology of wound infection following spinal fusion in children. *Pediatr Neurosurg*. 2000 Jan; 32: 20-3
- 59062 Brookes, S. T., Donovan, J. L., Wright, M., Jackson, S., Abrams, P. A scored form of the Bristol Female Lower Urinary Tract Symptoms questionnaire: data from a randomized controlled trial of surgery for women with stress incontinence. *Am J Obstet Gynecol*. 2004 Jul; 191: 73-82
- 43480 Brooks, M. J. Assessment and nursing management of homebound clients with urinary incontinence. *Home Healthc Nurse*. 1995 Sep-Oct; 13: 11-6; quiz 17-9
- 3002 Brooks, M.J. Urinary incontinence: assessment, treatment, and reimbursement. *Home Healthc Nurse*. 1993 Jul-Aug; 11: 41-46
- 41309 Broome, B. A. Development and testing of a scale to measure self-efficacy for pelvic muscle exercises in women with urinary incontinence. *Urol Nurs*. 1999 Dec; 19: 258-68
- 40260 Broome, B. A. Psychometric analysis of the Broome Pelvic Muscle Self-Efficacy Scale in African-American women with incontinence. *Urol Nurs*. 2001 Aug; 21: 289-97
- 10082 Brophy, M. M., Klutke, J. J., Klutke, C. G. A review of the tension-free vaginal tape procedure: outcomes, complications, and theories. *Curr Urol Rep*. 2001 Oct; 2: 364-9
- 44323 Broseta, E., Osca, J. M., Morera, J., Martinez-Agullo, E., Jimenez-Cruz, J. F. Urological manifestations of herpes zoster. *Eur Urol*. 1993; 24: 244-7
- 2996 Broseta, E., Osca, J.M., Morera, J., Martinez-Agullo, E., and Jimenez-Cruz, J.F. Urological manifestations of herpes zoster. *Eur Urol*. 1993; 24: 244-247

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10979** Brown, C. Pelvic floor rehabilitation: conservative treatment for incontinence. *Ostomy Wound Manage.* 1998 Jun; 44: 72-6
- 11668** Brown, J. B., Copas, P. R., McDonald, T. W. Urodynamic studies before and after radical hysterectomy. *J Tenn Med Assoc.* 1994 Aug; 87: 332-4
- 40202** Brown, J. S. Epidemiology and changing demographics of overactive bladder: a focus on the postmenopausal woman. *Geriatrics.* 2002 May; 57 Suppl 1: 6-12
- 10813** Brown, J. S., Grady, D., Ouslander, J. G., Herzog, A. R., Varner, R. E., Posner, S. F. Prevalence of urinary incontinence and associated risk factors in postmenopausal women. Heart & Estrogen/Progestin Replacement Study (HERS) Research Group. *Obstet Gynecol.* 1999 Jul; 94: 66-70
- 40963** Brown, J. S., McGhan, W. F., Chokroverty, S. Comorbidities associated with overactive bladder. *Am J Manag Care.* 2000 Jul; 6: S574-9
- 56930** Brown, J. S., McNaughton, K. S., Wyman, J. F., Burgio, K. L., Harkaway, R., Bergner, D., Altman, D. S., Kaufman, J., Kaufman, K., Gorman, C. J. Measurement characteristics of a voiding diary for use by men and women with overactive bladder. *Urology.* 2003 Apr; 61: 802-9
- 56230** Brown, J. S., Nyberg, L. M., Kusek, J. W., Burgio, K. L., Diokno, A. C., Foldspang, A., Fultz, N. H., Herzog, A. R., Hunskaar, S., Milsom, I., Nygaard, I., Subak, L. L., Thom, D. H. Proceedings of the National Institute of Diabetes and Digestive and Kidney Diseases International Symposium on Epidemiologic Issues in Urinary Incontinence in Women. *Am J Obstet Gynecol.* 2003 Jun; 188: S77-88
- 41764** Brown, J. S., Posner, S. F., Stewart, A. L. Urge incontinence: new health-related quality of life measures. *J Am Geriatr Soc.* 1999 Aug; 47: 980-8
- 41249** Brown, J. S., Sawaya, G., Thom, D. H., Grady, D. Hysterectomy and urinary incontinence: a systematic review. *Lancet.* 2000 Aug 12; 356: 535-9
- 43189** Brown, J. S., Seeley, D. G., Fong, J., Black, D. M., Ensrud, K. E., Grady, D. Urinary incontinence in older women: who is at risk? Study of Osteoporotic Fractures Research Group. *Obstet Gynecol.* 1996 May; 87: 715-21
- 42011** Brown, J. S., Subak, L. L., Gras, J., Brown, B. A., Kuppermann, M., Posner, S. F. Urge incontinence: the patient's perspective. *J Womens Health.* 1998 Dec; 7: 1263-9
- 40472** Brown, J. S., Vittinghoff, E., Kanaya, A. M., Agarwal, S. K., Hulley, S., Foxman, B. Urinary tract infections in postmenopausal women: effect of hormone therapy and risk factors. *Obstet Gynecol.* 2001 Dec; 98: 1045-52
- 10596** Brown, J. S., Vittinghoff, E., Wyman, J. F., Stone, K. L., Nevitt, M. C., Ensrud, K. E., Grady, D. Urinary incontinence: does it increase risk for falls and fractures? Study of Osteoporotic Fractures Research Group. *J Am Geriatr Soc.* 2000 Jul; 48: 721-5
- 40289** Brown, J. S., Waetjen, L. E., Subak, L. L., Thom, D. H., Van den Eeden, S., Vittinghoff, E. Pelvic organ prolapse surgery in the United States, 1997. *Am J Obstet Gynecol.* 2002 Apr; 186: 712-6
- 3762** Brown, J., Thomas, E., McCallum, A., and White, H. Campaigning for continence. *Nurs Times.* 1991 Apr 3-9; 87: 66,68
- 44724** Brown, J., Thomas, E., McCallum, A., White, H. Campaigning for continence. *Nurs Times.* 1991 Apr 3-9; 87: 66, 68
- 3653** Brown, J., Thomas, E., White, H., and McCallum, A. An incontinence helpline service. *Nurs Stand.* 1991 Jun 12-18; 5: 25-27
- 44683** Brown, J., Thomas, E., White, H., McCallum, A. An incontinence helpline service. *Nurs Stand.* 1991 Jun 12-18; 5: 25-7
- 4092** Brown, J.P. A practical approach to teaching self-catheterization to children with myelomeningocele. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 54-56
- 42365** Brown, K., Hilton, P. Ambulatory monitoring. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 369-76
- 10721** Brown, K., Hilton, P. The incidence of detrusor instability before and after colposuspension: a study using conventional and ambulatory urodynamic monitoring. *BJU Int.* 1999 Dec; 84: 961-5



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10534 Brown, S. L., Govier, F. E. Cadaveric versus autologous fascia lata for the pubovaginal sling: surgical outcome and patient satisfaction. J Urol. 2000 Nov; 164: 1633-7
- 42474 Brown, S., Lumley, J. Maternal health after childbirth: results of an Australian population based survey. Br J Obstet Gynaecol. 1998 Feb; 105: 156-61
- 41157 Brown, S., Lumley, J. Physical health problems after childbirth and maternal depression at six to seven months postpartum. BJOG. 2000 Oct; 107: 1194-201
- 40347 Brown, W. J., Miller, Y. D. Too wet to exercise? Leaking urine as a barrier to physical activity in women. J Sci Med Sport. 2001 Dec; 4: 373-8
- 10855 Browne, D. S. Re: The sign of stress incontinence--should we believe what we see?. Aust N Z J Obstet Gynaecol. 1999 Feb; 39: 139-40
- 12034 Browne, D. S., Frazer, M. I. Abdominoperineal urethral suspension: a report of 20 cases. Aust N Z J Obstet Gynaecol. 1990 Nov; 30: 366-9
- 54310 Browning, A. Prevention of residual urinary incontinence following successful repair of obstetric vesico-vaginal fistula using a fibro-muscular sling. BJOG. 2004 Apr; 111: 357-61
- 42373 Brownlee, R. D., Clark, A. W., Sevick, R. J., Myles, S. T. Symptomatic hamartoma of the spinal cord associated with neurofibromatosis type 1. Case report. J Neurosurg. 1998 Jun; 88: 1099-103
- 41426 Brubaker, L. Electrical stimulation in overactive bladder. Urology. 2000 May; 55: 17-23; discussion 31-2
- 40216 Brubaker, L. Postpartum urinary incontinence. BMJ. 2002 May 25; 324: 1227-8
- 11488 Brubaker, L. Sacrocolpopexy and the anterior compartment: support and function. Am J Obstet Gynecol. 1995 Dec; 173: 1690-5; discussion 1695-6
- 11515 Brubaker, L. Suburethral sling release. Obstet Gynecol. 1995 Oct; 86: 686-8
- 50220 Brubaker, L. Surgical treatment of urinary incontinence in women. Gastroenterology. 2004 Jan; 126: S71-6
- 10904 Brubaker, L. Vaginal delivery and the pelvic floor. Int Urogynecol J Pelvic Floor Dysfunct. 1998; 9: 363-4
- 11184 Brubaker, L., Benson, J. T., Bent, A., Clark, A., Shott, S. Transvaginal electrical stimulation for female urinary incontinence. Am J Obstet Gynecol. 1997 Sep; 177: 536-40
- 51470 Brubaker, L., Cundiff, G., Fine, P., Nygaard, I., Richter, H., Visco, A., Zyczynski, H., Brown, M. B., Weber, A. A randomized trial of colpopexy and urinary reduction efforts (CARE): design and methods. Control Clin Trials. 2003 Oct; 24: 629-42
- 44161 Brubaker, L., Kotarinos, R. Kegel or cut? Variations on his theme. J Reprod Med. 1993 Sep; 38: 672-8
- 44095 Brubaker, L., Retzky, S., Smith, C., Saclarides, T. Pelvic floor evaluation with dynamic fluoroscopy. Obstet Gynecol. 1993 Nov; 82: 863-8
- 4031 Brubaker, L., Sand, P.K. Cystometry, urethrocystometry, and videocystourethrography. Clin Obstet Gynecol. 1990 Jun; 33: 315-324
- 10760 Bruce, R. G., El-Galley, R. E., Galloway, N. T. Paravaginal defect repair in the treatment of female stress urinary incontinence and cystocele. Urology. 1999 Oct; 54: 647-51
- 42168 Bruce, R. G., McRoberts, J. W. Cecoappendicovesicostomy: conduit-lengthening technique for use in continent urinary reconstruction. Urology. 1998 Oct; 52: 702-4
- 10272 Brune, M. E., O'Neill, A. B., Gauvin, D. M., Katwala, S. P., Altenbach, R. J., Brioni, J. D., Hancock, A. A., Sullivan, J. P. Comparison of alpha 1-adrenoceptor agonists in canine urethral pressure profilometry and abdominal leak point pressure models. J Urol. 2001 Oct; 166: 1555-9
- 40274 Bryant, C. M., Dowell, C. J., Fairbrother, G. Caffeine reduction education to improve urinary symptoms. Br J Nurs. 2002 Apr 25-May 8; 11: 560-5
- 4102 Bryant, J.E., Bueschen, A.J., Cohn, J.H., and Nading, A.M. Transurethral prostatectomy: analysis and comparison of four clinical series. South Med J. 1990 Apr; 83: 386-389

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42343** Brylewski, J. E., Wiggs, L. A questionnaire survey of sleep and night-time behaviour in a community- based sample of adults with intellectual disability. *J Intellect Disabil Res.* 1998 Apr; 42 ( Pt 2): 154-62
- 41479** Buccimazza, S., Molteno, C., Dunne, T. Pre-school follow-up of a cohort of children with myelomeningocele in Cape Town, South Africa. *Ann Trop Paediatr.* 1999 Sep; 19: 245-52
- 57780** Buchanan, R. J., Choi, M., Wang, S., Huang, C. Analyses of nursing home residents in hospice care using the minimum data set. *Palliat Med.* 2002 Nov; 16: 465-80
- 40696** Buchanan, R. J., Wang, S., Huang, C., Graber, D. Profiles of nursing home residents with multiple sclerosis using the minimum data set. *Mult Scler.* 2001 Jun; 7: 189-200
- 57730** Buchanan, R. J., Wang, S., Ju, H. Analyses of the minimum data set: comparisons of nursing home residents with multiple sclerosis to other nursing home residents. *Mult Scler.* 2002 Dec; 8: 512-22
- 10048** Buchsbaum, G. M., Chin, M., Glantz, C., Guzick, D. Prevalence of urinary incontinence and associated risk factors in a cohort of nuns. *Obstet Gynecol.* 2002 Aug; 100: 226-9
- 42479** Buffa, P., Di Rovasenda, E., Scarsi, P. L., Granata, C., Podesta, E., Ciardi, M. R., Cama, A. Vesico sphincteric function in spinal lipomas. Review of 80 cases. *Eur J Pediatr Surg.* 1997 Dec; 7 Suppl 1: 59-60
- 57290** Buffa, P., Torre, M., Scarsi, P. L., De Gennaro, M., Battaglini, F., Beseghi, U., Di Lorenzo, F., Cama, A. Caudal regression syndrome: an online multicentre survey. Urological long-term results. *Eur J Pediatr Surg.* 2002 Dec; 12 Suppl 1: S26-8
- 40523** Bug, G. J., Kiff, E. S., Hosker, G. A new condition-specific health-related quality of life questionnaire for the assessment of women with anal incontinence. *BJOG.* 2001 Oct; 108: 1057-67
- 55510** Bugg, C. E., Jr, Joseph, D. B. Bladder neck cinch for pediatric neurogenic outlet deficiency. *J Urol.* 2003 Oct; 170: 1501-3; discussion 1503-4
- 41638** Bugg, G., Hosker, G., Kiff, E. Prevalence of faecal incontinence among women with urinary incontinence. *Br J Obstet Gynaecol.* 1999 Nov; 106: 1233-4
- 44623** Bull, E., Chilton, C. P., Gould, C. A., Sutton, T. M. Single-blind, randomised, parallel group study of the Bard Biocath catheter and a silicone elastomer coated catheter. *Br J Urol.* 1991 Oct; 68: 394-9
- 3567** Bull, E., Chilton, C.P., Gould, C.A., and Sutton, T.M. Single-blind, randomised, parallel group study of the Bard Biocath catheter and a silicone elastomer coated catheter. *Br J Urol.* 1991 Oct; 68: 394-399
- 10571** Buller, J. L., Cundiff, G. W. Laparoscopic surgeries for urinary incontinence. *Clin Obstet Gynecol.* 2000 Sep; 43: 604-18
- 40547** Bulmer, P. J., James, M., Ellis-Jones, J., Smith, D., Timoney, A. G., Donovan, J. A randomized trial comparing the effectiveness and preference of a touch-screen computer system with a leaflet for providing women with information on urinary symptoms suggestive of detrusor instability. *BJU Int.* 2001 Oct; 88: 532-5
- 40015** Bump, R. C. Advising prospective mothers about the maternal morbidity of vaginal childbirth. *Am J Obstet Gynecol.* 2002 Oct; 187: 823
- 11824** Bump, R. C. Racial comparisons and contrasts in urinary incontinence and pelvic organ prolapse. *Obstet Gynecol.* 1993 Mar; 81: 421-5
- 41431** Bump, R. C. The urethrodetrusor facilitative reflex in women: results of urethral perfusion studies. *Am J Obstet Gynecol.* 2000 Apr; 182: 794-802; discussion 802-4
- 11194** Bump, R. C., Coates, K. W., Cundiff, G. W., Harris, R. L., Weidner, A. C. Diagnosing intrinsic sphincteric deficiency: comparing urethral closure pressure, urethral axis, and Valsalva leak point pressures. *Am J Obstet Gynecol.* 1997 Aug; 177: 303-10
- 11534** Bump, R. C., Elser, D. M., Theofrastous, J. P., McClish, D. K. Valsalva leak point pressures in women with genuine stress incontinence: reproducibility, effect of catheter caliber, and correlations with other measures of urethral resistance. Continence Program for Women Research Group. *Am J Obstet Gynecol.* 1995 Aug; 173: 551-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10925** Bump, R. C., Hurt, W. G., Addison, W. A., Fantl, J. A., McClish, D. K. Reliability and correlation of measurements during and after bladder neck surgery. The Continence Program for Women Research Group. *Br J Urol.* 1998 Nov; 82: 628-33
- 10743** Bump, R. C., Hurt, W. G., Elser, D. M., Theofrastous, J. P., Addison, W. A., Fantl, J. A., McClish, D. K. Understanding lower urinary tract function in women soon after bladder neck surgery. Continence Program for Women Research Group. *Neurourol Urodyn.* 1999; 18: 629-37
- 44658** Bump, R. C., Hurt, W. G., Fantl, J. A., Wyman, J. F. Assessment of Kegel pelvic muscle exercise performance after brief verbal instruction. *Am J Obstet Gynecol.* 1991 Aug; 165: 322-7; discussion 327-9
- 11341** Bump, R. C., Hurt, W. G., Theofrastous, J. P., Addison, W. A., Fantl, J. A., Wyman, J. F., McClish, D. K. Randomized prospective comparison of needle colposuspension versus endopelvic fascia plication for potential stress incontinence prophylaxis in women undergoing vaginal reconstruction for stage III or IV pelvic organ prolapse. The Continence Program for W. *Am J Obstet Gynecol.* 1996 Aug; 175: 326-33; discussion 333-5
- 11863** Bump, R. C., McClish, D. K. Cigarette smoking and urinary incontinence in women. *Am J Obstet Gynecol.* 1992 Nov; 167: 1213-8
- 11714** Bump, R. C., McClish, D. M. Cigarette smoking and pure genuine stress incontinence of urine: a comparison of risk factors and determinants between smokers and nonsmokers. *Am J Obstet Gynecol.* 1994 Feb; 170: 579-82
- 42020** Bump, R. C., Norton, P. A. Epidemiology and natural history of pelvic floor dysfunction. *Obstet Gynecol Clin North Am.* 1998 Dec; 25: 723-46
- 52080** Bump, R. C., Norton, P. A., Zinner, N. R., Yalcin, I. Mixed urinary incontinence symptoms: urodynamic findings, incontinence severity, and treatment response. *Obstet Gynecol.* 2003 Jul; 102: 76-83
- 11881** Bump, R. C., Sugerman, H. J., Fantl, J. A., McClish, D. K. Obesity and lower urinary tract function in women: effect of surgically induced weight loss. *Am J Obstet Gynecol.* 1992 Aug; 167: 392-7; discussion 397-9
- 3634** Bump, R.C., Hurt, W.G., Fantl, J.A., and Wyman, J.F. Assessment of Kegel pelvic muscle exercise performance after brief verbal instruction. *Am J Obstet Gynecol.* 1991 Aug; 165: 322-7;discussion327-9
- 3295** Bump, R.C., Sugerman, H.J., Fantl, J.A., and McClish, D.K. Obesity and lower urinary tract function in women: effect of surgically induced weight loss. *Am J Obstet Gynecol.* 1992 Aug; 167: 392-7;discussion397-9
- 44225** Bunyaratavej, P., La-ornual, S., Kongkanand, A., Prasopsanti, K., Vajarapongse, R. Ten years' experience with enterocystoplasty. *J Med Assoc Thai.* 1993 Jun; 76: 327-33
- 10029** Burch, J. C. Cooper's ligament urethrovesical suspension for stress incontinence. Nine years' experience -- results, complications, techniques. 1968. *Am J Obstet Gynecol.* 2002 Aug; 187: 512, discussion 513
- 12113** Burgio, K. L. Behavioral training for stress and urge incontinence in the community. *Gerontology.* 1990; 36 Suppl 2: 27-34
- 57600** Burgio, K. L. Influence of behavior modification on overactive bladder. *Urology.* 2002 Nov; 60: 72-6; discussion 77
- 44595** Burgio, K. L., Burgio, L. D., McCormick, K. A., Engel, B. T. Assessing toileting skills and habits in an adult day care center. *J Gerontol Nurs.* 1991 Dec; 17: 32-5
- 11182** Burgio, K. L., Goode, P. S. Behavioral interventions for incontinence in ambulatory geriatric patients. *Am J Med Sci.* 1997 Oct; 314: 257-61
- 50650** Burgio, K. L., Goode, P. S., Locher, J. L., Richter, H. E., Roth, D. L., Wright, K. C., Varner, R. E. Predictors of outcome in the behavioral treatment of urinary incontinence in women. *Obstet Gynecol.* 2003 Nov; 102: 940-7
- 40001** Burgio, K. L., Goode, P. S., Locher, J. L., Umlauf, M. G., Roth, D. L., Richter, H. E., Varner, R. E., Lloyd, L. K. Behavioral training with and without biofeedback in the treatment of urge incontinence in older women: a randomized controlled trial. *JAMA.* 2002 Nov 13; 288: 2293-9
- 43995** Burgio, K. L., Ives, D. G., Locher, J. L., Arena, V. C., Kuller, L. H. Treatment seeking for urinary incontinence in older adults. *J Am Geriatr Soc.* 1994 Feb; 42: 208-12
- 10636** Burgio, K. L., Locher, J. L., Goode, P. S. Combined behavioral and drug therapy for urge incontinence in older women. *J Am Geriatr Soc.* 2000 Apr; 48: 370-4



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42070** Burgio, K. L., Locher, J. L., Goode, P. S., Hardin, J. M., McDowell, B. J., Dombrowski, M., Candib, D. Behavioral vs drug treatment for urge urinary incontinence in older women: a randomized controlled trial. *JAMA*. 1998 Dec 16; 280: 1995-2000
- 40957** Burgio, K. L., Locher, J. L., Roth, D. L., Goode, P. S. Psychological improvements associated with behavioral and drug treatment of urge incontinence in older women. *J Gerontol B Psychol Sci Soc Sci*. 2001 Jan; 56: P46-51
- 11451** Burgio, K. L., Locher, J. L., Zyczynski, H., Hardin, J. M., Singh, K. Urinary incontinence during pregnancy in a racially mixed sample: characteristics and predisposing factors. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 69-73
- 11941** Burgio, K. L., Matthews, K. A., Engel, B. T. Prevalence, incidence and correlates of urinary incontinence in healthy, middle-aged women. *J Urol*. 1991 Nov; 146: 1255-9
- 54930** Burgio, K. L., Zyczynski, H., Locher, J. L., Richter, H. E., Redden, D. T., Wright, K. C. Urinary incontinence in the 12-month postpartum period. *Obstet Gynecol*. 2003 Dec; 102: 1291-8
- 41762** Burgio, K., Ouslander, J. G. Effects of urge urinary incontinence on quality of life in older people. *J Am Geriatr Soc*. 1999 Aug; 47: 1032-3
- 3513** Burgio, K.L., Burgio, L.D., McCormick, K.A., and Engel, B.T. Assessing toileting skills and habits in an adult day care center. *J Gerontol Nurs*. 1991 Dec; 17: 32-35
- 4144** Burgio, K.L., Engel, B.T. Biofeedback-assisted behavioral training for elderly men and women. *J Am Geriatr Soc*. 1990 Mar; 38: 338-340
- 3562** Burgio, K.L., Matthews, K.A., and Engel, B.T. Prevalence, incidence and correlates of urinary incontinence in healthy, middle-aged women. *J Urol*. 1991 Nov; 146: 1255-1259
- 45054** Burgio, L. D., Engel, B. T., Hawkins, A., McCormick, K., Scheve, A., Jones, L. T. A staff management system for maintaining improvements in continence with elderly nursing home residents. *J Appl Behav Anal*. 1990 Spring; 23: 111-8
- 43975** Burgio, L. D., McCormick, K. A., Scheve, A. S., Engel, B. T., Hawkins, A., Leahy, E. The effects of changing prompted voiding schedules in the treatment of incontinence in nursing home residents. *J Am Geriatr Soc*. 1994 Mar; 42: 315-20
- 4057** Burgio, L.D., Engel, B.T., Hawkins, A., McCormick, K., Scheve, A., and Jones, L.T. A staff management system for maintaining improvements in continence with elderly nursing home residents. *J Appl Behav Anal*. 1990 Spring; 23: 111-118
- 40940** Burkhart, K. S. Urinary incontinence in women: assessment and management in the primary care setting. *Nurse Pract Forum*. 2000 Dec; 11: 192-204
- 3068** Burn, J., Sandercock, P. Predicting the outcome of acute stroke. *J Neurol Neurosurg Psychiatry*. 1993 May; 56: 576
- 3180** Burnet, C., Carter, H., and Gorman, D. Urinary incontinence: a survey of knowledge, working practice and training needs of nursing staff in Fife. *Health-Bull (Edinb)*. 1992 Nov; 50: 448-452
- 11364** Burney, T. L., Badlani, G. H. Rationale and treatment results with bioinjectables. *J Endourol*. 1996 Jun; 10: 273-7
- 3941** Burns, A., Jacoby, R., and Levy, R. Psychiatric phenomena in Alzheimer's disease. IV: Disorders of behaviour. *Br J Psychiatry*. 1990 Jul; 157: 86-94
- 44910** Burns, A., Jacoby, R., Levy, R. Psychiatric phenomena in Alzheimer's disease. IV: Disorders of behaviour. *Br J Psychiatry*. 1990 Jul; 157: 86-94
- 11803** Burns, P. A., Pranikoff, K., Nochajski, T. H., Hadley, E. C., Levy, K. J., Ory, M. G. A comparison of effectiveness of biofeedback and pelvic muscle exercise treatment of stress incontinence in older community-dwelling women. *J Gerontol*. 1993 Jul; 48: M167-74
- 12090** Burns, P. A., Pranikoff, K., Nochajski, T., Desotelle, P., Harwood, M. K. Treatment of stress incontinence with pelvic floor exercises and biofeedback. *J Am Geriatr Soc*. 1990 Mar; 38: 341-4

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 3381 Burns, P.A., Nochajski, T.H., and Pranikoff, K. Factors discriminating between genuine stress and mixed incontinence. *J Am Acad Nurse Pract.* 1992 Jan-Mar; 4: 15-21
- 4143 Burns, P.A., Pranikoff, K., Nochajski, T., Desotelle, P., and Harwood, M.K. Treatment of stress incontinence with pelvic floor exercises and biofeedback. *J Am Geriatr Soc.* 1990 Mar; 38: 341-344
- 3050 Burns, P.A., Pranikoff, K., Nochajski, T.H., Hadley, E.C., Levy, K.J., and Ory, M.G. A comparison of effectiveness of biofeedback and pelvic muscle exercise treatment of stress incontinence in older community-dwelling women. *J Gerontol.* 1993 Jul; 48: M167-M174
- 10884 Busacchi, P., De Giorgio, R., Santini, D., Bellavia, E., Perri, T., Oliverio, C., Paradisi, R., Corinaldesi, R., Flamigni, C. A histological and immunohistochemical study of neuropeptide containing somatic nerves in the levator ani muscle of women with genitourinary prolapse. *Acta Obstet Gynecol Scand.* 1999 Jan; 78: 2-5
- 42399 Busby-Whitehead, J. M., Johnson, T. M. Urinary incontinence. *Clin Geriatr Med.* 1998 May; 14: 285-96
- 40255 Bush, T. A., Castellucci, D. T., Phillips, C. Exploring women's beliefs regarding urinary incontinence. *Urol Nurs.* 2001 Jun; 21: 211-8
- 57000 But, I. Conservative treatment of female urinary incontinence with functional magnetic stimulation. *Urology.* 2003 Mar; 61: 558-61
- 59070 But, I. Re: Surgical intervention for complications of the tension-free vaginal tape procedure. *J Urol.* 2004 Aug; 172: 777
- 59230 But, I., Bratus, D., Faganelj, M. Prolene tape in the bladder wall after TVT procedure--intramural tape placement or secondary tape migration?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2005 Jan-Feb; 16: 75-6
- 59246 But, I., Faganelj, M., Sostaric, A. Functional magnetic stimulation for mixed urinary incontinence. *J Urol.* 2005 May; 173: 1644-6
- 41458 Butera, J. A., Antane, M. M., Antane, S. A., Argentieri, T. M., Freeden, C., Graceffa, R. F., Hirth, B. H., Jenkins, D., Lennox, J. R., Matelan, E., Norton, N. W., Quagliato, D., Sheldon, J. H., Spinelli, W., Warga, D., Wojdan, A., Woods, Design and SAR of novel potassium channel openers targeted for urge urinary incontinence. 1. N-Cyanoguanidine bioisosteres possessing in vivo bladder selectivity. *J Med Chem.* 2000 Mar 23; 43: 1187-202
- 40267 Butler, L., Downe-Wamboldt, B., Marsh, S., Bell, D., Jarvi, K. Behind the scenes: partners' perceptions of quality of life post radical prostatectomy. *Urol Nurs.* 2000 Aug; 20: 254-8
- 41754 Butler, R. N., August, P., Ferdinand, K. C., Phillips, R. A., Roccella, E. J. Hypertension: how comorbid disease influences the choice of therapy. Part 4 of a roundtable discussion. *Geriatrics.* 1999 Aug; 54: 34, 39-44
- 43771 Butler, R. N., Lewis, M. I., Hoffman, E., Whitehead, E. D. Love and sex after 60: how to evaluate and treat the sexually-active woman. *Geriatrics.* 1994 Nov; 49: 33-4, 37-8, 41-2
- 41655 Butler, R. N., Maby, J. I., Montella, J. M., Young, G. P. Urinary incontinence: keys to diagnosis of the older woman.1. *Geriatrics.* 1999 Oct; 54: 22-6, 29-30
- 41619 Butler, R. N., Maby, J. I., Montella, J. M., Young, G. P. Urinary incontinence: primary care therapies for the older woman. *Geriatrics.* 1999 Nov; 54: 31-4, 39-40, 43-4
- 10706 Butler, R. N., Maby, J. I., Montella, J. M., Young, G. P. Urinary incontinence: when to refer for procedural therapies. *Geriatrics.* 1999 Dec; 54: 49-54, 56
- 3437 Butt, J. Incontinence. Practical products. *Nurs Elder.* 1991 Jul-Aug; 3: 14-15
- 40863 Buttar, A., Blaum, C., Fries, B. Clinical characteristics and six-month outcomes of nursing home residents with low activities of daily living dependency. *J Gerontol A Biol Sci Med Sci.* 2001 May; 56: M292-7
- 42462 Button, D., Roe, B., Webb, C., Frith, T., Colin-Thome, D., Gardner, L. Consensus guidelines for the promotion and management of continence by primary health care teams: development, implementation and evaluation. NHS Executive Nursing Directorate. *J Adv Nurs.* 1998 Jan; 27: 91-9
- 44971 Butturini, E. Pants are back in style!. *N Z Health Hospital.* 1990 May-Jun; 42: 14, 19
- 3884 Butturini, E. Pants for incontinence patients. *N Z Nurs J.* 1990 Oct; 83: 26

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 11636 Byck, D. B., Varner, R. E., Clough, C. Urinary complaints after modified Burch urethropexy: an analysis. *Am J Obstet Gynecol.* 1994 Dec; 171: 1460-2; discussion 1462-4
- 43551 Byers, P. H., Ryan, P. A., Regan, M. B., Shields, A., Carta, S. G. Effects of incontinence care cleansing regimens on skin integrity. *J Wound Ostomy Continence Nurs.* 1995 Jul; 22: 187-92
- 59401 Byles, J. E., Chiarelli, P., Hacker, A. H., Bruin, C., Cockburn, J., Parkinson, L. An evaluation of three community-based projects to improve care for incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2005 Jan-Feb; 16: 29-38; discussion 38
- 3691 Byrne, P., Morris, J., Mordey, S., and Condie, R. Physiotherapy for stress incontinence of urine [letter]. *Bmj.* 1991 May 4; 302: 1084
- 11981 Byrne, P., Morris, J., Mordey, S., Condie, R. Physiotherapy for stress incontinence of urine. *BMJ.* 1991 May 4; 302: 1084
- 12024 Cabrera, J. A., Szekely, Z., Ospitia, J. A. Suprapubic or vaginal procedure. *Am J Obstet Gynecol.* 1990 Dec; 163: 2025-6
- 3856 Cabrera, J.A., Szekely, Z., and Ospitia, J.A. Suprapubic or vaginal procedure [letter]. *Am J Obstet Gynecol.* 1990 Dec; 163: 2025-2026
- 11368 Cadeddu, J. A., Kavoussi, L. R. Correction of stress urinary incontinence: transperitoneal approach. *J Endourol.* 1996 Jun; 10: 241-5
- 11728 Caffrey, R. Continence. A personal plan. *Nurs Times.* 1994 Jan 26-Feb 1; 90: 84-6
- 41677 Cain, M. P., Casale, A. J., King, S. J., Rink, R. C. Appendicovesicostomy and newer alternatives for the Mitrofanoff procedure: results in the last 100 patients at Riley Children's Hospital. *J Urol.* 1999 Nov; 162: 1749-52
- 41005 Cain, M. P., Rink, R. C. Vaginal stenosis and hydrometrocolpos: late complication of inadvertent perivaginal placement of an artificial urinary sphincter in prepubertal girls(1). *Urology.* 1999 Nov; 54: 923
- 55500 Cain, M. P., Wu, S. D., Austin, P. F., Herndon, C. D., Rink, R. C. Alpha blocker therapy for children with dysfunctional voiding and urinary retention. *J Urol.* 2003 Oct; 170: 1514-5; discussion 1516-7
- 40027 Caione, P., Capozza, N. Endoscopic treatment of urinary incontinence in pediatric patients: 2- year experience with dextranomer/hyaluronic acid copolymer. *J Urol.* 2002 Oct; 168: 1868-71
- 45090 Caione, P., De Gennaro, M., Zaccara, A., Capozza, N. Female incontinence in childhood: aetiopathogenetic assessment and therapeutic approach. *Int Urol Nephrol.* 1990; 22: 543-51
- 3700 Caione, P., De-Gennaro, M., Zaccara, A., and Capozza, N. Female incontinence in childhood: aetiopathogenetic assessment and therapeutic approach. *Int Urol Nephrol.* 1990; 22: 543-551
- 44188 Caione, P., Lais, A., de Gennaro, M., Capozza, N. Glutaraldehyde cross-linked bovine collagen in exstrophy/epispadias complex. *J Urol.* 1993 Aug; 150: 631-3
- 3041 Caione, P., Lais, A., de-Gennaro, M., and Capozza, N. Glutaraldehyde cross-linked bovine collagen in exstrophy/epispadias complex. *J Urol.* 1993 Aug; 150: 631-633
- 41732 Caione, P., Nappo, S., De Castro, R., Prestipino, M., Capozza, N. Low-dose desmopressin in the treatment of nocturnal urinary incontinence in the exstrophy-epispadias complex. *BJU Int.* 1999 Aug; 84: 329-34
- 43664 Caione, P., Silveri, M., Capitanucci, M. L., Capozza, N., De Gennaro, M. Urinary continence in Mullerian duct anomalies. *Panminerva Med.* 1995 Mar; 37: 14-7
- 42665 Callahan, E. H., Paris, B. Midlife periodic health exam in the primary care practice. *Geriatrics.* 1997 Oct; 52: 60-1, 65-6, 69-71 passim; quiz 79
- 3613 Callan, B., Chance, R. Incontinence. Aids and appliances. *Nursing (Lond).* 1991 Jul 25-Aug 21; 4: 18-20
- 42326 Callsen-Cencic, P., Mense, S. Abolition of cystitis-induced bladder instability by local spinal cord cooling. *J Urol.* 1998 Jul; 160: 236-41

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41613 Callsen-Cencic, P., Mense, S. Control of the unstable urinary bladder by graded thermoelectric cooling of the spinal cord. *BJU Int.* 1999 Dec; 84: 1084-92
- 43586 Cammu, H. Female incontinence. Clinical examination by the gynecologist. *Acta Urol Belg.* 1995 May; 63: 9
- 11077 Cammu, H., Van Nylen, M. Pelvic floor exercises versus vaginal weight cones in genuine stress incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1998 Mar; 77: 89-93
- 11070 Cammu, H., Van Nylen, M. Pelvic floor muscle exercises in genuine urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 297-300
- 11616 Cammu, H., Van Nylen, M. Pelvic floor muscle exercises: 5 years later. *Urology.* 1995 Jan; 45: 113-7; discussion 118
- 10645 Cammu, H., Van Nylen, M., Amy, J. J. A 10-year follow-up after Kegel pelvic floor muscle exercises for genuine stress incontinence. *BJU Int.* 2000 Apr; 85: 655-8
- 11953 Cammu, H., Van Nylen, M., Derde, M. P., DeBruyne, R., Amy, J. J. Pelvic physiotherapy in genuine stress incontinence. *Urology.* 1991 Oct; 38: 332-7
- 3521 Cammu, H., Van-Nylen, M., Derde, M.P., DeBruyne, R., and Amy, J.J. Pelvic physiotherapy in genuine stress incontinence. *Urology.* 1991 Oct; 38: 332-337
- 10486 Campbell, D. J., Tennis, N., Rosamilia, A., Clements, J. A., Dwyer, P. L. Urinary levels of substance P and its metabolites are not increased in interstitial cystitis. *BJU Int.* 2001 Jan; 87: 35-8
- 44589 Campbell, E. B., Knight, M., Benson, M., Colling, J. Effect of an incontinence training program on nursing home staff's knowledge, attitudes, and behavior. *Gerontologist.* 1991 Dec; 31: 788-94
- 3461 Campbell, E.B., Knight, M., Benson, M., and Colling, J. Effect of an incontinence training program on nursing home staff's knowledge, attitudes, and behavior. *Gerontologist.* 1991 Dec; 31: 788-794
- 3865 Campbell, H., Crawford, V., and Stout, R.W. The impact of private residential and nursing care on statutory residential and hospital care of elderly people in south Belfast. *Age Ageing.* 1990 Sep; 19: 318-324
- 3074 Campbell, J.M., Dowd, T.T. Capturing scarce resources: documentation and communication. *Nurs Econ.* 1993 Mar-Apr; 11: 103-106
- 3541 Campbell, J.M., Dowd, T.T. Promoting clinical research through collegial relationships. *Nursingconnections.* 1991 Fall; 4: 39-45
- 55910 Campos-Sousa, R. N., Quagliato, E., da Silva, B. B., de Carvalho, R. M., Jr, Ribeiro, S. C., de Carvalho, D. F. Urinary symptoms in Parkinson's disease: prevalence and associated factors. *Arq Neuropsiquiatr.* 2003 Jun; 61: 359-63
- 43581 Campostrini, F., Garusi, G., Donati, E. A practical technique for conformal simulation in radiation therapy of pelvic tumors. *Int J Radiat Oncol Biol Phys.* 1995 May 15; 32: 355-65
- 43122 Canavan, K. ANA endorses guidelines for smoking cessation, urinary incontinence. *Am Nurse.* 1996 Jul-Aug; 28: 8
- 11466 Cancrini, A., De Carli, P., Pompeo, V., Fattahi, H., Lamanna, L., Giuseppe, C., Cantiani, R., Mainiero, G., von Heland, M. Lower urinary tract reconstruction following cystectomy: experience and results in 96 patients using the orthotopic ileal bladder substitution of Studer et al. *Eur Urol.* 1996; 29: 204-9
- 44026 Candy, M. Raising awareness of a hidden problem: pelvic floor promotion. *Prof Nurse.* 1994 Jan; 9: 278, 280-4
- 10429 Canepa, G., Ricciotti, G., Intorini, C., Vigliercio, G., Puppo, P. Horseshoe-shaped marlex mesh for the treatment of pelvic floor prolapse. *Eur Urol.* 2001 Jan; 39 Suppl 2: 23-6; discussion 27
- 11621 Canning, D. A., Seibold, J., Saito, M., Zderic, S. A., Snyder, H. M., Duckett, J. W., Levin, R. M. Use of injectable fat to obstruct the urethra in rabbits. *Neurourol Urodyn.* 1995; 14: 259-67
- 40646 Cannon, T. W., Damaser, M. S. Effects of anesthesia on cystometry and leak point pressure of the female rat. *Life Sci.* 2001 Jul 27; 69: 1193-202

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 50830** Cannon, T. W., Lee, J. Y., Somogyi, G., Pruchnic, R., Smith, C. P., Huard, J., Chancellor, M. B. Improved sphincter contractility after allogenic muscle-derived progenitor cell injection into the denervated rat urethra. *Urology*. 2003 Nov; 62: 958-63
- 10044** Cannon, T. W., Wojcik, E. M., Ferguson, C. L., Saraga, S., Thomas, C., Damaser, M. S. Effects of vaginal distension on urethral anatomy and function. *BJU Int*. 2002 Sep; 90: 403-7
- 59030** Capar, M. A new retropubic suspension operation technique for transvaginal Burch operation, using newly developed equipment. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 898-903
- 40364** Capewell, A. Target treatment of female urinary dysfunction. *Lancet*. 2002 Mar 2; 359: 801
- 42968** Capitanucci, M. L., Iacobelli, B. D., Silveri, M., Mosiello, G., De Gennaro, M. Long-term urological follow-up of occult spinal dysraphism in children. *Eur J Pediatr Surg*. 1996 Dec; 6 Suppl 1: 25-6
- 41970** Caplan, G. A., Ward, J. A., Brennan, N. J., Coconis, J., Board, N., Brown, A. Hospital in the home: a randomised controlled trial. *Med J Aust*. 1999 Feb 15; 170: 156-60
- 40815** Capolicchio, G., McLorie, G. A., Farhat, W., Merguerian, P. A., Bagli, D. J., Khoury, A. E. A population based analysis of continence outcomes and bladder exstrophy. *J Urol*. 2001 Jun; 165: 2418-21
- 40030** Capozza, N., Lais, A., Matarazzo, E., Nappo, S., Patricolo, M., Caione, P. Influence of voiding dysfunction on the outcome of endoscopic treatment for vesicoureteral reflux. *J Urol*. 2002 Oct; 168: 1695-8
- 40535** Cappellano, F., Bertapelle, P., Spinelli, M., Catanzaro, F., Carone, R., Zanollo, A., De Seta, F., Giardiello, G. Quality of life assessment in patients who undergo sacral neuromodulation implantation for urge incontinence: an additional tool for evaluating outcome. *J Urol*. 2001 Dec; 166: 2277-80
- 42872** Caputo, L. A., Cusimano, M. D. Schwannoma of the cauda equina. *J Manipulative Physiol Ther*. 1997 Feb; 20: 124-9
- 44431** Caputo, R. M., Benson, J. T. Idiopathic fecal incontinence. *Curr Opin Obstet Gynecol*. 1992 Aug; 4: 565-70
- 44079** Caputo, R. M., Benson, J. T. The Q-tip test and urethrovesical junction mobility. *Obstet Gynecol*. 1993 Dec; 82: 892-6
- 11787** Caputo, R. M., Benson, J. T., McClellan, E. Intravaginal maximal electrical stimulation in the treatment of urinary incontinence. *J Reprod Med*. 1993 Sep; 38: 667-71
- 40801** Caraballo, R., Bologna, R. A., Lukban, J., Whitmore, K. E. Sacral nerve stimulation as a treatment for urge incontinence and associated pelvic floor disorders at a pelvic floor center: a follow-up study. *Urology*. 2001 Jun; 57: 121
- 50070** Carbone, A., Palleschi, G., Ciavarella, S., Morello, P., Tomiselli, G., Parasciani, R., Tubaro, A. Experience with a bone anchor sling for treating female stress urinary incontinence: outcome at 30 months. *BJU Int*. 2004 Apr; 93: 780-8
- 10380** Carbone, J. M., Kavalier, E., Hu, J. C., Raz, S. Pubovaginal sling using cadaveric fascia and bone anchors: disappointing early results. *J Urol*. 2001 May; 165: 1605-11
- 55130** Carcio, H. Comprehensive continence care. The nurse practitioner's role. *Adv Nurse Pract*. 2003 Oct; 11: 26-35; quiz 35-6
- 44941** Cardozo, L. Detrusor instability--current management. *Br J Obstet Gynaecol*. 1990 Jun; 97: 463-6
- 3977** Cardozo, L. Detrusor instability--current management [see comments]. *Br J Obstet Gynaecol*. 1990 Jun; 97: 463-466
- 59124** Cardozo, L. New developments in the management of stress urinary incontinence. *BJU Int*. 2004 Jul; 94 Suppl 1: 1-3
- 4147** Cardozo, L. Role of estrogens in the treatment of female urinary incontinence. *J Am Geriatr Soc*. 1990 Mar; 38: 326-328
- 11932** Cardozo, L. Urinary incontinence in women: have we anything new to offer?. *BMJ*. 1991 Dec 7; 303: 1453-7



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3502** Cardozo, L. Urinary incontinence in women: have we anything new to offer? [see comments]. *Bmj*. 1991 Dec 7; 303: 1453-1457
- 11593** Cardozo, L. D., Kelleher, C. J. Sex hormones, the menopause and urinary problems. *Gynecol Endocrinol*. 1995 Mar; 9: 75-84
- 11901** Cardozo, L., Brindley, G. S. Endoscopically guided bladder neck suspension for continence in paraplegic women with implant driven micturition. *Paraplegia*. 1992 May; 30: 336-8
- 59296** Cardozo, L., Coyne, K. S., Versi, E. Validation of the urgency perception scale. *BJU Int*. 2005 Mar; 95: 591-6
- 11208** Cardozo, L., Cutner, A. Lower urinary tract symptoms in pregnancy. *Br J Urol*. 1997 Jul; 80 Suppl 1: 14-23
- 59276** Cardozo, L., Dixon, A. Increased warning time with darifenacin: a new concept in the management of urinary urgency. *J Urol*. 2005 Apr; 173: 1214-8
- 10801** Cardozo, L., Hextall, A., Bailey, J., Boos, K. Colposuspension after previous failed incontinence surgery: a prospective observational study. *Br J Obstet Gynaecol*. 1999 Apr; 106: 340-4
- 44088** Cardozo, L., Rekers, H., Tapp, A., Barnick, C., Shepherd, A., Schussler, B., Kerr-Wilson, R., van Geelan, J., Barlebo, H., Walter, S. Oestriol in the treatment of postmenopausal urgency: a multicentre study. *Maturitas*. 1993 Dec; 18: 47-53
- 52910** Carey, J. M., Chon, J. K., Leach, G. E. Urethrolysis with Martius labial fat pad graft for iatrogenic bladder outlet obstruction. *Urology*. 2003 Apr; 61: 21-5
- 59147** Carey, J. M., Leach, G. E. Transvaginal surgery in the octogenarian using cadaveric fascia for pelvic prolapse and stress incontinence: minimal one-year results compared to younger patients. *Urology*. 2004 Apr; 63: 665-70
- 41063** Carey, M. P., De Jong, S., Friedhuber, A., Moran, P. A., Dwyer, P. L., Scurry, J. A prospective evaluation of the pathogenesis of detrusor instability in women, using electron microscopy and immunohistochemistry. *BJU Int*. 2000 Dec; 86: 970-6
- 10278** Carey, M. P., Dwyer, P. L. Genital prolapse: vaginal versus abdominal route of repair. *Curr Opin Obstet Gynecol*. 2001 Oct; 13: 499-505
- 11968** Carey, M. P., Dwyer, P. L. Position and mobility of the urethrovesical junction in continent and in stress incontinent women before and after successful surgery. *Aust N Z J Obstet Gynaecol*. 1991 Aug; 31: 279-84
- 11130** Carey, M. P., Dwyer, P. L., Glenning, P. P. The sign of stress incontinence--should we believe what we see?. *Aust N Z J Obstet Gynaecol*. 1997 Nov; 37: 436-9
- 10118** Carey, M. P., Goh, J. T., Fynes, M. M., Murray, C. J. Stress urinary incontinence after delayed primary closure of genitourinary fistula: a technique for surgical management. *Am J Obstet Gynecol*. 2002 May; 186: 948-53
- 31717** Carey, M. P., Slack, M. C. Transvaginal sacrospinous colpopexy for vault and marked uterovaginal prolapse. *Br J Obstet Gynaecol*. 1994 Jun; 101: 536-40
- 41395** Carlan, S. J., Russell, H., Shelnutt, J., Peppy, T., Griggs, B. Extracorporeal magnetic innervation (EXMI) therapy in the treatment of urinary incontinence in women: results from a single center. *J Am Geriatr Soc*. 2000 Apr; 48: 456
- 41364** Carley, M. E., Schaffer, J. Urinary incontinence and pelvic organ prolapse in women with Marfan or Ehlers Danlos syndrome. *Am J Obstet Gynecol*. 2000 May; 182: 1021-3
- 10880** Carley, M. E., Turner, R. J., Scott, D. E., Alexander, J. M. Obstetric history in women with surgically corrected adult urinary incontinence or pelvic organ prolapse. *J Am Assoc Gynecol Laparosc*. 1999 Feb; 6: 85-9
- 10501** Carlin, B. I., Klutke, J. J., Klutke, C. G. The tension-free vaginal tape procedure for the treatment of stress incontinence in the female patient. *Urology*. 2000 Dec 4; 56: 28-31
- 42614** Carlin, B. I., Rutchik, S. D., Resnick, M. I. Comparison of the ileal conduit to the continent cutaneous diversion and orthotopic neobladder in patients undergoing cystectomy: a critical analysis and review of the literature. *Semin Urol Oncol*. 1997 Aug; 15: 189-92
- 42346** Carlisle, D. Silent suffering. *Nurs Times*. 1998 Apr 15-21; 94: 63-4, 67

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10539** Carlson, K. V., Fiske, J., Nitti, V. W. Value of routine evaluation of the voiding phase when performing urodynamic testing in women with lower urinary tract symptoms. *J Urol.* 2000 Nov; 164: 1614-8
- 10485** Carlson, K. V., Rome, S., Nitti, V. W. Dysfunctional voiding in women. *J Urol.* 2001 Jan; 165: 143-7; discussion 147-8
- 42766** Caro, F. G., Glickman, L. L., Ingegneri, D., Porell, F., Stern, A. L., Verma, K. The impact of the closing of three Massachusetts public chronic disease hospitals: a multidimensional perspective. *J Community Health.* 1997 Jun; 22: 155-74
- 11403** Carr, L. K., Herschorn, S. Periurethral collagen injection and pregnancy. *J Urol.* 1996 Mar; 155: 1037
- 11391** Carr, L. K., Herschorn, S., Leonhardt, C. Magnetic resonance imaging after intraurethral collagen injected for stress urinary incontinence. *J Urol.* 1996 Apr; 155: 1253-5
- 11285** Carr, L. K., Walsh, P. J., Abraham, V. E., Webster, G. D. Favorable outcome of pubovaginal slings for geriatric women with stress incontinence. *J Urol.* 1997 Jan; 157: 125-8
- 42849** Carr, L. K., Webster, G. D. Voiding dysfunction following incontinence surgery: diagnosis and treatment with retropubic or vaginal urethrolisis. *J Urol.* 1997 Mar; 157: 821-3
- 43354** Carr, M. C., Mitchell, M. E. Continent gastric pouch. *World J Urol.* 1996; 14: 112-6
- 42022** Carranza-Lira, S., Murillo-Urbe, A., Martinez-Trejo, N., Santos-Gonzalez, J. Changes in symptoms, blood pressure, glucose, hormones, and lipid levels according to weight and body fat distribution in climacteric women. *Int J Fertil Womens Med.* 1998 Nov-Dec; 43: 306-11
- 42058** Carrico, C., Lebowitz, R. L. Incontinence due to an infrasphincteric ectopic ureter: why the delay in diagnosis and what the radiologist can do about it. *Pediatr Radiol.* 1998 Dec; 28: 942-9
- 54170** Carrion, R., Arap, S., Corcione, G., Ferreyra, U., Neyra Argote, G., Cantor, A., Seigne, J., Lockhart, J. A multi-institutional study of orthotopic neobladders: functional results in men and women. *BJU Int.* 2004 Apr; 93: 803-6
- 41406** Carroli, G., Belizan, J. Episiotomy for vaginal birth. *Cochrane Database Syst Rev.* 2000; : CD000081
- 3808** Carroll, P., Maher, V.F. Legal issues in the care of patients with urinary incontinence. *Adv Clin Care.* 1991 Mar-Apr; 6: 9
- 43464** Carroll, T. A., Kelly, D. Nocturnal enuresis. A parental nightmare. *Ir Med J.* 1995 Sep-Oct; 88: 146, 148
- 43896** Carruthers, S. G. Adverse effects of alpha 1-adrenergic blocking drugs. *Drug Saf.* 1994 Jul; 11: 12-20
- 41473** Carson, C. C. Reconstructive surgery using urological prostheses. *Curr Opin Urol.* 1999 May; 9: 233-9
- 44235** Carter, C. T., Schafer, N. Incidence of urethral disruption in females with traumatic pelvic fractures. *Am J Emerg Med.* 1993 May; 11: 218-20
- 43844** Carter, D., Green, D. Health promotion. Applying COPC to incontinence. *Nurs Times.* 1994 Aug 31-Sep 6; 90: 44-5
- 11586** Carter, J. E. Laparoscopic bladder neck suspension. *Endosc Surg Allied Technol.* 1995 Apr-Jun; 3: 81-7
- 44619** Carter, J. P., Noronha-Blob, L., Audia, V. H., Dupont, A. C., McPherson, D. W., Natalie, K. J., Jr, Rzeszotarski, W. J., Spagnuolo, C. J., Waid, P. P., Kaiser, C. Analogues of oxybutynin. Synthesis and antimuscarinic and bladder activity of some substituted 7-amino-1-hydroxy-5-heptyn-2-ones and related compounds. *J Med Chem.* 1991 Oct; 34: 3065-74
- 41035** Caruso, J. M., Tung, G. A., Brown, W. D. Central nervous system and renal vasculitis associated with primary varicella infection in a child. *Pediatrics.* 2001 Jan; 107: E9
- 43963** Carvalho, J. P., Souen, J. S., Carramao Sda, S., Yeu, W. L., Pinotti, J. A. Wertheim-Meigs radical hysterectomy. *Rev Paul Med.* 1994 Apr-Jun; 112: 539-42
- 12061** Casanova, J. E. Incontinence after use of enalapril. *J Urol.* 1990 Jun; 143: 1237-8
- 4043** Casanova, J.E. Incontinence after use of enalapril [letter]. *J Urol.* 1990 Jun; 143: 1237-1238

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10873 Casper, F. W., Linn, J. F., Black, P. Obstetrical management following incontinence surgery. J Obstet Gynaecol Res. 1999 Feb; 25: 51-3
- 11945 Caspi, E., Langer, R. Colpo-needle suspension for the treatment of urinary stress incontinence--a new surgical technique. Br J Obstet Gynaecol. 1991 Nov; 98: 1183-4
- 52370 Cassells, C., Watt, E. The impact of incontinence on older spousal caregivers. J Adv Nurs. 2003 Jun; 42: 607-16
- 43709 Cassidy, T. P., Farquhar, D. L. The characteristics of respite patients. Health Bull (Edinb). 1995 Jan; 53: 13-9
- 59236 Castellan, M. A., Gosalbez, R., Labbie, A., Ibrahim, E., Disandro, M. Outcomes of continent catheterizable stomas for urinary and fecal incontinence: comparison among different tissue options. BJU Int. 2005 May; 95: 1053-7
- 40821 Castera, R., Podesta, M. L., Ruarte, A., Herrera, M., Medel, R. 10-Year experience with artificial urinary sphincter in children and adolescents. J Urol. 2001 Jun; 165: 2373-6
- 59036 Castillo, O. A., Bodden, E., Olivares, R. A., Urena, R. D. Intestinal perforation: an infrequent complication during insertion of tension-free vaginal tape. J Urol. 2004 Oct; 172: 1364
- 42477 Castleden, C. M. The Marjory Warren Lecture. Incontinence--still a geriatric giant?. Age Ageing. 1997 Dec; 26 Suppl 4: 47-52
- 43119 Castleden, C. M., Parker, S. G. Lower urinary tract dysfunction in Parkinson's disease: changes relate to age not disease. Age Ageing. 1996 Jul; 25: 336
- 3071 Castleden, C.M. Long-term outcome following stroke [letter]. Age Ageing. 1993 May; 22: 231-232
- 4108 Castleden, C.M., Battcock, T.M., and Duffin, H.M. Oxybutynin and urinary incontinence [letter; comment]. Age Ageing. 1990 Jan; 19: 72-73
- 3776 Castro-Gago, M., Novo, I., Cimadevila, A., Pena, J., Rodriguez-Nunez, A., and Marques-Queimadelos, A. Management of neurogenic bladder dysfunction secondary to myelomeningocele. Eur J Pediatr. 1990 Nov; 150: 62-65
- 44848 Castro-Gago, M., Novo, I., Cimadevila, A., Pena, J., Rodriguez-Nunez, A., Marques-Queimadelos, A. Management of neurogenic bladder dysfunction secondary to myelomeningocele. Eur J Pediatr. 1990 Nov; 150: 62-5
- 4179 Catalona, W.J., Bigg, S.W. Nerve-sparing radical prostatectomy: evaluation of results after 250 patients. J Urol. 1990 Mar; 143: 538-43;discussion544
- 43034 Catanzaro, J. Managing incontinence: an update. RN. 1996 Oct; 59: 38-9, 41-4; quiz 45
- 40844 Cavina, E. Total anorectal reconstruction after abdominoperineal resection. Int J Surg Investig. 1999; 1: 262-3
- 41135 Celayir, S., Ilce, Z., Danismend, N. Effects of male sex hormones on urodynamics in childhood: intersex patients are a natural model. Pediatr Surg Int. 2000; 16: 502-4
- 11781 Ceresoli, A., Zanetti, G., Seveso, M., Bustros, J., Montanari, E., Guarneri, A., Tzoumas, S. Perineal biofeedback versus pelvic floor training in the treatment of urinary incontinence. Arch Ital Urol Androl. 1993 Oct; 65: 559-60
- 10793 Cervigni, M., Natale, F. Surgical treatment of stress urinary incontinence. Eur J Obstet Gynecol Reprod Biol. 1999 Jul; 85: 63-70
- 12040 Cervigni, M., Sbiroli, C. Transvaginal bladder neck suspension: a safer method. Urology. 1990 Sep; 36: 219-21
- 10497 Cespedes, R. D. Anterior approach bilateral sacrospinous ligament fixation for vaginal vault prolapse. Urology. 2000 Dec 4; 56: 70-5
- 10359 Cespedes, R. D. Treatment options for outlet obstruction following anti-incontinence surgery in females. Tech Urol. 2001 Jun; 7: 118-25
- 43011 Cespedes, R. D., Cross, C. A., McGuire, E. J. Modified Ingelman-Sundberg bladder denervation procedure for intractable urge incontinence. J Urol. 1996 Nov; 156: 1744-7



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10981 Cespedes, R. D., Cross, C. A., McGuire, E. J. Pelvic prolapse: diagnosing and treating cystoceles, rectoceles, and enteroceles. *Medscape Womens Health*. 1998 Jul; 3: 4
- 11082 Cespedes, R. D., Cross, C. A., McGuire, E. J. Pubovaginal fascial slings. *Tech Urol*. 1997 Winter; 3: 195-201
- 59108 Cetinel, B., Demirkesen, O., Onal, B., Akkus, E., Alan, C., Can, G. Are there any factors predicting the cure and complication rates of tension-free vaginal tape?. *Int Urogynecol J Pelvic Floor Dysfunct*. 2004 May-Jun; 15: 188-93
- 41562 Cetinel, B., Demirkesen, O., Onder, A. U., Yaycioglu, O., Ismailoglu, V., Solok, V. Reconstructive surgery in voiding dysfunction: experience with 69 patients. *Urology*. 2000 Dec 20; 56: 962-6
- 41002 Cetinel, B., Demirkesen, O., Talat, Z., Yaycioglu, O., Solok, V. Application of continent retubularized ileal stoma (Monti procedure) to an ileocecal pouch. *Urology*. 2000 Feb; 55: 286
- 42067 Chadburn, S., Haggard, V., Gooch, S. Developing a continence care programme. *Prof Nurse*. 1998 Oct; 14: 31-3
- 41439 Chadha, Y., Mollison, J., Howie, F., Grimshaw, J., Hall, M., Russell, I. Guidelines in gynaecology: evaluation in menorrhagia and in urinary incontinence. *BJOG*. 2000 Apr; 107: 535-43
- 42328 Chai, T. C., Gray, M. L., Steers, W. D. The incidence of a positive ice water test in bladder outlet obstructed patients: evidence for bladder neural plasticity. *J Urol*. 1998 Jul; 160: 34-8
- 10858 Chai, T. C., Sklar, G. N. Use of the flexible cystoscope as a vaginoscope to aid in the diagnosis of artificial sling erosion. *Urology*. 1999 Mar; 53: 617-8
- 11188 Chai, T. C., Steers, W. D. Neurophysiology of micturition and continence in women. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 85-97
- 10934 Chaikin, D. C., Blaivas, J. G. Weakened cadaveric fascial sling: an unexpected cause of failure. *J Urol*. 1998 Dec; 160: 2151
- 10755 Chaikin, D. C., Blaivas, J. G., Rosenthal, J. E., Weiss, J. P. Results of pubovaginal sling for stress incontinence: a prospective comparison of 4 instruments for outcome analysis. *J Urol*. 1999 Nov; 162: 1670-3
- 10688 Chaikin, D. C., Groutz, A., Blaivas, J. G. Predicting the need for anti-incontinence surgery in continent women undergoing repair of severe urogenital prolapse. *J Urol*. 2000 Feb; 163: 531-4
- 10958 Chaikin, D. C., Rosenthal, J., Blaivas, J. G. Pubovaginal fascial sling for all types of stress urinary incontinence: long-term analysis. *J Urol*. 1998 Oct; 160: 1312-6
- 10492 Chaliha, C., Bland, J. M., Monga, A., Stanton, S. L., Sultan, A. H. Pregnancy and delivery: a urodynamic viewpoint. *BJOG*. 2000 Nov; 107: 1354-9
- 59095 Chaliha, C., Digesu, A., Hutchings, A., Soligo, M., Khullar, V. Caesarean section is protective against stress urinary incontinence: an analysis of women with multiple deliveries. *BJOG*. 2004 Jul; 111: 754-5
- 59185 Chaliha, C., Digesu, G. A., Hutchings, A., Khullar, V. Changes in urethral function with bladder filling in the presence of urodynamic stress incontinence and detrusor overactivity. *Am J Obstet Gynecol*. 2005 Jan; 192: 60-5
- 41641 Chaliha, C., Kalia, V., Stanton, S. L., Monga, A., Sultan, A. H. Antenatal prediction of postpartum urinary and fecal incontinence. *Obstet Gynecol*. 1999 Nov; 94: 689-94
- 10005 Chaliha, C., Khullar, V., Stanton, S. L., Monga, A., Sultan, A. H. Urinary symptoms in pregnancy: are they useful for diagnosis?. *BJOG*. 2002 Oct; 109: 1181-3
- 10703 Chaliha, C., Stanton, S. L. Complications of surgery for genuine stress incontinence. *Br J Obstet Gynaecol*. 1999 Dec; 106: 1238-45
- 41777 Chaliha, C., Stanton, S. L. The ethnic cultural and social aspects of incontinence--a pilot study. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 166-70
- 10158 Chaliha, C., Stanton, S. L. Urological problems in pregnancy. *BJU Int*. 2002 Mar; 89: 469-76
- 43501 Chaliha, C., Williams, G. Periurethral injection therapy for the treatment of urinary incontinence. *Br J Urol*. 1995 Aug; 76: 151-5

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 11759 Chalmers, C. Continence. A psychological approach. *Nurs Times*. 1993 Nov 24-30; 89: 68-74
- 43545 Chamary, V. L. An unusual cause of iatrogenic bladder stone. *Br J Urol*. 1995 Jul; 76: 138
- 44092 Chambers, K. Continence. Regained dignity. *Nurs Times*. 1993 Nov 24-30; 89: 65-6
- 44837 Chan, A. S., Ouslander, J. G. Effects of diltiazem on urinary incontinence. *J Am Geriatr Soc*. 1990 Nov; 38: 1265-6
- 3872 Chan, A.S., Ouslander, J.G. Effects of diltiazem on urinary incontinence [letter]. *J Am Geriatr Soc*. 1990 Nov; 38: 1265-1266
- 40874 Chan, D. Y., Jeffs, R. D., Gearhart, J. P. Determinants of continence in the bladder exstrophy population: predictors of success?. *Urology*. 2001 Apr; 57: 774-7
- 31232 Chan, F. Y., Chau, M. T., Pun, T. C., Lam, C., Leong, L. Transperineal versus transvaginal color Doppler imaging of the uterine circulation. *J Clin Ultrasound*. 1997 Jul-Aug; 25: 293-9
- 11865 Chan, K. M., Lim, P. H., Chee, Y. C., Jayaratnam, F. J. Urinary symptoms and urodynamic diagnosis of patients in one geriatric department. *Ann Acad Med Singapore*. 1992 Nov; 21: 813-7
- 41446 Chan, K. M., Pang, W. S., Ee, C. H., Ding, Y. Y., Choo, P. Functional status of the elderly in Singapore. *Singapore Med J*. 1999 Oct; 40: 635-8
- 42138 Chan, K. M., Pang, W. S., Ee, C. H., Ding, Y. Y., Choo, P. Self-perception of health among elderly community dwellers in Singapore. *Ann Acad Med Singapore*. 1998 Jul; 27: 461-7
- 3132 Chan, K.M., Lim, P.H., Chee, Y.C., and Jayaratnam, F.J. Urinary symptoms and urodynamic diagnosis of patients in one geriatric department. *Ann Acad Med Singapore*. 1992 Nov; 21: 813-817
- 59200 Chan, L. W., Tse, V. W. Unrecognized bladder perforation while placing a suburethral synthetic sling: a minimally invasive technique for removing an intravesical sling segment. *BJU Int*. 2005 Jan; 95: 187-8
- 10681 Chan, P. T., Fournier, C., Corcos, J. Short-term complications of pubovaginal sling procedure for genuine stress incontinence in women. *Urology*. 2000 Feb; 55: 207-11
- 3603 Chancellor, A.M., Warlow, C.P., Webb, J.N., Lucas, M.G., Besley, G.T., and Broadhead, D.M. Acid maltase deficiency presenting with a myopathy and exercise induced urinary incontinence in a 68 year old male [letter]. *J Neurol Neurosurg Psychiatry*. 1991 Jul; 54: 659-660
- 40777 Chancellor, M. B., Appell, R. A., Sathyan, G., Gupta, S. K. A comparison of the effects on saliva output of oxybutynin chloride and tolterodine tartrate. *Clin Ther*. 2001 May; 23: 753-60
- 44065 Chancellor, M. B., Blaivas, J. G. Urological and sexual problems in multiple sclerosis. *Clin Neurosci*. 1994; 2: 189-95
- 43949 Chancellor, M. B., Erhard, M. J., Kiilholma, P. J., Karasick, S., Rivas, D. A. Functional urethral closure with pubovaginal sling for destroyed female urethra after long-term urethral catheterization. *Urology*. 1994 Apr; 43: 499-505
- 11146 Chancellor, M. B., Heesakkers, J. P., Janknegt, R. A. Gracilis muscle transposition with electrical stimulation for sphincteric incontinence: a new approach. *World J Urol*. 1997; 15: 320-8
- 11200 Chancellor, M. B., Hong, R. D., Rivas, D. A., Watanabe, T., Crewalk, J. A., Bourgeois, I. Gracilis urethromyoplasty--an autologous urinary sphincter for neurologically impaired patients with stress incontinence. *Spinal Cord*. 1997 Aug; 35: 546-9
- 43350 Chancellor, M. B., Rivas, D. A., Bourgeois, I. M. Laplace's law and the risks and prevention of bladder rupture after enterocystoplasty and bladder autoaugmentation. *Neurourol Urodyn*. 1996; 15: 223-33
- 11418 Chancellor, M. B., Shenot, P. J., Rivas, D. A., Mandel, S., Schwartzman, R. J. Urological symptomatology in patients with reflex sympathetic dystrophy. *J Urol*. 1996 Feb; 155: 634-7
- 42948 Chancellor, M. B., Strup, S., Rivas, D. A., Watanabe, T., Gomella, L. G. Rectus urethromyoplasty of radical prostatectomy anastomosis decreases postoperative incontinence and anastomotic stricture; technique and preliminary results. *J Urol*. 1997 Jan; 157: 371-5

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10637 Chancellor, M. B., Yokoyama, T., Tirney, S., Mattes, C. E., Ozawa, H., Yoshimura, N., de Groat, W. C., Huard, J. Preliminary results of myoblast injection into the urethra and bladder wall: a possible method for the treatment of stress urinary incontinence and impaired detrusor contractility. *Neurourol Urodyn.* 2000; 19: 279-87
- 3726 Chancellor, M.B., Blaivas, J.G. Diagnostic evaluation of incontinence in patients with neurological disorders. *Compr Ther.* 1991 Feb; 17: 37-43
- 43130 Chandawarkar, R. Y. Sacrococcygeal chordoma: review of 50 consecutive patients. *World J Surg.* 1996 Jul-Aug; 20: 717-9
- 50170 Chandi, D. D., Groenendijk, P. M., Venema, P. L. Functional extracorporeal magnetic stimulation as a treatment for female urinary incontinence: 'the chair'. *BJU Int.* 2004 Mar; 93: 539-42
- 42744 Chandiramani, V. A., Palace, J., Fowler, C. J. How to recognize patients with parkinsonism who should not have urological surgery. *Br J Urol.* 1997 Jul; 80: 100-4
- 43161 Chandiramani, V. A., Peterson, T., Duthie, G. S., Fowler, C. J. Urodynamic changes during therapeutic intravesical instillations of capsaicin. *Br J Urol.* 1996 Jun; 77: 792-7
- 10002 Chandra, M., Saharia, R., Shi, Q., Hill, V. Giggle incontinence in children: a manifestation of detrusor instability. *J Urol.* 2002 Nov; 168: 2184-7; discussion 2187
- 12025 Chang, H. C., Chang, S. C., Kuo, H. C., Tsai, T. C. Transrectal sonographic cystourethrography: studies in stress urinary incontinence. *Urology.* 1990 Dec; 36: 488-92
- 3869 Chang, H.C., Chang, S.C., Kuo, H.C., and Tsai, T.C. Transrectal sonographic cystourethrography: studies in stress urinary incontinence. *Urology.* 1990 Dec; 36: 488-492
- 3037 Chang, M.K., Joseph, A.C. Evolution of a bladder behavior clinic for patients after prostatectomy. *Urol Nurs.* 1993 Jun; 13: 62-66
- 41435 Chang, S., Chern, I., Bown, S. G. Photodynamic therapy of rat bladder and urethra: evaluation of urinary and reproductive function after inducing protoporphyrin IX with 5- aminolaevulinic acid. *BJU Int.* 2000 Apr; 85: 747-53
- 44313 Chao, R., Mayo, M. E., Bejany, D. E., Bavendam, T. Bladder neck closure with continent augmentation or suprapubic catheter in patients with neurogenic bladders. *J Am Paraplegia Soc.* 1993 Jan; 16: 18-22
- 3171 Chao, R., Mayo, M.E., Bejany, D.E., and Bavendam, T. Bladder neck closure with continent augmentation or suprapubic catheter in patients with neurogenic bladders. *J Am Paraplegia Soc.* 1993 Jan; 16: 18-22
- 3252 Chapelle, T., Reher, S., and Denis, B. Surgical extraction of a bladder stone due to a foreign body. *Acta Urol Belg.* 1992; 60: 85-87
- 44574 Chapelle, T., Reher, S., Denis, B. Surgical extraction of a bladder stone due to a foreign body. *Acta Urol Belg.* 1992; 60: 85-7
- 42577 Chapin, D. S. Teaching sacrospinous colpopexy. *Am J Obstet Gynecol.* 1997 Dec; 177: 1330-6
- 44992 Chapman, B. L., Voith, V. L. Behavioral problems in old dogs: 26 cases (1984-1987). *J Am Vet Med Assoc.* 1990 Mar 15; 196: 944-6
- 44616 Chapple, C. R., Hampson, S. J., Turner-Warwick, R. T., Worth, P. H. Subtrigonal phenol injection. How safe and effective is it?. *Br J Urol.* 1991 Nov; 68: 483-6
- 59181 Chapple, C. R., Wein, A. J., Artibani, W., Brubaker, L., Haab, F., Heesakkers, J. P., Lightner, D. A critical review of diagnostic criteria for evaluating patients with symptomatic stress urinary incontinence. *BJU Int.* 2005 Feb; 95: 327-34
- 59239 Chapple, C., Steers, W., Norton, P., Millard, R., Kralidis, G., Glavind, K., Abrams, P. A pooled analysis of three phase III studies to investigate the efficacy, tolerability and safety of darifenacin, a muscarinic M3 selective receptor antagonist, in the treatment of overactive bladder. *BJU Int.* 2005 May; 95: 993-1001
- 3531 Chapple, C.R., Hampson, S.J., Turner-Warwick, R.T., and Worth, P.H. Subtrigonal phenol injection. How safe and effective is it?. *Br J Urol.* 1991 Nov; 68: 483-486

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11228** Chapron, C., Dubuisson, J. B., Ansquer, Y., Capella-Allouc, S. Hysterectomy with adnexectomy. Can operative laparoscopy offer advantages?. *J Reprod Med.* 1997 Apr; 42: 201-6
- 10748** Chapron, C., Laforest, L., Ansquer, Y., Fauconnier, A., Fernandez, B., Breart, G., Dubuisson, J. B. Hysterectomy techniques used for benign pathologies: results of a French multicentre study. *Hum Reprod.* 1999 Oct; 14: 2464-70
- 42752** Char, D., Krasnokutsky, S., Frischer, Z., Shah, S. M., Bayshtok, J., Khan, S. A. Surgically correcting a vesicouterine fistula with a myouterine flap. A case report. *J Reprod Med.* 1997 Jun; 42: 372-4
- 41459** Chartier-Kastler, E. Re: Dynamic suburethral suspension with pedicled external oblique aponeurosis in the management of female urinary incontinence. *J Urol.* 2000 Apr; 163: 1259
- 10553** Chartier-Kastler, E. J., Mongiat-Artus, P., Bitker, M. O., Chancellor, M. B., Richard, F., Denys, P. Long-term results of augmentation cystoplasty in spinal cord injury patients. *Spinal Cord.* 2000 Aug; 38: 490-4
- 40085** Chartier-Kastler, E. J., Mozer, P., Denys, P., Bitker, M. O., Haertig, A., Richard, F. Neurogenic bladder management and cutaneous non-continent ileal conduit. *Spinal Cord.* 2002 Sep; 40: 443-8
- 41167** Chartier-Kastler, E. J., Ruud Bosch, J. L., Perrigot, M., Chancellor, M. B., Richard, F., Denys, P. Long-term results of sacral nerve stimulation (S3) for the treatment of neurogenic refractory urge incontinence related to detrusor hyperreflexia. *J Urol.* 2000 Nov; 164: 1476-80
- 41898** Chassagne, P., Landrin, I., Neveu, C., Czernichow, P., Bouaniche, M., Doucet, J., Denis, P., Bercoff, E. Fecal incontinence in the institutionalized elderly: incidence, risk factors, and prognosis. *Am J Med.* 1999 Feb; 106: 185-90
- 3518** Cheater, F. Continence training programmes: need for standardisation. *Nurs Stand.* 1991 Nov 13-19; 6: 24-27
- 3701** Cheater, F. Elderly people: attitudes towards urinary incontinence. *Nurs Stand.* 1991 Mar 20-26; 5: 23-27
- 43564** Cheater, F. Promoting urinary continence. *Nurs Stand.* 1995 Jun 21-28; 9: 33-7; quiz 38-9
- 43111** Cheater, F. Promoting urinary continence (continuing education credit). *Nurs Stand.* 1996 Jul 10; 10: 47-51; quiz 53-4
- 44101** Cheater, F. M. Retrospective document survey: identification, assessment and management of urinary incontinence in medical and care of the elderly wards. *J Adv Nurs.* 1993 Nov; 18: 1734-46
- 41290** Cheater, F. M., Castleden, C. M. Epidemiology and classification of urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol.* 2000 Apr; 14: 183-205
- 3428** Cheater, F.M. Nurses' educational preparation and knowledge concerning continence promotion. *J Adv Nurs.* 1992 Mar; 17: 328-338
- 41261** Chen, B. H., Lee, C. P., Chao, M. C. Coexistent insulin dependent diabetes mellitus and hyperthyroidism in a patient with Down's syndrome. *Kaohsiung J Med Sci.* 2000 Apr; 16: 210-3
- 10096** Chen, B. H., Wen, Y., Li, H., Polan, M. L. Collagen metabolism and turnover in women with stress urinary incontinence and pelvic prolapse. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 80-7; discussion 87
- 51960** Chen, B., Wen, Y., Wang, H., Polan, M. L. Differences in estrogen modulation of tissue inhibitor of matrix metalloproteinase-1 and matrix metalloproteinase-1 expression in cultured fibroblasts from continent and incontinent women. *Am J Obstet Gynecol.* 2003 Jul; 189: 59-65
- 51940** Chen, B., Wen, Y., Zhang, Z., Wang, H., Warrington, J. A., Polan, M. L. Menstrual phase-dependent gene expression differences in periurethral vaginal tissue from women with stress incontinence. *Am J Obstet Gynecol.* 2003 Jul; 189: 89-97
- 59299** Chen, C. H., Lee, Y. H., Tzeng, W. S., Huan, S. K. A patient with urgency, frequency, and low serum C reactive protein concentration. *Postgrad Med J.* 2005 Feb; 81: 139-40
- 54070** Chen, G. D., Chen, Y., Lee, H. S., Lin, L. Y. The effect of anterior vaginal wall prolapse on urethral pressure profile. *J Soc Gynecol Investig.* 2003 Jul; 10: 309-13

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 55180 Chen, G. D., Hu, S. W., Chen, Y. C., Lin, T. L., Lin, L. Y. Prevalence and correlations of anal incontinence and constipation in Taiwanese women. *Neurourol Urodyn*. 2003; 22: 664-9
- 42671 Chen, G. D., Lin, L. Y., Gardner, J. D. The results of laparoscopic adhesiolysis for intractable urinary frequency. *J Urol*. 1997 Nov; 158: 1714-6
- 10141 Chen, G. D., Lin, L. Y., Wang, P. H., Lee, H. S. Urinary tract dysfunction after radical hysterectomy for cervical cancer. *Gynecol Oncol*. 2002 May; 85: 292-7
- 53260 Chen, G. D., Lin, T. L., Hu, S. W., Chen, Y. C., Lin, L. Y. Prevalence and correlation of urinary incontinence and overactive bladder in Taiwanese women. *Neurourol Urodyn*. 2003; 22: 109-17
- 11223 Chen, G. D., Su, T. H., Lin, L. Y. Applicability of perineal sonography in anatomical evaluation of bladder neck in women with and without genuine stress incontinence. *J Clin Ultrasound*. 1997 May; 25: 189-94
- 10814 Chen, H. Y., Chang, W. C., Lin, W. C., Yeh, L. S., Hsu, T. Y., Tsai, H. D., Yang, K. Y. Efficacy of pelvic floor rehabilitation for treatment of genuine stress incontinence. *J Formos Med Assoc*. 1999 Apr; 98: 271-6
- 11074 Chen, H. Y., Lin, W. C., Tsai, H. D. The mechanism of successful colposuspension in genuine stress incontinence. *Zhonghua Yi Xue Za Zhi (Taipei)*. 1998 Mar; 61: 146-50
- 44982 Chen, K. K., Chang, L. S., Chen, M. T., Huang, J. K., Yin, J. H., Lin, S. N. Clinical experience of Kock pouch continent urinary diversion. *Urology*. 1990 Apr; 35: 317-20
- 3656 Chen, K.K., Chang, L.S., and Chen, M.T. Neobladder construction using completely detubularized sigmoid colon after radical cystoprostatectomy. *J Urol*. 1991 Aug; 146: 311-315
- 4100 Chen, K.K., Chang, L.S., Chen, M.T., Huang, J.K., Yin, J.H., and Lin, S.N. Clinical experience of Kock pouch continent urinary diversion. *Urology*. 1990 Apr; 35: 317-320
- 59353 Chen, S. Y. The development and testing of the pelvic floor muscle exercise self-efficacy scale. *J Nurs Res*. 2004 Dec; 12: 257-66
- 56410 Chen, Y. C., Chen, G. D., Hu, S. W., Lin, T. L., Lin, L. Y. Is the occurrence of storage and voiding dysfunction affected by menopausal transition or associated with the normal aging process?. *Menopause*. 2003 May-Jun; 10: 203-8
- 44739 Cheng, C., Hendry, W. F., Kirby, R. S., Whitfield, H. N. Detubularisation in cystoplasty: clinical review. *Br J Urol*. 1991 Mar; 67: 303-7
- 41727 Cheng, E. Y., Ozerdemoglu, R. A., Transfeldt, E. E., Thompson, R. C., Jr Lumbosacral chordoma. Prognostic factors and treatment. *Spine*. 1999 Aug 15; 24: 1639-45
- 53360 Cheon, W. C., Mak, J. H., Liu, J. Y. Prospective randomised controlled trial comparing laparoscopic and open colposuspension. *Hong Kong Med J*. 2003 Feb; 9: 10-4
- 3095 Cher, M.L., Allen, T.D. Continence in the myelodysplastic patient following enterocystoplasty. *J Urol*. 1993 May; 149: 1103-1106
- 43743 Cheriyan, S., Greenberger, P. A., Patterson, R. Outcome of cough variant asthma treated with inhaled steroids. *Ann Allergy*. 1994 Dec; 73: 478-80
- 42769 Chernoff, A., Horowitz, M., Combs, A., Libretti, D., Nitti, V., Glassberg, K. I. Periurethral collagen injection for the treatment of urinary incontinence in children. *J Urol*. 1997 Jun; 157: 2303-5
- 3056 Chester, F. Promoting urinary continence (continuing education credit). *Nurs Stand*. 1993 May 12-18; 7: 31-36
- 40606 Chesterman, J., Bauld, L., Judge, K. Satisfaction with the care-managed support of older people: an empirical analysis. *Health Soc Care Community*. 2001 Jan; 9: 31-42
- 43727 Chia, Y. W., Fowler, C. J., Kamm, M. A., Henry, M. M., Lemieux, M. C., Swash, M. Prevalence of bowel dysfunction in patients with multiple sclerosis and bladder dysfunction. *J Neurol*. 1995 Jan; 242: 105-8
- 52720 Chiaffarino, F., Parazzini, F., Lavezzari, M., Giambanco, V. Impact of urinary incontinence and overactive bladder on quality of life. *Eur Urol*. 2003 May; 43: 535-8



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41338 Chiang, L., Ouslander, J., Schnelle, J., Reuben, D. B. Dually incontinent nursing home residents: clinical characteristics and treatment differences. *J Am Geriatr Soc.* 2000 Jun; 48: 673-6
- 11005 Chiara, G., Piccioni, V., Perino, M., Ohlmeier, U., Fassino, S., Leombruni, P. Psychological investigation in female patients suffering from urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 73-7
- 59357 Chiarelli, P. Urinary incontinence: the last taboo?. *Aust J Rural Health.* 2004 Dec; 12: 277-8
- 41786 Chiarelli, P., Brown, W. J. Leaking urine in Australian women: prevalence and associated conditions. *Women Health.* 1999; 29: 1-13
- 41670 Chiarelli, P., Brown, W., McElduff, P. Leaking urine: prevalence and associated factors in Australian women. *Neurourol Urodyn.* 1999; 18: 567-77
- 42859 Chiarelli, P., Campbell, E. Incontinence during pregnancy. Prevalence and opportunities for continence promotion. *Aust N Z J Obstet Gynaecol.* 1997 Feb; 37: 66-73
- 40215 Chiarelli, P., Cockburn, J. Promoting urinary continence in women after delivery: randomised controlled trial. *BMJ.* 2002 May 25; 324: 1241
- 57040 Chiarelli, P., Murphy, B., Cockburn, J. Acceptability of a urinary continence promotion programme to women in postpartum. *BJOG.* 2003 Feb; 110: 188-96
- 56740 Chiarelli, P., Murphy, B., Cockburn, J. Women's knowledge, practises, and intentions regarding correct pelvic floor exercises. *Neurourol Urodyn.* 2003; 22: 246-9
- 43703 Chida, N., Orikasa, S., Konda, R., Takahashi, M., Ishidoya, S., Ogata, Y. Crossed ureteral ectopia with an ectopic blind-ending ureter. *Urol Int.* 1995; 55: 169-72
- 10967 Chilaka, V. N., Mayne, C. J. Postoperative urinary tract infections (UTIs) following single-dose intraoperative antibiotic prophylaxis in colposuspension patients. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 132-5
- 11607 Chin, Y. K., Stanton, S. L. A follow up of silastic sling for genuine stress incontinence. *Br J Obstet Gynaecol.* 1995 Feb; 102: 143-7
- 11617 Chingwundoh, F. I., Nayeem, N. Outcome of Burch colposuspension in a district general hospital. *Br J Clin Pract.* 1995 Jan-Feb; 49: 41-2
- 55470 Chin-Peuckert, L., Komlos, M., Rennick, J. E., Jednak, R., Capolicchio, J. P., Salle, J. L. What is the variability between 2 consecutive cystometries in the same child?. *J Urol.* 2003 Oct; 170: 1614-7
- 40622 Chin-Peuckert, L., Salle, J. L. A modified biofeedback program for children with detrusor-sphincter dyssynergia: 5-year experience. *J Urol.* 2001 Oct; 166: 1470-5
- 43051 Chiverton, P. A., Wells, T. J., Brink, C. A., Mayer, R. Psychological factors associated with urinary incontinence. *Clin Nurse Spec.* 1996 Sep; 10: 229-33
- 42337 Cho, C. Y., Alessi, C. A., Cho, M., Aronow, H. U., Stuck, A. E., Rubenstein, L. Z., Beck, J. C. The association between chronic illness and functional change among participants in a comprehensive geriatric assessment program. *J Am Geriatr Soc.* 1998 Jun; 46: 677-82
- 10369 Choe, J. M. Preventing urethral obstruction using the 6-point fixation and weight- adjusted spacing nomogram during sling surgery. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 122-8
- 50020 Choe, J. M. Pubovaginal sling surgery without using abdominal leak point pressure: an outcomes analysis. *Adv Exp Med Biol.* 2003; 539: 467-80
- 10004 Choe, J. M. Suprapubic sling adjustment: minimally invasive method of curing recurrent stress incontinence after sling surgery. *J Urol.* 2002 Nov; 168: 2059-62
- 50000 Choe, J. M. Surgical implantation of the synthetic sling (the 6-point fixation technique and weight-adjusted spacing nomogram): technique and results. *Adv Exp Med Biol.* 2003; 539: 493-507
- 10291 Choe, J. M. Tension-free vaginal tape: is it truly tension-free?. *J Urol.* 2001 Sep; 166: 1003
- 50010 Choe, J. M. The use of synthetic materials in pubovaginal sling. *Adv Exp Med Biol.* 2003; 539: 481-92

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10010 Choe, J. M. Vaginal erosion caused by antibacterial mesh sling. *J Urol*. 2002 Oct; 168: 1504
- 40753 Choe, J. M., Bell, T. Genetic material is present in cadaveric dermis and cadaveric fascia lata. *J Urol*. 2001 Jul; 166: 122-4
- 41914 Choe, J. M., Gallo, M. L., Staskin, D. R. A provocative maneuver to elicit cystometric instability: measuring instability at maximum infusion. *J Urol*. 1999 May; 161: 1541-4
- 10270 Choe, J. M., Kothandapani, R., James, L., Bowling, D. Autologous, cadaveric, and synthetic materials used in sling surgery: comparative biomechanical analysis. *Urology*. 2001 Sep; 58: 482-6
- 10634 Choe, J. M., Ogan, K., Battino, B. S. Antimicrobial mesh versus vaginal wall sling: a comparative outcomes analysis. *J Urol*. 2000 Jun; 163: 1829-34
- 10658 Choe, J. M., Ogan, K., Bennett, S. Antibacterial mesh sling: a prospective outcome analysis. *Urology*. 2000 Apr; 55: 515-20
- 42963 Choe, J. M., Staskin, D. R. Artificial urinary sphincter: evolution and development. *J Long Term Eff Med Implants*. 1997; 7: 75-100
- 11068 Choe, J. M., Staskin, D. R. Clinical usefulness of urinary control urethral insert devices. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 307-13
- 10761 Choe, J. M., Staskin, D. R. Gore-Tex patch sling: 7 years later. *Urology*. 1999 Oct; 54: 641-6
- 41213 Choi, H., Oh, S. J. The management of children with complete ureteric duplication: selective use of uretero-ureterostomy as a primary and salvage procedure. *BJU Int*. 2000 Sep; 86: 508-12
- 40115 Choi, I. S. Parkinsonism after carbon monoxide poisoning. *Eur Neurol*. 2002; 48: 30-3
- 11423 Chohan, H. J., Stevenson, K. R. Sling transection of urethra: a rare complication. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 331-4
- 56110 Chou, E. C., Flisser, A. J., Panagopoulos, G., Blaivas, J. G. Effective treatment for mixed urinary incontinence with a pubovaginal sling. *J Urol*. 2003 Aug; 170: 494-7
- 10298 Chou, T. P., Gorton, E., Stanton, S. L., Atherton, M., Baessler, K., Rienhardt, G. Can uroflowmetry patterns in women be reliably interpreted?. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000 Jun; 11: 142-7
- 56500 Chou, Y. C., Yu, K. J. Entrapped vaginal pessary presented with frequency and urge incontinence. *J Chin Med Assoc*. 2003 Mar; 66: 181-3
- 44834 Choudhury, S. L., Brocklehurst, J. C., Lye, M. Bacteriuria in non-catheterized elderly patients in the first eight days of hospital stay. *Age Ageing*. 1990 Nov; 19: 376-82
- 40831 Chow, M., Clarke, D. B., Maloney, W. J., Sangalang, V. Meningeal melanocytoma of the planum sphenoidale. Case report and review of the literature. *J Neurosurg*. 2001 May; 94: 841-5
- 42836 Chow, S. H., LaSalle, M. D., Rosenberg, G. S. Urinary incontinence secondary to a vaginal pessary. *Urology*. 1997 Mar; 49: 458-9
- 40554 Christ, G. J., Day, N. S., Day, M., Santizo, C., Zhao, W., Sciafani, T., Zinman, J., Hsieh, K., Venkateswarlu, K., Valcic, M., Melman, A. Bladder injection of 'naked' hSlo/pcDNA3 ameliorates detrusor hyperactivity in obstructed rats in vivo. *Am J Physiol Regul Integr Comp Physiol*. 2001 Nov; 281: R1699-709
- 56880 Christ, G. J., Day, N. S., Day, M., Zhao, W., Persson, K., Pandita, R. K., Andersson, K. E. Increased connexin43-mediated intercellular communication in a rat model of bladder overactivity in vivo. *Am J Physiol Regul Integr Comp Physiol*. 2003 May; 284: R1241-8
- 42706 Christensen, H., Laybourn, C., Eickhoff, J. H., Frimodt-Moller, C. Long-term results of the Stamey Bladder-neck suspension procedure and of the Burch colposuspension. *Scand J Urol Nephrol*. 1997 Aug; 31: 349-53
- 42277 Christiansen, J. Modern surgical treatment of anal incontinence. *Ann Med*. 1998 Jun; 30: 273-7
- 41812 Christiansen, J., Rasmussen, O. O., Lindorff-Larsen, K. Long-term results of artificial anal sphincter implantation for severe anal incontinence. *Ann Surg*. 1999 Jul; 230: 45-8

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 44505** Christiansen, J., Sparso, B. Treatment of anal incontinence by an implantable prosthetic anal sphincter. *Ann Surg.* 1992 Apr; 215: 383-6
- 42759** Christmas, T. J., Smith, G. L., Rickards, D. Diagnosis and management of high-pressure peristaltic contractions in cystoplasties. *Br J Urol.* 1997 Jun; 79: 879-82
- 41817** Chu, L. W., Pei, C. K. Risk factors for early emergency hospital readmission in elderly medical patients. *Gerontology.* 1999 Jul-Aug; 45: 220-6
- 43275** Chua, K. S., Kong, K. H. Functional outcome in brain stem stroke patients after rehabilitation. *Arch Phys Med Rehabil.* 1996 Feb; 77: 194-7
- 56610** Chua, K., Chuo, A., Kong, K. H. Urinary incontinence after traumatic brain injury: incidence, outcomes and correlates. *Brain Inj.* 2003 Jun; 17: 469-78
- 55690** Chuang, T. Y., Yu, K. J., Penn, I. W., Chang, Y. C., Lin, P. H., Tsai, Y. A. Neurourological changes before and after radical hysterectomy in patients with cervical cancer. *Acta Obstet Gynecol Scand.* 2003 Oct; 82: 954-9
- 40800** Chun, Y. S., Kim, W. K., Park, K. W., Lee, S. C., Jung, S. E. Lipoblastoma. *J Pediatr Surg.* 2001 Jun; 36: 905-7
- 40497** Chung, C. C., Ha, J. P., Tsang, W. W., Li, M. K. Laparoscopic-assisted total mesorectal excision and colonic J pouch reconstruction in the treatment of rectal cancer. *Surg Endosc.* 2001 Oct; 15: 1098-101
- 10126** Chung, M. K., Chung, R. P. Comparison of laparoscopic Burch and tension-free vaginal tape in treating stress urinary incontinence in obese patients. *JSLS.* 2002 Jan-Mar; 6: 17-21
- 10160** Chung, S. Y., Franks, M., Smith, C. P., Lee, J. Y., Lu, S. H., Chancellor, M. Technique of combined pubovaginal sling and cystocele repair using a single piece of cadaveric dermal graft. *Urology.* 2002 Apr; 59: 538-41
- 11795** Churchill, B. M., Aliabadi, H., Landau, E. H., McLorie, G. A., Steckler, R. E., McKenna, P. H., Khoury, A. E. Ureteral bladder augmentation. *J Urol.* 1993 Aug; 150: 716-20
- 42915** Cimic, J., Meuleman, E. J., Oosterhof, G. O., Hoitsma, A. J. Urological complications in renal transplantation. A comparison between living-related and cadaveric grafts. *Eur Urol.* 1997; 31: 433-5
- 11610** Cisternino, A., Passerini-Glazel, G. Bladder dysfunction in children. *Scand J Urol Nephrol Suppl.* 1995; 173: 25-8; discussion 29
- 3947** Clancy, B., Malone-Lee, J. Reducing leakage rates of incontinence pads. *Nurs Times.* 1990 Sep 5-11; 86: 49,51
- 3755** Clancy, B., Malone-Lee, J. Reducing the leakage of body-worn incontinence pads. *J Adv Nurs.* 1991 Feb; 16: 187-193
- 10330** Clark, A. D., Salloum, M. S. Vaginal retropubic urethropexy with intraoperative cystometry for treating urinary stress incontinence. *BJU Int.* 2001 Jul; 88: 49-52
- 54970** Clark, A. L., Gregory, T., Smith, V. J., Edwards, R. Epidemiologic evaluation of reoperation for surgically treated pelvic organ prolapse and urinary incontinence. *Am J Obstet Gynecol.* 2003 Nov; 189: 1261-7
- 44160** Clark, A., Romm, J. Effect of urinary incontinence on sexual activity in women. *J Reprod Med.* 1993 Sep; 38: 679-83
- 41644** Clark, M. H., Benson, J. T. Fecal incontinence and the menstrual cycle: a case report. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 344-5
- 40022** Clark, T., Pope, J. C., 4th, Adams, C., Wells, N., Brock, J. W., 3rd Factors that influence outcomes of the Mitrofanoff and Malone antegrade continence enema reconstructive procedures in children. *J Urol.* 2002 Oct; 168: 1537-40; discussion 1540
- 11122** Clarke, B. The role of urodynamic assessment in the diagnosis of lower urinary tract disorders. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 196-9
- 3228** Clarke, B. Urethral instability. *Aust N Z J Obstet Gynaecol.* 1992 Aug; 32: 270-275
- 56550** Clarke-O'Neill, S., Pettersson, L., Fader, M. An evaluation of disposable pads for women with light incontinence. *Nurs Times.* 2003 May 13-19; 99: 69-72



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 54100 Clarke-O'Neill, S., Pettersson, L., Fader, M., Cottenden, A., Brooks, R. A multicenter comparative evaluation: disposable pads for women with light incontinence. *J Wound Ostomy Continence Nurs.* 2004 Jan-Feb; 31: 32-42
- 40403 Clarke-O'Neill, S., Pettersson, L., Fader, M., Dean, G., Brooks, R., Cottenden, A. A multicentre comparative evaluation: washable pants with an integral pad for light incontinence. *J Clin Nurs.* 2002 Jan; 11: 79-89
- 42219 Clayton, J., Smith, K., Qureshi, H., Ferguson, B. Collecting patients' views and perceptions of continence services: the development of research instruments. *J Adv Nurs.* 1998 Aug; 28: 353-61
- 40711 Clemens, J. Q., Bushman, W. Urethral diverticulum following transurethral collagen injection. *J Urol.* 2001 Aug; 166: 626
- 10540 Clemens, J. Q., DeLancey, J. O., Faerber, G. J., Westney, O. L., McGuire, E. J. Urinary tract erosions after synthetic pubovaginal slings: diagnosis and management strategy. *Urology.* 2000 Oct 1; 56: 589-94
- 11009 Clemens, J. Q., Stern, J. A., Bushman, W. A., Schaeffer, A. J. Long-term results of the Stamey bladder neck suspension: direct comparison with the Marshall-Marchetti-Krantz procedure. *J Urol.* 1998 Aug; 160: 372-6
- 41939 Clementson Kockum, C., Helin, I., Malmberg, L., Malmfors, G. Pediatric urinary tract reconstruction using intestine. *Scand J Urol Nephrol.* 1999 Feb; 33: 53-6
- 59136 Clemons, J. L., Aguilar, V. C., Tillinghast, T. A., Jackson, N. D., Myers, D. L. Patient satisfaction and changes in prolapse and urinary symptoms in women who were fitted successfully with a pessary for pelvic organ prolapse. *Am J Obstet Gynecol.* 2004 Apr; 190: 1025-9
- 57620 Clever, K., Smith, G., Bowser, C., Monroe, K. Evaluating the efficacy of a uniquely delivered skin protectant and its effect on the formation of sacral/buttock pressure ulcers. *Ostomy Wound Manage.* 2002 Dec; 48: 60-7
- 42956 Close, C. E., Mitchell, M. E. Continent gastric tube: new techniques and long-term followup. *J Urol.* 1997 Jan; 157: 51-5
- 43679 Clow, W. M., Joannides, T., Saleem, A. K., Melville-Jones, G. R., Martin, I. An unusual cause of postmenopausal bleeding and incontinence of urine: primary lymphoma of the vagina. *Br J Obstet Gynaecol.* 1995 Feb; 102: 164-5
- 42018 Coates, K. W. Physiologic evaluation of the pelvic floor. *Obstet Gynecol Clin North Am.* 1998 Dec; 25: 805-24
- 11199 Coates, K. W., Harris, R. L., Cundiff, G. W., Bump, R. C. Uroflowmetry in women with urinary incontinence and pelvic organ prolapse. *Br J Urol.* 1997 Aug; 80: 217-21
- 42528 Cobbs, E. L., Ralapati, A. N. Health of older women. *Med Clin North Am.* 1998 Jan; 82: 127-44
- 41178 Cochran, A. Don't ask, don't tell: the incontinence conspiracy. *Manag Care Q.* 2000 Winter; 8: 44-52
- 3578 Cochran, A. Fatal attraction: Foley catheters. *Ostomy Wound Manage.* 1991 Sep-Oct; 36: 40-1,43-4
- 42028 Cochran, A. Response to urinary incontinence by older persons living in the community. *J Wound Ostomy Continence Nurs.* 1998 Nov; 25: 296-303
- 43910 Cochran, I., Flynn, C. A., Goetz, G., Potts-Nulty, S. E., Rece, J., Sensenig, H. Stroke care--piecing together the long-term picture. *Nursing.* 1994 Jun; 24: 34-41; quiz 42
- 40427 Cochrane, D. D., Irwin, B., Chambers, K. Clinical outcomes that fetal surgery for myelomeningocele needs to achieve. *Eur J Pediatr Surg.* 2001 Dec; 11 Suppl 1: S18-20
- 43180 Cochrane, D. D., Wilson, R. D., Steinbok, P., Farquharson, D. F., Irwin, B., Irvine, B., Chambers, K. Prenatal spinal evaluation and functional outcome of patients born with myelomeningocele: information for improved prenatal counselling and outcome prediction. *Fetal Diagn Ther.* 1996 May-Jun; 11: 159-68
- 51500 Cody, J., Wyness, L., Wallace, S., Glazener, C., Kilonzo, M., Stearns, S., McCormack, K., Vale, L., Grant, A. Systematic review of the clinical effectiveness and cost-effectiveness of tension-free vaginal tape for treatment of urinary stress incontinence. *Health Technol Assess.* 2003; 7: iii, 1-189
- 40377 Cogan, S. L., Weber, A. M., Hammel, J. P. Is urethral mobility really being assessed by the pelvic organ prolapse quantification (POP-Q) system?. *Obstet Gynecol.* 2002 Mar; 99: 473-6

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 44303** Cohen, H. A., Abarbanel, J., Ashkenasi, A., Frydman, M., Straussberg, R., Varsano, I. Urodynamic manifestations associated with Ramsay-Hunt syndrome. Case report. Scand J Urol Nephrol. 1993; 27: 129-31
- 3080** Cohen, H.A., Abarbanel, J., Ashkenasi, A., Frydman, M., Straussberg, R., and Varsano, I. Urodynamic manifestations associated with Ramsay-Hunt syndrome. Case report. Scand J Urol Nephrol. 1993; 27: 129-131
- 41992** Cohen, S. J., Robinson, D., Dugan, E., Howard, G., Suggs, P. K., Pearce, K. F., Carroll, D. D., McGann, P., Preisser, J. Communication between older adults and their physicians about urinary incontinence. J Gerontol A Biol Sci Med Sci. 1999 Jan; 54: M34-7
- 59258** Col, C., Hasdemir, O., Yalcin, E., Guzel, H., Tunc, G., Bilgen, K., Kucukpinar, T. The assessment of urinary function following extended lymph node dissection for colorectal cancer. Eur J Surg Oncol. 2005 Apr; 31: 237-41
- 44563** Colak, A., Tahta, K., Ozcan, O. E., Eryilmaz, M. Congenital lumbosacral lipomas presenting as a form of occult spinal dysraphism. A report of 9 surgically treated cases. Zentralbl Neurochir. 1992; 53: 15-9
- 3399** Colak, A., Tahta, K., Ozcan, O.E., and Eryilmaz, M. Congenital lumbosacral lipomas presenting as a form of occult spinal dysraphism. A report of 9 surgically treated cases. Zentralbl Neurochir. 1992; 53: 15-19
- 11452** Colakoglu, M., Capar, M., Kilic, M., Colakoglu, U., Kaya, H., Acar, A. A new needle suspension procedure for genuine stress incontinence and anterior vaginal wall prolapse. Int Urogynecol J Pelvic Floor Dysfunct. 1996; 7: 64-7; discussion 67-8
- 56090** Cole, E. E., Adams, M. C., Brock, J. W., 3rd, Pope, J. C., 4th Outcome of continence procedures in the pediatric patient: a single institutional experience. J Urol. 2003 Aug; 170: 560-3; discussion 563
- 51290** Cole, E., Gomelsky, A., Dmochowski, R. R. Encapsulation of a porcine dermis pubovaginal sling. J Urol. 2003 Nov; 170: 1950
- 41809** Coleman, E. A., Grothaus, L. C., Sandhu, N., Wagner, E. H. Chronic care clinics: a randomized controlled trial of a new model of primary care for frail older adults. J Am Geriatr Soc. 1999 Jul; 47: 775-83
- 43793** Colley, W. Continence. Indwelling urinary catheters. Nurs Times. 1994 Oct 26-Nov 1; 90: 70
- 3815** Colley, W. Continence. The Colley Model. Nurs Times. 1991 Feb 13-19; 87: 61-63
- 42828** Colley, W. Know how male catheterisation. Nurs Times. 1997 Mar 12-18; 93: 32-3
- 55850** Colley, W. The assessment of continence problems in adults. Nurs Times. 2003 Jul 22-28; 99: 50-1
- 43888** Colling, J. C., Owen, T. R., McCreedy, M. R. Urine volumes and voiding patterns among incontinent nursing home residents. Residents at highest risk for dehydration are often the most difficult to track. Geriatr Nurs. 1994 Jul-Aug; 15: 188-92
- 43842** Colling, J., McCreedy, M., Owen, T. Urinary tract infection rates among incontinent nursing home and community dwelling elderly. Urol Nurs. 1994 Sep; 14: 117-9
- 11916** Colling, J., Ouslander, J., Hadley, B. J., Eisch, J., Campbell, E. The effects of patterned urge-response toileting (PURT) on urinary incontinence among nursing home residents. J Am Geriatr Soc. 1992 Feb; 40: 135-41
- 3474** Colling, J., Ouslander, J., Hadley, B.J., Eisch, J., and Campbell, E. The effects of patterned urge-response toileting (PURT) on urinary incontinence among nursing home residents. J Am Geriatr Soc. 1992 Feb; 40: 135-141
- 56510** Colling, J., Owen, T. R., McCreedy, M., Newman, D. The effects of a continence program on frail community-dwelling elderly persons. Urol Nurs. 2003 Apr; 23: 117-22, 127-31
- 3131** Colling, J.C., Newman, D.K., McCormick, K.A., and Pearson, B.D. Behavioral management strategies for urinary incontinence. J ET Nurs. 1993 Jan-Feb; 20: 9-13
- 3339** Coloby, P., Gattegno, B., Fourcade, R.O., Fiette, P., Lagrange, L., Gilbon, F., Elias, E., Montete, P., and Thibault, P. Bladder reconstruction with ileum after cystoprostatectomy for bladder cancer: analysis of the micturition and continence of 44 consecutive patients. Jpn J Clin Oncol. 1992 Apr; 22: 122-130

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11245** Colombo, M., Maggioni, A., Scalabrino, S., Vitobello, D., Milani, R. Surgery for genitourinary prolapse and stress incontinence: a randomized trial of posterior pubourethral ligament plication and Pereyra suspension. *Am J Obstet Gynecol.* 1997 Feb; 176: 337-43
- 11413** Colombo, M., Maggioni, A., Zanetta, G., Vignali, M., Milani, R. Prevention of postoperative urinary stress incontinence after surgery for genitourinary prolapse. *Obstet Gynecol.* 1996 Feb; 87: 266-71
- 11355** Colombo, M., Milani, R., Vitobello, D., Maggioni, A. A randomized comparison of Burch colposuspension and abdominal paravaginal defect repair for female stress urinary incontinence. *Am J Obstet Gynecol.* 1996 Jul; 175: 78-84
- 11633** Colombo, M., Scalabrino, S., Maggioni, A., Milani, R. Burch colposuspension versus modified Marshall-Marchetti-Krantz urethropexy for primary genuine stress urinary incontinence: a prospective, randomized clinical trial. *Am J Obstet Gynecol.* 1994 Dec; 171: 1573-9
- 10647** Colombo, M., Vitobello, D., Proietti, F., Milani, R. Randomised comparison of Burch colposuspension versus anterior colporrhaphy in women with stress urinary incontinence and anterior vaginal wall prolapse. *BJOG.* 2000 Apr; 107: 544-51
- 11401** Colombo, M., Zanetta, G., Vitobello, D., Milani, R. The Burch colposuspension for women with and without detrusor overactivity. *Br J Obstet Gynaecol.* 1996 Mar; 103: 255-60
- 40026** Colvert, J. R., 3rd, Kropp, B. P., Cheng, E. Y., Pope, J. C., 4th, Brock, J. W., 3rd, Adams, M. C., Austin, P., Furness, P. D., 3rd, Koyle, M. A. The use of small intestinal submucosa as an off-the-shelf urethral sling material for pediatric urinary incontinence. *J Urol.* 2002 Oct; 168: 1872-5; discussion 1875-6
- 59098** Comiter, C. V., Colegrove, P. M. High rate of vaginal extrusion of silicone-coated polyester sling. *Urology.* 2004 Jun; 63: 1066-70
- 10725** Comiter, C. V., Vasavada, S. P., Raz, S. Transvaginal culdosuspension: technique and results. *Urology.* 1999 Nov; 54: 819-22
- 10718** Connolly, A. M., Thorp, J. M., Jr Childbirth-related perineal trauma: clinical significance and prevention. *Clin Obstet Gynecol.* 1999 Dec; 42: 820-35
- 59218** Connolly, T. P. Necrotizing surgical site infection after tension-free vaginal tape. *Obstet Gynecol.* 2004 Dec; 104: 1275-6
- 43956** Connor, J. P., Betrus, G., Fleming, P., Perlmutter, A. D., Reitelman, C. Early cystometrograms can predict the response to intravesical instillation of oxybutynin chloride in myelomeningocele patients. *J Urol.* 1994 Apr; 151: 1045-7
- 3889** Connor, J.P., Burbige, K.A. Long-term urinary continence and renal function in neonates with posterior urethral valves. *J Urol.* 1990 Nov; 144: 1209-1211
- 11224** Conrad, S., Pieper, A., De la Maza, S. F., Busch, R., Huland, H. Long-term results of the Stamey bladder neck suspension procedure: a patient questionnaire based outcome analysis. *J Urol.* 1997 May; 157: 1672-7
- 59354** Constantini, E., Mearini, L., Biscotto, S., Giannantoni, A., Bini, V., Porena, M. Impact of different sized catheters on pressure-flow studies in women with lower urinary tract symptoms. *Neurourol Urodyn.* 2005; 24: 106-10
- 3394** Constantinou, C.E. Pharmacologic treatment of detrusor incontinence with thiphenamil HCl. *Urol Int.* 1992; 48: 42-47
- 11850** Contreras Ortiz, O., Lombardo, R. J., Pellicari, A. Non-invasive diagnosis of bladder instability using the Bladder Instability Discriminant Index (BIDI). *Zentralbl Gynakol.* 1993; 115: 446-9
- 41709** Cook, E. Assessing continence needs in children. *Nurs Stand.* 1999 Jun 9-15; 13: 48-52; quiz 54
- 42580** Cook, E. Assessing continence needs in children. *Paediatr Nurs.* 1997 Nov; 9: 29-34; quiz 35-6
- 10017** Cooper, J. Stress incontinence. *Clin Evid.* 2002 Jun; : 1772-83
- 11409** Cooper, M. J., Cario, G., Lam, A., Carlton, M. A review of results in a series of 113 laparoscopic colposuspensions. *Aust N Z J Obstet Gynaecol.* 1996 Feb; 36: 44-8

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40174** Cooper, P., Gray, D. Comparison of two skin care regimes for incontinence. *Br J Nurs*. 2001 Mar; 10: S6, S8, S10 passim
- 42380** Cooper, S. A. Clinical study of the effects of age on the physical health of adults with mental retardation. *Am J Ment Retard*. 1998 May; 102: 582-9
- 10240** Copas, P., Bukovsky, A., Asbury, B., Elder, R. F., Caudle, M. R. Estrogen, progesterone, and androgen receptor expression in levator ani muscle and fascia. *J Womens Health Gend Based Med*. 2001 Oct; 10: 785-95
- 52870** Cor, A., Barbic, M., Kralj, B. Differences in the quantity of elastic fibres and collagen type I and type III in endopelvic fascia between women with stress urinary incontinence and controls. *Urol Res*. 2003 Jun; 31: 61-5
- 40083** Corcos, J., Beaulieu, S., Donovan, J., Naughton, M., Gotoh, M. Quality of life assessment in men and women with urinary incontinence. *J Urol*. 2002 Sep; 168: 896-905
- 40320** Corcos, J., Behloul, H., Beaulieu, S. Identifying cut-off scores with neural networks for interpretation of the incontinence impact questionnaire. *Neurourol Urodyn*. 2002; 21: 198-203
- 10726** Corcos, J., Fournier, C. Periurethral collagen injection for the treatment of female stress urinary incontinence: 4-year follow-up results. *Urology*. 1999 Nov; 54: 815-8
- 10331** Cornacchia, M., Zenorini, A., Perobelli, S., Zanolla, L., Mastella, G., Braggion, C. Prevalence of urinary incontinence in women with cystic fibrosis. *BJU Int*. 2001 Jul; 88: 44-8
- 10592** Cornella, J. L., Magrina, J. F. An algorithm for the management of urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 221-6
- 12022** Cornella, J. L., Ostergard, D. R. Needle suspension procedures for urinary stress incontinence: a review and historical perspective. *Obstet Gynecol Surv*. 1990 Dec; 45: 805-16
- 41871** Correa, R. J., Jr Informing patients about urinary incontinence. *JAMA*. 1999 May 19; 281: 1795
- 43884** Corrie, G. D. AHCPR guides oversimplify treatment approach. *J Okla State Med Assoc*. 1994 Jul; 87: 333-4
- 11210** Cosimo, O., Pierluigi, P., Angelo, Z. M., Santa, U., Gabriele, F., Salvatore, M. A clinical and urodynamic study of patients with varying degrees of cystocele. *Maturitas*. 1997 Jun; 27: 125-32
- 42309** Cosin, J. A., Carson, L. F. Multidisciplinary management of urinary pouch complications: a better way. *Gynecol Oncol*. 1998 Jun; 69: 183-4
- 11460** Cosiski Marana, H. R., Moreira de Andrade, J., Matheus de Sala, M., Duarte, G., Fonzar Marana, R. R. Evaluation of long-term results of surgical correction of stress urinary incontinence. *Gynecol Obstet Invest*. 1996; 41: 214-9
- 56250** Cosson, M., Boukerrou, M., Lacaze, S., Lambaudie, E., Fasel, J., Mesdagh, H., Lobry, P., Ego, A. A study of pelvic ligament strength. *Eur J Obstet Gynecol Reprod Biol*. 2003 Jul 1; 109: 80-7
- 52030** Cosson, M., Boukerrou, M., Narducci, F., Occelli, B., Querleu, D., Crepin, G. Long-term results of the Burch procedure combined with abdominal sacrocolpopexy for treatment of vault prolapse. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Jun; 14: 104-7
- 10417** Cosson, M., Collinet, P., Occelli, B., Narducci, F., Crepin, G. The vaginal patch plastron for vaginal cure of cystocele. Preliminary results for 47 patients. *Eur J Obstet Gynecol Reprod Biol*. 2001 Mar; 95: 73-80
- 51620** Cosson, M., Debodinance, P., Boukerrou, M., Chauvet, M. P., Lobry, P., Crepin, G., Ego, A. Mechanical properties of synthetic implants used in the repair of prolapse and urinary incontinence in women: which is the ideal material?. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Aug; 14: 169-78; discussion 178
- 10449** Cosson, M., Rajabally, R., Querleu, D., Crepin, G. Long term complications of vaginal hysterectomy: a case control study. *Eur J Obstet Gynecol Reprod Biol*. 2001 Feb; 94: 239-44
- 40307** Costa, J. A., Kreder, K. J., Howe, J. R. Combined urinary and fecal diversion using a no bowel anastomosis technique. *J Urol*. 2002 May; 167: 2063-5

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 59101 Costa, P., Grise, P., Droupy, S., Monneins, F., Assenmacher, C., Ballanger, P., Hermieu, J. F., Delmas, V., Boccon-Gibod, L., Ortuno, C. Surgical treatment of female stress urinary incontinence with a trans-obturator-tape (T.O.T.) Uratape: short term results of a prospective multicentric study. *Eur Urol.* 2004 Jul; 46: 102-6; discussion 106-7
- 11267 Costa, P., Mottet, N. Assessing the impact of urinary incontinence in a female population. *Eur Urol.* 1997; 32 Suppl 2: 25-7
- 11563 Costa, P., Mottet, N., el Sandid, M., Sahwi, A., Navratil, H. The artificial urinary sphincter AMS 800: our experience in women with or without uterine prolapse. *Acta Urol Belg.* 1995 May; 63: 45-6
- 10420 Costa, P., Mottet, N., Rabut, B., Thuret, R., Ben Naoum, K., Wagner, L. The use of an artificial urinary sphincter in women with type III incontinence and a negative Marshall test. *J Urol.* 2001 Apr; 165: 1172-6
- 42254 Costantini, E., Lombi, R., Micheli, C., Parziani, S., Porena, M. Colposacropexy with Gore-tex mesh in marked vaginal and uterovaginal prolapse. *Eur Urol.* 1998 Aug; 34: 111-7
- 52020 Costantini, E., Pajoncini, C., Zucchi, A., Lombi, R., Bini, V., Mearini, E., Porena, M. Four-corner colposuspension: clinical and functional results. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Jun; 14: 113-8
- 59164 Costantini, S., Mistrangelo, E., Francioso, R., Valenzano Menada, M., Risso, D., Lantieri, P. Vaginal versus transabdominal hysterectomy: is mode of hysterectomy to influence pelvic statics or is pelvic statics to influence mode of hysterectomy?. *Acta Obstet Gynecol Scand.* 2005 Apr; 84: 376-9
- 54200 Costanzo, E. S., Antes, L. M., Christensen, A. J. Behavioral and medical treatment of chronic polydipsia in a patient with schizophrenia and diabetes insipidus. *Psychosom Med.* 2004 Mar-Apr; 66: 283-6
- 3031 Cottenden, A., Ledger, D. Incontinence pads: predicting their leakage performance using laboratory tests. *Neurourol Urodyn.* 1993; 12: 289-291
- 3885 Cotton, P. Physicians hear about incontinence [news]. *Jama.* 1990 Nov 14; 264: 2361-2362
- 11715 Couillard, D. R., Deckard-Janatpour, K. A., Stone, A. R. The vaginal wall sling: a compressive suspension procedure for recurrent incontinence in elderly patients. *Urology.* 1994 Feb; 43: 203-8
- 43403 Coward, R. T., Horne, C., Peek, C. W. Predicting nursing home admissions among incontinent older adults: a comparison of residential differences across six years. *Gerontologist.* 1995 Dec; 35: 732-43
- 50980 Coyne, K. S., Zhou, Z., Thompson, C., Versi, E. The impact on health-related quality of life of stress, urge and mixed urinary incontinence. *BJU Int.* 2003 Nov; 92: 731-5
- 40053 Coyne, K., Revicki, D., Hunt, T., Corey, R., Stewart, W., Bentkover, J., Kurth, H., Abrams, P. Psychometric validation of an overactive bladder symptom and health-related quality of life questionnaire: the OAB-q. *Qual Life Res.* 2002 Sep; 11: 563-74
- 11997 Craggs, M. D., Chaffey, N. J., Mundy, A. R. A preliminary report on a new hydraulic sphincter for controlling urinary incontinence. *J Med Eng Technol.* 1991 Mar-Apr; 15: 58-62
- 3629 Craggs, M.D., Chaffey, N.J., and Mundy, A.R. A preliminary report on a new hydraulic sphincter for controlling urinary incontinence. *J Med Eng Technol.* 1991 Mar-Apr; 15: 58-62
- 43758 Craig, D. I. Spinal cord injury and pregnancy: the stories of two women. *SCI Nurs.* 1994 Dec; 11: 100-4
- 45061 Craig, D. I. The adaptation to pregnancy of spinal cord injured women. *Rehabil Nurs.* 1990 Jan-Feb; 15: 6-9
- 55600 Cramer, E. H., Jones, P., Keenan, N. L., Thompson, B. L. Is naturopathy as effective as conventional therapy for treatment of menopausal symptoms?. *J Altern Complement Med.* 2003 Aug; 9: 529-38
- 42694 Crankson, S. J., Ahmed, S. Female bladder exstrophy. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 98-104
- 42549 Cravello, L., de Montgolfier, R., D'Ercole, C., Roger, V., Blanc, B. Endoscopic surgery. The end of classic surgery?. *Eur J Obstet Gynecol Reprod Biol.* 1997 Dec; 75: 103-6
- 58110 Crawford, J. T., Adams, W. M. Influence of vestibulovaginal stenosis, pelvic bladder, and recessed vulva on response to treatment for clinical signs of lower urinary tract disease in dogs: 38 cases (1990-1999). *J Am Vet Med Assoc.* 2002 Oct 1; 221: 995-9



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43456 Creagh, T. A., McNerney, P. D., Thomas, P. J., Mundy, A. R. Pregnancy after lower urinary tract reconstruction in women. *J Urol*. 1995 Oct; 154: 1323-4
- 44522 Creason, N. S., Burgener, S. C., Farrand, L. Guidelines for assessment of incontinence in elderly institutionalized women. *Geriatr Nurs*. 1992 Mar-Apr; 13: 76-9
- 3360 Creason, N.S. How useful are urinary incontinence nursing diagnoses?. *Urol Nurs*. 1992 Jun; 12: 46-47
- 3323 Creason, N.S., Burgener, S.C., and Farrand, L. Guidelines for assessment of incontinence in elderly institutionalized women. *Geriatr-Nurs (New York)*. 1992 Mar-Apr; 13: 76-79
- 3196 Creditor, M.C. Hazards of hospitalization of the elderly. *Ann Intern Med*. 1993 Feb 1; 118: 219-223
- 44783 Creighton, S. M., Plevnik, S., Stanton, S. L. Distal urethral electrical conductance (DUEC)--a preliminary assessment of its role as a quick screening test for incontinent women. *Br J Obstet Gynaecol*. 1991 Jan; 98: 69-72
- 3806 Creighton, S.M., Plevnik, S., and Stanton, S.L. Distal urethral electrical conductance (DUEC)--a preliminary assessment of its role as a quick screening test for incontinent women. *Br J Obstet Gynaecol*. 1991 Jan; 98: 69-72
- 3850 Creighton, S.M., Stanton, S.L. Caffeine: does it affect your bladder?. *Br J Urol*. 1990 Dec; 66: 613-614
- 3573 Creighton, S.M., Stanton, S.L. Comparison of surgical techniques. *Curr Opin Obstet Gynecol*. 1990 Aug; 2: 585-590
- 55430 Crimmins, C. R., Rathbun, S. R., Husmann, D. A. Management of urinary incontinence and nocturnal enuresis in attention-deficit hyperactivity disorder. *J Urol*. 2003 Oct; 170: 1347-50
- 10134 Criner, J. A. Urinary incontinence in vulnerable populations: female soldiers. *Urol Nurs*. 2001 Apr; 21: 120-4
- 43889 Crino, P. B., Zimmerman, R., Laskowitz, D., Raps, E. C., Rostami, A. M. Magnetic resonance imaging of the cauda equina in Guillain-Barre syndrome. *Neurology*. 1994 Jul; 44: 1334-6
- 59034 Crivellaro, S., Smith, J. J., Kocjancic, E., Bresette, J. F. Transvaginal sling using acellular human dermal allograft: safety and efficacy in 253 patients. *J Urol*. 2004 Oct; 172: 1374-8
- 52420 Croak, A. J., Schulte, V., Peron, S., Klingele, C., Gebhart, J., Lee, R. Transvaginal tape lysis for urinary obstruction after tension-free vaginal tape placement. *J Urol*. 2003 Jun; 169: 2238-41
- 44167 Crome, P., Wijayawardhana, P., Ankier, S. I., Dowell, P., Chevalier, P., Guillet, P. The pharmacokinetics of suriclone after single- and multiple-dose administration in healthy elderly volunteers. *Drugs Aging*. 1993 Sep-Oct; 3: 436-40
- 59086 Cronje, H. S., De Beer, J. A., Bam, R. The pathophysiology of an enterocele and its management. *J Obstet Gynaecol*. 2004 Jun; 24: 408-13
- 56470 Crosbie, J. J., Eguare, E., McGovern, B., Keane, F. B. The influence of bladder filling on anorectal function. *Colorectal Dis*. 2003 May; 5: 251-5
- 11089 Cross, C. A., Cespedes, R. D., English, S. F., McGuire, E. J. Transvaginal urethrolisis for urethral obstruction after anti- incontinence surgery. *J Urol*. 1998 Apr; 159: 1199-201
- 11090 Cross, C. A., Cespedes, R. D., McGuire, E. J. Our experience with pubovaginal slings in patients with stress urinary incontinence. *J Urol*. 1998 Apr; 159: 1195-8
- 11203 Cross, C. A., Cespedes, R. D., McGuire, E. J. Treatment results using pubovaginal slings in patients with large cystoceles and stress incontinence. *J Urol*. 1997 Aug; 158: 431-4
- 11157 Cross, C. A., English, S. F., Cespedes, R. D., McGuire, E. J. A followup on transurethral collagen injection therapy for urinary incontinence. *J Urol*. 1998 Jan; 159: 106-8
- 3768 Crowder, H. Incontinence: the secret problem. *N Z Nurs J*. 1991 Mar; 84: 19-21
- 41369 Cruccetti, A., Kiely, E. M., Spitz, L., Drake, D. P., Pritchard, J., Pierro, A. Pelvic neuroblastoma: low mortality and high morbidity. *J Pediatr Surg*. 2000 May; 35: 724-8

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 11215 Cruikshank, S. H., Kovac, S. R. The functional anatomy of the urethra: role of the pubourethral ligaments. *Am J Obstet Gynecol.* 1997 Jun; 176: 1200-3; discussion 1203-5
- 56240 Cruikshank, S. H., Muniz, M. Outcomes study: A comparison of cure rates in 695 patients undergoing sacrospinous ligament fixation alone and with other site-specific procedures--a 16-year study. *Am J Obstet Gynecol.* 2003 Jun; 188: 1509-12; discussion 1512-5
- 42133 Cruz, F. Desensitization of bladder sensory fibers by intravesical capsaicin or capsaicin analogs. A new strategy for treatment of urge incontinence in patients with spinal detrusor hyperreflexia or bladder hypersensitivity disorders. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 214-20
- 11024 Cucchi, A. A possible link between stress urinary incontinence and detrusor instability in the female--urodynamic (pressure/flow) data and speculative considerations. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 3-8
- 12103 Cucchi, A. Acceleration of flow rate as a screening test for detrusor instability in women with stress incontinence. *Br J Urol.* 1990 Jan; 65: 17-9
- 10872 Cucchi, A. Bladder contractility and idiopathic detrusor instability in the female. *Br J Urol.* 1993 Nov; 72: 559-65
- 10863 Cucchi, A. Sequential changes in voiding dynamics related to the development of detrusor instability in women with stress urinary incontinence. *Neurourol Urodyn.* 1999; 18: 73-80
- 50500 Cucchi, A., Siracusano, S., Di Benedetto, P., Comelli, M., Rovereto, B. Urgency of voiding and abdominal pressure transmission in women with mixed urinary incontinence. *Neurourol Urodyn.* 2004; 23: 43-7
- 42760 Cukier, J. M., Cortina-Borja, M., Brading, A. F. A case-control study to examine any association between idiopathic detrusor instability and gastrointestinal tract disorder, and between irritable bowel syndrome and urinary tract disorder. *Br J Urol.* 1997 Jun; 79: 865-78
- 10286 Culligan, P. J., Goldberg, R. P., Blackhurst, D. W., Sasso, K., Koduri, S., Sand, P. K. Comparison of microtransducer and fiberoptic catheters for urodynamic studies. *Obstet Gynecol.* 2001 Aug; 98: 253-7
- 51380 Culligan, P. J., Goldberg, R. P., Sand, P. K. A randomized controlled trial comparing a modified Burch procedure and a suburethral sling: long-term follow-up. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Oct; 14: 229-33; discussion 233
- 10472 Culligan, P. J., Heit, M. Urinary incontinence in women: evaluation and management. *Am Fam Physician.* 2000 Dec 1; 62: 2433-44, 2447, 2452
- 59333 Culligan, P. J., Myers, J. A., Goldberg, R. P., Blackwell, L., Gohmann, S. F., Abell, T. D. Elective cesarean section to prevent anal incontinence and brachial plexus injuries associated with macrosomia--a decision analysis. *Int Urogynecol J Pelvic Floor Dysfunct.* 2005 Jan-Feb; 16: 19-28; discussion 28
- 10550 Culligan, P. J., Rackley, R., Koduri, S., Thomson, R. B., Schwabe, L., Sand, P. K. Is it safe to reuse a syringe of glutaraldehyde cross-linked collagen? A microbiological study. *J Urol.* 2000 Oct; 164: 1275-6
- 11115 Cummings, J. M. Leakpoint pressures in female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 153-5
- 10990 Cummings, J. M., Boullier, J. A., Parra, R. O. Surgical correction of stress incontinence in morbidly obese women. *J Urol.* 1998 Sep; 160: 754-5
- 11240 Cummings, J. M., Boullier, J. A., Parra, R. O., Wozniak-Petrofsky, J. Leak point pressures in women with urinary stress incontinence: correlation with patient history. *J Urol.* 1997 Mar; 157: 818-20
- 11710 Cummings, J. M., Houston, K. The treatment of urinary incontinence. *Hosp Pract (Off Ed).* 1994 Feb 15; 29: 97-9, 103, 107
- 10653 Cummings, J. M., Rodning, C. B. Urinary stress incontinence among obese women: review of pathophysiology therapy. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 41-4
- 43550 Cummings, V., Holt, R., van der Sloot, C., Moore, K., Griffiths, D. Costs and management of urinary incontinence in long-term care. *J Wound Ostomy Continence Nurs.* 1995 Jul; 22: 193-8
- 11425 Cundiff, G. W., Bent, A. E. The contribution of urethrocystoscopy to evaluation of lower urinary tract dysfunction in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 307-11

## American Urological Association, Inc.

## Master Bibliography

## SUI Guidelines Panel

sorted by Primary Author and Title

- 11195 Cundiff, G. W., Harris, R. L., Coates, K. W., Bump, R. C. Clinical predictors of urinary incontinence in women. *Am J Obstet Gynecol.* 1997 Aug; 177: 262-6; discussion 266-7
- 11277 Cundiff, G. W., Harris, R. L., Theofrastous, J. P., Bump, R. C. Pressure transmission ratio reproducibility in stress continent and stress incontinent women. *Neurourol Urodyn.* 1997; 16: 161-6
- 41208 Cunha, D. F., Frota, R. B., Arruda, M. S., Cunha, S. F., Teixeira, V. P. Pressure sores among malnourished necropsied adults--preliminary data. *Rev Hosp Clin Fac Med Sao Paulo.* 2000 May-Jun; 55: 79-82
- 44841 Cunsolo, A., Bragaglia, R. B., Manara, G., Poggioli, G., Gozzetti, G. Urogenital dysfunction after abdominoperineal resection for carcinoma of the rectum. *Dis Colon Rectum.* 1990 Nov; 33: 918-22
- 3901 Cunsolo, A., Bragaglia, R.B., Manara, G., Poggioli, G., and Gozzetti, G. Urogenital dysfunction after abdominoperineal resection for carcinoma of the rectum. *Dis Colon Rectum.* 1990 Nov; 33: 918-922
- 41546 Curran, M. J., Kaefer, M., Peters, C., Logigian, E., Bauer, S. B. The overactive bladder in childhood: long-term results with conservative management. *J Urol.* 2000 Feb; 163: 574-7
- 11040 Currie, I., Drutz, H. P., Deck, J., Oxorn, D. Adipose tissue and lipid droplet embolism following periurethral injection of autologous fat: case report and review of the literature. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 377-80
- 40615 Curtis, L. A., Dolan, T. S., Cespedes, R. D. Acute urinary retention and urinary incontinence. *Emerg Med Clin North Am.* 2001 Aug; 19: 591-619
- 42942 Curtis, M. R., Gormley, E. A., Latini, J. M., Halsted, A. C., Heaney, J. A. Prospective development of a cost-efficient program for the pubovaginal sling. *Urology.* 1997 Jan; 49: 41-5
- 11999 Cutner, A., Cardozo, L. Treatment of incontinence. *Practitioner.* 1991 Feb; 235: 98, 100, 102-4
- 12029 Cutner, A., Cardozo, L. Urinary incontinence: clinical features. *Practitioner.* 1990 Dec; 234: 1018-24
- 3715 Cutner, A., Cardozo, L. Urinary incontinence--diagnosis. *Practitioner.* 1991 Jan; 235: 24,27-30
- 11946 Cutner, A., Cardozo, L. D., Wise, B. G. The effects of pregnancy on previous incontinence surgery. Case report. *Br J Obstet Gynaecol.* 1991 Nov; 98: 1181-3
- 3516 Cutner, A., Cardozo, L.D., and Wise, B.G. The effects of pregnancy on previous incontinence surgery. Case report. *Br J Obstet Gynaecol.* 1991 Nov; 98: 1181-1183
- 10275 Cutner, A., Smith, A. R. Laparoscopic colposuspension. *Curr Opin Obstet Gynecol.* 2001 Oct; 13: 533-7
- 11000 Czaplicki, M., Dobronski, P., Torz, C., Borkowski, A. Long-term subjective results of Marshall-Marchetti-Krantz procedure. *Eur Urol.* 1998 Aug; 34: 118-23
- 42802 Czarapata, B. J., McKillips, K. J. Silent suffering. Helping women find the path to continence. *AWHONN Lifelines.* 1997 Apr; 1: 28-34
- 42413 Da Ros, C. T., Teloken, C., Busatto, W. F., Jr, Sogari, P. R., Lisboa, J. F., Vargas Souto, C. A. Endoscopic suspension of the prolapsed vaginal dome. *Tech Urol.* 1998 Mar; 4: 25-8
- 52930 Daher, N., Boulanger, J. C., Ulmsten, U. Pre-pubic TVT: an alternative to classic TVT in selected patients with urinary stress incontinence. *Eur J Obstet Gynecol Reprod Biol.* 2003 Apr 25; 107: 205-7
- 10346 Dahms, S. E., Lampel, D. S., Kloeppel, S., Hohenfellner, M., Melchior, S. W., Muller, S. C., Thuroff, J. W. Low urethral pressure profile--clinical implications. *Scand J Urol Nephrol Suppl.* 2001; : 100-5; discussion 106-25
- 10552 Dainer, M. J., Zorn, B. H. Burch-Cooper's ligament sling procedure: an augmented incontinence operation. *Tech Urol.* 2000 Sep; 6: 175-7
- 10900 Dainer, M., Hall, C. D., Choe, J., Bhatia, N. Pregnancy following incontinence surgery. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 385-90
- 10905 Dainer, M., Hall, C. D., Choe, J., Bhatia, N. N. The Burch procedure: a comprehensive review. *Obstet Gynecol Surv.* 1999 Jan; 54: 49-60



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 43785 Dalela, D., Agarwal, R., Mishra, V. K. Giant vaginolith around an unusual foreign body--an uncommon cause of urinary incontinence in a girl. *Br J Urol*. 1994 Nov; 74: 673-4
- 42719 Daley, J., Delbanco, T. L., Hartman, E. E. An 89-year-old woman with urinary incontinence, 1 year later. *JAMA*. 1997 Aug 27; 278: 679
- 40296 Dallosso, H. Lower urinary tract symptoms: why incidence rates are vital. *Nurs Times*. 2001 May 17-23; 97: 72
- 56810 Dallosso, H. M., Matthews, R. J., McGrother, C. W., Clarke, M., Perry, S. I., Shaw, C., Jagger, C. An investigation into nonresponse bias in a postal survey on urinary symptoms. *BJU Int*. 2003 May; 91: 631-6
- 52180 Dallosso, H. M., McGrother, C. W., Matthews, R. J., Donaldson, M. M. The association of diet and other lifestyle factors with overactive bladder and stress incontinence: a longitudinal study in women. *BJU Int*. 2003 Jul; 92: 69-77
- 59113 Dallosso, H., Matthews, R., McGrother, C., Donaldson, M. Diet as a risk factor for the development of stress urinary incontinence: a longitudinal study in women. *Eur J Clin Nutr*. 2004 Jun; 58: 920-6
- 41689 Damani, N., Wilson, S. R. Nongynecologic applications of transvaginal US. *Radiographics*. 1999 Oct; 19 Spec No: S179-200; quiz S265-6
- 51710 Damaser, M. S., Broxton-King, C., Ferguson, C., Kim, F. J., Kerns, J. M. Functional and neuroanatomical effects of vaginal distention and pudendal nerve crush in the female rat. *J Urol*. 2003 Sep; 170: 1027-31
- 42182 Damian, J., Martin-Moreno, J. M., Lobo, F., Bonache, J., Cervino, J., Redondo-Marquez, L., Martinez-Agullo, E. Prevalence of urinary incontinence among Spanish older people living at home. *Eur Urol*. 1998 Oct; 34: 333-8
- 44587 Dandapat, M. C., Mishra, J. N., Das, R. P. Abdominal suture proctopexy for complete prolapse of rectum. *J Indian Med Assoc*. 1991 Dec; 89: 331-3
- 41682 Dandy, D. Assessment tool promotes continence after childbirth. *Nurs Times*. 1999 Jul 14-20; 95: 42-3
- 43166 Danek, A., Uttner, I., Yoursry, T., Pfister, H. W. Lyme neuroborreliosis disguised as normal pressure hydrocephalus. *Neurology*. 1996 Jun; 46: 1743-5
- 10081 Daneshgari, F. Valsalva leak point pressure: steps toward standardization. *Curr Urol Rep*. 2001 Oct; 2: 388-91
- 41272 Dannecker, C., Anthuber, C. The effects of childbirth on the pelvic-floor. *J Perinat Med*. 2000; 28: 175-84
- 59364 Dannecker, C., Hillemanns, P., Strauss, A., Hasbargen, U., Hepp, H., Anthuber, C. Episiotomy and perineal tears presumed to be imminent: the influence on the urethral pressure profile, analmanometric and other pelvic floor findings--follow-up study of a randomized controlled trial. *Acta Obstet Gynecol Scand*. 2005 Jan; 84: 65-71
- 11206 Darai, E., Perdu, M., Benifla, J. L., Madelenat, P. Percutaneous needle colposuspension to Cooper's ligament for the treatment of stress incontinence in women: a report of 82 cases. *Eur J Obstet Gynecol Reprod Biol*. 1997 Jul; 74: 53-5
- 45031 Darling, C. A., Davidson, J. K., Sr, Conway-Welch, C. Female ejaculation: perceived origins, the Grafenberg spot/area, and sexual responsiveness. *Arch Sex Behav*. 1990 Feb; 19: 29-47
- 4078 Darling, C.A., Davidson, J.K., Sr., and Conway-Welch, C. Female ejaculation: perceived origins, the Grafenberg spot/area, and sexual responsiveness [see comments]. *Arch Sex Behav*. 1990 Feb; 19: 29-47
- 11363 Darson, M. F., Malizia, A. A., Barrett, D. M. Periurethral injection of the genitourinary spheroidal membrane. *J Endourol*. 1996 Jun; 10: 283-6
- 11010 Das, S. Comparative outcome analysis of laparoscopic colposuspension, abdominal colposuspension and vaginal needle suspension for female urinary incontinence. *J Urol*. 1998 Aug; 160: 368-71
- 10805 Das, S. Dynamic suburethral suspension with pedicled external oblique aponeurosis in the management of female urinary incontinence. *J Urol*. 1999 Aug; 162: 469-73
- 41503 Das, S. Laparoscopic surgery for female urinary incontinence: prudence shall prevail. *JSLs*. 1999 Oct-Dec; 3: 273-7
- 11523 Das, S., Palmer, J. K. Laparoscopic colpo-suspension. *J Urol*. 1995 Sep; 154: 1119-21

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3315** Dator, D.P., Hatchett, L., Dyro, F.M., Shefner, J.M., and Bauer, S.B. Urodynamic dysfunction in walking myelodysplastic children. *J Urol.* 1992 Aug; 148: 362-365
- 10315** Dattilo, J. A long-term study of patient outcomes with pelvic muscle re-education for urinary incontinence. *J Wound Ostomy Continence Nurs.* 2001 Jul; 28: 199-205
- 40601** Dave, S., Grover, V. P., Agarwala, S., Mitra, D. K., Bhatnagar, V. Cystometric evaluation of reconstructed classical bladder exstrophy. *BJU Int.* 2001 Sep; 88: 403-8
- 42476** David, G., Durr, A., Stevanin, G., Cancel, G., Abbas, N., Benomar, A., Belal, S., Lebre, A. S., Abada-Bendib, M., Grid, D., Holmberg, M., Yahyaoui, M., Hentati, F., Chkili, T., Agid, Y., Brice, A. Molecular and clinical correlations in autosomal dominant cerebellar ataxia with progressive macular dystrophy (SCA7). *Hum Mol Genet.* 1998 Feb; 7: 165-70
- 44707** Davidson, H. A., Borrie, M. J., Crilly, R. G. Copy task performance and urinary incontinence in Alzheimer's disease. *J Am Geriatr Soc.* 1991 May; 39: 467-71
- 3723** Davidson, H.A., Borrie, M.J., and Crilly, R.G. Copy task performance and urinary incontinence in Alzheimer's disease. *J Am Geriatr Soc.* 1991 May; 39: 467-471
- 44546** Davidsson, T., Barker, S. B., Mansson, W. Tapering of intussuscepted ileal nipple valve or ileocecal valve to correct secondary incontinence in patients with urinary reservoir. *J Urol.* 1992 Jan; 147: 144-6
- 3512** Davidsson, T., Barker, S.B., and Mansson, W. Tapering of intussuscepted ileal nipple valve or ileocecal valve to correct secondary incontinence in patients with urinary reservoir. *J Urol.* 1992 Jan; 147: 144-146
- 3067** Davies, D.D. Incidence of major complications of neurolytic coeliac plexus block. *J R Soc Med.* 1993 May; 86: 264-266
- 56350** Davies, G. A., Wolfe, L. A., Mottola, M. F., MacKinnon, C., Arsenault, M. Y., Bartellas, E., Cargill, Y., Gleason, T., Iglesias, S., Klein, M., Martel, M. J., Roggensack, A., Wilson, K., Gardiner, P., Graham, T., Haennel, R., Hughson, R. / Exercise in pregnancy and the postpartum period. *J Obstet Gynaecol Can.* 2003 Jun; 25: 516-29
- 41144** Davies, J. A., Hosker, G., Lord, J., Smith, A. R. An evaluation of the efficacy of in-patient bladder retraining. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 271-5; discussion 275-6
- 43259** Davies, L. A vital consideration. *Nurs Times.* 1996 Feb 7-14; 92: 165
- 3681** Davies, S.W., Brecker, S.J., and Stevenson, R.N. Terodiline for treating detrusor instability in elderly people [letter] [see comments]. *Bmj.* 1991 May 25; 302: 1276
- 40504** Davila, G. W. Informed consent for obstetrics management: a urogynecologic perspective. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 289-91
- 11361** Davila, G. W. Introl bladder neck support prosthesis: a nonsurgical urethropepy. *J Endourol.* 1996 Jun; 10: 293-6
- 43848** Davila, G. W. Urinary incontinence in women. How to help patients regain bladder control. *Postgrad Med.* 1994 Aug; 96: 103-10
- 43233** Davila, G. W. Vaginal prolapse: management with nonsurgical techniques. *Postgrad Med.* 1996 Apr; 99: 171-6, 181, 184-5
- 52000** Davila, G. W., Bernier, F., Franco, J., Kopka, S. L. Bladder dysfunction in sexual abuse survivors. *J Urol.* 2003 Aug; 170: 476-9
- 10337** Davila, G. W., Daugherty, C. A., Sanders, S. W. A short-term, multicenter, randomized double-blind dose titration study of the efficacy and anticholinergic side effects of transdermal compared to immediate release oral oxybutynin treatment of patients with urge urinary incontinence. *J Urol.* 2001 Jul; 166: 140-5
- 59055** Davila, G. W., Guerette, N. Current treatment options for female urinary incontinence--a review. *Int J Fertil Womens Med.* 2004 May-Jun; 49: 102-12
- 11069** Davila, G. W., Kondo, A. Introl bladder neck support prosthesis: international clinical experience. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 301-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10828** Davila, G. W., Neal, D., Horbach, N., Peacher, J., Doughtie, J. D., Karram, M. A bladder-neck support prosthesis for women with stress and mixed incontinence. *Obstet Gynecol.* 1999 Jun; 93: 938-42
- 11677** Davila, G. W., Ostermann, K. V. The bladder neck support prosthesis: a nonsurgical approach to stress incontinence in adult women. *Am J Obstet Gynecol.* 1994 Jul; 171: 206-11
- 59093** Davila, G. W., Stanford, E., Korn, A. Prospective trial of gasless laparoscopic Burch colposuspension using conventional surgical instruments. *J Am Assoc Gynecol Laparosc.* 2004 May; 11: 197-203
- 42068** Davis, G., McClure, G., Sherman, R., Hibbert, M., Wong, M., Perez, R. Ambulatory urodynamics of female soldiers. *Mil Med.* 1998 Dec; 163: 808-12
- 41949** Davis, G., Sherman, R., Wong, M. F., McClure, G., Perez, R., Hibbert, M. Urinary incontinence among female soldiers. *Mil Med.* 1999 Mar; 164: 182-7
- 55760** Davis, K., Kumar, D. Pelvic floor dysfunction: a conceptual framework for collaborative patient-centred care. *J Adv Nurs.* 2003 Sep; 43: 555-68
- 54960** Davis, K., Kumar, D., Stanton, S. L., Thakar, R., Fynes, M., Bland, J. Symptoms and anal sphincter morphology following primary repair of third-degree tears. *Br J Surg.* 2003 Dec; 90: 1573-9
- 40583** Davis, N. S., Bavendam, T. G. Use of a urethral occlusion device for treatment of incontinence in a patient with heterotopic urinary diversion. *Tech Urol.* 2001 Sep; 7: 246-8
- 59059** Davis, T. L., Lukacz, E. S., Luber, K. M., Nager, C. W. Determinants of patient satisfaction after the tension-free vaginal tape procedure. *Am J Obstet Gynecol.* 2004 Jul; 191: 176-81
- 43576** Davis, V. M. Electric stimulation: does nursing have a role in the treatment of adult urinary incontinence?. *Urol Nurs.* 1995 Jun; 15: 56-60
- 3554** Dawes, H., Cherry, L., Ballentyne, M., and Glen, E. Continence--advice for all. *Nurs Times.* 1991 Oct 30-Nov 5; 87: 56,58,62
- 3764** Dawes, H., Small, D., and Glen, E. Continence. Adding computers to the armoury. *Nurs Times.* 1990 Nov 14-20; 86: 68-69
- 43196** Dawson, C., Whitfield, H. ABC of urology. Urinary incontinence and urinary infection. *BMJ.* 1996 Apr 13; 312: 961-4
- 44315** Day, D. G., Bailey, M. Q., Evans, K. L., Smeak, D. D., DiBartola, S. P. Postoperative evaluation of renal function after surgical correction of a ureterovaginal fistula in a cat. *J Am Vet Med Assoc.* 1993 Jan 1; 202: 104-6
- 41255** Day, P. L. Findings of a three-year retrospective study to investigate prevalence and incidence of urinary incontinence and overactive bladder in a typical managed care setting. *Pharm Pract Manag Q.* 2000 Apr; 20: 1-11
- 11444** de Aloysio, D., Altieri, P., Penacchioni, P., Mauloni, M., Bottiglioni, F. Premenopause-dependent changes. *Gynecol Obstet Invest.* 1996; 42: 120-7
- 40822** De Badiola, F., Ruiz, E., Puigdevall, J., Lobos, P., Moldes, J., Lopez Raffo, M., Gallo, A. Sigmoid cystoplasty with argon beam without mucosa. *J Urol.* 2001 Jun; 165: 2253-5
- 54520** De Deyn, P. P., Carrasco, M. M., Deberdt, W., Jeandel, C., Hay, D. P., Feldman, P. D., Young, C. A., Lehman, D. L., Breier, A. Olanzapine versus placebo in the treatment of psychosis with or without associated behavioral disturbances in patients with Alzheimer's disease. *Int J Geriatr Psychiatry.* 2004 Feb; 19: 115-26
- 40121** De Ganck, J., Everaert, K., Van Laecke, E., Oosterlinck, W., Hoebeke, P. A high easy-to-treat complication rate is the price for a continent stoma. *BJU Int.* 2002 Aug; 90: 240-3
- 10605** De Giovanni, L., Menchinelli, P., Rubino, F., Manca, A., Ronzoni, G. Valsalva leak point pressure: how to chose the best method. *Arch Ital Urol Androl.* 2000 Apr; 72: 25-7
- 45039** De Groote, B., Van Laer, P., Maurus, K., Van Biervliet, J. P., Meeus, L. Embolization of ectopic kidney to control incontinence. *Pediatrics.* 1990 Feb; 85: 217-9
- 11949** de Jong, P. Easier needle bladder-neck suspension procedure. *S Afr Med J.* 1991 Oct 5; 80: 360

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11731 De Jong, P. R., Pontin, A., Pillay, G. Where is the bladder neck following needle suspension operations?. Clin Exp Obstet Gynecol. 1994; 21: 10-3
- 41128 de Jong, T. P., Dik, P., Klijn, A. J., Uiterwaal, C. S., van Gool, J. D. Ectopic ureterocele: results of open surgical therapy in 40 patients. J Urol. 2000 Dec; 164: 2040-3; discussion 2043-4
- 42619 de Kort, L. M., Nesselaar, C. H., van Gool, J. D., de Jong, T. P. The influence of colonic enema irrigation on urodynamic findings in patients with neurogenic bladder dysfunction. Br J Urol. 1997 Nov; 80: 731-3
- 55320 de Kort, L. M., Verhulst, J. A., Engelbert, R. H., Uiterwaal, C. S., de Jong, T. P. Lower urinary tract dysfunction in children with generalized hypermobility of joints. J Urol. 2003 Nov; 170: 1971-4
- 40632 De Leeuw, J. W., Vierhout, M. E., Struijk, P. C., Hop, W. C., Wallenburg, H. C. Anal sphincter damage after vaginal delivery: functional outcome and risk factors for fecal incontinence. Acta Obstet Gynecol Scand. 2001 Sep; 80: 830-4
- 50740 de Leval, J. Novel surgical technique for the treatment of female stress urinary incontinence: transobturator vaginal tape inside-out. Eur Urol. 2003 Dec; 44: 724-30
- 11900 De Muylder, X., Claes, H., Neven, P., De Jaegher, K. Usefulness of urodynamic investigations in female incontinence. Eur J Obstet Gynecol Reprod Biol. 1992 May 13; 44: 205-8
- 42321 De Paepe, H., Hoebeke, P., Renson, C., Van Laecke, E., Raes, A., Van Hoecke, E., Van Daele, J., Vande Walle, J. Pelvic-floor therapy in girls with recurrent urinary tract infections and dysfunctional voiding. Br J Urol. 1998 May; 81 Suppl 3: 109-13
- 40062 De Paepe, H., Renson, C., Hoebeke, P., Raes, A., Van Laecke, E., Vande Walle, J. The role of pelvic-floor therapy in the treatment of lower urinary tract dysfunctions in children. Scand J Urol Nephrol. 2002; 36: 260-7
- 41411 De Paepe, H., Renson, C., Van Laecke, E., Raes, A., Vande Walle, J., Hoebeke, P. Pelvic-floor therapy and toilet training in young children with dysfunctional voiding and obstipation. BJU Int. 2000 May; 85: 889-93
- 56590 de Rekeneire, N., Visser, M., Peila, R., Nevitt, M. C., Cauley, J. A., Tylavsky, F. A., Simonsick, E. M., Harris, T. B. Is a fall just a fall: correlates of falling in healthy older persons. The Health, Aging and Body Composition Study. J Am Geriatr Soc. 2003 Jun; 51: 841-6
- 42628 De Ridder, D., Chandiramani, V., Dasgupta, P., Van Poppel, H., Baert, L., Fowler, C. J. Intravesical capsaicin as a treatment for refractory detrusor hyperreflexia: a dual center study with long-term followup. J Urol. 1997 Dec; 158: 2087-92
- 10843 De Ridder, D., Vermeulen, C., Ketelaer, P., Van Poppel, H., Baert, L. Pelvic floor rehabilitation in multiple sclerosis. Acta Neurol Belg. 1999 Mar; 99: 61-4
- 40618 De Risio, L., Sharp, N. J., Olby, N. J., Munana, K. R., Thomas, W. B. Predictors of outcome after dorsal decompressive laminectomy for degenerative lumbosacral stenosis in dogs: 69 cases (1987-1997). J Am Vet Med Assoc. 2001 Sep 1; 219: 624-8
- 10050 de Rossi, P. Clinical outcome of fascial slings for female stress incontinence. Medscape Womens Health. 2002 May-Jun; 7: 1
- 41314 De Serres, G., Shadmani, R., Duval, B., Boulianne, N., Dery, P., Douville Fradet, M., Rochette, L., Halperin, S. A. Morbidity of pertussis in adolescents and adults. J Infect Dis. 2000 Jul; 182: 174-9
- 59061 de Tayrac, R., Chevalier, N., Chauveaud-Lambling, A., Gervaise, A., Fernandez, H. Risk of urge and stress urinary incontinence at long-term follow-up after vaginal hysterectomy. Am J Obstet Gynecol. 2004 Jul; 191: 90-4
- 59024 de Tayrac, R., Gervaise, A., Chauveaud-Lambling, A., Fernandez, H. Combined genital prolapse repair reinforced with a polypropylene mesh and tension-free vaginal tape in women with genital prolapse and stress urinary incontinence: a retrospective case-control study with short-term follow-up. Acta Obstet Gynecol Scand. 2004 Oct; 83: 950-4
- 10130 de Tayrac, R., Salet-Lizee, D., Villet, R. Comparison of anterior colporrhaphy versus Bologna procedure in women with genuine stress incontinence. Int Urogynecol J Pelvic Floor Dysfunct. 2002; 13: 36-9
- 10058 De Vries, S. H., Klijn, A. J., Lilien, M. R., De Jong, T. P. Development of renal function after neonatal urinary ascites due to obstructive uropathy. J Urol. 2002 Aug; 168: 675-8

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 40970 de,, JONG TP, Van Gool, J. D., Dik, P., Klijn, A. J., Vijverberg, M. A. The treatment of post-urethrotomy incontinence in pediatric and adolescent females. J Urol. 2001 Mar; 165: 929-33
- 43662 Dealey, C. Pressure sores and incontinence: a study evaluating the use of topical agents in skin care. J Wound Care. 1995 Mar; 4: 103-5
- 11491 Debaere, C., Rigauts, H., Steyaert, L., Pattyn, G., Ampe, J. MR imaging of a diverticulum in a female urethra. J Belge Radiol. 1995 Dec; 78: 345-6
- 54000 Debodinance, P., Delporte, P., Engrand, J. B., Boulogne, M. Tension-free vaginal tape (TVT) in the treatment of urinary stress incontinence: 3 years experience involving 256 operations. Eur J Obstet Gynecol Reprod Biol. 2002 Oct 10; 105: 49-58
- 11770 Debodinance, P., Querleu, D. Comparison of the Bologna and Ingelman-Sundberg procedures for stress incontinence associated with genital prolapse: prospective randomized study. Eur J Obstet Gynecol Reprod Biol. 1993 Nov; 52: 35-40
- 3040 Decter, R.M. Use of the fascial sling for neurogenic incontinence: lessons learned. J Urol. 1993 Aug; 150: 683-686
- 55680 Dede, M., Yagci, G., Yenen, M. C., Gorgulu, S., Deveci, M. S., Cetiner, S., Dilek, S. Retroperitoneal benign schwannoma: report of three cases and analysis of clinico-radiologic findings. Tohoku J Exp Med. 2003 Jun; 200: 93-7
- 3553 Deegan, S. Continence--close to normality. Nurs Times. 1991 Oct 30-Nov 5; 87: 65,67
- 55520 DeFoor, W., Minevich, E., McEnery, P., Tackett, L., Reeves, D., Sheldon, C. Lower urinary tract reconstruction is safe and effective in children with end stage renal disease. J Urol. 2003 Oct; 170: 1497-500; discussion 1500
- 50840 Defreitas, G. A., Lemack, G. E., Zimmern, P. E. Nonintubated uroflowmetry as a predictor of normal pressure flow study in women with stress urinary incontinence. Urology. 2003 Nov; 62: 905-8
- 55280 Defreitas, G. A., Lemack, G. E., Zimmern, P. E., Dewey, R. B., Roehrborn, C. G., O'Suilleabhain, P. E. Distinguishing neurogenic from non-neurogenic detrusor overactivity: a urodynamic assessment of lower urinary tract symptoms in patients with and without Parkinson's disease. Urology. 2003 Oct; 62: 651-5
- 51790 Defreitas, G. A., Wilson, T. S., Zimmern, P. E., Forte, T. B. Three-dimensional ultrasonography: an objective outcome tool to assess collagen distribution in women with stress urinary incontinence. Urology. 2003 Aug; 62: 232-6
- 3525 De-Gennaro, M., Lais, A., Fariello, G., Caldarelli, M., Capozza, N., Talamo, M., and Caione, P. Early diagnosis and treatment of spinal dysraphism to prevent urinary incontinence. Eur Urol. 1991; 20: 140-145
- 3903 de-Groat, W.C. Central neural control of the lower urinary tract. Ciba Found Symp. 1990; 151: 27-44;discussion44-56
- 4212 De-Groote, B., Van-Laer, P., Maurus, K., Van-Biervliet, J.P., and Meeus, L. Embolization of ectopic kidney to control incontinence. Pediatrics. 1990 Feb; 85: 217-219
- 3201 deHoll, J.D., Jr., Williams, L.A., Steers, W.D., Rodeheaver, G.T., Clark, M.M., and Edlich, R.F. Technical considerations in the use of external condom catheter systems. J Burn Care Rehabil. 1992 Nov-Dec; 13: 664-672
- 11697 Deindl, F. M., Vodusek, D. B., Hesse, U., Schussler, B. Pelvic floor activity patterns: comparison of nulliparous continent and parous urinary stress incontinent women. A kinesiological EMG study. Br J Urol. 1994 Apr; 73: 413-7
- 3587 de-Jong, P. Easier needle bladder-neck suspension procedure [letter]. S Afr Med J. 1991 Oct 5; 80: 360
- 10716 del Campo-Rodriguez, M., Batista-Miranda, J. E., Errando-Smet, C., Arano-Bertran, P. Outcome of colposuspension in patients with stress urinary incontinence and abnormal cystometry. Arch Esp Urol. 1999 Sep; 52: 810-4
- 44343 Del Carro, U., Riva, D., Comi, G. C., Locatelli, T., Magnani, G., Levati, N., Vigano, R., Sambruni, I., Canal, N. Neurophysiological evaluation in detrusor instability. Neurourol Urodyn. 1993; 12: 455-62



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 59138** Del Rio, C., Sanchez-Santos, R., Oreja, V., De Oca, J., Biondo, S., Pares, D., Osorio, A., Marti-Rague, J., Jaurrieta, E. Long-term urinary dysfunction after rectal cancer surgery. *Colorectal Dis.* 2004 May; 6: 198-202
- 40933** Del Ser, T., Hachinski, V., Merskey, H., Munoz, D. G. Clinical and pathologic features of two groups of patients with dementia with Lewy bodies: effect of coexisting Alzheimer-type lesion load. *Alzheimer Dis Assoc Disord.* 2001 Jan-Mar; 15: 31-44
- 45067** Delamarter, R. B., Bohlman, H. H., Dodge, L. D., Biro, C. Experimental lumbar spinal stenosis. Analysis of the cortical evoked potentials, microvasculature, and histopathology. *J Bone Joint Surg Am.* 1990 Jan; 72: 110-20
- 44635** Delamarter, R. B., Sherman, J. E., Carr, J. B. 1991 Volvo Award in experimental studies. Cauda equina syndrome: neurologic recovery following immediate, early, or late decompression. *Spine.* 1991 Sep; 16: 1022-9
- 12066** DeLancey, J. O. Anatomy and physiology of urinary continence. *Clin Obstet Gynecol.* 1990 Jun; 33: 298-307
- 44070** DeLancey, J. O. Childbirth, continence, and the pelvic floor. *N Engl J Med.* 1993 Dec 23; 329: 1956-7
- 10068** Delancey, J. O. Fascial and muscular abnormalities in women with urethral hypermobility and anterior vaginal wall prolapse. *Am J Obstet Gynecol.* 2002 Jul; 187: 93-8
- 11342** DeLancey, J. O. Stress urinary incontinence: where are we now, where should we go?. *Am J Obstet Gynecol.* 1996 Aug; 175: 311-9
- 11678** DeLancey, J. O. Structural support of the urethra as it relates to stress urinary incontinence: the hammock hypothesis. *Am J Obstet Gynecol.* 1994 Jun; 170: 1713-20; discussion 1720-3
- 11152** DeLancey, J. O. The pathophysiology of stress urinary incontinence in women and its implications for surgical treatment. *World J Urol.* 1997; 15: 268-74
- 54080** DeLancey, J. O., Kearney, R., Chou, Q., Speights, S., Binno, S. The appearance of levator ani muscle abnormalities in magnetic resonance images after vaginal delivery. *Obstet Gynecol.* 2003 Jan; 101: 46-53
- 11214** DeLancey, J. O., Morley, G. W. Total colpocleisis for vaginal eversion. *Am J Obstet Gynecol.* 1997 Jun; 176: 1228-32; discussion 1232-5
- 3853** DeLancey, J.O., Nygaard, I. Exercise-associated urinary incontinence. *Jama.* 1991 Jan 23-30; 265: 514
- 3920** DeLancey, J.O., Starr, R.A. Histology of the connection between the vagina and levator ani muscles. Implications for urinary tract function. *J Reprod Med.* 1990 Aug; 35: 765-771
- 11507** Dellas, A., Drewe, J. Conservative therapy of female genuine stress incontinence with vaginal cones. *Eur J Obstet Gynecol Reprod Biol.* 1995 Oct; 62: 213-5
- 59100** Delmas, V. Re: de Leval J. Novel surgical technique for the treatment of female stress urinary incontinence: transobturator vaginal tape inside-out. *Eur Urol* 2003;44:724-30. *Eur Urol.* 2004 Jul; 46: 134
- 43429** Delodovici, M. L., Fowler, C. J. Clinical value of the pudendal somatosensory evoked potential. *Electroencephalogr Clin Neurophysiol.* 1995 Nov; 96: 509-15
- 43253** Del-Ser, T., Munoz, D. G., Hachinski, V. Temporal pattern of cognitive decline and incontinence is different in Alzheimer's disease and diffuse Lewy body disease. *Neurology.* 1996 Mar; 46: 682-6
- 11438** Demirci, F., Fine, P. M. Ultrasonography in stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 125-32
- 11624** Demirci, F., Kuyumcuoglu, U., Kekovali, M., Ergenekon, E., Eren, S., Uludogan, M., Sofuoglu, K. Perineal ultrasonography in postoperative assessment of two different surgical procedures for stress urinary incontinence. *Int Urol Nephrol.* 1995; 27: 279-87
- 11445** Demirci, F., Kuyumcuoglu, U., Uludogan, M., Gorgen, H., Sahinoglu, Z., Delikara, M. N. Evaluation of urethrovesical junction mobility by perineal ultrasonography in stress urinary incontinence. *J Pak Med Assoc.* 1996 Jan; 46: 2-5
- 52490** Demirci, F., Ozdemir, I., Yucel, O., Alhan, A. A new, simple, safe, effective and cost-effective procedure for genuine stress incontinence: midurethral polypropylene sling. *Aust N Z J Obstet Gynaecol.* 2003 Feb; 43: 58-60

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10455** Demirci, F., Ozden, S., Alpay, Z., Demirci, E. T. The effects of abdominal hysterectomy on bladder neck and urinary incontinence. *Aust N Z J Obstet Gynaecol.* 1999 May; 39: 239-42
- 10368** Demirci, F., Ozden, S., Alpay, Z., Demirci, E. T., Ayas, S. The effects of vaginal delivery and cesarean section on bladder neck mobility and stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 129-33
- 10296** Demirci, F., Petri, E. Perioperative complications of Burch colposuspension. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 170-5
- 53460** Demirci, F., Yildirim, U., Demirci, E., Ayas, S., Arioglu, P., Kuyumcuoglu, U. Ten-year results of Marshall Marchetti Krantz and anterior colporrhaphy procedures. *Aust N Z J Obstet Gynaecol.* 2002 Nov; 42: 513-4
- 10677** Demirci, F., Yucel, N., Ozden, S., Delikara, N., Yalti, S., Demirci, E. A retrospective review of perioperative complications in 360 patients who had Burch colposuspension. *Aust N Z J Obstet Gynaecol.* 1999 Nov; 39: 472-5
- 10210** Demirci, F., Yucel, O. Comparison of pubovaginal sling and burch colposuspension procedures in type I/II genuine stress incontinence. *Arch Gynecol Obstet.* 2001 Nov; 265: 190-4
- 10351** Demirci, F., Yucel, O., Eren, S., Alkan, A., Demirci, E., Yildirim, U. Long-term results of Burch colposuspension. *Gynecol Obstet Invest.* 2001; 51: 243-7
- 3377** De-Muylder, X., Claes, H., Neven, P., and De-Jaegher, K. Usefulness of urodynamic investigations in female incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1992 May 13; 44: 205-208
- 43802** Denays, R., Tondeur, M., Noel, P., Ham, H. R. Bilateral cerebral mediofrontal hypoactivity in Tc-99m HMPAO SPECT imaging. *Clin Nucl Med.* 1994 Oct; 19: 873-6
- 42290** Denewer, A. A low-pressure rectosigmoid pouch created by side-to-side anastomosis with a stapling technique and sigmoid colon intussusception as an antireflux procedure. *Br J Urol.* 1998 Jun; 81: 856-61
- 11998** Dennis, P. J., Rohner, T. J., Jr, Hu, T. W., Igou, J. F., Yu, L. C., Kaltreider, D. L. Simple urodynamic evaluation of incontinent elderly female nursing home patients. A descriptive analysis. *Urology.* 1991 Feb; 37: 173-9
- 3823** Dennis, P.J., Rohner, T.J., Jr., Hu, T.W., Igou, J.F., Yu, L.C., and Kaltreider, D.L. Simple urodynamic evaluation of incontinent elderly female nursing home patients. A descriptive analysis. *Urology.* 1991 Feb; 37: 173-179
- 41555** Desai, M. M., Zhang, P., Hennessy, C. H. Surveillance for morbidity and mortality among older adults--United States, 1995-1996. *MMWR CDC Surveill Summ.* 1999 Dec 17; 48: 7-25
- 10000** deSouza, N. M., Daniels, O. J., Williams, A. D., Gilderdale, D. J., Abel, P. D. Female urinary genuine stress incontinence: anatomic considerations at MR imaging of the paravaginal fascia and urethra initial observations. *Radiology.* 2002 Nov; 225: 433-9
- 50100** deTayrac, R., Deffieux, X., Droupy, S., Chauveaud-Lambling, A., Calvanese-Benamour, L., Fernandez, H. A prospective randomized trial comparing tension-free vaginal tape and transobturator suburethral tape for surgical treatment of stress urinary incontinence. *Am J Obstet Gynecol.* 2004 Mar; 190: 602-8
- 10147** Deval, B., Jeffry, L., Al Najjar, F., Soriano, D., Darai, E. Determinants of patient dissatisfaction after a tension-free vaginal tape procedure for urinary incontinence. *J Urol.* 2002 May; 167: 2093-7
- 51860** Deval, B., Levardon, M., Samain, E., Rafii, A., Cortesse, A., Amarenco, G., Ciofu, C., Haab, F. A French multicenter clinical trial of SPARC for stress urinary incontinence. *Eur Urol.* 2003 Aug; 44: 254-8; discussion 258-9
- 42933** Devarajan, R., Bishop, M. C., Sands, K. A. Hepatic abscess: a tertiary complication of Mitrofanoff continent urinary diversion. *Br J Urol.* 1997 Jan; 79: 137-8
- 42690** deVries, C. R., Kaplan, G. W. An unusual case of urinary incontinence, ataxia-telangiectasia, and metastatic dysgerminoma: case report and review of the literature. *Urology.* 1997 Sep; 50: 453-5
- 4044** deVries, C.R., Anderson, R.U. Endoscopic urethroplasty: an improved technique. *J Urol.* 1990 Jun; 143: 1225-1226
- 56020** Devroey, D., Van Casteren, V., Buntinx, F. Registration of stroke through the Belgian sentinel network and factors influencing stroke mortality. *Cerebrovasc Dis.* 2003; 16: 272-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43957** Dewan, P. A. Re: Periurethral polytetrafluoroethylene paste injection in incontinent female subjects: surgical indications and improved surgical technique. *J Urol.* 1994 Apr; 151: 1030-1
- 11838** Dewan, P. A., Byard, R. W. Re: Long-term follow-up of women treated with perurethral teflon injections for stress incontinence. *Br J Urol.* 1993 Jan; 71: 112
- 11837** Dewan, P. A., Byard, R. W. Re: Transurethral Polytef injection for post-prostatectomy urinary incontinence and Long-term follow-up of women treated with periurethral Teflon injections for stress incontinence. *Br J Urol.* 1993 Jan; 71: 112
- 43369** Dewan, P. A., Fraundorfer, M. Skin migration following periurethral polytetrafluoroethylene injection for urinary incontinence. *Aust N Z J Surg.* 1996 Jan; 66: 57-9
- 43799** Dewan, P. A., Stefanek, W. Autoaugmentation gastrocystoplasty: early clinical results. *Br J Urol.* 1994 Oct; 74: 460-4
- 3488** Dewan, P.A. Is injected polytetrafluoroethylene (Polytef) carcinogenic?. *Br J Urol.* 1992 Jan; 69: 29-33
- 3156** Dewan, P.A., Byard, R.W. Re: Long-term follow-up of women treated with perurethral teflon injections for stress incontinence [letter]. *Br J Urol.* 1993 Jan; 71: 112
- 3155** Dewan, P.A., Byard, R.W. Re: Transurethral Polytef injection for post-prostatectomy urinary incontinence and long-term follow-up of women treated with periurethral Teflon injections for stress incontinence [letter]. *Br J Urol.* 1993 Jan; 71: 112
- 40398** Dhar, H. L. Gender, aging, health and society. *J Assoc Physicians India.* 2001 Oct; 49: 1012-20
- 42949** Di Benedetto, V., Gioviale, M., Bagnara, V., Cacciaguerra, S., Di Benedetto, A. The anterior sagittal transanorectal approach: a modified approach to 1- stage clitoral vaginoplasty in severely masculinized female pseudohermaphrodites--preliminary results. *J Urol.* 1997 Jan; 157: 330-2
- 42490** Di Benedetto, V., Monfort, G. How prenatal ultrasound can change the treatment of ectopic ureterocele in neonates?. *Eur J Pediatr Surg.* 1997 Dec; 7: 338-40
- 56850** Di Carlo, A., Lamassa, M., Baldereschi, M., Pracucci, G., Basile, A. M., Wolfe, C. D., Giroud, M., Rudd, A., Ghetti, A., Inzitari, D. Sex differences in the clinical presentation, resource use, and 3-month outcome of acute stroke in Europe: data from a multicenter multinational hospital-based registry. *Stroke.* 2003 May; 34: 1114-9
- 41640** Di Carlo, A., Lamassa, M., Pracucci, G., Basile, A. M., Trefoloni, G., Vanni, P., Wolfe, C. D., Tilling, K., Ebrahim, S., Inzitari, D. Stroke in the very old : clinical presentation and determinants of 3- month functional outcome: A European perspective. European BIOMED Study of Stroke Care Group. *Stroke.* 1999 Nov; 30: 2313-9
- 56670** Di Gangi Herms, A. M., Pinggera, G. M., De Jonge, P., Strasser, H., Sollner, W. Assessing health care needs and clinical outcome with urological case complexity: a study using INTERMED. *Psychosomatics.* 2003 May-Jun; 44: 196-203
- 41233** Diamond, D. A., Bauer, S. B., Retik, A. B., Atala, A. Initial experience with the transurethral self-detachable balloon system for urinary incontinence in pediatric patients. *J Urol.* 2000 Sep; 164: 942-5; discussion 945-6
- 41609** Diana, M., Schettini, M. Treatment of vaginal vault prolapse with abdominal sacral colpopexy using prolene mesh. *Minerva Ginecol.* 1999 Sep; 51: 349-53
- 10740** Diana, M., Schettini, M., Gallucci, M. Evaluation and management of malfunctionings following implantation of the artificial urinary sphincter. *Int Surg.* 1999 Jul-Sep; 84: 241-5
- 41423** Diana, M., Zoppe, C., Mastrangeli, B. Treatment of vaginal vault prolapse with abdominal sacral colpopexy using prolene mesh. *Am J Surg.* 2000 Feb; 179: 126-8
- 42112** Dichgans, M., Mayer, M., Uttner, I., Bruning, R., Muller-Hocker, J., Rungger, G., Ebke, M., Klockgether, T., Gasser, T. The phenotypic spectrum of CADASIL: clinical findings in 102 cases. *Ann Neurol.* 1998 Nov; 44: 731-9
- 55550** Dickersin, K., Munro, M., Langenberg, P., Scherer, R., Frick, K. D., Weber, A. M., Johns, A., Peipert, J. F., Clark, M. Surgical Treatments Outcomes Project for Dysfunctional Uterine Bleeding (STOP-DUB): design and methods. *Control Clin Trials.* 2003 Oct; 24: 591-609



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10651 Dickson, M. J., Salleh, S. The effect of oestrogen supplementation on postmenopausal urinary stress incontinence: a double-blind placebo-controlled trial. *BJOG*. 2000 Mar; 107: 433-4
- 42062 Dierich, M. A retrospective review of outcomes in one clinic's treatment of urinary incontinence. *Urol Nurs*. 1998 Dec; 18: 283-7
- 53740 Dietz, H. P. A systematic review of tension-free urethropexy for stress urinary incontinence: intravaginal slingplasty and the tension-free vaginal tape procedure. *BJU Int*. 2002 Nov; 90: 764; author reply 764
- 50230 Dietz, H. P. Ultrasound imaging of the pelvic floor. Part I: two-dimensional aspects. *Ultrasound Obstet Gynecol*. 2004 Jan; 23: 80-92
- 40563 Dietz, H. P., Clarke, B. Is the irritable bladder associated with anterior compartment relaxation? A critical look at the 'integral theory of pelvic floor dysfunction'. *Aust N Z J Obstet Gynaecol*. 2001 Aug; 41: 317-9
- 10408 Dietz, H. P., Clarke, B. The urethral pressure profile and ultrasound imaging of the lower urinary tract. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 38-41
- 10230 Dietz, H. P., Clarke, B. Translabial color Doppler urodynamics. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 304-7
- 53450 Dietz, H. P., Clarke, B., Vancaillie, T. G. Vaginal childbirth and bladder neck mobility. *Aust N Z J Obstet Gynaecol*. 2002 Nov; 42: 522-5
- 59213 Dietz, H. P., Eldridge, A., Grace, M., Clarke, B. Does pregnancy affect pelvic organ mobility?. *Aust N Z J Obstet Gynaecol*. 2004 Dec; 44: 517-20
- 59060 Dietz, H. P., Eldridge, A., Grace, M., Clarke, B. Pelvic organ descent in young nulligravid women. *Am J Obstet Gynecol*. 2004 Jul; 191: 95-9
- 59139 Dietz, H. P., Ellis, G., Wilson, P. D., Herbison, P. Voiding function after tension-free vaginal tape: a longitudinal study. *Aust N Z J Obstet Gynaecol*. 2004 Apr; 44: 152-5
- 59174 Dietz, H. P., Hansell, N. K., Grace, M. E., Eldridge, A. M., Clarke, B., Martin, N. G. Bladder neck mobility is a heritable trait. *BJOG*. 2005 Mar; 112: 334-9
- 59198 Dietz, H. P., Haylen, B. T. Symptoms of voiding dysfunction: what do they really mean?. *Int Urogynecol J Pelvic Floor Dysfunct*. 2005 Jan-Feb; 16: 52-5; discussion 55
- 40113 Dietz, H. P., Jarvis, S. K., Vancaillie, T. G. The assessment of levator muscle strength: a validation of three ultrasound techniques. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 156-9; discussion 159
- 41715 Dietz, H. P., McKnoulty, L., Clarke, B. Translabial color Doppler for imaging in urogynecology: a preliminary report. *Ultrasound Obstet Gynecol*. 1999 Aug; 14: 144-7
- 52680 Dietz, H. P., Mouritsen, L., Ellis, G., Wilson, P. D. Does the tension-free vaginal tape stay where you put it?. *Am J Obstet Gynecol*. 2003 Apr; 188: 950-3
- 59029 Dietz, H. P., Mouritsen, L., Ellis, G., Wilson, P. D. How important is TVT location?. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 904-8
- 51210 Dietz, H. P., Steensma, A. B. Which women are most affected by delivery-related changes in pelvic organ mobility?. *Eur J Obstet Gynecol Reprod Biol*. 2003 Nov 10; 111: 15-8
- 57190 Dietz, H. P., Steensma, A. B., Vancaillie, T. G. Levator function in nulliparous women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Feb; 14: 24-6; discussion 26
- 51360 Dietz, H. P., Vancaillie, P., Svehla, M., Walsh, W., Steensma, A. B., Vancaillie, T. G. Mechanical properties of urogynecologic implant materials. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Oct; 14: 239-43; discussion 243
- 10903 Dietz, H. P., Wilson, P. D. Anatomical assessment of the bladder outlet and proximal urethra using ultrasound and videocystourethrography. *Int Urogynecol J Pelvic Floor Dysfunct*. 1998; 9: 365-9
- 10465 Dietz, H. P., Wilson, P. D. Colposuspension success and failure: a long-term objective follow-up study. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000 Dec; 11: 346-51

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 59199** Dietz, H. P., Wilson, P. D. Laparoscopic colposuspension versus urethropexy: a case-control series. *Int Urogynecol J Pelvic Floor Dysfunct.* 2005 Jan-Feb; 16: 15-8; discussion 18
- 41923** Dietz, H. P., Wilson, P. D. The influence of bladder volume on the position and mobility of the urethrovesical junction. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 3-6
- 10319** Dietz, H. P., Wilson, P. D., Clarke, B. The use of perineal ultrasound to quantify levator activity and teach pelvic floor muscle exercises. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 166-8; discussion 168-9
- 40596** Dietz, H. P., Wilson, P. D., Clarke, B., Haylen, B. T. Irritative symptoms after colposuspension: are they due to distortion or overelevation of the anterior vaginal wall and trigone?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 232-5; discussion 235-6
- 50080** Digesu, G. A., Bombieri, L., Hutchings, A., Khullar, V., Freeman, R. Effects of Burch colposuspension on the relative positions of the bladder neck to the levator ani muscle: An observational study that used magnetic resonance imaging. *Am J Obstet Gynecol.* 2004 Mar; 190: 614-9
- 55920** Digesu, G. A., Hutchings, A., Salvatore, S., Selvaggi, L., Khullar, V. Reproducibility and reliability of pressure flow parameters in women. *BJOG.* 2003 Aug; 110: 774-6
- 53270** Digesu, G. A., Khullar, V., Cardozo, L., Salvatore, S. Overactive bladder symptoms: do we need urodynamics?. *Neurourol Urodyn.* 2003; 22: 105-8
- 59209** Digesu, G. A., Khullar, V., Cardozo, L., Sethna, F., Salvatore, S. Preoperative pressure-flow studies: useful variables to predict the outcome of continence surgery. *BJU Int.* 2004 Dec; 94: 1296-9
- 44318** Dijkema, H. E., Weil, E. H., Mijs, P. T., Janknegt, R. A. Neuromodulation of sacral nerves for incontinence and voiding dysfunctions. Clinical results and complications. *Eur Urol.* 1993; 24: 72-6
- 3004** Dijkema, H.E., Weil, E.H., Mijs, P.T., and Janknegt, R.A. Neuromodulation of sacral nerves for incontinence and voiding dysfunctions. Clinical results and complications. *Eur Urol.* 1993; 24: 72-76
- 56080** Dik, P., Klijn, A. J., van Gool, J. D., de Jong, T. P. Transvaginal sling suspension of bladder neck in female patients with neurogenic sphincter incontinence. *J Urol.* 2003 Aug; 170: 580-1; discussion 581-2
- 43566** Dillner, L. Incontinence needs better services, says report. *BMJ.* 1995 Jun 3; 310: 1429-30
- 3484** Dimpfl, T., Hesse, U., and Schussler, B. Incidence and cause of postpartum urinary stress incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1992 Jan 9; 43: 29-33
- 11921** Dimpfl, T., Hesse, U., Schussler, B. Incidence and cause of postpartum urinary stress incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1992 Jan 9; 43: 29-33
- 43960** Ding, Y. Y., Jayaratnam, F. J. Urinary incontinence in the hospitalised elderly--a largely reversible disorder. *Singapore Med J.* 1994 Apr; 35: 167-70
- 43076** Ding, Y. Y., Sahadevan, S., Pang, W. S., Choo, P. W. Clinical utility of a portable ultrasound scanner in the measurement of residual urine volume. *Singapore Med J.* 1996 Aug; 37: 365-8
- 41013** Dinh, D. H., Tompkins, J., Clark, S. B. Transcostovertebral approach for thoracic disc herniations. *J Neurosurg.* 2001 Jan; 94: 38-44
- 43517** Diokno, A. C. Epidemiology and psychosocial aspects of incontinence. *Urol Clin North Am.* 1995 Aug; 22: 481-5
- 40954** Diokno, A. C. Epidemiology of urinary incontinence. *J Gerontol A Biol Sci Med Sci.* 2001 Jan; 56: M3-4
- 55800** Diokno, A. C., Appell, R. A., Sand, P. K., Dmochowski, R. R., Gburek, B. M., Klimberg, I. W., Kell, S. H. Prospective, randomized, double-blind study of the efficacy and tolerability of the extended-release formulations of oxybutynin and tolterodine for overactive bladder: results of the OPERA trial. *Mayo Clin Proc.* 2003 Jun; 78: 687-95
- 43055** Diokno, A. C., Atassi, O. Urinary incontinence. *Compr Ther.* 1996 Sep; 22: 592-7
- 44881** Diokno, A. C., Brock, B. M., Herzog, A. R., Bromberg, J. Medical correlates of urinary incontinence in the elderly. *Urology.* 1990 Aug; 36: 129-38

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 44679 Diokno, A. C., Brown, M. B., Herzog, A. R. Relationship between use of diuretics and continence status in the elderly. *Urology*. 1991 Jul; 38: 39-42
- 45064 Diokno, A. C., Brown, M. B., Herzog, A. R. Sexual function in the elderly. *Arch Intern Med*. 1990 Jan; 150: 197-200
- 51980 Diokno, A. C., Burgio, K., Fultz, H., Kinchen, K. H., Obenchain, R., Bump, R. C. Prevalence and outcomes of continence surgery in community dwelling women. *J Urol*. 2003 Aug; 170: 507-11
- 54280 Diokno, A. C., Burgio, K., Fultz, N. H., Kinchen, K. S., Obenchain, R., Bump, R. C. Medical and self-care practices reported by women with urinary incontinence. *Am J Manag Care*. 2004 Feb; 10: 69-78
- 10865 Diokno, A. C., Dimaculangan, R. R., Lim, E. U., Steinert, B. W. Office based criteria for predicting type II stress incontinence without further evaluation studies. *J Urol*. 1999 Apr; 161: 1263-7
- 12031 Diokno, A. C., Normolle, D. P., Brown, M. B., Herzog, A. R. Urodynamic tests for female geriatric urinary incontinence. *Urology*. 1990 Nov; 36: 431-9
- 54470 Diokno, A. C., Sampsel, C. M., Herzog, A. R., Raghunathan, T. E., Hines, S., Messer, K. L., Karl, C., Leite, M. C. Prevention of urinary incontinence by behavioral modification program: a randomized, controlled trial among older women in the community. *J Urol*. 2004 Mar; 171: 1165-71
- 43428 Diokno, A., Yuhico, M., Jr Preference, compliance and initial outcome of therapeutic options chosen by female patients with urinary incontinence. *J Urol*. 1995 Nov; 154: 1727-30; discussion 1731
- 4151 Diokno, A.C. Diagnostic categories of incontinence and the role of urodynamic testing. *J Am Geriatr Soc*. 1990 Mar; 38: 300-305
- 3963 Diokno, A.C., Brock, B.M., Herzog, A.R., and Bromberg, J. Medical correlates of urinary incontinence in the elderly. *Urology*. 1990 Aug; 36: 129-138
- 3643 Diokno, A.C., Brown, M.B., and Herzog, A.R. Relationship between use of diuretics and continence status in the elderly. *Urology*. 1991 Jul; 38: 39-42
- 4210 Diokno, A.C., Brown, M.B., and Herzog, A.R. Sexual function in the elderly. *Arch Intern Med*. 1990 Jan; 150: 197-200
- 3878 Diokno, A.C., Normolle, D.P., Brown, M.B., and Herzog, A.R. Urodynamic tests for female geriatric urinary incontinence. *Urology*. 1990 Nov; 36: 431-439
- 44105 Dippel, D. W., Habbema, J. D. Probabilistic diagnosis of normal pressure hydrocephalus and other treatable cerebral lesions in dementia. *J Neurol Sci*. 1993 Nov; 119: 123-33
- 44418 Dirie, M. A., Lindmark, G. The risk of medical complications after female circumcision. *East Afr Med J*. 1992 Sep; 69: 479-82
- 40419 DiSaia, P. J., Brewster, W. R. Hormone replacement therapy for survivors of breast and endometrial cancer. *Curr Oncol Rep*. 2002 Mar; 4: 152-8
- 42433 Diseth, T. H., Bjordal, R., Schultz, A., Stange, M., Emblem, R. Somatic function, mental health and psychosocial functioning in 22 adolescents with bladder exstrophy and epispadias. *J Urol*. 1998 May; 159: 1684-9; discussion 1689-90
- 40180 Dixon, G. R., Friedman, J. A., Luetmer, P. H., Quast, L. M., McClelland, R. L., Petersen, R. C., Maher, C. O., Ebersold, M. J. Use of cerebrospinal fluid flow rates measured by phase-contrast MR to predict outcome of ventriculoperitoneal shunting for idiopathic normal- pressure hydrocephalus. *Mayo Clin Proc*. 2002 Jun; 77: 509-14
- 12060 Dixon, P. J., Christmas, T. J., Chapple, C. R. Stress incontinence due to pelvic floor muscle involvement in limb-girdle muscular dystrophy. *Br J Urol*. 1990 Jun; 65: 653-4
- 3990 Dixon, P.J., Christmas, T.J., and Chapple, C.R. Stress incontinence due to pelvic floor muscle involvement in limb-girdle muscular dystrophy. *Br J Urol*. 1990 Jun; 65: 653-654
- 57770 Dmochowski, R. Outcomes and consequences: the therapeutic index redefined. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002 Nov; 13: 341

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 59287 Dmochowski, R. Urinary frequency: event measure, outcome significance?. *Curr Urol Rep.* 2005 Mar; 6: 87-8
- 41823 Dmochowski, R. R. Female voiding dysfunction and movement disorders. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 144-51
- 40203 Dmochowski, R. R. Management of postoperative overactive bladder complications. *Geriatrics.* 2002 May; 57 Suppl 1: 18-23
- 53950 Dmochowski, R. R. Radiofrequency bladder neck suspension for the treatment of genuine stress urinary incontinence. *Curr Urol Rep.* 2002 Oct; 3: 378-81
- 41078 Dmochowski, R. R., Appell, R. A. Advancements in pharmacologic management of the overactive bladder. *Urology.* 2000 Dec 4; 56: 41-9
- 10360 Dmochowski, R. R., Appell, R. A. Delivery of injectable agents for treatment of stress urinary incontinence in women: evolving techniques. *Tech Urol.* 2001 Jun; 7: 110-7
- 10500 Dmochowski, R. R., Appell, R. A. Injectable agents in the treatment of stress urinary incontinence in women: where are we now?. *Urology.* 2000 Dec 4; 56: 32-40
- 11316 Dmochowski, R. R., Appell, R. A. Percutaneous bladder neck suspension: technique and results. *Tech Urol.* 1996 Fall; 2: 147-53
- 53280 Dmochowski, R. R., Avon, M., Ross, J., Cooper, J. M., Kaplan, R., Love, B., Kohli, N., Albala, D., Shingleton, B. Transvaginal radio frequency treatment of the endopelvic fascia: a prospective evaluation for the treatment of genuine stress urinary incontinence. *J Urol.* 2003 Mar; 169: 1028-32
- 40126 Dmochowski, R. R., Davila, G. W., Zinner, N. R., Gittelman, M. C., Saltzstein, D. R., Lyttle, S., Sanders, S. W. Efficacy and safety of transdermal oxybutynin in patients with urge and mixed urinary incontinence. *J Urol.* 2002 Aug; 168: 580-6
- 51440 Dmochowski, R. R., Miklos, J. R., Norton, P. A., Zinner, N. R., Yalcin, I., Bump, R. C. Duloxetine versus placebo for the treatment of North American women with stress urinary incontinence. *J Urol.* 2003 Oct; 170: 1259-63
- 51780 Dmochowski, R. R., Sand, P. K., Zinner, N. R., Gittelman, M. C., Davila, G. W., Sanders, S. W. Comparative efficacy and safety of transdermal oxybutynin and oral tolterodine versus placebo in previously treated patients with urge and mixed urinary incontinence. *Urology.* 2003 Aug; 62: 237-42
- 11281 Dmochowski, R. R., Zimmern, P. E., Ganabathi, K., Sirls, L., Leach, G. E. Role of the four-corner bladder neck suspension to correct stress incontinence with a mild to moderate cystocele. *Urology.* 1997 Jan; 49: 35-40
- 51490 Dmochowski, R., Appell, R. A. Advancements in minimally invasive treatments for female stress urinary incontinence: radiofrequency and bulking agents. *Curr Urol Rep.* 2003 Oct; 4: 350-5
- 3197 Doan, T., Patterson, R., and Greenberger, P.A. Cough variant asthma: usefulness of a diagnostic-therapeutic trial with prednisone. *Ann Allergy.* 1992 Dec; 69: 505-509
- 44361 Doan, T., Patterson, R., Greenberger, P. A. Cough variant asthma: usefulness of a diagnostic-therapeutic trial with prednisone. *Ann Allergy.* 1992 Dec; 69: 505-9
- 11193 Dobson, P. Continence--growing pains. *Nurs Times.* 1997 Jul 23-29; 93: 63-4
- 3108 Docherty, J.G., Carachi, R. Use of the appendix to provide urinary continence. *Eur J Pediatr Surg.* 1993 Feb; 3: 25-27
- 43600 Docimo, S. G., Remmenga, S., Segne, R., Dmochowski, R. R. Hysterectomy by the transvaginal approach after intestinal bladder augmentation and psoas hitch reimplantation. *J Am Coll Surg.* 1995 May; 180: 610-2
- 41024 Doherty, W. Urinary sheaths and drainage bags available from Manfred Sauer. *Br J Nurs.* 2000 Apr 27-May 10; 9: 514-7
- 40793 Dohke, M., Mitchell, D. G., Vasavada, S. P. Fast magnetic resonance imaging of pelvic organ prolapse. *Tech Urol.* 2001 Jun; 7: 133-8
- 41854 Dolan, L. M., Casson, K., McDonald, P., Ashe, R. G. Urinary incontinence in Northern Ireland: a prevalence study. *BJU Int.* 1999 May; 83: 760-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 50700** Dolan, L. M., Hosker, G. L., Mallett, V. T., Allen, R. E., Smith, A. R. Stress incontinence and pelvic floor neurophysiology 15 years after the first delivery. *BJOG*. 2003 Dec; 110: 1107-14
- 50530** Dolan, L. M., Smith, A. R., Hosker, G. L. Opening detrusor pressure and the influence of age on success following colposuspension. *Neurourol Urodyn*. 2004; 23: 10-5
- 43565** Dolman, M. Continence. Remedial action. *Nurs Times*. 1995 Jun 14-20; 91: 57-60
- 3397** Dolman, M. Midwives' recording of urinary output. *Nurs Stand*. 1992 Mar 25-31; 6: 25-27
- 43073** Dolman, M., Chase, J. Comparison between the Health Belief Model and Subjective Expected Utility Theory: predicting incontinence prevention behaviour in post- partum women. *J Eval Clin Pract*. 1996 Aug; 2: 217-22
- 11161** Domany, B., Bodis, J. Colposuspension and the possibility of recurrent cystocele. *Am J Obstet Gynecol*. 1997 Oct; 177: 982-3
- 10441** Domany, B., Bodis, J. Recent results of operations performed on patients with stress urinary incontinence in our department. *Am J Obstet Gynecol*. 2001 Jan; 184: 245
- 10117** Domany, B., Koppan, M., Bodis, J. Results with colposuspension by the Burch procedure in our practice. *Am J Obstet Gynecol*. 2002 May; 186: 1108; discussion 1108-9
- 59157** Domingo, S., Alama, P., Ruiz, N., Perales, A., Pellicer, A. Diagnosis, management and prognosis of vaginal erosion after transobturator suburethral tape procedure using a nonwoven thermally bonded polypropylene mesh. *J Urol*. 2005 May; 173: 1627-30
- 41265** Donaldson, S. K. Breakthroughs in scientific research: the discipline of nursing, 1960- 1999. *Annu Rev Nurs Res*. 2000; 18: 247-311
- 40146** Donato, D. M., Waller-Smith, S. The vaginal-psoas suspension repair of uterovaginal prolapse. *J Am Coll Surg*. 2002 Jul; 195: 51-4
- 41880** Donnahoo, K. K., Rink, R. C., Cain, M. P., Casale, A. J. The Young-Dees-Leadbetter bladder neck repair for neurogenic incontinence. *J Urol*. 1999 Jun; 161: 1946-9
- 12070** Donovan, J. M., Gleason, D. M. Identifying types of female incontinence with retrograde urethrocystography. *Urology*. 1990 May; 35: 458-63
- 43167** Dooneief, G., Marlink, R., Bell, K., Marder, K., Renjifo, B., Stern, Y., Mayeux, R. Neurologic consequences of HTLV-II infection in injection-drug users. *Neurology*. 1996 Jun; 46: 1556-60
- 59080** Dorairajan, L. N., Gupta, H., Kumar, S. Pelvic fracture-associated urethral injuries in girls: experience with primary repair. *BJU Int*. 2004 Jul; 94: 134-6
- 40785** Doran, C. M., Chiarelli, P., Cockburn, J. Economic costs of urinary incontinence in community-dwelling Australian women. *Med J Aust*. 2001 May 7; 174: 456-8
- 42362** Doren, M. Urogenital aging--creation of improved awareness. *Am J Obstet Gynecol*. 1998 May; 178: S254-6
- 43613** Dormal, P. A., Delberghe, X., Roeland, A. Infrarenal aortic aneurysm and spinal cord ischaemia. A new case and review of the literature. *Acta Chir Belg*. 1995 May-Jun; 95: 136-8
- 11730** Dorschner, W., Stolzenburg, J. U. A new theory of micturition and urinary continence based on histomorphological studies. 3. The two parts of the musculus sphincter urethrae: physiological importance for continence in rest and stress. *Urol Int*. 1994; 52: 185-8
- 10619** Dorschner, W., Stolzenburg, J. U., Griebenow, R., Halaska, M., Schubert, G., Murtz, G., Frank, M., Wieners, F. Efficacy and cardiac safety of propiverine in elderly patients - a double-blind, placebo-controlled clinical study. *Eur Urol*. 2000 Jun; 37: 702-8
- 11682** Dorsey, J. H., Cundiff, G. Laparoscopic procedures for incontinence and prolapse. *Curr Opin Obstet Gynecol*. 1994 Jun; 6: 223-30
- 11057** Dougherty, M. C. Current status of research on pelvic muscle strengthening techniques. *J Wound Ostomy Continence Nurs*. 1998 Mar; 25: 75-83



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40433** Dougherty, M. C., Dwyer, J. W., Pendergast, J. F., Boyington, A. R., Tomlinson, B. U., Coward, R. T., Duncan, R. P., Vogel, B., Rooks, L. G. A randomized trial of behavioral management for continence with older rural women. *Res Nurs Health*. 2002 Feb; 25: 3-13
- 42125** Dougherty, M. C., Dwyer, J. W., Pendergast, J. F., Tomlinson, B. U., Boyington, A. R., Vogel, W. B., Duncan, R. P., Coward, R. T., Cox, C. L. Community-based nursing: continence care for older rural women. *Nurs Outlook*. 1998 Sep-Oct; 46: 233-44
- 11786** Dougherty, M., Bishop, K., Mooney, R., Gimotty, P., Williams, B. Graded pelvic muscle exercise. Effect on stress urinary incontinence. *J Reprod Med*. 1993 Sep; 38: 684-91
- 3280** Doughty, D. Role of the enterostomal therapy nurse in ostomy patient rehabilitation. *Cancer*. 1992 Sep 1; 70: 1390-1392
- 11327** Dovey, S., McNaughton, T., Tilyard, M., Gurr, E., Jolleys, J., Wilson, D. General practitioners' opinions of continence care training. *N Z Med J*. 1996 Sep 13; 109: 340-3
- 43486** Dowd, T. T., Campbell, J. M. Urinary incontinence in an acute care setting. *Urol Nurs*. 1995 Sep; 15: 82-5
- 43306** Dowd, T. T., Campbell, J. M., Jones, J. A. Fluid intake and urinary incontinence in older community-dwelling women. *J Community Health Nurs*. 1996; 13: 179-86
- 40199** Dowd, T., Kolcaba, K., Steiner, R. Correlations among measures of bladder function and comfort. *J Nurs Meas*. 2002 Spring-Summer; 10: 27-38
- 56950** Dowd, T., Kolcaba, K., Steiner, R. The addition of coaching to cognitive strategies: interventions for persons with compromised urinary bladder syndrome. *J Wound Ostomy Continence Nurs*. 2003 Mar; 30: 90-9
- 3609** Dowd, T.T. Discovering older women's experience of urinary incontinence. *Res Nurs Health*. 1991 Jun; 14: 179-186
- 10839** Dowell, C. J., Bryant, C. M., Moore, K. H., Simons, A. M. Calculating the direct costs of urinary incontinence: a new test instrument. *BJU Int*. 1999 Apr; 83: 596-606
- 42797** Dowse, J. Finding the flaw. *Nurs Times*. 1997 Apr 9-15; 93: 76
- 41311** Dowse, J., Fordham, S., Mackender, J. Back to basics continence. *Nurs Times Nurs Homes*. 1999 Nov-Dec; 1: 23-5, 27
- 3146** Doyle, M. Continence. Suffering in secret. *Nurs Times*. 1993 Jan 27-Feb 2; 89: 64-66
- 44884** Drachman, D. A., O'Donnell, B. F., Lew, R. A., Swearer, J. M. The prognosis in Alzheimer's disease. 'How far' rather than 'how fast' best predicts the course. *Arch Neurol*. 1990 Aug; 47: 851-6
- 3982** Drachman, D.A., O'Donnell, B.F., Lew, R.A., and Swearer, J.M. The prognosis in Alzheimer's disease. 'How far' rather than 'how fast' best predicts the course. *Arch Neurol*. 1990 Aug; 47: 851-856
- 4053** Drago, J.R., Badalament, R.A., and Nesbitt, J.A. Radical prostatectomy 1972-1987 single institutional experience: comparison of standard radical prostatectomy and nerve-sparing technique. *Urology*. 1990 May; 35: 377-380
- 4016** Drago, J.R., Badalament, R.A., Nesbitt, J.A., and York, J.P. Radical nerve-sparing prostatectomy with epidural anaesthesia in 100 patients. *Br J Urol*. 1990 May; 65: 517-519
- 59238** Drake, M. J., Harvey, I. J., Gillespie, J. I., Van Duyl, W. A. Localized contractions in the normal human bladder and in urinary urgency. *BJU Int*. 2005 May; 95: 1002-5
- 11011** Drake, M. J., Nixon, P. M., Crew, J. P. Drug-induced bladder and urinary disorders. Incidence, prevention and management. *Drug Saf*. 1998 Jul; 19: 45-55
- 40616** Dreitlein, D. A., Suner, S., Basler, J. Genitourinary trauma. *Emerg Med Clin North Am*. 2001 Aug; 19: 569-90
- 10727** Drouin, J., Tessier, J., Bertrand, P. E., Schick, E. Burch colposuspension: long-term results and review of published reports. *Urology*. 1999 Nov; 54: 808-14

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10978** Drutz, H. P., Alnaif, B. Surgical management of pelvic organ prolapse and stress urinary incontinence. Clin Obstet Gynecol. 1998 Sep; 41: 786-93
- 41653** Drutz, H. P., Appell, R. A., Gleason, D., Klimberg, I., Radomski, S. Clinical efficacy and safety of tolterodine compared to oxybutynin and placebo in patients with overactive bladder. Int Urogynecol J Pelvic Floor Dysfunct. 1999; 10: 283-9
- 43230** DuBeau, C. Urinary incontinence: taking action against this 'silent epidemic'. Interview by Marc E. Weksler. Geriatrics. 1996 Apr; 51: 47-51
- 59284** DuBeau, C. E. Estrogen treatment for urinary incontinence: never, now, or in the future?. JAMA. 2005 Feb 23; 293: 998-1001
- 40204** DuBeau, C. E. The continuum of urinary incontinence in an aging population. Geriatrics. 2002 May; 57 Suppl 1: 12-7
- 59384** DuBeau, C. E., Khullar, V., Versi, E. 'Unblinding' in randomized controlled drug trials for urinary incontinence: Implications for assessing outcomes when adverse effects are evident. Neurourol Urodyn. 2005; 24: 13-20
- 41763** DuBeau, C. E., Kiely, D. K., Resnick, N. M. Quality of life impact of urge incontinence in older persons: a new measure and conceptual structure. J Am Geriatr Soc. 1999 Aug; 47: 989-94
- 42336** DuBeau, C. E., Levy, B., Mangione, C. M., Resnick, N. M. The impact of urge urinary incontinence on quality of life: importance of patients' perspective and explanatory style. J Am Geriatr Soc. 1998 Jun; 46: 683-92
- 11985** DuBeau, C. E., Resnick, N. M. Evaluation of the causes and severity of geriatric incontinence. A critical appraisal. Urol Clin North Am. 1991 May; 18: 243-56
- 3842** Du-Beau, C.E. Urodynamics [letter; comment]. J Am Geriatr Soc. 1991 Jan; 39: 105-107
- 56070** Dubernard, G., Rouzier, R., Haddad, B., Dubois, P., Paniel, B. J. Correction of uterine prolapse by the vaginal route using the uterosacral ligaments: Shirodkar procedure. Eur J Obstet Gynecol Reprod Biol. 2003 Aug 15; 109: 214-8
- 54740** Dubosq, F., Doublet, J. D., Traxer, O., Haab, F., Amarenco, G. Incontinence from ectopic ureter: retroperitoneal laparoscopic urovascular exclusion of upper pole. J Urol. 2004 Feb; 171: 800-1
- 59188** Dubravica, M., Demarin, V. Electromyographic study of the anal sphincter in women. Coll Antropol. 2004 Dec; 28: 769-74
- 10998** Duckett, J. R. Impact of surgery for stress incontinence on morbidity. Colposuspension has highest cure rates. BMJ. 1998 Jul 11; 317: 144
- 11046** Duckett, J. R. The use of periurethral injectables in the treatment of genuine stress incontinence. Br J Obstet Gynaecol. 1998 Apr; 105: 390-6
- 43047** Duckett, J. R. Women with urinary incontinence should be referred to a specialist. BMJ. 1996 Sep 21; 313: 754
- 10561** Duckett, J. R., Connell, R. Randomised comparison of Burch colposuspension versus anterior colporrhaphy in women with stress urinary incontinence and anterior vaginal wall prolapse. BJOG. 2000 Aug; 107: 1060
- 10633** Duckett, J. R., Constantine, G. Complications of silicone sling insertion for stress urinary incontinence. J Urol. 2000 Jun; 163: 1835-7
- 42183** Duckett, J. R., Hall, S. A new questionnaire to assess the quality of life of urinary incontinent women. Br J Obstet Gynaecol. 1998 Aug; 105: 931
- 59201** Duckett, J. R., Jain, S. Groin pain after a tension-free vaginal tape or similar suburethral sling: management strategies. BJU Int. 2005 Jan; 95: 95-7
- 10430** Duckett, J., Connell, R. Guidelines in gynaecology: in menorrhagia and in urinary incontinence. BJOG. 2001 Jan; 108: 129-30
- 55480** Duel, B. P., Steinberg-Epstein, R., Hill, M., Lerner, M. A survey of voiding dysfunction in children with attention deficit-hyperactivity disorder. J Urol. 2003 Oct; 170: 1521-3; discussion 1523-4



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Primary Author and Title

- 59328 Duffau, H., Capelle, L. Incontinence after brain glioma surgery: new insights into the cortical control of micturition and continence. Case report. J Neurosurg. 2005 Jan; 102: 148-51
- 3356 Duffy, L.M. Continence management for the frail elderly and cognitively impaired. Urol Nurs. 1992 Jun; 12: 66-68
- 4088 Duffy, L.M. Helping caregivers cope: managing urinary incontinence associated with Alzheimer's disease. J Enterostomal Ther. 1990 Mar-Apr; 17: 87-93
- 41396 Dugan, E., Cohen, S. J., Bland, D. R., Preisser, J. S., Davis, C. C., Suggs, P. K., McGann, P. The association of depressive symptoms and urinary incontinence among older adults. J Am Geriatr Soc. 2000 Apr; 48: 413-6
- 42360 Dugan, E., Cohen, S. J., Robinson, D., Anderson, R., Preisser, J., Suggs, P., Pearce, K., Poehling, U., McGann, P. The quality of life of older adults with urinary incontinence: determining generic and condition-specific predictors. Qual Life Res. 1998 May; 7: 337-44
- 40833 Dugan, E., Roberts, C. P., Cohen, S. J., Preisser, J. S., Davis, C. C., Bland, D. R., Albertson, E. Why older community-dwelling adults do not discuss urinary incontinence with their primary care physicians. J Am Geriatr Soc. 2001 Apr; 49: 462-5
- 11026 Duggan, P. M., Arnold, E. P. Assessment and management of female urinary incontinence--a survey of current practice. Aust N Z J Obstet Gynaecol. 1998 May; 38: 234-6
- 51330 Duggan, P. M., Wilson, P. D., Norton, P., Brown, A. D., Drutz, H. P., Herbison, P. Utilization of preoperative urodynamic investigations by gynecologists who frequently operate for female urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Oct; 14: 282-7; discussion 286-7
- 40782 Duker, P. C., Averink, M., Melein, L. Response restriction as a method to establish diurnal bladder control. Am J Ment Retard. 2001 May; 106: 209-15
- 3406 Duker, P.C., Dekkers, M. Development of diurnal bladder control in severely and profoundly mentally handicapped residents. J Intellect Disabil Res. 1992 Apr; 36: 177-181
- 42954 Duldulao, K. E., Diokno, A. C., Mitchell, B. Value of urinary cytology in women presenting with urge incontinence and/or irritative voiding symptoms. J Urol. 1997 Jan; 157: 113-6
- 51060 Dumoulin, C., Bourbonnais, D., Lemieux, M. C. Development of a dynamometer for measuring the isometric force of the pelvic floor musculature. NeuroUrol Urodyn. 2003; 22: 648-53
- 11493 Dumoulin, C., Seaborne, D. E., Quirion-DeGirardi, C., Sullivan, S. J. Pelvic-floor rehabilitation, Part 1: Comparison of two surface electrode placements during stimulation of the pelvic-floor musculature in women who are continent using bipolar interferential currents. Phys Ther. 1995 Dec; 75: 1067-74
- 11492 Dumoulin, C., Seaborne, D. E., Quirion-DeGirardi, C., Sullivan, S. J. Pelvic-floor rehabilitation, Part 2: Pelvic-floor reeducation with interferential currents and exercise in the treatment of genuine stress incontinence in postpartum women--a cohort study. Phys Ther. 1995 Dec; 75: 1075-81
- 41976 Duncan, H. J., McInerney, P. D., Mundy, A. R. Late erosion. A new complication of artificial urinary sphincters. Br J Urol. 1993 Nov; 72: 597-8
- 11919 Duncan, H. J., Nurse, D. E., Mundy, A. R. Role of the artificial urinary sphincter in the treatment of stress incontinence in women. Br J Urol. 1992 Feb; 69: 141-3
- 3470 Duncan, H.J., Nurse, D.E., and Mundy, A.R. Role of the artificial urinary sphincter in the treatment of stress incontinence in women. Br J Urol. 1992 Feb; 69: 141-143
- 10028 Dundar, M., Kocak, I., Erkus, M., Celasun, B. Changes in urethral connective tissue after estrogen replacement therapy in ovariectomized rats. Scand J Urol Nephrol. 2002; 36: 173-6
- 11346 Dupont, M. C., Albo, M. E., Raz, S. Diagnosis of stress urinary incontinence. An overview. Urol Clin North Am. 1996 Aug; 23: 407-15
- 3522 Durrani, A.F., Rosenbaum, T.P., Shaw, P.J., Singh, S.K., and Worth, P.H. Does the Kaufman prosthesis still have a place? Review of thirteen years' experience. Urology. 1991 Oct; 38: 328-331
- 42003 Duru, S., Ceylan, S., Ceylan, S. Optic chiasm diastasis in a pituitary tumor. Case illustration. J Neurosurg. 1999 Feb; 90: 363

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 40568 Dwyer, P. L. Female pelvic floor dysfunction and estrogen therapy. *Climacteric*. 2001 Sep; 4: 179-80
- 10847 Dwyer, P. L., Carey, M. P., Rosamilia, A. Suture injury to the urinary tract in urethral suspension procedures for stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 15-21
- 11716 Dwyer, P. L., Desmedt, E. Impaired bladder emptying in women. *Aust N Z J Obstet Gynaecol*. 1994 Feb; 34: 73-8
- 12053 Dwyer, P. L., Glenning, P. P. Anatomy and neurology of the lower urinary tract. *Curr Opin Obstet Gynecol*. 1990 Aug; 2: 573-9
- 11926 Dwyer, P. L., Teele, J. S. Prazosin: a neglected cause of genuine stress incontinence. *Obstet Gynecol*. 1992 Jan; 79: 117-21
- 44703 Dykes, E. H., Duffy, P. G., Ransley, P. G. The use of the Mitrofanoff principle in achieving clean intermittent catheterisation and urinary continence in children. *J Pediatr Surg*. 1991 May; 26: 535-8
- 3666 Dykes, E.H., Duffy, P.G., and Ransley, P.G. The use of the Mitrofanoff principle in achieving clean intermittent catheterisation and urinary continence in children. *J Pediatr Surg*. 1991 May; 26: 535-538
- 43195 Eason, E. L., Feldman, P. Contact dermatitis associated with the use of Always sanitary napkins. *CMAJ*. 1996 Apr 15; 154: 1173-6
- 40832 Easton, B. T. Is hormone replacement therapy (estrogen plus progestin) effective for the treatment of urinary incontinence in postmenopausal women?. *J Fam Pract*. 2001 May; 50: 470
- 40182 Eastwood, S., Kralik, D., Koch, T. Compromising and containing: self-management strategies used by men and women who live with multiple sclerosis and urinary incontinence. *Aust J Holist Nurs*. 2002 Apr; 9: 33-43
- 44110 Eberle, C. M., Winsemius, D., Garibaldi, R. A. Risk factors and consequences of bacteriuria in non-catheterized nursing home residents. *J Gerontol*. 1993 Nov; 48: M266-71
- 42353 Ebersole, P. R. Unmentionables. *Geriatr Nurs*. 1998 Mar-Apr; 19: 62-3
- 3680 Ebrahim, S., Patel, N., Coats, M., Greig, C., Gilley, J., Bangham, C., and Stacey, S. Prevalence and severity of morbidity among Gujarati Asian elders: a controlled comparison. *Fam Pract*. 1991 Mar; 8: 57-62
- 44738 Ebrahim, S., Patel, N., Coats, M., Greig, C., Gilley, J., Bangham, C., Stacey, S. Prevalence and severity of morbidity among Gujarati Asian elders: a controlled comparison. *Fam Pract*. 1991 Mar; 8: 57-62
- 10129 Echols, K. T., Chesson, R. R., Breaux, E. F., Shobeiri, S. A. Persistence of delayed hypersensitivity following transurethral collagen injection for recurrent urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 52-4
- 54390 Ecker, J. L. Once a pregnancy, always a cesarean? Rationale and feasibility of a randomized controlled trial. *Am J Obstet Gynecol*. 2004 Feb; 190: 314-8
- 43820 Eckford, S. B., Kohler-Ockmore, J., Feneley, R. C. Long-term follow-up of transvaginal urethral closure and suprapubic cystostomy for urinary incontinence in women with multiple sclerosis. *Br J Urol*. 1994 Sep; 74: 319-21
- 11939 Eckford, S. D., Abrams, P. Para-urethral collagen implantation for female stress incontinence. *Br J Urol*. 1991 Dec; 68: 586-9
- 11407 Eckford, S. D., Finney, R., Jackson, S. R., Abrams, P. Detection of urinary incontinence during ambulatory monitoring of bladder function by a temperature-sensitive device. *Br J Urol*. 1996 Feb; 77: 194-7
- 11388 Eckford, S. D., Jackson, S. R., Lewis, P. A., Abrams, P. The continence control pad--a new external urethral occlusion device in the management of stress incontinence. *Br J Urol*. 1996 Apr; 77: 538-40
- 44280 Eckford, S. D., Keane, D. P. Management of detrusor instability. *Br J Hosp Med*. 1993 Feb 17-Mar 2; 49: 282-5
- 40951 Edlund, C., Hellstrom, M., Peeker, R., Fall, M. First Scandinavian experience of electrical sacral nerve stimulation in the treatment of the overactive bladder. *Scand J Urol Nephrol*. 2000 Dec; 34: 366-76
- 40986 Edlund, C., Peeker, R., Fall, M. Lidocaine cystometry in the diagnosis of bladder overactivity. *Neurourol Urodyn*. 2001; 20: 147-55

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Primary Author and Title

- 40492 Edwards, N. I., Jones, D. The prevalence of faecal incontinence in older people living at home. *Age Ageing*. 2001 Nov; 30: 503-7
- 42101 Egon, G., Barat, M., Colombel, P., Visentin, C., Isambert, J. L., Guerin, J. Implantation of anterior sacral root stimulators combined with posterior sacral rhizotomy in spinal injury patients. *World J Urol*. 1998; 16: 342-9
- 44340 Egon, G., Colombel, P., Isambert, J. L., Guerin, J., Barat, M. Evolution of bladder contraction in course of time after implantation of a sacral anterior root stimulator. *Neurourol Urodyn*. 1993; 12: 509-12
- 54630 Eguare, E. I., Neary, P., Crosbie, J., Johnston, S. M., Beddy, P., McGovern, B., Torreggiani, W. C., Conlon, K. C., Keane, F. B. Dynamic magnetic resonance imaging of the pelvic floor in patients with idiopathic combined fecal and urinary incontinence. *J Gastrointest Surg*. 2004 Jan; 8: 73-82; discussion 82
- 43912 Ehren, I., Alm, P., Kinn, A. C. Renal and bladder functions in patients after spinal cord injuries. *Scand J Urol Nephrol*. 1994 Jun; 28: 127-33
- 10927 Ehren, I., Lundberg, J. O., Adolfsson, J., Wiklund, N. P. Effects of L-arginine treatment on symptoms and bladder nitric oxide levels in patients with interstitial cystitis. *Urology*. 1998 Dec; 52: 1026-9
- 3000 Ehrlich, R.M., Gershman, A. Laparoscopic seromyotomy (auto-augmentation) for non-neurogenic neurogenic bladder in a child: initial case report. *Urology*. 1993 Aug; 42: 175-178
- 40532 Eiberg, H., Shaumburg, H. L., Von Gontard, A., Rittig, S. Linkage study of a large Danish 4-generation family with urge incontinence and nocturnal enuresis. *J Urol*. 2001 Dec; 166: 2401-3
- 44918 Eigner, E. B., Freiha, F. S. The fate of the remaining bladder following suprapubic diversion. *J Urol*. 1990 Jul; 144: 31-3
- 3602 Eisch, J.S., Colling, J., Ouslander, J., Hadley, B.J., and Campbell, E. Issues in implementing clinical research in nursing home settings. *J N Y State Nurses Assoc*. 1991 Sep; 22: 18-22
- 10860 Eisenberger, C. F., Schoenberg, M., Fitter, D., Marshall, F. F. Orthotopic ileocolic neobladder reconstruction following radical cystectomy: history, technique and results of the Johns Hopkins experience, 1986-1998. *Urol Clin North Am*. 1999 Feb; 26: 149-56, ix
- 43919 Eisenstein, S. M., Engelbrecht, D. J., el Masry, W. S. Low back pain and urinary incontinence. A hypothetical relationship. *Spine*. 1994 May 15; 19: 1148-52
- 44124 Eisman, E., Tries, J. A new probe for measuring electromyographic activity from multiple sites in the anal canal. *Dis Colon Rectum*. 1993 Oct; 36: 946-52
- 40381 Eke, N. Urological complications of coitus. *BJU Int*. 2002 Feb; 89: 273-7
- 3053 Ekelund, P., Grimby, A., and Milsom, I. Urinary incontinence. Social and financial costs high [letter]. *Bmj*. 1993 May 15; 306: 1344
- 44227 Ekelund, P., Grimby, A., Milsom, I. Urinary incontinence. Social and financial costs high. *BMJ*. 1993 May 15; 306: 1344
- 11773 Ekstrom, J., Iosif, C. S., Malmberg, L. Effects of long-term treatment with estrogen and progesterone on in vitro muscle responses of the female rabbit urinary bladder and urethra to autonomic drugs and nerve stimulation. *J Urol*. 1993 Oct; 150: 1284-8
- 43207 el Ghoneimi, A., Miranda, J., Truong, T., Monfort, G. Ectopic ureter with complete ureteric duplication: conservative surgical management. *J Pediatr Surg*. 1996 Apr; 31: 467-72
- 11329 el Hemaly, A. K., Mousa, L. A. Stress urinary incontinence, a new concept. *Eur J Obstet Gynecol Reprod Biol*. 1996 Sep; 68: 129-35
- 42234 Elabbady, A. A., Elabbasy, W. I., Arafa, A. F., Atta, M. A., Abdel-Rahman, M. A simple technique for urinary diversion: the dismembered detubularized rectosigmoid bladder with distal colectomy. *J Urol*. 1998 Sep; 160: 714-7
- 10011 Elard, S., Cicco, A., Salomon, L., You, K., de La Taille, A., Vordos, D., Hoznek, A., Chopin, D., Abbou, C. C. Embolization for arterial injury incurred during tension-free vaginal tape procedure. *J Urol*. 2002 Oct; 168: 1503

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43516 Elbadawi, A. Pathology and pathophysiology of detrusor in incontinence. *Urol Clin North Am.* 1995 Aug; 22: 499-512
- 42160 Elbadawi, A., Diokno, A. C., Millard, R. J. The aging bladder: morphology and urodynamics. *World J Urol.* 1998; 16 Suppl 1: S10-34
- 42791 Elbadawi, A., Hailemariam, S., Yalla, S. V., Resnick, N. M. Structural basis of geriatric voiding dysfunction. VI. Validation and update of diagnostic criteria in 71 detrusor biopsies. *J Urol.* 1997 May; 157: 1802-13
- 42790 Elbadawi, A., Hailemariam, S., Yalla, S. V., Resnick, N. M. Structural basis of geriatric voiding dysfunction. VII. Prospective ultrastructural/urodynamic evaluation of its natural evolution. *J Urol.* 1997 May; 157: 1814-22
- 31797 Elbadawi, A., Yalla, S. V., Resnick, N. M. Structural basis of geriatric voiding dysfunction. II. Aging detrusor: normal versus impaired contractility. *J Urol.* 1993 Nov; 150: 1657-67
- 44096 Elbadawi, A., Yalla, S. V., Resnick, N. M. Structural basis of geriatric voiding dysfunction. III. Detrusor overactivity. *J Urol.* 1993 Nov; 150: 1668-80
- 40851 Eldar, R., Ring, H., Tshuwa, M., Dynia, A., Ronen, R. Quality of care for urinary incontinence in a rehabilitation setting for patients with stroke. Simultaneous monitoring of process and outcome. *Int J Qual Health Care.* 2001 Feb; 13: 57-61
- 43538 Elder, J. S. Autoaugmentation gastrocystoplasty: early clinical results. *J Urol.* 1995 Jul; 154: 322-3
- 42688 Elder, J. S. Bladder rehabilitation, the effect of a cognitive training programme on urge incontinence. *J Urol.* 1997 Oct; 158: 1642
- 3986 Elder, J.S. Periurethral and puboprostatic sling repair for incontinence in patients with myelodysplasia. *J Urol.* 1990 Aug; 144: 434-7;discussion443-4
- 42965 Elgamasy, A. N., Lewis, V., Hassouna, M. E., Ghoniem, G. M. Effect of transvaginal stimulation in the treatment of detrusor instability. *Urol Nurs.* 1996 Dec; 16: 127-30
- 11801 Elia, G., Bergman, A. Estrogen effects on the urethra: beneficial effects in women with genuine stress incontinence. *Obstet Gynecol Surv.* 1993 Jul; 48: 509-17
- 11556 Elia, G., Bergman, A. Genuine stress urinary incontinence with low urethral pressure. Five- year follow-up after the Ball-Burch procedure. *J Reprod Med.* 1995 Jul; 40: 503-6
- 11828 Elia, G., Bergman, A. Pelvic muscle exercises: when do they work?. *Obstet Gynecol.* 1993 Feb; 81: 283-6
- 11422 Elia, G., Bergman, A. Periurethral collagen implant: ultrasound assessment and prediction of outcome. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 335-8
- 40141 Elia, G., Bergman, J., Dye, T. D. Familial incidence of urinary incontinence. *Am J Obstet Gynecol.* 2002 Jul; 187: 53-5
- 40440 Elia, G., Dye, T. D., Scariati, P. D. Body mass index and urinary symptoms in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 366-9
- 41917 Elia, G., Stewart, S., Makhuli, Z. N., Krenzer, B. E., Mathur, S., Simon, H. M., Mehdi, S. Metastatic breast cancer diagnosed during a work-up for urinary incontinence: a case report. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 39-42
- 10060 Eliasson, K., Larsson, T., Mattsson, E. Prevalence of stress incontinence in nulliparous elite trampolinists. *Scand J Med Sci Sports.* 2002 Apr; 12: 106-10
- 59112 Eliasson, K., Nordlander, I., Mattsson, E., Larson, B., Hammarstrom, M. Prevalence of urinary leakage in nulliparous women with respect to physical activity and micturition habits. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 149-53
- 11087 Elkabir, J. J., Mee, A. D. Long-term evaluation of the Gittes procedure for urinary stress incontinence. *J Urol.* 1998 Apr; 159: 1203-5
- 50480 Elkadry, E. A., Kenton, K. S., FitzGerald, M. P., Shott, S., Brubaker, L. Patient-selected goals: a new perspective on surgical outcome. *Am J Obstet Gynecol.* 2003 Dec; 189: 1551-7; discussion 1557-8

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 59300** Elkelini, M., Hassouna, M. M. Canadian experience in sacral neuromodulation. *Urol Clin North Am.* 2005 Feb; 32: 41-9
- 43947** Elkins, T. E. Surgery for the obstetric vesicovaginal fistula: a review of 100 operations in 82 patients. *Am J Obstet Gynecol.* 1994 Apr; 170: 1108-18; discussion 1118-20
- 31955** Elkins, T. E., Ghosh, T. S., Tagoe, G. A., Stocker, R. Transvaginal mobilization and utilization of the anterior bladder wall to repair vesicovaginal fistulas involving the urethra. *Obstet Gynecol.* 1992 Mar; 79: 455-60
- 40861** El-Lamie, I. K. Preliminary experience with Mainz type II pouch in gynecologic oncology patients. *Eur J Gynaecol Oncol.* 2001; 22: 77-80
- 54320** el-Lateef Moharram, A. A., el-Raouf, M. A. Retropubic repair of genitourinary fistula using a free supporting graft. *BJU Int.* 2004 Mar; 93: 581-3
- 40483** Ellerkmann, R. M., Cundiff, G. W., Melick, C. F., Nihira, M. A., Leffler, K., Bent, A. E. Correlation of symptoms with location and severity of pelvic organ prolapse. *Am J Obstet Gynecol.* 2001 Dec; 185: 1332-7; discussion 1337-8
- 51950** Ellerkmann, R. M., Dunn, J. S., McBride, A. W., Kummer, L. G., Melick, C. F., Bent, A. E., Blomquist, J. L. A comparison of anticipated pain before and pain rating after the procedure in patients who undergo cystourethroscopy. *Am J Obstet Gynecol.* 2003 Jul; 189: 66-9
- 59134** Ellerkmann, R. M., McBride, A. W., Dunn, J. S., Bent, A. E., Blomquist, J. L., Kummer, L. G., Melick, C. F. A comparison of anticipatory and postprocedure pain perception in patients who undergo urodynamic procedures. *Am J Obstet Gynecol.* 2004 Apr; 190: 1034-8
- 42467** Elliott, D. S., Barrett, D. M. Mayo Clinic long-term analysis of the functional durability of the AMS 800 artificial urinary sphincter: a review of 323 cases. *J Urol.* 1998 Apr; 159: 1206-8
- 42039** Elliott, D. S., Barrett, D. M. The artificial urinary sphincter in the female: indications for use, surgical approach and results. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 409-15
- 10518** Elliott, D. S., Boone, T. B. Is fascia lata allograft material trustworthy for pubovaginal sling repair?. *Urology.* 2000 Nov 1; 56: 772-6
- 10656** Elliott, D. S., Boone, T. B. Urethral devices for managing stress urinary incontinence. *J Endourol.* 2000 Feb; 14: 79-83
- 10392** Elliott, D. S., Lightner, D. J., Blute, M. L. Medical management of overactive bladder. *Mayo Clin Proc.* 2001 Apr; 76: 353-5
- 43223** Ellsworth, P. I., Webb, H. W., Crump, J. M., Barraza, M. A., Stevens, P. S., Mesrobian, H. G. The Malone antegrade colonic enema enhances the quality of life in children undergoing urological incontinence procedures. *J Urol.* 1996 Apr; 155: 1416-8
- 11790** Elser, D. M., Fantl, J. A. Pelvic relaxation of the anterior compartment. *Curr Opin Obstet Gynecol.* 1993 Aug; 5: 446-51
- 43738** Elser, D. M., Fantl, J. A., McClish, D. K. Comparison of 'subjective' and 'objective' measures of severity of urinary incontinence in women. Program for Women Research Group. *Neurourol Urodyn.* 1995; 14: 311-6
- 10701** Elser, D. M., London, W., Fantl, J. A., McBride, M. A., Beck, R. P. A comparison of urethral profilometry using microtip and fiberoptic catheters. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 371-4
- 10767** Elser, D. M., Wyman, J. F., McClish, D. K., Robinson, D., Fantl, J. A., Bump, R. C. The effect of bladder training, pelvic floor muscle training, or combination training on urodynamic parameters in women with urinary incontinence. Continence Program for Women Research Group. *Neurourol Urodyn.* 1999; 18: 427-36
- 11023** Elsergany, R., Elgamasy, A. N., Ghoniem, G. M. Transurethral collagen injection for female stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 13-8
- 10269** el-Toukhy, T. A., Davies, A. E. The efficacy of laparoscopic mesh colposuspension: results of a prospective controlled study. *BJU Int.* 2001 Sep; 88: 361-6



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 59085** El-Toukhy, T. A., Hefni, M., Davies, A., Mahadevan, S. The effect of different types of hysterectomy on urinary and sexual functions: a prospective study. *J Obstet Gynaecol.* 2004 Jun; 24: 420-5
- 10741** El-Toukhy, T. A., Tolba, M. A., Davies, A. E. Assessment of a new bone anchor system for the treatment of female genuine stress incontinence. *BJU Int.* 1999 Nov; 84: 780-4
- 40910** Emiroglu, R., Karakayall, H., Sevmis, S., Akkoc, H., Bilgin, N., Haberal, M. Urologic complications in 1275 consecutive renal transplantations. *Transplant Proc.* 2001 Feb-Mar; 33: 2016-7
- 40064** Endo, J. O., Chen, S., Potter, J. F., Ranno, A. E., Asadullah, S., Lahiri, P. Vitamin B(12) deficiency and incontinence: is there an association?. *J Gerontol A Biol Sci Med Sci.* 2002 Sep; 57: M583-7
- 56000** Engberg, S. J., Bender, M. A., Stilley, C. S. Kegels and communication. *Am J Nurs.* 2003 Jul; 103: 93-4
- 43504** Engberg, S. J., McDowell, B. J., Burgio, K. L., Watson, J. E., Belle, S. Self-care behaviors of older women with urinary incontinence. *J Gerontol Nurs.* 1995 Aug; 21: 7-14
- 42521** Engberg, S., McDowell, B. J., Donovan, N., Brodak, I., Weber, E. Treatment of urinary incontinence in homebound older adults: interface between research and practice. *Ostomy Wound Manage.* 1997 Nov-Dec; 43: 18-22, 24-6
- 42526** Engberg, S., McDowell, B. J., Weber, E., Brodak, I., Donovan, N., Engberg, R. Assessment and management of urinary incontinence among homebound older adults: a clinical trial protocol. *Adv Pract Nurs Q.* 1997 Fall; 3: 48-56
- 40604** Engberg, S., Sereika, S., Weber, E., Engberg, R., McDowell, B. J., Reynolds, C. F. Prevalence and recognition of depressive symptoms among homebound older adults with urinary incontinence. *J Geriatr Psychiatry Neurol.* 2001 Fall; 14: 130-9
- 45027** Engel, B. T., Burgio, L. D., McCormick, K. A., Hawkins, A. M., Scheve, A. A., Leahy, E. Behavioral treatment of incontinence in the long-term care setting. *J Am Geriatr Soc.* 1990 Mar; 38: 361-3
- 4138** Engel, B.T., Burgio, L.D., McCormick, K.A., Hawkins, A.M., Scheve, A.A., and Leahy, E. Behavioral treatment of incontinence in the long-term care setting. *J Am Geriatr Soc.* 1990 Mar; 38: 361-363
- 40671** English, B. A., Still, D. J., Harper, J., Saklad, S. R. Failure of tolterodine to treat clozapine-induced nocturnal enuresis. *Ann Pharmacother.* 2001 Jul-Aug; 35: 867-9
- 10891** English, S. F., Amundsen, C. L., McGuire, E. J. Bladder neck competency at rest in women with incontinence. *J Urol.* 1999 Feb; 161: 578-80
- 11101** English, S. F., Pisters, L. L., McGuire, E. J. The use of the appendix as a continent catheterizable stoma. *J Urol.* 1998 Mar; 159: 747-9
- 43421** Enzelsberger, H., Helmer, H., Kurz, C. Intravesical instillation of oxybutynin in women with idiopathic detrusor instability: a randomised trial. *Br J Obstet Gynaecol.* 1995 Nov; 102: 929-30
- 11348** Enzelsberger, H., Helmer, H., Schatten, C. Comparison of Burch and Iyodura sling procedures for repair of unsuccessful incontinence surgery. *Obstet Gynecol.* 1996 Aug; 88: 251-6
- 4037** Enzelsberger, H., Schatten, C., Kurz, C., and Fitzal, P. Urodynamic and radiologic parameters before and after loop surgery for recurrent urinary stress incontinence. *Acta Obstet Gynecol Scand.* 1990; 69: 51-54
- 12099** Enzelsberger, H., Schatten, C., Kurz, C., Fitzal, P. Urodynamic and radiologic parameters before and after loop surgery for recurrent urinary stress incontinence. *Acta Obstet Gynecol Scand.* 1990; 69: 51-4
- 10705** Enzler, M., Agins, H. J., Kogan, M., Kudurna, J., Sand, P., Wurtz, R., Culligan, P. Osteomyelitis of the pubis following suspension of the neck of the bladder with use of bone anchors. A report of four cases. *J Bone Joint Surg Am.* 1999 Dec; 81: 1736-40
- 3870** Epstein, S., Jenike, M.A. Disabling urinary obsessions: an uncommon variant of obsessive-compulsive disorder. *Psychosomatics.* 1990 Fall; 31: 450-452
- 53750** Erata, Y. E., Kilic, B., Guclu, S., Saygili, U., Uslu, T. Risk factors for pelvic surgery. *Arch Gynecol Obstet.* 2002 Nov; 267: 14-8

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 41831** Erdogru, T., Kocak, T., Serdaroglu, P., Kadioglu, A., Tellaloglu, S. Evaluation and therapeutic approaches of voiding and erectile dysfunction in neurological Behcet's syndrome. *J Urol*. 1999 Jul; 162: 147-53
- 55490** Erickson, B. A., Austin, J. C., Cooper, C. S., Boyt, M. A. Polyethylene glycol 3350 for constipation in children with dysfunctional elimination. *J Urol*. 2003 Oct; 170: 1518-20
- 10379** Erickson, D. R. Female stress incontinence. *J Urol*. 2001 May; 165: 1612-3
- 11591** Erickson, D. R. Glomerulations in women with urethral sphincter deficiency: report of 2 cases. *J Urol*. 1995 Mar; 153: 728-9
- 11308** Erickson, D. R., Olt, G. J. Urethral obstruction after anterior colporrhaphy: correction by simple vaginoplasty. *Urology*. 1996 Nov; 48: 805-8
- 12100** Eriksen, B. C., Hagen, B., Eik-Nes, S. H., Molne, K., Mjølnerod, O. K., Romslo, I. Long-term effectiveness of the Burch colposuspension in female urinary stress incontinence. *Acta Obstet Gynecol Scand*. 1990; 69: 45-50
- 12110** Eriksen, B. C., Sandvik, H., Hunskaar, S. Management of urinary incontinence in gynecological practice in Norway. *Acta Obstet Gynecol Scand*. 1990; 69: 515-9
- 3874** Eriksen, B.C. Electrostimulation of the pelvic floor in female urinary incontinence. *Acta Obstet Gynecol Scand*. 1990; 69: 359-360
- 4038** Eriksen, B.C., Hagen, B., Eik-Nes, S.H., Molne, K., Mjølnerod, O.K., and Romslo, I. Long-term effectiveness of the Burch colposuspension in female urinary stress incontinence. *Acta Obstet Gynecol Scand*. 1990; 69: 45-50
- 3820** Eriksen, B.C., Sandvik, H., and Hunskaar, S. Management of urinary incontinence in gynecological practice in Norway. *Acta Obstet Gynecol Scand*. 1990; 69: 515-519
- 59336** Ermer-Seltun, J. Good counsel on continence. *Ostomy Wound Manage*. 2004 Dec; 50: 20-3
- 11743** Erol, A., Sargin, S. Y., Dalva, I., Gunes, Z. E., Akbay, E., Yazicioglu, A. H. Endoscopic transvaginal bladder neck suspension for stress urinary incontinence. *Int Urol Nephrol*. 1994; 26: 513-8
- 11457** Errando, C., Batista, J. E., Arano, P. Polytetrafluoroethylene sling for failure in female stress incontinence surgery. *World J Urol*. 1996; 14 Suppl 1: S48-50
- 56700** Ertberg, P., Moller, L. A., Lose, G. A comparison of three methods to evaluate maximum bladder capacity: cystometry, uroflowmetry and a 24-h voiding diary in women with urinary incontinence. *Acta Obstet Gynecol Scand*. 2003 Apr; 82: 374-7
- 59028** Ertunc, D., Tok, E. C., Pata, O., Dilek, U., Ozdemir, G., Dilek, S. Is stress urinary incontinence a familial condition?. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 912-6
- 12012** Esa, A., Kiwamoto, H., Sugiyama, T., Park, Y. C., Kaneko, S., Kurita, T. Functional electrical stimulation in the management of incontinence: studies of urodynamics. *Int Urol Nephrol*. 1991; 23: 135-41
- 3645** Esa, A., Kiwamoto, H., Sugiyama, T., Park, Y.C., Kaneko, S., and Kurita, T. Functional electrical stimulation in the management of incontinence: studies of urodynamics. *Int Urol Nephrol*. 1991; 23: 135-141
- 11105** Escamilla, J. O. Uterine suspension. *Am J Obstet Gynecol*. 1998 Jan; 178: 194-5
- 50560** Espino, D. V., Palmer, R. F., Miles, T. P., Mouton, C. P., Lichtenstein, M. J., Markides, K. P. Prevalence and severity of urinary incontinence in elderly Mexican-American women. *J Am Geriatr Soc*. 2003 Nov; 51: 1580-6
- 41690** Eterovic, D., Strinic, T., Dujic, Z., Boban, M. Blood gases and sex hormones in women with and without genital descensus. *Respiration*. 1999; 66: 400-6
- 40013** Etus, V., Akansel, G., Ilbay, K., Koc, K., Ceylan, S. Multiple sclerosis and coexisting intradural extramedullary spinal cord tumour: a case report. *Neurol Sci*. 2002 Sep; 23: 119-22
- 56830** Eva, U. F., Gun, W., Preben, K. Prevalence of urinary and fecal incontinence and symptoms of genital prolapse in women. *Acta Obstet Gynecol Scand*. 2003 Mar; 82: 280-6
- 59242** Evans, D. Discreet products for children and teenagers with continence problems. *Nurs Times*. 2005 Mar 22-28; 101: 50-2



## American Urological Association, Inc.

## Master Bibliography

## SUI Guidelines Panel

sorted by Primary Author and Title

- 
- 3685** Evans, J.W., Christmas, T.J. Detrusor instability following colchicine therapy. *Br J Urol*. 1991 May; 67: 552-554
- 40278** Evans, R. W., Nasir, N., Jr Case report: Dr. Lecter's convulsive syncope. *MedGenMed*. 2001 Oct 1; 3: 7
- 42857** Evenhuis, H. M. Medical aspects of ageing in a population with intellectual disability: III. Mobility, internal conditions and cancer. *J Intellect Disabil Res*. 1997 Feb; 41 ( Pt 1): 8-18
- 10542** Everaert, K., De Ridder, D., Baert, L., Oosterlinck, W., Wyndaele, J. J. Patient satisfaction and complications following sacral nerve stimulation for urinary retention, urge incontinence and perineal pain: a multicenter evaluation. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 231-5; discussion 236
- 41180** Everaert, K., Van Laecke, E., De Muynck, M., Peeters, H., Hoebeke, P. Urodynamic assessment of voiding dysfunction and dysfunctional voiding in girls and women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 254-64
- 11562** Everaert, K., Van Laecke, E., De Sy, W. A. Colpopromontoriopexy. *Acta Urol Belg*. 1995 May; 63: 47-50
- 30500** Ewies, A. A., Olah, K. S. Subtotal abdominal hysterectomy: a surgical advance or a backward step?. *BJOG*. 2000 Nov; 107: 1376-9
- 42882** Eyett-Burton, C. Urinary incontinence in cats. *Vet Rec*. 1997 Jan 25; 140: 104
- 44875** Eyman, R. K., Grossman, H. J., Chaney, R. H., Call, T. L. The life expectancy of profoundly handicapped people with mental retardation. *N Engl J Med*. 1990 Aug 30; 323: 584-9
- 3972** Eyman, R.K., Grossman, H.J., Chaney, R.H., and Call, T.L. The life expectancy of profoundly handicapped people with mental retardation [see comments]. *N Engl J Med*. 1990 Aug 30; 323: 584-589
- 50750** Ezzat, I. M. Sling operations in the treatment of stress urinary incontinence: how to adjust sling tension. *J Obstet Gynaecol Res*. 2003 Dec; 29: 374-9
- 3783** Ezzat, M.I. Abdomino-perineal approach for management of traumatic strictured posterior urethra. *Int Urol Nephrol*. 1990; 22: 447-453
- 43938** Fader, M. Continence. From wheelchairs to toilet. *Nurs Times*. 1994 Apr 13-19; 90: 76-80
- 55950** Fader, M. Review of current technologies for urinary incontinence: strengths and limitations. *Proc Inst Mech Eng [H]*. 2003; 217: 233-41
- 56730** Fader, M., Clarke-O'Neill, S., Cook, D., Dean, G., Brooks, R., Cottenden, A., Malone-Lee, J. Management of night-time urinary incontinence in residential settings for older people: an investigation into the effects of different pad changing regimes on skin health. *J Clin Nurs*. 2003 May; 12: 374-86
- 11420** Faerber, G. J. Endoscopic collagen injection therapy in elderly women with type I stress urinary incontinence. *J Urol*. 1996 Feb; 155: 512-4
- 10894** Faerber, G. J. Urethral diverticulectomy and pubovaginal sling for simultaneous treatment of urethral diverticulum and intrinsic sphincter deficiency. *Tech Urol*. 1998 Dec; 4: 192-7
- 42131** Faerber, G. J., Belville, W. D., Ohl, D. A., Plata, A. Comparison of transurethral versus periurethral collagen injection in women with intrinsic sphincter deficiency. *Tech Urol*. 1998 Sep; 4: 124-7
- 11052** Faerber, G. J., Vashi, A. R. Variations in Valsalva leak point pressure with increasing vesical volume. *J Urol*. 1998 Jun; 159: 1909-11
- 44429** Fainsinger, R. L., MacEachern, T., Hanson, J., Bruera, E. The use of urinary catheters in terminally ill cancer patients. *J Pain Symptom Manage*. 1992 Aug; 7: 333-8
- 3274** Fainsinger, R.L., MacEachern, T., Hanson, J., and Bruera, E. The use of urinary catheters in terminally ill cancer patients. *J Pain Symptom Manage*. 1992 Aug; 7: 333-338
- 42833** Fakhoury, W. K., McCarthy, M., Addington-Hall, J. The effects of the clinical characteristics of dying cancer patients on informal caregivers' satisfaction with palliative care. *Palliat Med*. 1997 Mar; 11: 107-15

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11097 Falconer, C., Blomgren, B., Johansson, O., Ulmsten, U., Malmstrom, A., Westergren-Thorsson, G., Ekman-Ordeberg, G. Different organization of collagen fibrils in stress-incontinent women of fertile age. *Acta Obstet Gynecol Scand.* 1998 Jan; 77: 87-94
- 11645 Falconer, C., Ekman, G., Malmstrom, A., Ulmsten, U. Decreased collagen synthesis in stress-incontinent women. *Obstet Gynecol.* 1994 Oct; 84: 583-6
- 11096 Falconer, C., Ekman-Ordeberg, G., Blomgren, B., Johansson, O., Ulmsten, U., Westergren-Thorsson, G., Malmstrom, A. Paraurethral connective tissue in stress-incontinent women after menopause. *Acta Obstet Gynecol Scand.* 1998 Jan; 77: 95-100
- 11227 Falconer, C., Ekman-Ordeberg, G., Hilliges, M., Johansson, O. Decreased innervation of the paraurethral epithelium in stress urinary incontinent women. *Eur J Obstet Gynecol Reprod Biol.* 1997 Apr; 72: 195-8
- 11437 Falconer, C., Ekman-Ordeberg, G., Malmstrom, A., Ulmsten, U. Clinical outcome and changes in connective tissue metabolism after intravaginal slingplasty in stress incontinent women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 133-7
- 11625 Falconer, C., Larsson, B. New and simplified vaginal approach for correction of urinary stress incontinence in women. *Neurourol Urodyn.* 1995; 14: 365-70
- 10327 Falconer, C., Soderberg, M., Blomgren, B., Ulmsten, U. Influence of different sling materials on connective tissue metabolism in stress urinary incontinent women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S19-23
- 10974 Fall, M. Advantages and pitfalls of functional electrical stimulation. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 16-21
- 43673 Fall, M. Vaginal wall bipedicle flap and other techniques in complicated urethral diverticulum and urethrovaginal fistula. *J Am Coll Surg.* 1995 Feb; 180: 150-6
- 43348 Fall, M., Geirsson, G. Positive ice-water test: a predictor of neurological disease?. *World J Urol.* 1996; 14 Suppl 1: S51-4
- 3735 Fall, M., Lindstrom, S. Electrical stimulation. A physiologic approach to the treatment of urinary incontinence. *Urol Clin North Am.* 1991 May; 18: 393-407
- 3357 Faller, N., Jeter, K.F. The ABCs of product selection. *Urol Nurs.* 1992 Jun; 12: 52-54
- 43705 Fang, T. C., Chen, K. W., Wu, M. H., Sung, J. M., Huang, J. J. Coumaphos intoxications mimic food poisoning. *J Toxicol Clin Toxicol.* 1995; 33: 699-703
- 42482 Fantl, J. A. Behavioral intervention for community-dwelling individuals with urinary incontinence. *Urology.* 1998 Feb; 51: 30-4
- 43935 Fantl, J. A. The lower urinary tract in women--effect of aging and menopause on continence. *Exp Gerontol.* 1994 May-Aug; 29: 417-22
- 11311 Fantl, J. A., Bump, R. C., Robinson, D., McClish, D. K., Wyman, J. F. Efficacy of estrogen supplementation in the treatment of urinary incontinence. The Continence Program for Women Research Group. *Obstet Gynecol.* 1996 Nov; 88: 745-9
- 11721 Fantl, J. A., Cardozo, L., McClish, D. K. Estrogen therapy in the management of urinary incontinence in postmenopausal women: a meta-analysis. First report of the Hormones and Urogenital Therapy Committee. *Obstet Gynecol.* 1994 Jan; 83: 12-8
- 45022 Fantl, J. A., Wyman, J. F., Harkins, S. W., Hadley, E. C. Bladder training in the management of lower urinary tract dysfunction in women. A review. *J Am Geriatr Soc.* 1990 Mar; 38: 329-32
- 44981 Fantl, J. A., Wyman, J. F., McClish, D. K., Bump, R. C. Urinary incontinence in community-dwelling women: clinical, urodynamic, and severity characteristics. *Am J Obstet Gynecol.* 1990 Apr; 162: 946-51; discussion 951-2
- 44751 Fantl, J. A., Wyman, J. F., McClish, D. K., Harkins, S. W., Elswick, R. K., Taylor, J. R., Hadley, E. C. Efficacy of bladder training in older women with urinary incontinence. *JAMA.* 1991 Feb 6; 265: 609-13

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 4146** Fantl, J.A., Wyman, J.F., Harkins, S.W., and Hadley, E.C. Bladder training in the management of lower urinary tract dysfunction in women. A review. *J Am Geriatr Soc.* 1990 Mar; 38: 329-332
- 4081** Fantl, J.A., Wyman, J.F., McClish, D.K., and Bump, R.C. Urinary incontinence in community-dwelling women: clinical, urodynamic, and severity characteristics. *Am J Obstet Gynecol.* 1990 Apr; 162: 946-51;discussion951-2
- 3841** Fantl, J.A., Wyman, J.F., McClish, D.K., Harkins, S.W., Elswick, R.K., Taylor, J.R., and Hadley, E.C. Efficacy of bladder training in older women with urinary incontinence. *Jama.* 1991 Feb 6; 265: 609-613
- 41231** Farhat, W., Bagli, D. J., Capolicchio, G., O'Reilly, S., Merguerian, P. A., Khoury, A., McLorie, G. A. The dysfunctional voiding scoring system: quantitative standardization of dysfunctional voiding symptoms in children. *J Urol.* 2000 Sep; 164: 1011-5
- 59399** Faria, C. A., Sartori, M. G., Baracat, E. C., de Lima, G. R., Girao, M. J. Effects of tamoxifen on Doppler velocimetry parameters of periurethral vessels in postmenopausal women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2005 Jan-Feb; 16: 56-9; discussion 59
- 10856** Farnsworth, B. Re: The sign of stress incontinence--should we believe what we see?. *Aust N Z J Obstet Gynaecol.* 1999 Feb; 39: 139
- 10161** Farnsworth, B. The integral theory of female urinary incontinence. *Aust N Z J Obstet Gynaecol.* 2002 Feb; 42: 99; discussion 100
- 41368** Farouk, R., Pemberton, J. H., Wolff, B. G., Dozois, R. R., Browning, S., Larson, D. Functional outcomes after ileal pouch-anal anastomosis for chronic ulcerative colitis. *Ann Surg.* 2000 Jun; 231: 919-26
- 3864** Farragher, D. Trophic stimulation. *Nurs Stand.* 1990 Nov 14-20; 5: 10-11
- 52050** Farrell, K. D., Robinson, L. M., Scott, T. A. Female urinary incontinence health education on the Internet: pitfalls and opportunities. *J Obstet Gynaecol Can.* 2003 Jul; 25: 594-600
- 40932** Farrell, S. A., Allen, V. M., Baskett, T. F. Parturition and urinary incontinence in primiparas. *Obstet Gynecol.* 2001 Mar; 97: 350-6
- 51740** Farrell, S. A., Beckerson, L. A., Epp, A., Flood, C. G., Lajoie, F., MacMillan, J. B., Mainprize, T. C., Robert, M. Tension-free vaginal tape (TVT) procedure. *J Obstet Gynaecol Can.* 2003 Aug; 25: 692-4, 695-8
- 52860** Farrell, S. A., Epp, A., Flood, C., Lajoie, F., MacMillan, B., Mainprize, T., Robert, M. The evaluation of stress incontinence prior to primary surgery. *J Obstet Gynaecol Can.* 2003 Apr; 25: 313-24
- 50250** Farrell, S. A., Singh, B., Aldakhil, L. Continence pessaries in the management of urinary incontinence in women. *J Obstet Gynaecol Can.* 2004 Feb; 26: 113-7
- 11449** Farrell, S. A., Tynski, G. The effect of urethral pressure variation on detrusor activity in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 87-93
- 42784** Farrell, T. A., Wallace, M., Hicks, M. E. Long-term results of transrenal ureteral occlusion with use of Gianturco coils and gelatin sponge pledgets. *J Vasc Interv Radiol.* 1997 May-Jun; 8: 449-52
- 10444** Fatthy, H., El Hao, M., Samaha, I., Abdallah, K. Modified Burch colposuspension: laparoscopy versus laparotomy. *J Am Assoc Gynecol Laparosc.* 2001 Feb; 8: 99-106
- 41022** Faundes, A., Guarisi, T., Pinto-Neto, A. M. The risk of urinary incontinence of parous women who delivered only by cesarean section. *Int J Gynaecol Obstet.* 2001 Jan; 72: 41-6
- 40539** Faure, J. P., Hauet, T., Scepi, M., Chansigaud, J. P., Kamina, P., Richer, J. P. The pectineal ligament: anatomical study and surgical applications. *Surg Radiol Anat.* 2001; 23: 237-42
- 11914** Fawdry, R. Symptoms analysis for the diagnosis of genuine stress incontinence. *Br J Obstet Gynaecol.* 1992 Mar; 99: 271
- 3380** Fawdry, R. Symptoms analysis for the diagnosis of genuine stress incontinence [letter]. *Br J Obstet Gynaecol.* 1992 Mar; 99: 271
- 11619** Fedorkow, D. M., Sand, P. K., Retzky, S. S., Johnson, D. C. The cotton swab test. Receiver-operating characteristic curves. *J Reprod Med.* 1995 Jan; 40: 42-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41828** Fehrmann-Zumpe, P., Karbe, K., Blessman, G. Using flavoxate as primary medication for patients suffering from urge symptomatology. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 91-5
- 42555** Feldman, E. L., Jaffe, A., Galambos, N., Robbins, A., Kelly, R. B., From, J. Clinical practice guidelines on depression: awareness, attitudes, and content knowledge among family physicians in New York. *Arch Fam Med.* 1998 Jan-Feb; 7: 58-62
- 59107** Feldner, P. C., Jr, Bezerra, L. R., de Castro, R. A., Sartori, M. G., Baracat, E. C., de Lima, G. R., Girao, M. J. Correlation between valsava leak point pressure and maximal urethral closure pressure in women with stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 194-7
- 43712** Fenn, N., Barrington, J. W., Stephenson, T. P. Clam enterocystoplasty and pregnancy. *Br J Urol.* 1995 Jan; 75: 85-6
- 3419** Fenn, N., Conn, I.G., German, K.A., and Stephenson, T.P. Complications of clam enterocystoplasty with particular reference to urinary tract infection. *Br J Urol.* 1992 Apr; 69: 366-368
- 54800** Fenner, D. E., Genberg, B., Brahma, P., Marek, L., DeLancey, J. O. Fecal and urinary incontinence after vaginal delivery with anal sphincter disruption in an obstetrics unit in the United States. *Am J Obstet Gynecol.* 2003 Dec; 189: 1543-9; discussion 1549-50
- 10232** Feretis, C., Benakis, P., Dailianas, A., Dimopoulos, C., Mavrantonis, C., Stamou, K. M., Manouras, A., Apostolidis, N., Androulakis, G. Implantation of microballoons in the management of fecal incontinence. *Dis Colon Rectum.* 2001 Nov; 44: 1605-9
- 12077** Ferguson, K. L., McKey, P. L., Bishop, K. R., Kloen, P., Verheul, J. B., Dougherty, M. C. Stress urinary incontinence: effect of pelvic muscle exercise. *Obstet Gynecol.* 1990 Apr; 75: 671-5
- 4122** Ferguson, K.L., McKey, P.L., Bishop, K.R., Kloen, P., Verheul, J.B., and Dougherty, M.C. Stress urinary incontinence: effect of pelvic muscle exercise. *Obstet Gynecol.* 1990 Apr; 75: 671-675
- 10841** Ferland, R. D., Rosenblatt, P. Ureteral compromise after laparoscopic Burch colpopexy. *J Am Assoc Gynecol Laparosc.* 1999 May; 6: 217-9
- 44010** Fernandes, E. T., Reinberg, Y., Vernier, R., Gonzalez, R. Neurogenic bladder dysfunction in children: review of pathophysiology and current management. *J Pediatr.* 1994 Jan; 124: 1-7
- 30223** Fernandez, H. H., Tabamo, R. E., David, R. R., Friedman, J. H. Predictors of depressive symptoms among spouse caregivers in Parkinson's disease. *Mov Disord.* 2001 Nov; 16: 1123-5
- 40340** Ferrara, P., D'Aleo, C., Ruggiero, A., Paoletti, F. P., Chiozza, M. L., Plebani, M., Caione, P., Del Gado, R., Salvaggio, E. Plasma antidiuretic hormone levels in children with spina bifida. *Urol Int.* 2002; 68: 144-7
- 41118** Ferrara, P., Rigante, D., Lambert-Gardini, S., Salvaggio, E., Ricci, R., Chiozza, M. L., Antuzzi, D. Urinary excretion of glycosaminoglycans in patients with isolated nocturnal enuresis or combined with diurnal incontinence. *BJU Int.* 2000 Nov; 86: 824-5
- 11136** Ferrari, A., Frigerio, L. The triangular vaginal patch sling for stress urinary incontinence and hypermobile urethra. *Am J Obstet Gynecol.* 1997 Dec; 177: 1426-31
- 12096** Ferriani, R. A., Silva de Sa, M. F., Dias de Moura, M., Charaffedine, M. N., Hockgreb de Freitas Junior, A. Ureteral blockage as a complication of Burch colposuspension: report of 6 cases. *Gynecol Obstet Invest.* 1990; 29: 239-40
- 4007** Ferriani, R.A., Silva-de-Sa, M.F., Dias-de-Moura, M., Charaffedine, M.N., and Hockgreb-de-Freitas-Junior, A. Ureteral blockage as a complication of Burch colposuspension: report of 6 cases. *Gynecol Obstet Invest.* 1990; 29: 239-240
- 42978** Ferro, J. M., Falcao, I., Rodrigues, G., Canhao, P., Melo, T. P., Oliveira, V., Pinto, A. N., Crespo, M., Salgado, A. V. Diagnosis of transient ischemic attack by the nonneurologist. A validation study. *Stroke.* 1996 Dec; 27: 2225-9
- 11652** Feyereisl, J., Dreher, E., Haenggi, W., Zikmund, J., Schneider, H. Long-term results after Burch colposuspension. *Am J Obstet Gynecol.* 1994 Sep; 171: 647-52
- 56040** Fialkow, M. F., Melville, J. L., Lentz, G. M., Miller, E. A., Miller, J., Fenner, D. E. The functional and psychosocial impact of fecal incontinence on women with urinary incontinence. *Am J Obstet Gynecol.* 2003 Jul; 189: 127-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 50990** Fianu-Jonasson, A., Edwall, L. Stress urinary incontinence: feasibility of surgery after urethral injection. *Acta Obstet Gynecol Scand.* 2003 Nov; 82: 1060
- 10171** Fielding, J. R. Practical MR imaging of female pelvic floor weakness. *Radiographics.* 2002 Mar-Apr; 22: 295-304
- 10672** Fielding, J. R., Dumanli, H., Schreyer, A. G., Okuda, S., Gering, D. T., Zou, K. H., Kikinis, R., Jolesz, F. A. MR-based three-dimensional modeling of the normal pelvic floor in women: quantification of muscle mass. *AJR Am J Roentgenol.* 2000 Mar; 174: 657-60
- 10922** Fielding, J. R., Griffiths, D. J., Versi, E., Mulkern, R. V., Lee, M. L., Jolesz, F. A. MR imaging of pelvic floor continence mechanisms in the supine and sitting positions. *AJR Am J Roentgenol.* 1998 Dec; 171: 1607-10
- 41462** Fielding, J. R., Lee, J. H., Dubeau, C. E., Zou, K. H., Resnick, N. M. Voiding cystourethrography findings in elderly women with urge incontinence. *J Urol.* 2000 Apr; 163: 1216-8
- 11306** Fielding, J. R., Versi, E., Mulkern, R. V., Lerner, M. H., Griffiths, D. J., Jolesz, F. A. MR imaging of the female pelvic floor in the supine and upright positions. *J Magn Reson Imaging.* 1996 Nov-Dec; 6: 961-3
- 10783** Filbeck, T., Ullrich, T., Pichlmeier, U., Kiel, H. J., Wieland, W. F., Roessler, W. Correlation of persistent stress urinary incontinence with quality of life after suspension procedures: is continence the only decisive postoperative criterion of success?. *Urology.* 1999 Aug; 54: 247-51
- 43701** Filler, A. G., Britton, J. A., Uttley, D., Marsh, H. T. Adult postrepair myelomeningocele and tethered cord syndrome: good surgical outcome after abrupt neurological decline. *Br J Neurosurg.* 1995; 9: 659-66
- 10867** Fink, D., Perucchini, D., Schaer, G. N., Haller, U. The role of the frequency-volume chart in the differential diagnostic of female urinary incontinence. *Acta Obstet Gynecol Scand.* 1999 Mar; 78: 254-7
- 40383** Finkelstein, M. M. Medical conditions, medications, and urinary incontinence. Analysis of a population-based survey. *Can Fam Physician.* 2002 Jan; 48: 96-101
- 53490** Finkelstein, M. M., Skelly, J., Kaczorowski, J., Swanson, G. Incontinence Quality of Life Instrument in a survey of primary care physicians. *J Fam Pract.* 2002 Nov; 51: 952
- 42245** Finsterer, J., Grass, R., Stollberger, C., Mamoli, B. Immunoglobulins in acute, parainfectious, disseminated encephalo- myelitis. *Clin Neuropharmacol.* 1998 Jul-Aug; 21: 258-61
- 3665** Fiorelli, C., Menghetti, I., Trippitelli, A., Saltutti, C., and Mottola, A. Simplified endoscopic suspension for stress incontinence through pervaginal route. *Arch Esp Urol.* 1991 Jan-Feb; 44: 101-104
- 12005** Fiorelli, C., Menghetti, I., Trippitelli, A., Saltutti, C., Mottola, A. Simplified endoscopic suspension for stress incontinence through pervaginal route. *Arch Esp Urol.* 1991 Jan-Feb; 44: 101-4
- 41694** Fischer, J. R., Berg, P. H. Urinary incontinence in United States Air Force female aircrew. *Obstet Gynecol.* 1999 Oct; 94: 532-6
- 43917** Fischer, W. Therapeutic possibilities and choice of adequate treatment of female urinary incontinence (UI). *Eur J Obstet Gynecol Reprod Biol.* 1994 May 31; 55: 43-4
- 41297** Fischer, W., Baessler, K. Postpartum pelvic floor conditioning using vaginal cones: not only for prophylaxis against urinary incontinence and descensus. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 208-14
- 11219** Fischer, W., Linde, A. Pelvic floor findings in urinary incontinence--results of conditioning using vaginal cones. *Acta Obstet Gynecol Scand.* 1997 May; 76: 455-60
- 10969** Fischer-Rasmussen, W. Transvaginal needle bladder neck suspension for stress urinary incontinence: practicable methods but not optimal results. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 38-43
- 12028** Fischer-Rasmussen, W. Treatment of stress urinary incontinence. *Ann Med.* 1990 Dec; 22: 455-65
- 59067** Fisher, K., Riolo, L. What is the evidence regarding specific methods of pelvic floor exercise for a patient with urinary stress incontinence and mild anterior wall prolapse?. *Phys Ther.* 2004 Aug; 84: 744-53
- 41277** Fisher, R., Frank, D. Detrusor instability; day and night time wetting, urinary tract infections. *Arch Dis Child.* 2000 Aug; 83: 135-7



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 3045 Fishman, I.J., Scott, F.B. Pregnancy in patients with the artificial urinary sphincter. J Urol. 1993 Aug; 150: 340-341
- 3194 Fitzgerald, J.F., Smith, D.M., Martin, D.K., Freedman, J.A., and Wolinsky, F.D. Replication of the multidimensionality of activities of daily living. J Gerontol. 1993 Jan; 48: S28-S31
- 10547 FitzGerald, M. P., Blazek, B., Brubaker, L. Complex repetitive discharges during urethral sphincter EMG: clinical correlates. Neurourol Urodyn. 2000; 19: 577-83
- 50790 FitzGerald, M. P., Brubaker, L. Colpocleisis and urinary incontinence. Am J Obstet Gynecol. 2003 Nov; 189: 1241-4
- 10471 FitzGerald, M. P., Brubaker, L. The etiology of urinary retention after surgery for genuine stress incontinence. Neurourol Urodyn. 2001; 20: 13-21
- 10195 FitzGerald, M. P., Brubaker, L. Urinary incontinence symptom scores and urodynamic diagnoses. Neurourol Urodyn. 2002; 21: 30-5
- 10194 FitzGerald, M. P., Butler, N., Shott, S., Brubaker, L. Bother arising from urinary frequency in women. Neurourol Urodyn. 2002; 21: 36-40; discussion 41
- 10733 FitzGerald, M. P., Gitelis, S., Brubaker, L. Pubic osteomyelitis and granuloma after bone anchor placement. Int Urogynecol J Pelvic Floor Dysfunct. 1999; 10: 346-8
- 10265 Fitzgerald, M. P., Jaffar, J., Brubaker, L. Risk factors for an elevated postvoid residual urine volume in women with symptoms of urinary urgency, frequency and urge incontinence. Int Urogynecol J Pelvic Floor Dysfunct. 2001; 12: 237-9; discussion 239-40
- 10306 FitzGerald, M. P., Kenton, K., Shott, S., Brubaker, L. Responsiveness of quality of life measurements to change after reconstructive pelvic surgery. Am J Obstet Gynecol. 2001 Jul; 185: 20-4
- 41032 FitzGerald, M. P., Manaves, V., Martin, A. F., Shott, S., Brubaker, L. Myosin isoforms in female human detrusor. Neurourol Urodyn. 2001; 20: 23-9
- 10710 FitzGerald, M. P., Mollenhauer, J., Bitterman, P., Brubaker, L. Functional failure of fascia lata allografts. Am J Obstet Gynecol. 1999 Dec; 181: 1339-44; discussion 1344-6
- 10530 FitzGerald, M. P., Mollenhauer, J., Brubaker, L. The fate of rectus fascia suburethral slings. Am J Obstet Gynecol. 2000 Oct; 183: 964-6
- 10606 FitzGerald, M. P., Mollenhauer, J., Hale, D. S., Benson, J. T., Brubaker, L. Urethral collagen morphologic characteristics among women with genuine stress incontinence. Am J Obstet Gynecol. 2000 Jun; 182: 1565-74
- 41430 FitzGerald, M. P., Russell, B., Hale, D., Benson, J. T., Brubaker, L. Ultrastructure of detrusor and urethral smooth muscle in women with urinary incontinence. Am J Obstet Gynecol. 2000 Apr; 182: 879-84
- 41342 Fitzgerald, S. T., Palmer, M. H., Berry, S. J., Hart, K. Urinary incontinence. Impact on working women. AAOHN J. 2000 Mar; 48: 112-8
- 40324 Fitzgerald, S. T., Palmer, M. H., Kirkland, V. L., Robinson, L. The impact of urinary incontinence in working women: a study in a production facility. Women Health. 2002; 35: 1-16
- 11783 Fitzpatrick, C., Swierzewski, S. J., 3rd, McGuire, E. J. Periurethral collagen for urinary incontinence after gender reassignment surgery. Urology. 1993 Oct; 42: 458-60
- 10374 Fitzpatrick, M., O'Herlihy, C. The effects of labour and delivery on the pelvic floor. Best Pract Res Clin Obstet Gynaecol. 2001 Feb; 15: 63-79
- 44436 Flaherty, J. H., Miller, D. K., Coe, R. M. Impact on caregivers of supporting urinary function in noninstitutionalized, chronically ill seniors. Gerontologist. 1992 Aug; 32: 541-5
- 3242 Flaherty, J.H., Miller, D.K., and Coe, R.M. Impact on caregivers of supporting urinary function in noninstitutionalized, chronically ill seniors. Gerontologist. 1992 Aug; 32: 541-545
- 11334 Flax, S. The gasless laparoscopic Burch bladder neck suspension: early experience. J Urol. 1996 Sep; 156: 1105-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40076** Fleischmann, N., Christ, G., Sclafani, T., Melman, A. The effect of ovariectomy and long-term estrogen replacement on bladder structure and function in the rat. *J Urol.* 2002 Sep; 168: 1265-8
- 53300** Fleischmann, N., Flisser, A. J., Blaivas, J. G., Panagopoulos, G. Sphincteric urinary incontinence: relationship of vesical leak point pressure, urethral mobility and severity of incontinence. *J Urol.* 2003 Mar; 169: 999-1002
- 41656** Fleishman, R., Heilbrun, G., Mandelson, J., Shirazi, V. Improving the quality of institutional care of urinary incontinence among the elderly: a challenge for governmental regulation. *Int J Health Care Qual Assur Inc Leadersh Health Serv.* 1999; 12: 105-19
- 10940** Flood, C. G., Drutz, H. P., Waja, L. Anterior colporrhaphy reinforced with Marlex mesh for the treatment of cystoceles. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 200-4
- 43012** Flood, H. D., Alevizatos, C., Liu, J. L. Sex differences in the determination of abdominal leak point pressure in patients with intrinsic sphincter deficiency. *J Urol.* 1996 Nov; 156: 1737-40
- 43739** Flood, H. D., Malhotra, S. J., O'Connell, H. E., Ritchey, M. J., Bloom, D. A., McGuire, E. J. Long-term results and complications using augmentation cystoplasty in reconstructive urology. *Neurourol Urodyn.* 1995; 14: 297-309
- 10089** Flynn, B. J., Webster, G. D. Surgical management of the apical vaginal defect. *Curr Opin Urol.* 2002 Jul; 12: 353-8
- 10209** Flynn, B. J., Yap, W. T. Pubovaginal sling using allograft fascia lata versus autograft fascia for all types of stress urinary incontinence: 2-year minimum followup. *J Urol.* 2002 Feb; 167: 608-12
- 11692** Flynn, L., Cell, P., Luisi, E. Effectiveness of pelvic muscle exercises in reducing urge incontinence among community residing elders. *J Gerontol Nurs.* 1994 May; 20: 23-7
- 42331** Flynn, P., Franiek, J., Janssen, P., Hannah, W. J., Klein, M. C. How can second-stage management prevent perineal trauma? Critical review. *Can Fam Physician.* 1997 Jan; 43: 73-84
- 11241** Fokaefs, E. D., Lampel, A., Hohenfellner, M., Lazica, M., Thuroff, J. W. Experimental evaluation of free versus pedicled fascial flaps for sling surgery of urinary stress incontinence. *J Urol.* 1997 Mar; 157: 1039-43
- 11674** Foldspang, A., Mommsen, S. Adult female urinary incontinence and childhood bedwetting. *J Urol.* 1994 Jul; 152: 85-8
- 11163** Foldspang, A., Mommsen, S. The International Continence Society (ICS) incontinence definition: is the social and hygienic aspect appropriate for etiologic research?. *J Clin Epidemiol.* 1997 Sep; 50: 1055-60
- 42004** Foldspang, A., Mommsen, S., Djurhuus, J. C. Prevalent urinary incontinence as a correlate of pregnancy, vaginal childbirth, and obstetric techniques. *Am J Public Health.* 1999 Feb; 89: 209-12
- 11856** Foldspang, A., Mommsen, S., Lam, G. W., Elving, L. Parity as a correlate of adult female urinary incontinence prevalence. *J Epidemiol Community Health.* 1992 Dec; 46: 595-600
- 3163** Foldspang, A., Mommsen, S., Lam, G.W., and Elving, L. Parity as a correlate of adult female urinary incontinence prevalence. *J Epidemiol Community Health.* 1992 Dec; 46: 595-600
- 40667** Foley, S. J., Adamson, A. S. Minimally invasive harvesting of fascia lata for use in the pubovaginal sling procedure. *BJU Int.* 2001 Aug; 88: 293-4
- 3777** Fonda, D. Improving management of urinary incontinence in geriatric centres and nursing homes. Victorian Geriatricians Peer Review Group. *Aust Clin Rev.* 1990; 10: 66-71
- 42901** Fonda, D. Promoting continence as a health issue. *Eur Urol.* 1997; 32 Suppl 2: 28-32
- 44861** Fonda, D. Taking the 'in' out of incontinence. *Med J Aust.* 1990 Sep 3; 153: 245-7
- 3498** Fonda, D. The billion dollar question: can incontinence be reduced in nursing homes? [editorial]. *Med J Aust.* 1992 Jan 6; 156: 6-7
- 11767** Fonda, D., Brimage, P. J., D'Astoli, M. Simple screening for urinary incontinence in the elderly: comparison of simple and multichannel cystometry. *Urology.* 1993 Nov; 42: 536-40



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42055** Fonda, D., Resnick, N. M., Kirschner-Hermanns, R. Prevention of urinary incontinence in older people. *Br J Urol.* 1998 Dec; 82 Suppl 1: 5-10
- 43561** Fonda, D., Woodward, M., D'Astoli, M., Chin, W. F. Sustained improvement of subjective quality of life in older community- dwelling people after treatment of urinary incontinence. *Age Ageing.* 1995 Jul; 24: 283-6
- 42955** Fontaine, E., Bendaya, S., Desert, J. F., Fakacs, C., Le Mouel, M. A., Beurton, D. Combined modified rectus fascial sling and augmentation ileocystoplasty for neurogenic incontinence in women. *J Urol.* 1997 Jan; 157: 109-12
- 11211** Foote, A. J., Lam, A. Laparoscopic colposuspension in women with previously failed anti- incontinence surgery. *J Obstet Gynaecol Res.* 1997 Jun; 23: 313-7
- 3748** Foote, J., Yun, S., and Leach, G.E. Postprostatectomy incontinence. Pathophysiology, evaluation, and management. *Urol Clin North Am.* 1991 May; 18: 229-241
- 54440** Forbat, L. Listening to carers talking about the subjects of continence and toileting. *Nurs Times.* 2004 Jan 13-19; 100: 46-9
- 3481** Ford, H. Continence--feeling off-colour. *Nurs Times.* 1992 Jan 29-Feb 4; 88: 64,66,68
- 44170** Foreman, M. D., Theis, S. L., Anderson, M. A. Adverse events in the hospitalized elderly. *Clin Nurs Res.* 1993 Aug; 2: 360-70
- 44332** Foreman, M. M., McNulty, A. M. Alterations in K(+)-evoked release of 3H-norepinephrine and contractile responses in urethral and bladder tissues induced by norepinephrine reuptake inhibition. *Life Sci.* 1993; 53: 193-200
- 59291** Fornell, E. U., Matthiesen, L., Sjodahl, R., Berg, G. Obstetric anal sphincter injury ten years after: subjective and objective long term effects. *BJOG.* 2005 Mar; 112: 312-6
- 56210** Forster, J. A., Thomas, W. M. Patient preferences and side effects experienced with oral bowel preparations versus self-administered phosphate enema. *Ann R Coll Surg Engl.* 2003 May; 85: 185-6
- 11172** Fortunato, P., Schettini, M., Gallucci, M. Diverticula of the female urethra. *Br J Urol.* 1997 Oct; 80: 628-32
- 3540** Fossa, S.D., Hosbach, G. Short-term moderate-dose pelvic radiotherapy of advanced bladder carcinoma. A questionnaire-based evaluation of its symptomatic effect. *Acta Oncol.* 1991; 30: 735-738
- 11942** Fossaluzza, V., Di Benedetto, P., Zampa, A., De Vita, S. Misoprostol-induced urinary incontinence. *J Intern Med.* 1991 Nov; 230: 463-4
- 3563** Fossaluzza, V., Di-Benedetto, P., Zampa, A., and De-Vita, S. Misoprostol-induced urinary incontinence. *J Intern Med.* 1991 Nov; 230: 463-464
- 3900** Fossberg, E., Sorensen, S., Ruutu, M., Bakke, A., Stien, R., Henriksson, L., and Kinn, A.C. Maximal electrical stimulation in the treatment of unstable detrusor and urge incontinence. *Eur Urol.* 1990; 18: 120-123
- 45078** Fossberg, E., Sorensen, S., Ruutu, M., Bakke, A., Stien, R., Henriksson, L., Kinn, A. C. Maximal electrical stimulation in the treatment of unstable detrusor and urge incontinence. *Eur Urol.* 1990; 18: 120-3
- 3570** Foster, D.C. Geriatric urinary tract dysfunction. *Curr Opin Obstet Gynecol.* 1990 Aug; 2: 612-619
- 11762** Foster, H. E., McGuire, E. J. Management of urethral obstruction with transvaginal urethrolisis. *J Urol.* 1993 Nov; 150: 1448-51
- 42381** Fourcroy, J. L. Urogynecology update: incontinence. *Hosp Pract (Off Ed).* 1998 May 15; 33: 63-70, 81
- 50870** Fourie, T., Cohen, P. L. Delayed bowel erosion by tension-free vaginal tape (TVT). *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 362-4
- 40803** Fourie, T., Ramphal, S. Aerosol caps and vesicovaginal fistulas. *Int J Gynaecol Obstet.* 2001 Jun; 73: 275-6
- 11290** Fournier, C., Corcos, J. Collagen injections in difficult cases of stress urinary incontinence: study results. *Urol Nurs.* 1996 Dec; 16: 123-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43994** Fowler, C. J., Beck, R. O., Gerrard, S., Betts, C. D., Fowler, C. G. Intravesical capsaicin for treatment of detrusor hyperreflexia. *J Neurol Neurosurg Psychiatry*. 1994 Feb; 57: 169-73
- 11867** Fowler, C. J., Betts, C. D., Christmas, T. J., Swash, M., Fowler, C. G. Botulinum toxin in the treatment of chronic urinary retention in women. *Br J Urol*. 1992 Oct; 70: 387-9
- 44375** Fowler, C. J., van Kerrebroeck, P. E., Nordenbo, A., Van Poppel, H. Treatment of lower urinary tract dysfunction in patients with multiple sclerosis. Committee of the European Study Group of SUDIMS (Sexual and Urological Disorders in Multiple Sclerosis). *J Neurol Neurosurg Psychiatry*. 1992 Nov; 55: 986-9
- 3200** Fowler, C.J., van-Kerrebroeck, P.E., Nordenbo, A., and Van-Poppel, H. Treatment of lower urinary tract dysfunction in patients with multiple sclerosis. Committee of the European Study Group of SUDIMS (Sexual and Urological Disorders in Multiple Sclerosis). *J Neurol Neurosurg Psychiatry*. 1992 Nov; 55: 986-989
- 45000** Fowler, E. M., Ouslander, J., Papen, J. Managing incontinence in the nursing home population. *J Enterostomal Ther*. 1990 Mar-Apr; 17: 77-86
- 4089** Fowler, E.M., Ouslander, J., and Papen, J. Managing incontinence in the nursing home population. *J Enterostomal Ther*. 1990 Mar-Apr; 17: 77-86
- 3130** Fox, R.A. Treatment recommendations for respiratory tract infections associated with aging. *Drugs Aging*. 1993 Jan-Feb; 3: 40-48
- 30501** Fox, S. D., Stanton, S. L. Vault prolapse and rectocele: assessment of repair using sacrocolpopexy with mesh interposition. *BJOG*. 2000 Nov; 107: 1371-5
- 40748** Foxman, B., Somsel, P., Tallman, P., Gillespie, B., Raz, R., Colodner, R., Kandula, D., Sobel, J. D. Urinary tract infection among women aged 40 to 65: behavioral and sexual risk factors. *J Clin Epidemiol*. 2001 Jul; 54: 710-8
- 42929** Frahm, J. The role of the PT in incontinence: innovation and communication to improve patient care. *Ostomy Wound Manage*. 1997 Jan-Feb; 43: 42-6, 48-50, 52-3
- 43855** Franco, I., Kolligian, M., Reda, E. F., Levitt, S. B. The importance of catheter size in the achievement of urinary continence in patients undergoing a Young-Dees-Leadbetter procedure. *J Urol*. 1994 Aug; 152: 710-2
- 3273** Franco, I., Reda, E.F., and Kaplan, W.E. Injectable prosthetic materials for the management of reflux and urinary incontinence in children. *Semin Urol*. 1992 Aug; 10: 184-193
- 53880** Franco, N., Shobeiri, S. A., Echols, K. T. Medium-term follow-up of transvaginal suburethral slings: variance in outcome success using two different evaluation methods. *Urology*. 2002 Oct; 60: 607-10; discussion 610-1
- 4129** Francois, Y., Descos, L., and Vignal, J. Conservative treatment of low rectovaginal fistula in Crohn's disease. *Int J Colorectal Dis*. 1990 Feb; 5: 12-14
- 45034** Francois, Y., Descos, L., Vignal, J. Conservative treatment of low rectovaginal fistula in Crohn's disease. *Int J Colorectal Dis*. 1990 Feb; 5: 12-4
- 3893** Frang, D., Pajor, L. Radical prostatectomy and complications. *Int Urol Nephrol*. 1990; 22: 349-357
- 10615** Frankel, G. Paravaginal repair. *Urology*. 2000 May; 55: 789
- 50040** Frankel, G. Re: Complication of bowel perforation during insertion of tension-free vaginal tape. *J Urol*. 2004 May; 171: 1888
- 10371** Frankel, G. Re: Protracted urinary retention necessitating urethrolisis following tension-free vaginal tape surgery. *J Urol*. 2001 Jun; 165: 2007-8
- 59338** Frankenburg, F. R., Zanarini, M. C. The association between borderline personality disorder and chronic medical illnesses, poor health-related lifestyle choices, and costly forms of health care utilization. *J Clin Psychiatry*. 2004 Dec; 65: 1660-5
- 10578** Franks, M. E., Lavelle, J. P., Yokoyama, T., Chuang, Y. C., Chancellor, M. B. Metastatic osteomyelitis after pubovaginal sling using bone anchors. *Urology*. 2000 Aug 1; 56: 330-1
- 42927** Franssen, E. H., Souren, L. E., Torossian, C. L., Reisberg, B. Utility of developmental reflexes in the differential diagnosis and prognosis of incontinence in Alzheimer's disease. *J Geriatr Psychiatry Neurol*. 1997 Jan; 10: 22-8

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 55610 Frantz, R. A., Xakellis, G. C., Jr, Harvey, P. C., Lewis, A. R. Implementing an incontinence management protocol in long-term care. Clinical outcomes and costs. J Gerontol Nurs. 2003 Aug; 29: 46-53
- 11092 Frauscher, F., Helweg, G., Strasser, H., Enna, B., Klauser, A., Knapp, R., Colleselli, K., Bartsch, G., Zur Nedden, D. Intraurethral ultrasound: diagnostic evaluation of the striated urethral sphincter in incontinent females. Eur Radiol. 1998; 8: 50-3
- 11589 Frazer, M. I. Ambulatory surgery for urinary stress incontinence and vaginal prolapse. Med J Aust. 1995 Mar 6; 162: 279
- 12045 Frazer, M. I., Haylen, B. T., Sissons, M. Do women with idiopathic sensory urgency have early interstitial cystitis?. Br J Urol. 1990 Sep; 66: 274-8
- 59167 Frederick, R. W., Leach, G. E. Cadaveric prolapse repair with sling: intermediate outcomes with 6 months to 5 years of followup. J Urol. 2005 Apr; 173: 1229-33
- 43906 Freedman, E. R., Rickwood, A. M. Urinary incontinence due to unilateral vaginally ectopic single ureters. Br J Urol. 1994 Jun; 73: 716-7
- 43907 Freedman, E. R., Singh, G., Donnell, S. C., Rickwood, A. M., Thomas, D. G. Combined bladder neck suspension and augmentation cystoplasty for neuropathic incontinence in female patients. Br J Urol. 1994 Jun; 73: 621-4
- 40950 Freeman, E. W., Grisso, J. A., Berlin, J., Sammel, M., Garcia-Espana, B., Hollander, L. Symptom reports from a cohort of African American and white women in the late reproductive years. Menopause. 2001 Jan-Feb; 8: 33-42
- 41703 Freeman, L. Continence care: home and dry. Nurs Times. 1999 Jun 30-Jul 6; 95: 44-5
- 10649 Freeman, R. M. Female urinary incontinence: aetiology and pathophysiology. Hosp Med. 2000 Feb; 61: 84-9
- 41916 Freeman, R. M. Psychological investigation in female patients suffering from urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct. 1999; 10: 49
- 59321 Freeman, R. M. The role of pelvic floor muscle training in urinary incontinence. BJOG. 2004 Dec; 111 Suppl 1: 37-40
- 55660 Freeman, R., Hill, S., Millard, R., Slack, M., Sutherst, J. Reduced perception of urgency in treatment of overactive bladder with extended-release tolterodine. Obstet Gynecol. 2003 Sep; 102: 605-11
- 3122 Freeman, R., Miyawaki, E. The treatment of autonomic dysfunction. J Clin Neurophysiol. 1993 Jan; 10: 61-82
- 12017 Freeman, S. B. Management of perimenopausal symptoms. NAACOGS Clin Issu Perinat Womens Health Nurs. 1991; 2: 429-39
- 54040 French, C. T., Fletcher, K. E., Irwin, R. S. Gender differences in health-related quality of life in patients complaining of chronic cough. Chest. 2004 Feb; 125: 482-8
- 3324 Freundl, M., Dugan, J. Urinary incontinence in the elderly: knowledge and attitude of long-term care staff. Geriatr-Nurs (New York). 1992 Mar-Apr; 13: 70-75
- 41424 Friday, P. A., Scarratt, W. K., Elvinger, F., Timoney, P. J., Bonda, A. Ataxia and paresis with equine herpesvirus type 1 infection in a herd of riding school horses. J Vet Intern Med. 2000 Mar-Apr; 14: 197-201
- 43404 Fried, G. W., Goetz, G., Potts-Nulty, S., Cioschi, H. M., Staas, W. E., Jr A behavioral approach to the treatment of urinary incontinence in a disabled population. Arch Phys Med Rehabil. 1995 Dec; 76: 1120-4
- 59254 Friedman, S. M., Steinwachs, D. M., Rathouz, P. J., Burton, L. C., Mukamel, D. B. Characteristics predicting nursing home admission in the program of all-inclusive care for elderly people. Gerontologist. 2005 Apr; 45: 157-66
- 54980 Frimberger, D., Gearhart, J. P., Mathews, R. Female exstrophy: failure of initial reconstruction and its implications for continence. J Urol. 2003 Dec; 170: 2428-31
- 55440 Frimberger, D., Lakshmanan, Y., Gearhart, J. P. Continent urinary diversions in the exstrophy complex: why do they fail?. J Urol. 2003 Oct; 170: 1338-42

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 59025 Fritel, X., Fauconnier, A., Levet, C., Benifla, J. L. Stress urinary incontinence 4 years after the first delivery: a retrospective cohort survey. *Acta Obstet Gynecol Scand.* 2004 Oct; 83: 941-5
- 10053 Fritel, X., Pigne, A. Anterior repair using Bologna procedure: long-term results on stress urinary continence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 176-81; discussion 181
- 53670 Fritel, X., Zabak, K., Pigne, A., Demaria, F., Benifla, J. L. Predictive value of urethral mobility before suburethral tape procedure for urinary stress incontinence in women. *J Urol.* 2002 Dec; 168: 2472-5
- 10669 Froeling, F. M., Deprest, J. A., Ankum, W. M., Mendels, E. L., Meijer, D. W., Bannenbergh, J. Controlled balloon dilatation for laparoscopic extraperitoneal bladder neck suspension in patients with previous abdominal surgery. *J Laparoendosc Adv Surg Tech A.* 2000 Feb; 10: 27-30
- 51340 Fu, X., Rezapour, M., Wu, X., Li, L., Sjogren, C., Ulmsten, U. Expression of estrogen receptor-alpha and -beta in anterior vaginal walls of genuine stress incontinent women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Oct; 14: 276-81; discussion 281
- 43080 Fuchs, J., Gluer, S., Mildenerberger, H. One-stage reconstruction of bladder exstrophy. *Eur J Pediatr Surg.* 1996 Aug; 6: 212-5
- 41528 Fuchs, O., Booss, D. Rehbein's procedure for Hirschsprung's disease. An appraisal of 45 years. *Eur J Pediatr Surg.* 1999 Dec; 9: 389-91
- 10460 Fujisawa, M., Gotoh, A., Miyazaki, S., Nakamura, I., Hara, I., Okada, H., Arakawa, S., Kamidono, S. Sigmoid neobladder in women after radical cystectomy. *J Urol.* 2000 May; 163: 1505-9
- 10549 Fujishiro, T., Enomoto, H., Ugawa, Y., Takahashi, S., Ueno, S., Kitamura, T. Magnetic stimulation of the sacral roots for the treatment of stress incontinence: an investigational study and placebo controlled trial. *J Urol.* 2000 Oct; 164: 1277-9
- 40081 Fujishiro, T., Takahashi, S., Enomoto, H., Ugawa, Y., Ueno, S., Kitamura, T. Magnetic stimulation of the sacral roots for the treatment of urinary frequency and urge incontinence: an investigational study and placebo controlled trial. *J Urol.* 2002 Sep; 168: 1036-9
- 3460 Fujita, M., Ohno, S., Danno, K., and Miyachi, Y. Two cases of diaper area granuloma of the adult. *J Dermatol.* 1991 Nov; 18: 671-675
- 3961 Fukui, J., Sakai, Y., Hosaka, K., Yamashita, T., Ogawa, A., and Shirai, H. A newly designed deodorant pad for urinary incontinence. *J Am Geriatr Soc.* 1990 Aug; 38: 889-892
- 44880 Fukui, J., Sakai, Y., Hosaka, K., Yamashita, T., Ogawa, A., Shirai, H. A newly designed deodorant pad for urinary incontinence. *J Am Geriatr Soc.* 1990 Aug; 38: 889-92
- 3429 Fulcher, R.A., Maisey, S.P. Evaluation of dipstick tests and reflectance meter for screening for bacteriuria in elderly patients. *Br J Clin Pract.* 1991 Winter; 45: 245-246
- 10818 Fulford, S. C., Flynn, R., Barrington, J., Appanna, T., Stephenson, T. P. An assessment of the surgical outcome and urodynamic effects of the pubovaginal sling for stress incontinence and the associated urge syndrome. *J Urol.* 1999 Jul; 162: 135-7
- 42780 Fulford, S. C., Sutton, C., Bales, G., Hickling, M., Stephenson, T. P. The fate of the 'modern' artificial urinary sphincter with a follow-up of more than 10 years. *Br J Urol.* 1997 May; 79: 713-6
- 42997 Fuller, M. A., Borovicka, M. C., Jaskiw, G. E., Simon, M. R., Kwon, K., Konicki, P. E. Clozapine-induced urinary incontinence: incidence and treatment with ephedrine. *J Clin Psychiatry.* 1996 Nov; 57: 514-8
- 10225 Fulmer, B. R., Sakamoto, K., Turk, T. M., Galen, D., Presthus, J. B., Abbott, K., Ross, J., Ou, C. S., Albala, D. M. Acute and long-term outcomes of radio frequency bladder neck suspension. *J Urol.* 2002 Jan; 167: 141-5
- 50770 Fultz, N. H., Burgio, K., Diokno, A. C., Kinchen, K. S., Obenchain, R., Bump, R. C. Burden of stress urinary incontinence for community-dwelling women. *Am J Obstet Gynecol.* 2003 Nov; 189: 1275-82
- 59378 Fultz, N. H., Fisher, G. G., Jenkins, K. R. Does urinary incontinence affect middle-aged and older women's time use and activity patterns?. *Obstet Gynecol.* 2004 Dec; 104: 1327-34

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 43269 Fultz, N. H., Herzog, A. R. Epidemiology of urinary symptoms in the geriatric population. *Urol Clin North Am*. 1996 Feb; 23: 1-10
- 44072 Fultz, N. H., Herzog, A. R. Measuring urinary incontinence in surveys. *Gerontologist*. 1993 Dec; 33: 708-13
- 40649 Fultz, N. H., Herzog, A. R. Prevalence of urinary incontinence in middle-aged and older women: a survey-based methodological experiment. *J Aging Health*. 2000 Nov; 12: 459-69
- 10280 Fultz, N. H., Herzog, A. R. Self-reported social and emotional impact of urinary incontinence. *J Am Geriatr Soc*. 2001 Jul; 49: 892-9
- 41805 Fultz, N. H., Herzog, A. R., Raghunathan, T. E., Wallace, R. B., Diokno, A. C. Prevalence and severity of urinary incontinence in older African American and Caucasian women. *J Gerontol A Biol Sci Med Sci*. 1999 Jun; 54: M299-303
- 42156 Fusgen, I., Bienstein, C., Bohmer, F., Busch, B., Cottenden, A., Heidler, H., Scherr, A., Pullen, R. Interdisciplinary care of urinary incontinence in the elderly. *World J Urol*. 1998; 16 Suppl 1: S62-70
- 42307 Galejs, L. E., Diokno, A. C. Frequency urgency syndrome following urinary bladder suspension. *Geriatr Nephrol Urol*. 1998; 8: 25-8
- 41441 Galizia, G., Lieto, E., Castellano, P., Pelosio, L., Imperatore, V., Pigantelli, C. Lateral internal sphincterotomy together with haemorrhoidectomy for treatment of haemorrhoids: a randomised prospective study. *Eur J Surg*. 2000 Mar; 166: 223-8
- 10928 Gallagher, M. S. Urogenital distress and the psychosocial impact of urinary incontinence on elderly women. *Rehabil Nurs*. 1998 Jul-Aug; 23: 192-7
- 11573 Gallagher, P. V., Mellon, J. K., Ramsden, P. D., Neal, D. E. Tanagho bladder neck reconstruction in the treatment of adult incontinence. *J Urol*. 1995 May; 153: 1451-4
- 57900 Gallagher, S. Outcome research and WOC nursing practice. *J Wound Ostomy Continence Nurs*. 2002 Nov; 29: 278-82
- 44730 Gallaspy, J. W. A method for safer urinary incontinence surgery. *Am J Obstet Gynecol*. 1991 Apr; 164: 1151
- 3753 Gallaspy, J.W. A method for safer urinary incontinence surgery [letter]. *Am J Obstet Gynecol*. 1991 Apr; 164: 1151
- 10454 Gallentine, M. L., Cespedes, R. D. Occult stress urinary incontinence and the effect of vaginal vault prolapse on abdominal leak point pressures. *Urology*. 2001 Jan; 57: 40-4
- 42454 Gallien, P., Robineau, S., Nicolas, B., Le Bot, M. P., Brissot, R., Verin, M. Vesicourethral dysfunction and urodynamic findings in multiple sclerosis: a study of 149 cases. *Arch Phys Med Rehabil*. 1998 Mar; 79: 255-7
- 42867 Gallo, M. L., Fallon, P. J., Staskin, D. R. Urinary incontinence: steps to evaluation, diagnosis, and treatment. *Nurse Pract*. 1997 Feb; 22: 21-4, 26, 28 passim
- 42533 Gallo, M. L., Gillette, B., Hancock, R., Pelkey, A., Rawlings, L., Sasso, K. Quality of life improvement and the reliance urinary control insert. *Urol Nurs*. 1997 Dec; 17: 146-53
- 11271 Gallo, M. L., Hancock, R., Davila, G. W. Clinical experience with a balloon-tipped urethral insert for stress urinary incontinence. *J Wound Ostomy Continence Nurs*. 1997 Jan; 24: 51-7
- 11276 Gallo, M. L., Staskin, D. R. Cues to action: pelvic floor muscle exercise compliance in women with stress urinary incontinence. *Neurourol Urodyn*. 1997; 16: 167-77
- 42732 Gallo, M., Staskin, D. R. Patient satisfaction with a reusable undergarment for urinary incontinence. *J Wound Ostomy Continence Nurs*. 1997 Jul; 24: 226-36
- 42673 Galloway, N. T. Surgical treatment of urinary incontinence in geriatric women. *Am J Med Sci*. 1997 Oct; 314: 268-72
- 10826 Galloway, N. T., El-Galley, R. E., Sand, P. K., Appell, R. A., Russell, H. W., Carlan, S. J. Extracorporeal magnetic innervation therapy for stress urinary incontinence. *Urology*. 1999 Jun; 53: 1108-11



## American Urological Association, Inc.

## Master Bibliography

## SUI Guidelines Panel

sorted by Primary Author and Title

- 10496** Galloway, N. T., El-Galley, R. E., Sand, P. K., Appell, R. A., Russell, H. W., Carlin, S. J. Update on extracorporeal magnetic innervation (EXMI) therapy for stress urinary incontinence. *Urology*. 2000 Dec 4; 56: 82-6
- 50430** Galloway, N., Nagaraju, P. The anatomy of incontinence--what practitioners and patients need to know. *Ostomy Wound Manage*. 2003 Dec; 49: 16-26
- 41848** Gambassi, G., Landi, F., Lapane, K. L., Sgadari, A., Mor, V., Bernabei, R. Predictors of mortality in patients with Alzheimer's disease living in nursing homes. *J Neurol Neurosurg Psychiatry*. 1999 Jul; 67: 59-65
- 11835** Gambino, J., Cohen, A. J., Friedenber, R. M. The direction of bladder displacement by adnexal masses. *Clin Imaging*. 1993 Jan-Mar; 17: 8-11
- 3144** Gambino, J., Cohen, A.J., and Friedenber, R.M. The direction of bladder displacement by adnexal masses. *Clin Imaging*. 1993 Jan-Mar; 17: 8-11
- 50130** Game, X., Mouzin, M., Vaessen, C., Malavaud, B., Sarramon, J. P., Rischmann, P. Obturator infected hematoma and urethral erosion following transobturator tape implantation. *J Urol*. 2004 Apr; 171: 1629
- 11924** Ganabathi, K., Abrams, P., Mundy, A. R., Dwyer, P. L., Glenning, P. P. Stamey-Martius procedure for severe genuine stress incontinence. *Br J Urol*. 1992 Jan; 69: 34-7
- 3487** Ganabathi, K., Abrams, P., Mundy, A.R., Dwyer, P.L., and Glenning, P.P. Stamey-Martius procedure for severe genuine stress incontinence. *Br J Urol*. 1992 Jan; 69: 34-37
- 11644** Ganabathi, K., Leach, G. E., Zimmern, P. E., Dmochowski, R. Experience with the management of urethral diverticulum in 63 women. *J Urol*. 1994 Nov; 152: 1445-52
- 10376** Ganio, E., Luc, A. R., Clerico, G., Trompetto, M. Sacral nerve stimulation for treatment of fecal incontinence: a novel approach for intractable fecal incontinence. *Dis Colon Rectum*. 2001 May; 44: 619-29; discussion 629-31
- 10253** Ganio, E., Masin, A., Ratto, C., Altomare, D. F., Ripetti, V., Clerico, G., Lise, M., Doglietto, G. B., Memeo, V., Landolfi, V., Del Genio, A., Arullani, A., Giardiello, G., de Seta, F. Short-term sacral nerve stimulation for functional anorectal and urinary disturbances: results in 40 patients: evaluation of a new option for anorectal functional disorders. *Dis Colon Rectum*. 2001 Sep; 44: 1261-7
- 40654** Ganio, E., Ratto, C., Masin, A., Luc, A. R., Doglietto, G. B., Dodi, G., Ripetti, V., Arullani, A., Frascio, M., BertiRiboli, E., Landolfi, V., DelGenio, A., Altomare, D. F., Memeo, V., Bertapelle, P., Carone, R., Spinelli, M., Zanollo, A Neuromodulation for fecal incontinence: outcome in 16 patients with definitive implant. The initial Italian Sacral Neurostimulation Group (GINS) experience. *Dis Colon Rectum*. 2001 Jul; 44: 965-70
- 40463** Ganz, P. A., Desmond, K. A., Leedham, B., Rowland, J. H., Meyerowitz, B. E., Belin, T. R. Quality of life in long-term, disease-free survivors of breast cancer: a follow-up study. *J Natl Cancer Inst*. 2002 Jan 2; 94: 39-49
- 41737** Ganz, P. A., Greendale, G. A., Kahn, B., O'Leary, J. F., Desmond, K. A. Are older breast carcinoma survivors willing to take hormone replacement therapy?. *Cancer*. 1999 Sep 1; 86: 814-20
- 10602** Ganz, P. A., Greendale, G. A., Petersen, L., Zibechi, L., Kahn, B., Belin, T. R. Managing menopausal symptoms in breast cancer survivors: results of a randomized controlled trial. *J Natl Cancer Inst*. 2000 Jul 5; 92: 1054-64
- 44632** Ganzini, L., Heintz, R., Hoffman, W. F., Keepers, G. A., Casey, D. E. Acute extrapyramidal syndromes in neuroleptic-treated elders: a pilot study. *J Geriatr Psychiatry Neurol*. 1991 Oct-Dec; 4: 222-5
- 3472** Ganzini, L., Heintz, R., Hoffman, W.F., Keepers, G.A., and Casey, D.E. Acute extrapyramidal syndromes in neuroleptic-treated elders: a pilot study. *J Geriatr Psychiatry Neurol*. 1991 Oct-Dec; 4: 222-225
- 44913** Garber, S. J., Christmas, T. J., Rickards, D. Voiding dysfunction due to neurosyphilis. *Br J Urol*. 1990 Jul; 66: 19-21
- 3949** Garber, S.J., Christmas, T.J., and Rickards, D. Voiding dysfunction due to neurosyphilis. *Br J Urol*. 1990 Jul; 66: 19-21
- 41098** Garcia, A., Smith, M., Freedman, M. Vitamin B12 deficiency and incontinence in older people. *Can J Urol*. 2000 Aug; 7: 1077-80
- 4065** Garcia, J.G., Lam, C. Treating urinary incontinence in a head-injured adult. *Brain Inj*. 1990 Apr-Jun; 4: 203-207

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41206** Garcia-Porrúa, C., Gonzalez-Gay, M. A., Picallo, J. A. Rapid response to intravenous corticosteroids in osteitis pubis after Marshall-Marchetti-Krantz urethropexy. *Rheumatology (Oxford)*. 2000 Sep; 39: 1048-9
- 44957** Gardiner, R. A., Samaratunga, M. L. Application of the invaginated sleeve technique to form a continent ileal urostomy. *Br J Urol*. 1990 May; 65: 457-61
- 3350** Gardner, J. Promoting continence in Australian nursing homes: a national project. *Urol Nurs*. 1992 Jun; 12: 83
- 3696** Gardy, M., Kozminski, M., DeLancey, J., Elkins, T., and McGuire, E.J. Stress incontinence and cystoceles. *J Urol*. 1991 Jun; 145: 1211-1213
- 11979** Gardy, M., Kozminski, M., DeLancey, J., Elkins, T., McGuire, E. J. Stress incontinence and cystoceles. *J Urol*. 1991 Jun; 145: 1211-3
- 56710** Gariballa, S. E. Potentially treatable causes of poor outcome in acute stroke patients with urinary incontinence. *Acta Neurol Scand*. 2003 May; 107: 336-40
- 3237** Gasparini, M.E., Hinman, F., Jr., Presti, J.C., Jr., Schmidt, R.A., and Carroll, P.R. Continence after radical cystoprostatectomy and total bladder replacement: a urodynamic analysis. *J Urol*. 1992 Dec; 148: 1861-1864
- 51680** Gateau, T., Faramarzi-Roques, R., Le Normand, L., Glemain, P., Buzelin, J. M., Ballanger, P. Clinical and urodynamic repercussions after TVT procedure and how to diminish patient complaints. *Eur Urol*. 2003 Sep; 44: 372-6; discussion 376
- 40904** Gaur, C., Mathur, A., Agarwal, A., Verma, K., Jain, R., Swaroop, A. Diabetic autonomic neuropathy causing gall bladder dysfunction. *J Assoc Physicians India*. 2000 Jun; 48: 603-5
- 10435** Gauruder-Burmester, A., Tunn, R. Pregnancy and labor after TVT-plasty. *Acta Obstet Gynecol Scand*. 2001 Mar; 80: 283-4
- 57330** Gauthier, A. R., Jr, Winters, J. C. Incontinent ileovesicostomy in the management of neurogenic bladder dysfunction. *Neurourol Urodyn*. 2003; 22: 142-6
- 41373** Gavira Iglesias, F. J., Caridad, y., Ocerin JM, Perez del Molino Martin, J., Valderrama Gama, E., Lopez Perez, M., Romero Lopez, M., Pavon Aranguren, M. V., Guerrero Munoz, J. B. Prevalence and psychosocial impact of urinary incontinence in older people of a Spanish rural population. *J Gerontol A Biol Sci Med Sci*. 2000 Apr; 55: M207-14
- 44628** Gearhart, J. P., Canning, D. A., Jeffs, R. D. Failed bladder neck reconstruction: options for management. *J Urol*. 1991 Oct; 146: 1082-4
- 44189** Gearhart, J. P., Canning, D. A., Peppas, D. S., Jeffs, R. D. Techniques to create continence in the failed bladder exstrophy closure patient. *J Urol*. 1993 Aug; 150: 441-3
- 44238** Gearhart, J. P., Peppas, D. S., Jeffs, R. D. Complete genitourinary reconstruction in female epispadias. *J Urol*. 1993 May; 149: 1110-3
- 43711** Gearhart, J. P., Peppas, D. S., Jeffs, R. D. The application of continent urinary stomas to bladder augmentation or replacement in the failed exstrophy reconstruction. *Br J Urol*. 1995 Jan; 75: 87-90
- 3546** Gearhart, J.P. Failed bladder exstrophy repair. Evaluation and management. *Urol Clin North Am*. 1991 Nov; 18: 687-699
- 3600** Gearhart, J.P., Canning, D.A., and Jeffs, R.D. Failed bladder neck reconstruction: options for management. *J Urol*. 1991 Oct; 146: 1082-1084
- 3042** Gearhart, J.P., Canning, D.A., Peppas, D.S., and Jeffs, R.D. Techniques to create continence in the failed bladder exstrophy closure patient. *J Urol*. 1993 Aug; 150: 441-443
- 3648** Gearhart, J.P., Jeffs, R.D. Techniques to create urinary continence in the cloacal exstrophy patient. *J Urol*. 1991 Aug; 146: 616-618
- 3094** Gearhart, J.P., Peppas, D.S., and Jeffs, R.D. Complete genitourinary reconstruction in female epispadias. *J Urol*. 1993 May; 149: 1110-1113



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43009** Gee, W. F., Holtgrewe, H. L., Albertsen, P. C., Litwin, M. S., Manyak, M. J., O'Leary, M. P., Painter, M. R., Blizzard, R. T., Fenninger, R. B., Emmons, L. Practice trends of American urologists in the treatment of impotence, incontinence and infertility. *J Urol.* 1996 Nov; 156: 1778-80
- 11165** Geirsson, G., Fall, M. Maximal functional electrical stimulation in routine practice. *Neurourol Urodyn.* 1997; 16: 559-65
- 3103** Geirsson, G., Fall, M., and Lindstrom, S. Subtypes of overactive bladder in old age. *Age Ageing.* 1993 Mar; 22: 125-131
- 3018** Geirsson, G., Fall, M., and Lindstrom, S. The ice-water test--a simple and valuable supplement to routine cystometry. *Br J Urol.* 1993 Jun; 71: 681-685
- 11807** Geirsson, G., Fall, M., Lindstrom, S. The ice-water test--a simple and valuable supplement to routine cystometry. *Br J Urol.* 1993 Jun; 71: 681-5
- 10097** Geis, K., Dietl, J. Ilioinguinal nerve entrapment after tension-free vaginal tape (TVT) procedure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 136-8; discussion 138
- 44270** Gelber, D. A., Good, D. C., Laven, L. J., Verhulst, S. J. Causes of urinary incontinence after acute hemispheric stroke. *Stroke.* 1993 Mar; 24: 378-82
- 3136** Gelber, D.A., Good, D.C., Laven, L.J., and Verhulst, S.J. Causes of urinary incontinence after acute hemispheric stroke. *Stroke.* 1993 Mar; 24: 378-382
- 42937** Gelet, A., Meunier, P., Platet, R. L., AbdelRahim, A. F., Friaa, S., Lopez, J. G., Manzan, K., Dubernard, J. M. Treatment of dual urinary and fecal incontinence by implantation of two AMS 800 artificial sphincters. Case report. *Eur Urol.* 1997; 31: 115-7; discussion 117-8
- 3866** Gelet, A., Sanseverino, R., Salas, M., Martin, X., Marechal, J.M., and Dubernard, J.M. The AS 800 urinary sphincter in renal transplantation. *Br J Urol.* 1990 Nov; 66: 549-550
- 3568** Gelister, J.S., Woodhouse, C.R. Role of continent suprapubic diversion in pelvic cancer. *Br J Urol.* 1991 Oct; 68: 376-379
- 11613** Genadry, R. R. Evaluation and conservative management of women with stress urinary incontinence. *Md Med J.* 1995 Jan; 44: 31-5
- 44174** Genadry, R. R. Urogynecology. *Curr Opin Obstet Gynecol.* 1993 Aug; 5: 437-9
- 40991** Geomini, P. M., Brolmann, H. A., van Binsbergen, N. J., Mol, B. W. Vaginal vault suspension by abdominal sacral colpopexy for prolapse: a follow up study of 40 patients. *Eur J Obstet Gynecol Reprod Biol.* 2001 Feb; 94: 234-8
- 44615** George, V. K., Russell, G. L., Shutt, A., Gaches, C. G., Ashken, M. H. Clam ileocystoplasty. *Br J Urol.* 1991 Nov; 68: 487-9
- 3530** George, V.K., Russell, G.L., Shutt, A., Gaches, C.G., and Ashken, M.H. Clam ileocystoplasty. *Br J Urol.* 1991 Nov; 68: 487-489
- 40858** Georgiou, A., Potter, J., Brocklehurst, J. C., Lowe, D., Pearson, M. Measuring the quality of urinary continence care in long-term care facilities: an analysis of outcome indicators. *Age Ageing.* 2001 Jan; 30: 63-6
- 10425** Georgiou, M., Shehata, H. A., Chaliha, C., Byrne, P. D., McWhinney, N. A., Gough, P. M. Fasciitis: a rare complication of Burch colposuspension. *BJOG.* 2001 Feb; 108: 227-9
- 11235** Gerard, L. Group learning behavior modification and exercise for women with urinary incontinence. *Urol Nurs.* 1997 Mar; 17: 17-22
- 3796** Gerber, S.D. They don't all live happily ever after. *Nursing.* 1991 Mar; 21: 136
- 43520** Gerdin, E., Cnattingius, S., Johnson, P. Complications after radiotherapy and radical hysterectomy in early-stage cervical carcinoma. *Acta Obstet Gynecol Scand.* 1995 Aug; 74: 554-61

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40442 Gerharz, E. W., Kohl, U. N., Melekos, M. D., Bonfig, R., Weingartner, K., Riedmiller, H. Ten years' experience with the submucosally embedded in situ appendix in continent cutaneous diversion. *Eur Urol.* 2001 Dec; 40: 625-31
- 42108 Gerharz, E. W., Kohl, U. N., Weingartner, K., Kleinhans, B. J., Melekos, M. D., Riedmiller, H. Experience with the Mainz modification of ureterosigmoidostomy. *Br J Surg.* 1998 Nov; 85: 1512-6
- 42607 Gerharz, E. W., Vik, V., Webb, G., Leaver, R., Shah, P. J., Woodhouse, C. R. The value of the MACE (Malone antegrade colonic enema) procedure in adult patients. *J Am Coll Surg.* 1997 Dec; 185: 544-7
- 11669 German, K. A., Kynaston, H., Weight, S., Stephenson, T. P. A prospective randomized trial comparing a modified needle suspension procedure with the vagina/obturator shelf procedure for genuine stress incontinence. *Br J Urol.* 1994 Aug; 74: 188-90
- 57020 Gerrard, E. R., Jr, Lloyd, L. K., Kubricht, W. S., Kolettis, P. N. Transvaginal ultrasound for the diagnosis of urethral diverticulum. *J Urol.* 2003 Apr; 169: 1395-7
- 51970 Gerstenbluth, R. E., Goldman, H. B. Simultaneous urethral erosion of tension-free vaginal tape and woven polyester pubovaginal sling. *J Urol.* 2003 Aug; 170: 525-6
- 42745 Ghali, W. A., Freund, K. M., Boss, R. D., Ryan, C. A., Moskowitz, M. A. Menopausal hormone therapy: physician awareness of patient attitudes. *Am J Med.* 1997 Jul; 103: 3-10
- 59214 Ghezzi, F., Cromi, A., Raio, L., Bergamini, V., Triacca, P., Serati, M., Kuhn, A. Influence of the type of anesthesia and hydrodissection on the complication rate after tension-free vaginal tape procedure. *Eur J Obstet Gynecol Reprod Biol.* 2005 Jan 10; 118: 96-100
- 52880 Ghezzi, F., Franchi, M., Buttarelli, M., Serati, M., Raio, L., Maddalena, F. The use of suction drains at burch colposuspension and postoperative infectious morbidity. *Arch Gynecol Obstet.* 2003 Apr; 268: 41-4
- 10629 Ghoniem, G. M. Allograft sling material: is it the state of the art?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 69-70
- 44031 Ghoniem, G. M. Bladder neck wrap: a modified fascial sling in treatment of incontinence in myelomeningocele patients. *Eur Urol.* 1994; 25: 340-2
- 11387 Ghoniem, G. M. Modified rectus fascial suburethral sling. *Tech Urol.* 1996 Spring; 2: 16-21
- 41335 Ghoniem, G. M. Surgical management of intrinsic sphincter deficiency in women. *Curr Opin Urol.* 2000 May; 10: 245-50
- 10094 Ghoniem, G. M., Elgamasy, A. N., Elsergany, R., Kapoor, D. S. Grades of intrinsic sphincteric deficiency (ISD) associated with female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 99-105; discussion 105
- 10955 Ghoniem, G. M., Hassouna, M. E. Bladder neck prop using vaginal wall island for intrinsic sphincteric deficiency in elderly patients: a new technique. *Urology.* 1998 Oct; 52: 668-71
- 10083 Ghoniem, G. M., Kapoor, D. S. Nonautologous sling materials. *Curr Urol Rep.* 2001 Oct; 2: 357-63
- 44056 Ghoniem, G. M., Lapeyrolerie, J., Sood, O. P., Thomas, R. Tulane experience with management of urinary incontinence after placement of an artificial urinary sphincter. *World J Urol.* 1994; 12: 333-6
- 43734 Ghoniem, G. M., Monga, M. Modified pubovaginal sling and Martius graft for repair of the recurrent vesicovaginal fistula involving the internal urinary sphincter. *Eur Urol.* 1995; 27: 241-5
- 59156 Ghoniem, G. M., Van Leeuwen, J. S., Elser, D. M., Freeman, R. M., Zhao, Y. D., Yalcin, I., Bump, R. C. A randomized controlled trial of duloxetine alone, pelvic floor muscle training alone, combined treatment and no active treatment in women with stress urinary incontinence. *J Urol.* 2005 May; 173: 1647-53
- 11655 Ghoniem, G. M., Walters, F., Lewis, V. The value of the vaginal pack test in large cystoceles. *J Urol.* 1994 Sep; 152: 931-4
- 44206 Ghosh, T. S., Kwawukume, E. Y. A new method of achieving total continence in vesico-urethro-vaginal fistula (circumferential fistula) with total urethral destruction-- surgical technique. *West Afr J Med.* 1993 Jul-Sep; 12: 141-3

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Primary Author and Title

- 59040 Ghosh, T., Banfield, P. J., Klazinga, D. A. An unusual complication of tension-free vaginal tape procedure: recurrent anterior vaginal wall abscess and sinus formation. *J Obstet Gynaecol.* 2004 Aug; 24: 590-1
- 10902 Giacalone, P. L., Laffargue, F., Daures, J. P., Lombard, I. The Bologna bladder neck suspension procedure for treatment of stress urinary incontinence associated with cystocele. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 370-8
- 42912 Giannakopoulos, X., Grammeniatas, E., Chambilomatis, P., Baltogiannis, D. Massive haemorrhage of inoperable bladder carcinomas: treatment by intravesical formalin solution. *Int Urol Nephrol.* 1997; 29: 33-8
- 51990 Giannantoni, A., Di Stasi, S. M., Cucchi, A., Mearini, E., Bini, V., Porena, M. Pelvic floor muscle behavior during Valsalva leak point pressure measurement in males and females affected by stress urinary incontinence. *J Urol.* 2003 Aug; 170: 485-9
- 40343 Giannantoni, A., Di Stasi, S. M., Stephen, R. L., Navarra, P., Scivoletto, G., Mearini, E., Porena, M. Intravesical capsaicin versus resiniferatoxin in patients with detrusor hyperreflexia: a prospective randomized study. *J Urol.* 2002 Apr; 167: 1710-4
- 59387 Giannitsas, K., Perimenis, P., Athanasopoulos, A., Gyftopoulos, K., Nikiforidis, G., Barbalias, G. Comparison of the efficacy of tolterodine and oxybutynin in different urodynamic severity grades of idiopathic detrusor overactivity. *Eur Urol.* 2004 Dec; 46: 776-82; discussion 782-3
- 43971 Gibb, H., Wong, G. How to choose: nurses' judgements of the effectiveness of a range of currently marketed continence aids. *J Clin Nurs.* 1994 Mar; 3: 77-86
- 42550 Gibbons, G. Assessing and managing incontinence in women. *Community Nurse.* 1996 Jun; 2: 34-6
- 10399 Giberti, C. Transvaginal sacrospinous colpopexy by palpation-a new minimally invasive procedure using an anchoring system. *Urology.* 2001 Apr; 57: 666-8; discussion 668-9
- 10694 Giberti, C., Rovida, S. Transvaginal bone-anchored synthetic sling for the treatment of stress urinary incontinence: an outcomes analysis. *Urology.* 2000 Dec 20; 56: 956-61
- 3881 Gibson, E. An exhibition to eradicate ignorance. Setting up a continence resource centre. *Prof Nurse.* 1990 Oct; 6: 38-41
- 41965 Giddens, J. L., Radomski, S. B., Hirshberg, E. D., Hassouna, M., Fehlings, M. Urodynamic findings in adults with the tethered cord syndrome. *J Urol.* 1999 Apr; 161: 1249-54
- 42779 Giladi, N., Kao, R., Fahn, S. Freezing phenomenon in patients with parkinsonian syndromes. *Mov Disord.* 1997 May; 12: 302-5
- 41457 Gilbert, A. M., Antane, M. M., Argentieri, T. M., Butera, J. A., Francisco, G. D., Freedden, C., Gundersen, E. G., Graceffa, R. F., Herbst, D., Hirth, B. H., Lennox, J. R., McFarlane, G., Norton, N. W., Quagliato, D., Sheldon, J. H., Warga, Design and SAR of novel potassium channel openers targeted for urge urinary incontinence. 2. Selective and potent benzylamino cyclobutenediones. *J Med Chem.* 2000 Mar 23; 43: 1203-14
- 40545 Giles, L. G., Yamada, S. An unusual cause of incontinence. *Aust Fam Physician.* 2001 Aug; 30: 767-9
- 10663 Gilja, I. Tansvaginal needle suspension operation: the way we do it. Clinical and urodynamic study: long-term results. *Eur Urol.* 2000 Mar; 37: 325-30
- 43367 Gilja, I., Kovacic, M., Radej, M., Kosuta, D., Bakula, B., Goles, L. The sigmoidorectal pouch (Mainz pouch II). *Eur Urol.* 1996; 29: 210-5
- 11063 Gilja, I., Puskar, D., Mazuran, B., Radej, M. Comparative analysis of bladder neck suspension using Raz, Burch and transvaginal Burch procedures. A 3-year randomized prospective study. *Eur Urol.* 1998; 33: 298-302
- 11572 Gilja, I., Sarac, S., Radej, M. A modified Raz bladder neck suspension operation (transvaginal Burch). *J Urol.* 1995 May; 153: 1455-7
- 10281 Gill, E. J., Elser, D. M., Bonidie, M. J., Roberts, K. M., Hurt, W. G. The routine use of cystoscopy with the Burch procedure. *Am J Obstet Gynecol.* 2001 Aug; 185: 345-8
- 10032 Gill, E. J., Nichols, C. M. Cystoscopic confirmation of inadvertent ureteral catheterization during cystometry. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 266-7

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 41662 Gill, M. A., Schutze, G. E. Citrobacter urinary tract infections in children. *Pediatr Infect Dis J*. 1999 Oct; 18: 889-92
- 59241 Gill, S. S., Mamdani, M., Naglie, G., Streiner, D. L., Bronskill, S. E., Kopp, A., Shulman, K. I., Lee, P. E., Rochon, P. A. A prescribing cascade involving cholinesterase inhibitors and anticholinergic drugs. *Arch Intern Med*. 2005 Apr 11; 165: 808-13
- 44210 Gillatt, D. A., Feneley, R. C. Magnetic resonance imaging in the identification of an otherwise undetectable upper pole moiety. *Br J Urol*. 1993 Jul; 72: 122-3
- 42283 Gillberg, P. G., Sundquist, S., Nilvebrant, L. Comparison of the in vitro and in vivo profiles of tolterodine with those of subtype-selective muscarinic receptor antagonists. *Eur J Pharmacol*. 1998 May 22; 349: 285-92
- 3376 Gillon, G., Engelstein, D., and Servadio, C. Risk factors and their effect on the results of Burch colposuspension for urinary stress incontinence. *Isr J Med Sci*. 1992 Jun; 28: 354-356
- 11897 Gillon, G., Engelstein, D., Servadio, C. Risk factors and their effect on the results of Burch colposuspension for urinary stress incontinence. *Isr J Med Sci*. 1992 Jun; 28: 354-6
- 52360 Gilmour, D. Urinary incontinence in women. A surgeon's point of view. *Can Fam Physician*. 2003 May; 49: 557-8, 560-1
- 42782 Gil-Nagel, A., Gapany, S., Blesi, K., Villanueva, N., Bergen, D. Incontinence during treatment with gabapentin. *Neurology*. 1997 May; 48: 1467-8
- 54910 Gimbel, H., Zobbe, V., Andersen, B. M., Filtenborg, T., Gluud, C., Tabor, A. Randomised controlled trial of total compared with subtotal hysterectomy with one-year follow up results. *BJOG*. 2003 Dec; 110: 1088-98
- 11013 Ginsberg, D. A., Rovner, E. S., Raz, S. Posthysterectomy vaginal cuff fistula: diagnosis and management of an unusual cause of 'incontinence'. *Urology*. 1998 Jul; 52: 61-4; discussion 64-5
- 41218 Ginsberg, D., Rovner, E., Raz, S. Continence mechanism based on a modified ileocecal valve. *Tech Urol*. 2000 Sep; 6: 167-71
- 10264 Girao, M. J., Jarmy-Di Bella, Z. I., Sartori, M. G., Baracat, E. C., Lima, G. R. Doppler velocimetry parameters of periurethral vessels in postmenopausal incontinent women receiving estrogen replacement. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 241-6
- 59160 Giri, S. K., Drumm, J., Saunders, J. A., McDonald, J., Flood, H. D. Day-case sling surgery for stress urinary incontinence: feasibility and safety. *BJU Int*. 2005 Apr; 95: 827-32
- 40096 Girman, C. J., Chandler, J. M., Zimmerman, S. I., Martin, A. R., Hawkes, W., Hebel, J. R., Sloane, P. D., Magaziner, J. Prediction of fracture in nursing home residents. *J Am Geriatr Soc*. 2002 Aug; 50: 1341-7
- 40447 Gividen, J., Van Savage, J. G. Improvement in neurogenic bladder after the antegrade continence enema procedure. *Urology*. 2002 Jan; 59: 137
- 40927 Gladh, G., Mattsson, S., Lindstrom, S. Anogenital electrical stimulation as treatment of urge incontinence in children. *BJU Int*. 2001 Mar; 87: 366-71
- 56750 Gladh, G., Mattsson, S., Lindstrom, S. Intravesical electrical stimulation in the treatment of micturition dysfunction in children. *Neurourol Urodyn*. 2003; 22: 233-42
- 44481 Gladman, J. R., Harwood, D. M., Barer, D. H. Predicting the outcome of acute stroke: prospective evaluation of five multivariate models and comparison with simple methods. *J Neurol Neurosurg Psychiatry*. 1992 May; 55: 347-51
- 3387 Gladman, J.R., Harwood, D.M., and Barer, D.H. Predicting the outcome of acute stroke: prospective evaluation of five multivariate models and comparison with simple methods. *J Neurol Neurosurg Psychiatry*. 1992 May; 55: 347-351
- 10266 Glavind, K. Conservative treatment of stress incontinence with Geisha balls. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 223-4; discussion 224-5
- 11042 Glavind, K. Use of a vaginal sponge during aerobic exercises in patients with stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 351-3

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 59400** Glavind, K., Kempf, L. Colpectomy or Le Fort colpocleisis--a good option in selected elderly patients. *Int Urogynecol J Pelvic Floor Dysfunct.* 2005 Jan-Feb; 16: 48-51; discussion 51
- 10204** Glavind, K., Larsen, E. H. Results and complications of tension-free vaginal tape (TVT) for surgical treatment of female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 370-2
- 10964** Glavind, K., Laursen, B., Jaquet, A. Efficacy of biofeedback in the treatment of urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 151-3
- 10878** Glavind, K., Mouritsen, A. L., Lose, G. Management of stress and urge urinary incontinence in women. *Acta Obstet Gynecol Scand.* 1999 Feb; 78: 75-81
- 11421** Glavind, K., Nohr, S. B., Walter, S. Biofeedback and physiotherapy versus physiotherapy alone in the treatment of genuine stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 339-43
- 59110** Glavind, K., Sander, P. Erosion, defective healing and extrusion after tension-free urethropexy for the treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 179-82
- 59021** Glavind, K., Tetsche, M. S. Sexual function in women before and after suburethral sling operation for stress urinary incontinence: a retrospective questionnaire study. *Acta Obstet Gynecol Scand.* 2004 Oct; 83: 965-8
- 10387** Glazener, C. M., Cooper, K. Anterior vaginal repair for urinary incontinence in women. *Cochrane Database Syst Rev.* 2001; : CD001755
- 10582** Glazener, C. M., Cooper, K. Anterior vaginal repair for urinary incontinence in women. *Cochrane Database Syst Rev.* 2000; : CD001755
- 10086** Glazener, C. M., Cooper, K. Bladder neck needle suspension for urinary incontinence in women. *Cochrane Database Syst Rev.* 2002; : CD003636
- 59356** Glazener, C. M., Herbison, G. P., MacArthur, C., Grant, A., Wilson, P. D. Randomised controlled trial of conservative management of postnatal urinary and faecal incontinence: six year follow up. *BMJ.* 2005 Feb 12; 330: 337
- 40612** Glazener, C. M., Herbison, G. P., Wilson, P. D., MacArthur, C., Lang, G. D., Gee, H., Grant, A. M. Conservative management of persistent postnatal urinary and faecal incontinence: randomised controlled trial. *BMJ.* 2001 Sep 15; 323: 593-6
- 40117** Glazener, C. M., Lapitan, M. C. Urodynamic investigations for management of urinary incontinence in adults. *Cochrane Database Syst Rev.* 2002; : CD003195
- 10531** Glazener, C., Cooper, K. Randomised comparison of Burch colposuspension versus anterior colporrhaphy in women with stress urinary incontinence and anterior vaginal wall prolapse. *BJOG.* 2000 Oct; 107: 1324-5
- 10762** Glazer, H. I., Romanzi, L., Polaneczky, M. Pelvic floor muscle surface electromyography. Reliability and clinical predictive validity. *J Reprod Med.* 1999 Sep; 44: 779-82
- 42615** Glazier, D. B., Cummings, K. B., Barone, J. G. Urodynamic evaluation of profound microcephaly in children. *Br J Urol.* 1997 Nov; 80: 825-6
- 42616** Glazier, D. B., Murphy, D. P., Fleisher, M. H., Cummings, K. B., Barone, J. G. Evaluation of the utility of video-urodynamics in children with urinary tract infection and voiding dysfunction. *Br J Urol.* 1997 Nov; 80: 806-8
- 41726** Gleason, D. M., Susset, J., White, C., Munoz, D. R., Sand, P. K. Evaluation of a new once-daily formulation of oxbutynin for the treatment of urinary urge incontinence. *Ditropan XL Study Group. Urology.* 1999 Sep; 54: 420-3
- 57380** Glenn, J. Restorative Nursing Bladder Training program: recommending a strategy. *Rehabil Nurs.* 2003 Jan-Feb; 28: 15-22
- 10570** Glowacki, C. A., Wall, L. L. Bone anchors in urogynecology. *Clin Obstet Gynecol.* 2000 Sep; 43: 659-69
- 56970** Godbole, P., Bryant, R., MacKinnon, A. E., Roberts, J. P. Endourethral injection of bulking agents for urinary incontinence in children. *BJU Int.* 2003 Apr; 91: 536-9
- 54840** Godbole, P., Mackinnon, A. E. Expanded PTFE bladder neck slings for incontinence in children: the long-term outcome. *BJU Int.* 2004 Jan; 93: 139-41



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42534** Godfrey, K. Incontinence in ethnic groups. *Community Nurse*. 1997 Jun; 3: 42
- 3383** Godsey, S.G. Innovative technologies for the treatment of urinary incontinence. *Ostomy Wound Manage*. 1992 Jan-Feb; 38: 22-26
- 52110** Goel, M. C., Roberts, J. G. Dynamic rectus abdominis tendon colposuspension for female stress urinary incontinence: a new procedure and its follow-up. *Urol Int*. 2003; 71: 45-50
- 52340** Goepel, C., Hefler, L., Methfessel, H. D., Koelbl, H. Periurethral connective tissue status of postmenopausal women with genital prolapse with and without stress incontinence. *Acta Obstet Gynecol Scand*. 2003 Jul; 82: 659-64
- 42787** Goepel, M., Sperling, H., Stohrer, M., Otto, T., Rubben, H. Management of neurogenic fecal incontinence in myelodysplastic children by a modified continent appendiceal stoma and antegrade colonic enema. *Urology*. 1997 May; 49: 758-61
- 40459** Goer, H. The case against elective cesarean section. *J Perinat Neonatal Nurs*. 2001 Dec; 15: 23-38; quiz 89
- 42795** Goessl, C., Knispel, H. H., Miller, K. Is detrusor instability a premature variant of normal micturition reflex?. *Lancet*. 1997 Apr 26; 349: 1255-6
- 10960** Gofrit, O. N., Landau, E. H., Shapiro, A., Pode, D. The Stamey procedure for stress incontinence: long-term results. *Eur Urol*. 1998 Oct; 34: 339-43
- 41738** Gofrit, O. N., Pode, D., Landau, E. H. Vesicocolonic fistula four years after augmentation colocolocystoplasty. *Urol Int*. 1999; 62: 117-8
- 44527** Goldberg, N. S., Esterly, N. B., Rothman, K. F., Fallon, J. D., Cropley, T. G., Szaniawski, W., Glassman, M. Perianal pseudoverrucous papules and nodules in children. *Arch Dermatol*. 1992 Feb; 128: 240-2
- 3479** Goldberg, N.S., Esterly, N.B., Rothman, K.F., Fallon, J.D., Cropley, T.G., Szaniawski, W., and Glassman, M. Perianal pseudoverrucous papules and nodules in children. *Arch Dermatol*. 1992 Feb; 128: 240-242
- 10221** Goldberg, R. P., Koduri, S., Lobel, R. W., Culligan, P. J., Tomezsko, J. E., Winkler, H. A., Sand, P. K. Protective effect of suburethral slings on postoperative cystocele recurrence after reconstructive pelvic operation. *Am J Obstet Gynecol*. 2001 Dec; 185: 1307-12; discussion 1312-3
- 52170** Goldberg, R. P., Kwon, C., Gandhi, S., Atkuru, L. V., Sorensen, M., Sand, P. K. Urinary incontinence among mothers of multiples: the protective effect of cesarean delivery. *Am J Obstet Gynecol*. 2003 Jun; 188: 1447-50; discussion 1450-3
- 41113** Goldberg, R. P., Sand, P. K. Electromagnetic pelvic floor stimulation: applications for the gynecologist. *Obstet Gynecol Surv*. 2000 Nov; 55: 715-20
- 40499** Goldberg, R. P., Sand, P. K., Beck, H. Early-stage ovarian carcinoma presenting with irritative voiding symptoms and urge incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 342-4
- 59144** Goldberg, R. P., Tchetgen, M. B., Sand, P. K., Koduri, S., Rackley, R., Appell, R., Culligan, P. J. Incidence of pubic osteomyelitis after bladder neck suspension using bone anchors. *Urology*. 2004 Apr; 63: 704-8
- 10362** Goldman, H. B. In situ anterior vaginal wall sling. *Tech Urol*. 2001 Jun; 7: 101-4
- 51280** Goldman, H. B. Simple sling incision for the treatment of iatrogenic urethral obstruction. *Urology*. 2003 Oct; 62: 714-8
- 10875** Goldman, H. B., Rackley, R. R., Appell, R. A. The efficacy of urethrolisis without re-suspension for iatrogenic urethral obstruction. *J Urol*. 1999 Jan; 161: 196-8; discussion 198-9
- 10245** Goldman, H. B., Rackley, R. R., Appell, R. A. The in situ anterior vaginal wall sling: predictors of success. *J Urol*. 2001 Dec; 166: 2259-62
- 44503** Goldstein, M., Hawthorne, M. E., Engeberg, S., McDowell, B. J., Burgio, K. L. Urinary incontinence. Why people do not seek help. *J Gerontol Nurs*. 1992 Apr; 18: 15-20
- 3434** Goldstein, M., Hawthorne, M.E., Engeberg, S., McDowell, B.J., and Burgio, K.L. Urinary incontinence. Why people do not seek help. *J Gerontol Nurs*. 1992 Apr; 18: 15-20

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 59243** Goldstein, R. E., Westropp, J. L. Urodynamic testing in the diagnosis of small animal micturition disorders. Clin Tech Small Anim Pract. 2005 Feb; 20: 65-72
- 40036** Goldstein, S. R., Nanavati, N. Adverse events that are associated with the selective estrogen receptor modulator levormeloxifene in an aborted phase III osteoporosis treatment study. Am J Obstet Gynecol. 2002 Sep; 187: 521-7
- 44113** Goldwasser, B., Ben-Chaim, J., Golomb, J., Leibovitch, I., Mor, Y., Avigad, I. Bladder neck closure with an Indiana stoma outlet as a technique for continent vesicostomy. Surg Gynecol Obstet. 1993 Nov; 177: 448-50
- 4228** Golimbu, M., al-Askari, S., and Morales, P. Transpubic approach for lower urinary tract surgery: a 15-year experience. J Urol. 1990 Jan; 143: 72-76
- 40370** Golliot, F., Astagneau, P., Cassou, B., Okra, N., Rothan-Tondeur, M., Brucker, G. Nosocomial infections in geriatric long-term-care and rehabilitation facilities: exploration in the development of a risk index for epidemiological surveillance. Infect Control Hosp Epidemiol. 2001 Dec; 22: 746-53
- 3126** Golomb, J., Ben-Chaim, J., Goldwasser, B., Korach, J., and Mashiach, S. Conservative treatment of a vesicocervical fistula resulting from Shirodkar cervical cerclage. J Urol. 1993 Apr; 149: 833-834
- 44254** Golomb, J., Ben-Chaim, J., Goldwasser, B., Korach, J., Mashiach, S. Conservative treatment of a vesicocervical fistula resulting from Shirodkar cervical cerclage. J Urol. 1993 Apr; 149: 833-4
- 11720** Golomb, J., Goldwasser, B., Mashiach, S. Raz bladder neck suspension in women younger than sixty-five years compared with elderly women: three years' experience. Urology. 1994 Jan; 43: 40-3
- 10451** Golomb, J., Groutz, A., Mor, Y., Leibovitch, I., Ramon, J. Management of urethral erosion caused by a pubovaginal fascial sling. Urology. 2001 Jan; 57: 159-60
- 11252** Golomb, J., Shenfeld, O., Shelhav, A., Ramon, J. Suspended pubovaginal fascial sling for the correction of complicated stress urinary incontinence. Eur Urol. 1997; 32: 170-4
- 52390** Gomelsky, A., Dmochowski, R. R. Incisional bladder hernia after rectus fascial sling. J Urol. 2003 Jun; 169: 2299
- 55780** Gomelsky, A., Nitti, V. W., Dmochowski, R. R. Management of obstructive voiding dysfunction after incontinence surgery: lessons learned. Urology. 2003 Sep; 62: 391-9
- 50150** Gomelsky, A., Rudy, D. C., Dmochowski, R. R. Porcine dermis interposition graft for repair of high grade anterior compartment defects with or without concomitant pelvic organ prolapse procedures. J Urol. 2004 Apr; 171: 1581-4
- 40415** Gomes, C. M., Trigo-Rocha, F., Arap, M. A., Gabriel, A. J., Alaor de Figueiredo, J., Arap, S. Schistosomal myelopathy: urologic manifestations and urodynamic findings. Urology. 2002 Feb; 59: 195-200
- 43715** Gonzalez, R., Buson, H., Reid, C., Reinberg, Y. Seromuscular colocolocystoplasty lined with urothelium: experience with 16 patients. Urology. 1995 Jan; 45: 124-9
- 4125** Gonzalez, R., Fernandes, E.T. Single-stage feminization genitoplasty. J Urol. 1990 Apr; 143: 776-778
- 57790** Gonzalez, R., Jednak, R., Franc-Guimond, J., Schimke, C. M. Treating neuropathic incontinence in children with seromuscular colocolocystoplasty and an artificial urinary sphincter. BJU Int. 2002 Dec; 90: 909-11
- 10288** Gonzalez-Argente, F. X., Jain, A., Nogueras, J. J., Davila, G. W., Weiss, E. G., Wexner, S. D. Prevalence and severity of urinary incontinence and pelvic genital prolapse in females with anal incontinence or rectal prolapse. Dis Colon Rectum. 2001 Jul; 44: 920-6
- 54270** Goode, P. S. Behavioral and drug therapy for urinary incontinence. Urology. 2004 Mar; 63: 58-64
- 11181** Goode, P. S., Burgio, K. L. Pharmacologic treatment of lower urinary tract dysfunction in geriatric patients. Am J Med Sci. 1997 Oct; 314: 262-7
- 59251** Goode, P. S., Burgio, K. L., Halli, A. D., Jones, R. W., Richter, H. E., Redden, D. T., Baker, P. S., Allman, R. M. Prevalence and correlates of fecal incontinence in community-dwelling older adults. J Am Geriatr Soc. 2005 Apr; 53: 629-35



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 51910 Goode, P. S., Burgio, K. L., Locher, J. L., Roth, D. L., Umlauf, M. G., Richter, H. E., Varner, R. E., Lloyd, L. K. Effect of behavioral training with or without pelvic floor electrical stimulation on stress incontinence in women: a randomized controlled trial. *JAMA*. 2003 Jul 16; 290: 345-52
- 10114 Goode, P. S., Burgio, K. L., Locher, J. L., Umlauf, M. G., Lloyd, L. K., Roth, D. L. Urodynamic changes associated with behavioral and drug treatment of urge incontinence in older women. *J Am Geriatr Soc*. 2002 May; 50: 808-16
- 41140 Goode, P. S., Locher, J. L., Bryant, R. L., Roth, D. L., Burgio, K. L. Measurement of postvoid residual urine with portable transabdominal bladder ultrasound scanner and urethral catheterization. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 296-300
- 11889 Goodno, J. A., Jr, Powers, T. W. Modified retropubic cystourethropexy. II. *Am J Obstet Gynecol*. 1992 Jun; 166: 1678-81; discussion 1681-2
- 42703 Goodwin, T. M., Banks, E., Millar, L. K., Phelan, J. P. Catastrophic shoulder dystocia and emergency symphysiotomy. *Am J Obstet Gynecol*. 1997 Aug; 177: 463-4
- 10251 Gordon, D., Gold, R. S., Pauzner, D., Lessing, J. B., Groutz, A. Combined genitourinary prolapse repair and prophylactic tension-free vaginal tape in women with severe prolapse and occult stress urinary incontinence: preliminary results. *Urology*. 2001 Oct; 58: 547-50
- 10277 Gordon, D., Groutz, A. Evaluation of female lower urinary tract symptoms: overview and update. *Curr Opin Obstet Gynecol*. 2001 Oct; 13: 521-7
- 42311 Gordon, D., Groutz, A., Ascher-Landsberg, J., Lessing, J. B., David, M. P., Razz, O. Double-blind, placebo-controlled study of magnesium hydroxide for treatment of sensory urgency and detrusor instability: preliminary results. *Br J Obstet Gynaecol*. 1998 Jun; 105: 667-9
- 30848 Gordon, D., Groutz, A., Goldman, G., Avni, A., Wolf, Y., Lessing, J. B., David, M. P. Anal incontinence: prevalence among female patients attending a urogynecologic clinic. *Neurourol Urodyn*. 1999; 18: 199-204
- 10734 Gordon, D., Groutz, A., Sinai, T., Wiezman, A., Lessing, J. B., David, M. P., Aizenberg, D. Sexual function in women attending a urogynecology clinic. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 325-8
- 10832 Gordon, D., Groutz, A., Wolman, I., Lessing, J. B., David, M. P. Development of postoperative urinary stress incontinence in clinically continent patients undergoing prophylactic Kelly plication during genitourinary prolapse repair. *Neurourol Urodyn*. 1999; 18: 193-7; discussion 197-8
- 43700 Gorman, R. Expert system for management of urinary incontinence in women. *Proc Annu Symp Comput Appl Med Care*. 1995; : 527-31
- 43852 Gormley, E. A., Bloom, D. A., McGuire, E. J., Ritchey, M. L. Pubovaginal slings for the management of urinary incontinence in female adolescents. *J Urol*. 1994 Aug; 152: 822-5; discussion 826-7
- 44277 Gormley, E. A., Griffiths, D. J., McCracken, P. N., Harrison, G. M. Polypharmacy and its effect on urinary incontinence in a geriatric population. *Br J Urol*. 1993 Mar; 71: 265-9
- 3100 Gormley, E.A., Griffiths, D.J., McCracken, P.N., and Harrison, G.M. Polypharmacy and its effect on urinary incontinence in a geriatric population. *Br J Urol*. 1993 Mar; 71: 265-269
- 10652 Gorton, E., Stanton, S. Ambulatory urodynamics: do they help clinical management?. *BJOG*. 2000 Mar; 107: 316-9
- 10851 Gorton, E., Stanton, S. Iontophoresis as a new method of delivering local anesthesia to the urethra: a pilot study. *Urology*. 1999 Apr; 53: 790-2
- 11064 Gorton, E., Stanton, S. Urinary incontinence in elderly women. *Eur Urol*. 1998; 33: 241-7
- 10720 Gorton, E., Stanton, S., Monga, A., Wiskind, A. K., Lentz, G. M., Bland, D. R. Periurethral collagen injection: a long-term follow-up study. *BJU Int*. 1999 Dec; 84: 966-71
- 44190 Gosalbez, R., Jr, Woodard, J. R., Broecker, B. H., Parrott, T. S., Massad, C. The use of stomach in pediatric urinary reconstruction. *J Urol*. 1993 Aug; 150: 438-40

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10948 Gosalbez, R., Castellan, M. Defining the role of the bladder-neck sling in the surgical treatment of urinary incontinence in children with neurogenic incontinence. *World J Urol.* 1998; 16: 285-91
- 3043 Gosalbez, R., Jr., Woodard, J.R., Broecker, B.H., Parrott, T.S., and Massad, C. The use of stomach in pediatric urinary reconstruction. *J Urol.* 1993 Aug; 150: 438-440
- 41300 Gosling, J. A. The structure of the bladder neck, urethra and pelvic floor in relation to female urinary continence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 177-8
- 3549 Gotoh, M., Kondo, A., and Miyake, K. Bladder compliance in myelodysplastic children: does antireflux surgery compromise it?. *Urol Int.* 1991; 47 Suppl 1: 63-66
- 44476 Gough, M., McDermott, E. W., Lyons, B., Hederman, W. P. Perforation of bladder carcinoma presenting as acute abdomen. *Br J Urol.* 1992 May; 69: 541-2
- 3331 Gough, M., McDermott, E.W., Lyons, B., and Hederman, W.P. Perforation of bladder carcinoma presenting as acute abdomen. *Br J Urol.* 1992 May; 69: 541-542
- 40571 Gousse, A. E., Madjar, S., Lambert, M. M., Fishman, I. J. Artificial urinary sphincter for post-radical prostatectomy urinary incontinence: long-term subjective results. *J Urol.* 2001 Nov; 166: 1755-8
- 42272 Gousse, A. E., Safir, M. H., Cortina, G., Safman, K., Raz, S. Tubulovillous adenoma in the cecal segment after cecocystoplasty. *J Urol.* 1998 Aug; 160: 490-1
- 10554 Gousse, A. E., Safir, M. H., Madjar, S., Ziadlourad, F., Raz, S. Life-threatening anaphylactoid reaction associated with indigo carmine intravenous injection. *Urology.* 2000 Sep 1; 56: 508
- 42953 Govier, F. E., Gibbons, R. P., Correa, R. J., Weissman, R. M., Pritchett, T. R., Hefty, T. R. Pubovaginal slings using fascia lata for the treatment of intrinsic sphincter deficiency. *J Urol.* 1997 Jan; 157: 117-21
- 40756 Govier, F. E., Kobashi, K. Pubovaginal slings: a review of the technical variables. *Curr Opin Urol.* 2001 Jul; 11: 405-10
- 43847 Govier, F. E., Pritchett, T. R., Kornman, J. D. Correlation of the cystoscopic appearance and functional integrity of the female urethral sphincteric mechanism. *Urology.* 1994 Aug; 44: 250-3
- 10461 Grady, D., Brown, J. S., Vittinghoff, E., Applegate, W., Varner, E., Snyder, T. Postmenopausal hormones and incontinence: the Heart and Estrogen/Progestin Replacement Study. *Obstet Gynecol.* 2001 Jan; 97: 116-20
- 10301 Graham, C. A., Mallett, V. T. Race as a predictor of urinary incontinence and pelvic organ prolapse. *Am J Obstet Gynecol.* 2001 Jul; 185: 116-20
- 40010 Graham, C. W., Dmochowski, R. R., Faerber, G. J., Clemens, J. Q., Westney, O. L. Pubic osteomyelitis following bladder neck surgery using bone anchors: a report of 9 cases. *J Urol.* 2002 Nov; 168: 2055-7; discussion 2057-8
- 11102 Graham, J. M. A modified cystourethropey in management of incontinence and dyspareunia. *J S C Med Assoc.* 1998 Jan; 94: 33
- 12030 Graham, J. M., Stresing, H. A. A modified cystourethropey in the management of incontinence and dyspareunia. *J S C Med Assoc.* 1990 Nov; 86: 578-82
- 43861 Gray, E. H., Ordorica, R. C. Assisting your patient with intractable urinary incontinence: absorbent products and devices. *R I Med.* 1994 Aug; 77: 287-9
- 4093 Gray, M. Congenital causes of incontinence in childhood: presentation and treatment. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 47-53
- 3354 Gray, M. Electrostimulation in the management of voiding dysfunction. *Urol Nurs.* 1992 Jun; 12: 73-74
- 3606 Gray, M. Role of the ET nurse in the management of incontinence [editorial]. *J ET Nurs.* 1991 Sep-Oct; 18: 151-152
- 59096 Gray, M. Stress urinary incontinence in women. *J Am Acad Nurse Pract.* 2004 May; 16: 188-90, 192-7
- 57100 Gray, M. L. Gender, race, and culture in research on UI: sensitivity and screening are integral to adequate patient care. *Am J Nurs.* 2003 Mar; Suppl: 20-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 57890 Gray, M., Bliss, D. Z., Bookout, K., Colwell, J., Dutcher, J. A., Engberg, S., Evans, E., Jacobson, T., Scemons, D. Evidence-based nursing practice: a primer for the WOC nurse. *J Wound Ostomy Continence Nurs.* 2002 Nov; 29: 283-6
- 4094 Gray, M., Doughty, D. Urinary incontinence: challenge for collaboration in care [editorial]. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 45-46
- 11808 Gray, M., King, C. J. Urodynamic evaluation of the intrinsically incompetent sphincter. *Urol Nurs.* 1993 Jun; 13: 67-9
- 10403 Gray, M., McClain, R., Peruggia, M., Patrie, J., Steers, W. D. A model for predicting motor urge urinary incontinence. *Nurs Res.* 2001 Mar-Apr; 50: 116-22
- 43687 Gray, M., Rayome, R., Anson, C. Incontinence and clean intermittent catheterization following spinal cord injury. *Clin Nurs Res.* 1995 Feb; 4: 6-18; discussion 19-21
- 43416 Gray, R., Stern, G., Malone-Lee, J. Lower urinary tract dysfunction in Parkinson's disease: changes relate to age and not disease. *Age Ageing.* 1995 Nov; 24: 499-504
- 53570 Grdal, M., Tekin, A., Erdoan, K., Sengr, F. Endoscopic silicone injection for female stress urinary incontinence due to intrinsic sphincter deficiency: impact of coexisting urethral mobility on treatment outcome. *Urology.* 2002 Dec; 60: 1016-9
- 42338 Grealish, M., O'Dowd, T. C. General practitioners and women with urinary incontinence. *Br J Gen Pract.* 1998 Feb; 48: 975-7
- 3142 Green, B. Elderly care: a poor substitute for life. *Nurs Stand.* 1993 Jan 20-26; 7: 20-23
- 3989 Green, N., Treible, D., and Wallack, H. Prostate cancer: post-irradiation incontinence. *J Urol.* 1990 Aug; 144: 307-309
- 4013 Green, R.J., Laycock, J. Objective methods for evaluation of interferential therapy in the treatment of incontinence. *IEEE Trans Biomed Eng.* 1990 Jun; 37: 615-623
- 41345 Greenberger, P. Public education for women's health. *J Womens Health Gend Based Med.* 1999 Jun; 8: 583-5
- 41990 Greendale, G. A., Lee, N. P., Arriola, E. R. The menopause. *Lancet.* 1999 Feb 13; 353: 571-80
- 40924 Greendale, G. A., Petersen, L., Zibecchi, L., Ganz, P. A. Factors related to sexual function in postmenopausal women with a history of breast cancer. *Menopause.* 2001 Summer; 8: 111-9
- 3651 Greenfield, S.P., Fera, M. The use of intravesical oxybutynin chloride in children with neurogenic bladder. *J Urol.* 1991 Aug; 146: 532-534
- 40548 Greenwell, T. J., Venn, S. N., Mundy, A. R. Augmentation cystoplasty. *BJU Int.* 2001 Oct; 88: 511-25
- 41947 Gregory, H. Continence. Case study: time well spent. *Nurs Times.* 1999 Feb 10-16; 95: 72
- 43978 Gregory, S. P. Developments in the understanding of the pathophysiology of urethral sphincter mechanism in competence in the bitch. *Br Vet J.* 1994 Mar-Apr; 150: 135-50
- 43285 Gregory, S. P., Cripps, P. J., Holt, P. E. Comparison of urethral pressure profilometry and contrast radiography in the diagnosis of incompetence of the urethral sphincter mechanism in bitches. *Vet Rec.* 1996 Jan 20; 138: 58-61
- 11826 Gregory, S. P., Holt, P. E. Comparison of stressed simultaneous urethral pressure profiles between anesthetized continent and incontinent bitches with urethral sphincter mechanism incompetence. *Am J Vet Res.* 1993 Feb; 54: 216-22
- 43832 Gregory, S. P., Holt, P. E. The immediate effect of colposuspension on resting and stressed urethral pressure profiles in anaesthetized incontinent bitches. *Vet Surg.* 1994 Sep-Oct; 23: 330-40
- 41873 Gregory, S. P., Holt, P. E., Parkinson, T. J., Wathes, C. M. Vaginal position and length in the bitch: relationship to spaying and urinary incontinence. *J Small Anim Pract.* 1999 Apr; 40: 180-4
- 44419 Gregory, S. P., Parkinson, T. J., Holt, P. E. Urethral conformation and position in relation to urinary incontinence in the bitch. *Vet Rec.* 1992 Aug 22; 131: 167-70

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42925** Gregory, S. P., Trower, N. D. Surgical treatment of urinary incontinence resulting from a complex congenital abnormality in two dogs. *J Small Anim Pract.* 1997 Jan; 38: 25-8
- 10061** Greydanus, D. E., Patel, D. R. The female athlete. Before and beyond puberty. *Pediatr Clin North Am.* 2002 Jun; 49: 553-80, vi
- 42185** Griebeling, T. L., Berman, C. J., Kreder, K. J. Fascia lata sling cystourethropexy for the management of female urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 165-73
- 42765** Griebeling, T. L., Nygaard, I. E. The role of estrogen replacement therapy in the management of urinary incontinence and urinary tract infection in postmenopausal women. *Endocrinol Metab Clin North Am.* 1997 Jun; 26: 347-60
- 12092** Griffith-Jones, M. D., Abrams, P. H. The Stamey endoscopic bladder neck suspension in the elderly. *Br J Urol.* 1990 Feb; 65: 170-2
- 11993** Griffith-Jones, M. D., Jarvis, G. J., McNamara, H. M. Adverse urinary symptoms after total abdominal hysterectomy--fact or fiction?. *Br J Urol.* 1991 Mar; 67: 295-7
- 3728** Griffith-Jones, M.D., Jarvis, G.J., and McNamara, H.M. Adverse urinary symptoms after total abdominal hysterectomy--fact or fiction? [see comments]. *Br J Urol.* 1991 Mar; 67: 295-297
- 10993** Griffiths, D. Clinical aspects of detrusor instability and the value of urodynamics: a review of the evidence. *Eur Urol.* 1998; 34 Suppl 1: 13-5
- 42316** Griffiths, D. Clinical studies of cerebral and urinary tract function in elderly people with urinary incontinence. *Behav Brain Res.* 1998 May; 92: 151-5
- 43304** Griffiths, D. J., Harrison, G., Moore, K., McCracken, P. Variability of post-void residual urine volume in the elderly. *Urol Res.* 1996; 24: 23-6
- 44705** Griffiths, D. J., McCracken, P. N., Harrison, G. M. Incontinence in the elderly: objective demonstration and quantitative assessment. *Br J Urol.* 1991 May; 67: 467-71
- 44480** Griffiths, D. J., McCracken, P. N., Harrison, G. M., Gormley, E. A. Characteristics of urinary incontinence in elderly patients studied by 24-hour monitoring and urodynamic testing. *Age Ageing.* 1992 May; 21: 195-201
- 11833** Griffiths, D. J., McCracken, P. N., Harrison, G. M., Gormley, E. A. Relationship of fluid intake to voluntary micturition and urinary incontinence in geriatric patients. *Neurourol Urodyn.* 1993; 12: 1-7
- 40379** Griffiths, D. J., McCracken, P. N., Harrison, G. M., Gormley, E. A., Moore, K. N. Urge incontinence and impaired detrusor contractility in the elderly. *Neurourol Urodyn.* 2002; 21: 126-31
- 43926** Griffiths, D. J., McCracken, P. N., Harrison, G. M., Gormley, E. A., Moore, K., Hooper, R., McEwan, A. J., Triscott, J. Cerebral aetiology of urinary urge incontinence in elderly people. *Age Ageing.* 1994 May; 23: 246-50
- 43359** Griffiths, D. J., McCracken, P. N., Harrison, G. M., Moore, K. N. Urge incontinence in elderly people: factors predicting the severity of urine loss before and after pharmacological treatment. *Neurourol Urodyn.* 1996; 15: 53-7
- 44045** Griffiths, D. J., McCracken, P. N., Harrison, G. M., Moore, K. N. Urinary incontinence in the elderly: the brain factor. *Scand J Urol Nephrol Suppl.* 1994; 157: 83-8
- 43027** Griffiths, D. J., Versi, E. Urethral function. *Curr Opin Obstet Gynecol.* 1996 Oct; 8: 372-5
- 44060** Griffiths, D., Harrison, G., Moore, K., McCracken, P. Long-term changes in urodynamic studies of voiding in the elderly. *Urol Res.* 1994; 22: 235-8
- 3687** Griffiths, D.J., McCracken, P.N., and Harrison, G.M. Incontinence in the elderly: objective demonstration and quantitative assessment. *Br J Urol.* 1991 May; 67: 467-471
- 3344** Griffiths, D.J., McCracken, P.N., Harrison, G.M., and Gormley, E.A. Characteristics of urinary incontinence in elderly patients studied by 24-hour monitoring and urodynamic testing. *Age Ageing.* 1992 May; 21: 195-201
- 3099** Griffiths, D.J., McCracken, P.N., Harrison, G.M., and Gormley, E.A. Relationship of fluid intake to voluntary micturition and urinary incontinence in geriatric patients. *Neurourol Urodyn.* 1993; 12: 1-7

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10946 Griffiths, J. M., Black, N. A., Pope, C., Stanley, J., Bowling, A., Abel, P. D. What determines the choice of procedure in stress incontinence surgery? The use of multilevel modeling. *Int J Technol Assess Health Care*. 1998 Summer; 14: 431-45
- 42382 Grignaffini, A., Bazzani, F., Bertoli, P., Petrelli, M., Vadora, E. Intravesicular prostaglandin E2 for the prophylaxis of urinary retention after colpohysterectomy. *J Int Med Res*. 1998 Mar-Apr; 26: 87-92
- 3102 Grimby, A., Milsom, I., Molander, U., Wiklund, I., and Ekelund, P. The influence of urinary incontinence on the quality of life of elderly women. *Age Ageing*. 1993 Mar; 22: 82-89
- 11821 Grimby, A., Milsom, I., Molander, U., Wiklund, I., Ekelund, P. The influence of urinary incontinence on the quality of life of elderly women. *Age Ageing*. 1993 Mar; 22: 82-9
- 43704 Grimby, A., Rosenhall, U. Health-related quality of life and dizziness in old age. *Gerontology*. 1995; 41: 286-98
- 11111 Grimby, A., Svanborg, A. Morbidity and health-related quality of life among ambulant elderly citizens. *Aging (Milano)*. 1997 Oct; 9: 356-64
- 12010 Grischke, E. M., Anton, H., Stolz, W., von Fournier, D., Bastert, G. Urodynamic assessment and lateral urethrocystography. A comparison of two diagnostic procedures for female urinary incontinence. *Acta Obstet Gynecol Scand*. 1991; 70: 225-9
- 3581 Grischke, E.M., Anton, H., Stolz, W., von-Fournier, D., and Bastert, G. Urodynamic assessment and lateral urethrocystography. A comparison of two diagnostic procedures for female urinary incontinence. *Acta Obstet Gynecol Scand*. 1991; 70: 225-229
- 55380 Grodstein, F., Fretts, R., Lifford, K., Resnick, N., Curhan, G. Association of age, race, and obstetric history with urinary symptoms among women in the Nurses' Health Study. *Am J Obstet Gynecol*. 2003 Aug; 189: 428-34
- 54570 Grodstein, F., Lifford, K., Resnick, N. M., Curhan, G. C. Postmenopausal hormone therapy and risk of developing urinary incontinence. *Obstet Gynecol*. 2004 Feb; 103: 254-60
- 42205 Grody, M. H. Urinary incontinence and concomitant prolapse. *Clin Obstet Gynecol*. 1998 Sep; 41: 777-85
- 59049 Groen, J., Bosch, J. L. Bladder contraction strength parameters poorly predict the necessity of long-term catheterization after a pubovaginal rectus fascial sling procedure. *J Urol*. 2004 Sep; 172: 1006-9
- 41052 Groen, J., van Mastrigt, R., Bosch, J. L. Computerized assessment of detrusor instability in patients treated with sacral neuromodulation. *J Urol*. 2001 Jan; 165: 169-73
- 42247 Gross, J. C. A comparison of the characteristics of incontinent and continent stroke patients in a rehabilitation program. *Rehabil Nurs*. 1998 May-Jun; 23: 132-40
- 41551 Gross, J. C. Urinary incontinence and stroke outcomes. *Arch Phys Med Rehabil*. 2000 Jan; 81: 22-7
- 43098 Gross, J. S., Shua-Haim, J. R. Urinary incontinence responsive to desmopressin: a case report. *J Am Geriatr Soc*. 1996 Aug; 44: 1015-6
- 3070 Grosshans, C., Passadori, Y., and Peter, B. Urinary retention in the elderly: a study of 100 hospitalized patients. *J Am Geriatr Soc*. 1993 Jun; 41: 633-638
- 44215 Grosshans, C., Passadori, Y., Peter, B. Urinary retention in the elderly: a study of 100 hospitalized patients. *J Am Geriatr Soc*. 1993 Jun; 41: 633-8
- 10493 Grossklaus, D. J., Franke, J. J. Treatment of elderly women with urge incontinence in middle tennessee: a single institution practice-based study. *Tenn Med*. 2000 Dec; 93: 457-60
- 41403 Groutz, A., Blaivas, J. G., Chaikin, D. C. Bladder outlet obstruction in women: definition and characteristics. *Neurourol Urodyn*. 2000; 19: 213-20
- 41246 Groutz, A., Blaivas, J. G., Chaikin, D. C., Resnick, N. M., Engleman, K., Anzalone, D., Bryzinski, B., Wein, A. J. Noninvasive outcome measures of urinary incontinence and lower urinary tract symptoms: a multicenter study of micturition diary and pad tests. *J Urol*. 2000 Sep; 164: 698-701



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41586 Groutz, A., Blaivas, J. G., Fait, G., Sassone, A. M., Chaikin, D. C., Gordon, D. The significance of the American Urological Association symptom index score in the evaluation of women with bladder outlet obstruction. *J Urol*. 2000 Jan; 163: 207-11
- 10382 Groutz, A., Blaivas, J. G., Hyman, M. J., Chaikin, D. C. Pubovaginal sling surgery for simple stress urinary incontinence: analysis by an outcome score. *J Urol*. 2001 May; 165: 1597-600
- 10520 Groutz, A., Blaivas, J. G., Kesler, S. S., Weiss, J. P., Chaikin, D. C. Outcome results of transurethral collagen injection for female stress incontinence: assessment by urinary incontinence score. *J Urol*. 2000 Dec; 164: 2006-9
- 41520 Groutz, A., Blaivas, J. G., Rosenthal, J. E. A simplified urinary incontinence score for the evaluation of treatment outcomes. *Neurourol Urodyn*. 2000; 19: 127-35
- 10292 Groutz, A., Chaikin, D. C., Theusen, E., Blaivas, J. G. Use of cadaveric solvent-dehydrated fascia lata for cystocele repair-- preliminary results. *Urology*. 2001 Aug; 58: 179-83
- 10840 Groutz, A., Fait, G., Lessing, J. B., David, M. P., Wolman, I., Jaffa, A., Gordon, D. Incidence and obstetric risk factors of postpartum anal incontinence. *Scand J Gastroenterol*. 1999 Mar; 34: 315-8
- 10768 Groutz, A., Gordon, D., Keidar, R., Lessing, J. B., Wolman, I., David, M. P., Chen, B. Stress urinary incontinence: prevalence among nulliparous compared with primiparous and grand multiparous premenopausal women. *Neurourol Urodyn*. 1999; 18: 419-25
- 10517 Groutz, A., Gordon, D., Wolman, I., Jaffa, A. J., Kupferminc, M. J., David, M. P., Lessing, J. B. The use of prophylactic Stamey bladder neck suspension to prevent post- operative stress urinary incontinence in clinically continent women undergoing genitourinary prolapse repair. *Neurourol Urodyn*. 2000; 19: 671-6
- 10432 Groutz, A., Gordon, D., Wolman, I., Jaffa, A., Kupferminc, M. J., Lessing, J. B. Persistent postpartum urinary retention in contemporary obstetric practice. Definition, prevalence and clinical implications. *J Reprod Med*. 2001 Jan; 46: 44-8
- 50550 Groutz, A., Rimon, E., Peled, S., Gold, R., Pauzner, D., Lessing, J. B., Gordon, D. Cesarean section: does it really prevent the development of postpartum stress urinary incontinence? A prospective study of 363 women one year after their first delivery. *Neurourol Urodyn*. 2004; 23: 2-6
- 11723 Grunberger, W., Grunberger, V., Wierrani, F. Pelvic promontory fixation of the vaginal vault in sixty-two patients with prolapse after hysterectomy. *J Am Coll Surg*. 1994 Jan; 178: 69-72
- 41350 Gu, B. J., Ishizuka, O., Igawa, Y., Nishizawa, O., Andersson, K. E. Role of supraspinal tachykinins for micturition in conscious rats with and without bladder outlet obstruction. *Naunyn Schmiedeberg's Arch Pharmacol*. 2000 May; 361: 543-8
- 57760 Guarisi, T., Pinto-Neto, A. M., Herrmann, V., Faundes, A. Urodynamics in climacteric women with urinary incontinence: correlation with route of delivery. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002 Nov; 13: 366-71; discussion 371
- 41332 Gufler, H., DeGregorio, G., Allmann, K. H., Kundt, G., Dohnicht, S. Comparison of cystourethrography and dynamic MRI in bladder neck descent. *J Comput Assist Tomogr*. 2000 May-Jun; 24: 382-8
- 41934 Gufler, H., Laubenberger, J., DeGregorio, G., Dohnicht, S., Langer, M. Pelvic floor descent: dynamic MR imaging using a half-Fourier RARE sequence. *J Magn Reson Imaging*. 1999 Mar; 9: 378-83
- 3106 Gundian, J.C., Barrett, D.M., and Parulkar, B.G. Mayo Clinic experience with the AS800 artificial urinary sphincter for urinary incontinence after transurethral resection of prostate or open prostatectomy. *Urology*. 1993 Apr; 41: 318-321
- 11726 Guner, H., Yildiz, A., Erdem, A., Erdem, M., Tiftik, Z., Yildirim, M. Surgical treatment of urinary stress incontinence by a suburethral sling procedure using a Mersilene mesh graft. *Gynecol Obstet Invest*. 1994; 37: 52-5
- 10759 Guneren, E., Eroglu, L., Kocak, I., Uysal, O. A. Urinary incontinence was improved after abdominoplasty using a very low incision. *Plast Reconstr Surg*. 1999 Oct; 104: 1582-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11083** Gungor, T., Ekin, M., Dogan, M., Mungan, T., Ozcan, U., Gokmen, O. Influence of anterior colporrhaphy with colpoperineoplasty operations for stress incontinence and/or genital descent on sexual life. *J Pak Med Assoc.* 1997 Oct; 47: 248-50
- 11640** Gunn, G. C., Cooper, R. P., Gordon, N. S., Gagnon, L. Use of a new device for endoscopic suturing in the laparoscopic Burch procedure. *J Am Assoc Gynecol Laparosc.* 1994 Nov; 2: 65-70
- 10766** Gunnarsson, M., Ahlmann, S., Lindstrom, S., Rosen, I., Mattiasson, A. Cortical magnetic stimulation in patients with genuine stress incontinence: correlation with results of pelvic floor exercises. *Neurourol Urodyn.* 1999; 18: 437-44; discussion 444-5
- 11735** Gunnarsson, M., Mattiasson, A. Circumvaginal surface electromyography in women with urinary incontinence and in healthy volunteers. *Scand J Urol Nephrol Suppl.* 1994; 157: 89-95
- 10745** Gunnarsson, M., Mattiasson, A. Female stress, urge, and mixed urinary incontinence are associated with a chronic and progressive pelvic floor/vaginal neuromuscular disorder: An investigation of 317 healthy and incontinent women using vaginal surface electromyography. *Neurourol Urodyn.* 1999; 18: 613-21
- 10088** Gunnarsson, M., Teleman, P., Mattiasson, A., Lidfeldt, J., Nerbrand, C., Samsioe, G. Effects of pelvic floor exercises in middle aged women with a history of naive urinary incontinence: a population based study. *Eur Urol.* 2002 May; 41: 556-61
- 10546** Gunthorpe, W., Brown, W., Redman, S. The development and evaluation of an incontinence screening questionnaire for female primary care. *Neurourol Urodyn.* 2000; 19: 595-607
- 41768** Gupta, A. Pruritus in the elderly. *Practitioner.* 1999 Mar; 243: 203-7
- 40063** Gupta, G., Aronow, W. S. Hormone replacement therapy. An analysis of efficacy based on evidence. *Geriatrics.* 2002 Aug; 57: 18-20, 23-4
- 42297** Gupta, N. P., Dorairajan, L. N., Chahal, R. Total genitourinary reconstruction in adult female epispadias: a report of 2 cases and literature review. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 55-7
- 41974** Gupta, S. K., Sathyan, G. Pharmacokinetics of an oral once-a-day controlled-release oxybutynin formulation compared with immediate-release oxybutynin. *J Clin Pharmacol.* 1999 Mar; 39: 289-96
- 41818** Gupta, S. K., Sathyan, G., Lindemulder, E. A., Ho, P. L., Sheiner, L. B., Aarons, L. Quantitative characterization of therapeutic index: application of mixed-effects modeling to evaluate oxybutynin dose-efficacy and dose- side effect relationships. *Clin Pharmacol Ther.* 1999 Jun; 65: 672-84
- 59152** Gurbuz, A., Karateke, A., Kabaca, C. Enuresis in childhood, and urinary and fecal incontinence in adult life: do they share a common cause?. *BJU Int.* 2005 May; 95: 1058-62
- 41926** Gurel, H., Gurel, S. A. Pelvic relaxation and associated risk factors: the results of logistic regression analysis. *Acta Obstet Gynecol Scand.* 1999 Apr; 78: 290-3
- 44697** Gutierrez Segura, C., Teixidor de Otto, J. Neurogenic bladder in children: urodynamic studies and results with medical conservative treatment. *Eur J Pediatr Surg.* 1991 Jun; 1: 177-9
- 44020** Gutierrez-Molina, M., Caminero Rodriguez, A., Martinez Garcia, C., Arpa Gutierrez, J., Morales Bastos, C., Amer, G. Small arterial granular degeneration in familial Binswanger's syndrome. *Acta Neuropathol (Berl).* 1994; 87: 98-105
- 40819** Guys, J. M., Fakhro, A., Louis-Borrione, C., Prost, J., Hautier, A. Endoscopic treatment of urinary incontinence: long-term evaluation of the results. *J Urol.* 2001 Jun; 165: 2389-91
- 41620** Guys, J. M., Simeoni-alias, J., Fakhro, A., Delarue, A. Use of polydimethylsiloxane for endoscopic treatment of neurogenic urinary incontinence in children. *J Urol.* 1999 Dec; 162: 2133-5
- 11177** Haab, F., Leach, G. E. Feasibility of outpatient percutaneous bladder neck suspension under local anesthesia. *Urology.* 1997 Oct; 50: 585-7
- 10482** Haab, F., Sananes, S., Amarenco, G., Ciofu, C., Uzan, S., Gattegno, B., Thibault, P. Results of the tension-free vaginal tape procedure for the treatment of type II stress urinary incontinence at a minimum followup of 1 year. *J Urol.* 2001 Jan; 165: 159-62



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10373** Haab, F., Traxer, O., Ciofu, C. Tension-free vaginal tape: why an unusual concept is so successful. *Curr Opin Urol.* 2001 May; 11: 293-7
- 11180** Haab, F., Trockman, B. A., Zimmern, P. E., Leach, G. E. Results of pubovaginal sling for the treatment of intrinsic sphincteric deficiency determined by questionnaire analysis. *J Urol.* 1997 Nov; 158: 1738-41
- 11358** Haab, F., Zimmern, P. E., Leach, G. E. Female stress urinary incontinence due to intrinsic sphincteric deficiency: recognition and management. *J Urol.* 1996 Jul; 156: 3-17
- 11231** Haab, F., Zimmern, P. E., Leach, G. E. Urinary stress incontinence due to intrinsic sphincteric deficiency: experience with fat and collagen periurethral injections. *J Urol.* 1997 Apr; 157: 1283-6
- 11670** Haadem, K. The effects of parturition on female pelvic floor anatomy and function. *Curr Opin Obstet Gynecol.* 1994 Aug; 6: 326-30
- 10628** Haarala, M., Alanen, A., Hietarinta, M., Kiilholma, P. Lower urinary tract symptoms in patients with Sjogren's syndrome and systemic lupus erythematosus. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 84-6
- 54290** Hackley, B., Rousseau, M. E. CEU:Managing menopausal symptoms after the women's health initiative. *J Midwifery Womens Health.* 2004 Mar-Apr; 49: 87-95
- 40072** Haderer, J. M., Pannu, H. K., Genadry, R., Hutchins, G. M. Controversies in female urethral anatomy and their significance for understanding urinary continence: observations and literature review. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 236-52
- 10950** Hadley, H. R., Pineda, E. B. The urethral sling and stress urinary incontinence. *West J Med.* 1998 Sep; 169: 167-8
- 3396** Hadorn, D.C., McCormick, K., and Diokno, A. An annotated algorithm approach to clinical guideline development. *Jama.* 1992 Jun 24; 267: 3311-3314
- 3495** Haenggi, W., Ammann, M., Katz, M., Koenig, C.F., Dreher, E., and Schneider, H. Urethral isolation of Chlamydia trachomatis in women with urinary incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1991 Nov 3; 42: 53-56
- 11520** Haeusler, G., Hanzal, E., Joura, E., Sam, C., Koelbl, H. Differential diagnosis of detrusor instability and stress-incontinence by patient history: the Gaudenz-Incontinence-Questionnaire revisited. *Acta Obstet Gynecol Scand.* 1995 Sep; 74: 635-7
- 57980** Haeusler, G., Leitich, H., van Trotsenburg, M., Kaider, A., Tempfer, C. B. Drug therapy of urinary urge incontinence: a systematic review. *Obstet Gynecol.* 2002 Nov; 100: 1003-16
- 42464** Haeusler, G., Sam, C., Dorfler, D., Tempfer, C., Hanzal, E., Kolbl, H. Present state of diagnostics and therapy in female urinary incontinence. *Acta Obstet Gynecol Scand.* 1998 Feb; 77: 222-7
- 10926** Haeusler, G., Tempfer, C., Heinzl, H., Sam, C., Hefler, L., Hanzal, E., Koelbl, H. Value of urethral pressure profilometry in the female incontinent patient: a prospective trial with an 8-channel urethral catheter. *Urology.* 1998 Dec; 52: 1113-7
- 59223** Haferkamp, A., Mundhenk, J., Bastian, P. J., Reitz, A., Dorsam, J., Pannek, J., Schumacher, S., Schurch, B., Buttner, R., Muller, S. C. Increased expression of connexin 43 in the overactive neurogenic detrusor. *Eur Urol.* 2004 Dec; 46: 799-805
- 41362** Haferkamp, A., Staehler, G., Gerner, H. J., Dorsam, J. Dosage escalation of intravesical oxybutynin in the treatment of neurogenic bladder patients. *Spinal Cord.* 2000 Apr; 38: 250-4
- 10224** Haferkamp, A., Steiner, G., Muller, S. C., Schumacher, S. Urethral erosion of tension-free vaginal tape. *J Urol.* 2002 Jan; 167: 250
- 40814** Hafez, A. T., Elsherbiny, M. T., Ghoneim, M. A. Complete repair of bladder exstrophy: preliminary experience with neonates and children with failed initial closure. *J Urol.* 2001 Jun; 165: 2428-30
- 40396** Hafez, A. T., McLorie, G., Bagli, D., Khoury, A. A single-centre long-term outcome analysis of artificial urinary sphincter placement in children. *BJU Int.* 2002 Jan; 89: 82-5
- 3969** Hagan, T. Nurses take the lead in continence work. *Nurs Stand.* 1990 Jun 27-Jul 3; 4: 24-28

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 44252 Hage, J. J., Bouman, F. G., Bloem, J. J. Construction of the fixed part of the neourethra in female-to-male transsexuals: experience in 53 patients. *Plast Reconstr Surg.* 1993 Apr; 91: 904-10; discussion 911-3
- 3115 Hage, J.J., Bouman, F.G., and Bloem, J.J. Construction of the fixed part of the neourethra in female-to-male transsexuals: experience in 53 patients. *Plast Reconstr Surg.* 1993 Apr; 91: 904-10;discussion911-3
- 11694 Hagggar, V. Continence. Cultural challenge. *Nurs Times.* 1994 Apr 13-19; 90: 71-2
- 42796 Hagggar, V. Foreign policy. *Nurs Times.* 1997 Apr 9-15; 93: 78
- 43491 Hagggar, V. Strong developments. *Nurs Times.* 1995 Aug 16-22; 91: 53-4
- 42918 Hagglof, B., Andren, O., Bergstrom, E., Marklund, L., Wendelius, M. Self-esteem before and after treatment in children with nocturnal enuresis and urinary incontinence. *Scand J Urol Nephrol Suppl.* 1997; 183: 79-82
- 42384 Hagglof, B., Andren, O., Bergstrom, E., Marklund, L., Wendelius, M. Self-esteem in children with nocturnal enuresis and urinary incontinence: improvement of self-esteem after treatment. *Eur Urol.* 1998; 33 Suppl 3: 16-9
- 41658 Hagglund, D., Olsson, H., Leppert, J. Urinary incontinence: an unexpected large problem among young females. Results from a population-based study. *Fam Pract.* 1999 Oct; 16: 506-9
- 10242 Hagglund, D., Walker-Engstrom, M. L., Larsson, G., Leppert, J. Quality of life and seeking help in women with urinary incontinence. *Acta Obstet Gynecol Scand.* 2001 Nov; 80: 1051-5
- 55070 Hagglund, D., Walker-Engstrom, M. L., Larsson, G., Leppert, J. Reasons why women with long-term urinary incontinence do not seek professional help: a cross-sectional population-based cohort study. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 296-304; discussion 304
- 11383 Hahn, I., Milsom, I. Treatment of female stress urinary incontinence with a new anatomically shaped vaginal device (Conveen Continence Guard). *Br J Urol.* 1996 May; 77: 711-5
- 11779 Hahn, I., Milsom, I., Fall, M., Ekelund, P. Long-term results of pelvic floor training in female stress urinary incontinence. *Br J Urol.* 1993 Oct; 72: 421-7
- 11456 Hahn, I., Milsom, I., Ohlsson, B. L., Ekelund, P., Uhlemann, C., Fall, M. Comparative assessment of pelvic floor function using vaginal cones, vaginal digital palpation and vaginal pressure measurements. *Gynecol Obstet Invest.* 1996; 41: 269-74
- 10458 Hahnfeld, L. E., Nakada, S. Y., Moon, T. D. Identification of microtacks in the bladder after laparoscopic pelvic surgery. *Urology.* 1999 Jul; 54: 162
- 3388 Haight, B.K., Jeter, K.F., and Wells, T.J. Urinary incontinence: two viewpoints. *J Gerontol Nurs.* 1992 Jun; 18: 41-45
- 3883 Haimanot, R.T. Neurological complications of endemic skeletal fluorosis, with special emphasis on radiculo-myelopathy. *Paraplegia.* 1990 May; 28: 244-251
- 40738 Hakenberg, O. W., Ebermayer, J., Manseck, A., Wirth, M. P. Application of the Mitrofanoff principle for intermittent self- catheterization in quadriplegic patients. *Urology.* 2001 Jul; 58: 38-42
- 54450 Halachmi, S., Farhat, W., Metcalfe, P., Bagli, D. J., McLorie, G. A., Khoury, A. E. Efficacy of polydimethylsiloxane injection to the bladder neck and leaking diverting stoma for urinary continence. *J Urol.* 2004 Mar; 171: 1287-90
- 56260 Halaska, M., Ralph, G., Wiedemann, A., Primus, G., Ballering-Bruhl, B., Hofner, K., Jonas, U. Controlled, double-blind, multicentre clinical trial to investigate long-term tolerability and efficacy of trospium chloride in patients with detrusor instability. *World J Urol.* 2003 May; 20: 392-9
- 10879 Hale, D. S., Benson, J. T., Brubaker, L., Heidkamp, M. C., Russell, B. Histologic analysis of needle biopsy of urethral sphincter from women with normal and stress incontinence with comparison of electromyographic findings. *Am J Obstet Gynecol.* 1999 Feb; 180: 342-8
- 30732 Hale, D. S., Rogers, R. M., Jr Abdominal sacrospinous ligament colposuspension. *Obstet Gynecol.* 1999 Dec; 94: 1039-41
- 44745 Halio, J. H. Urinary incontinence in the elderly. *J Am Geriatr Soc.* 1991 Mar; 39: 315

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3780** Halio, J.H. Urinary incontinence in the elderly [letter]. *J Am Geriatr Soc.* 1991 Mar; 39: 315
- 42973** Hall, A. F., Theofrastous, J. P., Cundiff, G. W., Harris, R. L., Hamilton, L. F., Swift, S. E., Bump, R. C. Interobserver and intraobserver reliability of the proposed International Continence Society, Society of Gynecologic Surgeons, and American Urogynecologic Society pelvic organ prolapse classification system. *Am J Obstet Gynecol.* 1996 Dec; 175: 1467-70; discussion 1470-1
- 40639** Hall, J. A., Nelson, M. A., Meyer, J. W., Williamson, T., Wagner, S. Costs and resources associated with the treatment of overactive bladder using retrospective medical care claims data. *Manag Care Interface.* 2001 Aug; 14: 69-75
- 11396** Hall, J., Napier-Hemy, R., O'Reilly, P. H. Osteomyelitis complicating Burch colposuspension. *Br J Urol.* 1996 Mar; 77: 470-1
- 11204** Haller, K. B. Coming out of the (water) closet. *J Obstet Gynecol Neonatal Nurs.* 1997 Jul-Aug; 26: 370
- 11307** Halligan, S., Spence-Jones, C., Kamm, M. A., Bartram, C. I. Dynamic cystoproctography and physiological testing in women with urinary stress incontinence and urogenital prolapse. *Clin Radiol.* 1996 Nov; 51: 785-90
- 40557** Halverson, A. L., Hull, T. L., Paraiso, M. F., Floruta, C. Outcome of sphincteroplasty combined with surgery for urinary incontinence and pelvic organ prolapse. *Dis Colon Rectum.* 2001 Oct; 44: 1421-6
- 42313** Halverson, A. L., Orkin, B. A. Which physiologic tests are useful in patients with constipation?. *Dis Colon Rectum.* 1998 Jun; 41: 735-9
- 3055** Hamano, S., Nakanishi, Y., Nara, T., Seki, T., Ohtani, T., Oishi, T., Joh, K., Oikawa, T., Muramatsu, Y., Ogawa, Y., et al. Neurological manifestations of hemorrhagic colitis in the outbreak of *Escherichia coli* O157:H7 infection in Japan. *Acta Paediatr.* 1993 May; 82: 454-458
- 53230** Hamid, R., Khastgir, J., Arya, M., Patel, H. R., Shah, P. J. Experience of tension-free vaginal tape for the treatment of stress incontinence in females with neuropathic bladders. *Spinal Cord.* 2003 Feb; 41: 118-21
- 3539** Hamilton, S., Flood, H.D., Shetty, M.K., and Grainger, R. Radiology of the AS 800 artificial urinary sphincter; normal appearances and complications. *Eur J Radiol.* 1991 Sep-Oct; 13: 122-125
- 40443** Hammel, S. P., Bjorling, D. E. Results of vulvoplasty for treatment of recessed vulva in dogs. *J Am Anim Hosp Assoc.* 2002 Jan-Feb; 38: 79-83
- 59102** Hampel, C., Artibani, W., Espuna Pons, M., Haab, F., Jackson, S., Romero, J., Gavart, S., Papanicolaou, S. Understanding the burden of stress urinary incontinence in Europe: a qualitative review of the literature. *Eur Urol.* 2004 Jul; 46: 15-27
- 42567** Hampel, C., Wienhold, D., Benken, N., Eggersmann, C., Thuroff, J. W. Definition of overactive bladder and epidemiology of urinary incontinence. *Urology.* 1997 Dec; 50: 4-14; discussion 15-7
- 42905** Hampel, C., Wienhold, D., Benken, N., Eggersmann, C., Thuroff, J. W. Prevalence and natural history of female incontinence. *Eur Urol.* 1997; 32 Suppl 2: 3-12
- 41911** Hampel, C., Wienhold, D., Dahms, S. E., Thuroff, J. W. Heterogeneity in epidemiological investigations of bladder control problems: a problem of definition. *BJU Int.* 1999 Mar; 83 Suppl 2: 10-5
- 44351** Hamvas, A., Nagy, F., Tanko, A. The role of Melipramine in the treatment of bladder instability. *Ther Hung.* 1993; 41: 150-2
- 59163** Hamzeh, R., Oligbo, N. Tension-free tape procedure for a woman with a transplanted kidney. *BJOG.* 2005 Apr; 112: 508
- 57490** Han, P. Y., Ezquerro, R., Pan, K. M., Hwang, S., Chung, Y., Lu, J. J. Comorbidities associated with diabetic foot complications among Asian Americans in southern California. *J Am Podiatr Med Assoc.* 2003 Jan-Feb; 93: 37-41
- 3202** Hanau, C.A., Chancellor, M.B., Alexander, A., Rishi, M., and Jordan, A.G. Fine-needle aspiration of a periurethral Teflon-filled cyst following radical prostatectomy. *Diagn Cytopathol.* 1992; 8: 614-616
- 11192** Hancock, R., Bender, P., Dayhoff, N., Nyhuis, A. Factors associated with nursing interventions to reduce incontinence in hospitalized older adults. *Urol Nurs.* 1996 Sep; 16: 79-85

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11333 Handa, V. L., Harris, T. A., Ostergard, D. R. Protecting the pelvic floor: obstetric management to prevent incontinence and pelvic organ prolapse. *Obstet Gynecol.* 1996 Sep; 88: 470-8
- 59045 Handa, V. L., Harvey, L., Fox, H. E., Kjerulff, K. H. Parity and route of delivery: does cesarean delivery reduce bladder symptoms later in life?. *Am J Obstet Gynecol.* 2004 Aug; 191: 463-9
- 11297 Handa, V. L., Jensen, J. K., Germain, M. M., Ostergard, D. R. Banked human fascia lata for the suburethral sling procedure: a preliminary report. *Obstet Gynecol.* 1996 Dec; 88: 1045-9
- 10738 Handa, V. L., Jensen, J. K., Ostergard, D. R. Stress urinary incontinence at rest. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 290-4
- 11541 Handa, V. L., Jensen, J. K., Ostergard, D. R. The effect of patient position on proximal urethral mobility. *Obstet Gynecol.* 1995 Aug; 86: 273-6
- 50510 Handa, V. L., Massof, R. W. Measuring the severity of stress urinary incontinence using the Incontinence Impact Questionnaire. *Neurourol Urodyn.* 2004; 23: 27-32
- 10457 Handa, V. L., Stone, A. Erosion of a fascial sling into the urethra. *Urology.* 1999 Nov; 54: 923
- 3159 Handler, M.S., Johnson, L.M., Dick, A.R., and Batnitzky, S. Neurosarcooidosis with unusual MRI findings. *Neuroradiology.* 1993; 35: 146-148
- 41211 Hankey, G. J., Jamrozik, K., Broadhurst, R. J., Forbes, S., Burvill, P. W., Anderson, C. S., Stewart-Wynne, E. G. Five-year survival after first-ever stroke and related prognostic factors in the Perth Community Stroke Study. *Stroke.* 2000 Sep; 31: 2080-6
- 42172 Hankins, G. D. Lower thoracic spinal cord injury--a severe complication of shoulder dystocia. *Am J Perinatol.* 1998 Jul; 15: 443-4
- 3327 Hanley, J. Choosing garments to aid incontinence. *Nurs Times.* 1992 Jul 1-7; 88: 50-51
- 40848 Hanley, J., Capewell, A., Hagen, S. Validity study of the severity index, a simple measure of urinary incontinence in women. *BMJ.* 2001 May 5; 322: 1096-7
- 40325 Hannah, M. E., Hannah, W. J., Hodnett, E. D., Chalmers, B., Kung, R., Willan, A., Amankwah, K., Cheng, M., Helewa, M., Hewson, S., Saigal, S., Whyte, H., Gafni, A. Outcomes at 3 months after planned cesarean vs planned vaginal delivery for breech presentation at term: the international randomized Term Breech Trial. *JAMA.* 2002 Apr 10; 287: 1822-31
- 11301 Hannah, S. L., Chin, A. Laparoscopic retropubic urethropexy. *J Am Assoc Gynecol Laparosc.* 1996 Nov; 4: 47-52
- 40983 Hannah, S. L., Roland, B., Gengenbacher, P. M. Extraperitoneal retropubic laparoscopic urethropexy. *J Am Assoc Gynecol Laparosc.* 2001 Feb; 8: 107-10
- 3412 Hannappel, J., Krieger, S. Subjective and clinical results after transurethral resection and suprapubic prostatectomy in benign prostatic hypertrophy. *Eur Urol.* 1991; 20: 272-276
- 59012 Hannestad, Y. S., Lie, R. T., Rortveit, G., Hunskaar, S. Familial risk of urinary incontinence in women: population based cross sectional study. *BMJ.* 2004 Oct 16; 329: 889-91
- 53010 Hannestad, Y. S., Rortveit, G., Daltveit, A. K., Hunskaar, S. Are smoking and other lifestyle factors associated with female urinary incontinence? The Norwegian EPINCONT Study. *BJOG.* 2003 Mar; 110: 247-54
- 10042 Hannestad, Y. S., Rortveit, G., Hunskaar, S. Help-seeking and associated factors in female urinary incontinence. The Norwegian EPINCONT Study. *Epidemiology of Incontinence in the County of Nord-Trondelag. Scand J Prim Health Care.* 2002 Jun; 20: 102-7
- 10512 Hannestad, Y. S., Rortveit, G., Sandvik, H., Hunskaar, S. A community-based epidemiological survey of female urinary incontinence: the Norwegian EPINCONT study. *Epidemiology of Incontinence in the County of Nord-Trondelag. J Clin Epidemiol.* 2000 Nov; 53: 1150-7
- 3366 Hansson, S. Urinary incontinence in children and associated problems. *Scand J Urol Nephrol Suppl.* 1992; 141: 47-55;discussion56-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 45030** Hansson, S., Hjalmas, K., Jodal, U., Sixt, R. Lower urinary tract dysfunction in girls with untreated asymptomatic or covert bacteriuria. *J Urol.* 1990 Feb; 143: 333-5
- 3149** Hanzal, E., Berger, E., and Koelbl, H. Levator ani muscle morphology and recurrent genuine stress incontinence. *Obstet Gynecol.* 1993 Mar; 81: 426-429
- 3569** Hanzal, E., Berger, E., and Koelbl, H. Reliability of the urethral closure pressure profile during stress in the diagnosis of genuine stress incontinence. *Br J Urol.* 1991 Oct; 68: 369-371
- 11823** Hanzal, E., Berger, E., Koelbl, H. Levator ani muscle morphology and recurrent genuine stress incontinence. *Obstet Gynecol.* 1993 Mar; 81: 426-9
- 11950** Hanzal, E., Berger, E., Koelbl, H. Reliability of the urethral closure pressure profile during stress in the diagnosis of genuine stress incontinence. *Br J Urol.* 1991 Oct; 68: 369-71
- 11749** Hanzal, E., Joura, E. M., Haeusler, G., Koelbl, H. Influence of catheterisation on the results of sonographic urethrocystography in patients with genuine stress incontinence. *Arch Gynecol Obstet.* 1994; 255: 189-93
- 3590** Hara, M., Watanabe, M., and Tagami, H. Jacquet erosive diaper dermatitis in a young girl with urinary incontinence. *Pediatr Dermatol.* 1991 Jun; 8: 160-161
- 44695** Hara, M., Watanabe, M., Tagami, H. Jacquet erosive diaper dermatitis in a young girl with urinary incontinence. *Pediatr Dermatol.* 1991 Jun; 8: 160-1
- 44500** Harada, T., Levounis, P., Constantinou, C. E. Rapid evaluation of the efficacy of pharmacologic agents and their analogs in enhancing bladder capacity and reducing the voiding frequency. *J Pharmacol Toxicol Methods.* 1992 Apr; 27: 119-26
- 57520** Harari, D., Coshall, C., Rudd, A. G., Wolfe, C. D. New-onset fecal incontinence after stroke: prevalence, natural history, risk factors, and impact. *Stroke.* 2003 Jan; 34: 144-50
- 44036** Harari, D., Malone-Lee, J., Ridgway, G. L. An age-related investigation of urinary tract symptoms and infection following urodynamic studies. *Age Ageing.* 1994 Jan; 23: 62-4
- 3500** Harari, D., Malone-Lee, J.G. Oxybutynin and incontinence during grand mal seizures. *Br J Urol.* 1991 Dec; 68: 658
- 11330** Hardiman, P. J., Drutz, H. P. Sacrospinous vault suspension and abdominal colposacropexy: success rates and complications. *Am J Obstet Gynecol.* 1996 Sep; 175: 612-6
- 11798** Harewood, L. M. Laparoscopic needle colposuspension for genuine stress incontinence. *J Endourol.* 1993 Aug; 7: 319-22
- 3088** Harke, J.M., Richgels, K. Barriers to implementing a continence program in nursing homes. *Clin Nurs Res.* 1992 May; 1: 158-168
- 59114** Harmanli, O. H., Dandolu, V., Chatwani, A. J. Collagen content as a risk factor for urinary incontinence. *JAMA.* 2004 May 26; 291: 2431-2
- 55220** Harmanli, O. H., Dandolu, V., Chatwani, A. J., Grody, M. T. Total colpcleisis for severe pelvic organ prolapse. *J Reprod Med.* 2003 Sep; 48: 703-6
- 57390** Harper, N., Dunkley, C., Hume, D. Sedation using remifentanyl. *Anaesthesia.* 2003 Feb; 58: 197-8
- 41207** Harrington, C., Zimmerman, D., Karon, S. L., Robinson, J., Beutel, P. Nursing home staffing and its relationship to deficiencies. *J Gerontol B Psychol Sci Soc Sci.* 2000 Sep; 55: S278-87
- 44525** Harrington, W. J., Jr, Sheramata, W., Cabral, L. Danazol for urinary incontinence in tropical spastic paraparesis. *Lancet.* 1992 Feb 8; 339: 368
- 44580** Harrington, W. J., Jr, Sheremata, W. A., Snodgrass, S. R., Emerson, S., Phillips, S., Berger, J. R. Tropical spastic paraparesis/HTLV-1-associated myelopathy (TSP/HAM): treatment with an anabolic steroid danazol. *AIDS Res Hum Retroviruses.* 1991 Dec; 7: 1031-4
- 3499** Harrington, W.J., Jr., Sheramata, W., and Cabral, L. Danazol for urinary incontinence in tropical spastic paraparesis [letter]. *Lancet.* 1992 Feb 8; 339: 368



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3422** Harrington, W.J., Jr., Sheremata, W.A., Snodgrass, S.R., Emerson, S., Phillips, S., and Berger, J.R. Tropical spastic paraparesis/HTLV-1-associated myelopathy (TSP/HAM): treatment with an anabolic steroid danazol. *AIDS Res Hum Retroviruses*. 1991 Dec; 7: 1031-1034
- 41798** Harris, A. Impact of urinary incontinence on the quality of life of women. *Br J Nurs*. 1999 Mar 25-Apr 7; 8: 375-80
- 41386** Harris, C. F., Cooper, C. S., Hutcheson, J. C., Snyder, H. M., 3rd Appendicovesicostomy: the mitrofanoff procedure-a 15-year perspective. *J Urol*. 2000 Jun; 163: 1922-6
- 40056** Harris, P. F. Medical issues and hormone replacement therapy. *Curr Womens Health Rep*. 2002 Oct; 2: 373-81
- 11080** Harris, R. L., Cundiff, G. W., Coates, K. W., Addison, W. A., Bump, R. C. Urethral prolapse after collagen injection. *Am J Obstet Gynecol*. 1998 Mar; 178: 614-5
- 10923** Harris, R. L., Cundiff, G. W., Coates, K. W., Bump, R. C. Urinary incontinence and pelvic organ prolapse in nulliparous women. *Obstet Gynecol*. 1998 Dec; 92: 951-4
- 11137** Harris, R. L., Cundiff, G. W., Theofrastous, J. P., Yoon, H., Bump, R. C., Addison, W. A. The value of intraoperative cystoscopy in urogynecologic and reconstructive pelvic surgery. *Am J Obstet Gynecol*. 1997 Dec; 177: 1367-9; discussion 1369-71
- 11490** Harris, R. L., Yancey, C. A., Wiser, W. L., Morrison, J. C., Meeks, G. R. Comparison of anterior colporrhaphy and retropubic urethropexy for patients with genuine stress urinary incontinence. *Am J Obstet Gynecol*. 1995 Dec; 173: 1671-4; discussion 1674-5
- 12047** Harris, T. A., Bent, A. E. Genital prolapse with and without urinary incontinence. *J Reprod Med*. 1990 Aug; 35: 792-8
- 11698** Harrison, G. L., Memel, D. S. Urinary incontinence in women: its prevalence and its management in a health promotion clinic. *Br J Gen Pract*. 1994 Apr; 44: 149-52
- 11836** Harrison, S. C., Brown, C., O'Boyle, P. J. Periurethral Teflon for stress urinary incontinence: medium-term results. *Br J Urol*. 1993 Jan; 71: 25-7
- 3929** Harrison, S.C., Abrams, P.H. The endoscopic video camera as an aid to the Stamey procedure. *Br J Urol*. 1990 Sep; 66: 329
- 3154** Harrison, S.C., Brown, C., and OBoyle, P.J. Periurethral Teflon for stress urinary incontinence: medium-term results. *Br J Urol*. 1993 Jan; 71: 25-27
- 11304** Harriss, D. R., Iacovou, J. W., Lemberger, R. J. Peri-urethral silicone microimplants (Macroplastique) for the treatment of genuine stress incontinence. *Br J Urol*. 1996 Nov; 78: 722-5; discussion 726-8
- 41867** Hart, K. J., Palmer, M. H., Fitzgerald, S. Perceived causes of urinary incontinence and reporting: a study with working women. *Clin Nurs Res*. 1999 Feb; 8: 84-92
- 53050** Hartanto, V. H., DiPiazza, D., Ankem, M. K., Baccarini, C., Lobby, N. J. Comparison of recovery from postoperative pain utilizing two sling techniques. *Can J Urol*. 2003 Feb; 10: 1759-63
- 52140** Hartanto, V. H., Lightner, D. J., Nitti, V. W. Endoscopic evacuation of Durasphere. *Urology*. 2003 Jul; 62: 135-7
- 59232** Hartmann, K., Viswanathan, M., Palmieri, R., Gartlehner, G., Thorp, J., Jr, Lohr, K. N. Outcomes of routine episiotomy: a systematic review. *JAMA*. 2005 May 4; 293: 2141-8
- 40670** Hartnett, N. M., Saver, B. G. Is extended-release oxybutynin (Ditropan XL) or tolterodine (Detrol) more effective in the treatment of an overactive bladder?. *J Fam Pract*. 2001 Jul; 50: 571
- 52260** Harvey, M. A. Pelvic floor exercises during and after pregnancy: a systematic review of their role in preventing pelvic floor dysfunction. *J Obstet Gynaecol Can*. 2003 Jun; 25: 487-98
- 40687** Harvey, M. A., Baker, K., Wells, G. A. Tolterodine versus oxybutynin in the treatment of urge urinary incontinence: a meta-analysis. *Am J Obstet Gynecol*. 2001 Jul; 185: 56-61
- 40690** Harvey, M. A., Kristjansson, B., Griffith, D., Versi, E. The Incontinence Impact Questionnaire and the Urogenital Distress Inventory: a revisit of their validity in women without a urodynamic diagnosis. *Am J Obstet Gynecol*. 2001 Jul; 185: 25-31

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43800** Hasan, S. T., Marshall, C., Neal, D. E. Continent urinary diversion using the Mitrofanoff principle. *Br J Urol.* 1994 Oct; 74: 454-9
- 42114** Hasan, S. T., Neal, D. E. Neuromodulation in bladder dysfunction. *Curr Opin Obstet Gynecol.* 1998 Oct; 10: 395-9
- 41248** Hashimoto, M., Imamura, T., Tanimukai, S., Kazui, H., Mori, E. Urinary incontinence: an unrecognised adverse effect with donepezil. *Lancet.* 2000 Aug 12; 356: 568
- 43198** Haslam, J. Continence. Working together. *Nurs Times.* 1996 Apr 10-16; 92: 68
- 42799** Haslam, J. Floor plan. *Nurs Times.* 1997 Apr 9-15; 93: 67-70
- 50240** Haslam, J. Nursing management of stress urinary incontinence in women. *Br J Nurs.* 2004 Jan 8-21; 13: 32-40
- 59104** Haslam, J. The prevalence of stress urinary incontinence in women. *Nurs Times.* 2004 May 18; 100: 71-3
- 31051** Hassink, E. A., Brugman-Boezeman, A. T., Robbroeckx, L. M., Rieu, P. N., van Kuyk, E. M., Wels, P. M., Festen, C. Parenting children with anorectal malformations: implications and experiences. *Pediatr Surg Int.* 1998 Jul; 13: 377-83
- 44182** Hassink, E. A., Rieu, P. N., Severijnen, R. S., vd Staak, F. H., Festen, C. Are adults content or continent after repair for high anal atresia? A long-term follow-up study in patients 18 years of age and older. *Ann Surg.* 1993 Aug; 218: 196-200
- 3022** Hassink, E.A., Rieu, P.N., Severijnen, R.S., vd-Staak, F.H., and Festen, C. Are adults content or continent after repair for high anal atresia? A long-term follow-up study in patients 18 years of age and older. *Ann Surg.* 1993 Aug; 218: 196-200
- 44131** Hasson, H. M. Cervical removal at hysterectomy for benign disease. Risks and benefits. *J Reprod Med.* 1993 Oct; 38: 781-90
- 10883** Hassouna, M. E., Ghoniem, G. M. Long-term outcome and quality of life after modified pubovaginal sling for intrinsic sphincteric deficiency. *Urology.* 1999 Feb; 53: 287-91
- 55090** Hatada, Y. Two-step surgical approach to labial adhesions in a postmenopausal woman. *Acta Obstet Gynecol Scand.* 2003 Nov; 82: 1054-5
- 42806** Hatch, R. C., Regan, K. S., Ishibashi, S., Nakazawa, M., Iwakura, K., Sumi, N. Seventy-eight-week dietary carcinogenicity study of (+/-)-4- diethylamino-1,1-dimethylbut-2-yn-1-yl 2-cyclohexyl-2-hydroxy-2- phenylacetate monohydrochloride monohydrate (NS-21), a novel drug for urinary frequency and incontinence, in mice. *J Toxicol Sci.* 1997 Apr; 22 Suppl 1: 275-87
- 42805** Hatch, R. C., Regan, K. S., Ishibashi, S., Nakazawa, M., Iwakura, K., Sumi, N. Two-year dietary carcinogenicity study of (+/-)-4-diethylamino-1, 1- dimethylbut-2-yn-1-yl 2-cyclohexyl-2-hydroxy-2-phenylacetate monohydrochloride monohydrate (NS-21), a novel drug for urinary frequency and incontinence, in rats. *J Toxicol Sci.* 1997 Apr; 22 Suppl 1: 289-306
- 10041** Hathaway, J. K., Choe, J. M. Intact genetic material is present in commercially processed cadaver allografts used for pubovaginal slings. *J Urol.* 2002 Sep; 168: 1040-3
- 3379** Hattori, T., Yasuda, K., Sakakibara, R., Yamanishi, T., Kitahara, H., and Hirayama, K. Micturitional disturbance in tumors of the lumbosacral area. *J Spinal Disord.* 1992 Jun; 5: 193-197
- 44825** Hattori, T., Yasuda, K., Sakakibara, R., Yamanishi, T., Kitahara, H., Hirayama, K. Micturitional disturbance in ossification of the posterior longitudinal ligament in the cervical spine. *J Spinal Disord.* 1990 Dec; 3: 285-7
- 44467** Hattori, T., Yasuda, K., Sakakibara, R., Yamanishi, T., Kitahara, H., Hirayama, K. Micturitional disturbance in tumors of the lumbosacral area. *J Spinal Disord.* 1992 Jun; 5: 193-7
- 42621** Hautmann, R. E. The ileal neobladder to the female urethra. *Urol Clin North Am.* 1997 Nov; 24: 827-35
- 41183** Hautmann, R. E., de Petriconi, R., Kleinschmidt, K., Gottfried, H. W., Gschwend, J. E. Orthotopic ileal neobladder in females: impact of the urethral resection line on functional results. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 224-9; discussion 230



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 11469 Hautmann, R. E., Paiss, T., de Petriconi, R. The ileal neobladder in women: 9 years of experience with 18 patients. *J Urol.* 1996 Jan; 155: 76-81
- 3674 Hautmann, R.E. The ileal neobladder. *Acta Urol Belg.* 1991; 59: 227-240
- 3060 Hautmann, R.E., Miller, K., Steiner, U., and Wenderoth, U. The ileal neobladder: 6 years of experience with more than 200 patients. *J Urol.* 1993 Jul; 150: 40-45
- 3302 Havranek, P., Hedlund, H., Rubenson, A., Guth, D., Husberg, M., Frykberg, T., and Larsson, L.T. Sacrococcygeal teratoma in Sweden between 1978 and 1989: long-term functional results. *J Pediatr Surg.* 1992 Jul; 27: 916-918
- 44441 Havranek, P., Hedlund, H., Rubenson, A., Guth, D., Husberg, M., Frykberg, T., Larsson, L. T. Sacrococcygeal teratoma in Sweden between 1978 and 1989: long-term functional results. *J Pediatr Surg.* 1992 Jul; 27: 916-8
- 10152 Hawkins, E., Taylor, D., Hughes-Nurse, J. Long term follow up of the cruciate fascial sling for women with genuine stress incontinence. *BJOG.* 2002 Mar; 109: 327-38
- 10773 Hawkyard, S., Poon, P., Morgan, D. R. Sertoli tumour presenting with stress incontinence in a patient with testicular feminization. *BJU Int.* 1999 Aug; 84: 382-3
- 44245 Hayden, D. W., Waters, D. J., Burke, B. A., Manivel, J. C. Disseminated malignant histiocytosis in a golden retriever: clinicopathologic, ultrastructural, and immunohistochemical findings. *Vet Pathol.* 1993 May; 30: 256-64
- 3591 Haydon, S. The hidden problem. *Nurs Times.* 1991 Oct 9-15; 87: 18-19
- 41699 Hayes, M. C., Bulusu, A., Terry, T., Mouriquand, P. D., Malone, P. S. The Pippi Salle urethral lengthening procedure; experience and outcome from three United Kingdom centres. *BJU Int.* 1999 Oct; 84: 701-5
- 42960 Hayes, S. Nurses take the lead. *Nurs Times.* 1996 Dec 11-17; 92: 53-4
- 11717 Haylen, B. T. Laparoscopic surgery for urinary incontinence. *Med J Aust.* 1994 Jan 3; 160: 42-3
- 10655 Haylen, B. T. Voiding difficulty in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 1-3
- 10857 Haylen, B. T., Cerqui, A. J., Meagher, A. P. Five-layer repair of rectovaginal fistula using a vaginal approach. A case report. *Aust N Z J Obstet Gynaecol.* 1999 Feb; 39: 131-3
- 40264 Hayn, M. A., Greco, S. J., Capuano, K., Byrnes, A. Compliance with pelvic floor exercise program: maintaining bladder symptom relief. *Urol Nurs.* 2000 Apr; 20: 129-31
- 43682 Hays, D. M., Raney, R. B., Wharam, M. D., Wiener, E., Lobe, T. E., Andrassy, R. J., Lawrence, W., Jr, Johnston, J., Webber, B., Maurer, H. M. Children with vesical rhabdomyosarcoma (RMS) treated by partial cystectomy with neoadjuvant or adjuvant chemotherapy, with or without radiotherapy. A report from the Intergroup Rhabdomyosarcoma Study (IRS) Committee. *J Pediatr Hematol Oncol.* 1995 Feb; 17: 46-52
- 10388 Hay-Smith, E. J., Bo Berghmans, L. C., Hendriks, H. J., de Bie, R. A., van Waalwijk van Doorn, E. S. Pelvic floor muscle training for urinary incontinence in women. *Cochrane Database Syst Rev.* 2001; : CD001407
- 40166 Hay-Smith, J., Herbison, P., Morkved, S. Physical therapies for prevention of urinary and faecal incontinence in adults. *Cochrane Database Syst Rev.* 2002; : CD003191
- 10343 Hedlund, H., Bo, K., Lilleas, F., Talseth, T., Tillung, T. The clinical value of dynamic magnetic resonance imaging in normal and incontinent women--a preliminary study on micturition. *Scand J Urol Nephrol Suppl.* 2001; : 87-91; discussion 106-25
- 10198 Hegarty, P. K., Power, P. C., O'Brien, M. F., Bredin, H. C. Longevity of the Marshall-Marchetti-Krantz procedure. *Ann Chir Gynaecol.* 2001; 90: 286-9
- 42260 Heidkamp, M. C., Leong, F. C., Brubaker, L., Russell, B. Pudendal denervation affects the structure and function of the striated, urethral sphincter in female rats. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 88-93
- 59117 Heidrich, S. M., Wells, T. J. Effects of urinary incontinence: psychological well-being and distress in older community-dwelling women. *J Gerontol Nurs.* 2004 May; 30: 47-54

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 42472** Heinzlef, O., Paternotte, C., Mahieux, F., Prud'homme, J. F., Dien, J., Madigand, M., Pouget, J., Weissenbach, J., Roullet, E., Hazan, J. Mapping of a complicated familial spastic paraplegia to locus SPG4 on chromosome 2p. *J Med Genet*. 1998 Feb; 35: 89-93
- 11253** Heit, M. Infectious peritonitis complicating suprapubic catheter removal. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 47-9
- 10064** Heit, M. Intraurethral sonography and the test-retest reliability of urethral sphincter measurements in women. *J Clin Ultrasound*. 2002 Jul-Aug; 30: 349-55
- 10544** Heit, M. Intraurethral ultrasonography: correlation of urethral anatomy with functional urodynamic parameters in stress incontinent women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 204-11
- 10212** Heit, M. Prolonged urinary retention after collagen periurethral injections: a sequela of humoral immunity. *Obstet Gynecol*. 1997 Oct; 90: 693-5
- 10054** Heit, M. What is the scientific evidence for bone anchor use during bladder neck suspension?. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 143-4
- 59404** Heit, M., Blackwell, L., Ouseph, R. Comorbidities affect the impact of urinary incontinence as measured by disease-specific quality of life instruments. *Int Urogynecol J Pelvic Floor Dysfunct*. 2005 Jan-Feb; 16: 6-11; discussion 11
- 54560** Heit, M., Blackwell, L., Thomas, S., Ouseph, R. Prevalence and severity of urinary incontinence in kidney transplant recipients. *Obstet Gynecol*. 2004 Feb; 103: 352-8
- 11430** Heit, M., Brubaker, L. Clinical correlates in patients not completing a voiding diary. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 256-9
- 40147** Heit, M., Mudd, K., Culligan, P. Prevention of childbirth injuries to the pelvic floor. *Curr Womens Health Rep*. 2001 Aug; 1: 72-80
- 10407** Heit, M., Pasic, R., Levine, R. L. The clinical utility of a vaginal template designed to standardize suture placement during retropubic colposuspensions. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 42-5
- 11121** Heit, M., Vogt, V., Brubaker, L. An alternative statistical approach for predicting prolonged catheterization after Burch colposuspension during reconstructive pelvic surgery. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 203-8
- 42023** Hejazi, N., Thaper, P. Y., Hassler, W. Nine cases of nontraumatic spinal epidural hematoma. *Neurol Med Chir (Tokyo)*. 1998 Nov; 38: 718-23; discussion 723-4
- 42794** Helal, M., Austin, P., Spyropoulos, E., Pow-Sang, J., Persky, L., Lockhart, J. Evaluation and management of parastomal hernia in association with continent urinary diversion. *J Urol*. 1997 May; 157: 1630-2
- 57010** Hellerstein, S., Linebarger, J. S. Voiding dysfunction in pediatric patients. *Clin Pediatr (Phila)*. 2003 Jan-Feb; 42: 43-9
- 44999** Hellstrom, A. L., Hanson, E., Hansson, S., Hjalmas, K., Jodal, U. Micturition habits and incontinence in 7-year-old Swedish school entrants. *Eur J Pediatr*. 1990 Mar; 149: 434-7
- 3797** Hellstrom, A., Hanson, E., Hansson, S., Hjalmas, K., and Jodal, U. Association between urinary symptoms at 7 years old and previous urinary tract infection [see comments]. *Arch Dis Child*. 1991 Feb; 66: 232-234
- 44760** Hellstrom, A., Hanson, E., Hansson, S., Hjalmas, K., Jodal, U. Association between urinary symptoms at 7 years old and previous urinary tract infection. *Arch Dis Child*. 1991 Feb; 66: 232-4
- 43497** Hellstrom, A., Hanson, E., Hansson, S., Hjalmas, K., Jodal, U. Micturition habits and incontinence at age 17--reinvestigation of a cohort studied at age 7. *Br J Urol*. 1995 Aug; 76: 231-4
- 3598** Hellstrom, A.L. Bladder symptoms and urinary infections. *Nurs Times*. 1991 Sep 11-17; 87: 55
- 4064** Hellstrom, A.L., Hanson, E., Hansson, S., Hjalmas, K., and Jodal, U. Micturition habits and incontinence in 7-year-old Swedish school entrants. *Eur J Pediatr*. 1990 Mar; 149: 434-437

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 3759 Hellstrom, L., Ekelund, P., Larsson, M., and Milsom, I. A comparison between experienced and objectively demonstrated urinary leakage in 85-year old men and women. *Scand J Caring Sci.* 1991; 5: 17-21
- 44779 Hellstrom, L., Ekelund, P., Larsson, M., Milsom, I. A comparison between experienced and objectively demonstrated urinary leakage in 85-year old men and women. *Scand J Caring Sci.* 1991; 5: 17-21
- 44344 Hellstrom, L., Ekelund, P., Larsson, M., Milsom, I. Adapting incontinent patients incontinence aids to their leakage volumes. *Scand J Caring Sci.* 1993; 7: 67-71
- 3819 Hellstrom, L., Ekelund, P., Milsom, I., and Mellstrom, D. The prevalence of urinary incontinence and use of incontinence aids in 85-year-old men and women. *Age Ageing.* 1990 Nov; 19: 383-389
- 44833 Hellstrom, L., Ekelund, P., Milsom, I., Mellstrom, D. The prevalence of urinary incontinence and use of incontinence aids in 85-year-old men and women. *Age Ageing.* 1990 Nov; 19: 383-9
- 44742 Hellstrom, P. A., Tammela, T. L., Kontturi, M. J., Lukkarinen, O. A. The bladder cooling test for urodynamic assessment: analysis of 400 examinations. *Br J Urol.* 1991 Mar; 67: 275-9
- 3730 Hellstrom, P.A., Tammela, T.L., Kontturi, M.J., and Lukkarinen, O.A. The bladder cooling test for urodynamic assessment: analysis of 400 examinations. *Br J Urol.* 1991 Mar; 67: 275-279
- 59211 Helstrom, L., Nilsson, B. Impact of vaginal surgery on sexuality and quality of life in women with urinary incontinence or genital descensus. *Acta Obstet Gynecol Scand.* 2005 Jan; 84: 79-84
- 11463 Helt, M., Benson, J. T., Russell, B., Brubaker, L. Levator ani muscle in women with genitourinary prolapse: indirect assessment by muscle histopathology. *Neurourol Urodyn.* 1996; 15: 17-29
- 43032 Helweg-Larsen, S. Clinical outcome in metastatic spinal cord compression. A prospective study of 153 patients. *Acta Neurol Scand.* 1996 Oct; 94: 269-75
- 59385 Hely, M. A., Morris, J. G., Reid, W. G., Trafficante, R. Sydney Multicenter Study of Parkinson's disease: non-L-dopa-responsive problems dominate at 15 years. *Mov Disord.* 2005 Feb; 20: 190-9
- 44501 Hemal, A. K. Re: Actinomycotic vesico-uterine fistula from a wishbone pessary contraceptive device. P. Buckley et al. *Br. J. Urol.*, 68, 206-207, 1991. *Br J Urol.* 1992 Apr; 69: 442
- 40922 Hemal, A. K., Kumar, R., Nabi, G. Post-cesarean cervicovesical fistula: technique of laparoscopic repair. *J Urol.* 2001 Apr; 165: 1167-8
- 3417 Hemal, A.K. Re: Actinomycotic vesico-uterine fistula from a wishbone pessary contraceptive device. P. Buckley et al. *Br. J. Urol.*, 68, 206-207, 1991 [letter]. *Br J Urol.* 1992 Apr; 69: 442
- 41719 Hemingway-Eltomey, J. M., Lerner, A. J. Adverse effects of donepezil in treating Alzheimer's disease associated with Down's syndrome. *Am J Psychiatry.* 1999 Sep; 156: 1470
- 4110 Hemsley, D. Continence: combining resources. *Nurs Times.* 1990 Feb 14-20; 86: 74
- 10562 Henalla, S. M., Hall, V., Duckett, J. R., Link, C., Usman, F., Tromans, P. M., van Veggel, L. A multicentre evaluation of a new surgical technique for urethral bulking in the treatment of genuine stress incontinence. *BJOG.* 2000 Aug; 107: 1035-9
- 57930 Henderson, J. S. It's a given, I think. *Urol Nurs.* 2002 Oct; 22: 302, 342
- 41554 Henderson, J. S., Kashka, M. S. Development and testing of the Urinary Incontinence Scales. *Urol Nurs.* 1999 Jun; 19: 109-19
- 42203 Hendren, W. H. Cloaca, the most severe degree of imperforate anus: experience with 195 cases. *Ann Surg.* 1998 Sep; 228: 331-46
- 11093 Hendren, W. H. Construction of a female urethra using the vaginal wall and a buttock flap: experience with 40 cases. *J Pediatr Surg.* 1998 Feb; 33: 180-7
- 11230 Hendren, W. H. The genetic male with absent penis and urethrorectal communication: experience with 5 patients. *J Urol.* 1997 Apr; 157: 1469-74
- 3314 Hendren, W.H. Ileal nipple for continence in cloacal exstrophy. *J Urol.* 1992 Aug; 148: 372-379

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 55050** Hendrix, S. L. Long-term use of hormone therapy for urogenital complaints: is there a role?. *Med Clin North Am*. 2003 Sep; 87: 1029-37
- 53320** Hendrix, S. L. Urinary incontinence and menopause: an evidence-based treatment approach. *Dis Mon*. 2002 Oct; 48: 622-36
- 59171** Hendrix, S. L., Cochrane, B. B., Nygaard, I. E., Handa, V. L., Barnabei, V. M., Iglesia, C., Aragaki, A., Naughton, M. J., Wallace, R. B., McNeeley, S. G. Effects of estrogen with and without progestin on urinary incontinence. *JAMA*. 2005 Feb 23; 293: 935-48
- 11529** Henley, C. The Henley staple-suture technique for laparoscopic Burch colposuspension. *J Am Assoc Gynecol Laparosc*. 1995 Aug; 2: 441-4
- 43571** Henly, D. R., Barrett, D. M., Weiland, T. L., O'Connor, M. K., Malizia, A. A., Wein, A. J. Particulate silicone for use in periurethral injections: local tissue effects and search for migration. *J Urol*. 1995 Jun; 153: 2039-43
- 41559** Hennessey, A., Robertson, N. P., Swingle, R., Compston, D. A. Urinary, faecal and sexual dysfunction in patients with multiple sclerosis. *J Neurol*. 1999 Nov; 246: 1027-32
- 40326** Henningsohn, L., Wijkstrom, H., Dickman, P. W., Bergmark, K., Steineck, G. Distressful symptoms after radical radiotherapy for urinary bladder cancer. *Radiother Oncol*. 2002 Feb; 62: 215-25
- 3556** Henriksen, T. Incontinence after stroke [letter] [see comments]. *Lancet*. 1991 Nov 23; 338: 1335
- 43873** Henry, M. M. The role of pudendal nerve innervation in female pelvic floor function. *Curr Opin Obstet Gynecol*. 1994 Aug; 6: 324-5
- 43258** Henry, T. Continence. Survey shows hidden problem. *Nurs Times*. 1996 Feb 14-20; 92: 62-6
- 44963** Hensle, T. W., Connor, J. P., Burbige, K. A. Continent urinary diversion in childhood. *J Urol*. 1990 May; 143: 981-3
- 43523** Hensle, T. W., Kirsch, A. J., Kennedy, W. A., 2nd, Reiley, E. A. Bladder neck closure in association with continent urinary diversion. *J Urol*. 1995 Aug; 154: 883-5
- 42325** Hensle, T. W., Reiley, E. A., Chang, D. T. The Malone antegrade continence enema procedure in the management of patients with spina bifida. *J Am Coll Surg*. 1998 Jun; 186: 669-74
- 4071** Hensle, T.W., Connor, J.P., and Burbige, K.A. Continent urinary diversion in childhood. *J Urol*. 1990 May; 143: 981-983
- 31249** Heok, K. E., Li, T. S. Stress of caregivers of dementia patients in the Singapore Chinese family. *Int J Geriatr Psychiatry*. 1997 Apr; 12: 466-9
- 42215** Herbert, J. Overcoming the pelvic flaw: exercises for continence. *Prof Care Mother Child*. 1998; 8: 39-41
- 11813** Herbertsson, G., Iosif, C. S. Surgical results and urodynamic studies 10 years after retropubic colpourethrocystopexy. *Acta Obstet Gynecol Scand*. 1993 May; 72: 298-301
- 10180** Herbison, P., Plevnik, S., Mantle, J. Weighted vaginal cones for urinary incontinence. *Cochrane Database Syst Rev*. 2002; : CD002114
- 10639** Herbison, P., Plevnik, S., Mantle, J. Weighted vaginal cones for urinary incontinence. *Cochrane Database Syst Rev*. 2000; : CD002114
- 44148** Herman, J. M., McLone, D. G., Storrs, B. B., Dauser, R. C. Analysis of 153 patients with myelomeningocele or spinal lipoma reoperated upon for a tethered cord. Presentation, management and outcome. *Pediatr Neurosurg*. 1993 Sep-Oct; 19: 243-9
- 43774** Hernandez, R. D., Hurwitz, R. S., Foote, J. E., Zimmern, P. E., Leach, G. E. Nonsurgical management of threatened upper urinary tracts and incontinence in children with myelomeningocele. *J Urol*. 1994 Nov; 152: 1582-5
- 59105** Herrmann, V., Arya, L. A., Myers, D. L., Jackson, N. D., Palma, P. C., Riccetto, C. L. Urethral resistance measurement: a new method for evaluation of stress urinary incontinence in women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2004 May-Jun; 15: 208-11

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10340** Herschorn, S. Current status of injectable agents for female stress urinary incontinence. *Can J Urol.* 2001 Jun; 8: 1281-9
- 59342** Herschorn, S., Becker, D., Miller, E., Thompson, M., Forte, L. Impact of a health education intervention in overactive bladder patients. *Can J Urol.* 2004 Dec; 11: 2430-7
- 10632** Herschorn, S., Glazer, A. A. Early experience with small volume periurethral polytetrafluoroethylene for female stress urinary incontinence. *J Urol.* 2000 Jun; 163: 1838-42
- 42170** Herschorn, S., Hewitt, R. J. Patient perspective of long-term outcome of augmentation cystoplasty for neurogenic bladder. *Urology.* 1998 Oct; 52: 672-8
- 11254** Herschorn, S., Radomski, S. B. Collagen injections for genuine stress urinary incontinence: patient selection and durability. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 18-24
- 44365** Herschorn, S., Radomski, S. B., Steele, D. J. Early experience with intraurethral collagen injections for urinary incontinence. *J Urol.* 1992 Dec; 148: 1797-800
- 3455** Herschorn, S., Radomski, S.B. Fascial slings and bladder neck tapering in the treatment of male neurogenic incontinence. *J Urol.* 1992 Apr; 147: 1073-1075
- 3238** Herschorn, S., Radomski, S.B., and Steele, D.J. Early experience with intraurethral collagen injections for urinary incontinence. *J Urol.* 1992 Dec; 148: 1797-1800
- 43858** Herschorn, S., Rangaswamy, S., Radomski, S. B. Urinary undiversion in adults with myelodysplasia: long-term followup. *J Urol.* 1994 Aug; 152: 329-33
- 11326** Herschorn, S., Steele, D. J., Radomski, S. B. Followup of intraurethral collagen for female stress urinary incontinence. *J Urol.* 1996 Oct; 156: 1305-9
- 44236** Herschorn, S., Thijssen, A. J., Radomski, S. B. Experience with the hemi-Kock ileocystoplasty with a continent abdominal stoma. *J Urol.* 1993 May; 149: 998-1001
- 3092** Herschorn, S., Thijssen, A.J., and Radomski, S.B. Experience with the hemi-Kock ileocystoplasty with a continent abdominal stoma. *J Urol.* 1993 May; 149: 998-1001
- 43976** Herzog, A. R., Diokno, A. C., Brown, M. B., Fultz, N. H., Goldstein, N. E. Urinary incontinence as a risk factor for mortality. *J Am Geriatr Soc.* 1994 Mar; 42: 264-8
- 45005** Herzog, A. R., Diokno, A. C., Brown, M. B., Normolle, D. P., Brock, B. M. Two-year incidence, remission, and change patterns of urinary incontinence in noninstitutionalized older adults. *J Gerontol.* 1990 Mar; 45: M67-74
- 4132** Herzog, A.R., Diokno, A.C., Brown, M.B., Normolle, D.P., and Brock, B.M. Two-year incidence, remission, and change patterns of urinary incontinence in noninstitutionalized older adults. *J Gerontol.* 1990 Mar; 45: M67-M74
- 4156** Herzog, A.R., Fultz, N.H. Prevalence and incidence of urinary incontinence in community-dwelling populations. *J Am Geriatr Soc.* 1990 Mar; 38: 273-281
- 42742** Heslington, K. Ambulatory bladder monitoring: is it an advance?. *Br J Urol.* 1997 Jul; 80 Suppl 1: 49-53
- 3249** Hesnan, K. ET nurses expanding our practice. Behavioral interventions for incontinence. *Ostomy Wound Manage.* 1992 Sep; 38: 12,14-6,17passim
- 3352** Hesnan, K.D., Runner-Heidt, C. Implementation of a hospital-based home care continence program. *Urol Nurs.* 1992 Jun; 12: 78-80
- 40270** Heuser, M., Zoller, G., Seseke, F., Zappel, H., Ringert, R. H. Bladder dysfunction in children with bilateral single ectopic ureters. *J Pediatr Surg.* 2002 May; 37: E15
- 30974** Hewson, A. D. Transvaginal sacrospinous colpopexy for posthysterectomy vault prolapse. *Aust N Z J Obstet Gynaecol.* 1998 Aug; 38: 318-24
- 41179** Hextall, A. Oestrogens and lower urinary tract function. *Maturitas.* 2000 Aug 31; 36: 83-92
- 40468** Hextall, A., Bidmead, J., Cardozo, L., Hooper, R. The impact of the menstrual cycle on urinary symptoms and the results of urodynamic investigation. *BJOG.* 2001 Nov; 108: 1193-6



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10939 Hextall, A., Boos, K., Cardozo, L., Tooze-Hobson, P., Anders, K., Khullar, V. Videocystourethrography with a ring pessary in situ. A clinically useful preoperative investigation for continent women with urogenital prolapse?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 205-9
- 10262 Hextall, A., Cardozo, L. The role of estrogen supplementation in lower urinary tract dysfunction. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 258-61
- 40421 Hicken, B. L., Putzke, J. D., Richards, J. S. Bladder management and quality of life after spinal cord injury. *Am J Phys Med Rehabil.* 2001 Dec; 80: 916-22
- 42174 Higley, P. With nature's help. *Nurs Times.* 1998 Aug 12-18; 94: 79-80
- 59155 Hijaz, A., Bena, J., Daneshgari, F. Long-term efficacy of a vaginal sling procedure in a rat model of stress urinary incontinence. *J Urol.* 2005 May; 173: 1817-9
- 44478 Hildebrand, J., Moussa, Z., Raftopoulos, C., Vanhouche, J., Laute, M. A., Przedborski, S. Variations of homovanillic acid levels in ventricular cerebrospinal fluid. *Acta Neurol Scand.* 1992 May; 85: 340-2
- 3335 Hildebrand, J., Moussa, Z., Raftopoulos, C., Vanhouche, J., Laute, M.A., and Przedborski, S. Variations of homovanillic acid levels in ventricular cerebrospinal fluid. *Acta Neurol Scand.* 1992 May; 85: 340-342
- 44936 Hill, D. E., Chantigian, P. M., Kramer, S. A. Pregnancy after augmentation cystoplasty. *Surg Gynecol Obstet.* 1990 Jun; 170: 485-7
- 44887 Hill, D. E., Kramer, S. A. Management of pregnancy after augmentation cystoplasty. *J Urol.* 1990 Aug; 144: 457-9; discussion 460
- 4040 Hill, D.E., Chantigian, P.M., and Kramer, S.A. Pregnancy after augmentation cystoplasty. *Surg Gynecol Obstet.* 1990 Jun; 170: 485-487
- 31724 Hill, J., Corson, R. J., Brandon, H., Redford, J., Faragher, E. B., Kiff, E. S. History and examination in the assessment of patients with idiopathic fecal incontinence. *Dis Colon Rectum.* 1994 May; 37: 473-7
- 55040 Hilton, E. L., Henderson, L. J. Lived female experience of chronic bladder cancer: a phenomenologic case study. *Urol Nurs.* 2003 Oct; 23: 349-54
- 10007 Hilton, P. Trials of surgery for stress incontinence--thoughts on the 'Humpty Dumpty principle'. *BJOG.* 2002 Oct; 109: 1081-8
- 11051 Hilton, P. Urodynamic findings in patients with urogenital fistulae. *Br J Urol.* 1998 Apr; 81: 539-42
- 59195 Hilton, P., Dolan, L. M. Pathophysiology of urinary incontinence and pelvic organ prolapse. *BJOG.* 2004 Dec; 111 Suppl 1: 5-9
- 11947 Hilton, P., Mayne, C. J. The Stamey endoscopic bladder neck suspension: a clinical and urodynamic investigation, including actuarial follow-up over four years. *Br J Obstet Gynaecol.* 1991 Nov; 98: 1141-9
- 53440 Hilton, P., Mohammed, K. A., Ward, K. Postural perineal pain associated with perforation of the lower urinary tract due to insertion of a tension-free vaginal tape. *BJOG.* 2003 Jan; 110: 79-82
- 11002 Hilton, P., Ward, A., Molloy, M., Umana, O. Periurethral injection of autologous fat for the treatment of post-fistula repair stress incontinence: a preliminary report. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 118-21
- 53590 Hilton, P., Ward, K. L. Pleasing some of the people none of the time. *BMJ.* 2002 Dec 7; 325: 1361
- 3746 Himsl, K.K., Hurwitz, R.S. Pediatric urinary incontinence. *Urol Clin North Am.* 1991 May; 18: 283-293
- 44279 Hinge, A. J. Incontinence in giant schnauzers. *Vet Rec.* 1993 Feb 6; 132: 144
- 40559 Hirai, K., Ishiko, O., Sumi, T., Hyun, Y., Nakagawa, E., Ogita, S. Indifference and resignation of Japanese women toward urinary incontinence. *Int J Gynaecol Obstet.* 2001 Oct; 75: 89-91
- 44194 Hiraizumi, Y., Transfeldt, E. E., Fujimaki, E., Nakabayashi, H., Ishikawa, T., Sato, H. Electrophysiologic evaluation of intermittent sacral nerve dysfunction in lumbar spinal canal stenosis. *Spine.* 1993 Aug; 18: 1355-60
- 54690 Hirata, H., Matsuyama, H., Yamakawa, G., Suga, A., Tatsumura, M., Ogata, H., Takemoto, M., Tomimatsu, K., Naito, K. Does surgical repair of pelvic prolapse improve patients' quality of life?. *Eur Urol.* 2004 Feb; 45: 213-8

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41210** Hirono, N., Kitagaki, H., Kazui, H., Hashimoto, M., Mori, E. Impact of white matter changes on clinical manifestation of Alzheimer's disease: A quantitative study. *Stroke*. 2000 Sep; 31: 2182-8
- 10848** Hirsch, A., Weirauch, G., Steimer, B., Bihler, K., Peschers, U., Bergauer, F., Leib, B., Dimpfl, T. Treatment of female urinary incontinence with EMG-controlled biofeedback home training. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 7-10
- 3367** Hjalmas, K. Functional daytime incontinence: definitions and epidemiology. *Scand J Urol Nephrol Suppl*. 1992; 141: 39-44;discussion45-6
- 42383** Hjalmas, K. Nocturnal enuresis: basic facts and new horizons. *Eur Urol*. 1998; 33 Suppl 3: 53-7
- 3373** Hjalmas, K. Urinary incontinence in children: suggestions for definitions and terminology. *Scand J Urol Nephrol Suppl*. 1992; 141: 1-6;discussion18-9
- 40884** Hjalmas, K., Hellstrom, A. L., Mogren, K., Lackgren, G., Stenberg, A. The overactive bladder in children: a potential future indication for tolterodine. *BJU Int*. 2001 Apr; 87: 569-74
- 3372** Hjalmas, K., Passerini-Glazet, G., and Chiozza, M.L. Functional daytime incontinence: pharmacological treatment. *Scand J Urol Nephrol Suppl*. 1992; 141: 108-14;discussion115-6
- 51030** Hladik, M., Dubravicky, J., Pribylincova, V., Blasko, M. Current problems of diagnostics and treatment of urinary incontinence in females. *Bratisl Lek Listy*. 2003; 104: 163
- 11294** Ho, A. M., Roth, P., Cowan, W. D. Gaseous distention of the urinary bag indicating bladder perforation during laparoscopic pelvic procedures. *Int J Gynaecol Obstet*. 1996 Dec; 55: 297-8
- 43818** Ho, C. C., Yu, T. J. Urethral prolapse--a case report. *Changgeng Yi Xue Za Zhi*. 1994 Sep; 17: 289-91
- 50680** Ho, K. L., Witte, M. N., Bird, E. T. 8-ply small intestinal submucosa tension-free sling: spectrum of postoperative inflammation. *J Urol*. 2004 Jan; 171: 268-71
- 40210** Ho, N. C., Hadley, D. W., Jain, P. K., Francomano, C. A. Case 47: dural ectasia associated with Marfan syndrome. *Radiology*. 2002 Jun; 223: 767-71
- 11622** Ho, Y. H., Goh, H. S. The neurophysiological significance of perineal descent. *Int J Colorectal Dis*. 1995; 10: 107-11
- 41897** Hobgood, E. Midlife women and urinary incontinence: causes, lifestyles, and treatments. *Medsurg Nurs*. 1999 Feb; 8: 19-24
- 41979** Hocking, J. Continence problems: how to tackle reticence of patients. *Nurs Times*. 1999 Jan 6-12; 95: 56-8
- 42702** Hodder, J. Shy Drager syndrome. *Axone*. 1997 Jun; 18: 75-9
- 41730** Hodges, A. M. The Mitrofanoff urinary diversion for complex vesicovaginal fistulae: experience from Uganda. *BJU Int*. 1999 Sep; 84: 436-9
- 41639** Hodges, A. M. Vesico-vaginal fistula associated with uterine prolapse. *Br J Obstet Gynaecol*. 1999 Nov; 106: 1227-8
- 42657** Hodges, C. Continence care: choosing carefully. *Nurs Times*. 1997 Aug 27-Sep 2; 93: 48-50, 52
- 59038** Hodroff, M., Portis, A., Siegel, S. W. Endoscopic removal of intravesical polypropylene sling with the holmium laser. *J Urol*. 2004 Oct; 172: 1361-2
- 41168** Hoebeke, P., De Kuyper, P., Goeminne, H., Van Laecke, E., Everaert, K. Bladder neck closure for treating pediatric incontinence. *Eur Urol*. 2000 Oct; 38: 453-6
- 57860** Hoebeke, P., Renson, C., Petillon, L., Vande Walle, J., De Paepe, H. Percutaneous electrical nerve stimulation in children with therapy resistant nonneuropathic bladder sphincter dysfunction: a pilot study. *J Urol*. 2002 Dec; 168: 2605-7; discussion 2607-8
- 40530** Hoebeke, P., Van Laecke, E., Everaert, K., Renson, C., De Paepe, H., Raes, A., Vande Walle, J. Transcutaneous neuromodulation for the urge syndrome in children: a pilot study. *J Urol*. 2001 Dec; 166: 2416-9



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43585** Hoebeke, P., Van Laecke, E., Raes, A., Renson, C., Theunis, M., Vande Walle, J. Bladder function and non-neurogenic dysfunction in children: classification and terminology. *Acta Urol Belg.* 1995 May; 63: 93-8
- 41892** Hoebeke, P., Van Laecke, E., Raes, A., Van Gool, J. D., Vande Walle, J. Anomalies of the external urethral meatus in girls with non-neurogenic bladder sphincter dysfunction. *BJU Int.* 1999 Feb; 83: 294-8
- 40883** Hoebeke, P., Van Laecke, E., Van Camp, C., Raes, A., Van De Walle, J. One thousand video-urodynamic studies in children with non-neurogenic bladder sphincter dysfunction. *BJU Int.* 2001 Apr; 87: 575-80
- 42976** Hoebeke, P., Vande Walle, J., Theunis, M., De Paepe, H., Oosterlinck, W., Renson, C. Outpatient pelvic-floor therapy in girls with daytime incontinence and dysfunctional voiding. *Urology.* 1996 Dec; 48: 923-7
- 56370** Hoeijmakers, M., Janszen, B., Coert, A., Horspool, L. Pharmacokinetics of oestriol after repeated oral administration to dogs. *Res Vet Sci.* 2003 Aug; 75: 55-9
- 11595** Hoffman, M. S., Arango, H. Transvestibular retropubic bladder neck suspension. A pilot study. *J Reprod Med.* 1995 Mar; 40: 181-4
- 11382** Hoffman, M. S., Harris, M. S., Bouis, P. J. Sacrospinous colpopexy in the management of uterovaginal prolapse. *J Reprod Med.* 1996 May; 41: 299-303
- 44483** Hoffman, M. S., Roberts, W. S., Finan, M. A., Fiorica, J. V., Bryson, S. C., Ruffolo, E. H., Cavanagh, D. A comparative study of radical vulvectomy and modified radical vulvectomy for the treatment of invasive squamous cell carcinoma of the vulva. *Gynecol Oncol.* 1992 May; 45: 192-7
- 3402** Hoffman, M.S., Roberts, W.S., Finan, M.A., Fiorica, J.V., Bryson, S.C., Ruffolo, E.H., and Cavanagh, D. A comparative study of radical vulvectomy and modified radical vulvectomy for the treatment of invasive squamous cell carcinoma of the vulva. *Gynecol Oncol.* 1992 May; 45: 192-197
- 55870** Hofmeyr, G. J., Hannah, M. E. Planned caesarean section for term breech delivery. *Cochrane Database Syst Rev.* 2003; : CD000166
- 42658** Hogan, D. B. Revisiting the O complex: urinary incontinence, delirium and polypharmacy in elderly patients. *CMAJ.* 1997 Oct 15; 157: 1071-7
- 11340** Hogston, P. Treatment of urinary stress incontinence. *Am J Obstet Gynecol.* 1996 Aug; 175: 514-5
- 40740** Hohenfellner, M., Pannek, J., Botel, U., Dahms, S., Pfitzenmaier, J., Fichtner, J., Hutschenreiter, G., Thuroff, J. W. Sacral bladder denervation for treatment of detrusor hyperreflexia and autonomic dysreflexia. *Urology.* 2001 Jul; 58: 28-32
- 42228** Hohenfellner, M., Schultz-Lampel, D., Dahms, S., Matzel, K., Thuroff, J. W. Bilateral chronic sacral neuromodulation for treatment of lower urinary tract dysfunction. *J Urol.* 1998 Sep; 160: 821-4
- 43298** Hohlbrugger, G. Leaky urothelium and/or vesical ischemia enable urinary potassium to cause idiopathic urgency/frequency syndrome and urge incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 242-55
- 41188** Hohlbrugger, G., Riedl, C. Non-bacterial cystitis. *Curr Opin Urol.* 2000 Sep; 10: 371-80
- 10780** Hojberg, K. E., Salvig, J. D., Winslow, N. A., Lose, G., Secher, N. J. Urinary incontinence: prevalence and risk factors at 16 weeks of gestation. *Br J Obstet Gynaecol.* 1999 Aug; 106: 842-50
- 11615** Hol, M., van Bolhuis, C., Vierhout, M. E. Vaginal ultrasound studies of bladder neck mobility. *Br J Obstet Gynaecol.* 1995 Jan; 102: 47-53
- 41145** Hollabaugh, R. S., Jr, Steiner, M. S., Sellers, K. D., Samm, B. J., Dmochowski, R. R. Neuroanatomy of the pelvis: implications for colonic and rectal resection. *Dis Colon Rectum.* 2000 Oct; 43: 1390-7
- 10437** Hollabaugh, R. S., Steiner, M. S., Dmochowski, R. R. Neuroanatomy of the female continence complex: clinical implications. *Urology.* 2001 Feb; 57: 382-8
- 3227** Holland, M.S. Central anticholinergic syndrome in a pediatric patient following transdermal scopolamine patch placement. *Nurse Anesth.* 1992 Sep; 3: 121-124
- 3009** Hollander, J.B., Diokno, A.C. Urinary diversion and reconstruction in the patient with spinal cord injury. *Urol Clin North Am.* 1993 Aug; 20: 465-474

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 11568 Holley, R. L., Varner, R. E., Kerns, D. J., Mestecky, P. J. Long-term failure of pelvic floor musculature exercises in treatment of genuine stress incontinence. *South Med J.* 1995 May; 88: 547-9
- 42524 Hollins, S., Attard, M. T., von Fraunhofer, N., McGuigan, S., Sedgwick, P. Mortality in people with learning disability: risks, causes, and death certification findings in London. *Dev Med Child Neurol.* 1998 Jan; 40: 50-6
- 57540 Hollis, C. Developmental precursors of child- and adolescent-onset schizophrenia and affective psychoses: diagnostic specificity and continuity with symptom dimensions. *Br J Psychiatry.* 2003 Jan; 182: 37-44
- 44618 Hollowell, J. G., Hill, P. D., Duffy, P. G., Ransley, P. G. Bladder function and dysfunction in exstrophy and epispadias. *Lancet.* 1991 Oct 12; 338: 926-8
- 44221 Hollowell, J. G., Hill, P. D., Duffy, P. G., Ransley, P. G. Evaluation and treatment of incontinence after bladder neck reconstruction in exstrophy and epispadias. *Br J Urol.* 1993 Jun; 71: 743-9
- 44417 Hollowell, J. G., Hill, P. D., Duffy, P. G., Ransley, P. G. Lower urinary tract function after exstrophy closure. *Pediatr Nephrol.* 1992 Sep; 6: 428-32
- 3593 Hollowell, J.G., Hill, P.D., Duffy, P.G., and Ransley, P.G. Bladder function and dysfunction in exstrophy and epispadias. *Lancet.* 1991 Oct 12; 338: 926-928
- 3017 Hollowell, J.G., Hill, P.D., Duffy, P.G., and Ransley, P.G. Evaluation and treatment of incontinence after bladder neck reconstruction in exstrophy and epispadias. *Br J Urol.* 1993 Jun; 71: 743-749
- 3217 Hollowell, J.G., Hill, P.D., Duffy, P.G., and Ransley, P.G. Lower urinary tract function after exstrophy closure. *Pediatr Nephrol.* 1992 Sep; 6: 428-432
- 3529 Hollowell, J.G., Ransley, P.G. Surgical management of incontinence in bladder exstrophy. *Br J Urol.* 1991 Nov; 68: 543-548
- 41932 Hollywood, B., O'Dowd, T. C. Female urinary incontinence: another common chronic illness. *Br J Gen Pract.* 1998 Nov; 48: 1727-8
- 40124 Holmes, N. M., Coplen, D. E., Strand, W., Husmann, D., Baskin, L. S. Is bladder dysfunction and incontinence associated with ureteroceles congenital or acquired?. *J Urol.* 2002 Aug; 168: 718-9
- 12038 Holmes, P. Cones for continence. *Nurs Times.* 1990 Sep 5-11; 86: 20-1
- 4190 Holmes, P. Mind over bladder. *Nurs Times.* 1990 Jan 24-30; 86: 16-17
- 44523 Holmes, S. A., Christmas, T. J., Kirby, R. S., Hendry, W. F. Cystectomy and substitution enterocystoplasty: alternative primary treatment for T2/3 bladder cancer. *Br J Urol.* 1992 Mar; 69: 260-4
- 3436 Holmes, S.A., Christmas, T.J., Kirby, R.S., and Hendry, W.F. Cystectomy and substitution enterocystoplasty: alternative primary treatment for T2/3 bladder cancer. *Br J Urol.* 1992 Mar; 69: 260-264
- 54380 Holroyd-Leduc, J. M., Straus, S. E. Management of urinary incontinence in women: clinical applications. *JAMA.* 2004 Feb 25; 291: 996-9
- 50200 Holroyd-Leduc, J. M., Straus, S. E. Management of urinary incontinence in women: scientific review. *JAMA.* 2004 Feb 25; 291: 986-95
- 32163 Holschneider, A. M. Secondary sagittal posterior anorectoplasty. *Prog Pediatr Surg.* 1990; 25: 103-17
- 11701 Holschneider, C. H., Solh, S., Lebherz, T. B., Montz, F. J. The modified Pereyra procedure in recurrent stress urinary incontinence: a 15-year review. *Obstet Gynecol.* 1994 Apr; 83: 573-8
- 44278 Holt, P. E. Incontinence in giant schnauzers. *Vet Rec.* 1993 Feb 20; 132: 199-200
- 44811 Holt, P. E. Long-term evaluation of colposuspension in the treatment of urinary incontinence due to incompetence of the urethral sphincter mechanism in the bitch. *Vet Rec.* 1990 Dec 1; 127: 537-42
- 44264 Holt, P. E. Surgical management of congenital urethral sphincter mechanism incompetence in eight female cats and a bitch. *Vet Surg.* 1993 Mar-Apr; 22: 98-104
- 44806 Holt, P. E. Urinary incontinence in the bitch. *Vet Rec.* 1990 Dec 15; 127: 604

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 44471 Holt, P. E., Gibbs, C. Congenital urinary incontinence in cats: a review of 19 cases. *Vet Rec.* 1992 May 16; 130: 437-42
- 44736 Holt, P. E., Gregory, S. P. Can urethral pressure profilometry predict the response to colposuspension in bitches?. *Vet Rec.* 1991 Mar 23; 128: 281-2
- 41372 Holt, P. E., Jones, A. In vitro study of the significance of bladder neck position in incontinent bitches. *Vet Rec.* 2000 Apr 8; 146: 437-9
- 44877 Holt, P. E., Mair, T. S. Ten cases of bladder paralysis associated with sabulous urolithiasis in horses. *Vet Rec.* 1990 Aug 4; 127: 108-10
- 43618 Holt, P. E., Moore, A. H. Canine ureteral ectopia: an analysis of 175 cases and comparison of surgical treatments. *Vet Rec.* 1995 Apr 8; 136: 345-9
- 44168 Holt, P. E., Thrusfield, M. V. Association in bitches between breed, size, neutering and docking, and acquired urinary incontinence due to incompetence of the urethral sphincter mechanism. *Vet Rec.* 1993 Aug 21; 133: 177-80
- 42412 Holtedahl, K., Hunskaar, S. Prevalence, 1-year incidence and factors associated with urinary incontinence: a population based study of women 50-74 years of age in primary care. *Maturitas.* 1998 Jan 12; 28: 205-11
- 42268 Holtedahl, K., Verelst, M., Schiefloe, A. A population based, randomized, controlled trial of conservative treatment for urinary incontinence in women. *Acta Obstet Gynecol Scand.* 1998 Jul; 77: 671-7
- 41225 Holtedahl, K., Verelst, M., Schiefloe, A., Hunskaar, S. Usefulness of urodynamic examination in female urinary incontinence-- lessons from a population-based, randomized, controlled study of conservative treatment. *Scand J Urol Nephrol.* 2000 Jun; 34: 169-74
- 11037 Hom, D., Desautel, M. G., Lumerman, J. H., Feraren, R. E., Badlani, G. H. Pubovaginal sling using polypropylene mesh and Vesica bone anchors. *Urology.* 1998 May; 51: 708-13
- 11398 Homma, Y., Kawabe, K., Kageyama, S., Koiso, K., Akaza, H., Kakizoe, T., Koshiba, K., Yokoyama, E., Aso, Y. Injection of glutaraldehyde cross-linked collagen for urinary incontinence: two-year efficacy by self-assessment. *Int J Urol.* 1996 Mar; 3: 124-7
- 55080 Homma, Y., Paick, J. S., Lee, J. G., Kawabe, K. Clinical efficacy and tolerability of extended-release tolterodine and immediate-release oxybutynin in Japanese and Korean patients with an overactive bladder: a randomized, placebo-controlled trial. *BJU Int.* 2003 Nov; 92: 741-7
- 51720 Hong, B., Park, S., Kim, H. S., Choo, M. S. Factors predictive of urinary retention after a tension-free vaginal tape procedure for female stress urinary incontinence. *J Urol.* 2003 Sep; 170: 852-6
- 41086 Honjo, H., Naya, Y., Ukimura, O., Kojima, M., Miki, T. Acupuncture on clinical symptoms and urodynamic measurements in spinal- cord-injured patients with detrusor hyperreflexia. *Urol Int.* 2000; 65: 190-5
- 44274 Hooley, J. S. Kegel exercises. *J Fla Med Assoc.* 1993 Mar; 80: 213
- 3086 Hooley, J.S. Kegel exercises [letter]. *J Fla Med Assoc.* 1993 Mar; 80: 213
- 42682 Hooper, P., Tincello, D. G., Richmond, D. H. The use of salivary stimulant pastilles to improve compliance in women taking oxybutynin hydrochloride for detrusor instability: a pilot study. *Br J Urol.* 1997 Sep; 80: 414-6
- 42563 Hope, T., Keene, J., Gedling, K., Cooper, S., Fairburn, C., Jacoby, R. Behaviour changes in dementia. 1: Point of entry data of a prospective study. *Int J Geriatr Psychiatry.* 1997 Nov; 12: 1062-73
- 11855 Hopkins, M. P., Morley, G. W. Pelvic exenteration for the treatment of vulvar cancer. *Cancer.* 1992 Dec 15; 70: 2835-8
- 43979 Hoppe, A. E. Increasing hope for the incontinent bitch. *Br Vet J.* 1994 Mar-Apr; 150: 113-4
- 12050 Horbach, N. S. Problems in the clinical diagnosis of stress incontinence. *J Reprod Med.* 1990 Aug; 35: 751-7
- 11663 Horbach, N. S., Ostergard, D. R. Predicting intrinsic urethral sphincter dysfunction in women with stress urinary incontinence. *Obstet Gynecol.* 1994 Aug; 84: 188-92

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 57910 Hordienko, G., Smith, J. The Wound, Ostomy and Continence Nursing Conference--a Canadian perspective. J Wound Ostomy Continence Nurs. 2002 Nov; 29: 275
- 56640 Horimoto, Y., Matsumoto, M., Akatsu, H., Ikari, H., Kojima, K., Yamamoto, T., Otsuka, Y., Ojika, K., Ueda, R., Kosaka, K. Autonomic dysfunctions in dementia with Lewy bodies. J Neurol. 2003 May; 250: 530-3
- 51410 Horowitz, I. R. What's new in gynecology and obstetrics. J Am Coll Surg. 2003 Oct; 197: 612-9
- 59393 Horrocks, S., Somerset, M., Stoddart, H., Peters, T. J. What prevents older people from seeking treatment for urinary incontinence? A qualitative exploration of barriers to the use of community continence services. Fam Pract. 2004 Dec; 21: 689-96
- 44770 Hosker, G. L. Commentary. Detrusor instability--current management. Br J Obstet Gynaecol. 1991 Jan; 98: 114-5
- 11683 Hosker, G. L., Mallet, V. T. Denervation and re-innervation of the urethral sphincter in the aetiology of genuine stress incontinence and a comparison of bioelectrical and mechanical activity of the female urethra. Br J Obstet Gynaecol. 1994 Jun; 101: 559-60
- 3807 Hosker, G.L. Commentary. Detrusor instability--current management [letter] [published erratum appears in Br J Obstet Gynaecol 1991 Feb;98(2):226] [comment]. Br J Obstet Gynaecol. 1991 Jan; 98: 114-115
- 44015 Houser, E. E., Bartholomew, T. H., Cookson, M. S., Marlin, A. E., Little, N. A. A prospective evaluation of leak point pressure, bladder compliance and clinical status in myelodysplasia patients with tethered spinal cords. J Urol. 1994 Jan; 151: 177-80; discussion 180-1
- 3141 Houston, K.A. Incontinence and the older woman. Clin Geriatr Med. 1993 Feb; 9: 157-171
- 10643 Howard, D., Delancey, J. O., Tunn, R., Ashton-Miller, J. A. Racial differences in the structure and function of the stress urinary continence mechanism. Obstet Gynecol. 2000 May; 95: 713-7
- 10662 Howard, D., Miller, J. M., Delancey, J. O., Ashton-Miller, J. A. Differential effects of cough, valsalva, and continence status on vesical neck movement. Obstet Gynecol. 2000 Apr; 95: 535-40
- 52770 Ho-Yin, P. L., Man-Wah, P., Shing-Kai, Y. Effects of aging on generic SF-36 quality of life measurements in Hong Kong Chinese women with urinary incontinence. Acta Obstet Gynecol Scand. 2003 Mar; 82: 275-9
- 10282 Hoyte, L., Fielding, J. R., Versi, E., Mamisch, C., Kolvenbach, C., Kikinis, R. Variations in levator ani volume and geometry in women: the application of MR based 3D reconstruction in evaluating pelvic floor dysfunction. Arch Esp Urol. 2001 Jul-Aug; 54: 532-9
- 59013 Hoyte, L., Jakab, M., Warfield, S. K., Shott, S., Flesh, G., Fielding, J. R. Levator ani thickness variations in symptomatic and asymptomatic women using magnetic resonance-based 3-dimensional color mapping. Am J Obstet Gynecol. 2004 Sep; 191: 856-61
- 10307 Hoyte, L., Schierlitz, L., Zou, K., Flesh, G., Fielding, J. R. Two- and 3-dimensional MRI comparison of levator ani structure, volume, and integrity in women with stress incontinence and prolapse. Am J Obstet Gynecol. 2001 Jul; 185: 11-9
- 41010 Hruby, G., Choo, R., Lehman, M., Herschorn, S., Kapusta, L. Female clear cell adenocarcinoma arising within a urethral diverticulum. Can J Urol. 2000 Dec; 7: 1160-3
- 40003 Hsieh, C. L., Sheu, C. F., Hsueh, I. P., Wang, C. H. Trunk control as an early predictor of comprehensive activities of daily living function in stroke patients. Stroke. 2002 Nov; 33: 2626-30
- 10406 Hsieh, G. C., Klutke, J. J., Kobak, W. H. Low valsalva leak-point pressure and success of retropubic urethropexy. Int Urogynecol J Pelvic Floor Dysfunct. 2001; 12: 46-50
- 41257 Hsu, J. W., Wang, Y. C., Lin, C. C., Bai, Y. M., Chen, J. Y., Chiu, H. J., Tsai, S. J., Hong, C. J. No evidence for association of alpha 1a adrenoceptor gene polymorphism and clozapine-induced urinary incontinence. Neuropsychobiology. 2000; 42: 62-5
- 40332 Hsu, T. H., Rackley, R. R., Abdelmalak, J. B., Madjar, S., Vasavada, S. P. Novel technique for combined repair of postirradiation vesicovaginal fistula and augmentation ileocystoplasty. Urology. 2002 Apr; 59: 597-9
- 10807 Hsu, T. H., Rackley, R. R., Appell, R. A. The supine stress test: a simple method to detect intrinsic urethral sphincter dysfunction. J Urol. 1999 Aug; 162: 460-3

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 44907 Hu, T. W., Kaltreider, D. L., Igou, J. F., Yu, L. C., Rohner, T. J. Cost effectiveness of training incontinent elderly in nursing homes: a randomized clinical trial. *Health Serv Res.* 1990 Aug; 25: 455-77
- 52220 Hu, T. W., Wagner, T. H., Bentkover, J. D., LeBlanc, K., Piantentini, A., Stewart, W. F., Corey, R., Zhou, S. Z., Hunt, T. L. Estimated economic costs of overactive bladder in the United States. *Urology.* 2003 Jun; 61: 1123-8
- 4153 Hu, T.W. Impact of urinary incontinence on health-care costs. *J Am Geriatr Soc.* 1990 Mar; 38: 292-295
- 4182 Hu, T.W., Kaltreider, D.L., and Igou, J. The cost-effectiveness of disposable versus reusable diapers. A controlled experiment in a nursing home. *J Gerontol Nurs.* 1990 Feb; 16: 19-24
- 3974 Hu, T.W., Kaltreider, D.L., Igou, J.F., Yu, L.C., and Rohner, T.J. Cost effectiveness of training incontinent elderly in nursing homes: a randomized clinical trial. *Health Serv Res.* 1990 Aug; 25: 455-477
- 51400 Huang, C. R., Sun, N., Wei-ping,, Xie, H. W., Hwang, A. H., Hardy, B. E. The management of old urethral injury in young girls: analysis of 44 cases. *J Pediatr Surg.* 2003 Sep; 38: 1329-32
- 51540 Huang, K. H., Kung, F. T., Liang, H. M., Huang, L. Y., Chang, S. Y. Concomitant surgery with tension-free vaginal tape. *Acta Obstet Gynecol Scand.* 2003 Oct; 82: 948-53
- 59145 Huang, W. C., Yang, J. M. Anatomic comparison between laparoscopic and open Burch colposuspension for primary stress urinary incontinence. *Urology.* 2004 Apr; 63: 676-81; discussion 681
- 52610 Huang, W. C., Yang, J. M. Bladder neck funneling on ultrasound cystourethrography in primary stress urinary incontinence: a sign associated with urethral hypermobility and intrinsic sphincter deficiency. *Urology.* 2003 May; 61: 936-41
- 53720 Huang, W. C., Yang, J. M. Sonographic appearance of a bladder calculus secondary to a suture from a bladder neck suspension. *J Ultrasound Med.* 2002 Nov; 21: 1303-5
- 10223 Huang, Y. H., Lin, A. T., Chen, K. K., Pan, C. C., Chang, L. S. High failure rate using allograft fascia lata in pubovaginal sling surgery for female stress urinary incontinence. *Urology.* 2001 Dec; 58: 943-6
- 11834 Hubner, W. A., Trigo-Rocha, F., Plas, E. G., Tanagho, E. A. Urethral function after cystectomy: a canine in vivo experiment. *Urol Res.* 1993 Jan; 21: 45-8
- 11558 Huddleston, H. T., Dunnihoo, D. R., Huddleston, P. M., 3rd, Meyers, P. C., Sr Magnetic resonance imaging of defects in DeLancey's vaginal support levels I, II, and III. *Am J Obstet Gynecol.* 1995 Jun; 172: 1778-82; discussion 1782-4
- 11958 Huddleston, H. T., Dunnihoo, D. R., Otterson, W. O. Digital augmentation during repair for a paravaginal defect. *Surg Gynecol Obstet.* 1991 Aug; 173: 157
- 3585 Huddleston, H.T., Dunnihoo, D.R., and Otterson, W.O. Digital augmentation during repair for a paravaginal defect. *Surg Gynecol Obstet.* 1991 Aug; 173: 157
- 10823 Hudson, A., Jones, L. R., Weber, M. T. Adult survivors of childhood sexual abuse as patients: two case studies. *J Wound Ostomy Continence Nurs.* 1999 Mar; 26: 60-6
- 51450 Huggins, M. E., Bhatia, N. N., Ostergard, D. R. Urinary incontinence: newer pharmacotherapeutic trends. *Curr Opin Obstet Gynecol.* 2003 Oct; 15: 419-27
- 42358 Hulbert, W. C., Rabinowitz, R. Prenatal diagnosis of duplex system hydronephrosis: effect on renal salvage. *Urology.* 1998 May; 51: 23-6
- 52980 Hulens, M., Vansant, G., Claessens, A. L., Lysens, R., Muls, E. Predictors of 6-minute walk test results in lean, obese and morbidly obese women. *Scand J Med Sci Sports.* 2003 Apr; 13: 98-105
- 40139 Hullfish, K. L., Bovbjerg, V. E., Gibson, J., Steers, W. D. Patient-centered goals for pelvic floor dysfunction surgery: what is success, and is it achieved?. *Am J Obstet Gynecol.* 2002 Jul; 187: 88-92
- 54360 Hulthen de Medina, V., Mellstam, L., Amark, P., Frenckner, B. Neurovesical dysfunction in children after surgery for high or intermediate anorectal malformations. *Acta Paediatr.* 2004 Jan; 93: 43-6
- 41360 Hunskaar, S. Fluctuations in lower urinary tract symptoms in women. Reassurance and watchful waiting can prevent overtreatment. *BMJ.* 2000 May 27; 320: 1418-9



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 3410 Hunskaar, S. One hundred and fifty men with urinary incontinence. I. Demography and medical history. Scand J Prim Health Care. 1992 Mar; 10: 21-25
- 3409 Hunskaar, S. One hundred and fifty men with urinary incontinence. II. Help seeking and self care. Scand J Prim Health Care. 1992 Mar; 10: 26-29
- 41139 Hunskaar, S., Arnold, E. P., Burgio, K., Diokno, A. C., Herzog, A. R., Mallett, V. T. Epidemiology and natural history of urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct. 2000; 11: 301-19
- 55270 Hunskaar, S., Burgio, K., Diokno, A., Herzog, A. R., Hjalmas, K., Lapitan, M. C. Epidemiology and natural history of urinary incontinence in women. Urology. 2003 Oct; 62: 16-23
- 50320 Hunskaar, S., Lose, G., Sykes, D., Voss, S. The prevalence of urinary incontinence in women in four European countries. BJU Int. 2004 Feb; 93: 324-30
- 43084 Hunskaar, S., Seim, A., Freeman, T. The journey of incontinent women from community to university clinic; implications for selection bias, gatekeeper function, and primary care. Fam Pract. 1996 Aug; 13: 363-8
- 11990 Hunskaar, S., Vinsnes, A. The quality of life in women with urinary incontinence as measured by the sickness impact profile. J Am Geriatr Soc. 1991 Apr; 39: 378-82
- 3770 Hunskaar, S., Vinsnes, A. The quality of life in women with urinary incontinence as measured by the sickness impact profile [published erratum appears in J Am Geriatr Soc 1992 Sep;40(9):976-7]. J Am Geriatr Soc. 1991 Apr; 39: 378-382
- 44900 Hunt, G. M., Whitaker, R. H. A new device for self-catheterisation in wheelchair-bound women. Br J Urol. 1990 Aug; 66: 162-3
- 4050 Hunt, G.M. Open spina bifida: outcome for a complete cohort treated unselectively and followed into adulthood. Dev Med Child Neurol. 1990 Feb; 32: 108-118
- 55240 Hunter, S., Anderson, J., Hanson, D., Thompson, P., Langemo, D., Klug, M. G. Clinical trial of a prevention and treatment protocol for skin breakdown in two nursing homes. J Wound Ostomy Continence Nurs. 2003 Sep; 30: 250-8
- 41767 Hurley, R. A., Bradley, W. G., Jr, Latifi, H. T., Taber, K. H. Normal pressure hydrocephalus: significance of MRI in a potentially treatable dementia. J Neuropsychiatry Clin Neurosci. 1999 Summer; 11: 297-300
- 41224 Hurley, R. M., Harris, D., Shepherd, R. R. Incontinence in myelodysplasia: imipramine hydrochloride revisited. Clin Pediatr (Phila). 2000 Aug; 39: 489-91
- 41262 Husain, A., Curtin, J., Brown, C., Chi, D., Hoskins, W., Poynor, E., Alektiar, K., Barakat, R. Continent urinary diversion and low-rectal anastomosis in patients undergoing exenterative procedures for recurrent gynecologic malignancies. Gynecol Oncol. 2000 Aug; 78: 208-11
- 43525 Husmann, D. A., Ewalt, D. H., Glenski, W. J., Bernier, P. A. Ureterocele associated with ureteral duplication and a nonfunctioning upper pole segment: management by partial nephroureterectomy alone. J Urol. 1995 Aug; 154: 723-6
- 41912 Husmann, D. A., Vandersteen, D. R., McLorie, G. A., Churchill, B. M. Urinary continence after staged bladder reconstruction for cloacal exstrophy: the effect of coexisting neurological abnormalities on urinary continence. J Urol. 1999 May; 161: 1598-602
- 4021 Husmann, D.A., McLorie, G.A., and Churchill, B.M. Factors predisposing to renal scarring: following staged reconstruction of classical bladder exstrophy. J Pediatr Surg. 1990 May; 25: 500-504
- 4004 Husmann, D.A., Wilson, W.T., Boone, T.B., and Allen, T.D. Prostatomembranous urethral disruptions: management by suprapubic cystostomy and delayed urethroplasty. J Urol. 1990 Jul; 144: 76-78
- 40972 Husmann, O. A., Cain, M. P. Fecal and urinary continence after ileal cecal cystoplasty for the neurogenic bladder. J Urol. 2001 Mar; 165: 922-5
- 10398 Hutchings, A., Black, N. A. Surgery for stress incontinence: a non-randomised trial of colposuspension, needle suspension and anterior colporrhaphy. Eur Urol. 2001 Apr; 39: 375-82

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10924** Hutchings, A., Griffiths, J., Black, N. A. Surgery for stress incontinence: factors associated with a successful outcome. *Br J Urol*. 1998 Nov; 82: 634-41
- 43025** Hutchinson, S., Leger-Krall, S., Skodol Wilson, H. Toileting: a biobehavioral challenge in Alzheimer's dementia care. *J Gerontol Nurs*. 1996 Oct; 22: 18-27
- 40312** Hvidman, L., Foldspang, A., Mommsen, S., Bugge Nielsen, J. Does urinary incontinence occurrence depend on the menstrual cycle phase?. *Acta Obstet Gynecol Scand*. 2002 Apr; 81: 347-50
- 57170** Hvidman, L., Foldspang, A., Mommsen, S., Bugge Nielsen, J. Menstrual cycle, female hormone use and urinary incontinence in premenopausal women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Feb; 14: 56-61; discussion 61
- 56490** Hvidman, L., Foldspang, A., Mommsen, S., Nielsen, J. B. Postpartum urinary incontinence. *Acta Obstet Gynecol Scand*. 2003 Jun; 82: 556-63
- 3151** Hwang, Y.M., Lee, M.C., Suh, D.C., and Lee, W.Y. Coxiella (Q fever)-associated myelopathy. *Neurology*. 1993 Feb; 43: 338-342
- 44360** Hyams, G., McCoull, K., Smith, P. S., Tyrer, S. P. Behavioural continence training in mental handicap: a 10-year follow-up study. *J Intellect Disabil Res*. 1992 Dec; 36 ( Pt 6): 551-8
- 3191** Hyams, G., McCoull, K., Smith, P.S., and Tyrer, S.P. Behavioural continence training in mental handicap: a 10-year follow-up study. *J Intellect Disabil Res*. 1992 Dec; 36: 551-558
- 3638** Hyland, N. Continence--training for success. *Nurs Times*. 1991 Aug 7-13; 87: 60,62
- 41603** Hyman, N. Endoanal advancement flap repair for complex anorectal fistulas. *Am J Surg*. 1999 Oct; 178: 337-40
- 3975** Ibrahim, M.E. Reconstruction of bladder neck-posterior urethral region in patients with complete epispadias. *Int Urol Nephrol*. 1990; 22: 61-65
- 44177** Igawa, Y., Mattiasson, A., Andersson, K. E. Effects of GABA-receptor stimulation and blockade on micturition in normal rats and rats with bladder outflow obstruction. *J Urol*. 1993 Aug; 150: 537-42
- 44013** Igawa, Y., Mattiasson, A., Andersson, K. E. Micturition and premicturition contractions in unanesthetized rats with bladder outlet obstruction. *J Urol*. 1994 Jan; 151: 244-9
- 44166** Igawa, Y., Westerling, D., Mattiasson, A., Andersson, K. E. Effects of morphine metabolites on micturition in normal, unanaesthetized rats. *Br J Pharmacol*. 1993 Sep; 110: 257-62
- 11079** Iglesia, C. B., Shott, S., Fenner, D. E., Brubaker, L. Effect of preoperative voiding mechanism on success rate of autologous rectus fascia suburethral sling procedure. *Obstet Gynecol*. 1998 Apr; 91: 577-81
- 50940** Iglesias, X., Espuna, M. Surgical treatment of urinary stress incontinence using a method for postoperative adjustment of sling tension (Remeex System). *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Nov; 14: 326-30; discussion 330
- 10566** Ilbey, O., Apaydin, E., Gursan, A., Cikili, N. Bladder leiomyoma: a rare cause of urinary stress incontinence. *Arch Ital Urol Androl*. 2000 Jun; 72: 85-7
- 11765** Iliev, V. N., Jelovsek, F. R. Urodynamics in female incontinence: basic testing. *J Tenn Med Assoc*. 1993 Nov; 86: 487-90
- 44385** Iliffe, S., Tai, S. S., Haines, A., Gallivan, S., Goldenberg, E., Booroff, A., Morgan, P. Are elderly people living alone an at risk group?. *BMJ*. 1992 Oct 24; 305: 1001-4
- 3216** Iliffe, S., Tai, S.S., Haines, A., Gallivan, S., Goldenberg, E., Booroff, A., and Morgan, P. Are elderly people living alone an at risk group?. *Brmj*. 1992 Oct 24; 305: 1001-1004
- 52730** Ilker, Y., Tarcan, T., Ozveren, B., Yildirim, A. Anterior urethropexy according to lapides: how effective is it in the treatment of genuine female stress incontinence?. *Arch Esp Urol*. 2003 Jan-Feb; 56: 95-9
- 10411** Indrekvam, S., Fosse, O. A., Hunskaar, S. A Norwegian national cohort of 3198 women treated with home-managed electrical stimulation for urinary incontinence--demography and medical history. *Scand J Urol Nephrol*. 2001 Feb; 35: 26-31



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 51260 Indrekvam, S., Hunskar, S. Home electrical stimulation for urinary incontinence: a study of the diffusion of a new technology. *Urology*. 2003 Oct; 62: 24-30
- 40892 Indrekvam, S., Sandvik, H., Hunskar, S. A Norwegian national cohort of 3198 women treated with home-managed electrical stimulation for urinary incontinence--effectiveness and treatment results. *Scand J Urol Nephrol*. 2001 Feb; 35: 32-9
- 43731 Infantino, A., Masin, A., Melega, E., Dodi, G., Lise, M. Does surgery resolve outlet obstruction from rectocele?. *Int J Colorectal Dis*. 1995; 10: 97-100
- 11927 Iosif, C. S. Effects of protracted administration of estriol on the lower genito urinary tract in postmenopausal women. *Arch Gynecol Obstet*. 1992; 251: 115-20
- 11439 Iosif, C. S. Laparoscopic surgery for stress urinary incontinence. *Urol Int*. 1996; 57: 180-4
- 11275 Iqbal, P., Castleden, C. M. Management of urinary incontinence in the elderly. *Gerontology*. 1997; 43: 151-7
- 3551 Irvine, L. Paving the way to self-control. Maintaining continence in elderly people. *Prof Nurse*. 1991 Nov; 7: 94-97
- 44339 Isambert, J. L., Egon, G., Colombel, P. Adjuvant drug therapy: a review of 30 cases of sacral anterior root stimulator. *Neurourol Urodyn*. 1993; 12: 513-5
- 41991 Iselin, C. E., Webster, G. D. Office management of female urinary incontinence. *Urol Clin North Am*. 1998 Nov; 25: 625-45, ix
- 10565 Isherwood, P. J., Rane, A. Comparative assessment of pelvic floor strength using a perineometer and digital examination. *BJOG*. 2000 Aug; 107: 1007-11
- 42928 Ishigooka, M., Hashimoto, T., Hayami, S., Suzuki, Y., Izumi, T., Nakada, T. Ice water test in patients with overactive bladder due to cerebrovascular accidents and bladder outlet obstruction. *Urol Int*. 1997; 58: 84-7
- 3046 Ishigooka, M., Hashimoto, T., Izumiya, K., Katoh, T., Yaguchi, H., Nakada, T., Handa, Y., and Hoshimiya, N. Electrical pelvic floor stimulation in the management of urinary incontinence due to neuropathic overactive bladder. *Front Med Biol Eng*. 1993; 5: 1-10
- 44331 Ishigooka, M., Hashimoto, T., Izumiya, K., Katoh, T., Yaguchi, H., Nakada, T., Handa, Y., Hoshimiya, N. Electrical pelvic floor stimulation in the management of urinary incontinence due to neuropathic overactive bladder. *Front Med Biol Eng*. 1993; 5: 1-10
- 3109 Ishigooka, M., Hashimoto, T., Izumiya, K., Kodama, C., and Nakada, T. Membranous lipodystrophy (Nasu's disease): a rare cause of neuropathic urinary incontinence. *Urol Int*. 1993; 50: 179-181
- 44338 Ishigooka, M., Hashimoto, T., Izumiya, K., Sasagawa, I., Nakada, T. Incidence of anal incontinence after long-term follow-up of patients treated by ureterosigmoidostomy. *Int Urol Nephrol*. 1993; 25: 455-60
- 3063 Ishigooka, M., Hashimoto, T., Sasagawa, I., Nakada, T., and Handa, Y. Technique of percutaneous electrode implantation for electrical pelvic floor stimulation. *Eur Urol*. 1993; 23: 413-416
- 43868 Ishigooka, M., Hashimoto, T., Sasagawa, I., Nakada, T., Handa, Y. Electrical pelvic floor stimulation by percutaneous implantable electrode. *Br J Urol*. 1994 Aug; 74: 191-4
- 44301 Ishigooka, M., Hashimoto, T., Sasagawa, I., Nakada, T., Handa, Y. Technique of percutaneous electrode implantation for electrical pelvic floor stimulation. *Eur Urol*. 1993; 23: 413-6
- 3263 Ishigooka, M., Ishii, N., Hashimoto, T., Suzuki, Y., Adachi, M., Nakada, T., Saito, C., Ichie, M., and Handa, Y. Electrical stimulation of pelvic floor musculature by percutaneous implantable electrodes: a case report. *Int Urol Nephrol*. 1992; 24: 277-282
- 42497 Ishigooka, M., Suzuki, Y., Hashimoto, T., Sasagawa, I., Nakada, T., Handa, Y. A new technique for sacral nerve stimulation: a percutaneous method for urinary incontinence caused by spinal cord injury. *Br J Urol*. 1998 Feb; 81: 315-8
- 10827 Ishikawa, N., Suda, S., Sasaki, T., Yamanishi, T., Hosaka, H., Yasuda, K., Ito, H. Development of a non-invasive treatment system for urinary incontinence using a functional continuous magnetic stimulator (FCMS). *Med Biol Eng Comput*. 1998 Nov; 36: 704-10

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10664 Ishiko, O., Hirai, K., Sumi, T., Nishimura, S., Ogita, S. The urinary incontinence score in the diagnosis of female urinary incontinence. *Int J Gynaecol Obstet.* 2000 Feb; 68: 131-7
- 10402 Ishiko, O., Hirai, K., Sumi, T., Tatsuta, I., Ogita, S. Hormone replacement therapy plus pelvic floor muscle exercise for postmenopausal stress incontinence. A randomized, controlled trial. *J Reprod Med.* 2001 Mar; 46: 213-20
- 10613 Ishiko, O., Sumi, T., Hirai, K., Ogita, S. Classification of female urinary incontinence by the scored incontinence questionnaire. *Int J Gynaecol Obstet.* 2000 Jun; 69: 255-60
- 10528 Ishiko, O., Ushiroyama, T., Saji, F., Mitsuhashi, Y., Tamura, T., Yamamoto, K., Kawamura, Y., Ogita, S. beta(2)-adrenergic agonists and pelvic floor exercises for female stress incontinence. *Int J Gynaecol Obstet.* 2000 Oct; 71: 39-44
- 40318 Ishizuka, O., Gu, B., Igawa, Y., Nishizawa, O., Pehrson, R., Andersson, K. E. Role of supraspinal serotonin receptors for micturition in normal conscious rats. *Neurourol Urodyn.* 2002; 21: 225-30
- 43837 Ishizuka, O., Igawa, Y., Lecci, A., Maggi, C. A., Mattiasson, A., Andersson, K. E. Role of intrathecal tachykinins for micturition in unanaesthetized rats with and without bladder outlet obstruction. *Br J Pharmacol.* 1994 Sep; 113: 111-6
- 42758 Ishizuka, O., Pandita, R. K., Mattiasson, A., Steers, W. D., Andersson, K. E. Stimulation of bladder activity by volume, L-dopa and capsaicin in normal conscious rats--effects of spinal alpha 1-adrenoceptor blockade. *Naunyn Schmiedebergs Arch Pharmacol.* 1997 Jun; 355: 787-93
- 59351 Ishunina, T. A., Kamphorst, W., Swaab, D. F. Metabolic alterations in the hypothalamus and basal forebrain in vascular dementia. *J Neuropathol Exp Neurol.* 2004 Dec; 63: 1243-54
- 42374 Iskandar, B. J., Fulmer, B. B., Hadley, M. N., Oakes, W. J. Congenital tethered spinal cord syndrome in adults. *J Neurosurg.* 1998 Jun; 88: 958-61
- 10293 Iskander, M. N., Kapoor, D. Pregnancy following tension-free vaginal taping. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 199-200
- 51420 Iskander, M. N., Kapoor, D. S., Mohammed, A. Subjective outcomes of the TVT procedure. *Int J Gynaecol Obstet.* 2003 Oct; 83: 69-70
- 10023 Iskander, M. N., Kent, A. Re: Zilbert AW, Farrell SA. External iliac artery laceration during tension free vaginal tape procedure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 274
- 10128 Iskander, M. N., Kent, A. Zilbert AW, Farrell SA. External iliac artery laceration during tension- free vaginal tape procedure. *Int Urogynecol J* 2001; 12:141-143. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 59; discussion 59
- 43803 Ismael, N. N. A study on the menopause in Malaysia. *Maturitas.* 1994 Oct; 19: 205-9
- 10622 Ismael, S. S., Amarenco, G., Bayle, B., Kerdraon, J. Postpartum lumbosacral plexopathy limited to autonomic and perineal manifestations: clinical and electrophysiological study of 19 patients. *J Neurol Neurosurg Psychiatry.* 2000 Jun; 68: 771-3
- 41199 Ismael, S. S., Epstein, T., Bayle, B., Denys, P., Amarenco, G. Bladder cooling reflex in patients with multiple sclerosis. *J Urol.* 2000 Oct; 164: 1280-4
- 41149 Isozaki, E., Matsubara, S., Hayashida, T., Oda, M., Hirai, S. Morphometric study of nucleus ambiguus in multiple system atrophy presenting with vocal cord abductor paralysis. *Clin Neuropathol.* 2000 Sep-Oct; 19: 213-20
- 43838 Isshi, K., Hirohata, S., Hashimoto, T., Miyashita, H. Systemic lupus erythematosus presenting with diffuse low density lesions in the cerebral white matter on computed axial tomography scans: its implication in the pathogenesis of diffuse central nervous system lupus. *J Rheumatol.* 1994 Sep; 21: 1758-62
- 44052 Itoh, H., Morikawa, A., Makino, I. Urinary bladder dysfunction in spontaneously diabetic Chinese hamsters. *Diabetes Res Clin Pract.* 1994 Jan; 22: 163-70
- 3193 Ivey, J.F. Understanding and evaluating chronic urinary incontinence. *J Fla Med Assoc.* 1992 Dec; 79: 823-827

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 40482** Jabs, C. F., Drutz, H. P. The role of intraoperative cystoscopy in prolapse and incontinence surgery. *Am J Obstet Gynecol.* 2001 Dec; 185: 1368-71; discussion 1372-3
- 40886** Jabs, C. F., Stanton, S. L. Urge incontinence and detrusor instability. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 58-68
- 41624** Jackson, A. B., Wadley, V. A multicenter study of women's self-reported reproductive health after spinal cord injury. *Arch Phys Med Rehabil.* 1999 Nov; 80: 1420-8
- 43863** Jackson, N. D. Non-surgical treatment of female incontinence. *R I Med.* 1994 Aug; 77: 273-4
- 59064** Jackson, R. A., Vittinghoff, E., Kanaya, A. M., Miles, T. P., Resnick, H. E., Kritchevsky, S. B., Simonsick, E. M., Brown, J. S. Urinary incontinence in elderly women: findings from the Health, Aging, and Body Composition Study. *Obstet Gynecol.* 2004 Aug; 104: 301-7
- 11268** Jackson, S. Female urinary incontinence--symptom evaluation and diagnosis. *Eur Urol.* 1997; 32 Suppl 2: 20-4
- 42566** Jackson, S. The patient with an overactive bladder--symptoms and quality-of-life issues. *Urology.* 1997 Dec; 50: 18-22; discussion 23-4
- 42348** Jackson, S. L. Prevalence and natural history of female incontinence. *J Womens Health.* 1998 May; 7: 472-3
- 59346** Jackson, S. L., Boyko, E. J., Scholes, D., Abraham, L., Gupta, K., Fihn, S. D. Predictors of urinary tract infection after menopause: a prospective study. *Am J Med.* 2004 Dec 15; 117: 903-11
- 42066** Jackson, S. L., Hull, T. L. Fecal incontinence in women. *Obstet Gynecol Surv.* 1998 Dec; 53: 741-7; quiz 748-51
- 42854** Jackson, S. L., Weber, A. M., Hull, T. L., Mitchinson, A. R., Walters, M. D. Fecal incontinence in women with urinary incontinence and pelvic organ prolapse. *Obstet Gynecol.* 1997 Mar; 89: 423-7
- 43160** Jackson, S., Donovan, J., Brookes, S., Eckford, S., Swithinbank, L., Abrams, P. The Bristol Female Lower Urinary Tract Symptoms questionnaire: development and psychometric testing. *Br J Urol.* 1996 Jun; 77: 805-12
- 10151** Jackson, S., James, M., Abrams, P. The effect of oestradiol on vaginal collagen metabolism in postmenopausal women with genuine stress incontinence. *BJOG.* 2002 Mar; 109: 339-44
- 10792** Jackson, S., Shepherd, A., Brookes, S., Abrams, P. The effect of oestrogen supplementation on post-menopausal urinary stress incontinence: a double-blind placebo-controlled trial. *Br J Obstet Gynaecol.* 1999 Jul; 106: 711-8
- 42407** Jacobs, M., Wyman, J. F., Rowell, P., Smith, D. A. Continence nurses: a survey of who they are and what they do. *Urol Nurs.* 1998 Mar; 18: 13-20
- 10724** Jacoby, K., Rowbotham, R. K. Double balloon positive pressure urethrography is a more sensitive test than voiding cystourethrography for diagnosing urethral diverticulum in women. *J Urol.* 1999 Dec; 162: 2066-9
- 10881** Jacome, E. G., Tintera, G., Mattox, F. T. Laparoscopic Burch urethropepy in a private clinical practice. *J Am Assoc Gynecol Laparosc.* 1999 Feb; 6: 39-44
- 40640** Jacquetin, B., Wyndaele, J. Tolterodine reduces the number of urge incontinence episodes in patients with an overactive bladder. *Eur J Obstet Gynecol Reprod Biol.* 2001 Sep; 98: 97-102
- 41958** Jacquot, J. M., Finiels, H., Fardjad, S., Belhassen, S., Leroux, J. L., Pelissier, J. Neurological complications in insufficiency fractures of the sacrum. Three case-reports. *Rev Rhum Engl Ed.* 1999 Feb; 66: 109-14
- 43530** Jain, P., Parada, J. P., David, A., Smith, L. G. Overuse of the indwelling urinary tract catheter in hospitalized medical patients. *Arch Intern Med.* 1995 Jul 10; 155: 1425-9
- 44199** Jakobsen, H., Kromann-Andersen, B., Nielsen, K. K., Maegaard, E. Pad weighing tests with 50% or 75% bladder filling. Does it matter?. *Acta Obstet Gynecol Scand.* 1993 Jul; 72: 377-81
- 3035** Jakobsen, H., Kromann-Andersen, B., Nielsen, K.K., and Maegaard, E. Pad weighing tests with 50% or 75% bladder filling. Does it matter?. *Acta Obstet Gynecol Scand.* 1993 Jul; 72: 377-381
- 11020** James, M., Abrams, P., Gujral, S. Impact of surgery for stress incontinence on morbidity. Patients should be told hospital results and allowed to choose where they want surgery. *BMJ.* 1998 Jul 11; 317: 143; discussion 144

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10702 James, M., Jackson, S., Shepherd, A., Abrams, P. Pure stress leakage symptomatology: is it safe to discount detrusor instability?. *Br J Obstet Gynaecol.* 1999 Dec; 106: 1255-8
- 43173 James, W. H. Smoke them out. *Nature.* 1996 May 30; 381: 363
- 56380 Jameson, M. B., Thompson, P. I., Baguley, B. C., Evans, B. D., Harvey, V. J., Porter, D. J., McCrystal, M. R., Small, M., Bellenger, K., Gumbrell, L., Halbert, G. W., Kestell, P. Clinical aspects of a phase I trial of 5,6-dimethylxanthenone-4-acetic acid (DMXAA), a novel antivasular agent. *Br J Cancer.* 2003 Jun 16; 88: 1844-50
- 11565 Janknegt, R. A. Minimal prerequisites to operate a stress-incontinent woman. *Acta Urol Belg.* 1995 May; 63: 37-8
- 41417 Janknegt, R. A. Urinary incontinence: pathophysiology, diagnosis and treatment in clinical (neuro-)urological practice of patients with Chronic Impairment of Voiding and Continence Activities (CIVCA). *Arch Physiol Biochem.* 1999 Jul; 107: 189-94
- 40981 Janknegt, R. A., Hassouna, M. M., Siegel, S. W., Schmidt, R. A., Gajewski, J. B., Rivas, D. A., Elhilali, M. M., Milam, D. C., van Kerrebroeck, P. E., Dijkema, H. E., Lycklama, a., Nyeholt AA, Fall, M., Jonas, U., Catanzaro, F., Fowler, C. J Long-term effectiveness of sacral nerve stimulation for refractory urge incontinence. *Eur Urol.* 2001 Jan; 39: 101-6
- 43426 Janknegt, R. A., Heesakkers, J. P., Weil, E. H., Baeten, C. G. Electrically stimulated gracilis sphincter (dynamic graciloplasty) for treatment of intrinsic sphincter deficiency: a pilot study on feasibility and side effects. *J Urol.* 1995 Nov; 154: 1830-3
- 42837 Janknegt, R. A., Weil, E. H., Eerdmans, P. H. Improving neuromodulation technique for refractory voiding dysfunctions: two-stage implant. *Urology.* 1997 Mar; 49: 358-62
- 3236 Janknegt, R.A., Baeten, C.G., Weil, E.H., and Spaans, F. Electrically stimulated gracilis sphincter for treatment of bladder sphincter incontinence. *Lancet.* 1992 Nov 7; 340: 1129-1130
- 57270 Janschek, E. C., Hohlagschwandtner, M., Nather, A., Schindl, M., Joura, E. A. A study of non-closure of the peritoneum at vaginal hysterectomy. *Arch Gynecol Obstet.* 2003 Feb; 267: 213-6
- 10446 Janssen, C. C., Lagro-Janssen, A. L., Felling, A. J. The effects of physiotherapy for female urinary incontinence: individual compared with group treatment. *BJU Int.* 2001 Feb; 87: 201-6
- 11125 Janssens, L. A., Peeters, S. Comparisons between stress incontinence in women and sphincter mechanism incompetence in the female dog. *Vet Rec.* 1997 Dec 13; 141: 620-5
- 10297 Jarmy-Di Bella, Z. I., Girao, M. J., Sartori, M. F., Di Bella Junior, V., Lederman, H. M., Baracat, E. C., Lima, G. R. Power Doppler of the urethra in continent or incontinent, pre- and postmenopausal women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 148-154; discussion 154-5
- 11278 Jarolim, L., Babjuk, M., Hanus, T., Jansky, M., Skrivanova, V. Female urethra-sparing cystectomy and orthotopic bladder replacement. *Eur Urol.* 1997; 31: 173-7
- 10510 Jarolim, L., Babjuk, M., Pecher, S. M., Grim, M., Nanka, O., Tichy, M., Hanus, T., Jansky, M. Causes and treatment of residual urine volume after orthotopic bladder replacement in women. *Eur Urol.* 2000 Dec; 38: 748-52
- 45075 Jarvelin, M. R., Huttunen, N. P., Seppanen, J., Seppanen, U., Moilanen, I. Screening of urinary tract abnormalities among day and nightwetting children. *Scand J Urol Nephrol.* 1990; 24: 181-9
- 3880 Jarvelin, M.R., Huttunen, N.P., Seppanen, J., Seppanen, U., and Moilanen, I. Screening of urinary tract abnormalities among day and nightwetting children. *Scand J Urol Nephrol.* 1990; 24: 181-189
- 11691 Jarvis, G. J. Surgery for genuine stress incontinence. *Br J Obstet Gynaecol.* 1994 May; 101: 371-4
- 10586 Jarvis, G. J. Surgery for urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol.* 2000 Apr; 14: 315-34
- 44262 Jarvis, G. J. Urinary incontinence in the community. *BMJ.* 1993 Mar 27; 306: 809-10
- 3175 Jarvis, G.J. Re: Erosion of buttress following bladder neck suspension [letter]. *Br J Urol.* 1992 Dec; 70: 695
- 3084 Jarvis, G.J. Urinary incontinence in the community [editorial; comment]. *Bmj.* 1993 Mar 27; 306: 809-810

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 3369 Jaureguizar, E., Pereira, L. Structural incontinence. Scand J Urol Nephrol Suppl. 1992; 141: 20-5;discussion26-7
- 41707 Jawad, S. H., Ward, A. B., Jones, P. Study of the relationship between premorbid urinary incontinence and stroke functional outcome. Clin Rehabil. 1999 Oct; 13: 447-52
- 41530 Jawaheer, G., Rangecroft, L. The Pippi Salle procedure for neurogenic urinary incontinence in childhood: a three-year experience. Eur J Pediatr Surg. 1999 Dec; 9 Suppl 1: 9-11
- 42086 Jay, J., Staskin, D. Urinary Incontinence in Women. Adv Nurse Pract. 1998 Oct; 6: 32-7
- 42667 Jayanthi, V. R., Churchill, B. M., Khoury, A. E., McLorie, G. A. Bilateral single ureteral ectopia: difficulty attaining continence using standard bladder neck repair. J Urol. 1997 Nov; 158: 1933-6
- 43522 Jayanthi, V. R., Churchill, B. M., McLorie, G. A., Khoury, A. E. Concomitant bladder neck closure and Mitrofanoff diversion for the management of intractable urinary incontinence. J Urol. 1995 Aug; 154: 886-8
- 40311 Jayne, D. G., Botterill, I., Ambrose, N. S., Brennan, T. G., Guillou, P. J., O'Riordain, D. S. Randomized clinical trial of Ligasure versus conventional diathermy for day-case haemorrhoidectomy. Br J Surg. 2002 Apr; 89: 428-32
- 10234 Jeffry, L., Deval, B., Birsan, A., Soriano, D., Darai, E. Objective and subjective cure rates after tension-free vaginal tape for treatment of urinary incontinence. Urology. 2001 Nov; 58: 702-6
- 59375 Jenkins, K. R., Fultz, N. H. Functional impairment as a risk factor for urinary incontinence among older Americans. NeuroUrol Urodyn. 2005; 24: 51-5
- 11134 Jenkins, V. R., 2nd Uterosacral ligament fixation for vaginal vault suspension in uterine and vaginal vault prolapse. Am J Obstet Gynecol. 1997 Dec; 177: 1337-43; discussion 1343-4
- 11440 Jensen, D., Stien, R. The importance of complex repetitive discharges in the striated female urethral sphincter and the male bulbocavernosus muscle. Scand J Urol Nephrol Suppl. 1996; 179: 69-73
- 4173 Jensen, H., Nielsen, K., and Frimodt-Moller, C. Abacterial cystitis in urinary incontinent females. Urol Int. 1990; 45: 20-24
- 45059 Jensen, H., Nielsen, K., Frimodt-Moller, C. Abacterial cystitis in urinary incontinent females. Urol Int. 1990; 45: 20-4
- 11689 Jensen, J. K., Nielsen, F. R., Jr, Ostergard, D. R. The role of patient history in the diagnosis of urinary incontinence. Obstet Gynecol. 1994 May; 83: 904-10
- 11328 Jensen, L. M., Aabech, J., Lundvall, F., Iversen, H. G. Female urethral diverticulum. Clinical aspects and a presentation of 15 cases. Acta Obstet Gynecol Scand. 1996 Sep; 75: 748-52
- 42120 Jensen, L. N., Gerstenberg, T., Kallestrup, E. B., Koefoed, P., Nordling, J., Nielsen, J. E. Urodynamic evaluation of patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p21-p24. J Neurol Neurosurg Psychiatry. 1998 Nov; 65: 693-6
- 40895 Jervis, L. L. The pollution of incontinence and the dirty work of caregiving in a U.S. nursing home. Med Anthropol Q. 2001 Mar; 15: 84-99
- 44849 Jessop, M. K. Urinary incontinence in the bitch. Vet Rec. 1990 Oct 27; 127: 436
- 3248 Jeter, K.F. A lifetime of incontinence [editorial]. Ostomy Wound Manage. 1992 Sep; 38: 45-6,48,50-1
- 4095 Jeter, K.F. Introduction for theme issue on urinary incontinence [editorial]. J Enterostomal Ther. 1990 Mar-Apr; 17: 43-44
- 3247 Jeter, K.F. Review of AHCPR urinary incontinence in adults: a patient's guide [letter]. Decubitus. 1992 Sep; 5: 8
- 4134 Jeter, K.F., Wagner, D.B. Incontinence in the American home. A survey of 36,500 people. J Am Geriatr Soc. 1990 Mar; 38: 379-383
- 10475 Jeyaseelan, S. M., Haslam, E. J., Winstanley, J., Roe, B. H., Oldham, J. A. An evaluation of a new pattern of electrical stimulation as a treatment for urinary stress incontinence: a randomized, double-blind, controlled trial. Clin Rehabil. 2000 Dec; 14: 631-40
- 44169 Jilek, R. Elderly toileting: is two hourly too often?. Nurs Stand. 1993 Aug 11-17; 7: 25-6



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40399 Jirovec, M. M., Jenkins, J., Isenberg, M., Baiardi, J. Urine control theory derived from Roy's conceptual framework. *Nurs Sci Q.* 1999 Jul; 12: 251-5
- 40919 Jirovec, M. M., Templin, T. Predicting success using individualized scheduled toileting for memory- impaired elders at home. *Res Nurs Health.* 2001 Feb; 24: 1-8
- 3504 Jirovec, M.M. Effect of individualized prompted toileting on incontinence in nursing home residents. *Appl Nurs Res.* 1991 Nov; 4: 188-191
- 3605 Jirovec, M.M. The impact of daily exercise on the mobility, balance and urine control of cognitively impaired nursing home residents. *Int J Nurs Stud.* 1991; 28: 145-151
- 3937 Jirovec, M.M., Wells, T.J. Urinary incontinence in nursing home residents with dementia: the mobility-cognition paradigm. *Appl Nurs Res.* 1990 Aug; 3: 112-117
- 42278 Jitapunkul, S., Hanvivadhanakul, P. Outcomes and predicting factors of mortality among newly admitted female medical inpatients. *J Med Assoc Thai.* 1998 Jul; 81: 491-6
- 42339 Jitapunkul, S., Khovidhunkit, W. Urinary incontinence in Thai elderly living in Klong Toey slum. *J Med Assoc Thai.* 1998 Mar; 81: 160-8
- 42653 Johannesson, M., O'Connor, R. M., Kobelt-Nguyen, G., Mattiasson, A. Willingness to pay for reduced incontinence symptoms. *Br J Urol.* 1997 Oct; 80: 557-62
- 41790 Johanson, R. B., Heycock, E., Carter, J., Sultan, A. H., Walklate, K., Jones, P. W. Maternal and child health after assisted vaginal delivery: five-year follow up of a randomised controlled study comparing forceps and ventouse. *Br J Obstet Gynaecol.* 1999 Jun; 106: 544-9
- 40508 Johanson, R., Newburn, M. Promoting normality in childbirth. *BMJ.* 2001 Nov 17; 323: 1142-3
- 30442 Johanson, R., Rigby, C., Jones, P. Democratic prioritization of maternity care: a rational basis for planning a clinical effectiveness programme. *J Public Health Med.* 2000 Dec; 22: 486-91
- 43078 Johansson, C., Hellstrom, L., Ekelund, P., Milsom, I. Urinary incontinence: a minor risk factor for hip fractures in elderly women. *Maturitas.* 1996 Aug; 25: 21-8
- 43208 Johansson, C., Molander, U., Milsom, I., Ekelund, P. Association between urinary incontinence and urinary tract infections, and fractures in postmenopausal women. *Maturitas.* 1996 Apr; 23: 265-71
- 41840 Johnson, C. Accentuate the positive. *Nurs Times.* 1999 May 5-11; 95: 81
- 44870 Johnson, D. E., Muncie, H. L., O'Reilly, J. L., Warren, J. W. An external urine collection device for incontinent women. Evaluation of long-term use. *J Am Geriatr Soc.* 1990 Sep; 38: 1016-22
- 51320 Johnson, D. W., ElHajj, M., OBrien-Best, E. L., Miller, H. J., Fine, P. M. Necrotizing fasciitis after tension-free vaginal tape (TVT) placement. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Oct; 14: 291-3
- 3924 Johnson, D.E., Muncie, H.L., O'Reilly, J.L., and Warren, J.W. An external urine collection device for incontinent women. Evaluation of long-term use. *J Am Geriatr Soc.* 1990 Sep; 38: 1016-1022
- 41153 Johnson, J. C., Jayadevappa, R., Baccash, P. D., Taylor, L. Nonspecific presentation of pneumonia in hospitalized older people: age effect or dementia?. *J Am Geriatr Soc.* 2000 Oct; 48: 1316-20
- 11917 Johnson, J. D., Lamensdorf, H., Hollander, I. N., Thurman, A. E. Use of transvaginal endosonography in the evaluation of women with stress urinary incontinence. *J Urol.* 1992 Feb; 147: 421-5
- 3161 Johnson, J.C. General concepts of geriatric medicine. *Clin Podiatr Med Surg.* 1993 Jan; 10: 23-33
- 3505 Johnson, J.D., Lamensdorf, H., Hollander, I.N., and Thurman, A.E. Use of transvaginal endosonography in the evaluation of women with stress urinary incontinence. *J Urol.* 1992 Feb; 147: 421-425
- 41517 Johnson, S. T. From incontinence to confidence. *Am J Nurs.* 2000 Feb; 100: 69-74, 76
- 41341 Johnson, T. M., 2nd, Bernard, S. L., Kincade, J. E., Defriese, G. H. Urinary incontinence and risk of death among community-living elderly people: results from the National Survey on Self-Care and Aging. *J Aging Health.* 2000 Feb; 12: 25-46

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42666** Johnson, T. M., 2nd, Busby-Whitehead, J. Diagnostic assessment of geriatric urinary incontinence. *Am J Med Sci.* 1997 Oct; 314: 250-6
- 41214** Johnson, T. M., 2nd, Kincade, J. E., Bernard, S. L., Busby-Whitehead, J., DeFries, G. H. Self-care practices used by older men and women to manage urinary incontinence: results from the national follow-up survey on self-care and aging. *J Am Geriatr Soc.* 2000 Aug; 48: 894-902
- 42333** Johnson, T. M., 2nd, Kincade, J. E., Bernard, S. L., Busby-Whitehead, J., Hertz-Picciotto, I., DeFries, G. H. The association of urinary incontinence with poor self-rated health. *J Am Geriatr Soc.* 1998 Jun; 46: 693-9
- 40634** Johnson, T. M., 2nd, Ouslander, J. G. The shifting impact of UI. *J Am Geriatr Soc.* 2001 Jul; 49: 998-9
- 10763** Johnson, T. M., 2nd, Ouslander, J. G. Urinary incontinence in the older man. *Med Clin North Am.* 1999 Sep; 83: 1247-66
- 40715** Johnson, T. M., Ouslander, J. G., Uman, G. C., Schnelle, J. F. Urinary incontinence treatment preferences in long-term care. *J Am Geriatr Soc.* 2001 Jun; 49: 710-8
- 10384** Johnson, V. Y. How the principles of exercise physiology influence pelvic floor muscle training. *J Wound Ostomy Continence Nurs.* 2001 May; 28: 150-5
- 11351** Johnson, V. Y., Hubbard, D., Vordermark, J. S. Urologic manifestations of postpolio syndrome. *J Wound Ostomy Continence Nurs.* 1996 Jul; 23: 218-23
- 11465** Jolic, V. Should Burch colposuspension be replaced by fibrin glue colpopexia in women with urinary stress incontinence?. *Zentralbl Gynakol.* 1996; 118: 236-8
- 11164** Jolic, V., Gilja, I. Vaginal vs. transabdominal ultrasonography in the evaluation of female urinary tract anatomy, stress urinary incontinence and pelvic organs static disturbances. *Zentralbl Gynakol.* 1997; 119: 483-91
- 11797** Jolleys, J. Urinary incontinence. *Practitioner.* 1993 Aug; 237: 630-3
- 44226** Jolleys, J. V., Wilson, J. V. Urinary incontinence. GPs lack confidence. *BMJ.* 1993 May 15; 306: 1344
- 3054** Jolleys, J.V., Wilson, J.V. Urinary incontinence. GPs lack confidence [letter]. *Brmj.* 1993 May 15; 306: 1344
- 10396** Jomaa, M. Combined tension-free vaginal tape and prolapse repair under local anaesthesia in patients with symptoms of both urinary incontinence and prolapse. *Gynecol Obstet Invest.* 2001; 51: 184-6
- 42919** Jonas, U., Hofner, K., Madersbacher, H., Holmdahl, T. H. Efficacy and safety of two doses of tolterodine versus placebo in patients with detrusor overactivity and symptoms of frequency, urge incontinence, and urgency: urodynamic evaluation. The International Study Group. *World J Urol.* 1997; 15: 144-51
- 3873** Jonasson, A., Larsson, B., Pschera, H., and Nylund, L. Short-term maximal electrical stimulation--a conservative treatment of urinary incontinence. *Gynecol Obstet Invest.* 1990; 30: 120-123
- 12111** Jonasson, A., Larsson, B., Pschera, H., Nylund, L. Short-term maximal electrical stimulation--a conservative treatment of urinary incontinence. *Gynecol Obstet Invest.* 1990; 30: 120-3
- 42072** Jones, F. The accuracy of predicting functional recovery in patients following a stroke, by physiotherapists and patients. *Physiother Res Int.* 1998; 3: 244-56
- 44229** Jones, J. A., Mitchell, M. E., Rink, R. C. Improved results using a modification of the Young-Dees-Leadbetter bladder neck repair. *Br J Urol.* 1993 May; 71: 555-61
- 43879** Jones, J. O. Continence. A public inconvenience. Interview by Renata Langford. *Nurs Times.* 1994 Jul 6-12; 90: 62
- 3052** Jones, J.A., Mitchell, M.E., and Rink, R.C. Improved results using a modification of the Young-Dees-Leadbetter bladder neck repair. *Br J Urol.* 1993 May; 71: 555-561
- 3781** Jones, J.W. Insufficiency fracture of the sacrum with displacement and neurologic damage: a case report and review of the literature. *J Am Geriatr Soc.* 1991 Mar; 39: 280-283
- 11708** Jones, K. R. Ambulatory bio-feedback for stress incontinence exercise regimes: a novel development of the perineometer. *J Adv Nurs.* 1994 Mar; 19: 509-12



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43469** Jones, L. C. Urinary incontinence: a major health issue for women. AWHONN Voice. 1995 Sep; 3: 9-10
- 41575** Jones, S. Promoting continence in older people. Elder Care. 1999 Nov; 11: 34-8; quiz 39
- 42071** Jones, S. E., Ogura, T., Shuba, L. M., McDonald, T. F. Inhibition of the rapid component of the delayed-rectifier K<sup>+</sup> current by therapeutic concentrations of the antispasmodic agent terodiline. Br J Pharmacol. 1998 Nov; 125: 1138-43
- 11032** Jones, T. V., Bunner, S. H. Approaches to urinary incontinence in a rural population: a comparison of physician assistants, nurse practitioners, and family physicians. J Am Board Fam Pract. 1998 May-Jun; 11: 207-15
- 55560** Jones, W. K. Understanding barriers to physical activity is a first step in removing them. Am J Prev Med. 2003 Oct; 25: 2-4
- 10803** Jongen, V. H., Brouwer, W. K. Comparison of the modified Pereyra procedure using permanent suture material and Burch urethropexy. Eur J Obstet Gynecol Reprod Biol. 1999 May; 84: 7-11
- 44083** Jordan, G. H., Winslow, B. H. Laparoscopically assisted continent catheterizable cutaneous appendicovesicostomy. J Endourol. 1993 Dec; 7: 517-20
- 59046** Jordan, O., Doelker, E., Defabiani, N., Caviezel, A., Iselin, C. Novel injectable urethral bulking agents for the treatment of urinary incontinence. J Mater Sci Mater Med. 2004 Apr; 15: 519-22
- 59267** Jorgensen, L., Engstad, T., Jacobsen, B. K. Self-reported urinary incontinence in noninstitutionalized long-term stroke survivors: A population-based study. Arch Phys Med Rehabil. 2005 Mar; 86: 416-20
- 12006** Jorgensen, L., Lose, G., Alexander, N. Acute effect of norfenefrine on the urethral pressure profile in females with genuine stress incontinence. Urol Int. 1991; 46: 176-9
- 3675** Jorgensen, L., Lose, G., and Alexander, N. Acute effect of norfenefrine on the urethral pressure profile in females with genuine stress incontinence. Urol Int. 1991; 46: 176-179
- 10105** Jorion, J. L. Endoscopic treatment of bladder perforation after tension-free vaginal tape procedure. J Urol. 2002 Jul; 168: 197
- 3211** Joseph, A.C. Joseph Continence Assessment Tool. Urol Nurs. 1992 Dec; 12: 144-146
- 40334** Joshi, H. B., Okeke, A., News, N., Keeley, F. X., Jr, Timoney, A. G. Characterization of urinary symptoms in patients with ureteral stents. Urology. 2002 Apr; 59: 511-6
- 11806** Jozwik, M. Stress urinary incontinence in women--an overuse syndrome. Med Hypotheses. 1993 Jun; 40: 381-2
- 10996** Jozwik, M., Jr, Jozwik, M., Lotocki, W. Stress urinary incontinence in women. III. Different tissue biochemistry in patients with concomitant detrusor instability. Preliminary report. Int Urol Nephrol. 1998; 30: 279-82
- 11432** Jozwik, M., Jr, Lotocki, W., Jozwik, M. Stress urinary incontinence in women. II. Abnormalities of glycogenolysis in tissues related to the lower urinary tract. Int Urol Nephrol. 1996; 28: 485-94
- 41216** Jozwik, M., Jozwik, M. Clinical classification of vesicouterine fistula. Int J Gynaecol Obstet. 2000 Sep; 70: 353-7
- 10364** Jozwik, M., Jozwik, M. Partial denervation of the pelvic floor during term vaginal delivery. Int Urogynecol J Pelvic Floor Dysfunct. 2001; 12: 81-2
- 10937** Jozwik, M., Jozwik, M. The physiological basis of pelvic floor exercises in the treatment of stress urinary incontinence. Br J Obstet Gynaecol. 1998 Oct; 105: 1046-51
- 44673** Ju, C. C., Swan, L. K., Merriman, A., Choon, T. E., Viegas, O. Urinary incontinence among the elderly people of Singapore. Age Ageing. 1991 Jul; 20: 262-6
- 3580** Ju, C.C., Swan, L.K., Merriman, A., Choon, T.E., and Viegas, O. Urinary incontinence among the elderly people of Singapore [published erratum appears in Age Ageing 1991 Sep;20(5):387]. Age Ageing. 1991 Jul; 20: 262-266
- 10216** Jueng-Anuwat, P., Roongruangsilp, U., Kochakarn, W., Ratana-Olarn, K. Risk factors for stress urinary incontinence in middle aged and elderly Thai women. J Med Assoc Thai. 2001 Aug; 84: 1121-5
- 55060** Julia, J., Yacoub, M., Levy, G. Labial fusion causing urinary incontinence in a postmenopausal female: a case report. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Nov; 14: 360-1

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Primary Author and Title

- 42211 Julian, T. M. Physical examination and pretreatment testing of the incontinent woman. Clin Obstet Gynecol. 1998 Sep; 41: 663-71
- 11504 Juma, S. Anterior vaginal suspension for vaginal vault prolapse. Tech Urol. 1995 Fall; 1: 150-6
- 44856 Juma, S., Little, N. A., Raz, S. Basic evaluation of female urinary incontinence. Am J Kidney Dis. 1990 Oct; 16: 317-21
- 11902 Juma, S., Little, N. A., Raz, S. Vaginal wall sling: four years later. Urology. 1992 May; 39: 424-8
- 3911 Juma, S., Little, N.A., and Raz, S. Basic evaluation of female urinary incontinence. Am J Kidney Dis. 1990 Oct; 16: 317-321
- 3424 Juma, S., Little, N.A., and Raz, S. Vaginal wall sling: four years later. Urology. 1992 May; 39: 424-428
- 4073 Juma, S., Morales, A., and Emerson, L. The mechanisms of continence in the Indiana pouch: a video-urodynamic study. J Urol. 1990 May; 143: 973-974
- 3985 Jumper, B.M., McLorie, G.A., Churchill, B.M., Khoury, A.E., and Toi, A. Effects of the artificial urinary sphincter on prostatic development and sexual function in pubertal boys with meningomyelocele. J Urol. 1990 Aug; 144: 438-42;discussion443-4
- 53900 Jundt, K., Peschers, U. M., Dimpfl, T. Long-term efficacy of pelvic floor re-education with EMG-controlled biofeedback. Eur J Obstet Gynecol Reprod Biol. 2002 Nov 15; 105: 181-5
- 10405 Junemann, K. P. The management of female urinary stress incontinence: II. The use of devices. BJU Int. 2001 Mar; 87: 449-55
- 10215 Jung, B. H., Bai, S. W., Chung, B. C. Urinary profile of endogenous steroids in postmenopausal women with stress urinary incontinence. J Reprod Med. 2001 Nov; 46: 969-74
- 10816 Jung, S. Y., Fraser, M. O., Ozawa, H., Yokoyama, O., Yoshiyama, M., De Groat, W. C., Chancellor, M. B. Urethral afferent nerve activity affects the micturition reflex; implication for the relationship between stress incontinence and detrusor instability. J Urol. 1999 Jul; 162: 204-12
- 11763 Kadakia, S. C. Urinary incontinence associated with dysphagia. Gastrointest Endosc. 1993 Nov-Dec; 39: 860-1
- 41746 Kaefer, M., Andler, R., Bauer, S. B., Hendren, W. H., Diamond, D. A., Retik, A. B. Urodynamic findings in children with isolated epispadias. J Urol. 1999 Sep; 162: 1172-5
- 42710 Kaefer, M., Rosen, A., Darbey, M., Kelly, M., Bauer, S. B. Pressure at residual volume: a useful adjunct to standard fill cystometry. J Urol. 1997 Sep; 158: 1268-71
- 52550 Kafali, H., Verit, A., Verit, F., Demir, N. Expeditious method of urethrovesical junction determination in retropubic colposuspension with intraballoon illumination of Foley catheter. Urol Int. 2003; 70: 262-4
- 44854 Kahler, J. S., Leach, M. W., Jang, S., Wong, A. Disseminated aspergillosis attributable to Aspergillus deflexus in a springer spaniel. J Am Vet Med Assoc. 1990 Oct 1; 197: 871-4
- 3980 Kahn, D. Dismayed by response on incontinent pads [letter]. Can Nurse. 1990 Jun; 86: 8-11
- 54900 Kajiwara, M., Inoue, K., Usui, A., Kurihara, M., Usui, T. The micturition habits and prevalence of daytime urinary incontinence in Japanese primary school children. J Urol. 2004 Jan; 171: 403-7
- 43646 Kakizaki, H., Shibata, T., Shinno, Y., Kobayashi, S., Matsumura, K., Koyanagi, T. Fascial sling for the management of urinary incontinence due to sphincter incompetence. J Urol. 1995 Mar; 153: 644-7
- 40128 Kalita, J., Shah, S., Kapoor, R., Misra, U. K. Bladder dysfunction in acute transverse myelitis: magnetic resonance imaging and neurophysiological and urodynamic correlations. J Neurol Neurosurg Psychiatry. 2002 Aug; 73: 154-9
- 43095 Kalkanis, S. N., Blumenfeld, H., Sherman, J. C., Krebs, D. E., Irizarry, M. C., Parker, S. W., Cosgrove, G. R. Delayed complications thirty-six years after hemispherectomy: a case report. Epilepsia. 1996 Aug; 37: 758-62
- 59039 Kalota, S. J. Small intestinal submucosa tension-free sling: postoperative inflammatory reactions and additional data. J Urol. 2004 Oct; 172: 1349-50

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43766** Kalra, L., Dale, P., Crome, P. Evaluation of a clinical score for prognostic stratification of elderly stroke patients. *Age Ageing*. 1994 Nov; 23: 492-8
- 45082** Kaltreider, D. L., Hu, T. W., Igou, J. F., Yu, L. C., Craighead, W. E. Can reminders curb incontinence?. *Geriatr Nurs*. 1990 Jan-Feb; 11: 17-9
- 4199** Kaltreider, D.L., Hu, T.W., Igou, J.F., Yu, L.C., and Craighead, W.E. Can reminders curb incontinence?. *Geriatr-Nurs (New York)*. 1990 Jan-Feb; 11: 17-19
- 10888** Kammerer-Doak, D. N., Dorin, M. H., Rogers, R. G., Cousin, M. O. A randomized trial of burch retropubic urethropexy and anterior colporrhaphy for stress urinary incontinence. *Obstet Gynecol*. 1999 Jan; 93: 75-8
- 10101** Kammerer-Doak, D. N., Rogers, R. G., Bellar, B. Vaginal erosion of cadaveric fascia lata following abdominal sacrocolpopexy and suburethral sling urethropexy. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 106-9; discussion 109
- 59137** Kamo, I., Cannon, T. W., Conway, D. A., Torimoto, K., Chancellor, M. B., de Groat, W. C., Yoshimura, N. The role of bladder-to-urethral reflexes in urinary continence mechanisms in rats. *Am J Physiol Renal Physiol*. 2004 Sep; 287: F434-41
- 52510** Kamo, I., Torimoto, K., Chancellor, M. B., de Groat, W. C., Yoshimura, N. Urethral closure mechanisms under sneeze-induced stress condition in rats: a new animal model for evaluation of stress urinary incontinence. *Am J Physiol Regul Integr Comp Physiol*. 2003 Aug; 285: R356-65
- 50060** Kane, D. D., Kerns, J. M., Lin, D. L., Damaser, M. S. Early structural effects of oestrogen on pudendal nerve regeneration in the rat. *BJU Int*. 2004 Apr; 93: 870-8
- 10824** Kane, L., Chung, T., Lawrie, H., Iskaros, J. The pubofascial anchor sling procedure for recurrent genuine urinary stress incontinence. *BJU Int*. 1999 Jun; 83: 1010-4
- 44734** Kane, R. L., Garrard, J., Buchanan, J. L., Rosenfeld, A., Skay, C., McDermott, S. Improving primary care in nursing homes. *J Am Geriatr Soc*. 1991 Apr; 39: 359-67
- 3771** Kane, R.L., Garrard, J., Buchanan, J.L., Rosenfeld, A., Skay, C., and McDermott, S. Improving primary care in nursing homes. *J Am Geriatr Soc*. 1991 Apr; 39: 359-367
- 43141** Kaneko, K., Ohtsuka, Y., Suzuki, Y., Yabuta, K., Yamataka, A., Miyano, T. Masked ureteral duplication with ectopic ureter detected by magnetic resonance imaging. *Acta Paediatr Jpn*. 1996 Jun; 38: 291-3
- 43768** Kao, L. W. Detrusor instability--an overview. *J Tenn Med Assoc*. 1994 Nov; 87: 472-4
- 10495** Kaplan, H. J., Mamo, G. J. Pubovaginal sling technique utilizing a unique bone anchor instrumentation system. *Can J Urol*. 2000 Oct; 7: 1116-21
- 11375** Kaplan, S. A., Santarosa, R. P., Te, A. E. Comparison of fascial and vaginal wall slings in the management of intrinsic sphincter deficiency. *Urology*. 1996 Jun; 47: 885-9
- 10537** Kaplan, S. A., Te, A. E., Young, G. P., Andrade, A., Cabelin, M. A., Ikeguchi, E. F. Prospective analysis of 373 consecutive women with stress urinary incontinence treated with a vaginal wall sling: the Columbia-Cornell University experience. *J Urol*. 2000 Nov; 164: 1623-7
- 43104** Kaplinsky, R., Greenfield, S., Wan, J., Fera, M. Expanded followup of intravesical oxybutynin chloride use in children with neurogenic bladder. *J Urol*. 1996 Aug; 156: 753-6
- 10244** Kapoor, D., Ghoniem, G. Re: Randomized comparison of local versus epidural anesthesia for tension-free vaginal tape operation. *J Urol*. 2001 Dec; 166: 2323-4
- 11405** Karabacak, O., Taner, M. Z., Tiras, M. B., Kaya, A., Guner, H., Yildirim, M. An extraperitoneal burch procedure: a case report. *J Laparoendosc Surg*. 1996 Feb; 6: 65-8
- 43091** Karakayali, H., Bilgin, N., Moray, G., Demirbas, M., Ozkardes, H. Major urological complications in 1051 consecutive renal transplants. *Transplant Proc*. 1996 Aug; 28: 2339-40
- 50730** Karan, A., Isikoglu, M., Aksac, B., Attar, E., Eskiyurt, N., Yalcin, O. Hypermobility syndrome in 105 women with pure urinary stress incontinence and in 105 controls. *Arch Gynecol Obstet*. 2004 Jan; 269: 89-90

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 59331 Karantanis, E., Allen, W., Stevermuer, T. L., Simons, A. M., O'Sullivan, R., Moore, K. H. The repeatability of the 24-hour pad test. *Int Urogynecol J Pelvic Floor Dysfunct.* 2005 Jan-Feb; 16: 63-8; discussion 68
- 59069 Karantanis, E., Fynes, M. M., Stanton, S. L. The tension-free vaginal tape in older women. *BJOG.* 2004 Aug; 111: 837-41
- 56390 Karantanis, E., O'Sullivan, R., Moore, K. H. The 24-hour pad test in continent women and men: normal values and cyclical alterations. *BJOG.* 2003 Jun; 110: 567-71
- 3030 Karasawa, J., Touho, H., Ohnishi, H., Miyamoto, S., and Kikuchi, H. Cerebral revascularization using omental transplantation for childhood moyamoya disease. *J Neurosurg.* 1993 Aug; 79: 192-196
- 44183 Karasawa, J., Touho, H., Ohnishi, H., Miyamoto, S., Kikuchi, H. Cerebral revascularization using omental transplantation for childhood moyamoya disease. *J Neurosurg.* 1993 Aug; 79: 192-6
- 4184 Karlin, G.S., Badlani, G.H. Endourologic management of lower urinary tract dysfunction. *Clin Geriatr Med.* 1990 Feb; 6: 109-113
- 51670 Karram, M. M. Pathophysiology of genuine stress incontinence: what do we really know?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Jun; 14: 77
- 10849 Karram, M. M. What is the optimal anti-incontinence procedure in women with advanced prolapse and 'potential' stress incontinence?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 1-2
- 10311 Karram, M. M. Why surgery for incontinence and prolapse fails. *Urol Int.* 2001; 67: 12-3
- 11882 Karram, M. M., Angel, O., Koonings, P., Tabor, B., Bergman, A., Bhatia, N. The modified Pereyra procedure: a clinical and urodynamic review. *Br J Obstet Gynaecol.* 1992 Aug; 99: 655-8
- 12085 Karram, M. M., Bhatia, N. N. Patch procedure: modified transvaginal fascia lata sling for recurrent or severe stress urinary incontinence. *Obstet Gynecol.* 1990 Mar; 75: 461-3
- 11173 Karram, M. M., Partoll, L., Bilotta, V., Angel, O. Factors affecting detrusor contraction strength during voiding in women. *Obstet Gynecol.* 1997 Nov; 90: 723-6
- 43216 Karram, M. M., Partoll, L., Rahe, J. Efficacy of nonsurgical therapy for urinary incontinence. *J Reprod Med.* 1996 Apr; 41: 215-9
- 11776 Karram, M. M., Rosenzweig, B. A., Bhatia, N. N. Artificial urinary sphincter for recurrent/severe stress incontinence in women. *Urogynecologic perspective. J Reprod Med.* 1993 Oct; 38: 791-4
- 52590 Karram, M. M., Segal, J. L., Vassallo, B. J., Kleeman, S. D. Complications and untoward effects of the tension-free vaginal tape procedure. *Obstet Gynecol.* 2003 May; 101: 929-32
- 3265 Karram, M.M., Angel, O., Koonings, P., Tabor, B., Bergman, A., and Bhatia, N. The modified Pereyra procedure: a clinical and urodynamic review. *Br J Obstet Gynaecol.* 1992 Aug; 99: 655-658
- 3916 Karram, M.M., Bhatia, N.N. Importance of a neurologic evaluation in women with lower urinary tract dysfunction. *J Reprod Med.* 1990 Aug; 35: 799-804
- 54300 Kassardjian, Z. G. Sling procedures for urinary incontinence in women. *BJU Int.* 2004 Mar; 93: 665-70
- 40837 Kassouf, W., Capolicchio, G., Berardinucci, G., Corcos, J. Collagen injection for treatment of urinary incontinence in children. *J Urol.* 2001 May; 165: 1666-8
- 41044 Kataria, R., Bajpai, M., Lall, A., Gupta, D. K., Grover, V. P., Mitra, D. K. Neurogenic bladder: urodynamic and surgical aspects. *Indian J Pediatr.* 1997 Nov-Dec; 64: 68-76
- 12101 Katlowitz, N. M., Karwa, G., Lautin, E. Stress incontinence secondary to a vesicourethral fistula: case report. *Urol Radiol.* 1990; 12: 37-8
- 4061 Katlowitz, N.M., Karwa, G., and Lautin, E. Stress incontinence secondary to a vesicourethral fistula: case report. *Urol Radiol.* 1990; 12: 37-38
- 42735 Kato, H. Incorrect positioning of an indwelling urethral catheter in the ureter. *Int J Urol.* 1997 Jul; 4: 417-8

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 40236** Kato, H., Igawa, Y., Komiyama, I., Nishizawa, O. Continent urinary reservoir formation with transverse colon for patients with pelvic irradiation. *Int J Urol.* 2002 Apr; 9: 200-3
- 40769** Kato, H., Kiyokawa, H., Igawa, Y., Nishizawa, O. The serous-lined tunnel principle for urinary reconstruction: a more rational method. *BJU Int.* 2001 Jun; 87: 783-8
- 11067** Kato, K., Kondo, A. Clinical value of vaginal cones for the management of female stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 314-7
- 5293** Kato, K., Kondo, A., Saito, M., and Otani, T. Stamey's procedure for stress urinary incontinence: surgical results between the elderly and adults. *Neurourology and Urodynamics.* 1990; 9: 399-400
- 41194** Katsuragi, S., Teraoka, K., Ikegami, K., Amano, K., Yamashita, K., Ishizuka, K., Miyakawa, T. Late onset X-linked hydrocephalus with normal cerebrospinal fluid pressure. *Psychiatry Clin Neurosci.* 2000 Aug; 54: 487-92
- 42908** Kattan, S. A. Maternal urological injuries associated with vaginal deliveries: change of pattern. *Int Urol Nephrol.* 1997; 29: 155-61
- 44415** Kaufman, D. M., Lipton, R. B. The persistent vegetative state: an analysis of clinical correlates and costs. *N Y State J Med.* 1992 Sep; 92: 381-4
- 40507** Kaufman, H. S., Buller, J. L., Thompson, J. R., Pannu, H. K., DeMeester, S. L., Genadry, R. R., Bluemke, D. A., Jones, B., Rychcik, J. L., Cundiff, G. W. Dynamic pelvic magnetic resonance imaging and cystocolpoproctography alter surgical management of pelvic floor disorders. *Dis Colon Rectum.* 2001 Nov; 44: 1575-83; discussion 1583-4
- 10100** Kaum, H. J., Wolff, F. TVT: on midurethral tape positioning and its influence on continence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 110-5; discussion 115
- 43887** Kavoussi, L. R., Moore, R. G., Partin, A. W., Bender, J. S., Zenilman, M. E., Satava, R. M. Telerobotic assisted laparoscopic surgery: initial laboratory and clinical experience. *Urology.* 1994 Jul; 44: 15-9
- 44141** Kavukcu, S., Ozaksoy, D., Turkmen, M., Kovanlikaya, I., Kose, G., Tavli, V. The urological manifestations of the tethered spinal cord. *Turk J Pediatr.* 1993 Oct-Dec; 35: 313-7
- 10830** Kay, L., Stigsby, B., Brasso, K., Mortensen, S. O., Munkgaard, S. Lower urinary tract symptoms--a population survey using the Danish Prostatic Symptom Score (DAN-PSS) questionnaire. *Scand J Urol Nephrol.* 1999 Apr; 33: 94-9
- 10122** Kayano, C. E., Sartori, M. G., Baracat, E. C., de Lima, G. R., Girao, M. J. Vaginal hysterectomy allied with Kelly-Kennedy surgery and perineal repair for the treatment of patients with a prolapsed uterus and urinary stress incontinence. *Clin Exp Obstet Gynecol.* 2002; 29: 27-30
- 10456** Kayigil, O. Our changing strategies on bladder neck suspension operations. *Int Urol Nephrol.* 1999; 31: 647-54
- 42414** Kayigil, O., Atahan, O., Metin, A. Experiences with clam ileocystoplasty. *Int Urol Nephrol.* 1998; 30: 45-8
- 10135** Kayigil, O., Biri, A. Double forced sling by combining in situ vaginal wall and Infast pubic bone suburethral stabilization techniques: a new method. *J Urol.* 2002 Jun; 167: 2481-3
- 10769** Kayigil, O., Iftekhar Ahmed, S., Metin, A. The coexistence of intrinsic sphincter deficiency with type II stress incontinence. *J Urol.* 1999 Oct; 162: 1365-6
- 43781** Keane, D. The role of a female urodynamics clinic. *Ir Med J.* 1994 Nov-Dec; 87: 164
- 11870** Keane, D. P., Eckford, S. D. Surgical treatment of urinary stress incontinence. *Br J Hosp Med.* 1992 Sep 16-Oct 6; 48: 308-13
- 11880** Keane, D. P., Eckford, S. D., Abrams, P. Surgical treatment and complications of urinary incontinence. *Curr Opin Obstet Gynecol.* 1992 Aug; 4: 559-64
- 44391** Keane, D. P., Eckford, S. D., Shepherd, A. M., Abrams, P. Referral patterns and diagnoses in women attending a urodynamic unit. *BMJ.* 1992 Oct 3; 305: 808
- 44298** Keane, D. P., Eckford, S. D., Shepherd, A. M., Abrams, P. Urodynamic investigation in elderly women. *BMJ.* 1993 Jan 9; 306: 145



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10589 Keane, D. P., O'Sullivan, S. Urinary incontinence: anatomy, physiology and pathophysiology. Baillieres Best Pract Res Clin Obstet Gynaecol. 2000 Apr; 14: 207-26
- 11187 Keane, D. P., Sims, T. J., Abrams, P., Bailey, A. J. Analysis of collagen status in premenopausal nulliparous women with genuine stress incontinence. Br J Obstet Gynaecol. 1997 Sep; 104: 994-8
- 44283 Keane, D. P., Winder, A., Lewis, P., Shepherd, A. M., Abrams, P. A combined urodynamic and continence unit--a review of the first 19 years. Br J Urol. 1993 Feb; 71: 161-5
- 3284 Keane, D.P., Eckford, S.D., and Abrams, P. Surgical treatment and complications of urinary incontinence. Curr Opin Obstet Gynecol. 1992 Aug; 4: 559-564
- 3245 Keane, D.P., Eckford, S.D., Shepherd, A.M., and Abrams, P. Referral patterns and diagnoses in women attending a urodynamic unit. Bmj. 1992 Oct 3; 305: 808
- 3157 Keane, D.P., Eckford, S.D., Shepherd, A.M., and Abrams, P. Urodynamic investigation in elderly women [letter]. Bmj. 1993 Jan 9; 306: 145
- 3113 Keane, D.P., Winder, A., Lewis, P., Shepherd, A.M., and Abrams, P. A combined urodynamic and continence unit--a review of the first 19 years. Br J Urol. 1993 Feb; 71: 161-165
- 44240 Keating, M. A., Rink, R. C., Adams, M. C. Appendicovesicostomy: a useful adjunct to continent reconstruction of the bladder. J Urol. 1993 May; 149: 1091-4
- 3097 Keating, M.A., Rink, R.C., and Adams, M.C. Appendicovesicostomy: a useful adjunct to continent reconstruction of the bladder. J Urol. 1993 May; 149: 1091-1094
- 40101 Keil, K. Urogenital atrophy: diagnosis, sequelae, and management. Curr Womens Health Rep. 2002 Aug; 2: 305-11
- 41282 Kelleher, C. Quality of life and urinary incontinence. Baillieres Best Pract Res Clin Obstet Gynaecol. 2000 Apr; 14: 363-79
- 43637 Kelleher, C. J. Treatment of dysfunctional uterine bleeding. Ignoring urinary incontinence may reduce long term satisfaction. BMJ. 1995 Mar 25; 310: 802; discussion 804
- 42686 Kelleher, C. J., Cardozo, L. D., Khullar, V., Salvatore, S. A medium-term analysis of the subjective efficacy of treatment for women with detrusor instability and low bladder compliance. Br J Obstet Gynaecol. 1997 Sep; 104: 988-93
- 42582 Kelleher, C. J., Cardozo, L. D., Khullar, V., Salvatore, S. A new questionnaire to assess the quality of life of urinary incontinent women. Br J Obstet Gynaecol. 1997 Dec; 104: 1374-9
- 43448 Kelleher, C. J., Cardozo, L. D., Toozs-Hobson, P. M. Quality of life and urinary incontinence. Curr Opin Obstet Gynecol. 1995 Oct; 7: 404-8
- 59341 Kelleher, C. J., Cardozo, L., Chapple, C. R., Haab, F., Ridder, A. M. Improved quality of life in patients with overactive bladder symptoms treated with solifenacin. BJU Int. 2005 Jan; 95: 81-5
- 41720 Kelleher, C., Braude, P. Recent advances. Gynaecology. BMJ. 1999 Sep 11; 319: 689-92
- 3772 Keller, P.A., Sinkovic, S.P., and Miles, S.J. Skin dryness: a major factor in reducing incontinence dermatitis. Ostomy Wound Manage. 1990 Sep-Oct; 30: 60-64
- 41989 Keller, S. L. Urinary incontinence: occurrence, knowledge, and attitudes among women aged 55 and older in a rural Midwestern setting. J Wound Ostomy Continence Nurs. 1999 Jan; 26: 30-8
- 3616 Kelley, L.S., Mobily, P.R. Iatrogenesis in the elderly. Impaired skin integrity. J Gerontol Nurs. 1991 Sep; 17: 24-29
- 10962 Kelly, H. A., Dumm, W. M. Urinary incontinence in women, without manifest injury to the bladder. 1914. Int Urogynecol J Pelvic Floor Dysfunct. 1998; 9: 158-64
- 11905 Kelly, J. Vesico-vaginal and recto-vaginal fistulae. J R Soc Med. 1992 May; 85: 257-8
- 42123 Kelly, J. D., Keane, P. F. Long-term results and complications of augmentation ileocystoplasty for idiopathic urge incontinence in women. Br J Urol. 1998 Oct; 82: 609-10



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 11996 Kelly, M. J., Knielsen, K., Bruskewitz, R., Roskamp, D., Leach, G. E. Symptom analysis of patients undergoing modified Pereyra bladder neck suspension for stress urinary incontinence. Pre- and postoperative findings. *Urology*. 1991 Mar; 37: 213-9
- 11983 Kelly, M. J., Zimmern, P. E., Leach, G. E. Complications of bladder neck suspension procedures. *Urol Clin North Am*. 1991 May; 18: 339-8
- 3802 Kelly, M.J., Knielsen, K., Bruskewitz, R., Roskamp, D., and Leach, G.E. Symptom analysis of patients undergoing modified Pereyra bladder neck suspension for stress urinary incontinence. Pre- and postoperative findings. *Urology*. 1991 Mar; 37: 213-219
- 5303 Kelly, M.J., Nielsen, K.K., Roskamp, D.A., Leach, G.E., and Bruskewitz, R.C. Long-term follow-up of the Raz bladder neck suspension for the correction of female stress urinary incontinence. *Neurourology and Urodynamics*. 1990; 9: 231-232
- 3741 Kelly, M.J., Zimmern, P.E., and Leach, G.E. Complications of bladder neck suspension procedures. *Urol Clin North Am*. 1991 May; 18: 339-338
- 11665 Kelvin, F. M., Maglinte, D. D., Benson, J. T., Brubaker, L. P., Smith, C. Dynamic cystoproctography: a technique for assessing disorders of the pelvic floor in women. *AJR Am J Roentgenol*. 1994 Aug; 163: 368-70
- 11323 Kelvin, F. M., Maglinte, D. D., Hale, D., Benson, J. T. Voiding cystourethrography in female stress incontinence. *AJR Am J Roentgenol*. 1996 Oct; 167: 1065-6
- 44090 Kennedy, A. Continence. Island education. *Nurs Times*. 1993 Nov 24-30; 89: 74-7
- 11533 Kennedy, K. L., Steidle, C. P., Letizia, T. M. Urinary incontinence: the basics. *Ostomy Wound Manage*. 1995 Aug; 41: 16-8, 20, 22 passim; quiz 33-4
- 3622 Kennedy, K.L., Steidle, C.P. Achieving a state of urinary continence for residents of nursing facilities. Part I: The history and physical examination. *Ostomy Wound Manage*. 1991 Jul-Aug; 35: 72-77
- 10066 Kenton, K. S., Woods, M. P., Brubaker, L. Uncomplicated erosion of polytetrafluoroethylene grafts into the rectum. *Am J Obstet Gynecol*. 2002 Jul; 187: 233-4
- 10030 Kenton, K., Brubaker, L. Relationship between levator ani contraction and motor unit activation in the urethral sphincter. *Am J Obstet Gynecol*. 2002 Aug; 187: 403-6
- 10065 Kenton, K., FitzGerald, M. P., Brubaker, L. Multiple foreign body erosions after laparoscopic colposuspension with mesh. *Am J Obstet Gynecol*. 2002 Jul; 187: 252-3
- 59186 Kenton, K., Fitzgerald, M. P., Brubaker, L. Striated urethral sphincter activity does not alter urethral pressure during filling cystometry. *Am J Obstet Gynecol*. 2005 Jan; 192: 55-9
- 10304 Kenton, K., FitzGerald, M. P., Shott, S., Brubaker, L. Role of urethral electromyography in predicting outcome of Burch retropubic urethropexy. *Am J Obstet Gynecol*. 2001 Jul; 185: 51-5
- 10067 Kenton, K., Oldham, L., Brubaker, L. Open Burch urethropexy has a low rate of perioperative complications. *Am J Obstet Gynecol*. 2002 Jul; 187: 107-10
- 41849 Kenton, K., Sadowski, D., Shott, S., Brubaker, L. A comparison of women with primary and recurrent pelvic prolapse. *Am J Obstet Gynecol*. 1999 Jun; 180: 1415-8
- 41587 Kerns, J. M., Damaser, M. S., Kane, J. M., Sakamoto, K., Benson, J. T., Shott, S., Brubaker, L. Effects of pudendal nerve injury in the female rat. *Neurourol Urodyn*. 2000; 19: 53-69
- 57200 Kerns, J. M., Shott, S., Brubaker, L., Sakamoto, K., Benson, J. T., Fleischer, A. E., Coleman, M. E. Effects of IGF-I gene therapy on the injured rat pudendal nerve. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Feb; 14: 2-7; discussion 8
- 40411 Kerschan-Schindl, K., Uher, E., Wiesinger, G., Kaider, A., Ebenbichler, G., Nicolakis, P., Kollmitzer, J., Preisinger, E., Fialka-Moser, V. Reliability of pelvic floor muscle strength measurement in elderly incontinent women. *Neurourol Urodyn*. 2002; 21: 42-7
- 41955 Kershen, R. T., Atala, A. New advances in injectable therapies for the treatment of incontinence and vesicoureteral reflux. *Urol Clin North Am*. 1999 Feb; 26: 81-94, viii

## American Urological Association, Inc.

## Master Bibliography

## SUI Guidelines Panel

sorted by Primary Author and Title

- 54600** Kersun, L. S., Wimmer, R. S., Hoot, A. C., Meadows, A. T. Secondary malignant neoplasms of the bladder after cyclophosphamide treatment for childhood acute lymphocytic leukemia. *Pediatr Blood Cancer*. 2004 Mar; 42: 289-91
- 42221** Keshtgar, A. S., Rickwood, A. M. Urological consequences of incomplete cord lesions in patients with myelomeningocele. *Br J Urol*. 1998 Aug; 82: 258-60
- 59370** Kessler, T. M., Madersbacher, H., Kiss, G. Bilateral migration of sacral neuromodulation tined leads in a thin patient. *J Urol*. 2005 Jan; 173: 153-4
- 44082** Khair, B., Azmy, A. F., Carachi, R., Fyfe, A. H., Drainer, I. K. Continent urinary diversion using Mitrofanoff principle in children with neurogenic bladder. *Eur J Pediatr Surg*. 1993 Dec; 3 Suppl 1: 8-9
- 43127** Khan, K. S., Chien, P. F. Evaluation of the home pad test in the investigation of female urinary incontinence. *Br J Obstet Gynaecol*. 1996 Jul; 103: 720
- 3545** Khan, Z., Mieza, M., Starer, P., and Singh, V.K. Post-prostatectomy incontinence. A urodynamic and fluoroscopic point of view. *Urology*. 1991 Nov; 38: 483-488
- 44687** Khan, Z., Rajaratnam, R., Singh, V. K. Neurogenic bladder in neuroleptic malignant syndrome. *Urology*. 1991 Jun; 37: 543-4
- 43946** Khanduja, K. S., Yamashita, H. J., Wise, W. E., Jr, Aguilar, P. S., Hartmann, R. F. Delayed repair of obstetric injuries of the anorectum and vagina. A stratified surgical approach. *Dis Colon Rectum*. 1994 Apr; 37: 344-9
- 57210** Khastgir, J., Hamid, R., Arya, M., Shah, N., Shah, P. J. Surgical and patient reported outcomes of 'clam' augmentation ileocystoplasty in spinal cord injured patients. *Eur Urol*. 2003 Mar; 43: 263-9
- 42005** Khorsandi, M., Ginsberg, P. C., Harkaway, R. C. Reassessing the role of urodynamics after cerebrovascular accident. Males versus females. *Urol Int*. 1998; 61: 142-6
- 41678** Khoury, A. E., Agarwal, S. K., Bagli, D., Merguerian, P., McLorie, G. A. Concomitant modified bladder neck closure and Mitrofanoff urinary diversion. *J Urol*. 1999 Nov; 162: 1746-8
- 44898** Khoury, A. E., Hendrick, E. B., McLorie, G. A., Kulkarni, A., Churchill, B. M. Occult spinal dysraphism: clinical and urodynamic outcome after division of the filum terminale. *J Urol*. 1990 Aug; 144: 426-8; discussion 428-9, 443-4
- 3987** Khoury, A.E., Hendrick, E.B., McLorie, G.A., Kulkarni, A., and Churchill, B.M. Occult spinal dysraphism: clinical and urodynamic outcome after division of the filum terminale. *J Urol*. 1990 Aug; 144: 426-8;discussion428-9,443-4
- 40907** Khoury, J. M. Urinary incontinence. No need to be wet and upset. *N C Med J*. 2001 Mar-Apr; 62: 74-7
- 44484** Khoury, J. M., Webster, G. D. Evaluation of augmentation cystoplasty for severe neuropathic bladder using the hostility score. *Dev Med Child Neurol*. 1992 May; 34: 441-7
- 10933** Khullar, V., Cardozo, L. Incontinence in the elderly. *Curr Opin Obstet Gynecol*. 1998 Oct; 10: 391-4
- 10992** Khullar, V., Cardozo, L. The urethra (UPP, MUPP, instability, LPP). *Eur Urol*. 1998; 34 Suppl 1: 20-2
- 11283** Khullar, V., Cardozo, L. D., Abbott, D., Anders, K. GAX collagen in the treatment of urinary incontinence in elderly women: a two year follow up. *Br J Obstet Gynaecol*. 1997 Jan; 104: 96-9
- 11021** Khullar, V., Cardozo, L., Boos, K., Bidmead, J., Kelleher, C. Impact of surgery for stress incontinence on morbidity. Effects of confounding variables on outcomes of incontinence surgery must be considered. *BMJ*. 1998 Jul 11; 317: 143; discussion 144
- 10796** Khullar, V., Cardozo, L., McLellan, A., Bidmead, J., Kelleher, C. Impact of surgery for stress incontinence on the social lives of women. *Br J Obstet Gynaecol*. 1999 Mar; 106: 290-1
- 10915** Khullar, V., Damiano, R., Tooze-Hobson, P., Cardozo, L. Prevalence of faecal incontinence among women with urinary incontinence. *Br J Obstet Gynaecol*. 1998 Nov; 105: 1211-3
- 10808** Khullar, V., Salvatore, S., Bidmead, J., Anders, K., Cardozo, L. Conservative management of genuine stress incontinence in women. Study's flaws may be misleading. *BMJ*. 1999 Jul 17; 319: 190-1

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41951** Khullar, V., Tooze-Hobson, P., Boos, K., Hextall, A., Cardozo, L. Re: 'The pelvic floor muscles: muscle thickness in healthy and urinary- incontinent women measured by perineal ultrasonography with reference to the effect of pelvic floor training. Estrogen receptor studies.' *Neurourol. Urodyn.* 1997;16:237-275. *Neurourol Urodyn.* 1999; 18: 69-70
- 59054** Kielb, S. J., Clemens, J. Q. Endoscopic excision of intravesical tension-free vaginal tape with laparoscopic instrument assistance. *J Urol.* 2004 Sep; 172: 971
- 3490** Kieswetter, H., Fischer, M., Wober, L., and Flamm, J. Endoscopic implantation of collagen (GAX) for the treatment of urinary incontinence. *Br J Urol.* 1992 Jan; 69: 22-25
- 11925** Kieswetter, H., Fischer, M., Wober, L., Flamm, J. Endoscopic implantation of collagen (GAX) for the treatment of urinary incontinence. *Br J Urol.* 1992 Jan; 69: 22-5
- 11853** Kiilholma, P. J., Chancellor, M. B., Makinen, J., Hirsch, I. H., Klemi, P. J. Complications of Teflon injection for stress urinary incontinence. *Neurourol Urodyn.* 1993; 12: 131-7
- 11729** Kiilholma, P. J., Makinen, J. I., Pitkanen, Y. A., Varpula, M. J. Perineal ultrasound: an alternative for radiography for evaluating stress urinary incontinence in females. *Ann Chir Gynaecol Suppl.* 1994; 208: 43-5
- 11544** Kiilholma, P., Haarala, M., Polvi, H., Makinen, J., Chancellor, M. B. Sutureless endoscopic colposuspension with fibrin sealant. *Tech Urol.* 1995 Summer; 1: 81-3
- 12015** Kiilholma, P., Makinen, J. Disappointing effect of endoscopic Teflon injection for female stress incontinence. *Eur Urol.* 1991; 20: 197-9
- 11829** Kiilholma, P., Makinen, J., Chancellor, M. B., Pitkanen, Y., Hirvonen, T. Modified Burch colposuspension for stress urinary incontinence in females. *Surg Gynecol Obstet.* 1993 Feb; 176: 111-5
- 3178** Kiilholma, P., Makinen, J., Chancellor, M.B., Pitkanen, Y., and Hirvonen, T. Modified Burch colposuspension for stress urinary incontinence in females. *Surg Gynecol Obstet.* 1993 Feb; 176: 111-115
- 11970** Kil, P. J., Hoekstra, J. W., van der Meijden, A. P., Smans, A. J., Theeuwes, A. G., Schreinemachers, L. M. Transvaginal ultrasonography and urodynamic evaluation after suspension operations: comparison among the Gittes, Stamey and Burch suspensions. *J Urol.* 1991 Jul; 146: 132-6
- 3670** Kil, P.J., Hoekstra, J.W., van-der-Meijden, A.P., Smans, A.J., Theeuwes, A.G., and Schreinemachers, L.M. Transvaginal ultrasonography and urodynamic evaluation after suspension operations: comparison among the Gittes, Stamey and Burch suspensions. *J Urol.* 1991 Jul; 146: 132-136
- 41096** Kilciler, M., Tan, O., Tahmaz, L., Dayanc, M., Harmankaya, C. Ureterocystoplasty in bilaterally functional kidneys. *Eur Urol.* 2000 Dec; 38: 742-7
- 50920** Kilcarslan, H., Gokce, G., Ayan, S., Guvenal, T., Kaya, K., Gultekin, E. Y. Predictors of outcome after in situ anterior vaginal wall sling surgery. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 339-41; discussion 341
- 53070** Kilcarslan, H., Guvenal, T., Ayan, S., Gokce, G., Cetin, A., Gultekin, E. Y. Comparison of outcomes of three different surgical techniques performed for stress urinary incontinence. *Int J Urol.* 2003 Mar; 10: 126-30; discussion 131
- 40050** Kim, H. H., Kang, J., Kwak, C., Byun, S. S., Oh, S. J., Choi, H. Laparoscopy for definite localization and simultaneous treatment of ectopic ureter draining a dysplastic kidney in children. *J Endourol.* 2002 Aug; 16: 363-6
- 10453** Kim, H. L., Gerber, G. S., Patel, R. V., Hollowell, C. M., Bales, G. T. Practice patterns in the treatment of female urinary incontinence: a postal and internet survey. *Urology.* 2001 Jan; 57: 45-8
- 59177** Kim, J. The development and evaluation of an incontinence intervention program for the elderly women at elderly welfare center. *Taehan Kanho Hakhoe Chi.* 2004 Dec; 34: 1427-33
- 10422** Kim, J. I. Continence efficacy intervention program for community residing women with stress urinary incontinence in Japan. *Public Health Nurs.* 2001 Jan-Feb; 18: 64-72
- 52970** Kim, J. K., Kim, Y. J., Choo, M. S., Cho, K. S. The urethra and its supporting structures in women with stress urinary incontinence: MR imaging using an endovaginal coil. *AJR Am J Roentgenol.* 2003 Apr; 180: 1037-44

## American Urological Association, Inc.

## Master Bibliography

## SUI Guidelines Panel

sorted by Primary Author and Title

- 
- 11287** Kim, K. J., Ashton-Miller, J. A., Strohbehn, K., DeLancey, J. O., Schultz, A. B. The vesico-urethral pressuregram analysis of urethral function under stress. *J Biomech.* 1997 Jan; 30: 19-25
- 42126** Kim, K. J., Jurnalov, C. D., Lightner, D. J., Webb, M. J., Lee, R. A., An, K. N. Principles of urodynamics pressure measurement and its implication to female continence function. *J Biomech.* 1998 Sep; 31: 861-5
- 10394** Kim, K., Jurnalov, C. D., Ham, S., Webb, M. J., An, K. Mechanisms of female urinary continence under stress: frequency spectrum analysis. *J Biomech.* 2001 May; 34: 687-91
- 41293** Kim, M. S., Kim, K. J., Chung, C. K., Kim, H. J. Intradural extramedullary tuberculoma of the spinal cord: a case report. *J Korean Med Sci.* 2000 Jun; 15: 368-70
- 40642** Kim, N. K., Lim, D. J., Yun, S. H., Sohn, S. K., Min, J. S. Ultralow anterior resection and coloanal anastomosis for distal rectal cancer: functional and oncological results. *Int J Colorectal Dis.* 2001 Aug; 16: 234-7
- 41111** Kim, N. K., Park, J. S., Park, J. K., Sohn, S. K., Min, J. S. Restorative proctocolectomy: operative safety and functional outcomes. *Yonsei Med J.* 2000 Oct; 41: 634-41
- 11131** Kim, Y. H., Kattan, M. W., Boone, T. B. Correlation of urodynamic results and urethral coaptation with success after transurethral collagen injection. *Urology.* 1997 Dec; 50: 941-8
- 40265** Kincade, J. E., Peckous, B. K., Busby-Whitehead, J. A pilot study to determine predictors of behavioral treatment completion for urinary incontinence. *Urol Nurs.* 2001 Feb; 21: 39-44
- 55200** Kinchen, K. S., Burgio, K., Diokno, A. C., Fultz, N. H., Bump, R., Obenchain, R. Factors associated with women's decisions to seek treatment for urinary incontinence. *J Womens Health (Larchmt).* 2003 Sep; 12: 687-98
- 59111** Kinchen, K. S., Long, S., Orsini, L., Crown, W., Bump, R. C. Healthcare utilization among women who undergo surgery for stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 154-9
- 43220** King, D. H., Hlavinka, T. C., Sarosdy, M. F. Additional experience with continent urinary diversion using cutaneous ileocecostoplasty. *Urology.* 1996 Apr; 47: 471-5
- 10907** King, J. K., Freeman, R. M. Is antenatal bladder neck mobility a risk factor for postpartum stress incontinence?. *Br J Obstet Gynaecol.* 1998 Dec; 105: 1300-7
- 42460** Kinjo, T., Tshuhako, K., Sirirungs, W., Sunagawa, K., Nakazato, I., Iwamasa, T. Experimental myelitis caused by herpes simplex virus type 2 in C57BL/6N and BALB/cN mice. *Int J Exp Pathol.* 1997 Dec; 78: 401-9
- 11485** Kinn, A. C. Burch colposuspension for stress urinary incontinence. 5-year results in 153 women. *Scand J Urol Nephrol.* 1995 Dec; 29: 449-55
- 42261** Kinn, A. C., Zaar, A. Quality of life and urinary incontinence pad use in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 83-7
- 4011** Kinn, A.C., Larsson, P.O. Desmopressin: a new principle for symptomatic treatment of urgency and incontinence in patients with multiple sclerosis. *Scand J Urol Nephrol.* 1990; 24: 109-112
- 3596** Kinnunen, O. Study of constipation in a geriatric hospital, day hospital, old people's home and at home. *Aging (Milano).* 1991 Jun; 3: 161-170
- 40531** Kirchlechner, V., Hoffmann-Ehrhart, B., Kovacs, J., Waldhauser, F. Melatonin production is similar in children with monosymptomatic nocturnal enuresis or other forms of enuresis/incontinence and in controls. *J Urol.* 2001 Dec; 166: 2407-10
- 44551** Kirkeby, L. T., Beier-Holgersen, R., Nordling, J. Successful pregnancy after ileocystoplasty. Case report. *Scand J Urol Nephrol.* 1992; 26: 195
- 3325** Kirkeby, L.T., Beier-Holgersen, R., and Nordling, J. Successful pregnancy after ileocystoplasty. Case report. *Scand J Urol Nephrol.* 1992; 26: 195
- 40608** Kirkland, V. L., Palmer, M. H., Fitzgerald, S. T. Incontinence in a manufacturing setting: women's perceptions and responses. *Public Health Nurs.* 2001 Sep-Oct; 18: 312-7
- 40225** Kirkman, S. The midwife and pelvic floor dysfunction. *Pract Midwife.* 2000 Sep; 3: 20-2

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42641 Kirschner-Hermanns, R., Fielding, J. R., Versi, E., Resnick, N. M. Magnetic resonance imaging of the lower urinary tract. *Curr Opin Obstet Gynecol.* 1997 Oct; 9: 317-9
- 11657 Kirschner-Hermanns, R., Klein, H. M., Muller, U., Schafer, W., Jakse, G. Intra-urethral ultrasound in women with stress incontinence. *Br J Urol.* 1994 Sep; 74: 315-8
- 11053 Kirschner-Hermanns, R., Scherr, P. A., Branch, L. G., Wetle, T., Resnick, N. M. Accuracy of survey questions for geriatric urinary incontinence. *J Urol.* 1998 Jun; 159: 1903-8
- 11764 Kirschner-Hermanns, R., Wein, B., Niehaus, S., Schaefer, W., Jakse, G. The contribution of magnetic resonance imaging of the pelvic floor to the understanding of urinary incontinence. *Br J Urol.* 1993 Nov; 72: 715-8
- 11575 Kisack, G. Stress incontinence in women with asthma. *N Z Med J.* 1995 Apr 26; 108: 156
- 43019 Kisanga, R. E., Aboud, M. M., Yongolo, C. M. Ureterosigmoidostomy: a useful procedure of internal urinary diversion in selected patients. *Cent Afr J Med.* 1996 Oct; 42: 288-90
- 41736 Kitamura, H., Miyao, N., Yanase, M., Masumori, N., Matsukawa, M., Takahashi, A., Itoh, N., Tsukamoto, T. Quality of life in patients having an ileal conduit, continent reservoir or orthotopic neobladder after cystectomy for bladder carcinoma. *Int J Urol.* 1999 Aug; 6: 393-9
- 40305 Kjerulff, K. H., Langenberg, P. W., Greenaway, L., Uman, J., Harvey, L. A. Urinary incontinence and hysterectomy in a large prospective cohort study in American women. *J Urol.* 2002 May; 167: 2088-92
- 41485 Kjerulff, K. H., Langenberg, P. W., Rhodes, J. C., Harvey, L. A., Guzinski, G. M., Stolley, P. D. Effectiveness of hysterectomy. *Obstet Gynecol.* 2000 Mar; 95: 319-26
- 11049 Kjolhede, P. Genital prolapse in women treated successfully and unsuccessfully by the Burch colposuspension. *Acta Obstet Gynecol Scand.* 1998 Apr; 77: 444-50
- 11236 Kjolhede, P., Hallbook, O., Ryden, G., Sjodahl, R. Anorectal manometry in women with urinary stress incontinence. *Acta Obstet Gynecol Scand.* 1997 Mar; 76: 266-70
- 11191 Kjolhede, P., Lindehammar, H. Pelvic floor neuropathy in relation to the outcome of Burch colposuspension. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 61-5
- 11318 Kjolhede, P., Noren, B., Ryden, G. Prediction of genital prolapse after Burch colposuspension. *Acta Obstet Gynecol Scand.* 1996 Oct; 75: 849-54
- 11218 Kjolhede, P., Ryden, G. Clinical and urodynamic characteristics of women with recurrent urinary incontinence after Burch colposuspension. *Acta Obstet Gynecol Scand.* 1997 May; 76: 461-7
- 11658 Kjolhede, P., Ryden, G. Prognostic factors and long-term results of the Burch colposuspension. A retrospective study. *Acta Obstet Gynecol Scand.* 1994 Sep; 73: 642-7
- 10627 Kjolhede, P., Ryden, G., Hewardt, P. Abdominal urethrocystopexy using fibrin sealant. A prospective study of long-term efficacy. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 93-6
- 43835 Kjolseth, D., Madsen, B., Knudsen, L. M., Norgaard, J. P., Djurhuus, J. C. Biofeedback treatment of children and adults with idiopathic detrusor instability. *Scand J Urol Nephrol.* 1994 Sep; 28: 243-7
- 42238 Klatka, L. A., Depper, M. H., Marini, A. M. Infarction in the territory of the anterior cerebral artery. *Neurology.* 1998 Aug; 51: 620-2
- 59115 Klauser, A., Frauscher, F., Strasser, H., Helweg, G., Kolle, D., Strohmeyer, D., Stenzl, A., zur Nedden, D. Age-related rhabdosphincter function in female urinary stress incontinence: assessment of intraurethral sonography. *J Ultrasound Med.* 2004 May; 23: 631-7; quiz 638-9
- 51220 Klausner, T. I. Urologic challenges in the menopausal woman: a case study. *Urol Nurs.* 2003 Aug; 23: 293-5
- 57550 Kleeman, S. D., Vasallo, B., Segal, J., Karram, M. M. Vesicocervical fistula following insertion of a modified McDonald suture. *BJOG.* 2002 Dec; 109: 1408-9
- 10070 Kleeman, S., Goldwasser, S., Vassallo, B., Karram, M. Predicting postoperative voiding efficiency after operation for incontinence and prolapse. *Am J Obstet Gynecol.* 2002 Jul; 187: 49-52



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3085** Klein, E.A. Modified apical dissection for early continence after radical prostatectomy. *Prostate*. 1993; 22: 217-223
- 44257** Klein, H. M., Kirschner-Hermanns, R., Lagunilla, J., Gunther, R. W. Assessment of incontinence with intraurethral US: preliminary results. *Radiology*. 1993 Apr; 187: 141-3
- 3134** Klein, H.M., Kirschner-Hermanns, R., Lagunilla, J., and Gunther, R.W. Assessment of incontinence with intraurethral US: preliminary results. *Radiology*. 1993 Apr; 187: 141-143
- 11886** Klein, L., Pollack, H. M. Computed tomography and magnetic resonance imaging of the female lower urinary tract. *Radiol Clin North Am*. 1992 Jul; 30: 843-60
- 44450** Klein, M. C., Gauthier, R. J., Jorgensen, S. H., Robbins, J. M., Kaczorowski, J., Johnson, B., Corriveau, M., Westreich, R., Waghorn, K., Gelfand, M. M., et, a. I. . . Does episiotomy prevent perineal trauma and pelvic floor relaxation?. *Online J Curr Clin Trials*. 1992 Jul 1; Doc No 10: [6019 words; 65 paragraphs]
- 3724** Klemm, L.W., Creason, N.S. Self-care practices of women with urinary incontinence--a preliminary study. *Health Care Women Int*. 1991 Apr-Jun; 12: 199-209
- 3480** Klevmark, B., Kulseng-Hanssen, S. Continence mechanism in the female. *Scand J Urol Nephrol Suppl*. 1991; 138: 35-40
- 10119** Klingele, C. J., Carley, M. E., Hill, R. F. Patient characteristics that are associated with urodynamically diagnosed detrusor instability and genuine stress incontinence. *Am J Obstet Gynecol*. 2002 May; 186: 866-8
- 11156** Klingler, H. C., Madersbacher, S., Djavan, B., Schatzl, G., Marberger, M., Schmidbauer, C. P. Morbidity of the evaluation of the lower urinary tract with transurethral multichannel pressure-flow studies. *J Urol*. 1998 Jan; 159: 191-4
- 41123** Klingler, H. C., Pycha, A., Schmidbauer, J., Marberger, M. Use of peripheral neuromodulation of the S3 region for treatment of detrusor overactivity: a urodynamic-based study. *Urology*. 2000 Nov 1; 56: 766-71
- 44975** Klockgether, T., Schroth, G., Diener, H. C., Dichgans, J. Idiopathic cerebellar ataxia of late onset: natural history and MRI morphology. *J Neurol Neurosurg Psychiatry*. 1990 Apr; 53: 297-305
- 4046** Klockgether, T., Schroth, G., Diener, H.C., and Dichgans, J. Idiopathic cerebellar ataxia of late onset: natural history and MRI morphology. *J Neurol Neurosurg Psychiatry*. 1990 Apr; 53: 297-305
- 44823** Klose, A. G., Sackett, C. K., Mesrobian, H. G. Management of children with myelodysplasia: urological alternatives. *J Urol*. 1990 Dec; 144: 1446-9
- 3887** Klose, A.G., Sackett, C.K., and Mesrobian, H.G. Management of children with myelodysplasia: urological alternatives. *J Urol*. 1990 Dec; 144: 1446-1449
- 40084** Klotz, R., Joseph, P. A., Ravaud, J. F., Wiart, L., Barat, M. The Tetrafigap Survey on the long-term outcome of tetraplegic spinal cord injured persons: Part III. Medical complications and associated factors. *Spinal Cord*. 2002 Sep; 40: 457-67
- 11303** Klovning, A., Hunskaar, S., Eriksen, B. C. Validity of a scored urological history in detecting detrusor instability in female urinary incontinence. *Acta Obstet Gynecol Scand*. 1996 Nov; 75: 941-5
- 11931** Klutke, C. G. Advances in therapy of female stress incontinence. *Henry Ford Hosp Med J*. 1992; 40: 118-21
- 11312** Klutke, C. G. Female stress incontinence in the 1990s--changing concepts. *J Urol*. 1996 Nov; 156: 1626-7
- 11755** Klutke, C. G., Moore, S., Shea, L., Lindquist, S., Davis, K. A., Craven, C. L. Stress urinary incontinence in women: surgical treatment. *Urol Nurs*. 1993 Dec; 13: 116-9
- 4178** Klutke, C., Golomb, J., Barbaric, Z., and Raz, S. The anatomy of stress incontinence: magnetic resonance imaging of the female bladder neck and urethra. *J Urol*. 1990 Mar; 143: 563-566
- 12086** Klutke, C., Golomb, J., Barbaric, Z., Raz, S. The anatomy of stress incontinence: magnetic resonance imaging of the female bladder neck and urethra. *J Urol*. 1990 Mar; 143: 563-6
- 10235** Klutke, C., Siegel, S., Carlin, B., Paszkiewicz, E., Kirkemo, A., Klutke, J. Urinary retention after tension-free vaginal tape procedure: incidence and treatment. *Urology*. 2001 Nov; 58: 697-701



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10508 Klutke, J. J. Current status of urethral occlusive devices in management of urinary incontinence. *Curr Opin Obstet Gynecol.* 2000 Oct; 12: 415-9
- 11538 Klutke, J. J., Bergman, A. Hormonal influence on the urinary tract. *Urol Clin North Am.* 1995 Aug; 22: 629-39
- 11347 Klutke, J. J., Bergman, A., Pace, J., Klutke, C. G. Transvaginal bladder neck suspension to Cooper's ligament: a modified Pereyra procedure. *Obstet Gynecol.* 1996 Aug; 88: 294-7
- 10573 Klutke, J. J., Bergman, J., Klutke, C. G. Transvaginal bladder neck suspension with Cooper's ligament fixation. Long-term urodynamic results. *J Reprod Med.* 2000 Jul; 45: 541-5
- 42100 Klutke, J. J., Bullock, A., Klutke, C. G. Comparison of anchors used in anti-incontinence surgery. *Urology.* 1998 Dec; 52: 979-81
- 10659 Klutke, J. J., Carlin, B. I., Klutke, C. G. The tension-free vaginal tape procedure: correction of stress incontinence with minimal alteration in proximal urethral mobility. *Urology.* 2000 Apr; 55: 512-4
- 10276 Klutke, J. J., Klutke, C. G. The tension-free vaginal tape procedure: innovative surgery for incontinence. *Curr Opin Obstet Gynecol.* 2001 Oct; 13: 529-32
- 10744 Klutke, J. J., Klutke, C. G., Bergman, J., Elia, G. Bladder neck suspension for stress urinary incontinence: how does it work?. *Neurourol Urodyn.* 1999; 18: 623-7
- 10707 Klutke, J. J., Klutke, C. G., Bergman, J., Elia, G. Urodynamics changes in voiding after anti-incontinence surgery: an insight into the mechanism of cure. *Urology.* 1999 Dec; 54: 1003-7
- 42130 Klutke, J. J., Klutke, C. G., Hsieh, G. Bladder injury during the Burch retropubic urethropexy: is routine cystoscopy necessary?. *Tech Urol.* 1998 Sep; 4: 145-7
- 10607 Klutke, J. J., Ramos, S. Urodynamic outcome after surgery for severe prolapse and potential stress incontinence. *Am J Obstet Gynecol.* 2000 Jun; 182: 1378-81
- 43859 Knapp, P. M., Jr, Siegel, Y. I., Lingeman, J. E. Laparoscopic retroperitoneal needle suspension urethropexy. *J Endourol.* 1994 Aug; 8: 279-84
- 11614 Knapp, T. R., Nickel, J. T. Re: 'Factors associated with risk of stress urinary incontinence in women'. *Nurs Res.* 1995 Jan-Feb; 44: 58
- 5311 Knespl, J. The Cobb-Ragde method of a simplified correction of female stress incontinence. *Cesk Gynecol.* 1990; 55: 268-269
- 59141 Knight, G. E., Burnstock, G. The effect of pregnancy and the oestrus cycle on purinergic and cholinergic responses of the rat urinary bladder. *Neuropharmacology.* 2004 Jun; 46: 1049-56
- 40869 Knight, J. Positive thinking. *Nurs Stand.* 2000 Feb 16-22; 14: 18-9
- 31266 Knight, R. G., Devereux, R. C., Godfrey, H. P. Psychosocial consequences of caring for a spouse with multiple sclerosis. *J Clin Exp Neuropsychol.* 1997 Feb; 19: 7-19
- 3137 Knoll, M., Madersbacher, H. The chances of a spina bifida patient becoming continent/socially dry by conservative therapy. *Paraplegia.* 1993 Jan; 31: 22-27
- 43313 Kobak, W. H., Rosenberger, K., Walters, M. D. Interobserver variation in the assessment of pelvic organ prolapse. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 121-4
- 10723 Kobashi, K. C., Dmochowski, R., Mee, S. L., Mostwin, J., Nitti, V. W., Zimmern, P. E., Leach, G. E. Erosion of woven polyester pubovaginal sling. *J Urol.* 1999 Dec; 162: 2070-2
- 52410 Kobashi, K. C., Govier, F. E. Management of vaginal erosion of polypropylene mesh slings. *J Urol.* 2003 Jun; 169: 2242-3
- 51300 Kobashi, K. C., Govier, F. E. Perioperative complications: the first 140 polypropylene pubovaginal slings. *J Urol.* 2003 Nov; 170: 1918-21
- 10775 Kobashi, K. C., Leach, G. E. Stress urinary incontinence. *Curr Opin Urol.* 1999 Jul; 9: 285-90

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10003 Kobashi, K. C., Leach, G. E., Chon, J., Govier, F. E. Continued multicenter followup of cadaveric prolapse repair with sling. *J Urol*. 2002 Nov; 168: 2063-8
- 10504 Kobashi, K. C., Mee, S. L., Leach, G. E. A new technique for cystocele repair and transvaginal sling: the cadaveric prolapse repair and sling (CAPS). *Urology*. 2000 Dec 4; 56: 9-14
- 10735 Kobata, S. A., Girao, M. J., Sartori, M. G., Baracat, E. C., Rodrigues de Lima, G. Urodynamic and ultrasonographic evaluation after continence surgery. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 321-4
- 42564 Kobelt, G. Economic considerations and outcome measurement in urge incontinence. *Urology*. 1997 Dec; 50: 100-7; discussion 108-10
- 41891 Kobelt, G., Kirchberger, I., Malone-Lee, J. Review. Quality-of-life aspects of the overactive bladder and the effect of treatment with tolterodine. *BJU Int*. 1999 Apr; 83: 583-90
- 54730 Koch, T. R. Anal sphincter injury following forceps delivery. *Am J Gastroenterol*. 2003 Dec; 98: 2798-9
- 41416 Koch, T., Kelly, S. Identifying strategies for managing urinary incontinence with women who have multiple sclerosis. *J Clin Nurs*. 1999 Sep; 8: 550-9
- 40355 Koch, T., Kelly, S. Understanding what is important for women who live with multiple sclerosis. *Aust J Holist Nurs*. 1999 Apr; 6: 14-24
- 40614 Koch, T., Kralik, D. Chronic illness: reflections on a community-based action research programme. *J Adv Nurs*. 2001 Oct; 36: 23-31
- 40428 Koch, T., Kralik, D., Eastwood, S., Schofield, A. Breaking the silence: women living with multiple sclerosis and urinary incontinence. *Int J Nurs Pract*. 2001 Feb; 7: 16-23
- 10087 Kochakarn, W. Tension-free vaginal tape procedure for the treatment of stress urinary incontinence: the first experience in Thailand. *J Med Assoc Thai*. 2002 Jan; 85: 87-91
- 10205 Kochakarn, W., Leenanupunth, C., Ratana-Olarn, K., Roongreungsilp, U., Siripornpinyo, N. Pubovaginal sling for the treatment of female stress urinary incontinence: experience of 100 cases at Ramathibodi Hospital. *J Med Assoc Thai*. 2001 Oct; 84: 1412-5
- 30428 Kochakarn, W., Ratana-Olarn, K., Viseshsindh, V., Leenanupunth, C., Muangman, V. Urethral diverticulum in females: 25 years experience at Ramathibodi Hospital. *J Med Assoc Thai*. 2000 Dec; 83: 1437-41
- 59052 Kocjancic, E., Tarrano, E., Panella, M., Crivellaro, S., Smith, J. J., 3rd, Maso, G., Favro, M., Ceratti, G., Gontero, P., Frea, B. Evaluation of minimally invasive analysis system for cough leak point pressure measurement. *J Urol*. 2004 Sep; 172: 994-7
- 44677 Kockelbergh, R. C., Tan, J. B., Bates, C. P., Bishop, M. C., Dunn, M., Lemberger, R. J. Clam enterocystoplasty in general urological practice. *Br J Urol*. 1991 Jul; 68: 38-41
- 3631 Kockelbergh, R.C., Tan, J.B., Bates, C.P., Bishop, M.C., Dunn, M., and Lemberger, R.J. Clam enterocystoplasty in general urological practice. *Br J Urol*. 1991 Jul; 68: 38-41
- 43081 Kockum, C. C., Hansson, E., Stenberg, A., Svensson, J., Malmfors, G. Bladder exstrophy in Sweden--a long-term follow-up study. *Eur J Pediatr Surg*. 1996 Aug; 6: 208-11
- 43969 Kodama, H., Hieda, I., Kuchinomachi, Y., Takeichi, H., Matsumoto, H. Non-invasive ultrasonic urination sensor for ambulatory patient support. *Methods Inf Med*. 1994 Mar; 33: 97-100
- 40533 Kodman-Jones, C., Hawkins, L., Schulman, S. L. Behavioral characteristics of children with daytime wetting. *J Urol*. 2001 Dec; 166: 2392-5
- 10502 Koduri, S., Goldberg, R. P., Sand, P. K. Transvaginal therapy of genuine stress incontinence. *Urology*. 2000 Dec 4; 56: 23-7
- 10084 Koduri, S., Sand, P. Transvaginal bladder neck suspension to Cooper's ligament. *Curr Urol Rep*. 2001 Oct; 2: 344-9
- 4039 Koelbl, H., Bernaschek, G., and Deutinger, J. Assessment of female urinary incontinence by introital sonography. *JCU J Clin Ultrasound*. 1990 May; 18: 370-374

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 12074** Koelbl, H., Bernaschek, G., Deutinger, J. Assessment of female urinary incontinence by introital sonography. *J Clin Ultrasound*. 1990 May; 18: 370-4
- 10986** Koelbl, H., Saz, V., Doerfler, D., Haeusler, G., Sam, C., Hanzal, E. Transurethral injection of silicone microimplants for intrinsic urethral sphincter deficiency. *Obstet Gynecol*. 1998 Sep; 92: 332-6
- 10310** Koelbl, H., Stoerer, S., Seliger, G., Wolters, M. Transurethral penetration of a tension-free vaginal tape. *BJOG*. 2001 Jul; 108: 763-5
- 10300** Koelle, D., Stenzl, A., Koelbl, H., Marth, C. Treatment of postoperative urinary retention by elongation of tension-free vaginal tape. *Am J Obstet Gynecol*. 2001 Jul; 185: 250-1
- 43243** Kohler-Ockmore, J., Feneley, R. C. Long-term catheterization of the bladder: prevalence and morbidity. *Br J Urol*. 1996 Mar; 77: 347-51
- 42210** Kohli, N., Karram, M. M. Urodynamic evaluation for female urinary incontinence. *Clin Obstet Gynecol*. 1998 Sep; 41: 672-90
- 31322** Kohli, N., Sze, E. H., Roat, T. W., Karram, M. M. Incidence of recurrent cystocele after anterior colporrhaphy with and without concomitant transvaginal needle suspension. *Am J Obstet Gynecol*. 1996 Dec; 175: 1476-80; discussion 1480-2
- 3509** Kohn, D., Sinoff, G., Strulov, A., Ciechanover, M., and Wei, J.Y. Long-term follow-up of patients aged 75 years and older admitted to an acute care hospital in Israel. *Aging (Milano)*. 1991 Sep; 3: 279-285
- 44642** Kohn, D., Sinoff, G., Strulov, A., Ciechanover, M., Wei, J. Y. Long-term follow-up of patients aged 75 years and older admitted to an acute care hospital in Israel. *Aging (Milano)*. 1991 Sep; 3: 279-85
- 42361** Kohn, I. J., Balsara, R. K., Rabinovitch, H. Placement of a bladder neck purse-string cuff for the management of incontinence in children with myelodysplasia. *Urology*. 1998 Jun; 51: 1027-30
- 12105** Kohorn, E. I. Negative Q-tip test as a risk factor for failed incontinence surgery in women. *J Reprod Med*. 1990 Jan; 35: 68
- 11980** Kohorn, E. I. Surgery for stress urinary incontinence. *Curr Opin Obstet Gynecol*. 1991 Jun; 3: 394-7
- 4196** Kohorn, E.I. Negative Q-tip test as a risk factor for failed incontinence surgery in women [letter; comment]. *J Reprod Med*. 1990 Jan; 35: 68
- 41045** Koie, H., Yamaya, Y., Sakai, T. Four cases of lowered urethral pressure in canine ectopic ureter. *J Vet Med Sci*. 2000 Nov; 62: 1221-2
- 41899** Kok, A. L., Burger, C. W., van de Weijer, P. H., Voetberg, G. A., Peters-Muller, E. R., Kenemans, P. Micturition complaints in postmenopausal women treated with continuously combined hormone replacement therapy: a prospective study. *Maturitas*. 1999 Jan 4; 31: 143-9
- 44479** Kok, A. L., Voorhorst, F. J., Burger, C. W., van Houten, P., Kenemans, P., Janssens, J. Urinary and faecal incontinence in community-residing elderly women. *Age Ageing*. 1992 May; 21: 211-5
- 3343** Kok, A.L., Voorhorst, F.J., Burger, C.W., van-Houten, P., Kenemans, P., and Janssens, J. Urinary and faecal incontinence in community-residing elderly women. *Age Ageing*. 1992 May; 21: 211-215
- 41101** Kolcaba, K., Dowd, T., Winslow, E. H., Jacobson, A. F. Kegel exercises. Strengthening the weak pelvic floor muscles that cause urinary incontinence. *Am J Nurs*. 2000 Nov; 100: 59
- 43559** Koldewijn, E. L., Hommes, O. R., Lemmens, W. A., Debruyne, F. M., van Kerrebroeck, P. E. Relationship between lower urinary tract abnormalities and disease-related parameters in multiple sclerosis. *J Urol*. 1995 Jul; 154: 169-73
- 43924** Koldewijn, E. L., Van Kerrebroeck, P. E., Schaafsma, E., Wijkstra, H., Debruyne, F. M., Brindley, G. S. Bladder pressure sensors in an animal model. *J Urol*. 1994 May; 151: 1379-84
- 42097** Kolligian, M. E., Palmer, L. S., Cheng, E. Y., Firlit, C. F. Myofascial wrap to treat intractable urinary incontinence in children. *Urology*. 1998 Dec; 52: 1122-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 56330** Kolominsky-Rabas, P. L., Hilt, M. J., Neundorfer, B., Heuschmann, P. U. Impact of urinary incontinence after stroke: results from a prospective population-based stroke register. *Neurourol Urodyn.* 2003; 22: 322-7
- 41597** Komatsu, K., Niikura, S., Maeda, Y., Ishiura, Y., Yokoyama, O., Namiki, M. Single ectopic vaginal ureter diagnosed by computed tomography. *Urol Int.* 1999; 63: 147-50
- 54540** Konagaya, M., Matsumoto, A., Takase, S., Mizutani, T., Sobue, G., Konishi, T., Hayabara, T., Iwashita, H., Ujihira, T., Miyata, K., Matsuoka, Y. Clinical analysis of longstanding subacute myelo-optico-neuropathy: sequelae of cloquinol at 32 years after its ban. *J Neurol Sci.* 2004 Mar 15; 218: 85-90
- 3550** Kondo, A. Status and tasks of today's urodynamics. *Urol Int.* 1991; 47 Suppl 1: 16-18
- 11744** Kondo, A., Kapoor, R., Ohmura, M., Saito, M. Functional obstruction of the female urethra: relevance to refractory bed wetting and recurrent urinary tract infection. *Neurourol Urodyn.* 1994; 13: 541-6
- 3288** Kondo, A., Kato, K., Sakakibara, T., Hashizume, Y., and Ito, S. Tethered cord syndrome: cause for urge incontinence and pain in lower extremities. *Urology.* 1992 Aug; 40: 143-146
- 44433** Kondo, A., Kato, K., Sakakibara, T., Hashizume, Y., Ito, S. Tethered cord syndrome: cause for urge incontinence and pain in lower extremities. *Urology.* 1992 Aug; 40: 143-6
- 10788** Kondo, A., Narushima, M., Itoh, Y., Saito, M. Vaginal nylon sling: loop length and surgical outcomes in those with urethral hypermobility and intrinsic sphincter deficiency. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 182-7
- 11745** Kondo, A., Narushima, M., Yoshikawa, Y., Hayashi, H. Pelvic fascia strength in women with stress urinary incontinence in comparison with those who are continent. *Neurourol Urodyn.* 1994; 13: 507-13
- 11305** Kondo, A., Yamada, Y., Morishige, R., Nijima, R. An intensive programme for pelvic floor muscle exercises: short- and long-term effects on those with stress urinary incontinence. *Hinyokika Kiyo.* 1996 Nov; 42: 853-9
- 11516** Kondo, A., Yamada, Y., Nijima, R. Treatment of stress incontinence by vaginal cones: short- and long-term results and predictive parameters. *Br J Urol.* 1995 Oct; 76: 464-6
- 11239** Kondo, A., Yokoyama, E., Koshiba, K., Fukui, J., Gotoh, M., Yoshikawa, Y., Yamada, T., Takei, M. Bladder neck support prosthesis: a nonoperative treatment for stress or mixed urinary incontinence. *J Urol.* 1997 Mar; 157: 824-7
- 10484** Kondo, Y., Homma, Y., Takahashi, S., Kitamura, T., Kawabe, K. Transvaginal ultrasound of urethral sphincter at the mid urethra in continent and incontinent women. *J Urol.* 2001 Jan; 165: 149-52
- 59298** Kondoh, T., Amamoto, N., Doi, T., Hamada, H., Ogawa, Y., Nakashima, M., Sasaki, H., Aikawa, K., Tanaka, T., Aoki, M., Harada, J., Moriuchi, H. Dramatic improvement in Down syndrome-associated cognitive impairment with donepezil. *Ann Pharmacother.* 2005 Mar; 39: 563-6
- 43933** Kong, K. H., Chan, K. F., Lim, A. C., Tan, E. S. Detrusor hyperreflexia in strokes. *Ann Acad Med Singapore.* 1994 May; 23: 319-21
- 44921** Kong, T. K., Morris, J. A., Robinson, J. M., Brocklehurst, J. C. Predicting urodynamic dysfunction from clinical features in incontinent elderly women. *Age Ageing.* 1990 Jul; 19: 257-63
- 3912** Kong, T.K., Morris, J.A., Robinson, J.M., and Brocklehurst, J.C. Predicting urodynamic dysfunction from clinical features in incontinent elderly women. *Age Ageing.* 1990 Jul; 19: 257-263
- 44510** Kontani, H., Nakagawa, M., Sakai, T. Effects of adrenergic agonists on an experimental urinary incontinence model in anesthetized rabbits. *Jpn J Pharmacol.* 1992 Apr; 58: 339-46
- 44776** Kontturi, M. J., Hellstrom, P. A., Tammela, T. L., Lukkarinen, O. A. Colocystoplasty for the treatment of severe interstitial cystitis. *Urol Int.* 1991; 46: 50-4
- 3719** Kontturi, M.J., Hellstrom, P.A., Tammela, T.L., and Lukkarinen, O.A. Colocystoplasty for the treatment of severe interstitial cystitis. *Urol Int.* 1991; 46: 50-54
- 41984** Koo, H. P., Bunchman, T. E., Flynn, J. T., Punch, J. D., Schwartz, A. C., Bloom, D. A. Renal transplantation in children with severe lower urinary tract dysfunction. *J Urol.* 1999 Jan; 161: 240-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 12039 Koonings, P. P., Bergman, A., Ballard, C. A. Low urethral pressure and stress urinary incontinence in women: risk factor for failed retropubic surgical procedure. *Urology*. 1990 Sep; 36: 245-8
- 12106 Koonings, P. P., Bergman, A., Ballard, C. A. Prostaglandins for enhancing detrusor function after surgery for stress incontinence in women. *J Reprod Med*. 1990 Jan; 35: 1-5
- 3951 Koonings, P.P., Bergman, A., and Ballard, C.A. Low urethral pressure and stress urinary incontinence in women: risk factor for failed retropubic surgical procedure. *Urology*. 1990 Sep; 36: 245-248
- 4197 Koonings, P.P., Bergman, A., and Ballard, C.A. Prostaglandins for enhancing detrusor function after surgery for stress incontinence in women. *J Reprod Med*. 1990 Jan; 35: 1-5
- 3493 Koraitim, M., Khalil, R. Preservation of urosexual functions after radical cystectomy. *Urology*. 1992 Feb; 39: 117-121
- 5312 Korda, A., Ferry, J., and Hunter, P. Silastic slings for female incontinence. *International Urogynaecology Journal*. 1990; 1: 63-66
- 11643 Korman, H. J., Sirls, L. T., Kirkemo, A. K. Success rate of modified Pereyra bladder neck suspension determined by outcomes analysis. *J Urol*. 1994 Nov; 152: 1453-7
- 11320 Korn, A. P., Learman, L. A. Operations for stress urinary incontinence in the United States, 1988- 1992. *Urology*. 1996 Oct; 48: 609-12
- 45072 Kornhuber, H. H., Schutz, A. Efficient treatment of neurogenic bladder disorders in multiple sclerosis with initial intermittent catheterization and ultrasound- controlled training. *Eur Neurol*. 1990; 30: 260-7
- 3287 Kossard, S., Bear, L. A florid papulo-nodular eruption in a sexagenarian. *Australas J Dermatol*. 1991; 32: 178-180
- 10463 Kovac, S. R. Laparoscopic surgery for genuine stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000 Dec; 11: 395
- 11233 Kovac, S. R., Cruikshank, S. H. Pubic bone suburethral stabilization sling for recurrent urinary incontinence. *Obstet Gynecol*. 1997 Apr; 89: 624-7
- 50400 Kowalczyk, J. A review of the overactive bladder in women and men. *J Gend Specif Med*. 2003; 6: 25-9
- 41433 Kowalczyk, J. J. Office evaluation of the patient with an overactive urinary bladder. *J Am Osteopath Assoc*. 2000 Mar; 100: S1-4
- 10295 Kowalczyk, J. J., Mulcahy, J. J. Use of the artificial urinary sphincter in women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000 Jun; 11: 176-9
- 11025 Koyama, W., Koyanagi, A., Mihara, S., Kawazu, S., Uemura, T., Nakano, H., Gotou, Y., Nishizawa, M., Noyama, A., Hasegawa, C., Nakano, M. Prevalence and conditions of urinary incontinence among the elderly. *Methods Inf Med*. 1998 Jun; 37: 151-5
- 10795 Kralj, B. Conservative treatment of female stress urinary incontinence with functional electrical stimulation. *Eur J Obstet Gynecol Reprod Biol*. 1999 Jul; 85: 53-6
- 43918 Kralj, B. Epidemiology of female urinary incontinence, classification of urinary incontinence, urinary incontinence in elderly women. *Eur J Obstet Gynecol Reprod Biol*. 1994 May 31; 55: 39-41
- 3998 Krasner, D. Alterations in skin integrity related to continence management/incontinence: some problems and solutions. *Ostomy Wound Manage*. 1990 May-Jun; 28: 62-63
- 56870 Krause, C., Wells, T., Hughes, S., Brink, C., Mayer, R. Incontinence in women: effect of expectancy to regain control and severity of symptoms on treatment outcomes. *Urol Nurs*. 2003 Feb; 23: 54-61
- 43087 Krauss, J. K., Droste, D. W., Vach, W., Regel, J. P., Orszagh, M., Borremans, J. J., Tietz, A., Seeger, W. Cerebrospinal fluid shunting in idiopathic normal-pressure hydrocephalus of the elderly: effect of periventricular and deep white matter lesions. *Neurosurgery*. 1996 Aug; 39: 292-9; discussion 299-300
- 42946 Krauss, J. K., Regel, J. P., Droste, D. W., Orszagh, M., Borremans, J. J., Vach, W. Movement disorders in adult hydrocephalus. *Mov Disord*. 1997 Jan; 12: 53-60



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 51690 Kreder, K. J., Jr, Brubaker, L., Mainprize, T. Tolterodine is equally effective in patients with mixed incontinence and those with urge incontinence alone. *BJU Int.* 2003 Sep; 92: 418-21
- 11299 Kreder, K. J., Austin, J. C. Treatment of stress urinary incontinence in women with urethral hypermobility and intrinsic sphincter deficiency. *J Urol.* 1996 Dec; 156: 1995-8
- 44055 Kreder, K. J., Nygaard, I. E. The diagnosis and management of urinary incontinence in women. *Compr Ther.* 1994; 20: 678-81
- 11365 Kreder, K. J., Winfield, H. N. Laparoscopic urethral sling for treatment of intrinsic sphincter deficiency. *J Endourol.* 1996 Jun; 10: 255-7
- 44490 Kreder, K., Das, A. K., Webster, G. D. The hemi-Kock ileocystoplasty: a versatile procedure in reconstructive urology. *J Urol.* 1992 May; 147: 1248-51
- 3433 Kreder, K., Das, A.K., and Webster, G.D. The hemi-Kock ileocystoplasty: a versatile procedure in reconstructive urology. *J Urol.* 1992 May; 147: 1248-1251
- 40169 Kreder, K., Mayne, C., Jonas, U. Long-term safety, tolerability and efficacy of extended-release tolterodine in the treatment of overactive bladder. *Eur Urol.* 2002 Jun; 41: 588-95
- 3737 Kreder, K.J., Webster, G.D. Evaluation and management of incontinence after implantation of the artificial urinary sphincter. *Urol Clin North Am.* 1991 May; 18: 375-381
- 3511 Kreder, K.J., Webster, G.D. Management of the bladder outlet in patients requiring enterocystoplasty. *J Urol.* 1992 Jan; 147: 38-41
- 43720 Krishna, A., Gough, D. C., Fishwick, J., Bruce, J. Ileocystoplasty in children: assessing safety and success. *Eur Urol.* 1995; 27: 62-6
- 41460 Krishna, N. S., Glen, E. S. Re: A remote controlled intraurethral insert for artificial voiding: a new concept for treating women with voiding dysfunction. *J Urol.* 2000 Apr; 163: 1258
- 50910 Krissi, H., Adam, J. E., Stanton, S. L. MRI visualization of the female pelvis in the plane of the tension-free vaginal tape (TVT) procedure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 342-5; discussion 345-6
- 10190 Kristiansson, P., Samuelsson, E., von Schoultz, B., Svardsudd, K. Reproductive hormones and stress urinary incontinence in pregnancy. *Acta Obstet Gynecol Scand.* 2001 Dec; 80: 1125-30
- 55410 Kron, M., Loy, S., Sturm, E., Nikolaus, T., Becker, C. Risk indicators for falls in institutionalized frail elderly. *Am J Epidemiol.* 2003 Oct 1; 158: 645-53
- 42235 Kronner, K. M., Rink, R. C., Simmons, G., Kropp, B. P., Casale, A. J., Cain, M. P. Artificial urinary sphincter in the treatment of urinary incontinence: preoperative urodynamics do not predict the need for future bladder augmentation. *J Urol.* 1998 Sep; 160: 1093-5; discussion 1103
- 10348 Krstic, Z. D., Lukac, M., Lukac, R., Smoljanic, Z., Vukadinovic, V., Varinac, D. Surgical treatment of cloacal anomalies. *Pediatr Surg Int.* 2001 May; 17: 329-33
- 11274 Krue, S., Jensen, H., Agger, A. O., Rasmussen, K. L. The influence of infant birth weight on post partum stress incontinence in obese women. *Arch Gynecol Obstet.* 1997; 259: 143-5
- 40652 Krumholz, H. M., Chen, J., Chen, Y. T., Wang, Y., Radford, M. J. Predicting one-year mortality among elderly survivors of hospitalization for an acute myocardial infarction: results from the Cooperative Cardiovascular Project. *J Am Coll Cardiol.* 2001 Aug; 38: 453-9
- 40820 Kryger, J. V., Levenson, G., Gonzalez, R. Long-term results of artificial urinary sphincters in children are independent of age at implantation. *J Urol.* 2001 Jun; 165: 2377-9
- 41852 Kryger, J. V., Spencer Barthold, J., Fleming, P., Gonzalez, R. The outcome of artificial urinary sphincter placement after a mean 15- year follow-up in a paediatric population. *BJU Int.* 1999 Jun; 83: 1026-31
- 57050 Krygowska-Wajs, A., Hussey, J. M., Hulihan, M., Farrer, M. J., Tsuboi, Y., Uitti, R. J., Wszolek, Z. K. Two large Polish kindreds with levodopa-responsive Parkinsonism not linked to known Parkinsonian genes and loci. *Parkinsonism Relat Disord.* 2003 Mar; 9: 193-200



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10439** Kubricht, W. S., 3rd, Williams, B. J., Eastham, J. A., Venable, D. D. Tensile strength of cadaveric fascia lata compared to small intestinal submucosa using suture pull through analysis. *J Urol.* 2001 Feb; 165: 486-90
- 40908** Kuchel, G. A., Tannenbaum, C., Greenspan, S. L., Resnick, N. M. Can variability in the hormonal status of elderly women assist in the decision to administer estrogens?. *J Womens Health Gend Based Med.* 2001 Mar; 10: 109-16
- 10985** Kuczyk, M. A., Klein, S., Grunewald, V., Machtens, S., Denil, J., Hofner, K., Wagner, T., Jonas, U. A questionnaire-based outcome analysis of the Stamey bladder neck suspension procedure for the treatment of urinary stress incontinence: the Hannover experience. *Br J Urol.* 1998 Aug; 82: 174-80
- 41385** Kudo, T., Mima, T., Hashimoto, R., Nakao, K., Morihara, T., Tanimukai, H., Tsujio, I., Koike, Y., Tagami, S., Mori, H., Nakamura, Y., Tanaka, T., Mori, K., Takeda, M. Tau protein is a potential biological marker for normal pressure hydrocephalus. *Psychiatry Clin Neurosci.* 2000 Apr; 54: 199-202
- 54580** Kudoh, K., Kadota, M., Nakayama, Y., Imuta, M., Yasuda, T., Yamashita, Y., Inadome, A., Yoshida, M., Ueda, S. Transcatheter arterial embolization therapy for a hypoplastic pelvic kidney with a single vaginal ectopic ureter to control incontinence: the usefulness of three-dimensional CT angiography using multidetector-row helical CT. *Cardiovasc Intervent Radiol.* 2003 Sep-Oct; 26: 479-81
- 10729** Kuh, D., Cardozo, L., Hardy, R. Urinary incontinence in middle aged women: childhood enuresis and other lifetime risk factors in a British prospective cohort. *J Epidemiol Community Health.* 1999 Aug; 53: 453-8
- 51200** Kuhn, A. Analysis of retropubic colpourethrosuspension results by suburethral sling with REMEEX prosthesis. *Eur J Obstet Gynecol Reprod Biol.* 2003 Nov 10; 111: 98
- 59099** Kuhn, A. Re: de Leval J. Novel surgical technique for the treatment of female stress urinary incontinence: transobturator vaginal tape inside-out. *Eur Urol* 2003;44:724-30. *Eur Urol.* 2004 Jul; 46: 136
- 3639** Kuhn, W., Rist, M., and Zaech, G.A. Intermittent urethral self-catheterisation: long term results (bacteriological evolution, continence, acceptance, complications). *Paraplegia.* 1991 May; 29: 222-232
- 44719** Kuhn, W., Rist, M., Zaech, G. A. Intermittent urethral self-catheterisation: long term results (bacteriological evolution, continence, acceptance, complications). *Paraplegia.* 1991 May; 29: 222-32
- 11265** Kujansuu, E. Patient history in the diagnosis of urinary incontinence and determining the quality of life. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 15-8
- 43472** Kuller, J. A., Katz, V. L., McCoy, M. C., Hansen, W. F. Pregnancy complicated by Guillain-Barre syndrome. *South Med J.* 1995 Sep; 88: 987-9
- 11261** Kulseng-Hanssen, S. Reliability and validity of stationary cystometry, stationary cysto- urethrometry and ambulatory cysto-urethro-vaginometry. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 33-8
- 10345** Kulseng-Hanssen, S. The clinical value of ambulatory urethral pressure recording in women. *Scand J Urol Nephrol Suppl.* 2001; : 67-73; discussion 106-25
- 51110** Kulseng-Hanssen, S. The development of a national database of the results of surgery for urinary incontinence in women. *BJOG.* 2003 Nov; 110: 975-82
- 10181** Kulseng-Hanssen, S., Berild, G. H. Subjective and objective incontinence 5 to 10 years after Burch colposuspension. *Neurourol Urodyn.* 2002; 21: 100-5
- 51100** Kulseng-Hanssen, S., Borstad, E. The development of a questionnaire to measure the severity of symptoms and the quality of life before and after surgery for stress incontinence. *BJOG.* 2003 Nov; 110: 983-8
- 11442** Kulseng-Hanssen, S., Klevmark, B. Ambulatory urodynamic monitoring of women. *Scand J Urol Nephrol Suppl.* 1996; 179: 27-37
- 10975** Kulseng-Hanssen, S., Kristoffersen, M., Larsen, E. Evaluation of the subjective and objective effect of maximal electrical stimulation in patients complaining of urge incontinence. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 12-5
- 30740** Kumar, A., Mandhani, A., Gogoi, S., Srivastava, A. Management of functional bladder neck obstruction in women: use of alpha-blockers and pediatric resectoscope for bladder neck incision. *J Urol.* 1999 Dec; 162: 2061-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41529 Kumar, H., Cauchi, J., MacKinnon, A. E. Periurethral Goretex sling in lower urinary reconstruction. *Eur J Pediatr Surg.* 1999 Dec; 9 Suppl 1: 33-4
- 40341 Kumar, R., Bansal, K. K., Chhabra, D. K. Occurrence of split cord malformation in meningomyelocele: complex spina bifida. *Pediatr Neurosurg.* 2002 Mar; 36: 119-27
- 59071 Kumar, V., Chapple, C. C., Chess-Williams, R. Characteristics of adenosine triphosphatase release from porcine and human normal bladder. *J Urol.* 2004 Aug; 172: 744-7
- 53340 Kunde, D., Varma, R. Feasibility of performing TVT operation for stress urinary incontinence under general anaesthesia. *J Obstet Gynaecol.* 2002 Nov; 22: 663-5
- 11336 Kung, R. C., Lie, K., Lee, P., Drutz, H. P. The cost-effectiveness of laparoscopic versus abdominal Burch procedures in women with urinary stress incontinence. *J Am Assoc Gynecol Laparosc.* 1996 Aug; 3: 537-44
- 51160 Kung, R. C., Liu, G., Lee, P. E., Lie, K. I., Morgan, J. E. Laparoscopic two-team slings for women with stress urinary incontinence. *J Am Assoc Gynecol Laparosc.* 2003 Aug; 10: 327-33
- 10670 Kuo, H. The relationships of urethral and pelvic floor muscles and the urethral pressure measurements in women with stress urinary incontinence. *Eur Urol.* 2000 Feb; 37: 149-55
- 10336 Kuo, H. C. Anatomical and functional results of pubovaginal sling procedure using polypropylene mesh for the treatment of stress urinary incontinence. *J Urol.* 2001 Jul; 166: 152-7
- 11272 Kuo, H. C. Clinical outcome and quality of life after enterocystoplasty for contracted bladders. *Urol Int.* 1997; 58: 160-5
- 10481 Kuo, H. C. Comparison of video urodynamic results after the pubovaginal sling procedure using rectus fascia and polypropylene mesh for stress urinary incontinence. *J Urol.* 2001 Jan; 165: 163-8
- 55400 Kuo, H. C. Effectiveness of intravesical resiniferatoxin in treating detrusor hyper-reflexia and external sphincter dyssynergia in patients with chronic spinal cord lesions. *BJU Int.* 2003 Oct; 92: 597-601
- 10462 Kuo, H. C. Long-term results of surgical treatment for female stress urinary incontinence. *Urol Int.* 2001; 66: 13-7
- 59170 Kuo, H. C. Long-term surgical results of pubovaginal sling procedure using polypropylene mesh in the treatment of stress urinary incontinence. *Urol Int.* 2005; 74: 147-52
- 42276 Kuo, H. C. Quality of life after active urological management of chronic spinal cord injury in eastern Taiwan. *Eur Urol.* 1998; 34: 37-46
- 10334 Kuo, H. C. Sonographic evaluation of anatomic results after the pubovaginal sling procedure for stress urinary incontinence. *J Ultrasound Med.* 2001 Jul; 20: 739-47
- 10186 Kuo, H. C. The surgical results of the pubovaginal sling procedure using polypropylene mesh for stress urinary incontinence. *BJU Int.* 2001 Dec; 88: 884-8
- 11058 Kuo, H. C. Transrectal sonographic investigation of urethral and paraurethral structures in women with stress urinary incontinence. *J Ultrasound Med.* 1998 May; 17: 311-20
- 11381 Kuo, H. C. Transrectal sonography of the female urethra in incontinence and frequency-urgency syndrome. *J Ultrasound Med.* 1996 May; 15: 363-70
- 10728 Kuo, H. C. Videourodynamic results after pubovaginal sling procedure for stress urinary incontinence. *Urology.* 1999 Nov; 54: 802-6; discussion 806-7
- 52850 Kuo, H. C. Videourodynamic results in stress urinary incontinence patients after pelvic floor muscle training. *J Formos Med Assoc.* 2003 Jan; 102: 23-9
- 41326 Kuo, H. C. Videourodynamic study for diagnosis of bladder outlet obstruction in women. *J Formos Med Assoc.* 2000 May; 99: 386-92
- 11969 Kuo, H. C., Chang, S. C., Hsu, T. A new classification of female stress urinary incontinence--based on transrectal sonographic cystourethrography. *J Formos Med Assoc.* 1991 Aug; 90: 769-75

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11736** Kuo, H. C., Chang, S. C., Hsu, T. Application of transrectal sonography in the diagnosis and treatment of female stress urinary incontinence. *Eur Urol.* 1994; 26: 77-84
- 3542** Kuo, H.C., Chang, S.C., and Hsu, T. A new classification of female stress urinary incontinence--based on transrectal sonographic cystourethrography. *Taiwan I Hsueh Hui Tsa Chih.* 1991 Aug; 90: 769-775
- 10254** Kupeli, B., Kordan, Y., Alkibay, T. Urinary incontinence after pelvic trauma: a case report. *Int Urol Nephrol.* 2001; 32: 363-5
- 3448** Kurabayashi, H., Kubota, K., Kawada, E., Tamura, K., Tamura, J., and Shirakura, T. Complete cure of urinary and faecal incontinence after intravenous vitamin B12 therapy in a patient with post-gastrectomy megaloblastic anaemia. *J Intern Med.* 1992 Mar; 231: 313-315
- 3010** Kurisaka, M., Arisawa, M., Moriki, A., and Mori, K. Successful combination chemotherapy (cisplatin, vinblastine, and bleomycin) with small-dose irradiation in the treatment of pineoblastoma metastasized into spinal cord: case report. *Surg Neurol.* 1993 Feb; 39: 152-157
- 11873** Kursh, E. D. Factors influencing the outcome of a no incision endoscopic urethropey. *Surg Gynecol Obstet.* 1992 Sep; 175: 254-8
- 11982** Kursh, E. D., Angell, A. H., Resnick, M. I. Evolution of endoscopic urethropey: seven-year experience with various techniques. *Urology.* 1991 May; 37: 428-31
- 5295** Kursh, E.D. What factors influence the outcome of a no-incision endoscopic urethropey?. *J Urol.* 1991; 145: 223A
- 3718** Kursh, E.D., Angell, A.H., and Resnick, M.I. Evolution of endoscopic urethropey: seven-year experience with various techniques. *Urology.* 1991 May; 37: 428-431
- 3082** Kurtz, M., Murrey, M., Salmonson, K., and Cornell, C. Daytime incontinence. *J Pediatr Health Care.* 1993 Mar-Apr; 7: 92,99-100
- 44267** Kurtz, M., Murrey, M., Salmonson, K., Cornell, C. Daytime incontinence. *J Pediatr Health Care.* 1993 Mar-Apr; 7: 92, 99-100
- 11470** Kurzrock, E. A., Lowe, P., Hardy, B. E. Bladder wall pedicle wraparound sling for neurogenic urinary incontinence in children. *J Urol.* 1996 Jan; 155: 305-8
- 10438** Kusuda, L. Simple release of pubovaginal sling. *Urology.* 2001 Feb; 57: 358-9
- 43892** Kutner, N. G., Schechtman, K. B., Ory, M. G., Baker, D. I. Older adults' perceptions of their health and functioning in relation to sleep disturbance, falling, and urinary incontinence.FICSIT Group. *J Am Geriatr Soc.* 1994 Jul; 42: 757-62
- 42417** Kutta, A., Haupt, G. Rotundovaginopexy in orthotopic ileal neobladder following radical cystectomy in women. *Eur Urol.* 1998; 33: 308-11
- 10156** Kuuva, N., Nilsson, C. G. A nationwide analysis of complications associated with the tension-free vaginal tape (TVT) procedure. *Acta Obstet Gynecol Scand.* 2002 Jan; 81: 72-7
- 51700** Kuuva, N., Nilsson, C. G. Tension-free vaginal tape procedure: an effective minimally invasive operation for the treatment of recurrent stress urinary incontinence?. *Gynecol Obstet Invest.* 2003; 56: 93-8
- 11814** Kvale, J. N., Kvale, J. K. Common gynecologic problems after age 75. *Postgrad Med.* 1993 Apr; 93: 263-8, 271-2
- 10608** Kwok, A., Lam, A., Ford, R. Incisional hernia in a 5 mm laparoscopic port site incision. *Aust N Z J Obstet Gynaecol.* 2000 Feb; 40: 104-5
- 50950** Kwon, C. H., Culligan, P. J., Koduri, S., Goldberg, R. P., Sand, P. K. The development of pelvic organ prolapse following isolated Burch retropubic urethropey. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 321-5; discussion 325
- 57560** Kwon, C. H., Goldberg, R. P., Koduri, S., Sand, P. K. The use of intraoperative cystoscopy in major vaginal and urogynecologic surgeries. *Am J Obstet Gynecol.* 2002 Dec; 187: 1466-71; discussion 1471-2

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 42981** Kyles, A. E., Vaden, S., Hardie, E. M., Stone, E. A. Vestibulovaginal stenosis in dogs: 18 cases (1987-1995). J Am Vet Med Assoc. 1996 Dec 1; 209: 1889-93
- 10988** Labasky, R. F. Maybe we can do better for more--new insights on surgical candidates and techniques for incontinence surgery. J Urol. 1998 Sep; 160: 763
- 11570** Labasky, R. F. Neurogenic bladder. J Urol. 1995 May; 153: 1467-8
- 41539** Labrecque, M., Eason, E., Marcoux, S. Randomized trial of perineal massage during pregnancy: perineal symptoms three months after delivery. Am J Obstet Gynecol. 2000 Jan; 182: 76-80
- 41440** Lachowsky, M. Urinary problems around the menopause; emotional and psychological consequences; can we help our patients to cope with them?. Maturitas. 2000 Jan; 34 Suppl 1: S25-27
- 44428** Lachs, M. S., Becker, M., Siegal, A. P., Miller, R. L., Tinetti, M. E. Delusions and behavioral disturbances in cognitively impaired elderly persons. J Am Geriatr Soc. 1992 Aug; 40: 768-73
- 3317** Lachs, M.S., Becker, M., Siegal, A.P., Miller, R.L., and Tinetti, M.E. Delusions and behavioral disturbances in cognitively impaired elderly persons [see comments]. J Am Geriatr Soc. 1992 Aug; 40: 768-773
- 4059** Lachs, M.S., Feinstein, A.R., Cooney, L.M., Jr., Drickamer, M.A., Marottoli, R.A., Pannill, F.C., and Tinetti, M.E. A simple procedure for general screening for functional disability in elderly patients [see comments]. Ann Intern Med. 1990 May 1; 112: 699-706
- 55540** Lacima, G., Pera, M. Combined fecal and urinary incontinence: an update. Curr Opin Obstet Gynecol. 2003 Oct; 15: 405-10
- 44214** Lagace, E. A., Hansen, W., Hickner, J. M. Prevalence and severity of urinary incontinence in ambulatory adults: an UPRNet study. J Fam Pract. 1993 Jun; 36: 610-4
- 3069** Lagace, E.A., Hansen, W., and Hickner, J.M. Prevalence and severity of urinary incontinence in ambulatory adults: an UPRNet study. J Fam Pract. 1993 Jun; 36: 610-614
- 11876** Lagro-Janssen, A. L., Debruyne, F. M., Smits, A. J., van Weel, C. The effects of treatment of urinary incontinence in general practice. Fam Pract. 1992 Sep; 9: 284-9
- 11862** Lagro-Janssen, A. L., Debruyne, F. M., Van Weel, C. Psychological aspects of female urinary incontinence in general practice. Br J Urol. 1992 Nov; 70: 499-502
- 11976** Lagro-Janssen, A. L., Debruyne, F. M., van Weel, C. Value of the patient's case history in diagnosing urinary incontinence in general practice. Br J Urol. 1991 Jun; 67: 569-72
- 3207** Lagro-Janssen, A.L., Debruyne, F.M., and Van-Weel, C. Psychological aspects of female urinary incontinence in general practice. Br J Urol. 1992 Nov; 70: 499-502
- 3663** Lagro-Janssen, A.L., Debruyne, F.M., and van-Weel, C. Value of the patient's case history in diagnosing urinary incontinence in general practice. Br J Urol. 1991 Jun; 67: 569-572
- 3213** Lagro-Janssen, A.L., Debruyne, F.M., Smits, A.J., and van-Weel, C. The effects of treatment of urinary incontinence in general practice. Fam Pract. 1992 Sep; 9: 284-289
- 11943** Lagro-Janssen, T. L., Debruyne, F. M., Smits, A. J., van Weel, C. Controlled trial of pelvic floor exercises in the treatment of urinary stress incontinence in general practice. Br J Gen Pract. 1991 Nov; 41: 445-9
- 44906** Lagro-Janssen, T. L., Smits, A. J., Van Weel, C. Women with urinary incontinence: self-perceived worries and general practitioners' knowledge of problem. Br J Gen Pract. 1990 Aug; 40: 331-4
- 3255** Lagro-Janssen, T., Smits, A., and Van-Weel, C. Urinary incontinence in women and the effects on their lives. Scand J Prim Health Care. 1992 Sep; 10: 211-216
- 11877** Lagro-Janssen, T., Smits, A., Van Weel, C. Urinary incontinence in women and the effects on their lives. Scand J Prim Health Care. 1992 Sep; 10: 211-6
- 10850** Lagro-Janssen, T., van Weel, C. Long-term effect of treatment of female incontinence in general practice. Br J Gen Pract. 1998 Nov; 48: 1735-8

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3441** Lagro-Janssen, T.L., Debruyne, F.M., Smits, A.J., and van-Weel, C. Controlled trial of pelvic floor exercises in the treatment of urinary stress incontinence in general practice. *Br J Gen Pract.* 1991 Nov; 41: 445-449
- 3909** Lagro-Janssen, T.L., Smits, A.J., and Van-Weel, C. Women with urinary incontinence: self-perceived worries and general practitioners' knowledge of problem. *Br J Gen Pract.* 1990 Aug; 40: 331-334
- 40209** Lake, D. Catheter care. *Nurs Stand.* 2000 Oct 18-24; 15: 26
- 55530** Lal, M. Prevention of urinary and anal incontinence: role of elective cesarean delivery. *Curr Opin Obstet Gynecol.* 2003 Oct; 15: 439-48
- 10673** Lalos, O., Berglund, A. L., Bjerle, P. The long-term outcome of retropubic urethrocystopexy (sutures and fibrin sealant) and pubococcygeal repair. *Acta Obstet Gynecol Scand.* 2000 Feb; 79: 135-9
- 11825** Lalos, O., Berglund, A. L., Bjerle, P. Urodynamics in women with stress incontinence before and after surgery. *Eur J Obstet Gynecol Reprod Biol.* 1993 Mar; 48: 197-205
- 10423** Lalos, O., Berglund, A. L., Lalos, A. Impact of urinary and climacteric symptoms on social and sexual life after surgical treatment of stress urinary incontinence in women: a long-term outcome. *J Adv Nurs.* 2001 Feb; 33: 316-27
- 3025** Lalos, O., Berglund, A.L., and Bjerle, P. Urodynamics in women with stress incontinence before and after surgery. *Eur J Obstet Gynecol Reprod Biol.* 1993 Mar; 48: 197-205
- 43364** Lalos, O., Lalos, A. Urinary, climacteric and sexual symptoms one year after treatment of endometrial and cervical cancer. *Eur J Gynaecol Oncol.* 1996; 17: 128-36
- 11688** Lam, A. M., Hyslop, R. Laparoscopic surgery for stress incontinence. *Med J Aust.* 1994 May 2; 160: 590-1
- 11609** Lam, A. M., Jenkins, G. J., Hyslop, R. S. Laparoscopic Burch colposuspension for stress incontinence: preliminary results. *Med J Aust.* 1995 Jan 2; 162: 18-21
- 11857** Lam, G. W., Foldspang, A., Elving, L. B., Mommsen, S. Social context, social abstention, and problem recognition correlated with adult female urinary incontinence. *Dan Med Bull.* 1992 Dec; 39: 565-70
- 3203** Lam, G.W., Foldspang, A., Elving, L.B., and Mommsen, S. Social context, social abstention, and problem recognition correlated with adult female urinary incontinence. *Dan Med Bull.* 1992 Dec; 39: 565-570
- 59372** Lam, S. P., Fong, S. Y., Kwok, A., Wong, T., Wing, Y. K. Delayed neuropsychiatric impairment after carbon monoxide poisoning from burning charcoal. *Hong Kong Med J.* 2004 Dec; 10: 428-31
- 11984** Lam, T. C., Hadley, H. R. Surgical procedures for uncomplicated ('routine') female stress incontinence. *Urol Clin North Am.* 1991 May; 18: 327-37
- 3742** Lam, T.C., Hadley, H.R. Surgical procedures for uncomplicated ("routine") female stress incontinence.. *Urol Clin North Am.* 1991 May; 18: 327-337
- 42319** Lamb, C. R., Gregory, S. P. Ultrasonographic findings in 14 dogs with ectopic ureter. *Vet Radiol Ultrasound.* 1998 May-Jun; 39: 218-23
- 44001** Lamb, C. R., Gregory, S. P. Ultrasonography of the ureterovesicular junction in the dog: a preliminary report. *Vet Rec.* 1994 Jan 8; 134: 36-8
- 44548** Lamhut, P., Jackson, T. W., Wall, L. L. The treatment of urinary incontinence with electrical stimulation in nursing home patients: a pilot study. *J Am Geriatr Soc.* 1992 Jan; 40: 48-52
- 3523** Lamhut, P., Jackson, T.W., and Wall, L.L. The treatment of urinary incontinence with electrical stimulation in nursing home patients: a pilot study. *J Am Geriatr Soc.* 1992 Jan; 40: 48-52
- 11747** Lampel, A., Fokaefs, E., Hohenfellner, M., Lazica, M., Thuroff, J. W. Free versus pedicled fascial flaps--a chronic animal study. *Investig Urol (Berl).* 1994; 5: 165-70
- 43677** Lampel, A., Hohenfellner, M., Schultz-Lampel, D., Thuroff, J. W. In situ tunneled bowel flap tubes: 2 new techniques of a continent outlet for Mainz pouch cutaneous diversion. *J Urol.* 1995 Feb; 153: 308-15



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40564** Land, R., Parry, E., Rane, A., Wilson, D. Personal preferences of obstetricians towards childbirth. *Aust N Z J Obstet Gynaecol.* 2001 Aug; 41: 249-52
- 43775** Landau, E. H., Churchill, B. M., Jayanthi, V. R., Gilmour, R. F., Steckler, R. E., McLorie, G. A., Khoury, A. E. The sensitivity of pressure specific bladder volume versus total bladder capacity as a measure of bladder storage dysfunction. *J Urol.* 1994 Nov; 152: 1578-81
- 43217** Landau, R., Last, U., Aldor, R., Hartman, M. Sex and sociocultural correlates of urinary incontinence in Israeli preschool children. *J Gen Psychol.* 1996 Apr; 123: 150-68
- 57080** Landi, F., Cesari, M., Russo, A., Onder, G., Lattanzio, F., Bernabei, R. Potentially reversible risk factors and urinary incontinence in frail older people living in community. *Age Ageing.* 2003 Mar; 32: 194-9
- 57580** Landi, F., Cesari, M., Russo, A., Onder, G., Sgadari, A., Bernabei, R. Benzodiazepines and the risk of urinary incontinence in frail older persons living in the community. *Clin Pharmacol Ther.* 2002 Dec; 72: 729-34
- 54750** Landis, J. R., Kaplan, S., Swift, S., Versi, E. Efficacy of antimuscarinic therapy for overactive bladder with varying degrees of incontinence severity. *J Urol.* 2004 Feb; 171: 752-6
- 43597** Lane, I. F., Lappin, M. R., Seim, H. B., 3rd Evaluation of results of preoperative urodynamic measurements in nine dogs with ectopic ureters. *J Am Vet Med Assoc.* 1995 May 1; 206: 1348-57
- 43355** Lang, E. W., Chesnut, R. M., Hennerici, M. Urinary retention and space-occupying lesions of the frontal cortex. *Eur Neurol.* 1996; 36: 43-7
- 53400** Lang, J. H., Zhu, L., Sun, Z. J., Chen, J. Estrogen levels and estrogen receptors in patients with stress urinary incontinence and pelvic organ prolapse. *Int J Gynaecol Obstet.* 2003 Jan; 80: 35-9
- 40272** Langa, K. M., Fultz, N. H., Saint, S., Kabeto, M. U., Herzog, A. R. Informal caregiving time and costs for urinary incontinence in older individuals in the United States. *J Am Geriatr Soc.* 2002 Apr; 50: 733-7
- 11602** Langebrenne, A., Dahlstrom, B., Eraker, R., Urnes, A. The laparoscopic Burch procedure. A preliminary report. *Acta Obstet Gynecol Scand.* 1995 Feb; 74: 153-5
- 3160** Langer, R., Golan, A., Arad, D., Pansky, M., Bukovsky, I., and Caspi, E. Effects of induced menopause on Burch colposuspension for urinary stress incontinence. *J Reprod Med.* 1992 Dec; 37: 956-958
- 11860** Langer, R., Golan, A., Arad, D., Pansky, M., Bukovsky, I., Caspi, E. Effects of induced menopause on Burch colposuspension for urinary stress incontinence. *J Reprod Med.* 1992 Dec; 37: 956-8
- 3910** Langer, R., Golan, A., Neuman, M., Schneider, D., Bukovsky, I., and Caspi, E. The effect of large uterine fibroids on urinary bladder function and symptoms. *Am J Obstet Gynecol.* 1990 Oct; 163: 1139-1141
- 12036** Langer, R., Golan, A., Neuman, M., Schneider, D., Bukovsky, I., Caspi, E. The effect of large uterine fibroids on urinary bladder function and symptoms. *Am J Obstet Gynecol.* 1990 Oct; 163: 1139-41
- 4002** Langer, R., Golan, A., Ron-El, R., Neuman, M., Pansky, M., Bukovsky, I., and Caspi, E. Colposuspension for urinary stress incontinence in premenopausal and postmenopausal women. *Surg Gynecol Obstet.* 1990 Jul; 171: 13-16
- 12058** Langer, R., Golan, A., Ron-El, R., Neuman, M., Pansky, M., Bukovsky, I., Caspi, E. Colposuspension for urinary stress incontinence in premenopausal and postmenopausal women. *Surg Gynecol Obstet.* 1990 Jul; 171: 13-6
- 10228** Langer, R., Lipshitz, Y., Halperin, R., Pansky, M., Bukovsky, I., Sherman, D. Long-Term (10-15 years) follow-up after Burch colposuspension for urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 323-6; discussion 326-7
- 53190** Langer, R., Lipshitz, Y., Halperin, R., Pansky, M., Bukovsky, I., Sherman, D. Prevention of genital prolapse following Burch colposuspension: comparison between two surgical procedures. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Feb; 14: 13-6; discussion 16
- 11746** Langer, R., Schneider, D., Ariely, S., Bukovsky, I., Caspi, E. A new colpo-needle suspension for the surgical treatment of stress incontinence: a 2-year follow-up. *Eur Urol.* 1994; 26: 258-61
- 11510** Langer, R., Tal, Z., Schneider, D., Avrech, O., Bukovsky, I., Caspi, E. Continence mechanism after colpo-needle suspension for stress urinary incontinence. *J Reprod Med.* 1995 Oct; 40: 699-702



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43135** Langford, R. Continence. Behind closed doors. Nurs Times. 1996 Jun 12-8; 92: 72
- 43430** Langley, T. Training staff to provide a continence helpline. Prof Nurse. 1995 Nov; 11: 121-4
- 3805** Langtry, H.D., McTavish, D. Terodiline. A review of its pharmacological properties, and therapeutic use in the treatment of urinary incontinence. Drugs. 1990 Nov; 40: 748-761
- 55860** Lantz, R. J., Gillespie, T. A., Rash, T. J., Kuo, F., Skinner, M., Kuan, H. Y., Knadler, M. P. Metabolism, excretion, and pharmacokinetics of duloxetine in healthy human subjects. Drug Metab Dispos. 2003 Sep; 31: 1142-50
- 40857** Lantzsch, T., Goepel, C., Wolters, M., Koelbl, H., Methfessel, H. D. Sacrospinous ligament fixation for vaginal vault prolapse. Arch Gynecol Obstet. 2001 Mar; 265: 21-5
- 44250** Lao, T. T., Halpern, S. H., MacDonald, D., Huh, C. Spinal subdural haematoma in a parturient after attempted epidural anaesthesia. Can J Anaesth. 1993 Apr; 40: 340-5
- 3087** Lao, T.T., Halpern, S.H., MacDonald, D., and Huh, C. Spinal subdural haematoma in a parturient after attempted epidural anaesthesia. Can J Anaesth. 1993 Apr; 40: 340-345
- 53380** Lapitan, M. C., Cody, D. J., Grant, A. M. Open retropubic colposuspension for urinary incontinence in women. Cochrane Database Syst Rev. 2003; : CD002912
- 56010** Lappin, M. S., Lawrie, F. W., Richards, T. L., Kramer, E. D. Effects of a pulsed electromagnetic therapy on multiple sclerosis fatigue and quality of life: a double-blind, placebo controlled trial. Altern Ther Health Med. 2003 Jul-Aug; 9: 38-48
- 11651** Lara, C., Nacey, J. Ethnic differences between Maori, Pacific Island and European New Zealand women in prevalence and attitudes to urinary incontinence. N Z Med J. 1994 Sep 28; 107: 374-6
- 59197** Lara, M. D., Kothari, S. N., Sugerman, H. J. Surgical management of obesity: a review of the evidence relating to the health benefits and risks. Treat Endocrinol. 2005; 4: 55-64
- 54420** Larijani, B., Bastanhagh, M. H., Pajouhi, M., Kargar Shadab, F., Vasigh, A., Aghakhani, S. Presentation and outcome of 93 cases of craniopharyngioma. Eur J Cancer Care (Engl). 2004 Mar; 13: 11-5
- 59402** Larrieu, S., Peres, K., Letenneur, L., Berr, C., Dartigues, J. F., Ritchie, K., Fevrier, B., Alperovitch, A., Barberger-Gateau, P. Relationship between body mass index and different domains of disability in older persons: the 3C study. Int J Obes Relat Metab Disord. 2004 Dec; 28: 1555-60
- 42456** Larson, B., Collins, A., Landgren, B. M. Urogenital and vasomotor symptoms in relation to menopausal status and the use of hormone replacement therapy (HRT) in healthy women during transition to menopause. Maturitas. 1997 Dec 15; 28: 99-105
- 30220** Larsson, U. E., Mattsson, E. Perceived disability and observed functional limitations in obese women. Int J Obes Relat Metab Disord. 2001 Nov; 25: 1705-12
- 52190** LaSala, C. A. Incomplete bladder emptying after the tension-free vaginal tape procedure, necessitating release of the mesh. A report of three cases. J Reprod Med. 2003 May; 48: 387-90
- 51120** LaSala, C. A., Kuchel, G. A. Evaluation and management of urinary incontinence in elderly women. Conn Med. 2003 Sep; 67: 491-5
- 54460** Latini, J. M., Brown, J. A., Kreder, K. J. Abdominal sacral colpopexy using autologous fascia lata. J Urol. 2004 Mar; 171: 1176-9
- 59169** Latini, J. M., Zimmerman, M. B., Kreder, K. J., Jr Association between valsalva and cough leak point pressures and pelvic organ prolapse quantification in women with stress incontinence. J Urol. 2005 Apr; 173: 1219-22
- 42027** Lau, K. O., Cheng, C. A case report--delayed vesicocutaneous fistula after radiation therapy for advanced vulvar cancer. Ann Acad Med Singapore. 1998 Sep; 27: 705-6
- 42002** Laubach, J. The problem of urinary incontinence in the elderly. N C Med J. 1999 Jan-Feb; 60: 42-5
- 52790** Laurikainen, E., Kiilholma, P. The tension-free vaginal tape procedure for female urinary incontinence without preoperative urodynamic evaluation. J Am Coll Surg. 2003 Apr; 196: 579-83

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 50160 Laurikainen, E., Rosti, J., Pitkanen, Y., Kiilholma, P. The Rosti sling: a new, minimally invasive, tension-free technique for the surgical treatment of female urinary incontinence-the first 217 patients. *J Urol.* 2004 Apr; 171: 1576-80; discussion 1580
- 11034 Laurikkala, J., Juhola, M. A genetic-based machine learning system to discover the diagnostic rules for female urinary incontinence. *Comput Methods Programs Biomed.* 1998 Mar; 55: 217-28
- 41829 Laurikkala, J., Juhola, M. Population size and quality in genetics-based rule learning from medical data. *Medinfo.* 1998; 9 Pt 1: 389-93
- 10385 Laurikkala, J., Juhola, M., Lammi, S., Penttinen, J., Aukee, P. Analysis of the imputed female urinary incontinence data for the evaluation of expert system parameters. *Comput Biol Med.* 2001 Jul; 31: 239-57
- 41773 Laurikkala, J., Juhola, M., Lammi, S., Viikki, K. Comparison of genetic algorithms and other classification methods in the diagnosis of female urinary incontinence. *Methods Inf Med.* 1999 Jun; 38: 125-31
- 11289 Laurikkala, J., Juhola, M., Penttinen, J., Aukee, P. Parameter evaluation of the differential diagnosis of female urinary incontinence for the construction of an expert system. *Stud Health Technol Inform.* 1997; 43 Pt B: 671-5
- 54430 Laustsen, G., Wimett, L. Drug approval highlights for 2003. *Nurse Pract.* 2004 Feb; 29: 8-15, 19-21; quiz 21-3
- 40444 Lautzenhiser, S. J., Bjorling, D. E. Urinary incontinence in a dog with an ectopic ureterocele. *J Am Anim Hosp Assoc.* 2002 Jan-Feb; 38: 29-32
- 44566 Lavery, S., Pascoe, J. R., Ling, G. V., Lavoie, J. P., Ruby, A. L. Urolithiasis in 68 horses. *Vet Surg.* 1992 Jan-Feb; 21: 56-62
- 40799 Law, P. A., Danin, J. C., Lamb, G. M., Regan, L., Darzi, A., Gedroyc, W. M. Dynamic imaging of the pelvic floor using an open-configuration magnetic resonance scanner. *J Magn Reson Imaging.* 2001 Jun; 13: 923-9
- 40784 Lawrence, E. S., Coshall, C., Dundas, R., Stewart, J., Rudd, A. G., Howard, R., Wolfe, C. D. Estimates of the prevalence of acute stroke impairments and disability in a multiethnic population. *Stroke.* 2001 Jun; 32: 1279-84
- 41425 Lawrence, M., Guay, D. R., Benson, S. R., Anderson, M. J. Immediate-release oxybutynin versus tolterodine in detrusor overactivity: a population analysis. *Pharmacotherapy.* 2000 Apr; 20: 470-5
- 3690 Lawson, W., Irving, F. Perioperative nursing rounds: bladder neck suspension. *Can Oper Room Nurs J.* 1991 May-Jun; 9: 9-13
- 10776 Lawton, V., Smith, A. R. Laparoscopic colposuspension. *Semin Laparosc Surg.* 1999 Jun; 6: 90-9
- 3614 Laycock, J. Incontinence. Pelvic floor re-education. *Nursing (Lond).* 1991 Jul 25-Aug 21; 4: 15-17
- 43840 Laycock, J. Pelvic muscle exercises: physiotherapy for the pelvic floor. *Urol Nurs.* 1994 Sep; 14: 136-40
- 10172 Laycock, J., Brown, J., Cusack, C., Green, S., Jerwood, D., Mann, K., McLachlan, Z., Schofield, A. Pelvic floor reeducation for stress incontinence: comparing three methods. *Br J Community Nurs.* 2001 May; 6: 230-7
- 40637 Layton, D., Pearce, G. L., Shakir, S. A. Safety profile of tolterodine as used in general practice in England: results of prescription-event monitoring. *Drug Saf.* 2001; 24: 703-13
- 10464 Lazarevski, M. B. Biomechanics of urinary stress incontinence surgery--theory of the non- permanently acting suburethral supportive structure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Dec; 11: 377-85
- 56650 Lazzeri, M., Calo, G., Spinelli, M., Guerrini, R., Salvadori, S., Beneforti, P., Sandri, S., Regoli, D., Turini, D. Urodynamic effects of intravesical nociceptin/orphanin FQ in neurogenic detrusor overactivity: a randomized, placebo-controlled, double-blind study. *Urology.* 2003 May; 61: 946-50
- 12027 Le Coutour, X., Jung-Faerber, S., Klein, P., Renaud, R. Female urinary incontinence: comparative value of history and urodynamic investigations. *Eur J Obstet Gynecol Reprod Biol.* 1990 Dec; 37: 279-86
- 11029 Leach, G. E. Stress urinary incontinence in women: guidelines for surgical treatment. *J Womens Health.* 1998 Jun; 7: 583-6
- 12078 Leach, G. E. Urethral resistance after surgery for stress incontinence. *Urology.* 1990 Apr; 35: 373-4
- 11345 Leach, G. E., Appell, R. Percutaneous bladder neck suspension. *Urol Clin North Am.* 1996 Aug; 23: 511-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11197 Leach, G. E., Dmochowski, R. R., Appell, R. A., Blaivas, J. G., Hadley, H. R., Lubner, K. M., Mostwin, J. L., O'Donnell, P. D., Roehrborn, C. G. Female Stress Urinary Incontinence Clinical Guidelines Panel summary report on surgical management of female stress urinary incontinence. The American Urological Association. J Urol. 1997 Sep; 158: 875-80
- 11849 Leach, G. E., Sirls, L. T., Ganabathi, K., Zimmern, P. E. L N S C3: a proposed classification system for female urethral diverticula. Neurourol Urodyn. 1993; 12: 523-31
- 4099 Leach, G.E. Urethral resistance after surgery for stress incontinence [letter; comment]. Urology. 1990 Apr; 35: 373-374
- 3468 Leandri, P., Rossignol, G., Gautier, J.R., and Ramon, J. Radical retropubic prostatectomy: morbidity and quality of life. Experience with 620 consecutive cases. J Urol. 1992 Mar; 147: 883-887
- 55670 Learman, L. A., Summitt, R. L., Jr, Varner, R. E., McNeeley, S. G., Goodman-Gruen, D., Richter, H. E., Lin, F., Showstack, J., Ireland, C. C., Vittinghoff, E., Hulley, S. B., Washington, A. E. A randomized comparison of total or supracervical hysterectomy: surgical complications and clinical outcomes. Obstet Gynecol. 2003 Sep; 102: 453-62
- 59132 Learman, L. A., Summitt, R. L., Jr, Varner, R. E., Richter, H. E., Lin, F., Ireland, C. C., Kuppermann, M., Vittinghoff, E., Showstack, J., Washington, A. E., Hulley, S. B. Hysterectomy versus expanded medical treatment for abnormal uterine bleeding: clinical outcomes in the medicine or surgery trial. Obstet Gynecol. 2004 May; 103: 824-33
- 40358 Leaver, R., Pressland, D. Intermittent self-catheterisation in urinary tract reconstruction. Br J Community Nurs. 2001 May; 6: 253-8
- 59097 Leboeuf, L., Mendez, L. E., Gousse, A. E. Small bowel obstruction associated with tension-free vaginal tape. Urology. 2004 Jun; 63: 1182-4
- 55450 Leboeuf, L., Tellez, C. A., Ead, D., Gousse, A. E. Complication of bowel perforation during insertion of tension-free vaginal tape. J Urol. 2003 Oct; 170: 1310; discussion 1310-1
- 10220 Lebre, T., Lugagne, P. M., Herve, J. M., Barre, P., Orsoni, J. L., Yonneau, L., Saporta, F., Botto, H. Evaluation of tension-free vaginal tape procedure. Its safety and efficacy in the treatment of female stress urinary incontinence during the learning phase. Eur Urol. 2001 Nov; 40: 543-7
- 3899 Le-Coutour, X., Jung-Faerber, S., Klein, P., and Renaud, R. Female urinary incontinence: comparative value of history and urodynamic investigations. Eur J Obstet Gynecol Reprod Biol. 1990 Dec; 37: 279-286
- 43175 Lede, R. L., Belizan, J. M., Carroli, G. Is routine use of episiotomy justified?. Am J Obstet Gynecol. 1996 May; 174: 1399-402
- 55650 Lee, A. H., Somerford, P. J., Yau, K. K. Factors influencing survival after stroke in Western Australia. Med J Aust. 2003 Sep 15; 179: 289-93
- 10909 Lee, C. L., Yen, C. F., Wang, C. J., Huang, K. G., Soong, Y. K. Extraperitoneoscopic colposuspension using CO2 distension method. Int Surg. 1998 Jul-Sep; 83: 262-4
- 10284 Lee, C. L., Yen, C. F., Wang, C. J., Jain, S., Soong, Y. K. Extraperitoneal approach to laparoscopic Burch colposuspension. J Am Assoc Gynecol Laparosc. 2001 Aug; 8: 374-7
- 53850 Lee, C. L., Yen, C. F., Wang, C. J., Yuen, L. T., Lee, P. S., Soong, Y. K. Trocar-assisted sling suspension for stress urinary incontinence. J Am Assoc Gynecol Laparosc. 2002 Nov; 9: 500-2
- 50140 Lee, C. T., Hafez, K. S., Sheffield, J. H., Joshi, D. P., Montie, J. E. Orthotopic bladder substitution in women: nontraditional applications. J Urol. 2004 Apr; 171: 1585-8
- 53160 Lee, J. Y., Cannon, T. W., Pruchnic, R., Fraser, M. O., Huard, J., Chancellor, M. B. The effects of periurethral muscle-derived stem cell injection on leak point pressure in a rat model of stress urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Feb; 14: 31-7; discussion 37
- 11944 Lee, K. S., Chan, C. J., Merriman, A., Tan, E. C., Osborn, V. Clinical profile of elderly urinary incontinence in Singapore: a community-based study. Ann Acad Med Singapore. 1991 Nov; 20: 736-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41904 Lee, K. S., Cheang, C. M., Lieu, A. S., Howng, S. L. Multiple spinal meningiomas--a case report. Kaohsiung J Med Sci. 1999 Mar; 15: 182-6
- 3453 Lee, K.S., Chan, C.J., Merriman, A., Tan, E.C., and Osborn, V. Clinical profile of elderly urinary incontinence in Singapore: a community-based study. Ann Acad Med Singapore. 1991 Nov; 20: 736-739
- 3683 Lee, K.S., Owen, R.E., Choo, P.W., and Jayaratnam, F.J. Urinary incontinence in the elderly. Singapore Med J. 1991 Apr; 32: 161-163
- 10483 Lee, P. E., Kung, R. C., Drutz, H. P. Periurethral autologous fat injection as treatment for female stress urinary incontinence: a randomized double-blind controlled trial. J Urol. 2001 Jan; 165: 153-8
- 11498 Lee, P. S., Reid, D. W., Saltmarche, A., Linton, L. Measuring the psychosocial impact of urinary incontinence: the York Incontinence Perceptions Scale (YIPS). J Am Geriatr Soc. 1995 Nov; 43: 1275-8
- 43162 Lee, S. S., Robichaux, W., Elsergany, R. E., Ghoniem, G. M. Persistence of injectable collagen in human urethra: case report. Urology. 1996 Jun; 47: 940-1
- 56300 Lee, W. Y., Jin, D. K., Oh, M. R., Lee, J. E., Song, S. M., Lee, E. A., Kim, G. M., Chung, J. S., Lee, K. H. Frequency analysis and clinical characterization of spinocerebellar ataxia types 1, 2, 3, 6, and 7 in Korean patients. Arch Neurol. 2003 Jun; 60: 858-63
- 10611 Lee, Y. J., Chiang, Y. F., Tsai, J. C. Severe nonproductive cough and cough-induced stress urinary incontinence in diabetic postmenopausal women treated with ACE inhibitor. Diabetes Care. 2000 Mar; 23: 427-8
- 55160 Leeman, L., Spearman, M., Rogers, R. Repair of obstetric perineal lacerations. Am Fam Physician. 2003 Oct 15; 68: 1585-90
- 10022 Lefranc, J. P., Atallah, D., Camatte, S., Blondon, J. Longterm followup of posthysterectomy vaginal vault prolapse abdominal repair: a report of 85 cases. J Am Coll Surg. 2002 Sep; 195: 352-8
- 3427 Leger, J.M., Henin, D., Belec, L., Mercier, B., Cohen, L., Bouche, P., Hauw, J.J., and Brunet, P. Lymphoma-induced polyradiculopathy in AIDS: two cases. J Neurol. 1992 Mar; 239: 132-134
- 40245 Lehtoranta, K., Tainio, H., Lukkari-Lax, E., Hakonen, T., Tammela, T. L. Pharmacokinetics, efficacy, and safety of intravesical formulation of oxybutynin in patients with detrusor overactivity. Scand J Urol Nephrol. 2002 Feb; 36: 18-24
- 42318 Lehur, P. A., Glemain, P., Bruley des Varannes, S., Buzelin, J. M., Leborgne, J. Outcome of patients with an implanted artificial anal sphincter for severe faecal incontinence. A single institution report. Int J Colorectal Dis. 1998; 13: 88-92
- 42979 Lehur, P. A., Michot, F., Denis, P., Grise, P., Leborgne, J., Teniere, P., Buzelin, J. M. Results of artificial sphincter in severe anal incontinence. Report of 14 consecutive implantations. Dis Colon Rectum. 1996 Dec; 39: 1352-5
- 42596 Leibovich, B. C., Barrett, D. M. Use of the artificial urinary sphincter in men and women. World J Urol. 1997; 15: 316-9
- 43807 Leiby, D. M., Shanahan, N. Clinical study: assessing the performance and skin environments of two reusable underpads. Ostomy Wound Manage. 1994 Oct; 40: 30-2, 34-7
- 40244 Leighton, B. L., Halpern, S. H. Epidural analgesia: effects on labor progress and maternal and neonatal outcome. Semin Perinatol. 2002 Apr; 26: 122-35
- 40234 Leighton, B. L., Halpern, S. H. The effects of epidural analgesia on labor, maternal, and neonatal outcomes: a systematic review. Am J Obstet Gynecol. 2002 May; 186: S69-77
- 10361 Leissner, J., Allhoff, E. P., Naumann, G., Pretzsch, G., Hockel, M., Black, P., Hohenfellner, R. Inguinovaginal sling procedure for female stress incontinence: introduction of a minimally invasive technique. Tech Urol. 2001 Jun; 7: 105-9
- 41120 Leissner, J., Black, P., Fisch, M., Hockel, M., Hohenfellner, R. Colon pouch (Mainz pouch III) for continent urinary diversion after pelvic irradiation. Urology. 2000 Nov 1; 56: 798-802

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10668** Lekan-Rutledge, D. Behavioral vs drug treatment for urge urinary incontinence in older women: a randomized controlled trial. *J Wound Ostomy Continence Nurs.* 1999 May; 26: 27A-28A
- 40905** Lekan-Rutledge, D. Diffusion of innovation. A model for implementation of prompted voiding in long-term care settings. *J Gerontol Nurs.* 2000 Apr; 26: 25-33
- 11706** Lekan-Rutledge, D. Soft sculpture model for teaching pelvic muscle exercises. *Urol Nurs.* 1994 Mar; 14: 26-7
- 40836** Lekcharoensuk, C., Osborne, C. A., Lulich, J. P. Epidemiologic study of risk factors for lower urinary tract diseases in cats. *J Am Vet Med Assoc.* 2001 May 1; 218: 1429-35
- 40915** Lemack, G. E. Overactive bladder: optimizing quality of care. *Am J Manag Care.* 2001 Mar; 7: S46-61
- 41606** Lemack, G. E. Reversing the tide: emerging options for treating overactive bladder symptoms in women. *Tex Med.* 1999 Nov; 95: 78-81
- 10193** Lemack, G. E., Baseman, A. G., Zimmern, P. E. Voiding dynamics in women: a comparison of pressure-flow studies between asymptomatic and incontinent women. *Urology.* 2002 Jan; 59: 42-6
- 10660** Lemack, G. E., Zimmern, P. E. Identifying patients who require urodynamic testing before surgery for stress incontinence based on questionnaire information and surgical history. *Urology.* 2000 Apr; 55: 506-11
- 10771** Lemack, G. E., Zimmern, P. E. Predictability of urodynamic findings based on the Urogenital Distress Inventory-6 questionnaire. *Urology.* 1999 Sep; 54: 461-6
- 10635** Lemack, G. E., Zimmern, P. E. Pressure flow analysis may aid in identifying women with outflow obstruction. *J Urol.* 2000 Jun; 163: 1823-8
- 10579** Lemack, G. E., Zimmern, P. E. Sexual function after vaginal surgery for stress incontinence: results of a mailed questionnaire. *Urology.* 2000 Aug 1; 56: 223-7
- 3158** Lemesh, R.A. Accidental chronic salicylate intoxication in an elderly patient: major morbidity despite early recognition. *Vet Hum Toxicol.* 1993 Feb; 35: 34-36
- 11477** Lenderking, W. R., Nackley, J. F., Anderson, R. B., Testa, M. A. A review of the quality-of-life aspects of urinary urge incontinence. *Pharmacoeconomics.* 1996 Jan; 9: 11-23
- 59033** Leng, W. W., Davies, B. J., Tarin, T., Sweeney, D. D., Chancellor, M. B. Delayed treatment of bladder outlet obstruction after sling surgery: association with irreversible bladder dysfunction. *J Urol.* 2004 Oct; 172: 1379-81
- 41884** Leng, W. W., Faerber, G., Del Terzo, M., McGuire, E. J. Long-term outcome of incontinent ileovesicostomy management of severe lower urinary tract dysfunction. *J Urol.* 1999 Jun; 161: 1803-6
- 10959** Leng, W. W., McGuire, E. J. Management of female urethral diverticula: a new classification. *J Urol.* 1998 Oct; 160: 1297-300
- 41956** Leng, W. W., McGuire, E. J. Reconstructive surgery for urinary incontinence. *Urol Clin North Am.* 1999 Feb; 26: 61-80, viii
- 42398** Lentz, S. S., Homesley, H. D. Gynecologic problems in older women. *Clin Geriatr Med.* 1998 May; 14: 297-315
- 43519** Lentz, S. S., Homesley, H. D. Radiation-induced vesicosacral fistula: treatment with continent urinary diversion. *Gynecol Oncol.* 1995 Aug; 58: 278-80
- 43106** Leonard, M. P., Decter, A., Mix, L. W., Johnson, H. W., Coleman, G. U. Treatment of urinary incontinence in children by endoscopically directed bladder neck injection of collagen. *J Urol.* 1996 Aug; 156: 637-40; discussion 640-1
- 11560** Leonhardt, C., Krysl, J., Arenson, A. M., Herschorn, S. Periurethral injection of collagen in the treatment of urinary stress incontinence: ultrasonographic appearance. *Can Assoc Radiol J.* 1995 Jun; 46: 189-93
- 11548** Lepor, H., Theune, C. Randomized double-blind study comparing the efficacy of terazosin versus placebo in women with prostatism-like symptoms. *J Urol.* 1995 Jul; 154: 116-8
- 42527** Leroi, A. M., Ducrotte, P., Bouaniche, M., Touchais, J. Y., Weber, J., Denis, P. Assessment of the reliability of cerebral potentials evoked by electrical stimulation of the anal canal. *Int J Colorectal Dis.* 1997; 12: 335-9



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 40781** Leroi, A. M., Michot, F., Grise, P., Denis, P. Effect of sacral nerve stimulation in patients with fecal and urinary incontinence. *Dis Colon Rectum*. 2001 Jun; 44: 779-89
- 10747** Leroi, A. M., Weber, J., Menard, J. F., Touchais, J. Y., Denis, P. Prevalence of anal incontinence in 409 patients investigated for stress urinary incontinence. *Neurourol Urodyn*. 1999; 18: 579-90
- 40673** Leron, E., Stanton, S. L. Vaginal leiomyoma--an imitator of prolapse. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000 Jun; 11: 196-8
- 40091** Leung, H. Y., Yip, S. K., Cheon, C., Liu, Y. S., Lau, J., Wong, H. K., Chung, K. H. A randomized controlled trial of tolterodine and oxybutynin on tolerability and clinical efficacy for treating Chinese women with an overactive bladder. *BJU Int*. 2002 Sep; 90: 375-80
- 40454** Lev, N., Maimon, S., Rappaport, Z. H., Melamed, E. Spinal dural arteriovenous fistulae--a diagnostic challenge. *Isr Med Assoc J*. 2001 Jul; 3: 492-6
- 43108** Levesque, P. E., Bauer, S. B., Atala, A., Zurakowski, D., Colodny, A., Peters, C., Retik, A. B. Ten-year experience with the artificial urinary sphincter in children. *J Urol*. 1996 Aug; 156: 625-8
- 41714** Levi, A. D. Treatment of a retroperitoneal lymphocele after lumbar fusion surgery with intralesional povidone iodine: technical case report. *Neurosurgery*. 1999 Sep; 45: 658-60; discussion 660-1
- 43438** Levi, R., Hultling, C., Seiger, A. The Stockholm Spinal Cord Injury Study: 2. Associations between clinical patient characteristics and post-acute medical problems. *Paraplegia*. 1995 Oct; 33: 585-94
- 50540** Levin, I., Groutz, A., Gold, R., Pauzner, D., Lessing, J. B., Gordon, D. Surgical complications and medium-term outcome results of tension-free vaginal tape: a prospective study of 313 consecutive patients. *Neurourol Urodyn*. 2004; 23: 7-9
- 43323** Levin, R. M., Levin, S. S., Wein, A. J. Etiology of incontinence: a review and hypothesis. *Scand J Urol Nephrol Suppl*. 1996; 179: 15-25
- 56310** Levin, R. M., Whitbeck, C., Borow, A., Burden, O., Leggett, R. E. Effectiveness of vaginally administered oxybutynin on rabbit bladder function. *Urology*. 2003 Jun; 61: 1273-7
- 10897** Levin, S., Bennet, A. E., Levin, D., Danielli, L., Levin, R., Sidi, A. Minimally invasive surgical treatment of female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 1998; 9: 405-8
- 42842** Levitt, M. A., Patel, M., Rodriguez, G., Gaylin, D. S., Pena, A. The tethered spinal cord in patients with anorectal malformations. *J Pediatr Surg*. 1997 Mar; 32: 462-8
- 3940** Levy, B.J., Wight, T.N. Structural changes in the aging submucosa: new morphologic criteria for the evaluation of the unstable human bladder. *J Urol*. 1990 Oct; 144: 1044-1055
- 43749** Levy, J. B., Jacobs, J. A., Wein, A. J. Combined abdominal and vaginal approach for bladder neck closure and permanent suprapubic tube: urinary diversion in the neurologically impaired woman. *J Urol*. 1994 Dec; 152: 2081-2
- 42465** Lewey, J., Billington, A., O'Hara, L. Conservative treatment of urinary continence. *Elder Care*. 1997 Dec-1998 Jan; 9: 9-11
- 42587** Lewey, J., Billington, A., O'Hara, L. Conservative treatment of urinary incontinence. *Nurs Stand*. 1997 Nov 12-18; 12: 45-7
- 4017** Lewis, D.K., Morgan, J.R., Weston, P.M.T., Stephenson, T.R. The clam : indications and complications. *Br J Urol*. 1990 May; 65: 488-491
- 42481** Lewis, M. A., Shaw, J., Sattar, T. M., Bannister, C. M. The spectrum of spinal cord dysraphism and bladder neuropathy in children. *Eur J Pediatr Surg*. 1997 Dec; 7 Suppl 1: 35-7
- 57630** Lewis-Byers, K., Thayer, D. An evaluation of two incontinence skin care protocols in a long-term care setting. *Ostomy Wound Manage*. 2002 Dec; 48: 44-51
- 56100** Li, J., Hu, T., Wang, M., Jiang, X., Chen, S., Huang, L. Single ureteral ectopia with congenital renal dysplasia. *J Urol*. 2003 Aug; 170: 558-9
-



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41268** Li, L., Yan-Xia, W., Xia-Na, W., Jin-Zhe, Z. Posterior sagittal approach: megasigmoid resection and anal reconstruction for severe constipation and fecal incontinence after anoplasty. *J Pediatr Surg.* 2000 Jul; 35: 1058-62
- 59015** Liang, C. C., Chang, Y. L., Chang, S. D., Lo, T. S., Soong, Y. K. Pessary test to predict postoperative urinary incontinence in women undergoing hysterectomy for prolapse. *Obstet Gynecol.* 2004 Oct; 104: 795-800
- 10045** Liang, C. C., Soong, Y. K. Tension-free vaginal tape versus laparoscopic bladder neck suspension for stress urinary incontinence. *Chang Gung Med J.* 2002 Jun; 25: 360-6
- 11704** Liapis, A. H., Kalovidoyris, A., Logis, C. D., Hassiakos, D. K., Zourlas, P. A. Transvaginal sonography in the postoperative evaluation of colposuspension. *J Gynecol Surg.* 1993 Fall; 9: 155-9
- 10219** Liapis, A., Bakas, P., Creatsas, G. Management of stress urinary incontinence in women with the use of tension-free vaginal tape. *Eur Urol.* 2001 Nov; 40: 548-51
- 10338** Liapis, A., Bakas, P., Pafiti, A., Frangos-Plemenos, M., Arnoyannaki, N., Creatsas, G. Changes of collagen type III in female patients with genuine stress incontinence and pelvic floor prolapse. *Eur J Obstet Gynecol Reprod Biol.* 2001 Jul; 97: 76-9
- 10476** Liapis, A., Bakas, P., Pafiti, A., Hassiakos, D., Frangos-Plemenos, M., Creatsas, G. Changes in the quantity of collagen type I in women with genuine stress incontinence. *Urol Res.* 2000 Oct; 28: 323-6
- 10859** Liapis, A., Papoulias, I., Chryssicopoulos, A., Creatsas, G. Results of the colposuspension operation in pre and postmenopausal incontinent women. *Maturitas.* 1998 Nov 30; 31: 69-75
- 11446** Liapis, A., Pyrgiotis, E., Kontoravdis, A., Louridas, C., Zourlas, P. A. Genuine stress incontinence: prospective randomized comparison of two operative methods. *Eur J Obstet Gynecol Reprod Biol.* 1996 Jan; 64: 69-72
- 40817** Liard, A., Segulier-Lipszyc, E., Mathiot, A., Mitrofanoff, P. The Mitrofanoff procedure: 20 years later. *J Urol.* 2001 Jun; 165: 2394-8
- 40802** Liberman, J. N., Hunt, T. L., Stewart, W. F., Wein, A., Zhou, Z., Herzog, A. R., Lipton, R. B., Diokno, A. C. Health-related quality of life among adults with symptoms of overactive bladder: results from a U.S. community-based survey. *Urology.* 2001 Jun; 57: 1044-50
- 44591** Lie, H. R., Lagergren, J., Rasmussen, F., Lagerkvist, B., Hagelsteen, J., Borjeson, M. C., Muttillainen, M., Taudorf, K. Bowel and bladder control of children with myelomeningocele: a Nordic study. *Dev Med Child Neurol.* 1991 Dec; 33: 1053-61
- 3440** Lie, H.R., Lagergren, J., Rasmussen, F., Lagerkvist, B., Hagelsteen, J., Borjeson, M.C., Muttillainen, M., and Taudorf, F.K. Children with myelomeningocele: their urinary and bowel control. *Eur J Pediatr Surg.* 1991 Dec; 1 Suppl 1: 40
- 3494** Lie, H.R., Lagergren, J., Rasmussen, F., Lagerkvist, B., Hagelsteen, J., Borjeson, M.C., Muttillainen, M., and Taudorf, K. Bowel and bladder control of children with myelomeningocele: a Nordic study. *Dev Med Child Neurol.* 1991 Dec; 33: 1053-1061
- 52530** Lieb, J., Das, A. K. Urethral erosion of tension-free vaginal tape. *Scand J Urol Nephrol.* 2003; 37: 184-5
- 10124** Lieberman, E., O'donoghue, C. Unintended effects of epidural analgesia during labor: a systematic review. *Am J Obstet Gynecol.* 2002 May; 186: S31-68
- 40611** Liem, N. T., Hau, B. D. Long-term follow-up results of the treatment of high and intermediate anorectal malformations using a modified technique of posterior sagittal anorectoplasty. *Eur J Pediatr Surg.* 2001 Aug; 11: 242-5
- 11585** Liem, N. T., Hau, B. D., Thu, N. X. The long-term follow-up result of Swenson's operation in the treatment of Hirschsprung's disease in Vietnamese children. *Eur J Pediatr Surg.* 1995 Apr; 5: 110-2
- 51850** Lienemann, A., Fischer, T. Functional imaging of the pelvic floor. *Eur J Radiol.* 2003 Aug; 47: 117-22
- 43115** Lieu, P. K., Chia, H. H., Heng, L. C., Ding, Y. Y., Choo, P. W. Carer-assisted intermittent urethral catheterisation in the management of persistent retention of urine in elderly women. *Ann Acad Med Singapore.* 1996 Jul; 25: 562-5

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 3589** Light, J.K. Continence mechanisms following continent urinary diversion and orthotopic bladder replacement. *Prog Clin Biol Res.* 1991; 370: 83-92
- 4018** Light, J.K., Marks, J.L. Total bladder replacement in the male and female using the ileocolonic segment (LeBag). *Br J Urol.* 1990 May; 65: 467-472
- 10730** Lightner, D. J., Itano, N. M. Treatment options for women with stress urinary incontinence. *Mayo Clin Proc.* 1999 Nov; 74: 1149-56
- 10333** Lightner, D., Calvosa, C., Andersen, R., Klimberg, I., Brito, C. G., Snyder, J., Gleason, D., Killion, D., Macdonald, J., Khan, A. U., Diokno, A., Sirls, L. T., Saltzstein, D. A new injectable bulking agent for treatment of stress urinary incontinence: results of a multicenter, randomized, controlled, double-blind study of Durasphere. *Urology.* 2001 Jul; 58: 12-5
- 41851** Lilas, L. A., Andrews, S. J., Hanbury, D. C. Point of technique. The tunnelled suprapubic catheter. *BJU Int.* 1999 Jun; 83: 1060-2
- 11506** Lim, F. K., Razvi, K., Tham, K. F., Ratnam, S. S. Current approach to the management of urinary stress incontinence. *Singapore Med J.* 1995 Oct; 36: 532-7
- 12063** Lim, P. H., Brown, A. D., Chisholm, G. D. The Burch Colposuspension operation for stress urinary incontinence. *Singapore Med J.* 1990 Jun; 31: 242-6
- 10692** Lim, P. P., Sahadevan, S., Choo, G. K., Anthony, P. Burden of caregiving in mild to moderate dementia: an Asian experience. *Int Psychogeriatr.* 1999 Dec; 11: 411-20
- 3953** Lim, P.H., Brown, A.D., and Chisholm, G.D. The Burch Colposuspension operation for stress urinary incontinence. *Singapore Med J.* 1990 Jun; 31: 242-246
- 43706** Lima, J. S., Reis, C. A. Poisoning due to illegal use of carbamates as a rodenticide in Rio de Janeiro. *J Toxicol Clin Toxicol.* 1995; 33: 687-90
- 42681** Lima, S. V., Araujo, L. A., Vilar, F. O. Further experience with the periurethral expander: a new type of artificial sphincter. *Br J Urol.* 1997 Sep; 80: 460-2
- 43109** Lima, S. V., Araujo, L. A., Vilar, F. O., Kummer, C. L., Lima, E. C. Combined use of enterocystoplasty and a new type of artificial sphincter in the treatment of urinary incontinence. *J Urol.* 1996 Aug; 156: 622-4
- 11012** Lin, A. S., Carrier, S., Morgan, D. M., Lue, T. F. Effect of simulated birth trauma on the urinary continence mechanism in the rat. *Urology.* 1998 Jul; 52: 143-51
- 59176** Lin, A. T., Wang, S. J., Chen, K. K., Chang, L. S. In vivo tension sustained by fascial sling in pubovaginal sling surgery for female stress urinary incontinence. *J Urol.* 2005 Mar; 173: 894-7
- 41721** Lin, C. C., Bai, Y. M., Chen, J. Y., Lin, C. Y., Lan, T. H. A retrospective study of clozapine and urinary incontinence in Chinese in-patients. *Acta Psychiatr Scand.* 1999 Aug; 100: 158-61
- 10911** Lin, H. H., Sheu, B. C., Lo, M. C., Huang, S. C. Abnormal urodynamic findings after radical hysterectomy or pelvic irradiation for cervical cancer. *Int J Gynaecol Obstet.* 1998 Nov; 63: 169-74
- 10756** Lin, H. H., Sheu, B. C., Lo, M. C., Huang, S. C. Comparison of treatment outcomes for imipramine for female genuine stress incontinence. *Br J Obstet Gynaecol.* 1999 Oct; 106: 1089-92
- 53520** Lin, H. H., Torng, P. L., Sheu, B. C., Shau, W. Y., Huang, S. C. Urodynamically age-specific prevalence of urinary incontinence in women with urinary symptoms. *Neurourol Urodyn.* 2003; 22: 29-32
- 10386** Lin, H. H., Yu, H. J., Sheu, B. C., Huang, S. C. Importance of urodynamic study before radical hysterectomy for cervical cancer. *Gynecol Oncol.* 2001 May; 81: 270-2
- 10739** Lin, L. Y., Chen, S. Y., Lee, H. S., Chung, S. L., Ying, T. H., Chen, G. D. Female bladder neck changes with position. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 277-82
- 53130** Lin, S. Y., Dougherty, M. C. Incontinence impact, symptom distress and treatment-seeking behavior in women with involuntary urine loss in Southern Taiwan. *Int J Nurs Stud.* 2003 Mar; 40: 227-34

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3257** Lindboe, C.F., Stolt-Nielsen, A., and Dale, L.G. Hemorrhage in a highly vascularized subependymoma of the septum pellucidum: case report. *Neurosurgery*. 1992 Oct; 31: 741-745
- 11840** Lindell, L. Suburethral sling--an old procedure revisited. *Iowa Med*. 1993 Jan; 83: 25-6
- 56450** Lindsay, J., Matthews, R., Jagger, C. Factors associated with antipsychotic drug use in residential care: changes between 1990 and 1997. *Int J Geriatr Psychiatry*. 2003 Jun; 18: 511-9
- 42266** Lindgren, A. M., Svardsudd, K., Tibblin, G. Are health surveys among elderly people worthwhile? The Albertina Project. *Scand J Prim Health Care*. 1998 Jun; 16: 101-6
- 42519** Linkletter, D. No more surgery--biofeedback for continence. *Ostomy Wound Manage*. 1997 Nov-Dec; 43: 50-2
- 40868** Lionis, C., Vlachonikolis, L., Bathianaki, M., Daskalopoulos, G., Anifantaki, S., Cranidis, A. Urinary incontinence, the hidden health problem of Cretan women: report from a primary care survey in Greece. *Women Health*. 2000; 31: 59-66
- 42689** Lippert, M. C., Theodorescu, D. The Hautmann neobladder with a chimney: a versatile modification. *J Urol*. 1997 Oct; 158: 1510-2
- 44403** Liptak, G. S., Shurtleff, D. B., Bloss, J. W., Baltus-Hebert, E., Manitta, P. Mobility aids for children with high-level myelomeningocele: parapodium versus wheelchair. *Dev Med Child Neurol*. 1992 Sep; 34: 787-96
- 3271** Liptak, G.S., Shurtleff, D.B., Bloss, J.W., Baltus-Hebert, E., and Manitta, P. Mobility aids for children with high-level myelomeningocele: parapodium versus wheelchair. *Dev Med Child Neurol*. 1992 Sep; 34: 787-796
- 59337** Lipton, R. B., Kolodner, K., Wesnes, K. Assessment of cognitive function of the elderly population: effects of darifenacin. *J Urol*. 2005 Feb; 173: 493-8
- 57320** Littlejohn, J. O., Jr, Kaplan, S. A. An unexpected association between urinary incontinence, depression and sexual dysfunction. *Drugs Today (Barc)*. 2002 Nov; 38: 777-82
- 41998** Litwiller, S. E., Frohman, E. M., Zimmern, P. E. Multiple sclerosis and the urologist. *J Urol*. 1999 Mar; 161: 743-57
- 11232** Litwiller, S. E., Nelson, R. S., Fone, P. D., Kim, K. B., Stone, A. R. Vaginal wall sling: long-term outcome analysis of factors contributing to patients satisfaction and surgical success. *J Urol*. 1997 Apr; 157: 1279-82
- 11800** Liu, C. Y. Laparoscopic retropubic colposuspension (Burch procedure). A review of 58 cases. *J Reprod Med*. 1993 Jul; 38: 526-30
- 11630** Liu, C. Y. Laparoscopic treatment for genuine urinary stress incontinence. *Baillieres Clin Obstet Gynaecol*. 1994 Dec; 8: 789-98
- 10862** Liu, C. Y. Laparoscopic treatment of stress urinary incontinence. *Obstet Gynecol Clin North Am*. 1999 Mar; 26: 149-67
- 11760** Liu, C. Y., Paek, W. Laparoscopic retropubic colposuspension (Burch procedure). *J Am Assoc Gynecol Laparosc*. 1993 Nov; 1: 31-5
- 10157** Liu, C., Andrews, G. R. Prevalence and incidence of urinary incontinence in the elderly: a longitudinal study in South Australia. *Chin Med J (Engl)*. 2002 Jan; 115: 119-22
- 43713** Liu, K. K., Yeung, C. K., Lee, K. H., Ku, K. W. Urinary incontinence due to unilateral vaginally ectopic single ureters. *Br J Urol*. 1995 Jan; 75: 115
- 3418** Liu, S., Christmas, T.J., Nagendran, K., and Kirby, R.S. Sphincter electromyography in patients after radical prostatectomy and cystoprostatectomy. *Br J Urol*. 1992 Apr; 69: 397-403
- 3290** Llewelyn, S. Attitude problems. *Nurs Times*. 1992 Jul 29-Aug 4; 88: 64,66
- 51000** Lo, T. S., Chang, T. C., Chao, A. S., Chou, H. H., Tseng, L. H., Liang, C. C. Tension-free vaginal tape procedure on genuine stress incontinent women with coexisting genital prolapse. *Acta Obstet Gynecol Scand*. 2003 Nov; 82: 1049-53
- 10076** Lo, T. S., Horng, S. G., Chang, C. L., Huang, H. J., Tseng, L. H., Liang, C. C. Tension-free vaginal tape procedure after previous failure in incontinence surgery. *Urology*. 2002 Jul; 60: 57-61

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 59146** Lo, T. S., Horng, S. G., Liang, C. C., Lee, S. J., Soong, Y. K. Ultrasound assessment of mid-urethra tape at three-year follow-up after tension-free vaginal tape procedure. *Urology*. 2004 Apr; 63: 671-5
- 10176** Lo, T. S., Huang, H. J., Chang, C. L., Wong, S. Y., Horng, S. G., Liang, C. C. Use of intravenous anesthesia for tension-free vaginal tape therapy in elderly women with genuine stress incontinence. *Urology*. 2002 Mar; 59: 349-53
- 59016** Lo, T. S., Lee, S. J. Treatment of recurrent genuine stress incontinence by shortening previously implanted tension-free vaginal tape. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 1005-6
- 52670** Lo, T. S., Lin, C. T., Huang, H. J., Chang, C. L., Liang, C. C., Soong, Y. K. The use of general anesthesia for the tension-free vaginal tape procedure and concomitant surgery. *Acta Obstet Gynecol Scand*. 2003 Apr; 82: 367-73
- 10447** Lo, T. S., Wang, A. C., Horng, S. G., Liang, C. C., Soong, Y. K. Ultrasonographic and urodynamic evaluation after tension free vagina tape procedure (TVT). *Acta Obstet Gynecol Scand*. 2001 Jan; 80: 65-70
- 10227** Lobel, B., Manunta, A., Rodriguez, A. The management of female stress urinary incontinence using the sling procedure. *BJU Int*. 2001 Nov; 88: 832-9
- 11220** Lobel, R. W., Davis, G. D. Long-term results of laparoscopic Burch urethropexy. *J Am Assoc Gynecol Laparosc*. 1997 May; 4: 341-5
- 42777** Lobel, R. W., Sand, P. K. Incisional hernia after suprapubic catheterization. *Obstet Gynecol*. 1997 May; 89: 844-6
- 11357** Lobel, R. W., Sand, P. K. The empty supine stress test as a predictor of intrinsic urethral sphincter dysfunction. *Obstet Gynecol*. 1996 Jul; 88: 128-32
- 40104** Locher, J. L., Burgio, K. L., Goode, P. S., Roth, D. L., Rodriguez, E. Effects of age and causal attribution to aging on health-related behaviors associated with urinary incontinence in older women. *Gerontologist*. 2002 Aug; 42: 515-21
- 10434** Locher, J. L., Goode, P. S., Roth, D. L., Worrell, R. L., Burgio, K. L. Reliability assessment of the bladder diary for urinary incontinence in older women. *J Gerontol A Biol Sci Med Sci*. 2001 Jan; 56: M32-5
- 12080** Lockhart, J. L., Ellis, G. F., Helal, M., Pow-Sang, J. M. Combined cystourethropexy for the treatment of type 3 and complicated female urinary incontinence. *J Urol*. 1990 Apr; 143: 722-5
- 44850** Lockhart, J. L., Pow-Sang, J. M., Persky, L., Kahn, P., Helal, M., Sanford, E. A continent colonic urinary reservoir: the Florida pouch. *J Urol*. 1990 Oct; 144: 864-7
- 44625** Lockhart, J. L., Pow-Sang, J. M., Persky, L., Sanford, E., Helal, M. Results, complications and surgical indications of the Florida pouch. *Surg Gynecol Obstet*. 1991 Oct; 173: 289-96
- 4128** Lockhart, J.L., Ellis, G.F., Helal, M., and Pow-Sang, J.M. Combined cystourethropexy for the treatment of type 3 and complicated female urinary incontinence. *J Urol*. 1990 Apr; 143: 722-725
- 3939** Lockhart, J.L., Pow-Sang, J.M., Persky, L., Kahn, P., Helal, M., and Sanford, E. A continent colonic urinary reservoir: the Florida pouch. *J Urol*. 1990 Oct; 144: 864-867
- 3584** Lockhart, J.L., Pow-Sang, J.M., Persky, L., Sanford, E., and Helal, M. Results, complications and surgical indications of the Florida pouch. *Surg Gynecol Obstet*. 1991 Oct; 173: 289-296
- 4034** Lockhart-Pretti, P.A. Urinary incontinence. *J Enterostomal Ther*. 1990 May-Jun; 17: 112-119
- 42725** Loening-Baucke, V. Urinary incontinence and urinary tract infection and their resolution with treatment of chronic constipation of childhood. *Pediatrics*. 1997 Aug; 100: 228-32
- 40544** Loera, J. A., Black, S. A., Markides, K. S., Espino, D. V., Goodwin, J. S. The use of herbal medicine by older Mexican Americans. *J Gerontol A Biol Sci Med Sci*. 2001 Nov; 56: M714-8
- 3804** Lofting, D. The dry season. Promoting continence in the South West. *Prof Nurse*. 1991 Feb; 6: 270,272,274
- 10116** Logan, K. Audit of advice provided on pelvic floor exercises. *Prof Nurse*. 2001 Jun; 16: 1369-72
- 10183** Long, C. Y., Hsu, S. C., Chen, Y. H., Chen, S. C., Chen, W. C., Su, J. H. The effects on vesicourethral function following laparoscopic hysterectomy. *Kaohsiung J Med Sci*. 2001 Nov; 17: 564-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 52890 Long, C. Y., Hsu, S. C., Sun, D. J., Chen, C. C., Tsai, E. M., Su, J. H. Abnormal clinical and urodynamic findings in women with severe genitourinary prolapse. *Kaohsiung J Med Sci.* 2002 Dec; 18: 593-7
- 52480 Long, C. Y., Hsu, S. C., Wu, T. P., Fu, J. C., Hsu, Y. S., Su, J. H. Effect of laparoscopic hysterectomy on bladder neck and urinary symptoms. *Aust N Z J Obstet Gynaecol.* 2003 Feb; 43: 65-9
- 59219 Long, C. Y., Lo, T. S., Liu, C. M., Hsu, S. C., Chang, Y., Tsai, E. M. Lateral excision of tension-free vaginal tape for the treatment of iatrogenic urethral obstruction. *Obstet Gynecol.* 2004 Dec; 104: 1270-4
- 31822 Longstreth, G. F. Bowel patterns and anxiety. Demographic factors. *J Clin Gastroenterol.* 1993 Sep; 17: 128-32
- 31823 Longstreth, G. F., Wolde-Tsadik, G. Irritable bowel-type symptoms in HMO examinees. Prevalence, demographics, and clinical correlates. *Dig Dis Sci.* 1993 Sep; 38: 1581-9
- 3799 Lonton, A.P. The characteristics of patients with encephaloceles. *Z Kinderchir.* 1990 Dec; 45 Suppl 1: 18-19
- 41903 Loo, C. C., Irestedt, L. Cauda equina syndrome after spinal anaesthesia with hyperbaric 5% lignocaine: a review of six cases of cauda equina syndrome reported to the Swedish Pharmaceutical Insurance 1993-1997. *Acta Anaesthesiol Scand.* 1999 Apr; 43: 371-9
- 11930 Lopez Lopez, J. A., Valdivia Uria, J. G., Ucar Terren, A. Percutaneous endoscopic urethrocervicopexy. *Eur Urol.* 1992; 22: 167-70
- 55310 Lopez Pereira, P., Miguelez, C., Caffarati, J., Estornell, F., Anguera, A. Trospium chloride for the treatment of detrusor instability in children. *J Urol.* 2003 Nov; 170: 1978-81
- 11785 Lopez, A. E., Padron, O. F., Patsias, G., Politano, V. A. Transurethral polytetrafluoroethylene injection in female patients with urinary continence. *J Urol.* 1993 Sep; 150: 856-8
- 3016 Lopez, A.E., Padron, O.F., Patsias, G., and Politano, V.A. Transurethral polytetrafluoroethylene injection in female patients with urinary continence. *J Urol.* 1993 Sep; 150: 856-858
- 3190 Lopez-Lopez, J.A., Valdivia-Uria, J.G., and Ucar-Terren, A. Percutaneous endoscopic urethrocervicopexy. *Eur Urol.* 1992; 22: 167-170
- 44037 Lord, A., Eastwood, H. Detrusor hyperreflexia--are there two types?. *Age Ageing.* 1994 Jan; 23: 32-3
- 10971 Lose, G. Laparoscopic Burch colposuspension. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 29-33
- 3788 Lose, G. Medical treatment of female urge incontinence. *Ann Med.* 1990 Dec; 22: 449-454
- 40522 Lose, G. Proper outcome assessment is pivotal for the reader of a paper to be able to compare results from different studies and relate them to one's own practice. *Acta Obstet Gynecol Scand.* 2001 Nov; 80: 979-80
- 11975 Lose, G. Urethral pressure and power generation during coughing and voluntary contraction of the pelvic floor in females with genuine stress incontinence. *Br J Urol.* 1991 Jun; 67: 580-5
- 11260 Lose, G. Urethral pressure measurement. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 39-42
- 11259 Lose, G. Uroflowmetry and pressure/flow study of voiding in women. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 43-7
- 10038 Lose, G., Brostrom, S. Low-pressure urethra in women: what does it mean and what can it be used for?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 215-7
- 12032 Lose, G., Colstrup, H. Mechanical properties of the urethra in healthy and stress incontinent females: dynamic measurements in the resting urethra. *J Urol.* 1990 Nov; 144: 1258-62
- 10563 Lose, G., Englev, E. Oestradiol-releasing vaginal ring versus oestriol vaginal pessaries in the treatment of bothersome lower urinary tract symptoms. *BJOG.* 2000 Aug; 107: 1029-34
- 40521 Lose, G., Fantl, J. A., Victor, A., Walter, S., Wells, T. L., Wyman, J., Mattiasson, A. Outcome measures for research in adult women with symptoms of lower urinary tract dysfunction. Standardization Committee of the International Continence Society. *Acta Obstet Gynecol Scand.* 2001 Nov; 80: 981-5
- 10972 Lose, G., Kulseng-Hanssen, S., Nilsson, C. G. Aspects on the actual practice of surgical management of urinary incontinence in Norway and Finland. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 25-8



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43088** Lose, G., Ulmsten, U., Nilsson, C. G., Kulseng-Hanssen, S., Ludviksson, K. Scandinavian urogynecology. Current status and visions for the future. *Acta Obstet Gynecol Scand.* 1996 Aug; 75: 603-4
- 10997** Lose, G., Walter, S. Impact of surgery for stress incontinence on morbidity. Pragmatic randomised trial is required. *BMJ.* 1998 Jul 11; 317: 144
- 11827** Lotenfoe, R., O'Kelly, J. K., Helal, M., Lockhart, J. L. Periurethral polytetrafluoroethylene paste injection in incontinent female subjects: surgical indications and improved surgical technique. *J Urol.* 1993 Feb; 149: 279-82
- 3170** Lotenfoe, R., OKelly, J.K., Helal, M., and Lockhart, J.L. Periurethral polytetrafluoroethylene paste injection in incontinent female subjects: surgical indications and improved surgical technique. *J Urol.* 1993 Feb; 149: 279-282
- 40028** Lottmann, H. B., Margaryan, M., Bernuy, M., Rouffet, M. J., Bau, M. O., El-Ghoneimi, A., Aigrain, Y., Stenberg, A., Lackgren, G. The effect of endoscopic injections of dextranomer based implants on continence and bladder capacity: a prospective study of 31 patients. *J Urol.* 2002 Oct; 168: 1863-7; discussion 1867
- 42715** Lottmann, H. B., Melin, Y., Cendron, M., Lombrail, P., Beze-Beyrie, P., Cendron, J. Bladder exstrophy: evaluation of factors leading to continence with spontaneous voiding after staged reconstruction. *J Urol.* 1997 Sep; 158: 1041-4
- 11155** Loughlin, K. R. Re: Epithelial inclusion cyst formation after free vaginal wall swing sling procedure for stress urinary incontinence. *J Urol.* 1998 Jan; 159: 208
- 10631** Loughlin, K. R. Slings-an idea whose time has come. *J Urol.* 2000 Jun; 163: 1843-4
- 11390** Loughlin, K. R. The endoscopic fascial sling for treatment of female urinary stress incontinence. *J Urol.* 1996 Apr; 155: 1265-7
- 10693** Loughlin, K. R. The thimble: a useful adjunct to needle suspension procedures for female stress incontinence. *Urology.* 2000 Dec 20; 56: 1050-1
- 12108** Loughlin, K. R., Whitmore, W. F., 3rd, Gittes, R. F., Richie, J. P. Review of an 8-year experience with modifications of endoscopic suspension of the bladder neck for female stress urinary incontinence. *J Urol.* 1990 Jan; 143: 44-5
- 5268** Loughlin, K.R., Whitmore, W.F., Gittes, R.F., and Richie, J.P. Review of an 8-year experience with modifications of endoscopic suspension of the bladder neck for female stress urinary incontinence [see comments]. *J Urol.* 1990 Jan; 143: 44-45
- 41866** Loughrey, L. Taking a sensitive approach to urinary incontinence. *Nursing.* 1999 May; 29: 60-1
- 10317** Lovatsis, D., Drutz, H. P. Is transabdominal repair of mild to moderate cystocele necessary for correction of prolapse during a modified Burch procedure?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 193-8
- 42213** Lovatsis, D., Drutz, H. P. The role of estrogen in female urinary incontinence and urogenital aging: a review. *Ostomy Wound Manage.* 1998 Jun; 44: 48-53
- 50450** Lovatsis, D., Gupta, C., Dean, E., Lee, F. Tension-free vaginal tape procedure is an ideal treatment for obese patients. *Am J Obstet Gynecol.* 2003 Dec; 189: 1601-4; discussion 1604-5
- 44934** Lowe, B. A., Woodside, J. R. Urodynamic evaluation of patients with continent urinary diversion using cecal reservoir and intussuscepted ileocecal valve. *Urology.* 1990 Jun; 35: 544-7
- 11229** Lowe, E. M., Anand, P., Terenghi, G., Williams-Chestnut, R. E., Sinicropi, D. V., Osborne, J. L. Increased nerve growth factor levels in the urinary bladder of women with idiopathic sensory urgency and interstitial cystitis. *Br J Urol.* 1997 Apr; 79: 572-7
- 44603** Luangkhot, R., Peng, B. C., Blaivas, J. G. Ileocecocystoplasty for the management of refractory neurogenic bladder: surgical technique and urodynamic findings. *J Urol.* 1991 Nov; 146: 1340-4
- 3561** Luangkhot, R., Peng, B.C., and Blaivas, J.G. Ileocecocystoplasty for the management of refractory neurogenic bladder: surgical technique and urodynamic findings. *J Urol.* 1991 Nov; 146: 1340-1344
- 41728** Lubeck, D. P., Prebil, L. A., Peebles, P., Brown, J. S. A health related quality of life measure for use in patients with urge urinary incontinence: a validation study. *Qual Life Res.* 1999 Jun; 8: 337-44



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10350 Luber, K. M., Boero, S., Choe, J. Y. The demographics of pelvic floor disorders: current observations and future projections. *Am J Obstet Gynecol.* 2001 Jun; 184: 1496-501; discussion 1501-3
- 11167 Luber, K. M., Wolde-Tsadik, G. Efficacy of functional electrical stimulation in treating genuine stress incontinence: a randomized clinical trial. *Neurourol Urodyn.* 1997; 16: 543-51
- 11264 Ludviksson, K. The value of clinical examination of the female incontinent patient. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 19-23
- 42352 Luft, J., Vriheas-Nichols, A. A. Identifying the risk factors for developing incontinence: can we modify individual risk?. *Geriatr Nurs.* 1998 Mar-Apr; 19: 66-70; quiz 70-2
- 51610 Lukacz, E. S., Luber, K. M., Nager, C. W. The effects of the tension-free vaginal tape on proximal urethral position: a prospective, longitudinal evaluation. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 179-84; discussion 184
- 10717 Luna, M. T., Hirakawa, T., Kamura, T., Yahata, H., Ogawa, S., Sonoda, T., Nakano, H. Comparison of the anterior colporrhaphy procedure and the Marshall- Marchetti-Krantz operation in the treatment of stress urinary incontinence among women. *J Obstet Gynaecol Res.* 1999 Aug; 25: 255-60
- 10526 Luna, M. T., Hirakawa, T., Nakano, H. Urinary incontinence in women seen in the obstetrics and gynecology clinic. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 277-81
- 3792 Lundqvist, C., Siosteen, A., Blomstrand, C., Lind, B., and Sullivan, M. Spinal cord injuries. Clinical, functional, and emotional status. *Spine.* 1991 Jan; 16: 78-83
- 44782 Lundqvist, C., Siosteen, A., Blomstrand, C., Lind, B., Sullivan, M. Spinal cord injuries. Clinical, functional, and emotional status. *Spine.* 1991 Jan; 16: 78-83
- 42581 Lurie, S. N., Hosmer, C. Oxybutynin and intranasal desmopressin for clozapine-induced urinary incontinence. *J Clin Psychiatry.* 1997 Sep; 58: 404
- 43236 Luukinen, H., Koski, K., Kivela, S. L., Laippala, P. Social status, life changes, housing conditions, health, functional abilities and life-style as risk factors for recurrent falls among the home-dwelling elderly. *Public Health.* 1996 Mar; 110: 115-8
- 44544 Lyder, C. H., Clemes-Lowrance, C., Davis, A., Sullivan, L., Zucker, A. Structured skin care regimen to prevent perineal dermatitis in the elderly. *J ET Nurs.* 1992 Jan-Feb; 19: 12-6
- 3496 Lyder, C.H., Clemes-Lowrance, C., Davis, A., Sullivan, L., and Zucker, A. Structured skin care regimen to prevent perineal dermatitis in the elderly. *J ET Nurs.* 1992 Jan-Feb; 19: 12-16
- 10316 Lynch, C. M., Powers, A. K., Keating, A. B. Pregnancy complicated by a suburethral sling: a case report. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 218-9
- 40572 Lyon, R. P. Re: the treatment of post-urethrotomy incontinence in pediatric and adolescent females. *J Urol.* 2001 Nov; 166: 1838
- 11559 Lyons, T. L. Minimally invasive treatment of urinary stress incontinence and laparoscopically directed repair of pelvic floor defects. *Clin Obstet Gynecol.* 1995 Jun; 38: 380-91
- 11600 Lyons, T. L., Winer, W. K. Clinical outcomes with laparoscopic approaches and open Burch procedures for urinary stress incontinence. *J Am Assoc Gynecol Laparosc.* 1995 Feb; 2: 193-8
- 10075 Lyons, T. L., Winer, W. K., Adolph, A. J. Classic intrafascial supracervical hysterectomies. *J Am Assoc Gynecol Laparosc.* 2002 Aug; 9: 401; discussion 401-2
- 42370 Ma, S. S. The prevalence of adult female urinary incontinence in Hong Kong Chinese. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 327-31
- 10020 Maaaita, M., Bhaumik, J., Davies, A. E. Sexual function after using tension-free vaginal tape for the surgical treatment of genuine stress incontinence. *BJU Int.* 2002 Oct; 90: 540-3
- 42517 Maas, C. P., Moriya, Y., Steup, W. H., Kiebert, G. M., Kranenbarg, W. M., van de Velde, C. J. Radical and nerve-preserving surgery for rectal cancer in The Netherlands: a prospective study on morbidity and functional outcome. *Br J Surg.* 1998 Jan; 85: 92-7

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 41108** Maas, C. P., Moriya, Y., Steup, W. H., Klein Kranenbarg, E., van de Velde, C. J. A prospective study on radical and nerve-preserving surgery for rectal cancer in the Netherlands. *Eur J Surg Oncol.* 2000 Dec; 26: 751-7
- 44871** MacAllister, C. G., Perdue, B. D. Endoscopic diagnosis of unilateral ectopic ureter in a yearling filly. *J Am Vet Med Assoc.* 1990 Sep 1; 197: 617-8
- 44051** Macallum, G. E., Albassam, M. A. Renal toxicity of a nondopaminergic antipsychotic agent, trimethyl imidazopyrazolopyrimidine, in rats. *Toxicol Pathol.* 1994 Jan-Feb; 22: 39-47
- 3497** MacArthur, C., Lewis, M., and Knox, E.G. Health after childbirth. *Br J Obstet Gynaecol.* 1991 Dec; 98: 1193-1195
- 11936** MacArthur, C., Lewis, M., Knox, E. G. Health after childbirth. *Br J Obstet Gynaecol.* 1991 Dec; 98: 1193-5
- 12008** Macaulay, A. J., Stern, R. S., Stanton, S. L. Psychological aspects of 211 female patients attending a urodynamic unit. *J Psychosom Res.* 1991; 35: 1-10
- 3722** Macaulay, A.J., Stern, R.S., and Stanton, S.L. Psychological aspects of 211 female patients attending a urodynamic unit. *J Psychosom Res.* 1991; 35: 1-10
- 54140** Macaulay, M., Clarke-ONEill, S., Fader, M., Pettersson, L., Cottenden, A. Are washable absorbents effective at containing urinary incontinence?. *Nurs Times.* 2004 Mar 23-29; 100: 58-62
- 3765** Macaulay, M., Henry, G. Continence. Drop in and do well. *Nurs Times.* 1990 Nov 14-20; 86: 65-66
- 44855** MacDermott, J. P., Palmer, J. M., Stone, A. R. Vesicocutaneous fistula secondary to bladder instability. *Br J Urol.* 1990 Oct; 66: 430-1
- 3908** MacDermott, J.P., Palmer, J.M., and Stone, A.R. Vesicocutaneous fistula secondary to bladder instability. *Br J Urol.* 1990 Oct; 66: 430-431
- 43527** MacDiarmid, S. A., Arnold, E. P., Palmer, N. B., Anthony, A. Management of spinal cord injured patients by indwelling suprapubic catheterization. *J Urol.* 1995 Aug; 154: 492-4
- 44815** MacDonagh, R. P., Forster, D. M., Thomas, D. G. Urinary continence in spinal injury patients following complete sacral posterior rhizotomy. *Br J Urol.* 1990 Dec; 66: 618-22
- 3848** MacDonagh, R.P., Forster, D.M., and Thomas, D.G. Urinary continence in spinal injury patients following complete sacral posterior rhizotomy. *Br J Urol.* 1990 Dec; 66: 618-622
- 42217** Mace, J. C., Cure, J., Bailey, B. N., Storrs, B. B. Untethered filum terminale presenting as cauda equina lesion. *Pediatr Neurosurg.* 1998 Apr; 28: 191-4
- 10609** MacGibbon, A., Brieger, G., Korda, A. Incisionless cystourethropexy--the Intac device--an initial experience. *Aust N Z J Obstet Gynaecol.* 2000 Feb; 40: 59-61
- 40550** MacKay, K., Hemmett, L. Needs assessment of women with urinary incontinence in a district health authority. *Br J Gen Pract.* 2001 Oct; 51: 801-4
- 4123** Mackin, B. Evaluating bodyworn continence pads. *Nurs Stand.* 1990 Jan 31-Feb 6; 4: 36-39
- 40945** MacKinnon, A. E., Roberts, J. P., Searles, J. Day-care ultrasound avoids urodynamics. *Eur J Pediatr Surg.* 2000 Dec; 10 Suppl 1: 24-5
- 40958** MacLennan, A. H., Taylor, A. W., Wilson, D. H., Wilson, D. The prevalence of pelvic floor disorders and their relationship to gender, age, parity and mode of delivery. *BJOG.* 2000 Dec; 107: 1460-70
- 55460** MacNeily, A. E., Afshar, K., Coleman, G. U., Johnson, H. W. Autoaugmentation by detrusor myotomy: its lack of effectiveness in the management of congenital neuropathic bladder. *J Urol.* 2003 Oct; 170: 1643-6; discussion 1646
- 10009** Maddern, G. J., Middleton, P. F., Grant, A. M. Urinary stress incontinence. *BMJ.* 2002 Oct 12; 325: 789-90
- 3199** Madejski, R.M. LPN overview of urinary incontinence. *J Pract Nurs.* 1992 Dec; 42: 24-33
- 42159** Madersbacher, H., Awad, S., Fall, M., Janknegt, R. A., Stohrer, M., Weisner, B. Urge incontinence in the elderly--supraspinal reflex incontinence. *World J Urol.* 1998; 16 Suppl 1: S35-43

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 41700 Madersbacher, H., Halaska, M., Voigt, R., Alloussi, S., Hofner, K. A placebo-controlled, multicentre study comparing the tolerability and efficacy of propiverine and oxybutynin in patients with urgency and urge incontinence. *BJU Int.* 1999 Oct; 84: 646-51
- 3721 Madersbacher, H., Jilg, G. Control of detrusor hyperreflexia by the intravesical instillation of oxybutynine hydrochloride. *Paraplegia.* 1991 Feb; 29: 84-90
- 41340 Madersbacher, S. Prevalence of lower urinary tract symptoms and urinary incontinence in the elderly: recent data from Austria. *Wien Klin Wochenschr.* 2000 May 5; 112: 379-80
- 41876 Madersbacher, S., Pycha, A., Klingler, C. H., Schatzl, G., Marberger, M. The International Prostate Symptom score in both sexes: a urodynamics- based comparison. *Neurourol Urodyn.* 1999; 18: 173-82
- 42487 Madersbacher, S., Pycha, A., Schatzl, G., Mian, C., Klingler, C. H., Marberger, M. The aging lower urinary tract: a comparative urodynamic study of men and women. *Urology.* 1998 Feb; 51: 206-12
- 53540 Madjar, S., Balzarro, M., Appell, R. A., Tchetgen, M. B., Nelson, D. Baseline abdominal pressure and valsalva leak point pressures-correlation with clinical and urodynamic data. *Neurourol Urodyn.* 2003; 22: 2-6
- 10896 Madjar, S., Beyar, M., Nativ, O. Pubic bone anchoring in the treatment of women with stress urinary incontinence: new applications to an old concept. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 416-8
- 10674 Madjar, S., Beyar, M., Nativ, O. Transvaginal bone anchored sling. *Urology.* 2000 Mar; 55: 422-6
- 50810 Madjar, S., Covington-Nichols, C., Secrest, C. L. New periurethral bulking agent for stress urinary incontinence: modified technique and early results. *J Urol.* 2003 Dec; 170: 2327-9
- 41034 Madjar, S., Evans, D., Duncan, R. C., Gousse, A. E. Collaboration and practice patterns among urologists and gynecologists in the treatment of urinary incontinence and pelvic floor prolapse: a survey of the International Continence Society members. *Neurourol Urodyn.* 2001; 20: 3-11
- 40435 Madjar, S., Gousse, A. Postirradiation vesicovaginal fistula completely resolved with conservative treatment. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 405-6
- 10159 Madjar, S., Tchetgen, M. B., Van Antwerp, A., Abdelmalak, J., Rackley, R. R. Urethral erosion of tension-free vaginal tape. *Urology.* 2002 Apr; 59: 601
- 10944 Madjar, S., Wald, M., Halachmi, S., Issaq, E., Moskovitz, B., Beyar, M., Nativ, O. Minimally invasive pervaginam procedures for the treatment of female stress incontinence using a new pubic bone anchoring system. *Artif Organs.* 1998 Oct; 22: 879-85
- 41900 Maeda, H., Shichiri, Y., Kinoshita, H., Okubo, K., Okada, T., Aoki, Y., Maekawa, S., Arai, Y. Urinary undiversion for pelvic actinomycosis: a long-term follow up. *Int J Urol.* 1999 Feb; 6: 111-3
- 44599 Magaziner, J., Tenney, J. H., DeForge, B., Hebel, J. R., Muncie, H. L., Jr, Warren, J. W. Prevalence and characteristics of nursing home-acquired infections in the aged. *J Am Geriatr Soc.* 1991 Nov; 39: 1071-8
- 3235 Maggi, C.A. Therapeutic potential of capsaicin-like molecules: studies in animals and humans. *Life Sci.* 1992; 51: 1777-1781
- 40956 Maggi, S., Minicuci, N., Langlois, J., Pavan, M., Enzi, G., Crepaldi, G. Prevalence rate of urinary incontinence in community-dwelling elderly individuals: the Veneto study. *J Gerontol A Biol Sci Med Sci.* 2001 Jan; 56: M14-8
- 42010 Maglinte, D. D., Kelvin, F. M., Fitzgerald, K., Hale, D. S., Benson, J. T. Association of compartment defects in pelvic floor dysfunction. *AJR Am J Roentgenol.* 1999 Feb; 172: 439-44
- 11433 Magrina, J. F. Primary surgery for stage IB-IIA cervical cancer, including short-term and long-term morbidity and treatment in pregnancy. *J Natl Cancer Inst Monogr.* 1996; : 53-9
- 10699 Maher, C. F., Dwyer, P. L., Carey, M. P., Moran, P. A. Colposuspension or sling for low urethral pressure stress incontinence?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 384-9
- 30344 Maher, C. F., Murray, C. J., Carey, M. P., Dwyer, P. L., Ugoni, A. M. Iliococcygeus or sacrospinous fixation for vaginal vault prolapse. *Obstet Gynecol.* 2001 Jul; 98: 40-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10370** Maher, C., Carey, M., Dwyer, P., Moran, P. Pubovaginal or vicryl mesh rectus fascia sling in intrinsic sphincter deficiency. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 111-6
- 10791** Maher, C., Dwyer, P., Carey, M., Gilmour, D. The Burch colposuspension for recurrent urinary stress incontinence following retropubic continence surgery. *Br J Obstet Gynaecol.* 1999 Jul; 106: 719-24
- 57300** Maheswaran, C. M., MacKinnon, A. E. Ambulant? Continent? The missing link. *Eur J Pediatr Surg.* 2002 Dec; 12 Suppl 1: S25-6
- 42507** Mahony, C. The impact of continence problems on self-esteem. *Nurs Times.* 1997 Dec 24-Jan 6; 93: 58, 60
- 43983** Mahran, M. R., Ghoneim, M. A. The application of the modified rectal bladder in management of the compromised urethral damage. *Scand J Urol Nephrol.* 1994 Mar; 28: 49-53
- 4032** Mainprize, T.C. Diagnosis of urinary incontinence. *Clin Obstet Gynecol.* 1990 Jun; 33: 308-314
- 40462** Major, H., Culligan, P., Heit, M. Urethral sphincter morphology in women with detrusor instability. *Obstet Gynecol.* 2002 Jan; 99: 63-8
- 32052** Major, O., Sipos, L., Czirjak, S., Benoist, G., Horvath, M., Pasztor, E. Spontaneous spinal epidural haematomas. *Acta Neurochir (Wien).* 1991; 111: 40-2
- 11325** Mak, V., Radomski, S. B. Value of magnetic resonance imaging of the lumbosacral spinal cord in patients with voiding dysfunction. *J Urol.* 1996 Oct; 156: 1421-3
- 11495** Makinen, J. I., Pitkanen, Y. A., Salmi, T. A., Gronroos, M., Rinne, R., Paakkari, I. Transdermal estrogen for female stress urinary incontinence in postmenopause. *Maturitas.* 1995 Nov; 22: 233-8
- 43787** Maklebust, J., Magnan, M. A. Risk factors associated with having a pressure ulcer: a secondary data analysis. *Adv Wound Care.* 1994 Nov; 7: 25, 27-8, 31-4 passim
- 3294** Maklebust, J., Magnan, M.A. Approaches to patient and family education for pressure ulcer management. *Decubitus.* 1992 Jul; 5: 18-20,24,26passim
- 42764** Malik, A., Fenning, N., O'Donnell, E. Anal and urinary incontinence in women with obstetric anal sphincter rupture. *Br J Obstet Gynaecol.* 1997 Jun; 104: 753-4
- 40695** Maliski, S. L., Heilemann, M. V., McCorkle, R. Mastery of postprostatectomy incontinence and impotence: his work, her work, our work. *Oncol Nurs Forum.* 2001 Jul; 28: 985-92
- 43934** Malissard, M., Souquet, J., Jullien, D. Optimisation of pulse duration for intravaginal electrical stimulation: effect of tissue excitability. *Med Biol Eng Comput.* 1994 May; 32: 327-30
- 43875** Mallett, V. T., Bump, R. C. The epidemiology of female pelvic floor dysfunction. *Curr Opin Obstet Gynecol.* 1994 Aug; 6: 308-12
- 10363** Mallipeddi, P. K., Steele, A. C., Kohli, N., Karram, M. M. Anatomic and functional outcome of vaginal paravaginal repair in the correction of anterior vaginal wall prolapse. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 83-8
- 41241** Malm, J., Kristensen, B., Stegmayr, B., Fagerlund, M., Koskinen, L. O. Three-year survival and functional outcome of patients with idiopathic adult hydrocephalus syndrome. *Neurology.* 2000 Aug 22; 55: 576-8
- 3316** Malone, M.L. Teaching about urinary incontinence [letter]. *J Am Geriatr Soc.* 1992 Aug; 40: 850-851
- 42691** Malone, P. S. The management of urinary incontinence. *Arch Dis Child.* 1997 Aug; 77: 175-8
- 44931** Malone, P. S., Spitz, L., Kiely, E. M., Brereton, R. J., Duffy, P. G., Ransley, P. G. The functional sequelae of sacrococcygeal teratoma. *J Pediatr Surg.* 1990 Jun; 25: 679-80
- 43992** Malone, P. S., Wheeler, R. A., Williams, J. E. Continence in patients with spina bifida: long term results. *Arch Dis Child.* 1994 Feb; 70: 107-10
- 4006** Malone, P.S., Spitz, L., Kiely, E.M., Brereton, R.J., Duffy, P.G., and Ransley, P.G. The functional sequelae of sacrococcygeal teratoma. *J Pediatr Surg.* 1990 Jun; 25: 679-680
- 41842** Malone-Lee, J. Know how. Managing incontinence. *Nurs Times.* 1999 May 5-11; 95: 74-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40717** Malone-Lee, J. G., Walsh, J. B., Maugourd, M. F. Tolterodine: a safe and effective treatment for older patients with overactive bladder. *J Am Geriatr Soc.* 2001 Jun; 49: 700-5
- 55820** Malone-Lee, J., Henshaw, D. J., Cummings, K. Urodynamic verification of an overactive bladder is not a prerequisite for antimuscarinic treatment response. *BJU Int.* 2003 Sep; 92: 415-7
- 3413** Malone-Lee, J., Lubel, D., and Szonyi, G. Low dose oxybutynin for the unstable bladder [letter]. *Bmj.* 1992 Apr 18; 304: 1053
- 44495** Malone-Lee, J., Lubel, D., Szonyi, G. Low dose oxybutynin for the unstable bladder. *BMJ.* 1992 Apr 18; 304: 1053
- 40843** Malone-Lee, J., Shaffu, B., Anand, C., Powell, C. Tolterodine: superior tolerability than and comparable efficacy to oxybutynin in individuals 50 years old or older with overactive bladder: a randomized controlled trial. *J Urol.* 2001 May; 165: 1452-6
- 42606** Maloney, C. Estrogen in urinary incontinence treatment: an anatomic and physiologic approach. *Urol Nurs.* 1997 Sep; 17: 88-91
- 43685** Maloney, C. Evaluation and treatment of urinary incontinence: a primary care approach. *Nurse Pract.* 1995 Feb; 20: 74-5
- 11185** Maloney, C. Patient with stress urinary incontinence. *Lippincotts Prim Care Pract.* 1997 Sep-Oct; 1: 448-9
- 11145** Maloney, C. Patient with stress urinary incontinence. Answers and discussion of urinary health case study. *Lippincotts Prim Care Pract.* 1997 Nov-Dec; 1: 567-71
- 40002** Maloney, C. M., Cafiero, M. Achieving bladder control. Treatment in the primary care setting. *Adv Nurse Pract.* 2002 May; 10: 73-8
- 41582** Maloney, C., Cafiero, M. Implementing an incontinence program in long-term care settings. A multidisciplinary approach. *J Gerontol Nurs.* 1999 Jun; 25: 47-52
- 10696** Maloney, C., Cafiero, M. R. Urinary incontinence. Noninvasive treatment options. *Adv Nurse Pract.* 1999 Jun; 7: 36-42
- 42774** Maly, R. C., Hirsch, S. H., Reuben, D. B. The performance of simple instruments in detecting geriatric conditions and selecting community-dwelling older people for geriatric assessment. *Age Ageing.* 1997 May; 26: 223-31
- 53000** Manca, A., Sculpher, M. J., Ward, K., Hilton, P. A cost-utility analysis of tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence. *BJOG.* 2003 Mar; 110: 255-62
- 44958** Mandal, A. K., Sharma, S. K., Vaidyanathan, S., Goswami, A. K. Ureterovaginal fistula: summary of 18 years' experience. *Br J Urol.* 1990 May; 65: 453-6
- 40432** Mandigers, R. J., Nell, T. Treatment of bitches with acquired urinary incontinence with oestriol. *Vet Rec.* 2001 Dec 22-29; 149: 764-7
- 11315** Manhes, H. Laparoscopic Retzio-plasty. A new surgical approach to stress incontinence. *Int Surg.* 1996 Oct-Dec; 81: 371-3
- 10148** Maniam, P., Goldman, H. B. Removal of transurethral catheter during urodynamics may unmask stress urinary incontinence. *J Urol.* 2002 May; 167: 2080-2
- 59150** Manikandan, R., Kujawa, M., Pearson, E., O'Reilly, P. H., Brown, S. C. Results of the tension-free vaginal tape procedure for stress incontinence: patient's perspective. *Int J Urol.* 2004 Apr; 11: 206-12
- 40779** Mannaerts, G. H., Rutten, H. J., Martijn, H., Groen, G. J., Hanssens, P. E., Wiggers, T. Abdominosacral resection for primary irresectable and locally recurrent rectal cancer. *Dis Colon Rectum.* 2001 Jun; 44: 806-14
- 10353** Manning, J., Eysers, A. A., Korda, A., Benness, C., Solomon, M. J. Is there an association between fecal incontinence and lower urinary dysfunction?. *Dis Colon Rectum.* 2001 Jun; 44: 790-8
- 52010** Manning, J., Korda, A., Benness, C., Solomon, M. The association of obstructive defecation, lower urinary tract dysfunction and the benign joint hypermobility syndrome: a case-control study. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Jun; 14: 128-32



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 44346 Mansi, M., Ahmed, S. Young-Dees-Leadbetter bladder neck reconstruction for sphincteric urinary incontinence: the value of augmentation cystoplasty. *Scand J Urol Nephrol*. 1993; 27: 509-17
- 44336 Mansson, A., Anderson, H., Colleen, S. Time lag to diagnosis of bladder cancer--influence of psychosocial parameters and level of health-care provision. *Scand J Urol Nephrol*. 1993; 27: 363-9
- 43817 Mansson-Linstrom, A., Dehlin, O., Isacsson, A. Urinary incontinence in primary health care. 1. Perceived knowledge and training among various categories of nursing personnel and care units. *Scand J Prim Health Care*. 1994 Sep; 12: 169-74
- 43072 Mantle, F. Eliminate the problem. *Nurs Times*. 1996 Aug 7-13; 92: 50-1
- 11992 Mantle, J., Versi, E. Physiotherapy for stress urinary incontinence: a national survey. *BMJ*. 1991 Mar 30; 302: 753-5
- 3733 Mantle, J., Versi, E. Physiotherapy for stress urinary incontinence: a national survey [published erratum appears in *BMJ* 1991 Aug 24;303(6800):440] [see comments]. *Brmj*. 1991 Mar 30; 302: 753-755
- 10440 Maral, I., Ozkardes, H., Peskircioglu, L., Bumin, M. A. Prevalence of stress urinary incontinence in both sexes at or after age 15 years: a cross-sectional study. *J Urol*. 2001 Feb; 165: 408-12
- 10810 Marana, H. R., Andrade, J. M., Marana, R. R., Matheus de Sala, M., Philbert, P. M., Rodrigues, R. Vaginal hysterectomy for correcting genital prolapse. Long-term evaluation. *J Reprod Med*. 1999 Jun; 44: 529-34
- 57310 Marcell, D., Ransel, S., Schiau, M., Duffy, E. G. Treatment options alleviate female urge incontinence. *Nurse Pract*. 2003 Feb; 28: 48-54
- 52800 Margolis, M. T. Tension-free vaginal tape: outcomes among women with primary versus recurrent stress urinary incontinence. *Obstet Gynecol*. 2003 Apr; 101: 817; author reply 817-8
- 43394 Margolis, M. T., Thoen, L. D., Boike, G. M., Mercer, L. J., Keith, L. G. Asymptomatic endometrial carcinoma after endometrial ablation. *Int J Gynaecol Obstet*. 1995 Dec; 51: 255-8
- 10777 Margossian, H., Pollard, R. R., Walters, M. D. Small bowel obstruction in a peritoneal defect after laparoscopic Burch procedure. *J Am Assoc Gynecol Laparosc*. 1999 Aug; 6: 343-5
- 10794 Margossian, H., Walters, M. D., Falcone, T. Laparoscopic management of pelvic organ prolapse. *Eur J Obstet Gynecol Reprod Biol*. 1999 Jul; 85: 57-62
- 40928 Marinkovic, S. P., Badlani, G. H. Imaging of the lower urinary tract in adults. *J Endourol*. 2001 Feb; 15: 75-86
- 50290 Marinkovic, S. P., Stanton, S. L. Incontinence and voiding difficulties associated with prolapse. *J Urol*. 2004 Mar; 171: 1021-8
- 52990 Marinkovic, S. P., Stanton, S. L. Triple compartment prolapse: sacrocolpopexy with anterior and posterior mesh extensions. *BJOG*. 2003 Mar; 110: 323-6
- 40976 Marinkovic, S., Badlani, G. Voiding and sexual dysfunction after cerebrovascular accidents. *J Urol*. 2001 Feb; 165: 359-70
- 11004 Marinkovic, S., Mian, H., Evankovich, M., Poplawsky, D., Novi, J., Frey, C., Yap, W. Analysis of early outcome: Burch procedure versus pubovaginal sling. *Int Urogynecol J Pelvic Floor Dysfunct*. 1998; 9: 94-9
- 11712 Mark, S. D., McRae, C. U., Arnold, E. P., Gowland, S. P. Clam cystoplasty for the overactive bladder: a review of 23 cases. *Aust N Z J Surg*. 1994 Feb; 64: 88-90
- 44099 Maroun, F. B., Makino, A. P., Tong, T. R., Perkins, P. G., Arts, R., Jacob, J. C., Reddy, R. Cervical myelopathy secondary to ossification of the posterior longitudinal ligament in a Caucasian patient. *Can J Neurol Sci*. 1993 Nov; 20: 329-32
- 40105 Marret, E., Pruszkowski, O., Deleuze, A., Bonnet, F. Accelerated idioventricular rhythm associated with desflurane administration. *Anesth Analg*. 2002 Aug; 95: 319-21, table of contents
- 41147 Marrie, T. J. Community-acquired pneumonia in the elderly. *Clin Infect Dis*. 2000 Oct; 31: 1066-78
- 44108 Marsh, T. D. Estrogens for treating urinary incontinence in women. *Am Pharm*. 1993 Nov; NS33: 47-8, 90



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 42480** Marshall, D. F., Boston, V. E. Altered bladder and bowel function following cutaneous electrical field stimulation in children with spina bifida--interim results of a randomized double-blind placebo-controlled trial. *Eur J Pediatr Surg.* 1997 Dec; 7 Suppl 1: 41-3
- 3811** Marshall, F.F., Mostwin, J.L., Radebaugh, L.C., Walsh, P.C., and Brendler, C.B. Ileocolic neobladder post-cystectomy: continence and potency. *J Urol.* 1991 Mar; 145: 502-504
- 11319** Marshall, H. J., Beevers, D. G. Alpha-adrenoceptor blocking drugs and female urinary incontinence: prevalence and reversibility. *Br J Clin Pharmacol.* 1996 Oct; 42: 507-9
- 42375** Marshall, K., Thompson, K. A., Walsh, D. M., Baxter, G. D. Incidence of urinary incontinence and constipation during pregnancy and postpartum: survey of current findings at the Rotunda Lying-In Hospital. *Br J Obstet Gynaecol.* 1998 Apr; 105: 400-2
- 57950** Marshall, K., Walsh, D. M., Baxter, G. D. The effect of a first vaginal delivery on the integrity of the pelvic floor musculature. *Clin Rehabil.* 2002 Nov; 16: 795-9
- 11955** Marshall, S. Conservative management of stress urinary incontinence. *Urology.* 1991 Sep; 38: 294
- 3608** Marshall, S. Conservative management of stress urinary incontinence [letter]. *Urology.* 1991 Sep; 38: 294
- 10012** Marshall, V. F., Marchetti, A. A., Krantz, K. E. The correction of stress incontinence by simple vesicourethral suspension. 1949. *J Urol.* 2002 Oct; 168: 1326-31
- 41895** Marshman, L. A., Hardwidge, C., Ford-Dunn, S. C., Olney, J. S. Idiopathic spinal cord herniation: case report and review of the literature. *Neurosurgery.* 1999 May; 44: 1129-33
- 10137** Martan, A., Masata, J., Halaska, M., Otcenasek, M., Svabik, K. Ultrasound imaging of paravaginal defects in women with stress incontinence before and after paravaginal defect repair. *Ultrasound Obstet Gynecol.* 2002 May; 19: 496-500
- 10424** Martan, A., Masata, J., Halaska, M., Voigt, R. Ultrasound imaging of the lower urinary system in women after Burch colposuspension. *Ultrasound Obstet Gynecol.* 2001 Jan; 17: 58-64
- 40238** Marte, A., Di Meglio, D., Cotrufo, A. M., Di Iorio, G., De Pasquale, M., Vessella, A. A long-term follow-up of autoaugmentation in myelodysplastic children. *BJU Int.* 2002 Jun; 89: 928-31
- 43827** Martel, R. Rita Martel: treating women's urinary incontinence. Interview by Anita Loos-Hannifan. *Nurse Pract Forum.* 1994 Sep; 5: 122-3
- 43169** Martensson, O., Duchek, M. Translabial sonography in evaluating the lower female urogenital tract. *AJR Am J Roentgenol.* 1996 Jun; 166: 1327-31
- 54150** Martignoni, E., Nappi, R. E., Citterio, A., Calandrella, D., Zangaglia, R., Mancini, F., Corengia, E., Riboldazzi, G., Polatti, F., Nappi, G. Reproductive life milestones in women with Parkinson's disease. *Funct Neurol.* 2003 Oct-Dec; 18: 211-7
- 41463** Martin, S. Child with incontinence. *J Pediatr Health Care.* 2000 Mar-Apr; 14: 76; quiz 89-90
- 3999** Martin, S. The pharmacists' role in recognizing and treating urinary incontinence. *Am Pharm.* 1990 Jul; Ns30: 42-45
- 53350** Martinez, A. M., Ramos, N. M., Requena, J. F., Hernandez, J. A. Analysis of retropubic colpourethrosuspension results by suburethral sling with REMEEX prosthesis. *Eur J Obstet Gynecol Reprod Biol.* 2003 Feb 10; 106: 179-83
- 43441** Martinez, R. Erdheim-Chester disease: MR of intraaxial and extraaxial brain stem lesions. *AJNR Am J Neuroradiol.* 1995 Oct; 16: 1787-90
- 43326** Marymont, M. H., Geohas, J., Tomita, T., Strauss, L., Brand, W. N., Mittal, B. B. Hyperfractionated craniospinal radiation in medulloblastoma. *Pediatr Neurosurg.* 1996; 24: 178-84
- 43927** Marzan, K. A., Barron, T. F. MRI abnormalities in Behr syndrome. *Pediatr Neurol.* 1994 May; 10: 247-8
- 44859** Maskell, R. Psychiatric aspects of urinary incontinence. *BMJ.* 1990 Sep 15; 301: 556

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 3931** Maskell, R. Psychiatric aspects of urinary incontinence [letter; comment]. *Bmj*. 1990 Sep 15; 301: 556
- 10686** Mason, L., Glenn, S., Walton, I., Appleton, C. The experience of stress incontinence after childbirth. *Birth*. 1999 Sep; 26: 164-71
- 10671** Mason, L., Glenn, S., Walton, I., Appleton, C. The prevalence of stress incontinence during pregnancy and following delivery. *Midwifery*. 1999 Jun; 15: 120-8
- 10436** Mason, L., Glenn, S., Walton, I., Hughes, C. The instruction in pelvic floor exercises provided to women during pregnancy or following delivery. *Midwifery*. 2001 Mar; 17: 55-64
- 10287** Mason, L., Glenn, S., Walton, I., Hughes, C. Women's reluctance to seek help for stress incontinence during pregnancy and following childbirth. *Midwifery*. 2001 Sep; 17: 212-21
- 11296** Mason, R. C., Roach, M. Modified pubovaginal sling for treatment of intrinsic sphincteric deficiency. *J Urol*. 1996 Dec; 156: 1991-4
- 44202** Massat, B. J., Gregory, C. R., Ling, G. V., Cardinet, G. H., Lewis, E. L. Cystourethropexy to correct refractory urinary incontinence due to urethral sphincter mechanism incompetence. Preliminary results in ten bitches. *Vet Surg*. 1993 Jul-Aug; 22: 260-8
- 10680** Masson, D. B., Govier, F. E. Modified Pereyra bladder neck suspension in patients with intrinsic sphincter deficiency and bladder neck hypermobility: patient satisfaction with a mean follow-up of 4 years. *Urology*. 2000 Feb; 55: 217-21; discussion 221-2
- 10845** Mast, B. A. Alleviation of urinary incontinence after abdominoplasty. *Ann Plast Surg*. 1999 Apr; 42: 456-7
- 43439** Mast, P., Hoebeke, P., Wyndaele, J. J., Oosterlinck, W., Everaert, K. Experience with augmentation cystoplasty. A review. *Paraplegia*. 1995 Oct; 33: 560-4
- 44463** Masters, J. C., O'Grady, M. Normal pressure hydrocephalus. A potentially reversible form of dementia. *J Psychosoc Nurs Ment Health Serv*. 1992 Jun; 30: 25-8
- 10714** Matanyi, S., Acs, N., Fontanyi, Z., Paulin, F. Urodynamic investigation of women operated on for genuine stress incontinence. *Gynecol Obstet Invest*. 1999; 48: 263-6
- 50180** Matharu, G. S., Assassa, R. P., Williams, K. S., Donaldson, M. K., Matthews, R. J., Tincello, D. G., Mayne, C. J. Continence nurse treatment of women's urinary symptoms. *Br J Nurs*. 2004 Feb 12-25; 13: 140-3
- 54700** Matharu, G. S., Assassa, R. P., Williams, K. S., Donaldson, M., Matthews, R., Tincello, D. G., Mayne, C. J. Objective assessment of urinary incontinence in women: comparison of the one-hour and 24-hour pad tests. *Eur Urol*. 2004 Feb; 45: 208-12
- 59210** Matharu, G., Donaldson, M. M., McGrother, C. W., Matthews, R. J. Relationship between urinary symptoms reported in a postal questionnaire and urodynamic diagnosis. *Neurourol Urodyn*. 2005; 24: 100-5
- 40302** Mather, K. F., Bakas, T. Nursing assistants' perceptions of their ability to provide continence care. *Geriatr Nurs*. 2002 Mar-Apr; 23: 76-81
- 44843** Mathers, S. E., Ingram, D. A., Swash, M. Electrophysiology of motor pathways for sphincter control in multiple sclerosis. *J Neurol Neurosurg Psychiatry*. 1990 Nov; 53: 955-60
- 56480** Mathews, R. I., Gan, M., Gearhart, J. P. Urogynaecological and obstetric issues in women with the exstrophy-epispadias complex. *BJU Int*. 2003 Jun; 91: 845-9
- 56920** Mathews, R., Hubbard, J. S., Gearhart, J. P. Ureteral reimplantation before bladder neck plasty in the reconstruction of bladder exstrophy: indications and outcomes. *Urology*. 2003 Apr; 61: 820-4
- 41505** Mathews, R., Sponseller, P. D., Jeffs, R. D., Gearhart, J. P. Bladder neck reconstruction in classic bladder exstrophy: the role of osteotomy in the development of continence. *BJU Int*. 2000 Mar; 85: 498-500
- 10957** Matkov, T. G., Hejna, M. J., Coogan, C. L. Osteomyelitis as a complication of vesica percutaneous bladder neck suspension. *J Urol*. 1998 Oct; 160: 1427
- 43418** Matsui, M., Enoki, M., Matsui, Y., Oono, S., Ohta, M., Suenaga, A., Kuroda, Y. Seronegative myasthenia gravis associated with atonic urinary bladder and accommodative insufficiency. *J Neurol Sci*. 1995 Nov; 133: 197-9

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 52570 Matsuo, K., Takemura, M., Koyama, M., Murata, Y. Bladder tumor found by tension-free vaginal tape procedure. *Obstet Gynecol.* 2003 May; 101: 937-40
- 40894 Matsuoka, N., Moriya, Y., Akasu, T., Fujita, S. Long-term outcome of urinary function after extended lymphadenectomy in patients with distal rectal cancer. *Eur J Surg Oncol.* 2001 Mar; 27: 165-9
- 41761 Mattelaer, J. J., Williams, G. Extra-urethral urinary incontinence after incompetent vaginal obstetrics. *BJU Int.* 1999 Jul; 84: 10-3
- 11250 Matthews, K., Govier, F. E. Osteitis pubis after periurethral collagen injection. *Urology.* 1997 Feb; 49: 237-8
- 11410 Mattox, T. F., Bhatia, N. N. The prevalence of urinary incontinence or prolapse among white and Hispanic women. *Am J Obstet Gynecol.* 1996 Feb; 174: 646-8
- 41060 Mattox, T. F., Lucente, V., McIntyre, P., Miklos, J. R., Tomezsko, J. Abnormal spinal curvature and its relationship to pelvic organ prolapse. *Am J Obstet Gynecol.* 2000 Dec; 183: 1381-4; discussion 1384
- 43833 Mattsson, S. Urinary incontinence and nocturia in healthy schoolchildren. *Acta Paediatr.* 1994 Sep; 83: 950-4
- 57530 Mattsson, S., Gladh, G. Urethrovaginal reflux--a common cause of daytime incontinence in girls. *Pediatrics.* 2003 Jan; 111: 136-9
- 10603 Maubon, A. J., Boncoeur-Martel, M. P., Juhan, V., Courtieu, C. R., Thurmond, A. S., Aubas, P., Mares, P., Rouanet, J. P. Static and dynamic MRI of a urinary control intra-vaginal device. *Eur Radiol.* 2000; 10: 879-84
- 40543 Maurer, C. A., Z'Graggen, K., Renzulli, P., Schilling, M. K., Netzer, P., Buchler, M. W. Total mesorectal excision preserves male genital function compared with conventional rectal cancer surgery. *Br J Surg.* 2001 Nov; 88: 1501-5
- 10560 Mauroy, B., Goullet, E., Stefaniak, X., Bonnal, J. L., Amara, N. Tendinous arch of the pelvic fascia: application to the technique of paravaginal colposuspension. *Surg Radiol Anat.* 2000; 22: 73-9
- 55020 Mawajdeh, S. M., Al-Qutob, R., Schmidt, A. Measuring reproductive morbidity: a community-based approach, Jordan. *Health Care Women Int.* 2003 Aug; 24: 635-49
- 43126 Mayeaux, E. J., Jr, Johnson, C. Current concepts in postmenopausal hormone replacement therapy. *J Fam Pract.* 1996 Jul; 43: 69-75
- 11738 Mayer, R., Wells, T. J., Brink, C. A., Clark, P. Correlations between dynamic urethral profilometry and perivaginal pelvic muscle activity. *Neurourol Urodyn.* 1994; 13: 227-35
- 3013 Mayhew, P.A. Overcoming barriers to research utilization with researched-based practice guidelines. *Medsurg Nurs.* 1993 Aug; 2: 336-337
- 59325 Mayne, C. J., Assassa, R. P. Epidemiology of incontinence and prolapse. *BJOG.* 2004 Dec; 111 Suppl 1: 2-4
- 44547 Mayo, M. E., Chetner, M. P. Lower urinary tract dysfunction in multiple sclerosis. *Urology.* 1992 Jan; 39: 67-70
- 3506 Mayo, M.E. Lower urinary tract dysfunction in cerebral palsy. *J Urol.* 1992 Feb; 147: 419-420
- 43744 Mayo, N. E., Gloutney, L., Levy, A. R. A randomized trial of identification bracelets to prevent falls among patients in a rehabilitation hospital. *Arch Phys Med Rehabil.* 1994 Dec; 75: 1302-8
- 59023 Mazouni, C., Karsenty, G., Bretelle, F., Bladou, F., Gannerre, M., Serment, G. Urinary complications and sexual function after the tension-free vaginal tape procedure. *Acta Obstet Gynecol Scand.* 2004 Oct; 83: 955-61
- 11517 Mazur, D., Wehnert, J., Dorschner, W., Schubert, G., Herfurth, G., Alken, R. G. Clinical and urodynamic effects of propiverine in patients suffering from urgency and urge incontinence. A multicentre dose-optimizing study. *Scand J Urol Nephrol.* 1995 Sep; 29: 289-94
- 43891 McAtee-Smith, J., Hebert, A. A., Rapini, R. P., Goldberg, N. S. Skin lesions of the spinal axis and spinal dysraphism. Fifteen cases and a review of the literature. *Arch Pediatr Adolesc Med.* 1994 Jul; 148: 740-8
- 43489 McCandless, S., Mason, G. Physical therapy as an effective change agent in the treatment of patients with urinary incontinence. *J Miss State Med Assoc.* 1995 Sep; 36: 271-4

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 43022** McCarthy, J. M., Mullan, E. The elderly with a learning disability (mental retardation): an overview. *Int Psychogeriatr*. 1996 Fall; 8: 489-501
- 42834** McCarthy, M., Addington-Hall, J., Altmann, D. The experience of dying with dementia: a retrospective study. *Int J Geriatr Psychiatry*. 1997 Mar; 12: 404-9
- 43116** McCarthy, M., Lay, M., Addington-Hall, J. Dying from heart disease. *J R Coll Physicians Lond*. 1996 Jul-Aug; 30: 325-8
- 44474** McCarthy, R. J., Lipowitz, A. J., O'Brien, T. D. Continent jejunal reservoir (Kock pouch) for urinary diversion in dogs. *Vet Surg*. 1992 May-Jun; 21: 208-16
- 43174** McCarthy, T. C. Cystoscopy and biopsy of the feline lower urinary tract. *Vet Clin North Am Small Anim Pract*. 1996 May; 26: 463-82
- 11377** McClelland, M., Delustro, F. Evaluation of antibody class in response to bovine collagen treatment in patients with urinary incontinence. *J Urol*. 1996 Jun; 155: 2068-73
- 44764** McClish, D. K., Fantl, J. A., Wyman, J. F., Pisani, G., Bump, R. C. Bladder training in older women with urinary incontinence: relationship between outcome and changes in urodynamic observations. *Obstet Gynecol*. 1991 Feb; 77: 281-6
- 10770** McClish, D. K., Wyman, J. F., Sale, P. G., Camp, J., Earle, B. Use and costs of incontinence pads in female study volunteers. Continence Program for Women Research Group. *J Wound Ostomy Continence Nurs*. 1999 Jul; 26: 207-8, 210-3
- 3835** McClish, D.K., Fantl, J.A., Wyman, J.F., Pisani, G., and Bump, R.C. Bladder training in older women with urinary incontinence: relationship between outcome and changes in urodynamic observations. *Obstet Gynecol*. 1991 Feb; 77: 281-286
- 11794** McConnell, E. A. Teaching a patient to perform Kegel exercises. *Nursing*. 1993 Aug; 23: 90
- 3062** McCormack, M., Pike, J., and Kiruluta, G. Leak point of incontinence: a measure of the interaction between outlet resistance and bladder capacity. *J Urol*. 1993 Jul; 150: 162-164
- 44197** McCormack, M., Pike, J., Kiruluta, G. Leak point of incontinence: a measure of the interaction between outlet resistance and bladder capacity. *J Urol*. 1993 Jul; 150: 162-4
- 44518** McCormick, K. A., Burgio, L. D., Engel, B. T., Scheve, A., Leahy, E. Urinary incontinence: an augmented prompted void approach. *J Gerontol Nurs*. 1992 Mar; 18: 3-10
- 44826** McCormick, K. A., Cella, M., Scheve, A., Engel, B. T. Cost-effectiveness of treating incontinence in severely mobility- impaired long term care residents. *QRB Qual Rev Bull*. 1990 Dec; 16: 439-43
- 44393** McCormick, K. A., Newman, D. K., Colling, J., Pearson, B. D. Urinary incontinence in adults. *Am J Nurs*. 1992 Oct; 92: 75-88
- 3604** McCormick, K.A. From clinical trial to health policy--research on urinary incontinence in the adult, Part II. *J Prof Nurs*. 1991 Jul-Aug; 7: 202
- 3667** McCormick, K.A. Research. From clinical trial to health policy--research on urinary incontinence in the adult, Part I. *J Prof Nurs*. 1991 May-Jun; 7: 147
- 3449** McCormick, K.A., Burgio, L.D., Engel, B.T., Scheve, A., and Leahy, E. Urinary incontinence: an augmented prompted void approach. *J Gerontol Nurs*. 1992 Mar; 18: 3-10
- 3644** McCormick, K.A., Cella, M., Scheve, A., and Engel, B.T. Cost-effectiveness of treating incontinence in severely mobility-impaired long term care residents. *QRB Qual Rev Bull*. 1990 Dec; 16: 439-443
- 3361** McCormick, K.A., Newman, D.K., Colling, J., and Pearson, B.D. A practice guideline for urinary incontinence: the challenge to nurses. *Urol Nurs*. 1992 Jun; 12: 40-45
- 3209** McCormick, K.A., Newman, D.K., Colling, J., and Pearson, B.D. Urinary incontinence in adults. *Am J Nurs*. 1992 Oct; 92: 75-88
- 3266** McCormick, K.A., Palmer, M.H. Urinary incontinence in older adults. *Annu Rev Nurs Res*. 1992; 10: 25-53

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 54590 McCrink, A. Evaluating the female pelvic floor. AWHONN Lifelines. 2003 Dec-2004 Jan; 7: 516-22
- 41115 McDonough, C. M., Swift, G., Managan, B., Sheehan, J. D. Neuroleptic malignant syndrome: a diagnosis easily missed. Ir Med J. 2000 Jul-Aug; 93: 152-4
- 11367 McDougall, E. M. Correction of stress urinary incontinence: retropubic approach. J Endourol. 1996 Jun; 10: 247-50
- 10415 McDougall, E. M. Laparoscopic management of female urinary incontinence. Urol Clin North Am. 2001 Feb; 28: 145-9, x
- 11580 McDougall, E. M., Klutke, C. G., Cornell, T. Comparison of transvaginal versus laparoscopic bladder neck suspension for stress urinary incontinence. Urology. 1995 Apr; 45: 641-6
- 43825 McDowell, B. J. Care of urinary incontinence in the home. Nurse Pract Forum. 1994 Sep; 5: 138-45
- 44507 McDowell, B. J., Burgio, K. L., Dombrowski, M., Locher, J. L., Rodriguez, E. An interdisciplinary approach to the assessment and behavioral treatment of urinary incontinence in geriatric outpatients. J Am Geriatr Soc. 1992 Apr; 40: 370-4
- 11343 McDowell, B. J., Engberg, S. J., Rodriguez, E., Engberg, R., Sereika, S. Characteristics of urinary incontinence in homebound older adults. J Am Geriatr Soc. 1996 Aug; 44: 963-8
- 41966 McDowell, B. J., Engberg, S., Sereika, S., Donovan, N., Jubeck, M. E., Weber, E., Engberg, R. Effectiveness of behavioral therapy to treat incontinence in homebound older adults. J Am Geriatr Soc. 1999 Mar; 47: 309-18
- 43784 McDowell, B. J., Engberg, S., Weber, E., Brodak, I., Engberg, R. Successful treatment using behavioral interventions of urinary incontinence in homebound older adults. Geriatr Nurs. 1994 Nov-Dec; 15: 303-7
- 43922 McDowell, B. J., Silverman, M., Martin, D., Musa, D., Keane, C. Identification and intervention for urinary incontinence by community physicians and geriatric assessment teams. J Am Geriatr Soc. 1994 May; 42: 501-5
- 4077 McDowell, B.J., Burgio, K.L., and Candib, D. Behavioral and pharmacological treatment of persistent urinary incontinence in the elderly. J Am Acad Nurse Pract. 1990 Jan-Mar; 2: 17-23
- 3450 McDowell, B.J., Burgio, K.L., Dombrowski, M., Locher, J.L., and Rodriguez, E. An interdisciplinary approach to the assessment and behavioral treatment of urinary incontinence in geriatric outpatients. J Am Geriatr Soc. 1992 Apr; 40: 370-374
- 41124 McFall, S. L., Yerkes, A. M., Cowan, L. D. Outcomes of a small group educational intervention for urinary incontinence: health-related quality of life. J Aging Health. 2000 Aug; 12: 301-17
- 41176 McFall, S. L., Yerkes, A. M., Cowan, L. D. Outcomes of a small group educational intervention for urinary incontinence: episodes of incontinence and other urinary symptoms. J Aging Health. 2000 May; 12: 250-67
- 42845 McFall, S., Yerkes, A. M., Bernard, M., LeRud, T. Evaluation and treatment of urinary incontinence. Report of a physician survey. Arch Fam Med. 1997 Mar-Apr; 6: 114-9
- 11676 McFarlane, H. J. Anaesthesia and the new generation monoamine oxidase inhibitors. Anaesthesia. 1994 Jul; 49: 597-9
- 40914 McGhan, W. F. Cost effectiveness and quality of life considerations in the treatment of patients with overactive bladder. Am J Manag Care. 2001 Mar; 7: S62-75
- 42650 McGhee, M., O'Neill, K., Major, K., Twaddle, S. Evaluation of a nurse-led continence service in the south-west of Glasgow, Scotland. J Adv Nurs. 1997 Oct; 26: 723-8
- 3794 McGrother, C. Handicaps associated with incontinence. Nurs Times. 1991 Mar 6-12; 87: 48
- 54180 McGrother, C. W., Donaldson, M. M., Shaw, C., Matthews, R. J., Hayward, T. A., Dallosso, H. M., Jagger, C., Clarke, M., Castleden, C. M. Storage symptoms of the bladder: prevalence, incidence and need for services in the UK. BJU Int. 2004 Apr; 93: 763-9
- 42161 McGrother, C., Resnick, M., Yalla, S. V., Kirschner-Hermanns, R., Broseta, E., Muller, C., Welz-Barth, A., Fischer, G. C., Mattelaer, J., McGuire, E. J. Epidemiology and etiology of urinary incontinence in the elderly. World J Urol. 1998; 16 Suppl 1: S3-9



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 3838** McGrother, C.W., Jagger, C., Clarke, M., and Castleden, C.M. Handicaps associated with incontinence: implications for management. *J Epidemiol Community Health*. 1990 Sep; 44: 246-248
- 11582** McGuire, E. J. Diagnosis and treatment of intrinsic sphincter deficiency. *Int J Urol*. 1995 Apr; 2 Suppl 1: 7-10; discussion 16-8
- 40007** McGuire, E. J. Editorial: Sling procedures for incontinence. *J Urol*. 2002 Nov; 168: 2069
- 12067** McGuire, E. J. Identifying and managing stress incontinence in the elderly. *Geriatrics*. 1990 Jun; 45: 44-6, 51-2
- 10149** McGuire, E. J. Mixed symptomatology. *BJU Int*. 2000 May; 85 Suppl 3: 47-52; discussion 55-6
- 11394** McGuire, E. J. Stress incontinence: new alternatives. *Int J Fertil Menopausal Stud*. 1996 Mar-Apr; 41: 142-7
- 43172** McGuire, E. J. This month in Investigative Urology. Commentary on antibody production in response to collagen injection. *J Urol*. 1996 Jun; 155: 1830
- 59249** McGuire, E. J. Urinary incontinence: a diverse condition. *J Urol*. 2005 May; 173: 1453-4
- 44643** McGuire, E. J., Appell, R. A. Collagen injection for the dysfunctional urethra. *Contemp Urol*. 1991 Sep; 3: 11-9
- 43951** McGuire, E. J., Appell, R. A. Transurethral collagen injection for urinary incontinence. *Urology*. 1994 Apr; 43: 413-5
- 11373** McGuire, E. J., Cespedes, R. D. Proper diagnosis: a must before surgery for stress incontinence. *J Endourol*. 1996 Jun; 10: 201-5
- 43191** McGuire, E. J., Cespedes, R. D., Cross, C. A., O'Connell, H. E. Videourodynamic studies. *Urol Clin North Am*. 1996 May; 23: 309-21
- 11385** McGuire, E. J., Cespedes, R. D., O'Connell, H. E. Leak-point pressures. *Urol Clin North Am*. 1996 May; 23: 253-62
- 11147** McGuire, E. J., English, S. F. Periurethral collagen injection for male and female sphincteric incontinence: indications, techniques, and result. *World J Urol*. 1997; 15: 306-9
- 11178** McGuire, E. J., English, S. F. Ventral bladder hernia following vesica percutaneous bladder neck suspension for stress urinary incontinence. *J Urol*. 1997 Nov; 158: 1910
- 11761** McGuire, E. J., Fitzpatrick, C. C., Wan, J., Bloom, D., Sanvordenker, J., Ritchey, M., Gormley, E. A. Clinical assessment of urethral sphincter function. *J Urol*. 1993 Nov; 150: 1452-4
- 44710** McGuire, E. J., Gardy, M., Elkins, T., DeLancey, J. O. Treatment of incontinence with pelvic prolapse. *Urol Clin North Am*. 1991 May; 18: 349-53
- 10167** McGuire, E. J., Lytton, B. Pubovaginal sling procedure for stress incontinence. 1978. *J Urol*. 2002 Feb; 167: 1120-3; discussion 1124
- 11536** McGuire, E. J., O'Connell, H. E. Surgical treatment of intrinsic urethral dysfunction. Slings. *Urol Clin North Am*. 1995 Aug; 22: 657-64
- 3740** McGuire, E.J., Gardy, M., Elkins, T., and DeLancey, J.O. Treatment of incontinence with pelvic prolapse. *Urol Clin North Am*. 1991 May; 18: 349-353
- 3020** McGuire, E.J., Gormley, E.A. Urinary incontinence [editorial]. *J ET Nurs*. 1993 Jul-Aug; 20: 136-137
- 11995** McInerney, P. D., Vanner, T. F., Harris, S. A., Stephenson, T. P. Ambulatory urodynamics. *Br J Urol*. 1991 Mar; 67: 272-4
- 4107** McInerney, P.D., Robinson, L.Q., Weston, P.M., Cox, R., and Stephenson, T.P. Assessment of the poorly contractile or acontractile bladder in the older male in the absence of neuropathy. *Br J Urol*. 1990 Feb; 65: 161-163
- 3731** McInerney, P.D., Vanner, T.F., Harris, S.A., and Stephenson, T.P. Ambulatory urodynamics. *Br J Urol*. 1991 Mar; 67: 272-274



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 59162** McIntosh, L. The role of the nurse in the use of vaginal pessaries to treat pelvic organ prolapse and/or urinary incontinence: a literature review. *Urol Nurs.* 2005 Feb; 25: 41-8
- 11788** McIntosh, L. J., Frahm, J. D., Mallett, V. T., Richardson, D. A. Pelvic floor rehabilitation in the treatment of incontinence. *J Reprod Med.* 1993 Sep; 38: 662-6
- 42584** McIntosh, L. J., Mallett, V. T., Frahm, J. D., Richardson, D. A., Evans, M. I. Gynecologic disorders in women with Ehlers-Danlos syndrome. *J Soc Gynecol Investig.* 1995 May-Jun; 2: 559-64
- 11775** McIntosh, L. J., Mallett, V. T., Richardson, D. A. Complications from permanent suture in surgery for stress urinary incontinence. A report of two cases. *J Reprod Med.* 1993 Oct; 38: 823-5
- 43986** McIntosh, L. J., Richardson, D. A. 30-minute evaluation of incontinence in the older woman. *Geriatrics.* 1994 Feb; 49: 35-8, 43-4
- 43330** McIntosh, L. J., Stanitski, D. F., Mallett, V. T., Frahm, J. D., Richardson, D. A., Evans, M. I. Ehlers-Danlos syndrome: relationship between joint hypermobility, urinary incontinence, and pelvic floor prolapse. *Gynecol Obstet Invest.* 1996; 41: 135-9
- 3855** McKeever, M.P. An investigation of recognized incontinence within a health authority. *J Adv Nurs.* 1990 Oct; 15: 1197-1207
- 43053** McLaughlin, A., Sciuto, D. Catheter patrols: a unique way to reduce the use of convenience urinary catheters. *Geriatr Nurs.* 1996 Sep-Oct; 17: 240-3; quiz 243-4
- 43018** McLean, C. Continence. The wraps come off. Interview by Jenine Willis. *Nurs Times.* 1996 Oct 9-15; 92: 72-5
- 40590** McLellan, A., Cardozo, L. Urodynamic techniques. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 266-70
- 56120** McLennan, M. T. The role of electrodiagnostic techniques in the reprogramming of patients with a delayed suboptimal response to sacral nerve stimulation. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Jun; 14: 98-103
- 11027** McLennan, M. T., Bent, A. E. Fascia lata suburethral sling vs. Burch retropubic urethropexy. A comparison of morbidity. *J Reprod Med.* 1998 Jun; 43: 488-94
- 11114** McLennan, M. T., Bent, A. E. Sling incision with associated vaginal wall interposition for obstructed voiding secondary to suburethral sling procedure. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 168-72
- 42164** McLennan, M. T., Bent, A. E. Suburethral abscess: a complication of periurethral collagen injection therapy. *Obstet Gynecol.* 1998 Oct; 92: 650-2
- 10953** McLennan, M. T., Melick, C. F., Bent, A. E. Clinical and urodynamic predictors of delayed voiding after fascia lata suburethral sling. *Obstet Gynecol.* 1998 Oct; 92: 608-12
- 10299** McLennan, M. T., Melick, C. F., Bent, A. E. Leak-point pressure: clinical application of values at two different volumes. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 136-41
- 40480** McLennan, M. T., Melick, C., Bent, A. E. Urethral instability: clinical and urodynamic characteristics. *Neurourol Urodyn.* 2001; 20: 653-60
- 44567** McLoughlin, M. A., Walshaw, R., Thomas, M. W., Dunstan, R. W. Gastric conduit urinary diversion in normal dogs. Part I, Upper urinary tract structure, function, and sepsis. *Vet Surg.* 1992 Jan-Feb; 21: 25-32
- 43224** McMahon, D. R., Cain, M. P., Husmann, D. A., Kramer, S. A. Vesical neck reconstruction in patients with the exstrophy-epispadias complex. *J Urol.* 1996 Apr; 155: 1411-3
- 3818** McMullen, D. Candida albicans and incontinence. *Dermatol Nurs.* 1991 Feb; 3: 21-24
- 44454** McMurdo, M. E., Davey, P. G., Elder, M. A., Miller, R. M., Old, D. C., Malek, M. A cost-effectiveness study of the management of intractable urinary incontinence by urinary catheterisation or incontinence pads. *J Epidemiol Community Health.* 1992 Jun; 46: 222-6
- 3296** McMurdo, M.E., Davey, P.G., Elder, M.A., Miller, R.M., Old, D.C., and Malek, M. A cost-effectiveness study of the management of intractable urinary incontinence by urinary catheterisation or incontinence pads. *J Epidemiol Community Health.* 1992 Jun; 46: 222-226

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40460 McNaghy, S. E., Wenger, N. K. Postmenopausal hormone-replacement therapy. *N Engl J Med.* 2002 Jan 3; 346: 63-5
- 3281 McNeese, M.P., Schnelle, J.F. Computer-aided management of urinary incontinence in nursing homes. *West J Nurs Res.* 1992 Aug; 14: 516-519
- 59183 McVeigh, C. Perimenopause: more than hot flushes and night sweats for some Australian women. *J Obstet Gynecol Neonatal Nurs.* 2005 Jan-Feb; 34: 21-7
- 40257 Meade-D'Alisera, P., Merriweather, T., Wentland, M. Impact of commercial marketing on patient demand. *Urol Nurs.* 2001 Dec; 21: 406-7, 410
- 10132 Meade-D'Alisera, P., Merriweather, T., Wentland, M., Fatal, M., Ghafar, M. Depressive symptoms in women with urinary incontinence: a prospective study. *Urol Nurs.* 2001 Dec; 21: 397-9
- 3942 Meadow, S.R. Day wetting. *Pediatr Nephrol.* 1990 Mar; 4: 178-184
- 3959 Meaglia, J.P., Joseph, A.C., Chang, M., and Schmidt, J.D. Post-prostatectomy urinary incontinence: response to behavioral training. *J Urol.* 1990 Sep; 144: 674-676
- 42323 Medel, R., Ruarte, A. C., Castera, R., Podesta, M. L. Primary enuresis: a urodynamic evaluation. *Br J Urol.* 1998 May; 81 Suppl 3: 50-2
- 40029 Medel, R., Ruarte, A. C., Herrera, M., Castera, R., Podesta, M. L. Urinary continence outcome after augmentation ileocystoplasty as a single surgical procedure in patients with myelodysplasia. *J Urol.* 2002 Oct; 168: 1849-52
- 3398 Meehan, J. Guideline issued for urinary incontinence. *Am Nurse.* 1992 May; 24: 2
- 41132 Meeks, G. R. Advanced laparoscopic gynecologic surgery. *Surg Clin North Am.* 2000 Oct; 80: 1443-64
- 56960 Mehta, K. M., Simonsick, E. M., Penninx, B. W., Schulz, R., Rubin, S. M., Satterfield, S., Yaffe, K. Prevalence and correlates of anxiety symptoms in well-functioning older adults: findings from the health aging and body composition study. *J Am Geriatr Soc.* 2003 Apr; 51: 499-504
- 11006 Meier, D. E., Foster, M. E., Guzzetta, P. C., Coln, D. Antegrade continent enema management of chronic fecal incontinence in children. *J Pediatr Surg.* 1998 Jul; 33: 1149-51; discussion 1151-2
- 54610 Meier, U., Kiefer, M., Sprung, C. Evaluation of the Miethke dual- switch valve in patients with normal pressure hydrocephalus. *Surg Neurol.* 2004 Feb; 61: 119-27; discussion 127-8
- 41637 Meier, U., Zeilinger, F. S., Kintzel, D. Signs, symptoms and course of normal pressure hydrocephalus in comparison with cerebral atrophy. *Acta Neurochir (Wien).* 1999; 141: 1039-48
- 55720 Meijer, R., Ihnenfeldt, D. S., van Limbeek, J., Vermeulen, M., de Haan, R. J. Prognostic factors in the subacute phase after stroke for the future residence after six months to one year. A systematic review of the literature. *Clin Rehabil.* 2003 Aug; 17: 512-20
- 42155 Melchior, H., Kumar, V., Muller, N., van Maanen, H., Norton, C. National public health policies for prevention and care in urinary incontinence in the elderly. *World J Urol.* 1998; 16 Suppl 1: S71-3
- 10409 Meltomaa, S. S., Haarala, M. A., Taalikka, M. O., Kiilholma, P. J., Alanen, A., Makinen, J. I. Outcome of Burch retropubic urethropexy and the effect of concomitant abdominal hysterectomy: a prospective long-term follow-up study. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 3-8
- 59088 Meltomaa, S., Backman, T., Haarala, M. Concomitant vaginal surgery did not affect outcome of the tension-free vaginal tape operation during a prospective 3-year followup study. *J Urol.* 2004 Jul; 172: 222-6
- 11081 Meltomaa, S., Haarala, M., Makinen, J., Kiilholma, P. Endoscopic colposuspension with simplified extraperitoneal approach. *Tech Urol.* 1997 Winter; 3: 216-21
- 40418 Melton, L. Targeted treatment for incontinence beckons. *Lancet.* 2002 Jan 26; 359: 326
- 43740 Meltzer, H., James, H. E., Trauner, D., Katz, R. Syringomyelia of the distal spinal cord in children. *Pediatr Neurosurg.* 1995; 22: 248-50

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 59264 Melville, J. L., Katon, W., Delaney, K., Newton, K. Urinary incontinence in US women: a population-based study. *Arch Intern Med.* 2005 Mar 14; 165: 537-42
- 56050 Melville, J. L., Miller, E. A., Fialkow, M. F., Lentz, G. M., Miller, J. L., Fenner, D. E. Relationship between patient report and physician assessment of urinary incontinence severity. *Am J Obstet Gynecol.* 2003 Jul; 189: 76-80
- 10069 Melville, J. L., Walker, E., Katon, W., Lentz, G., Miller, J., Fenner, D. Prevalence of comorbid psychiatric illness and its impact on symptom perception, quality of life, and functional status in women with urinary incontinence. *Am J Obstet Gynecol.* 2002 Jul; 187: 80-7
- 11061 Menefee, S. A., Chesson, R., Wall, L. L. Stress urinary incontinence due to prescription medications: alpha-blockers and angiotensin converting enzyme inhibitors. *Obstet Gynecol.* 1998 May; 91: 853-4
- 3544 Mercer, L.J., Ludtke, L.J. Adenoma malignum presenting as urinary incontinence. *Int J Gynaecol Obstet.* 1991 Oct; 36: 149-153
- 44765 Merguerian, P. A., McLorie, G. A., McMullin, N. D., Khoury, A. E., Husmann, D. A., Churchill, B. M. Continence in bladder exstrophy: determinants of success. *J Urol.* 1991 Feb; 145: 350-2
- 3837 Merguerian, P.A., McLorie, G.A., McMullin, N.D., Khoury, A.E., Husmann, D.A., and Churchill, B.M. Continence in bladder exstrophy: determinants of success. *J Urol.* 1991 Feb; 145: 350-352
- 3183 Merimsky, O., Reider-Groswasser, I., Wigler, N., and Chaitchik, S. Encephalopathy in ifosfamide-treated patients. *Acta Neurol Scand.* 1992 Nov; 86: 521-525
- 44372 Merimsky, O., Reider-Groswasser, I., Wigler, N., Chaitchik, S. Encephalopathy in ifosfamide-treated patients. *Acta Neurol Scand.* 1992 Nov; 86: 521-5
- 40401 Merkelj, I. Basic assessment of urinary incontinence. *South Med J.* 2002 Feb; 95: 178-82
- 40524 Merkelj, I. Urinary incontinence in the elderly. *South Med J.* 2001 Oct; 94: 952-7
- 10188 Merlin, T., Arnold, E., Petros, P., MacTaggart, P., Tulloch, A., Faulkner, K., Maddern, G. A systematic review of tension-free urethropexy for stress urinary incontinence: intravaginal slingplasty and the tension-free vaginal tape procedures. *BJU Int.* 2001 Dec; 88: 871-80
- 10789 Meschia, M., Bruschi, F., Amicarelli, F., Pifarotti, P., Marchini, M., Crosignani, P. G. The sacrospinous vaginal vault suspension: Critical analysis of outcomes. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 155-9
- 40020 Meschia, M., Buonaguidi, A., Pifarotti, P., Somigliana, E., Spennacchio, M., Amicarelli, F. Prevalence of anal incontinence in women with symptoms of urinary incontinence and genital prolapse. *Obstet Gynecol.* 2002 Oct; 100: 719-23
- 10033 Meschia, M., Busacca, M., Pifarotti, P., De Marinis, S. Bowel perforation during insertion of tension-free vaginal tape (TVT). *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 263-5; discussion 265
- 10326 Meschia, M., Pifarotti, P., Bernasconi, F., Guercio, E., Maffioli, M., Magatti, F., Spreafico, L. Tension-Free vaginal tape: analysis of outcomes and complications in 404 stress incontinent women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S24-27
- 50090 Meschia, M., Pifarotti, P., Spennacchio, M., Buonaguidi, A., Gattei, U., Somigliana, E. A randomized comparison of tension-free vaginal tape and endopelvic fascia plication in women with genital prolapse and occult stress urinary incontinence. *Am J Obstet Gynecol.* 2004 Mar; 190: 609-13
- 42583 Messelink, E. J., Dobbe, I., Kools, C., Dabhoiwala, N. F., Dijkhuizen, T., Schneider, P., Lettinga, K. P., Kurth, K. Technical features of the system used to perform multichannel urethral pressure profilometry. *Tech Urol.* 1997 Fall; 3: 158-63
- 42520 Messick, G. M., Powe, C. E. Applying behavioral research to incontinence. *Ostomy Wound Manage.* 1997 Nov-Dec; 43: 40-6, 48
- 40576 Messinger-Rapport, B. J., Thacker, H. L. Prevention for the older woman. A practical guide to hormone replacement therapy and urogynecologic health. *Geriatrics.* 2001 Sep; 56: 32-4, 37-8, 40-2
- 3944 Metcalfe, S. The working week. *Nurs Elder.* 1990 Jul-Aug; 2: 14-15

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 10427** Metin, A., Kayigil, Ahmed, S. I. The rate of urgency symptoms in women with stress urinary incontinence and nomogram based bladder outlet obstruction. *Int Urol Nephrol*. 2000; 32: 251-3
- 10136** Metin, A., Kayigil, O., Ahmed, S. I. Modified insitu vaginal wall sling in stress incontinence. *Int Urol Nephrol*. 2001; 32: 641-5
- 40562** Metitieri, T., Zanetti, O., Geroldi, C., Frisoni, G. B., De Leo, D., Dello Buono, M., Bianchetti, A., Trabucchi, M. Reality orientation therapy to delay outcomes of progression in patients with dementia. A retrospective study. *Clin Rehabil*. 2001 Oct; 15: 471-8
- 43211** Mevorach, R. A., Bogaert, G. A., Baskin, L. S., Lazzaretti, C. C., Edwards, M. S., Kogan, B. A. Lower urinary tract function in ambulatory children with spina bifida. *Br J Urol*. 1996 Apr; 77: 593-6
- 53620** Meyer, S., Achtari, C., Hohlfeld, P., De Grandi, P., Buchser, E. Effects of epidural analgesia on pelvic floor function after spontaneous delivery: a longitudinal retrospective study. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002 Nov; 13: 359-64; discussion 364-5
- 10898** Meyer, S., Bachelard, O., De Grandi, P. Do bladder neck mobility and urethral sphincter function differ during pregnancy compared with during the non-pregnant state?. *Int Urogynecol J Pelvic Floor Dysfunct*. 1998; 9: 397-404
- 11269** Meyer, S., de Grandi, P., Caccia, G., Gerber, S. Pressure transmission ratio: is it a reliable parameter in increased urethro-vesical junction mobility?. *Neurourol Urodyn*. 1997; 16: 277-84
- 11851** Meyer, S., de Grandi, P., Kuntzer, T., Hurlimann, P., Schmidt, N. Birth trauma: its effect on the urine continence mechanisms. *Gynakol Geburtshilfliche Rundsch*. 1993; 33: 236-42
- 11436** Meyer, S., De Grandi, P., Schreyer, A., Caccia, G. The assessment of bladder neck position and mobility in continent nullipara, multipara, forceps-delivered and incontinent women using perineal ultrasound: a future office procedure?. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 138-46
- 3625** Meyer, S., DeGrandi, P., and Schmidt, N. Effect of occluding the urethra while recording urethral stress profile. *Urology*. 1991 Aug; 38: 157-160
- 11966** Meyer, S., DeGrandi, P., Schmidt, N. Effect of occluding the urethra while recording urethral stress profile. *Urology*. 1991 Aug; 38: 157-60
- 3308** Meyer, S., Dhenin, T., Schmidt, N., and De-Grandi, P. Subjective and objective effects of intravaginal electrical myostimulation and biofeedback in patients with genuine stress urinary incontinence. *Br J Urol*. 1992 Jun; 69: 584-588
- 11891** Meyer, S., Dhenin, T., Schmidt, N., De Grandi, P. Subjective and objective effects of intravaginal electrical myostimulation and biofeedback in patients with genuine stress urinary incontinence. *Br J Urol*. 1992 Jun; 69: 584-8
- 10383** Meyer, S., Hohlfeld, P., Achtari, C., De Grandi, P. Pelvic floor education after vaginal delivery. *Obstet Gynecol*. 2001 May; 97: 673-7
- 10491** Meyer, S., Hohlfeld, P., Achtari, C., Russolo, A., De Grandi, P. Birth trauma: short and long term effects of forceps delivery compared with spontaneous delivery on various pelvic floor parameters. *BJOG*. 2000 Nov; 107: 1360-5
- 10954** Meyer, S., Kuntzer, T., De Grandi, P., Bachelard, O., Schreyer, A. Stimulated pressure profile at rest: a noninvasive method for assessing urethral sphincter function. *Urology*. 1998 Oct; 52: 679-84
- 11459** Meyer, S., Kuntzer, T., Newsom, N., de Grandi, P. Stress urinary incontinence due to a low-pressure urethra: a socially invalidizing disease. *Neurourol Urodyn*. 1996; 15: 177-86
- 10952** Meyer, S., Schreyer, A., De Grandi, P., Hohlfeld, P. The effects of birth on urinary continence mechanisms and other pelvic-floor characteristics. *Obstet Gynecol*. 1998 Oct; 92: 613-8
- 55250** Meyrat, B. J., Tercier, S., Lutz, N., Rilliet, B., Forcada-Guex, M., Vernet, O. Introduction of a urodynamic score to detect pre- and postoperative neurological deficits in children with a primary tethered cord. *Childs Nerv Syst*. 2003 Nov; 19: 716-21

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 44126** Meyrat, B. J., Vernet, O., Berger, D., de Tribolet, N. Pre- and postoperative urodynamic and anorectal manometric findings in children operated upon for a primary tethered cord. *Eur J Pediatr Surg.* 1993 Oct; 3: 309-12
- 3375** Mezey, M., Lavizzo-Mourey, R.J., Brunswick, J., and Taylor, L.A. Consensus among geriatric experts on the components of a complete nursing-home admission assessment. *Nurse Pract.* 1992 Jun; 17: 50,53-6,61
- 10987** Miannay, E., Cosson, M., Lanvin, D., Querleu, D., Crepin, G. Comparison of open retropubic and laparoscopic colposuspension for treatment of stress urinary incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1998 Aug; 79: 159-66
- 59072** Michel, M. C., de la Rosette, J. J., Piro, M., Goepel, M. Does concomitant stress incontinence alter the efficacy of tolterodine in patients with overactive bladder?. *J Urol.* 2004 Aug; 172: 601-4
- 59120** Michel, M. C., Peters, S. L. Role of serotonin and noradrenaline in stress urinary incontinence. *BJU Int.* 2004 Jul; 94 Suppl 1: 23-30
- 40082** Michel, M. C., Schneider, T., Kregge, S., Goepel, M. Does gender or age affect the efficacy and safety of tolterodine?. *J Urol.* 2002 Sep; 168: 1027-31
- 12068** Michiels, E., Knockaert, D. C., Vanneste, S. B. Infectious osteitis pubis. *Neth J Med.* 1990 Jun; 36: 297-300
- 42069** Michielsen, D. P., Wyndaele, J. J., Batchvarov, Y. A. Vesico-uterine fistula secondary to cesarean section. *Acta Urol Belg.* 1998 Oct; 66: 21-3
- 43204** Midgard, R., Riise, T., Nyland, H. Impairment, disability, and handicap in multiple sclerosis. A cross-sectional study in an incident cohort in More and Romsdal County, Norway. *J Neurol.* 1996 Apr; 243: 337-44
- 55230** Midthun, S. J., Paur, R. A., Lindseth, G., Von Duvillard, S. P. Bacteriuria detection with a urine dipstick applied to incontinence pads of nursing home residents. *Geriatr Nurs.* 2003 Jul-Aug; 24: 206-9
- 54710** Midthun, S., Paur, R., Bruce, A. W. Pyuria detection using a dipstick applied to urine in incontinence pads. *Urol Nurs.* 2003 Dec; 23: 430-5, 437
- 10595** Migliari, R., De Angelis, M., Madeddu, G., Verdacchi, T. Tension-free vaginal mesh repair for anterior vaginal wall prolapse. *Eur Urol.* 2000 Aug; 38: 151-5
- 10866** Migliari, R., Usai, E. Treatment results using a mixed fiber mesh in patients with grade IV cystocele. *J Urol.* 1999 Apr; 161: 1255-8
- 43984** Mikami, O., Osawa, O., Matsuda, T., Komatz, Y., Takada, H., Yoshioka, K. The augmented rectal bladder for urinary diversion: experience with the original valved rectum and a valve-less modification. *Int J Urol.* 1994 Mar; 1: 57-60; discussion 61
- 43488** Mikhail, M. S., Anyaegbunam, A. Lower urinary tract dysfunction in pregnancy: a review. *Obstet Gynecol Surv.* 1995 Sep; 50: 675-83
- 59229** Mikhail, M. S., Rosa, H., Palan, P., Anderson, P. Comparison of preoperative and postoperative pressure transmission ratio and urethral pressure profilometry in patients with successful outcome following the vaginal wall patch sling technique. *Neurourol Urodyn.* 2005; 24: 31-4
- 11612** Mikkelsen, A. L., Felding, C., Clausen, H. V. Clinical effects of preoperative oestradiol treatment before vaginal repair operation. A double-blind, randomized trial. *Gynecol Obstet Invest.* 1995; 40: 125-8
- 10498** Miklos, J. R., Kohli, N. Laparoscopic paravaginal repair plus burch colposuspension: review and descriptive technique. *Urology.* 2000 Dec 4; 56: 64-9
- 40719** Miklos, J. R., Kohli, N., Moore, R. D. Laparoscopic management of urinary incontinence, ureteric and bladder injuries. *Curr Opin Obstet Gynecol.* 2001 Aug; 13: 411-7
- 11280** Miklos, J. R., Saye, W. B. A randomized comparison of Burch colposuspension and abdominal paravaginal defect repair. *Am J Obstet Gynecol.* 1997 Jan; 176: 255-6
- 11522** Miklos, J. R., Sze, E. H., Karram, M. M. A critical appraisal of the methods of measuring leak-point pressures in women with stress incontinence. *Obstet Gynecol.* 1995 Sep; 86: 349-52



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 59190 Milani, R., Salvatore, S., Soligo, M., Pifarotti, P., Meschia, M., Cortese, M. Functional and anatomical outcome of anterior and posterior vaginal prolapse repair with prolene mesh. BJOG. 2005 Jan; 112: 107-11
- 3637 Miles, B. Continence. Nurse, heal thyself. Nurs Times. 1991 Aug 7-13; 87: 66
- 40955 Miles, T. P., Palmer, R. F., Espino, D. V., Mouton, C. P., Lichtenstein, M. J., Markides, K. S. New-onset incontinence and markers of frailty: data from the Hispanic Established Populations for Epidemiologic Studies of the Elderly. J Gerontol A Biol Sci Med Sci. 2001 Jan; 56: M19-24
- 50340 Millard, R. J., Moore, K., Rencken, R., Yalcin, I., Bump, R. C. Duloxetine vs placebo in the treatment of stress urinary incontinence: a four-continent randomized clinical trial. BJU Int. 2004 Feb; 93: 311-8
- 42972 Millard, R. J., Wang, Y. Early clinical experience with continent urinary diversion. Aust N Z J Surg. 1996 Dec; 66: 826-9
- 41913 Millard, R., Tuttle, J., Moore, K., Susset, J., Clarke, B., Dwyer, P., Davis, B. E. Clinical efficacy and safety of tolterodine compared to placebo in detrusor overactivity. J Urol. 1999 May; 161: 1551-5
- 52430 Miller, E. A., Amundsen, C. L., Toh, K. L., Flynn, B. J., Webster, G. D. Preoperative urodynamic evaluation may predict voiding dysfunction in women undergoing pubovaginal sling. J Urol. 2003 Jun; 169: 2234-7
- 4130 Miller, J. Assessing urinary incontinence. J Gerontol Nurs. 1990 Mar; 16: 15-19
- 40328 Miller, J. A. Urinary incontinence: a classification system and treatment protocols for the primary care provider. J Am Acad Nurse Pract. 2000 Sep; 12: 374-9
- 11362 Miller, J. L., Bavendam, T. Treatment with the Reliance urinary control insert: one-year experience. J Endourol. 1996 Jun; 10: 287-92
- 53680 Miller, J. M. Criteria for therapeutic use of pelvic floor muscle training in women. J Wound Ostomy Continence Nurs. 2002 Nov; 29: 301-11
- 10854 Miller, J. M., Ashton-Miller, J. A., Carchidi, L. T., DeLancey, J. O. On the lack of correlation between self-report and urine loss measured with standing provocation test in older stress-incontinent women. J Womens Health. 1999 Mar; 8: 157-62
- 11014 Miller, J. M., Ashton-Miller, J. A., DeLancey, J. O. A pelvic muscle precontraction can reduce cough-related urine loss in selected women with mild SUI. J Am Geriatr Soc. 1998 Jul; 46: 870-4
- 11060 Miller, J. M., Ashton-Miller, J. A., Delancey, J. O. Quantification of cough-related urine loss using the paper towel test. Obstet Gynecol. 1998 May; 91: 705-9
- 10450 Miller, J. M., Perucchini, D., Carchidi, L. T., DeLancey, J. O., Ashton-Miller, J. Pelvic floor muscle contraction during a cough and decreased vesical neck mobility. Obstet Gynecol. 2001 Feb; 97: 255-60
- 43839 Miller, J., Kasper, C., Sampsel, C. Review of muscle physiology with application to pelvic muscle exercise. Urol Nurs. 1994 Sep; 14: 92-7
- 42984 Miller, K. L. Hormone replacement therapy in the elderly. Clin Obstet Gynecol. 1996 Dec; 39: 912-32
- 40453 Miller, K. L., DuBeau, C. E., Bergmann, M., Griffiths, D. J., Resnick, N. M. Quest for a detrusor overactivity index. J Urol. 2002 Feb; 167: 578-84; discussion 584-5
- 10919 Miller, K., Richardson, D. A., Siegel, S. W., Karram, M. M., Blackwood, N. B., Sand, P. K. Pelvic floor electrical stimulation for genuine stress incontinence: who will benefit and when?. Int Urogynecol J Pelvic Floor Dysfunct. 1998; 9: 265-70
- 44602 Miller, K., Wenderoth, U. K., de Petriconi, R., Kleinschmidt, K., Hautmann, R. The ileal neobladder. Operative technique and results. Urol Clin North Am. 1991 Nov; 18: 623-30
- 3548 Miller, K., Wenderoth, U.K., de-Petriconi, R., Kleinschmidt, K., and Hautmann, R. The ileal neobladder. Operative technique and results. Urol Clin North Am. 1991 Nov; 18: 623-630
- 51660 Miller, Y. D., Brown, W. J., Russell, A., Chiarelli, P. Urinary incontinence across the lifespan. NeuroUrol Urodyn. 2003; 22: 550-7



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 56570** Miller, Y. D., Brown, W. J., Smith, N., Chiarelli, P. Managing urinary incontinence across the lifespan. *Int J Behav Med.* 2003; 10: 143-61
- 41543** Mills, I. W., Greenland, J. E., McMurray, G., McCoy, R., Ho, K. M., Noble, J. G., Brading, A. F. Studies of the pathophysiology of idiopathic detrusor instability: the physiological properties of the detrusor smooth muscle and its pattern of innervation. *J Urol.* 2000 Feb; 163: 646-51
- 11464** Mills, R., Persad, R., Handley Ashken, M. Long-term follow-up results with the Stamey operation for stress incontinence of urine. *Br J Urol.* 1996 Jan; 77: 86-8
- 40098** Milne, J. The impact of information on health behaviors of older adults with urinary incontinence. *Clin Nurs Res.* 2000 May; 9: 161-76
- 11339** Milsom, I. Rational prescribing for postmenopausal urogenital complaints. *Drugs Aging.* 1996 Aug; 9: 78-86
- 41040** Milsom, I. The prevalence of urinary incontinence. *Acta Obstet Gynecol Scand.* 2000 Dec; 79: 1056-9
- 40770** Milsom, I., Abrams, P., Cardozo, L., Roberts, R. G., Thuroff, J., Wein, A. J. How widespread are the symptoms of an overactive bladder and how are they managed? A population-based prevalence study. *BJU Int.* 2001 Jun; 87: 760-6
- 3077** Milsom, I., Ekelund, P., Molander, U., Arvidsson, L., and Areskoug, B. The influence of age, parity, oral contraception, hysterectomy and menopause on the prevalence of urinary incontinence in women. *J Urol.* 1993 Jun; 149: 1459-1462
- 44217** Milsom, I., Ekelund, P., Molander, U., Arvidsson, L., Areskoug, B. The influence of age, parity, oral contraception, hysterectomy and menopause on the prevalence of urinary incontinence in women. *J Urol.* 1993 Jun; 149: 1459-62
- 40964** Milsom, I., Stewart, W., Thuroff, J. The prevalence of overactive bladder. *Am J Manag Care.* 2000 Jul; 6: S565-73
- 41482** Min, J. K., Byun, J. Y., Lee, S. H., Hong, Y. S., Park, S. H., Cho, C. S., Kim, H. Y. Urinary bladder involvement in patients with systemic lupus erythematosus: with review of the literature. *Korean J Intern Med.* 2000 Jan; 15: 42-50
- 59109** Minassian, V. A., Al-Badr, A., Drutz, H. P., Lovatsis, D. Tension-free vaginal tape, Burch, and slings: are there predictors for early postoperative voiding dysfunction?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 183-7
- 59222** Minassian, V. A., Al-Badr, A., Pascali, D. U., Lovatsis, D., Drutz, H. P. Tension-free vaginal tape: do patients who fail to follow-up have the same results as those who do?. *Neurourol Urodyn.* 2005; 24: 35-8
- 51480** Minassian, V. A., Drutz, H. P., Al-Badr, A. Urinary incontinence as a worldwide problem. *Int J Gynaecol Obstet.* 2003 Sep; 82: 327-38
- 52150** Minervini, A., Salinitri, G., Minervini, R. Retroperitoneal urinoma complicating Burch colposuspension. *Int J Gynaecol Obstet.* 2003 Jul; 82: 85-6
- 57810** Mingin, G. C., Nguyen, H. T., Mathias, R. S., Shepherd, J. A., Glidden, D., Baskin, L. S. Growth and metabolic consequences of bladder augmentation in children with myelomeningocele and bladder exstrophy. *Pediatrics.* 2002 Dec; 110: 1193-8
- 10018** Mingin, G. C., Youngren, K., Stock, J. A., Hanna, M. K. The rectus myofascial wrap in the management of urethral sphincter incompetence. *BJU Int.* 2002 Oct; 90: 550-3
- 43219** Misra, D., Chana, J., Drake, D. P., Kiely, E. M., Spitz, L. Operative trauma to the genitourinary tract in the treatment of anorectal malformations: 15 years' experience. *Urology.* 1996 Apr; 47: 559-62
- 43327** Misra, U. K., Kalita, J., Srivastava, M., Mandal, S. K. A study of prognostic predictors of supratentorial haematomas. *J Neurol.* 1996 Jan; 243: 96-100
- 41447** Miszko, T. A., Cress, M. E. A lifetime of fitness. Exercise in the perimenopausal and postmenopausal woman. *Clin Sports Med.* 2000 Apr; 19: 215-32
- 44886** Mitchell, M. E., Brito, C. G., Rink, R. C. Cloacal exstrophy reconstruction for urinary continence. *J Urol.* 1990 Aug; 144: 554-8; discussion 562-3

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 3984 Mitchell, M.E., Brito, C.G., and Rink, R.C. Cloacal exstrophy reconstruction for urinary continence. *J Urol*. 1990 Aug; 144: 554-8;discussion562-3
- 51130 Mitra, S., Hodgkins, J. A case report of migration of buffers to the cecum following Stamey operation. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Aug; 14: 216-7
- 41170 Mitsui, T., Minami, K., Furuno, T., Morita, H., Koyanagi, T. Is suprapubic cystostomy an optimal urinary management in high quadriplegics?. A comparative study of suprapubic cystostomy and clean intermittent catheterization. *Eur Urol*. 2000 Oct; 38: 434-8
- 43573 Mitteness, L. S., Barker, J. C. Stigmatizing a 'normal' condition: urinary incontinence in late life. *Med Anthropol Q*. 1995 Jun; 9: 188-210
- 4135 Mitteness, L.S. Knowledge and beliefs about urinary incontinence in adulthood and old age. *J Am Geriatr Soc*. 1990 Mar; 38: 374-378
- 3250 Mitteness, L.S. Social aspects of urinary incontinence in the elderly. *Aorn J*. 1992 Oct; 56: 731-737
- 41800 Miura, T., Tanaka, H., Makino, Y., Okamoto, K., Iida, T., Komura, K., Fukawa, E., Hirano, F., Makino, I. Human T cell leukemia virus type I-associated myelopathy in a patient with systemic lupus erythematosus. *Intern Med*. 1999 Jun; 38: 512-5
- 43118 Miyazaki, E., Tsuda, T., Mochizuki, A., Sugisaki, K., Ando, M., Matsumoto, T., Sawabe, T., Kumamoto, T. Sarcoidosis presenting as bilateral hydronephrosis. *Intern Med*. 1996 Jul; 35: 579-82
- 11139 Miyazaki, F. S. The Bonney test: a reassessment. *Am J Obstet Gynecol*. 1997 Dec; 177: 1322-8; discussion 1328-9
- 11879 Miyazaki, F., Shook, G. Ilioinguinal nerve entrapment during needle suspension for stress incontinence. *Obstet Gynecol*. 1992 Aug; 80: 246-8
- 44035 Mizunaga, M., Miyata, M., Kaneko, S., Yachiku, S., Chiba, K. Intravesical instillation of oxybutynin hydrochloride therapy for patients with a neuropathic bladder. *Paraplegia*. 1994 Jan; 32: 25-9
- 3465 Mizuo, T., Tanizawa, A., Yamada, T., Ando, M., and Oshima, H. Sling operation for male stress incontinence by utilizing modified Stamey technique. *Urology*. 1992 Mar; 39: 211-214
- 56630 Moalli, P. A., Jones Ivy, S., Meyn, L. A., Zyczynski, H. M. Risk factors associated with pelvic floor disorders in women undergoing surgical repair. *Obstet Gynecol*. 2003 May; 101: 869-74
- 3757 Mochizuki, H., Saito, H. Mesial frontal lobe syndromes: correlations between neurological deficits and radiological localizations. *Tohoku J Exp Med*. 1990 Aug; 161 Suppl: 231-239
- 10557 Modiri, A. R., Fredrickson, M. G., Gillberg, P. G., Alberts, P. Selectivity of oxymetazoline for urethral pressure vs blood pressure in the anaesthetized female rabbit. *Scand J Urol Nephrol*. 2000 Jun; 34: 151-6
- 53020 Moehrer, B., Carey, M., Wilson, D. Laparoscopic colposuspension: a systematic review. *BJOG*. 2003 Mar; 110: 230-5
- 10179 Moehrer, B., Ellis, G., Carey, M., Wilson, P. D. Laparoscopic colposuspension for urinary incontinence in women. *Cochrane Database Syst Rev*. 2002; : CD002239
- 52290 Moehrer, B., Hextall, A., Jackson, S. Oestrogens for urinary incontinence in women. *Cochrane Database Syst Rev*. 2003; : CD001405
- 3932 Mogielnicki, R.P., Nelson, W.A., and Dulac, J. A study of the dying process in elderly hospitalized males. *J Cancer Educ*. 1990; 5: 135-145
- 11841 Molander, U. Urinary incontinence and related urogenital symptoms in elderly women. *Acta Obstet Gynecol Scand Suppl*. 1993; 158: 1-22
- 41481 Molander, U., Arvidsson, L., Milsom, I., Sandberg, T. A longitudinal cohort study of elderly women with urinary tract infections. *Maturitas*. 2000 Feb 15; 34: 127-31
- 4063 Molander, U., Milsom, I., Ekelund, P., and Mellstrom, D. An epidemiological study of urinary incontinence and related urogenital symptoms in elderly women. *Maturitas*. 1990 Apr; 12: 51-60

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3611** Molander, U., Milsom, I., Ekelund, P., Arvidsson, L., and Eriksson, O. A health care program for the investigation and treatment of elderly women with urinary incontinence and related urogenital symptoms. *Acta Obstet Gynecol Scand.* 1991; 70: 137-142
- 12011** Molander, U., Milsom, I., Ekelund, P., Arvidsson, L., Eriksson, O. A health care program for the investigation and treatment of elderly women with urinary incontinence and related urogenital symptoms. *Acta Obstet Gynecol Scand.* 1991; 70: 137-42
- 12076** Molander, U., Milsom, I., Ekelund, P., Mellstrom, D. An epidemiological study of urinary incontinence and related urogenital symptoms in elderly women. *Maturitas.* 1990 Apr; 12: 51-60
- 11344** Mold, J. W. Pharmacotherapy of urinary incontinence. *Am Fam Physician.* 1996 Aug; 54: 673-80, 683-5
- 42858** Mollard, P., Gauriau, L., Bonnet, J. P., Mure, P. Y. Continent cystostomy (Mitrofanoff's procedure) for neurogenic bladder in children and adolescent (56 cases: long-term results). *Eur J Pediatr Surg.* 1997 Feb; 7: 34-7
- 43970** Mollard, P., Mouriquand, P. D., Buttin, X. Urinary continence after reconstruction of classical bladder exstrophy (73 cases). *Br J Urol.* 1994 Mar; 73: 298-302
- 4226** Mollard, P., Mouriquand, P., and Joubert, P. Urethral lengthening for neurogenic urinary incontinence (Kropp's procedure): results of 16 cases. *J Urol.* 1990 Jan; 143: 95-97
- 41359** Moller, L. A., Lose, G., Jorgensen, T. Incidence and remission rates of lower urinary tract symptoms at one year in women aged 40-60: longitudinal study. *BMJ.* 2000 May 27; 320: 1429-32
- 10650** Moller, L. A., Lose, G., Jorgensen, T. The prevalence and bothersomeness of lower urinary tract symptoms in women 40-60 years of age. *Acta Obstet Gynecol Scand.* 2000 Apr; 79: 298-305
- 40365** Molloy, W. B. Target treatment of female urinary dysfunction. *Lancet.* 2002 Mar 2; 359: 800-1
- 53140** Molmenti, E. P., Pinto, P. A., Montgomery, R. A., Su, L. M., Kraus, E., Cooper, M., Sonnenday, C. J., Klein, A. S., Kavoussi, L. R., Ratner, L. E. Concomitant surgery with laparoscopic live donor nephrectomy. *Am J Transplant.* 2003 Feb; 3: 219-23
- 11742** Mommsen, S., Foldspang, A. Body mass index and adult female urinary incontinence. *World J Urol.* 1994; 12: 319-22
- 11804** Mommsen, S., Foldspang, A., Elving, L., Lam, G. W. Association between urinary incontinence in women and a previous history of surgery. *Br J Urol.* 1993 Jul; 72: 30-7
- 43993** Mondoux, L. C. Patients won't ask. *RN.* 1994 Feb; 57: 35-40
- 44475** Monfort, G., Guys, J. M., Coquet, M., Roth, K., Louis, C., Bocciardi, A. Surgical management of duplex ureteroceles. *J Pediatr Surg.* 1992 May; 27: 634-8
- 43028** Monga, A. Fascia--defects and repair. *Curr Opin Obstet Gynecol.* 1996 Oct; 8: 366-71
- 11532** Monga, A. K., Robinson, D., Stanton, S. L. Periurethral collagen injections for genuine stress incontinence: a 2-year follow-up. *Br J Urol.* 1995 Aug; 76: 156-60
- 11243** Monga, A. K., Stanton, S. L. Urodynamics: prediction, outcome and analysis of mechanism for cure of stress incontinence by periurethral collagen. *Br J Obstet Gynaecol.* 1997 Feb; 104: 158-62
- 11653** Monga, M., Ghoniem, G. M. Ilioinguinal nerve entrapment following needle bladder suspension procedures. *Urology.* 1994 Sep; 44: 447-50
- 3507** Montague, D.K. The artificial urinary sphincter (AS 800): experience in 166 consecutive patients. *J Urol.* 1992 Feb; 147: 380-382
- 11255** Montella, J. M., Ewing, S., Cater, J. Visual assessment of urethrovesical junction mobility. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 13-7
- 40314** Montoya, A., Weiss, A. P., Price, B. H., Cassem, E. H., Dougherty, D. D., Nierenberg, A. A., Rauch, S. L., Cosgrove, G. R. Magnetic resonance imaging-guided stereotactic limbic leukotomy for treatment of intractable psychiatric disease. *Neurosurgery.* 2002 May; 50: 1043-9; discussion 1049-52

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 44249 Mooney, R. A., Newman, D. K., Smith, D. A., Grey, M. Establishing a continence service using AHCPR guidelines. *Ostomy Wound Manage.* 1993 Apr; 39: 28-30, 32
- 3065 Mooney, R.A., Newman, D.K., Smith, D.A., and Grey, M. Establishing a continence service using AHCPR guidelines. *Ostomy Wound Manage.* 1993 Apr; 39: 28-30,32
- 43232 Moore, A. A., Siu, A. L. Screening for common problems in ambulatory elderly: clinical confirmation of a screening instrument. *Am J Med.* 1996 Apr; 100: 438-43
- 42801 Moore, A. A., Siu, A., Partridge, J. M., Hays, R. D., Adams, J. A randomized trial of office-based screening for common problems in older persons. *Am J Med.* 1997 Apr; 102: 371-8
- 54250 Moore, C., Kogan, B. A., Parekh, A. Impact of urinary incontinence on self-concept in children with spina bifida. *J Urol.* 2004 Apr; 171: 1659-62
- 44102 Moore, K. Controlling urinary incontinence. Interview by Patricia Marck. *AARN News Lett.* 1993 Nov; 49: 26
- 10588 Moore, K. H. Conservative management for urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol.* 2000 Apr; 14: 251-89
- 40786 Moore, K. H. The costs of urinary incontinence. *Med J Aust.* 2001 May 7; 174: 436-7
- 10799 Moore, K. H., Foote, A., Burton, G., King, J. An open study of the bladder neck support prosthesis in genuine stress incontinence. *Br J Obstet Gynaecol.* 1999 Jan; 106: 42-9
- 11129 Moore, K. H., Foote, A., Siva, S., King, J., Burton, G. The use of the bladder neck support prosthesis in combined genuine stress incontinence and detrusor instability. *Aust N Z J Obstet Gynaecol.* 1997 Nov; 37: 440-5
- 44395 Moore, K. H., Gilpin, S. A., Dixon, J. S., Richmond, D. H., Sutherst, J. R. Increase in presumptive sensory nerves of the urinary bladder in idiopathic detrusor instability. *Br J Urol.* 1992 Oct; 70: 370-2
- 44846 Moore, K. H., Goldstein, M., Hay, D. The treatment of detrusor instability in postmenopausal women with oxybutynin chloride: a double blind placebo controlled study. *Br J Obstet Gynaecol.* 1990 Nov; 97: 1063-4
- 52130 Moore, K. H., O'Sullivan, R. J., Simons, A., Prashar, S., Anderson, P., Louey, M. Randomised controlled trial of nurse continence advisor therapy compared with standard urogynaecology regimen for conservative incontinence treatment: efficacy, costs and two year follow up. *BJOG.* 2003 Jul; 110: 649-57
- 44617 Moore, K. H., Richmond, D. H., Parys, B. T. Sex distribution of adult idiopathic detrusor instability in relation to childhood bedwetting. *Br J Urol.* 1991 Nov; 68: 479-82
- 10806 Moore, K. H., Simons, A., Dowell, C., Bryant, C., Prashar, S. Efficacy and user acceptability of the urethral occlusive device in women with urinary incontinence. *J Urol.* 1999 Aug; 162: 464-8
- 10642 Moore, K. H., Simons, A., Mukerjee, C., Lynch, W. The relative incidence of detrusor instability and bacterial cystitis detected on the urodynamic-test day. *BJU Int.* 2000 May; 85: 786-92
- 11631 Moore, K. N. Electrical stimulation for the treatment of urinary incontinence: do we know enough to accept it as part of our practice?. *J Adv Nurs.* 1994 Dec; 20: 1018-22
- 11596 Moore, K. N., Chetner, M. P., Metcalfe, J. B., Griffiths, D. J. Periurethral implantation of glutaraldehyde cross-linked collagen (Contigen) in women with type I or III stress incontinence: quantitative outcome measures. *Br J Urol.* 1995 Mar; 75: 359-63
- 43485 Moore, K. N., Gray, M., Rayome, R. Electric stimulation and urinary incontinence: research and alternatives. *Urol Nurs.* 1995 Sep; 15: 94-6
- 42830 Moore, K. N., Paul, P. A historical review of selected nursing and medical literature on urinary incontinence between 1850 and 1976. *J Wound Ostomy Continence Nurs.* 1997 Mar; 24: 106-22
- 56440 Moore, K. N., Saltmarche, B., Query, A. Urinary incontinence. Non-surgical management by family physicians. *Can Fam Physician.* 2003 May; 49: 602-10
- 3019 Moore, K., Griffiths, D., Latimer, G., and Merke, R. Twenty four-hour monitoring of incontinence and bladder function in a community hospital. *J ET Nurs.* 1993 Jul-Aug; 20: 163-168

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 11802 Moore, K., Griffiths, D., Latimer, G., Merke, R. Twenty four-hour monitoring of incontinence and bladder function in a community hospital. *J ET Nurs*. 1993 Jul-Aug; 20: 163-8
- 3355 Moore, K., Metcalfe, J.B. Effectiveness of vaginal cones in treatment of urinary incontinence. *Urol Nurs*. 1992 Jun; 12: 69-72
- 3225 Moore, K.H., Gilpin, S.A., Dixon, J.S., Richmond, D.H., and Sutherst, J.R. Increase in presumptive sensory nerves of the urinary bladder in idiopathic detrusor instability. *Br J Urol*. 1992 Oct; 70: 370-372
- 3861 Moore, K.H., Goldstein, M., and Hay, D. The treatment of detrusor instability in postmenopausal women with oxybutynin chloride: a double blind placebo controlled study [letter; comment]. *Br J Obstet Gynaecol*. 1990 Nov; 97: 1063-1064
- 3532 Moore, K.H., Richmond, D.H., and Parys, B.T. Sex distribution of adult idiopathic detrusor instability in relation to childhood bedwetting. *Br J Urol*. 1991 Nov; 68: 479-482
- 52630 Moore, R. D., Miklos, J. R. Colpocleisis and tension-free vaginal tape sling for severe uterine and vaginal prolapse and stress urinary incontinence under local anesthesia. *J Am Assoc Gynecol Laparosc*. 2003 May; 10: 276-80
- 10283 Moore, R. D., Speights, S. E., Miklos, J. R. Laparoscopic Burch colposuspension for recurrent stress urinary incontinence. *J Am Assoc Gynecol Laparosc*. 2001 Aug; 8: 389-92
- 3114 Moore, T.F., Saltmarche, A. Developing and testing an instrument to assess the information needs of persons with urinary incontinence. *Perspectives*. 1993 Spring; 17: 2-6
- 42812 Moores, D., Cohen, R., Hayden, L. Laparoscopic excision of pelvic kidney with single vaginal ectopic ureter. *J Pediatr Surg*. 1997 Apr; 32: 634-5
- 42748 Mor, Y., Quinn, F. M., Carr, B., Mouriquand, P. D., Duffy, P. G., Ransley, P. G. Combined Mitrofanoff and antegrade continence enema procedures for urinary and fecal incontinence. *J Urol*. 1997 Jul; 158: 192-5
- 52640 Moran, F., Bradley, J. M., Boyle, L., Elborn, J. S. Incontinence in adult females with cystic fibrosis: a Northern Ireland survey. *Int J Clin Pract*. 2003 Apr; 57: 182-3
- 42457 Moran, P. A., Carey, M. P., Dwyer, P. L. Urethral diverticula in pregnancy. *Aust N Z J Obstet Gynaecol*. 1998 Feb; 38: 102-6
- 10584 Moran, P. A., Ward, K. L., Johnson, D., Smirmi, W. E., Hilton, P., Bibby, J. Tension-free vaginal tape for primary genuine stress incontinence: a two-centre follow-up study. *BJU Int*. 2000 Jul; 86: 39-42
- 10267 Morell, J. D., Morales, A. Assessment of long-term patient satisfaction after vesical neck suspension for stress urinary incontinence. *Can J Urol*. 2001 Aug; 8: 1323-5
- 43518 Moreno, J. G., Chancellor, M. B., Karasick, S., King, S., Abdill, C. K., Rivas, D. A. Improved quality of life and sexuality with continent urinary diversion in quadriplegic women with umbilical stoma. *Arch Phys Med Rehabil*. 1995 Aug; 76: 758-62
- 54060 Moretti, R., Torre, P., Antonello, R. M., Cazzato, G., Griggio, S., Bava, A. Olanzapine as a treatment of neuropsychiatric disorders of Alzheimer's disease and other dementias: a 24-month follow-up of 68 patients. *Am J Alzheimers Dis Other Demen*. 2003 Jul-Aug; 18: 205-14
- 43726 Morgan, D. J., Blackburn, M., Bax, M. Adults with spina bifida and/or hydrocephalus. *Postgrad Med J*. 1995 Jan; 71: 17-21
- 11524 Morgan, J. E., Heritz, D. M., Stewart, F. E., Connolly, J. C., Farrow, G. A. The polypropylene pubovaginal sling for the treatment of recurrent stress urinary incontinence. *J Urol*. 1995 Sep; 154: 1013-4; discussion 1015-6
- 10567 Morgan, J. L., O'Connell, H. E., McGuire, E. J. Is intrinsic sphincter deficiency a complication of simple hysterectomy?. *J Urol*. 2000 Sep; 164: 767-9
- 10630 Morgan, T. O., Jr, Westney, O. L., McGuire, E. J. Pubovaginal sling: 4-YEAR outcome analysis and quality of life assessment. *J Urol*. 2000 Jun; 163: 1845-8
- 40466 Mori, K. Management of idiopathic normal-pressure hydrocephalus: a multiinstitutional study conducted in Japan. *J Neurosurg*. 2001 Dec; 95: 970-3



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10618 Morita, T., Iizuka, H., Iwata, T., Kondo, S. Function and distribution of beta3-adrenoceptors in rat, rabbit and human urinary bladder and external urethral sphincter. *J Smooth Muscle Res.* 2000 Feb; 36: 21-32
- 43494 Morita, T., Kihara, K., Nagamatsu, H., Oshima, H., Kishimoto, T. Effects of clenbuterol on rabbit vesicourethral muscle contractility. *J Smooth Muscle Res.* 1995 Aug; 31: 119-27
- 10564 Morkved, S., Bo, K. Effect of postpartum pelvic floor muscle training in prevention and treatment of urinary incontinence: a one-year follow up. *BJOG.* 2000 Aug; 107: 1022-8
- 41569 Morkved, S., Bo, K. Prevalence of urinary incontinence during pregnancy and postpartum. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 394-8
- 42541 Morkved, S., Bo, K. The effect of postpartum pelvic floor muscle exercise in the prevention and treatment of urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 217-22
- 10008 Morkved, S., Bo, K., Fjortoft, T. Effect of adding biofeedback to pelvic floor muscle training to treat urodynamic stress incontinence. *Obstet Gynecol.* 2002 Oct; 100: 730-9
- 57370 Morkved, S., Bo, K., Schei, B., Salvesen, K. A. Pelvic floor muscle training during pregnancy to prevent urinary incontinence: a single-blind randomized controlled trial. *Obstet Gynecol.* 2003 Feb; 101: 313-9
- 11455 Morley, R., Cumming, J., Weller, R. Morphology and neuropathology of the pelvic floor in patients with stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 3-12
- 3189 Morris, A., Browne, G., and Saltmarche, A. Urinary incontinence: correlates among cognitively impaired elderly veterans. *J Gerontol Nurs.* 1992 Oct; 18: 33-40
- 41994 Morris, K. Tackling the taboo of urinary incontinence. *Lancet.* 1999 Jan 9; 353: 128
- 3224 Morrison, L.M., Glen, E.S., Cherry, L.C., and Dawes, H.A. The open access Continence Resource Centre for Greater Glasgow Health Board. *Br J Urol.* 1992 Oct; 70: 395-398
- 42645 Mort, J. Medications exacerbating urinary incontinence in the elderly. *S D J Med.* 1997 Oct; 50: 361-2
- 3660 Mortensen, N., Humphreys, M.S. The anal continence plug: a disposable device for patients with anorectal incontinence. *Lancet.* 1991 Aug 3; 338: 295-297
- 40187 Mortensen, S., Lose, G., Thyssen, H. Repeatability of cystometry and pressure-flow parameters in female patients. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 72-5
- 42324 Moser, R. H. Standing up for aspartame. *AWHONN Lifelines.* 1998 Apr; 2: 10
- 44473 Mostafa, W. Z., Abahussein, A. A., Alzayer, A. A. Diaper area granuloma of incontinence. *J Dermatol.* 1992 May; 19: 319-22
- 3297 Mostafa, W.Z., Abahussein, A.A., and Alzayer, A.A. Diaper area granuloma of incontinence. *J Dermatol.* 1992 May; 19: 319-322
- 11986 Mostwin, J. L. Current concepts of female pelvic anatomy and physiology. *Urol Clin North Am.* 1991 May; 18: 175-95
- 53470 Mostwin, J. L. Pathophysiology: the varieties of bladder overactivity. *Urology.* 2002 Nov; 60: 22-6; discussion 27
- 11372 Mostwin, J. L., Genadry, R., Sanders, R., Yang, A. Anatomic goals in the correction of female stress urinary incontinence. *J Endourol.* 1996 Jun; 10: 207-12
- 10342 Mostwin, J. L., Genadry, R., Saunders, R., Yang, A. Stress incontinence observed with real time sonography and dynamic fastscan magnetic resonance imaging--insights into pathophysiology. *Scand J Urol Nephrol Suppl.* 2001; : 94-9; discussion 106-25
- 11540 Mostwin, J. L., Yang, A., Sanders, R., Genadry, R. Radiography, sonography, and magnetic resonance imaging for stress incontinence. Contributions, uses, and limitations. *Urol Clin North Am.* 1995 Aug; 22: 539-49
- 3574 Mostwin, J.L. Effects of pharmaceuticals on bladder function. *Curr Opin Obstet Gynecol.* 1990 Aug; 2: 580-584
- 4109 Motley, R.C., Barrett, D.M. Artificial urinary sphincter cuff erosion. Experience with reimplantation in 38 patients. *Urology.* 1990 Mar; 35: 215-218



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3445** Motta, G. Incontinence reimbursement. *Ostomy Wound Manage.* 1992 Mar; 38: 72-73
- 3358** Motta, G.J. Reimbursement for incontinence products. *Urol Nurs.* 1992 Jun; 12: 50-51
- 11135** Mouchel, J., Beco, J. Stress urinary incontinence: here we are. *Am J Obstet Gynecol.* 1997 Dec; 177: 1561
- 43186** Mouriquand, P. D., Boddy, S. Salvage procedures for failed Benckekroun hydraulic valves: experience in four patients. *Br J Urol.* 1996 May; 77: 740-4
- 55000** Mouriquand, P. D., Bubanji, T., Feyaerts, A., Jandric, M., Timsit, M., Mollard, P., Mure, P. Y., Basset, T. Long-term results of bladder neck reconstruction for incontinence in children with classical bladder exstrophy or incontinent epispadias. *BJU Int.* 2003 Dec; 92: 997-1001; discussion 1002
- 3368** Mouriquand, P.D., Mollard, P. Management of urinary incontinence in neurogenic bladder. *Scand J Urol Nephrol Suppl.* 1992; 141: 28-36; discussion 37-8
- 10389** Mouritsen, L. Effect of vaginal devices on bladder neck mobility in stress incontinent women. *Acta Obstet Gynecol Scand.* 2001 May; 80: 428-31
- 11258** Mouritsen, L. Techniques for imaging bladder support. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 48-9
- 11748** Mouritsen, L., Bach, P. Ultrasonic evaluation of bladder neck position and mobility: the influence of urethral catheter, bladder volume, and body position. *Neurourol Urodyn.* 1994; 13: 637-46
- 3632** Mouritsen, L., Frimodt-Moller, C., and Moller, M. Long-term effect of pelvic floor exercises on female urinary incontinence. *Br J Urol.* 1991 Jul; 68: 32-37
- 11974** Mouritsen, L., Frimodt-Moller, C., Moller, M. Long-term effect of pelvic floor exercises on female urinary incontinence. *Br J Urol.* 1991 Jul; 68: 32-7
- 42388** Mouritsen, L., Lose, G., Glavind, K. Assessment of women with urinary incontinence. *Acta Obstet Gynecol Scand.* 1998 Apr; 77: 361-71
- 11257** Mouritsen, L., Lose, G., Ulmsten, U., Ludviksson, K., Siltberg, H., Kulseng-Hanssen, S., Kujansuu, E. Consensus of basic assessment of female incontinence. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 59-60
- 3112** Mouritsen, L., Rasmussen, A. Bladder neck mobility evaluated by vaginal ultrasonography. *Br J Urol.* 1993 Feb; 71: 166-171
- 10474** Mouritsen, L., Schiotz, H. A. Pro et contra pelvic floor exercises for female stress urinary incontinence. *Acta Obstet Gynecol Scand.* 2000 Dec; 79: 1043-5
- 11699** Mouritsen, L., Strandberg, C. Vaginal ultrasonography versus colpo-cysto-urethrography in the evaluation of female urinary incontinence. *Acta Obstet Gynecol Scand.* 1994 Apr; 73: 338-42
- 43752** Mouritsen, L., Strandberg, C., Frimodt-Moller, C. Bladder neck anatomy and mobility: effect of vaginal ultrasound probe. *Br J Urol.* 1994 Dec; 74: 749-52
- 11817** Mouritsen, L., Strandberg, C., Jensen, A. R., Berget, A., Frimodt-Moller, C., Folke, K. Inter- and intra-observer variation of colpo-cysto-urethrography diagnoses. *Acta Obstet Gynecol Scand.* 1993 Apr; 72: 200-4
- 3104** Mouritsen, L., Strandberg, C., Jensen, A.R., Berget, A., Frimodt-Moller, C., and Folke, K. Inter- and intra-observer variation of colpo-cysto-urethrography diagnoses. *Acta Obstet Gynecol Scand.* 1993 Apr; 72: 200-204
- 41915** Mouton, C. P., Espino, D. V. Health screening in older women. *Am Fam Physician.* 1999 Apr 1; 59: 1835-42
- 41174** Mowzoon, N., Bradley, W. G. Successful immunosuppressant therapy of severe progressive cerebellar degeneration and sensory neuropathy: a case report. *J Neurol Sci.* 2000 Sep 1; 178: 63-5
- 50490** Mowzoon, N., Keegan, B. M. 61-year-old woman with shortness of breath after surgery. *Mayo Clin Proc.* 2004 Jan; 79: 117-20
- 43819** Mraz, J. P., Sutory, M., Zerhau, P. Simple flap valve for continent urinary diversion. *Br J Urol.* 1994 Sep; 74: 328-32
- 40669** Mteta, K. A., Mbwambo, J. S., Eshleman, J. L., Aboud, M. M., Oyieko, W. Urinary diversion in children with mainly exstrophy and epispadias: alternative to primary bladder closure. *Cent Afr J Med.* 2000 Dec; 46: 318-20

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Primary Author and Title

- 40301 Mueller, C., Cain, H. Comprehensive management of urinary incontinence through quality improvement efforts. *Geriatr Nurs.* 2002 Mar-Apr; 23: 82-7
- 44000 Muir, P., Goldsmid, S. E., Bellenger, C. R. Management of urinary incontinence in five bitches with incompetence of the urethral sphincter mechanism by colposuspension and a modified sling urethroplasty. *Vet Rec.* 1994 Jan 8; 134: 38-41
- 50440 Muir, T. W., Stepp, K. J., Barber, M. D. Adoption of the pelvic organ prolapse quantification system in peer-reviewed literature. *Am J Obstet Gynecol.* 2003 Dec; 189: 1632-5; discussion 1635-6
- 52580 Muir, T. W., Tulikangas, P. K., Fidela Paraiso, M., Walters, M. D. The relationship of tension-free vaginal tape insertion and the vascular anatomy. *Obstet Gynecol.* 2003 May; 101: 933-6
- 56940 Mukamel, D. B., Watson, N. M., Meng, H., Spector, W. D. Development of a risk-adjusted urinary incontinence outcome measure of quality for nursing homes. *Med Care.* 2003 Apr; 41: 467-78
- 10187 Mukherjee, K., Constantine, G. Urinary stress incontinence in obese women: tension-free vaginal tape is the answer. *BJU Int.* 2001 Dec; 88: 881-3
- 44458 Mulhall, A. U.K. experience with indwelling urethral catheters. *Am J Infect Control.* 1992 Jun; 20: 164
- 3311 Mulhall, A. U.K. experience with indwelling urethral catheters [letter]. *Am J Infect Control.* 1992 Jun; 20: 164
- 40354 Muller, N. Promoting urinary health. *Provider.* 2002 Mar; 28: 51-3
- 5298 Muller, S.C., Jenny, E., Molling, L., Burger, R.A., and Hohenfellner, R. Long-term results of fascial sling plasty in patients with urinary stress incontinence. *J Urol.* 1990; 143: 225A
- 41267 Mummaneni, P. V., Pitts, L. H., McCormack, B. M., Corroo, J. M., Weinstein, P. R. Microsurgical treatment of symptomatic sacral Tarlov cysts. *Neurosurgery.* 2000 Jul; 47: 74-8; discussion 78-9
- 4180 Muncie, H.L., Jr., Warren, J.W. Reasons for replacement of long-term urethral catheters: implications for randomized trials. *J Urol.* 1990 Mar; 143: 507-509
- 40971 Munding, M., Wessells, H., Thornberry, B., Riden, D. Use of tolterodine in children with dysfunctional voiding: an initial report. *J Urol.* 2001 Mar; 165: 926-8
- 3732 Mundy, A.R. Artificial sphincters. *Br J Urol.* 1991 Mar; 67: 225-229
- 41414 Muneuchi, J., Tokunaga, Y., Kira, R., Gondo, K., Hara, T. Acute disseminated encephalomyelitis in a female with hereditary neuropathy with susceptibility to pressure palsy. *Pediatr Neurol.* 2000 Apr; 22: 302-4
- 3773 Muratore, C. The OBRA mandate: the positive effects for incontinent residents. *Ostomy Wound Manage.* 1990 Sep-Oct; 30: 58-59
- 42874 Murphy, E. L., Friley, J., Smith, J. W., Engstrom, J., Sacher, R. A., Miller, K., Gible, J., Stevens, J., Thomson, R., Hansma, D., Kaplan, J., Khabbaz, R., Nemo, G. HTLV-associated myelopathy in a cohort of HTLV-I and HTLV-II-infected blood donors. The REDS investigators. *Neurology.* 1997 Feb; 48: 315-20
- 11662 Murphy, K. P., Kliever, E. M., Moore, M. J. The voiding alert system: a new application in the treatment of incontinence. *Arch Phys Med Rehabil.* 1994 Aug; 75: 924-7
- 40330 Murphy, M. L., Pichichero, M. E. Prospective identification and treatment of children with pediatric autoimmune neuropsychiatric disorder associated with group A streptococcal infection (PANDAS). *Arch Pediatr Adolesc Med.* 2002 Apr; 156: 356-61
- 59179 Murphy, M., Culligan, P. J., Arce, C. M., Graham, C. A., Blackwell, L., Heit, M. H. Is the cough-stress test necessary when placing the tension-free vaginal tape?. *Obstet Gynecol.* 2005 Feb; 105: 319-24
- 44521 Murphy, S., Denman, S., Bennett, R. G., Greenough, W. B., 3rd, Lindsay, J., Zelesnick, L. B. Methicillin-resistant *Staphylococcus aureus* colonization in a long-term- care facility. *J Am Geriatr Soc.* 1992 Mar; 40: 213-7
- 5265 Murphy, S., Denman, S., Bennett, R.G., Greenough, W.B., Lindsay, J., and Zelesnick, L.B. Methicillin-resistant *Staphylococcus aureus* colonization in a long-term-care facility. *J Am Geriatr Soc.* 1992 Mar; 40: 213-217

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 10055** Murray, C., Goh, J. T., Fynes, M., Carey, M. P. Urinary and faecal incontinence following delayed primary repair of obstetric genital fistula. *BJOG*. 2002 Jul; 109: 828-32
- 43206** Murthy, V. K., Orkin, B. A., Smith, L. E., Glassman, L. M. Excellent outcome using selective criteria for rectocele repair. *Dis Colon Rectum*. 1996 Apr; 39: 374-8
- 10308** Muscatello, D. J., Rissel, C., Szonyi, G. Urinary symptoms and incontinence in an urban community: prevalence and associated factors in older men and women. *Intern Med J*. 2001 Apr; 31: 151-60
- 11411** Mushkat, Y., Bukovsky, I., Langer, R. Female urinary stress incontinence--does it have familial prevalence?. *Am J Obstet Gynecol*. 1996 Feb; 174: 617-9
- 42987** Muskat, Y., Bukovsky, I., Schneider, D., Langer, R. The use of scopolamine in the treatment of detrusor instability. *J Urol*. 1996 Dec; 156: 1989-90
- 50600** Musselman, D. M., Ford, A. P., Gennevois, D. J., Harbison, M. L., Laurent, A. L., Mokattrin, A. S., Stoltz, R. R., Blue, D. R. A randomized crossover study to evaluate Ro 115-1240, a selective alpha1A/1L-adrenoceptor partial agonist in women with stress urinary incontinence. *BJU Int*. 2004 Jan; 93: 78-83
- 43157** Muthukumar, N. Surgical treatment of nonprogressive neurological deficits in children with sacral agenesis. *Neurosurgery*. 1996 Jun; 38: 1133-7; discussion 1137-8
- 10844** Mutlu, N., Kazado, M., Culha, M., Merder, E., Baykal, M., Canbazoglu, N. Burch bladder neck colposuspension, comparison of early and late results. *Mater Med Pol*. 1997 Jan-Dec; 29: 8-10
- 52160** Mutone, N., Brizendine, E., Hale, D. Factors that influence voiding function after the tension-free vaginal tape procedure for stress urinary incontinence. *Am J Obstet Gynecol*. 2003 Jun; 188: 1477-81; discussion 1481-3
- 10258** Mutone, N., Mastropietro, M., Brizendine, E., Hale, D. Effect of tension-free vaginal tape procedure on urodynamic continence indices. *Obstet Gynecol*. 2001 Oct; 98: 638-45
- 59130** Mydlo, J. H. The impact of obesity in urology. *Urol Clin North Am*. 2004 May; 31: 275-87
- 43305** Myers, A. H., Palmer, M. H., Engel, B. T., Warrenfeltz, D. J., Parker, J. A. Mobility in older patients with hip fractures: examining prefracture status, complications, and outcomes at discharge from the acute-care hospital. *J Orthop Trauma*. 1996; 10: 99-107
- 41775** Myers, D. L., Arya, L. A., Friedman, J. H. Is urinary incontinence different in women with Parkinson's disease?. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 188-91
- 10914** Myers, D. L., LaSala, C. A. Conservative surgical management of Mersilene mesh suburethral sling erosion. *Am J Obstet Gynecol*. 1998 Dec; 179: 1424-8; discussion 1428-9
- 11059** Myers, D. L., Lasala, C. A., Hogan, J. W., Rosenblatt, P. L. The effect of posterior wall support defects on urodynamic indices in stress urinary incontinence. *Obstet Gynecol*. 1998 May; 91: 710-4
- 10478** Myers, D. L., Peipert, J. F., Rosenblatt, P. L., Ferland, R. J., Jackson, N. D. Patient satisfaction with laparoscopic Burch retropubic urethropexy. *J Reprod Med*. 2000 Nov; 45: 939-43
- 3749** Myers, R.P. Male urethral sphincteric anatomy and radical prostatectomy. *Urol Clin North Am*. 1991 May; 18: 211-227
- 41015** Nabi, G., Hemal, A. K., Kumar, M., Ansari, M. S., Dorairajan, L. N. Diagnosis and management of post-cesarean ureterouterine fistulae. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000 Dec; 11: 389-91
- 42731** Nacmias, B., Tedde, A., Guarnieri, B. M., Petruzzi, C., Ortenzi, L., Serio, A., Amaducci, L., Sorbi, S. Analysis of apolipoprotein E, alpha1-antichymotrypsin and presenilin-1 genes polymorphisms in dementia caused by normal pressure hydrocephalus in man. *Neurosci Lett*. 1997 Jul 4; 229: 177-80
- 42591** Nager, C. W., Kumar, D., Kahn, M. A., Stanton, S. L. Management of pelvic floor dysfunction. *Lancet*. 1997 Dec 13; 350: 1751
- 10201** Nager, C. W., Schulz, J. A., Stanton, S. L., Monga, A. Correlation of urethral closure pressure, leak-point pressure and incontinence severity measures. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 395-400
- 42535** Nager, C., Stanton, S. Can HRT help incontinence?. *Community Nurse*. 1997 May; 3: 32-3

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42634 Nagib, M. G., O'Fallon, M. T. Myxopapillary ependymoma of the conus medullaris and filum terminale in the pediatric age group. *Pediatr Neurosurg.* 1997 Jan; 26: 2-7
- 40452 Naglie, G., Radomski, S. B., Brymer, C., Mathiasen, K., O'Rourke, K., Tomlinson, G. A randomized, double-blind, placebo controlled crossover trial of nimodipine in older persons with detrusor instability and urge incontinence. *J Urol.* 2002 Feb; 167: 586-90
- 10393 Naik, R., Nwabinelli, J., Mayne, C., Nordin, A., de Barros Lopes, A., Monaghan, J. M., Hilton, P. Prevalence and management of (non-fistulous) urinary incontinence in women following radical hysterectomy for early stage cervical cancer. *Eur J Gynaecol Oncol.* 2001; 22: 26-30
- 42216 Naito, R., Takeuchi, M., Morihira, K., Hayakawa, M., Ikeda, K., Shibamura, T., Isomura, Y. Selective muscarinic antagonists. I. Synthesis and antimuscarinic properties of 4-piperidyl benzhydrylcarbamate derivatives. *Chem Pharm Bull (Tokyo).* 1998 Aug; 46: 1274-85
- 43249 Nakagawa, H., Fujita, T., Kubo, S., Izumoto, S., Nakajima, Y., Tsuruzono, K., Tokiyoshi, K., Hayakawa, T. Ventriculolumbar perfusion chemotherapy with methotrexate and cytosine arabinoside for meningeal carcinomatosis: a pilot study in 13 patients. *Surg Neurol.* 1996 Mar; 45: 256-64
- 56560 Nakajima, M., Nakasu, S., Hatsuda, N., Takeichi, Y., Watanabe, K., Matsuda, M. Third ventricular chordoid glioma: case report and review of the literature. *Surg Neurol.* 2003 May; 59: 424-8
- 41110 Nakamura, S., Hirano, T., Tsujimae, K., Aoyama, M., Kondo, K., Yamamura, Y., Mori, T., Tominaga, M. Antidiuretic effects of a nonpeptide vasopressin V(2)-receptor agonist, OPC-51803, administered orally to rats. *J Pharmacol Exp Ther.* 2000 Dec; 295: 1005-11
- 10428 Nakamura, T., Ishiko, O., Hirai, K., Sumi, T., Nakagawa, E., Nakai, Y., Tomoda, S., Ogita, S. Clinical evaluation of the Q-tip test in normal pregnant women. *Gynecol Obstet Invest.* 2001; 51: 92-5
- 42877 Nakanishi, N., Tatara, K., Naramura, H., Fujiwara, H., Takashima, Y., Fukuda, H. Urinary and fecal incontinence in a community-residing older population in Japan. *J Am Geriatr Soc.* 1997 Feb; 45: 215-9
- 41724 Nakanishi, N., Tatara, K., Shinsho, F., Murakami, S., Takatorige, T., Fukuda, H., Nakajima, K., Naramura, H. Mortality in relation to urinary and faecal incontinence in elderly people living at home. *Age Ageing.* 1999 May; 28: 301-6
- 42944 Nakayama, H., Jorgensen, H. S., Pedersen, P. M., Raaschou, H. O., Olsen, T. S. Prevalence and risk factors of incontinence after stroke. The Copenhagen Stroke Study. *Stroke.* 1997 Jan; 28: 58-62
- 42315 Nakayama, Y., Tanaka, A., Ohshiro, S., Yoshinaga, S. Extensive edema in the thalamus caused by thrombosed basilar artery aneurysm. *Neurol Med Chir (Tokyo).* 1998 May; 38: 274-7
- 41195 Nakazato, I., Kinjo, T., Sirirungsri, W., Tsuchioka, K., Miyagi, J., Higa, M., Iwamasa, T. Experimental myelitis in BALB/cN and C57BL/6N mice caused by herpes simplex virus type 1 compared with herpes simplex virus type 2. *Pathol Res Pract.* 2000; 196: 635-45
- 11628 Nanninga, J. B. Some aspects of striated urethral sphincter structure and function. *J Urol.* 1994 Dec; 152: 2321-3
- 3583 Narayan, P. Nerve sparing and continence preservation during radical prostatectomy. *Urol Int.* 1991; 46: 266-274
- 11545 Narepalem, N., Kreder, K. J., Winfield, H. N. Laparoscopic urethral sling for the treatment of intrinsic urethral weakness (type III stress urinary incontinence). *Tech Urol.* 1995 Summer; 1: 102-5
- 42727 Naseer, S. R., Steinhardt, G. F. New renal scars in children with urinary tract infections, vesicoureteral reflux and voiding dysfunction: a prospective evaluation. *J Urol.* 1997 Aug; 158: 566-8
- 42379 Nasr, S. Z., Ouslander, J. G. Urinary incontinence in the elderly. Causes and treatment options. *Drugs Aging.* 1998 May; 12: 349-60
- 43024 Nasu, K., Yoshimatsu, J., Miyakawa, I., Nakagawa, M., Nomura, Y. Absence of vagina and hypoplasia of the urethra and ectopia of the ureter. *J Obstet Gynaecol Res.* 1996 Oct; 22: 451-4
- 11508 Nataluk, E. A., Assimos, D. G., Kroovand, R. L. Collagen injections for treatment of urinary incontinence secondary to intrinsic sphincter deficiency. *J Endourol.* 1995 Oct; 9: 403-6

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 10294 Natarajan, V., Singh, G. Urinary diversion for incontinence in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 180-7
- 11179 Nativ, O., Levine, S., Madjar, S., Issaq, E., Moskovitz, B., Beyar, M. Incisionless per vaginal bone anchor cystourethropexy for the treatment of female stress incontinence: experience with the first 50 patients. *J Urol.* 1997 Nov; 158: 1742-4
- 11222 Nativ, O., Moskovitz, B., Issaq, E., Condrea, A., Kastin, A., Halachmi, S., Burbara, J., Madjar, S., Beyar, M. Bladder neck suspension using bone anchors for the treatment of female stress incontinence. *ASAIO J.* 1997 May-Jun; 43: 204-8
- 42786 Nativ, O., Moskovitz, B., Issaq, E., Condrea, A., Kastin, A., Halachmi, S., Burbara, J., Madjar, S., Beyar, M. A new intraurethral sphincter prosthesis with a self contained urinary pump. *ASAIO J.* 1997 May-Jun; 43: 197-203
- 42677 Naughton, M. J., Wyman, J. F. Quality of life in geriatric patients with lower urinary tract dysfunction. *Am J Med Sci.* 1997 Oct; 314: 219-27
- 53430 Navaneetham, N., Doshani, A. The tension free vaginal tape procedure is successful in the majority of women with indications for surgical treatment of urinary stress incontinence. *BJOG.* 2003 Jan; 110: 89-90
- 43794 Navon, J. D., Weinberg, A. C., Ahlering, T. E. Continent urinary diversion using a Modified Indiana Pouch in elderly patients. *Am Surg.* 1994 Oct; 60: 786-8
- 44093 Naylor, J. R., Mulley, G. P. Commodes: inconvenient conveniences. *BMJ.* 1993 Nov 13; 307: 1258-60
- 43695 Nazar, G. B., Casale, A. J., Roberts, J. G., Linden, R. D. Occult filum terminale syndrome. *Pediatr Neurosurg.* 1995; 23: 228-35
- 43071 Nazarko, L. A matter of urgency. *Nurs Times.* 1996 Aug 7-13; 92: 63-4, 66, 68
- 42051 Nazarko, L. Back to the future. *Nurs Times.* 1998 Oct 21-27; 94: 79-80, 83-4
- 3059 Nazarko, L. Care of the elderly: incontinence through incompetence. *Nurs Stand.* 1993 Apr 28-May 4; 7: 52-53
- 41948 Nazarko, L. Continence. Assess all areas. *Nurs Times.* 1999 Feb 10-16; 95: 68, 71-2
- 42625 Nazarko, L. Educating Elsie. *Nurs Times.* 1997 Oct 22-28; 93: 68, 71
- 43070 Nazarko, L. In search of relief. *Nurs Times.* 1996 Aug 7-13; 92: 68, 70
- 3267 Nazarko, L. Programmed to succeed. *Nurs Elder.* 1992 Jul-Aug; 4: 20-21
- 51510 Nazir, M., Stien, R., Carlsen, E., Jacobsen, A. F., Nesheim, B. I. Early evaluation of bowel symptoms after primary repair of obstetric perineal rupture is misleading: an observational cohort study. *Dis Colon Rectum.* 2003 Sep; 46: 1245-50
- 42985 Nazir, T., Khan, Z., Barber, H. R. Urinary incontinence. *Clin Obstet Gynecol.* 1996 Dec; 39: 906-11
- 42438 N'Dow, J., Leung, H. Y., Marshall, C., Neal, D. E. Bowel dysfunction after bladder reconstruction. *J Urol.* 1998 May; 159: 1470-4; discussion 1474-5
- 42741 N'Dow, J., Neal, D. E. Female adult reconstructive urology. *Br J Urol.* 1997 Jul; 80 Suppl 1: 69-78
- 10416 Neal, D. E., Jr, Foster, L. Southern Illinois University (SIU) sling-bone anchored semitendinosus. *Tech Urol.* 2001 Mar; 7: 62-3
- 43602 Neal, D. E., Jr, Lahaye, M. E., Lowe, D. C. Improved needle placement technique in periurethral collagen injection. *Urology.* 1995 May; 45: 865-6
- 10243 Neal, L. J. Rehab's role in incontinence treatment and ostomy care. *Rehab Manag.* 2000 Jun-Jul; 13: 28-30, 100
- 57820 Neal, R., Linnane, J. Improving access to continence services: action in Walsall. *Br J Community Nurs.* 2002 Nov; 7: 567, 570-3
- 10062 Neale, E. J. Abdominal hysterectomy after insertion of tension-free vaginal tape. *BJOG.* 2002 Jun; 109: 731-2
- 11511 Neale, R. Complications of urogynaecological surgery. *Curr Opin Obstet Gynecol.* 1995 Oct; 7: 400-3



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10410 Nel, J. T., Diedericks, A., Joubert, G., Arndt, K. A prospective clinical and urodynamic study of bladder function during and after pregnancy. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 21-6
- 42144 Nelson, R., Furner, S., Jesudason, V. Fecal incontinence in Wisconsin nursing homes: prevalence and associations. *Dis Colon Rectum.* 1998 Oct; 41: 1226-9
- 40426 Nelson, R., Furner, S., Jesudason, V. Urinary incontinence in Wisconsin skilled nursing facilities: prevalence and associations in common with fecal incontinence. *J Aging Health.* 2001 Nov; 13: 539-47
- 41521 Nesbakken, A., Nygaard, K., Bull-Njaa, T., Carlsen, E., Eri, L. M. Bladder and sexual dysfunction after mesorectal excision for rectal cancer. *Br J Surg.* 2000 Feb; 87: 206-10
- 59153 Nesrallah, L. J., Almeida, F. G., Dall'oglio, M. F., Nesrallah, A. J., Srougi, M. Experience with the orthotopic ileal neobladder in women: a mid-term follow-up. *BJU Int.* 2005 May; 95: 1045-7
- 54490 Nesrallah, L. J., Srougi, M., Dall'Oglio, M. F. Orthotopic ileal neobladder: the influence of reservoir volume and configuration on urinary continence and emptying properties. *BJU Int.* 2004 Feb; 93: 375-8
- 10892 Nesrallah, L. J., Srougi, M., Gittes, R. F. The O'Connor technique: the gold standard for supratrigonal vesicovaginal fistula repair. *J Urol.* 1999 Feb; 161: 566-8
- 41202 Neulander, E. Z., Rivera, I., Eisenbrown, N., Wajzman, Z. Simple cystectomy in patients requiring urinary diversion. *J Urol.* 2000 Oct; 164: 1169-72
- 53660 Neuman, M. Infected hematoma following tension-free vaginal tape implantation. *J Urol.* 2002 Dec; 168: 2549
- 51590 Neuman, M. Low incidence of post-TVT genital prolapse. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 191-2; discussion 192
- 11531 Neuman, M., Lavie, O., Gdansk, E., Diamant, Y. Z., Beller, U. Early uterine prolapse following colponeedle suspension. *Aust N Z J Obstet Gynaecol.* 1995 Aug; 35: 339-40
- 43535 Neumann, C., Schmid, H. Relationship between the degree of cardiovascular autonomic dysfunction and symptoms of neuropathy and other complications of diabetes mellitus. *Braz J Med Biol Res.* 1995 Jul; 28: 751-7
- 10099 Neumann, P., Gill, V. Pelvic floor and abdominal muscle interaction: EMG activity and intra-abdominal pressure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 125-32
- 40526 Neveus, T. Oxybutynin, desmopressin and enuresis. *J Urol.* 2001 Dec; 166: 2459-62
- 41760 Neveus, T., Hetta, J., Cnattingius, S., Tuvemo, T., Lackgren, G., Olsson, U., Stenberg, A. Depth of sleep and sleep habits among enuretic and incontinent children. *Acta Paediatr.* 1999 Jul; 88: 748-52
- 43035 Nevo, Y., Pestronk, A., Lopate, G., Carroll, S. L. Neuropathy of metachromatic leukodystrophy: improvement with immunomodulation. *Pediatr Neurol.* 1996 Oct; 15: 237-9
- 10514 Newcomer, J. Vaginal pain caused by laparoscopic colposuspension with tacks. *Obstet Gynecol.* 2000 Nov; 96: 823-4
- 41204 Newey, M. L., Sen, P. K., Fraser, R. D. The long-term outcome after central cord syndrome: a study of the natural history. *J Bone Joint Surg Br.* 2000 Aug; 82: 851-5
- 42345 Newman, D. American perspectives on continence. *Nurs Times.* 1998 Apr 15-21; 94: 67-8
- 42349 Newman, D. K. Bladder control requires active management. *J Womens Health.* 1998 May; 7: 425-6
- 42930 Newman, D. K. How much society pays for urinary incontinence. *Ostomy Wound Manage.* 1997 Jan-Feb; 43: 18-20, 22, 24-5
- 59327 Newman, D. K. Report of a mail survey of women with bladder control disorders. *Urol Nurs.* 2004 Dec; 24: 499-507
- 42518 Newman, D. K. Research utilization: the continence for women project. *Ostomy Wound Manage.* 1997 Nov-Dec; 43: 54-6
- 51760 Newman, D. K. Stress urinary incontinence in women. *Am J Nurs.* 2003 Aug; 103: 46-55; quiz 55



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 43286 Newman, D. K. Urinary incontinence management in the USA: the role of the nurse. *Br J Nurs*. 1996 Jan 25-Feb 7; 5: 78, 80, 82-8
- 42990 Newman, D. K. What's new: the AHCPR guideline update on urinary incontinence. *Ostomy Wound Manage*. 1996 Nov-Dec; 42: 46-50, 52-4, 56 passim
- 11186 Newman, D. K., Burns, P. A. New approaches for managing stress incontinence in women. *Lippincotts Prim Care Pract*. 1997 Sep-Oct; 1: 382-7
- 43826 Newman, D. K., Burns, P. A. Significance and impact of urinary incontinence. *Nurse Pract Forum*. 1994 Sep; 5: 130-3
- 44785 Newman, D. K., Lynch, K., Smith, D. A., Cell, P. Restoring urinary continence. *Am J Nurs*. 1991 Jan; 91: 28-34
- 42991 Newman, D. K., Wallace, J., Blackwood, N., Spencer, C. Promoting healthy bladder habits for seniors. *Ostomy Wound Manage*. 1996 Nov-Dec; 42: 18-22, 24-5, 28
- 3857 Newman, D.K., Lynch, K., Smith, D.A., and Cell, P. Restoring urinary continence. *Am J Nurs*. 1991 Jan; 91: 28-34
- 3466 Newman, D.K., Smith, D.A. Pelvic muscle reeducation as a nursing treatment for incontinence. *Urol Nurs*. 1992 Mar; 12: 9-15
- 40266 Newton, M., Kosier, J. H., Smith, D. Treatments for overactive bladder. *Urol Nurs*. 2000 Aug; 20: 267-8
- 11661 Nezhat, C. H., Nezhat, F., Nezhat, C. R., Rottenberg, H. Laparoscopic retropubic cystourethropepy. *J Am Assoc Gynecol Laparosc*. 1994 Aug; 1: 339-49
- 11378 Nezhat, C. H., Nezhat, F., Seidman, D. S., Nasserbakht, F., Nezhat, C., Roemisch, M. A new method for laparoscopic access to the space of Retzius during retropubic cystourethropepy. *J Urol*. 1996 Jun; 155: 1916-8
- 10375 Ng, C. S., Rackley, R. R., Appell, R. A. Incidence of concomitant procedures for pelvic organ prolapse and reconstruction in women who undergo surgery for stress urinary incontinence. *Urology*. 2001 May; 57: 911-3
- 43959 Ng, K. H. Nocturnal enuresis. *Singapore Med J*. 1994 Apr; 35: 198-200
- 11482 Ng, K. W. Which is the most appropriate operation for genuine stress incontinence (GSI)?. *Singapore Med J*. 1995 Dec; 36: 590-6
- 11818 Ng, R. K., Murray, A. Can we afford to take short cuts in the management of stress urinary incontinence?. *Singapore Med J*. 1993 Apr; 34: 121-4
- 40211 Ng, S. C., Chen, Y. C., Lin, L. Y., Chen, G. D. Anorectal dysfunction in women with urinary incontinence or lower urinary tract symptoms. *Int J Gynaecol Obstet*. 2002 May; 77: 139-45
- 41209 Ng, W. T., Kwok, K. W., Hwang, J. Laparoscopy as the investigation and treatment of choice for urinary incontinence caused by small 'invisible' dysplastic kidneys with infrasphincteric ureteric ectopia. *BJU Int*. 2000 Jul; 86: 145-6
- 11809 Nghiem Toan, N. Simplified urethrocystovaginal suspension as treatment for stress urinary incontinence. *Am J Obstet Gynecol*. 1993 May; 168: 1642
- 11977 Nghiem Toan, N. Simplified urethrocystovaginal suspension for stress urinary incontinence. *Am J Obstet Gynecol*. 1991 Jun; 164: 1689-90
- 3677 Nghiem-Toan, N. Simplified urethrocystovaginal suspension for stress urinary incontinence [letter; comment]. *Am J Obstet Gynecol*. 1991 Jun; 164: 1689-1690
- 10754 Nguyen, A., Mahoney, S., Minor, L., Ghoniem, G. A simple objective method of adjusting sling tension. *J Urol*. 1999 Nov; 162: 1674-6
- 44186 Nguyen, D. H., Bain, M. A., Salmonson, K. L., Ganesan, G. S., Burns, M. W., Mitchell, M. E. The syndrome of dysuria and hematuria in pediatric urinary reconstruction with stomach. *J Urol*. 1993 Aug; 150: 707-9
- 44184 Nguyen, D. H., Ganesan, G. S., Sumfest, J. M., Liggitt, D. H., Caruso, A., Burns, M. W., Mitchell, M. E. The use of the AMS800 artificial urinary sphincter in combination with the gastric tube for continence in the canine model. *J Urol*. 1993 Aug; 150: 737-41

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3038** Nguyen, D.H., Bain, M.A., Salmonson, K.L., Ganesan, G.S., Burns, M.W., and Mitchell, M.E. The syndrome of dysuria and hematuria in pediatric urinary reconstruction with stomach. *J Urol.* 1993 Aug; 150: 707-709
- 57350** Nguyen, H. T., Baskin, L. S. The outcome of bladder neck closure in children with severe urinary incontinence. *J Urol.* 2003 Mar; 169: 1114-6; discussion 1116
- 10412** Nguyen, J. K. Current concepts in the diagnosis and surgical repair of anterior vaginal prolapse due to paravaginal defects. *Obstet Gynecol Surv.* 2001 Apr; 56: 239-46
- 10046** Nguyen, J. K. Diagnosis and treatment of voiding dysfunction caused by urethral obstruction after anti-incontinence surgery. *Obstet Gynecol Surv.* 2002 Jul; 57: 468-75
- 40536** Nguyen, J. K., Bhatia, N. N. Resolution of motor urge incontinence after surgical repair of pelvic organ prolapse. *J Urol.* 2001 Dec; 166: 2263-6
- 10222** Nguyen, J. K., Bhatia, N. N. Risk of recurrent stress incontinence in women undergoing the combined modified perryra procedure and transvaginal sacrospinous ligament vault suspension. *Urology.* 2001 Dec; 58: 947-52
- 10217** Nguyen, J. K., Glowacki, C. A., Bhatia, N. N. Survey of voiding dysfunction and urinary retention after anti-incontinence procedures. *Obstet Gynecol.* 2001 Dec; 98: 1011-7
- 10127** Nguyen, J. K., Gunn, G. C., Bhatia, N. N. The effect of patient position on leak-point pressure measurements in women with genuine stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 9-14
- 10523** Nguyen, J. K., Hall, C. D., Bhatia, N. N. Transvaginal bladder neck suspension to Cooper's ligament: a review of the literature. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 320-4
- 43314** Nichols, D. H. What is new in vaginal surgery?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 115-6
- 40760** Nicholson, J. H., Morton, R. E., Attfield, S., Rennie, D. Assessment of upper-limb function and movement in children with cerebral palsy wearing lycra garments. *Dev Med Child Neurol.* 2001 Jun; 43: 384-91
- 42233** Nicita, G. A new operation for genitourinary prolapse. *J Urol.* 1998 Sep; 160: 741-5
- 42305** Nickel, R. F. Studies on the function of the urethra and bladder in continent and incontinent female dogs. *Vet Q.* 1998; 20 Suppl 1: S102-3
- 42746** Nickel, R. F., van den Brom, W. Simultaneous diuresis cysto-urethrometry and multi-channel urethral pressure profilometry in female dogs with refractory urinary incontinence. *Am J Vet Res.* 1997 Jul; 58: 691-6
- 43086** Nickel, R. F., van den Brom, W. E. Simultaneous diuresis cysto-urethrometry and multichannel urethral pressure profilometry in continent female dogs. *Am J Vet Res.* 1996 Aug; 57: 1131-6
- 41752** Nickel, R. F., Vink-Noteboom, M., van den Brom, W. E. Clinical and radiographic findings compared with urodynamic findings in neutered female dogs with refractory urinary incontinence. *Vet Rec.* 1999 Jul 3; 145: 11-5
- 42453** Nickel, R. F., Wiegand, U., van den Brom, W. E. Evaluation of a transpelvic sling procedure with and without colposuspension for treatment of female dogs with refractory urethral sphincter mechanism incompetence. *Vet Surg.* 1998 Mar-Apr; 27: 94-104
- 41175** Nicolle, L. E. Urinary tract infection in long-term-care facility residents. *Clin Infect Dis.* 2000 Sep; 31: 757-61
- 11913** Niecestro, R. M., Wheeler, J. S., Jr, Nanninga, J., Einhorn, C., Goggin, C. Use of stresscath for diagnosing stress incontinence. *Urology.* 1992 Mar; 39: 266-9
- 3464** Niecestro, R.M., Wheeler, J.S., Jr., Nanninga, J., Einhorn, C., and Goggin, C. Use of stresscath for diagnosing stress incontinence. *Urology.* 1992 Mar; 39: 266-269
- 44046** Nielsen, A. F., Walter, S. Epidemiology of infrequent voiding and associated symptoms. *Scand J Urol Nephrol Suppl.* 1994; 157: 49-53
- 12033** Nielsen, K. K., Kromann-Andersen, B., Jacobsen, H., Nielsen, E. M., Nordling, J., Holm, H. H., Larsen, J. F. The urethral plug: a new treatment modality for genuine urinary stress incontinence in women. *J Urol.* 1990 Nov; 144: 1199-202

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11778 Nielsen, K. K., Walter, S., Maegaard, E., Kromann-Andersen, B. The urethral plug II: an alternative treatment in women with genuine urinary stress incontinence. *Br J Urol.* 1993 Oct; 72: 428-32
- 3890 Nielsen, K.K., Kromann-Andersen, B., Jacobsen, H., Nielsen, E.M., Nordling, J., Holm, H.H., and Larsen, J.F. The urethral plug: a new treatment modality for genuine urinary stress incontinence in women. *J Urol.* 1990 Nov; 144: 1199-1202
- 10214 Niemczyk, P., Klutke, J. J., Carlin, B. I., Klutke, C. G. United States experience with tension-free vaginal tape procedure for urinary stress incontinence: assessment of safety and tolerability. *Tech Urol.* 2001 Dec; 7: 261-5
- 42926 Niewijk, A. H., Weijts, W. B. Effects of a multi-media course on urinary incontinence. *Patient Educ Couns.* 1997 Jan; 30: 95-103
- 10511 Nigam, A. K., Otite, U., Badenoch, D. F. Endoscopic bladder neck suspension revisited: long-term results of Stamey and Gittes procedures. *Eur Urol.* 2000 Dec; 38: 677-80
- 56150 Nihira, M. A., Henderson, N. Epidemiology of urinary incontinence in women. *Curr Womens Health Rep.* 2003 Aug; 3: 340-7
- 59269 Nijman, R. J., Borgstein, N. G., Ellsworth, P., Djurhuus, J. C. Tolterodine treatment for children with symptoms of urinary urge incontinence suggestive of detrusor overactivity: results from 2 randomized, placebo controlled trials. *J Urol.* 2005 Apr; 173: 1334-9
- 3727 Nijman, R.J., Scholtmeijer, R.J. Complications of transurethral electro-incision of posterior urethral valves. *Br J Urol.* 1991 Mar; 67: 324-326
- 40678 Niknejad, K. G., Atala, A. Bladder augmentation techniques in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 156-69
- 40570 Nikolaev, V. V. Treatment of incontinence in children with bladder exstrophy after rectal urinary diversion: the anal sling procedure. *J Urol.* 2001 Nov; 166: 1904-5
- 44885 Nill, T. G., Peller, P. A., Kropp, K. A. Management of urinary incontinence by bladder tube urethral lengthening and submucosal reimplantation. *J Urol.* 1990 Aug; 144: 559-61; discussion 562-3
- 3983 Nill, T.G., Peller, P.A., and Kropp, K.A. Management of urinary incontinence by bladder tube urethral lengthening and submucosal reimplantation. *J Urol.* 1990 Aug; 144: 559-61;discussion562-3
- 10473 Nilsson, C. G. Effectiveness of the conven continence guard (a disposable vaginal device) in the treatment of complicated female stress incontinence. *Acta Obstet Gynecol Scand.* 2000 Dec; 79: 1052-5
- 59031 Nilsson, C. G. Introduction of a new surgical procedure for treatment of female urinary incontinence. *Acta Obstet Gynecol Scand.* 2004 Oct; 83: 877-80
- 10970 Nilsson, C. G. The tensionfree vaginal tape procedure (TVT) for treatment of female urinary incontinence. A minimal invasive surgical procedure. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 34-7
- 10400 Nilsson, C. G., Kuuva, N. The tension-free vaginal tape procedure is successful in the majority of women with indications for surgical treatment of urinary stress incontinence. *BJOG.* 2001 Apr; 108: 414-9
- 10323 Nilsson, C. G., Kuuva, N., Falconer, C., Rezapour, M., Ulmsten, U. Long-term results of the tension-free vaginal tape (TVT) procedure for surgical treatment of female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S5-8
- 42638 Nilsson, C. G., Lukkari, E., Haarala, M., Kivela, A., Hakonen, T., Kiilholma, P. Comparison of a 10-mg controlled release oxybutynin tablet with a 5-mg oxybutynin tablet in urge incontinent patients. *Neurourol Urodyn.* 1997; 16: 533-42
- 42770 Nilvebrant, L., Andersson, K. E., Gillberg, P. G., Stahl, M., Sparf, B. Tolterodine--a new bladder-selective antimuscarinic agent. *Eur J Pharmacol.* 1997 May 30; 327: 195-207
- 3968 Nishida, K., Ueda, S., Matsumoto, K., Kusaka, K., and Takeuchi, R. Cauda equina neurinoma associated with normal pressure hydrocephalus--case report. *Neurol-Med-Chir (Tokyo).* 1990 Apr; 30: 258-262

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10772** Nishimatsu, H., Moriyama, N., Hamada, K., Ukai, Y., Yamazaki, S., Kameyama, S., Konno, N., Ishida, Y., Ishii, Y., Murayama, T., Kitamura, T. Contractile responses to alpha1-adrenoceptor agonists in isolated human male and female urethra. *BJU Int.* 1999 Sep; 84: 515-20
- 3812** Nissenkorn, I., Richter, S., and Slutzker, D. A simple, self-retaining intraurethral catheter for treatment of prostatic obstruction. *Eur Urol.* 1990; 18: 286-289
- 59082** Nissenkorn, I., Shalev, M., Radziszewski, P., Dobronski, P., Borkowski, A., De Jong, P. R. Patient-adjusted intermittent electrostimulation for treating stress and urge urinary incontinence. *BJU Int.* 2004 Jul; 94: 105-9
- 10817** Nitahara, K. S., Aboseif, S., Tanagho, E. A. Long-term results of colpocystourethropey for persistent or recurrent stress urinary incontinence. *J Urol.* 1999 Jul; 162: 138-41
- 41824** Nitti, V. W. Evaluation of the female with neurogenic voiding dysfunction. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 119-29
- 40751** Nitti, V. W. Improving conservative treatment of overactive bladder and urge incontinence--1 small step at a time. *J Urol.* 2001 Jul; 166: 150-1
- 43226** Nitti, V. W. The role of clinical research in the diagnosis and treatment of urinary incontinence. *J Urol.* 1996 Apr; 155: 1268-9
- 11815** Nitti, V. W., Bregg, K. J., Sussman, E. M., Raz, S. The Raz bladder neck suspension in patients 65 years old and older. *J Urol.* 1993 Apr; 149: 802-7
- 10192** Nitti, V. W., Carlson, K. V., Blaivas, J. G., Dmochowski, R. R. Early results of pubovaginal sling lysis by midline sling incision. *Urology.* 2002 Jan; 59: 47-51; discussion 51-2
- 11472** Nitti, V. W., Combs, A. J. Correlation of Valsalva leak point pressure with subjective degree of stress urinary incontinence in women. *J Urol.* 1996 Jan; 155: 281-5
- 11673** Nitti, V. W., Raz, S. Obstruction following anti-incontinence procedures: diagnosis and treatment with transvaginal urethrolisis. *J Urol.* 1994 Jul; 152: 93-8
- 3127** Nitti, V.W., Bregg, K.J., Sussman, E.M., and Raz, S. The Raz bladder neck suspension in patients 65 years old and older. *J Urol.* 1993 Apr; 149: 802-807
- 11476** Nixon, E. Continence. Easing the social stress. *Nurs Times.* 1995 Dec 13-19; 91: 60
- 40095** Nixon, G. M., Glazner, J. A., Martin, J. M., Sawyer, S. M. Urinary incontinence in female adolescents with cystic fibrosis. *Pediatrics.* 2002 Aug; 110: e22
- 40982** Nobili, F., Copello, F., Buffoni, F., Vitali, P., Girtler, N., Bordoni, C., Safaie-Semnani, E., Mariani, G., Rodriguez, G. Regional cerebral blood flow and prognostic evaluation in Alzheimer's disease. *Dement Geriatr Cogn Disord.* 2001 Mar-Apr; 12: 89-97
- 41595** Nobili, F., Copello, F., Vitali, P., Prastaro, T., Carozzo, S., Perego, G., Rodriguez, G. Timing of disease progression by quantitative EEG in Alzheimer' s patients. *J Clin Neurophysiol.* 1999 Nov; 16: 566-73
- 11044** Noblett, K. L., Jensen, J. K., Ostergard, D. R. The relationship of body mass index to intra-abdominal pressure as measured by multichannel cystometry. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 323-6
- 11848** Nochajski, T. H., Burns, P. A., Pranikoff, K., Dittmar, S. S. Dimensions of urine loss among older women with genuine stress incontinence. *Neurourol Urodyn.* 1993; 12: 223-33
- 3034** Nochajski, T.H., Burns, P.A., Pranikoff, K., and Dittmar, S.S. Dimensions of urine loss among older women with genuine stress incontinence. *Neurourol Urodyn.* 1993; 12: 223-233
- 43898** Noe, H. N., Williams, R. S., Causey, J., Smith, D. P. Long-term effects of polytetrafluoroethylene injected into the rat bladder submucosa. *Urology.* 1994 Jun; 43: 852-5; discussion 855-6
- 40420** Nomura, S., Ishido, T., Tanaka, K., Komiya, A. Augmentation ileocystoplasty in patients with neurogenic bladder due to spinal cord injury or spina bifida. *Spinal Cord.* 2002 Jan; 40: 30-3
- 44801** Nordstrom, G. M., Nyman, C. R. Living with a urostomy. A follow up with special regard to the peristomal-skin complications, psychosocial and sexual life. *Scand J Urol Nephrol Suppl.* 1991; 138: 247-51

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 44928 Nordstrom, G. M., Nyman, C. R., Theorell, T. The impact on work ability of ileal conduit urinary diversion. *Scand J Soc Med.* 1990 Jun; 18: 115-24
- 44552 Nordstrom, G., Nyman, C. R., Theorell, T. Psychosocial adjustment and general state of health in patients with ileal conduit urinary diversion. *Scand J Urol Nephrol.* 1992; 26: 139-47
- 3326 Nordstrom, G., Nyman, C.R., and Theorell, T. Psychosocial adjustment and general state of health in patients with ileal conduit urinary diversion. *Scand J Urol Nephrol.* 1992; 26: 139-147
- 3304 Nordstrom, G.M., Nyman, C.R. Male and female sexual function and activity following ileal conduit urinary diversion. *Br J Urol.* 1992 Jul; 70: 33-39
- 43188 Nordstrom, O., Sandin, R. Recall during intermittent propofol anaesthesia. *Br J Anaesth.* 1996 May; 76: 699-701
- 11110 Norman, D., Neu, L., Pearce, K. L. Asking patients about incontinence. *Adv Nurse Pract.* 1997 May; 5: 12
- 44761 Noronha-Blob, L., Kachur, J. F. Enantiomers of oxybutynin: in vitro pharmacological characterization at M1, M2 and M3 muscarinic receptors and in vivo effects on urinary bladder contraction, mydriasis and salivary secretion in guinea pigs. *J Pharmacol Exp Ther.* 1991 Feb; 256: 562-7
- 45053 Noronha-Blob, L., Sturm, B. L., Lowe, V. C., Jackson, K. N., Kachur, J. F. In vitro and in vivo antimuscarinic effects of (-)cis 2,3-dihydro-3-(4- methylpiperazinylmethyl)-2-phenyl-1,5 benzothiazepin-4-(5H)one HCl (BTM-1086) in guinea pig peripheral tissues. *Life Sci.* 1990; 46: 1223-31
- 10255 Norris, A., Scerri, A., Powell, M. Quality of anaesthesia for insertion of tension-free vaginal tape using local analgesia and sedation. *Eur J Anaesthesiol.* 2001 Nov; 18: 755-8
- 11369 Norris, J. P., Breslin, D. S., Staskin, D. R. Use of synthetic material in sling surgery: a minimally invasive approach. *J Endourol.* 1996 Jun; 10: 227-30
- 44028 North, A. Continence. The client's view. *Nurs Times.* 1994 Jan 26-Feb 1; 90: 80-2
- 11062 North, B. B. A disposable adhesive patch for stress urinary incontinence. *Fam Med.* 1998 Apr; 30: 258-64
- 43110 Norton, C. Asking simple questions: promoting continence (repeat) (continuing education credit). *Nurs Stand.* 1996 Jul 31; 10: 5-17; quiz 21-5
- 3090 Norton, C. Continence. A helping handle. *Nurs Times.* 1993 Apr 21-27; 89: 76-78
- 3965 Norton, C. Continence. A success story. *Nurs Times.* 1990 Aug 15-21; 86: 72
- 3219 Norton, C. Continence. Continent's provision. *Nurs Times.* 1992 Oct 28-Nov 3; 88: 76-78
- 3268 Norton, C. Incontinence in old age. *Nurs Elder.* 1992 Jul-Aug; 4: 17-18
- 3862 Norton, C. Nurse prescribing. Prescribing rights. *Nurs Stand.* 1990 Nov 14-20; 5: 4-5
- 43133 Norton, C. Providing appropriate services for continence: an overview. *Nurs Stand.* 1996 Jun 26; 10: 41-5
- 43786 Norton, C., Fader, M. Continence management. *Elder Care.* 1994 Nov-Dec; 6: 23-7
- 12046 Norton, K. R., Bhat, A. V., Stanton, S. L. Psychiatric aspects of urinary incontinence in women attending an outpatient urodynamic clinic. *BMJ.* 1990 Aug 4; 301: 271-2
- 3956 Norton, K.R., Bhat, A.V., and Stanton, S.L. Psychiatric aspects of urinary incontinence in women attending an outpatient urodynamic clinic [see comments]. *Bmj.* 1990 Aug 4; 301: 271-272
- 11641 Norton, P. A., Baker, J. E. Postural changes can reduce leakage in women with stress urinary incontinence. *Obstet Gynecol.* 1994 Nov; 84: 770-4
- 31637 Norton, P. A., Baker, J. E., Sharp, H. C., Warenski, J. C. Genitourinary prolapse and joint hypermobility in women. *Obstet Gynecol.* 1995 Feb; 85: 225-8
- 10071 Norton, P. A., Zinner, N. R., Yalcin, I., Bump, R. C. Duloxetine versus placebo in the treatment of stress urinary incontinence. *Am J Obstet Gynecol.* 2002 Jul; 187: 40-8



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43813** Norton, P., Karram, M., Wall, L. L., Rosenzweig, B., Benson, J. T., Fantl, J. A. Randomized double-blind trial of terodiline in the treatment of urge incontinence in women. *Obstet Gynecol.* 1994 Sep; 84: 386-91
- 4030** Norton, P.A. Diagnostic evaluation: additional urodynamic testing. *Clin Obstet Gynecol.* 1990 Jun; 33: 325-329
- 4033** Norton, P.A. Prevalence and social impact of urinary incontinence in women. *Clin Obstet Gynecol.* 1990 Jun; 33: 295-297
- 43389** Notelovitz, M. Estrogen therapy in the management of problems associated with urogenital ageing: a simple diagnostic test and the effect of the route of hormone administration. *Maturitas.* 1995 Dec; 22 Suppl: S31-3
- 43903** Novell, J. R., Osborne, M. J., Winslet, M. C., Lewis, A. A. Prospective randomized trial of Ivalon sponge versus sutured rectopexy for full-thickness rectal prolapse. *Br J Surg.* 1994 Jun; 81: 904-6
- 31572** Noyes, W. R., Bastin, K., Edwards, S. A., Buchler, D. A., Stitt, J. A., Thomadsen, B. R., Fowler, J. F., Kinsella, T. J. Postoperative vaginal cuff irradiation using high dose rate remote afterloading: a phase II clinical protocol. *Int J Radiat Oncol Biol Phys.* 1995 Jul 30; 32: 1439-43
- 40706** Nuininga, J. E., Feitz, W. F., van Dael, K. C., de Gier, R. P., Cornelissen, E. A. Urological complications in pediatric renal transplantation. *Eur Urol.* 2001 May; 39: 598-602
- 43575** Nunns, D., Higgins, S. P., Hamad, H., Haye, K. R. An unusual cause of incontinence. *Genitourin Med.* 1995 Jun; 71: 197-8
- 40372** Nuotio, M., Jylha, M., Luukkaala, T., Tammela, T. L. Urgency, urge incontinence and voiding symptoms in men and women aged 70 years and over. *BJU Int.* 2002 Mar; 89: 350-5
- 51310** Nuotio, M., Jylha, M., Luukkaala, T., Tammela, T. L. Urinary incontinence in a Finnish population aged 70 and over. Prevalence of types, associated factors and self-reported treatments. *Scand J Prim Health Care.* 2003 Sep; 21: 182-7
- 55890** Nuotio, M., Tammela, T. L., Luukkaala, T., Jylha, M. Predictors of institutionalization in an older population during a 13-year period: the effect of urge incontinence. *J Gerontol A Biol Sci Med Sci.* 2003 Aug; 58: 756-62
- 57150** Nuotio, M., Tammela, T. L., Luukkaala, T., Jylha, M. Urgency and urge incontinence in an older population: ten-year changes and their association with mortality. *Aging Clin Exp Res.* 2002 Oct; 14: 412-9
- 3051** Nurse, D.E., Britton, J.P., and Mundy, A.R. Relative indications for orthotopic lower urinary tract reconstruction, continent urinary diversion and conduit urinary diversion. *Br J Urol.* 1993 May; 71: 562-565
- 42824** Nyberg, L., Gustafson, Y. Fall prediction index for patients in stroke rehabilitation. *Stroke.* 1997 Apr; 28: 716-21
- 43683** Nygaard, I. Prevention of exercise incontinence with mechanical devices. *J Reprod Med.* 1995 Feb; 40: 89-94
- 11174** Nygaard, I. E. Does prolonged high-impact activity contribute to later urinary incontinence? A retrospective cohort study of female Olympians. *Obstet Gynecol.* 1997 Nov; 90: 718-22
- 43030** Nygaard, I. E. Nonoperative management of urinary incontinence. *Curr Opin Obstet Gynecol.* 1996 Oct; 8: 347-50
- 43340** Nygaard, I. E. Postvoid residual volume cannot be accurately estimated by bimanual examination. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 74-6
- 11376** Nygaard, I. E., Glowacki, C., Saltzman, C. L. Relationship between foot flexibility and urinary incontinence in nulliparous varsity athletes. *Obstet Gynecol.* 1996 Jun; 87: 1049-51
- 11467** Nygaard, I. E., Kreder, K. J., Lepic, M. M., Fountain, K. A., Rhomberg, A. T. Efficacy of pelvic floor muscle exercises in women with stress, urge, and mixed urinary incontinence. *Am J Obstet Gynecol.* 1996 Jan; 174: 120-5
- 11332** Nygaard, I. E., Lemke, J. H. Urinary incontinence in rural older women: prevalence, incidence and remission. *J Am Geriatr Soc.* 1996 Sep; 44: 1049-54
- 59014** Nygaard, I. E., McCreery, R., Brubaker, L., Connolly, A., Cundiff, G., Weber, A. M., Zyczynski, H. Abdominal sacrocolpopexy: a comprehensive review. *Obstet Gynecol.* 2004 Oct; 104: 805-23



# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 11664 Nygaard, I. E., Thompson, F. L., Svengalis, S. L., Albright, J. P. Urinary incontinence in elite nulliparous athletes. *Obstet Gynecol.* 1994 Aug; 84: 183-7
- 12072 Nygaard, I., DeLancey, J. O., Arnsdorf, L., Murphy, E. Exercise and incontinence. *Obstet Gynecol.* 1990 May; 75: 848-51
- 4086 Nygaard, I., DeLancey, J.O., Arnsdorf, L., and Murphy, E. Exercise and incontinence. *Obstet Gynecol.* 1990 May; 75: 848-851
- 10654 Nygaard, I., Holcomb, R. Reproducibility of the seven-day voiding diary in women with stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 15-7
- 42369 Nygaard, I., Linder, M. Thirst at work--an occupational hazard?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 340-3
- 57510 Nygaard, I., Turvey, C., Burns, T. L., Crischilles, E., Wallace, R. Urinary incontinence and depression in middle-aged United States women. *Obstet Gynecol.* 2003 Jan; 101: 149-56
- 43718 Nygaard, I., Zmolek, G. Exercise pad testing in continent exercisers: reproducibility and correlation with voided volume, pyridium staining, and type of exercise. *Neurourol Urodyn.* 1995; 14: 125-9
- 44535 Oakeshott, P., Hunt, G. M. Urinary incontinence in women. *BMJ.* 1992 Jan 25; 304: 255
- 3246 Oakeshott, P., Hunt, G.M. Intermittent self catheterization for patients with urinary incontinence or difficulty emptying the bladder. *Br J Gen Pract.* 1992 Jun; 42: 253-255
- 3478 Oakeshott, P., Hunt, G.M. Urinary incontinence in women [letter; comment]. *Bmj.* 1992 Jan 25; 304: 255
- 40014 O'Boyle, A. L., Davis, G. D., Calhoun, B. C. Informed consent and birth: protecting the pelvic floor and ourselves. *Am J Obstet Gynecol.* 2002 Oct; 187: 981-3
- 44366 O'Brien, D. P., Singh, J., Dias, P. S. Spinal epidermoid cyst and cauda equina syndrome in a teenage girl. *Ir J Med Sci.* 1992 Dec; 161: 675-8
- 43257 O'Brien, J. Evaluating primary care interventions for incontinence. *Nurs Stand.* 1996 Feb 28; 10: 40-3
- 11912 O'Brien, J. Measuring and treating urinary incontinence. *Nurs Times.* 1992 Apr 1-7; 88: 51-2
- 3533 OBrien, J., Austin, M., Sethi, P., and OBoyle, P. Urinary incontinence: prevalence, need for treatment, and effectiveness of intervention by nurse [see comments]. *Bmj.* 1991 Nov 23; 303: 1308-1312
- 44598 O'Brien, J., Austin, M., Sethi, P., O'Boyle, P. Urinary incontinence: prevalence, need for treatment, and effectiveness of intervention by nurse. *BMJ.* 1991 Nov 23; 303: 1308-12
- 43412 O'Brien, J., Long, H. Urinary incontinence: long term effectiveness of nursing intervention in primary care. *BMJ.* 1995 Nov 4; 311: 1208
- 44386 O'Connell, H. E., MacGregor, R. J., Russell, J. M. Female urinary incontinence. Management in primary care. *Med J Aust.* 1992 Oct 19; 157: 537-44
- 43455 O'Connell, H. E., McGuire, E. J., Aboseif, S., Usui, A. Transurethral collagen therapy in women. *J Urol.* 1995 Oct; 154: 1463-5
- 10887 O'Connell, H. E., McKertich, K. M. Common urological problems in women. *Aust Fam Physician.* 1998 Dec; 27: 1098-104
- 3186 OConnell, H.E., MacGregor, R.J., and Russell, J.M. Female urinary incontinence. Management in primary care. *Med J Aust.* 1992 Oct 19; 157: 537-544
- 40960 O'Connell-Gifford, E. Contact dermatitis complicated by environment. *Ostomy Wound Manage.* 2000 Sep; 46: 16-7
- 11019 O'Connor, R. A. Impact of surgery for stress incontinence on morbidity. Treatment needs to be based on objective assessment rather than on symptoms. *BMJ.* 1998 Jul 11; 317: 143-4; discussion 144
- 10798 O'Connor, R. A. Impact of surgery for stress incontinence on the social lives of women. *Br J Obstet Gynaecol.* 1999 Jun; 106: 613-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41334 Odejinmi, F. Advances in women's health. *Practitioner*. 2000 Mar; 244: 214-6, 219-20, 222-3
- 44568 O'Donnell, B. F., Drachman, D. A., Barnes, H. J., Peterson, K. E., Swearer, J. M., Lew, R. A. Incontinence and troublesome behaviors predict institutionalization in dementia. *J Geriatr Psychiatry Neurol*. 1992 Jan-Mar; 5: 45-52
- 3430 O'Donnell, B.F., Drachman, D.A., Barnes, H.J., Peterson, K.E., Swearer, J.M., and Lew, R.A. Incontinence and troublesome behaviors predict institutionalization in dementia. *J Geriatr Psychiatry Neurol*. 1992 Jan-Mar; 5: 45-52
- 3105 O'Donnell, P. Volume-interval relationship of incontinence episodes in elderly inpatient men. *Urology*. 1993 Apr; 41: 334-337
- 11929 O'Donnell, P. D. Combined Raz urethral suspension and McGuire pubovaginal sling for treatment of complicated stress urinary incontinence. *J Ark Med Soc*. 1992 Jan; 88: 389-92
- 42483 O'Donnell, P. D. Special considerations in elderly individuals with urinary incontinence. *Urology*. 1998 Feb; 51: 20-3
- 3824 O'Donnell, P.D., al-Juburi, A.Z. Microtip urethral pressure profile measurement in men. *Urology*. 1991 Feb; 37: 170-171
- 3626 O'Donnell, P.D., Beck, C. Urinary incontinence volume patterns in elderly inpatient men. *Urology*. 1991 Aug; 38: 128-131
- 4168 O'Donnell, P.D., Beck, C., and Walls, R.C. Serial incontinence assessment in elderly inpatient men. *J Rehabil Res Dev*. 1990 Winter; 27: 1-8
- 3868 O'Donnell, P.D., Brookover, T., Hewett, M., and al-Juburi, A.Z. Continence level following radical prostatectomy. *Urology*. 1990 Dec; 36: 511-512
- 3801 O'Donnell, P.D., Calandro, V.J., 2d. Incontinence management scale for elderly inpatient men. *Urology*. 1991 Mar; 37: 220-223
- 3717 O'Donnell, P.D., Doyle, R. Biofeedback therapy technique for treatment of urinary incontinence. *Urology*. 1991 May; 37: 432-436
- 4020 O'Donnell, P.D., Finkbeiner, A.E., and Beck, C. Urinary incontinence volume measurement in elderly male inpatients. *Urology*. 1990 Jun; 35: 499-503
- 11780 O'Dowd, T. C. Management of urinary incontinence in women. *Br J Gen Pract*. 1993 Oct; 43: 426-9
- 43945 O'Dowd, T. C. Urinary incontinence in women--a conundrum. *Br J Gen Pract*. 1994 Apr; 44: 147-8
- 56910 Oertel, W. H., Wachter, T., Quinn, N. P., Ulm, G., Brandstadter, D. Reduced genital sensitivity in female patients with multiple system atrophy of parkinsonian type. *Mov Disord*. 2003 Apr; 18: 430-2
- 3992 Oesterling, J.E., Gearhart, J.P. Utilization of ileal conduit in construction of continent urinary reservoir. *Urology*. 1990 Jul; 36: 15-19
- 11923 O'Flynn, K. J., Murphy, R., Thomas, D. G. Neurogenic bladder dysfunction in lumbar intervertebral disc prolapse. *Br J Urol*. 1992 Jan; 69: 38-40
- 12002 O'Flynn, K. J., Thomas, D. G. Artificial urinary sphincter insertion in congenital neuropathic bladder. *Br J Urol*. 1991 Feb; 67: 155-7
- 3486 O'Flynn, K.J., Murphy, R., and Thomas, D.G. Neurogenic bladder dysfunction in lumbar intervertebral disc prolapse. *Br J Urol*. 1992 Jan; 69: 38-40
- 10290 Oge, O. Re: Protracted urinary retention necessitating urethrolisis following tension-free vaginal tape surgery. *J Urol*. 2001 Sep; 166: 1009-10
- 41412 Oge, O., Tekgul, S., Ergen, A., Kendi, S. Urothelium-preserving augmentation cystoplasty covered with a peritoneal flap. *BJU Int*. 2000 May; 85: 802-5

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 54220** Oglesby, P. A., Carter, A. Ultrasonographic diagnosis of unilateral ectopic ureter in a Labrador dog. *J S Afr Vet Assoc.* 2003 Sep; 74: 84-6
- 11878** Ogundipe, A., Rosenzweig, B. A., Karram, M. M., Blumenfeld, D., Bhatia, N. N. Modified suburethral sling procedure for treatment of recurrent or severe stress urinary incontinence. *Surg Gynecol Obstet.* 1992 Aug; 175: 173-6
- 3312** Ogundipe, A., Rosenzweig, B.A., Karram, M.M., Blumenfeld, D., and Bhatia, N.N. Modified suburethral sling procedure for treatment of recurrent or severe stress urinary incontinence. *Surg Gynecol Obstet.* 1992 Aug; 175: 173-176
- 43626** Oh, C., Divino, C. M., Steinhagen, R. M. Anal fissure. 20-year experience. *Dis Colon Rectum.* 1995 Apr; 38: 378-82
- 41346** Oi, S., Shimoda, M., Shibata, M., Honda, Y., Togo, K., Shinoda, M., Tsugane, R., Sato, O. Pathophysiology of long-standing overt ventriculomegaly in adults. *J Neurosurg.* 2000 Jun; 92: 933-40
- 3534** Ojanuga, D. Preventing birth injury among women in Africa: case studies in northern Nigeria. *Am J Orthopsychiatry.* 1991 Oct; 61: 533-539
- 11091** Okada, H., Sengoku, J., Gohji, K., Arakawa, S., Kamidono, S. Clinical effect of propiverine in patients with urge or stress incontinence. Kobe University Incontinence Study Group. *Hinyokika Kyo.* 1998 Jan; 44: 65-9
- 41646** Okada, N., Igawa, Y., Nishizawa, O. Functional electrical stimulation for detrusor instability. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 329-35
- 42392** Okada, N., Igawa, Y., Ogawa, A., Nishizawa, O. Transcutaneous electrical stimulation of thigh muscles in the treatment of detrusor overactivity. *Br J Urol.* 1998 Apr; 81: 560-4
- 43058** Okada, Y., Shichiri, Y., Terai, A., Kakehi, Y., Terachi, T., Arai, Y., Yoshida, O. Management of late complications of continent urinary diversion using the Kock pouch and the Indiana pouch procedures. *Int J Urol.* 1996 Sep; 3: 334-9
- 42608** Okkens, A. C., Kooistra, H. S., Nickel, R. F. Comparison of long-term effects of ovariectomy versus ovari hysterectomy in bitches. *J Reprod Fertil Suppl.* 1997; 51: 227-31
- 10279** Okonkwo, J. E., Obionu, C. O., Obiechina, N. J. Factors contributing to urinary incontinence and pelvic prolapse in Nigeria. *Int J Gynaecol Obstet.* 2001 Sep; 74: 301-3
- 10125** Okorochoa, I., Cumming, G., Gould, I. Female urodynamics and lower urinary tract infection. *BJU Int.* 2002 Jun; 89: 863-7
- 43060** Okur, H., Kucikaydin, M., Kazez, A., Turan, C., Bozkurt, A. Genitourinary tract injuries in girls. *Br J Urol.* 1996 Sep; 78: 446-9
- 50970** Olah, K. S. Vaginal colposuspension: a new approach to an established continence procedure. *J Obstet Gynaecol.* 2003 Nov; 23: 687-8
- 12104** Olah, K. S., Bridges, N., Denning, J., Farrar, D. J. The conservative management of patients with symptoms of stress incontinence: a randomized, prospective study comparing weighted vaginal cones and interferential therapy. *Am J Obstet Gynecol.* 1990 Jan; 162: 87-92
- 4187** Olah, K.S., Bridges, N., Denning, J., and Farrar, D.J. The conservative management of patients with symptoms of stress incontinence: a randomized, prospective study comparing weighted vaginal cones and interferential therapy. *Am J Obstet Gynecol.* 1990 Jan; 162: 87-92
- 3370** Olbing, H. Management of the incontinent child in general practice. The paediatrician's viewpoint. *Scand J Urol Nephrol Suppl.* 1992; 141: 126-134
- 56890** Olby, N., Levine, J., Harris, T., Munana, K., Skeen, T., Sharp, N. Long-term functional outcome of dogs with severe injuries of the thoracolumbar spinal cord: 87 cases (1996-2001). *J Am Vet Med Assoc.* 2003 Mar 15; 222: 762-9
- 3118** Oldbury, M. Continence. Hard won comfort. *Nurs Times.* 1992 Mar 25-31; 88: 86

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41198** O'Leary, M. P., Gee, W. F., Holtgrewe, H. L., Blute, M. L., Cooper, T. P., Miles, B. J., Nellans, R. E., Thomas, R., Painter, M. R., Meyer, J. J., Naslund, M. J., Gormley, E. A., Blizzard, R., Fenninger, R. B. 1999 American Urological Association Gallup Survey: changes in physician practice patterns, treatment of incontinence and bladder cancer, and impact of managed care. *J Urol*. 2000 Oct; 164: 1311-6
- 3334** Oliver, H. Contracting for a continence service. *Nurs Stand*. 1992 Jun 10-16; 6: 25-27
- 44600** Oliver, J. R., Wheelless, C. R., Jr, Fakhoury, G. Correction of incontinent ileocolic urostomy with Kock's nipple valve. *Gynecol Oncol*. 1991 Nov; 43: 178-81
- 3538** Oliver, J.R., Wheelless, C.R., Jr., and Fakhoury, G. Correction of incontinent ileocolic urostomy with Kock's nipple valve. *Gynecol Oncol*. 1991 Nov; 43: 178-181
- 57660** Oliver, S., Fowler, C., Mundy, A., Craggs, M. Measuring the sensations of urge and bladder filling during cystometry in urge incontinence and the effects of neuromodulation. *Neurourol Urodyn*. 2003; 22: 7-16
- 42150** Olsen, A. L., Benson, J. T., McClellan, E. Urethral sphincter needle electromyography in women: comparison of periurethral and transvaginal approaches. *Neurourol Urodyn*. 1998; 17: 531-5
- 42827** Olsen, A. L., Smith, V. J., Bergstrom, J. O., Colling, J. C., Clark, A. L. Epidemiology of surgically managed pelvic organ prolapse and urinary incontinence. *Obstet Gynecol*. 1997 Apr; 89: 501-6
- 10936** Olson, M. E., Morck, D. W., Ceri, H., Lee, C. C., Chancellor, M. B. Evaluation of autologous fat implantation in the rat urinary bladder submucosa. *Urology*. 1998 Nov; 52: 915-9
- 40458** Olson, P. N., Kustritz, M. V., Johnston, S. D. Early-age neutering of dogs and cats in the United States (a review). *J Reprod Fertil Suppl*. 2001; 57: 223-32
- 10713** Olsson, I., Kroon, U. A three-year postoperative evaluation of tension-free vaginal tape. *Gynecol Obstet Invest*. 1999; 48: 267-9
- 41625** O'Meara, B. Continence. Hidden dangers. *Nurs Times*. 1999 Aug 4-10; 95: 70, 73
- 52350** O'Neil, B., Gilmour, D. Approach to urinary incontinence in women. Diagnosis and management by family physicians. *Can Fam Physician*. 2003 May; 49: 611-8
- 40241** Ong, L. C., Lim, Y. N., Sofiah, A. Malaysian children with spina bifida: relationship between functional outcome and level of lesion. *Singapore Med J*. 2002 Jan; 43: 012-7
- 41634** Ong, N. C., Dwyer, P. L. Labial fusion causing voiding difficulty and urinary incontinence. *Aust N Z J Obstet Gynaecol*. 1999 Aug; 39: 391-3
- 43139** Oostra, K., Everaert, K., Van Laere, M. Urinary incontinence in brain injury. *Brain Inj*. 1996 Jun; 10: 459-64
- 44156** Oot-Giromini, B. A. Pressure ulcer prevalence, incidence and associated risk factors in the community. *Decubitus*. 1993 Sep; 6: 24-32
- 41550** Opeskin, K., Clarke, I., Berkovic, S. F. Prolactin levels in sudden unexpected death in epilepsy. *Epilepsia*. 2000 Jan; 41: 48-51
- 11566** Opsomer, R. J. Female urinary incontinence: imaging by or for the urologist. *Acta Urol Belg*. 1995 May; 63: 31-4
- 53310** Ord, T., Hilton, P. Anaesthesia for tension-free vaginal tape. *Eur Urol*. 2003 Feb; 43: 205-7; author reply 207
- 10961** Ordonez, E., Zivkovic, F., Moser, F., Tamussino, K. Inadvertent ureteral catheterizaion with a microtip catheter at cystometry. *Int Urogynecol J Pelvic Floor Dysfunct*. 1998; 9: 184-5
- 11666** Ordorica, R. C. Surgical repair of stress urinary incontinence. *R I Med*. 1994 Aug; 77: 275-7
- 41394** Ordorica, R. C., Masel, J., Seigne, J., Persky, L., Lockhart, J. L. Evaluation and management of mechanical dysfunction in continent colonic urinary reservoirs. *J Urol*. 2000 Jun; 163: 1679-84
- 11667** Ordorica, R., Stein, B. Incontinence: defining the problem. *R I Med*. 1994 Aug; 77: 262-3
- 40490** O'Reilly, B. A., Kosaka, A. H., Knight, G. F., Chang, T. K., Ford, A. P., Rymer, J. M., Popert, R., Burnstock, G., McMahon, S. B. P2X receptors and their role in female idiopathic detrusor instability. *J Urol*. 2002 Jan; 167: 157-64

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10197 O'Reilly, K. J., Govier, F. E. Intermediate term failure of pubovaginal slings using cadaveric fascia lata: a case series. *J Urol*. 2002 Mar; 167: 1356-8
- 53420 Oremus, M., Collet, J. P., Corcos, J., Shapiro, S. H. A survey of physician efficacy requirements to plan clinical trials. *Pharmacoepidemiol Drug Saf*. 2002 Dec; 11: 677-85
- 51430 Oremus, M., Collet, J. P., Shapiro, S. H., Penrod, J., Corcos, J. Surgery versus collagen for female stress urinary incontinence: economic assessment in Ontario and Quebec. *Can J Urol*. 2003 Aug; 10: 1934-44
- 44427 Orlander, J. D., Jick, S. S., Dean, A. D., Jick, H. Urinary tract infections and estrogen use in older women. *J Am Geriatr Soc*. 1992 Aug; 40: 817-20
- 3844 Orovan, W.L., Davis, I.R. Kock to urethra: continent functional bladder replacement. *Can J Surg*. 1990 Apr; 33: 91-94
- 40759 Orr, A., McVean, R. J., Webb, A. K., Dodd, M. E. Questionnaire survey of urinary incontinence in women with cystic fibrosis. *BMJ*. 2001 Jun 23; 322: 1521
- 43691 Ortiz, V., Goldenberg, S. Hypergastrinemia following gastrocystoplasty in rats. *Urol Res*. 1995; 23: 361-3
- 59212 Oskay, U. Y., Beji, N. K., Yalcin, O. A study on urogenital complaints of postmenopausal women aged 50 and over. *Acta Obstet Gynecol Scand*. 2005 Jan; 84: 72-8
- 50820 Osman, T. Stress incontinence surgery for patients presenting with mixed incontinence and a normal cystometrogram. *BJU Int*. 2003 Dec; 92: 964-8
- 59127 Osmonov, D. K., Portillo, F. J. Re: functional and neuroanatomical effects of vaginal distention and pudendal nerve crush in the female rat. *J Urol*. 2004 Jun; 171: 2388; author reply 2388-9
- 11045 Ostergard, D. R. Primary slings for everyone with genuine stress incontinence? The argument against. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 321-2
- 11555 Ostergard, D. R. Urogynecology and pelvic reconstructive surgery: office preoperative evaluation of the incontinent female. *Int J Gynaecol Obstet*. 1995 Jul; 49 Suppl: S43-7
- 43674 Osterweil, D., Martin, M., Syndulko, K. Predictors of skilled nursing placement in a multilevel long-term-care facility. *J Am Geriatr Soc*. 1995 Feb; 43: 108-12
- 11028 Ostrzenski, A. Genuine stress urinary incontinence in women. New laparoscopic paravaginal reconstruction. *J Reprod Med*. 1998 Jun; 43: 477-82
- 10941 Ostrzenski, A., Osborne, N. G. Ultrasonography as a screening tool for paravaginal defects in women with stress incontinence: a pilot study. *Int Urogynecol J Pelvic Floor Dysfunct*. 1998; 9: 195-9
- 11175 Ostrzenski, A., Osborne, N. G., Ostrzenska, K. Method for diagnosing paravaginal defects using contrast ultrasonographic technique. *J Ultrasound Med*. 1997 Oct; 16: 673-7
- 11577 O'Sullivan, D. C., Chilton, C. P., Munson, K. W. Should Stamey colposuspension be our primary surgery for stress incontinence?. *Br J Urol*. 1995 Apr; 75: 457-60
- 51580 O'Sullivan, R., Simons, A., Prashar, S., Anderson, P., Louey, M., Moore, K. H. Is objective cure of mild undifferentiated incontinence more readily achieved than that of moderate incontinence? Costs and 2-year outcome. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Aug; 14: 193-8; discussion 198
- 11757 Ou, C. S., Presthus, J., Beadle, E. Laparoscopic bladder neck suspension using hernia mesh and surgical staples. *J Laparoendosc Surg*. 1993 Dec; 3: 563-6
- 10802 Ou, C. S., Rowbotham, R. Five-year follow-up of laparoscopic bladder neck suspension using synthetic mesh and surgical staples. *J Laparoendosc Adv Surg Tech A*. 1999 Jun; 9: 249-52
- 42678 Ouslander, J. G. Aging and the lower urinary tract. *Am J Med Sci*. 1997 Oct; 314: 214-8
- 40716 Ouslander, J. G., Ai-Samarrai, N., Schnelle, J. F. Prompted voiding for nighttime incontinence in nursing homes: is it effective?. *J Am Geriatr Soc*. 2001 Jun; 49: 706-9



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42422** Ouslander, J. G., Buxton, W. G., Al-Samarrai, N. R., Cruise, P. A., Alessi, C., Schnelle, J. F. Nighttime urinary incontinence and sleep disruption among nursing home residents. *J Am Geriatr Soc.* 1998 Apr; 46: 463-6
- 10719** Ouslander, J. G., Cooper, E., Godley, D. Estrogen treatment for incontinence in frail older women. *J Am Geriatr Soc.* 1999 Nov; 47: 1383-4
- 40714** Ouslander, J. G., Greendale, G. A., Uman, G., Lee, C., Paul, W., Schnelle, J. Effects of oral estrogen and progestin on the lower urinary tract among female nursing home residents. *J Am Geriatr Soc.* 2001 Jun; 49: 803-7
- 42149** Ouslander, J. G., Nasr, S. Z., Miller, M., Withington, W., Lee, C. S., Wiltshire-Clement, M., Cruise, P., Schnelle, J. F. Arginine vasopressin levels in nursing home residents with nighttime urinary incontinence. *J Am Geriatr Soc.* 1998 Oct; 46: 1274-9
- 44123** Ouslander, J. G., Palmer, M. H., Rovner, B. W., German, P. S. Urinary incontinence in nursing homes: incidence, remission and associated factors. *J Am Geriatr Soc.* 1993 Oct; 41: 1083-9
- 43557** Ouslander, J. G., Schapira, M., Fingold, S., Schnelle, J. Accuracy of rapid urine screening tests among incontinent nursing home residents with asymptomatic bacteriuria. *J Am Geriatr Soc.* 1995 Jul; 43: 772-5
- 43643** Ouslander, J. G., Schapira, M., Schnelle, J. F. Urine specimen collection from incontinent female nursing home residents. *J Am Geriatr Soc.* 1995 Mar; 43: 279-81
- 43222** Ouslander, J. G., Schapira, M., Schnelle, J. F., Fingold, S. Pyuria among chronically incontinent but otherwise asymptomatic nursing home residents. *J Am Geriatr Soc.* 1996 Apr; 44: 420-3
- 43582** Ouslander, J. G., Schapira, M., Schnelle, J. F., Uman, G., Fingold, S., Tuico, E., Nigam, J. G. Does eradicating bacteriuria affect the severity of chronic urinary incontinence in nursing home residents?. *Ann Intern Med.* 1995 May 15; 122: 749-54
- 43638** Ouslander, J. G., Schnelle, J. F. Incontinence in the nursing home. *Ann Intern Med.* 1995 Mar 15; 122: 438-49
- 43583** Ouslander, J. G., Schnelle, J. F., Uman, G., Fingold, S., Nigam, J. G., Tuico, E., Bates-Jensen, B. Predictors of successful prompted voiding among incontinent nursing home residents. *JAMA.* 1995 May 3; 273: 1366-70
- 43569** Ouslander, J. G., Schnelle, J. F., Uman, G., Fingold, S., Nigam, J. G., Tuico, E., Jensen, B. B. Does oxybutynin add to the effectiveness of prompted voiding for urinary incontinence among nursing home residents? A placebo-controlled trial. *J Am Geriatr Soc.* 1995 Jun; 43: 610-7
- 40961** Ouslander, J. G., Shih, Y. T., Malone-Lee, J., Luber, K. Overactive bladder: special considerations in the geriatric population. *Am J Manag Care.* 2000 Jul; 6: S599-606
- 43221** Ouslander, J. G., Simmons, S., Schnelle, J., Uman, G., Fingold, S. Effects of prompted voiding on fecal continence among nursing home residents. *J Am Geriatr Soc.* 1996 Apr; 44: 424-8
- 43770** Ouslander, J. G., Simmons, S., Tuico, E., Nigam, J. G., Fingold, S., Bates-Jensen, B., Schnelle, J. F. Use of a portable ultrasound device to measure post-void residual volume among incontinent nursing home residents. *J Am Geriatr Soc.* 1994 Nov; 42: 1189-92
- 44979** Ouslander, J. G., Zarit, S. H., Orr, N. K., Muira, S. A. Incontinence among elderly community-dwelling dementia patients. Characteristics, management, and impact on caregivers. *J Am Geriatr Soc.* 1990 Apr; 38: 440-5
- 41601** Ouslander, J., Johnson, T., Nasr, S., Schnelle, J., Miller, M. Atrial natriuretic peptide levels in geriatric patients with nocturia and nursing home residents with nighttime incontinence. *J Am Geriatr Soc.* 1999 Dec; 47: 1439-44
- 3111** Ouslander, J., Schnelle, J., Simmons, S., Bates-Jensen, B., and Zeitlin, M. The dark side of incontinence: nighttime incontinence in nursing home residents. *J Am Geriatr Soc.* 1993 Apr; 41: 371-376
- 44251** Ouslander, J., Schnelle, J., Simmons, S., Bates-Jensen, B., Zeitlin, M. The dark side of incontinence: nighttime incontinence in nursing home residents. *J Am Geriatr Soc.* 1993 Apr; 41: 371-6
- 3508** Ouslander, J.G. Geriatric urinary incontinence. *Dis Mon.* 1992 Feb; 38: 65-149
- 4154** Ouslander, J.G. Urinary incontinence in nursing homes. *J Am Geriatr Soc.* 1990 Mar; 38: 289-291



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3557 Ouslander, J.G. Urinary incontinence in the geriatric population. *Nippon Ronen Igakkai Zasshi*. 1991 Jul; 28: 484-492
- 4015 Ouslander, J.G., Abelson, S. Perceptions of urinary incontinence among elderly outpatients. *Gerontologist*. 1990 Jun; 30: 369-372
- 4075 Ouslander, J.G., Zarit, S.H., Orr, N.K., and Muira, S.A. Incontinence among elderly community-dwelling dementia patients. Characteristics, management, and impact on caregivers. *J Am Geriatr Soc*. 1990 Apr; 38: 440-445
- 3168 Overmeyer, S., Rothenberger, A., and Koelfen, W. Psychiatric disturbances in children with hamartomas: a neglected somatopsychic issue. A case report. *Acta Paedopsychiatr*. 1992; 55: 243-249
- 44571 Overmeyer, S., Rothenberger, A., Koelfen, W. Psychiatric disturbances in children with hamartomas: a neglected somatopsychic issue. A case report. *Acta Paedopsychiatr*. 1992; 55: 243-9
- 43553 Owen, D. C., Getz, P. A., Bulla, S. A comparison of characteristics of patients with completed stroke: those who achieve continence and those who do not. *Rehabil Nurs*. 1995 Jul-Aug; 20: 197-203
- 10994 Owens, R. G., Karram, M. M. Comparative tolerability of drug therapies used to treat incontinence and enuresis. *Drug Saf*. 1998 Aug; 19: 123-39
- 42446 Ozawa, H., Kumon, H., Ichikawa, T., Nagai, A., Ohmori, H. Urodynamic changes after endoscopic correction of vesicoureteral reflux. *Int J Urol*. 1998 Jan; 5: 103-5
- 41172 Ozawa, H., Noma, S., Yoshida, Y., Sekine, H., Hashimoto, T. Acute disseminated encephalomyelitis associated with poliomyelitis vaccine. *Pediatr Neurol*. 2000 Aug; 23: 177-9
- 30933 Ozcan, U., Gungor, T., Ekin, M., Eken, S. Sacrospinous fixation for the prolapsed vaginal vault. *Gynecol Obstet Invest*. 1999; 47: 65-8
- 10757 Ozek, C., Gurler, T., Alper, M., Gundogan, H., Bilkay, U., Songur, E., Akin, Y., Cagdas, A. Modified McIndoe procedure for vaginal agenesis. *Ann Plast Surg*. 1999 Oct; 43: 393-6
- 11073 Pace, J., Ballard, C. A., Klutke, J., Klutke, C., Kobak, W. Intraoperative transvesical cystoscopy for urogynecologic procedures. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 265-9
- 10026 Paddison, K. Complying with pelvic floor exercises: a literature review. *Nurs Stand*. 2002 Jun 12-18; 16: 33-8
- 41844 Page, A. Twelve years of hell. *Nurs Times*. 1999 May 5-11; 95: 65-6, 69
- 44672 Page, S. W. Diethylstilboestrol--clinical pharmacology and alternatives in small animal practice. *Aust Vet J*. 1991 Jul; 68: 226-30
- 10341 Pages, I. H., Jahr, S., Schaufele, M. K., Conradi, E. Comparative analysis of biofeedback and physical therapy for treatment of urinary stress incontinence in women. *Am J Phys Med Rehabil*. 2001 Jul; 80: 494-502
- 59050 Paick, J. S., Ku, J. H., Kim, S. W., Oh, S. J., Son, H., Shin, J. W. Tension-free vaginal tape procedure for the treatment of mixed urinary incontinence: significance of maximal urethral closure pressure. *J Urol*. 2004 Sep; 172: 1001-5
- 50120 Paick, J. S., Ku, J. H., Shin, J. W., Park, K. J., Kim, S. W., Oh, S. J. Shortening of tension-free vaginal tape for the treatment of recurrent incontinence. *J Urol*. 2004 Apr; 171: 1634
- 59227 Paick, J. S., Ku, J. H., Shin, J. W., Park, K., Son, H., Oh, S. J., Kim, S. W. Significance of pad test loss for the evaluation of women with urinary incontinence. *Neurourol Urodyn*. 2005; 24: 39-43
- 59035 Paick, J. S., Ku, J. H., Shin, J. W., Son, H., Oh, S. J., Kim, S. W. Tension-free vaginal tape procedure for urinary incontinence with low Valsalva leak point pressure. *J Urol*. 2004 Oct; 172: 1370-3
- 10131 Pajoncini, C., Costantini, E., Guercini, F., Porena, M. Intrinsic sphincter deficiency: do the maximum urethral closure pressure and the Valsalva leak-point pressure identify different pathogenic mechanisms?. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 30-5
- 41868 Pakiam, A. S., Bergeron, C., Lang, A. E. Diffuse Lewy body disease presenting as multiple system atrophy. *Can J Neurol Sci*. 1999 May; 26: 127-31

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 42661** Palace, J., Chandiramani, V. A., Fowler, C. J. Value of sphincter electromyography in the diagnosis of multiple system atrophy. *Muscle Nerve*. 1997 Nov; 20: 1396-403
- 42145** Palacio, M. M., Van Aalst, V. C., Perez Abadia, G. A., Stremel, R. W., Werker, P. M., Ren, X., Petty, G. D., Heilman, S. J., Van Savage, J. G., Garcia Fernandez, A., Kon, M., Tobin, G. R., Barker, J. H. Muscular urinary sphincter: electrically stimulated myoplasty for functional sphincter reconstruction. *J Urol*. 1998 Nov; 160: 1867-71
- 41531** Palacios, S. Current perspectives on the benefits of HRT in menopausal women. *Maturitas*. 1999 Nov; 33 Suppl 1: S1-13
- 59180** Palma, P. C., Dambros, M., Riccetto, C. Z., Thiel, M., Netto, N. R., Jr The Ibero-American experience with a re-adjustable minimally invasive sling. *BJU Int*. 2005 Feb; 95: 341-5
- 11249** Palma, P. C., Riccetto, C. L., Herrmann, V., Netto, N. R., Jr Repeated lipoinjections for stress urinary incontinence. *J Endourol*. 1997 Feb; 11: 67-70
- 11417** Palma, P. C., Riccetto, C. L., Netto Junior, N. R. Urethral pseudolipoma: a complication of periurethral lipo-injection for stress urinary incontinence in a woman. *J Urol*. 1996 Feb; 155: 646
- 11234** Palmer, M. H. Pelvic muscle rehabilitation: where do we go from here?. *J Wound Ostomy Continence Nurs*. 1997 Mar; 24: 98-105
- 42721** Palmer, M. H. Response to Moore's commentary on 'Urinary continence changes after hip fracture repair'. *Clin Nurs Res*. 1997 Aug; 6: 300-1
- 40431** Palmer, M. H. Urinary incontinence in nursing homes. *J Wound Ostomy Continence Nurs*. 2002 Jan; 29: 4-5
- 40034** Palmer, M. H., Baumgarten, M., Langenberg, P., Carson, J. L. Risk factors for hospital-acquired incontinence in elderly female hip fracture patients. *J Gerontol A Biol Sci Med Sci*. 2002 Oct; 57: M672-7
- 41938** Palmer, M. H., Bennett, R. G., Marks, J., McCormick, K. A., Engel, B. T. Urinary incontinence: a program that works. *J Long Term Care Adm*. 1994 Summer; 22: 19-25
- 53030** Palmer, M. H., Fitzgerald, S. Urinary incontinence in working women: a comparison study. *J Womens Health (Larchmt)*. 2002 Dec; 11: 879-88
- 41735** Palmer, M. H., Fitzgerald, S., Berry, S. J., Hart, K. Urinary incontinence in working women: an exploratory study. *Women Health*. 1999; 29: 67-82
- 44590** Palmer, M. H., German, P. S., Ouslander, J. G. Risk factors for urinary incontinence one year after nursing home admission. *Res Nurs Health*. 1991 Dec; 14: 405-12
- 44509** Palmer, M. H., McCormick, K. A., Langford, A., Langlois, J., Alvaran, M. Continence outcomes: documentation on medical records in the nursing home environment. *J Nurs Care Qual*. 1992 Apr; 6: 36-43
- 42855** Palmer, M. H., Myers, A. H., Fedenko, K. M. Urinary continence changes after hip-fracture repair. *Clin Nurs Res*. 1997 Feb; 6: 8-21; discussion 21-4
- 3882** Palmer, M.H. Urinary incontinence. *Nurs Clin North Am*. 1990 Dec; 25: 919-934
- 3467** Palmer, M.H., German, P.S., and Ouslander, J.G. Risk factors for urinary incontinence one year after nursing home admission. *Res Nurs Health*. 1991 Dec; 14: 405-412
- 3457** Palmer, M.H., McCormick, K.A., Langford, A., Langlois, J., and Alvaran, M. Continence outcomes: documentation on medical records in the nursing home environment. *J Nurs Care Qual*. 1992 Apr; 6: 36-43
- 4170** Palmer, R.M. Ambulatory management of urinary incontinence in the frail elderly. *Geriatrics*. 1990 Mar; 45: 61-66
- 10112** Palomba, S., Russo, T., Iuzzolino, D., Cosco, C., Noia, R., Arduino, B., Morelli, M., Zullo, F. Comparison between two laparoscopic retropubic urethropexy. *Minerva Chir*. 2002 Jun; 57: 323-9
- 43547** Palumbo, M. V. Continence consultation for the rural homebound. *Home Healthc Nurse*. 1995 Jul-Aug; 13: 61-7; quiz 68-70
- 10174** Palumbo, M. V. Pessary placement and management. *Ostomy Wound Manage*. 2000 Dec; 46: 40-5

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 11183 Pandit, L., Ouslander, J. G. Postmenopausal vaginal atrophy and atrophic vaginitis. *Am J Med Sci.* 1997 Oct; 314: 228-31
- 42271 Pandita, R. K., Nylen, A., Andersson, K. E. Oxytocin-induced stimulation and inhibition of bladder activity in normal, conscious rats--influence of nitric oxide synthase inhibition. *Neuroscience.* 1998 Aug; 85: 1113-9
- 3081 Pang, D. Sacral agenesis and caudal spinal cord malformations. *Neurosurgery.* 1993 May; 32: 755-78;discussion778-9
- 51350 Pang, M. W., Chan, L. W., Yip, S. K. One-year urodynamic outcome and quality of life in patients with concomitant tension-free vaginal tape during pelvic floor reconstruction surgery for genitourinary prolapse and urodynamic stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Oct; 14: 256-60; discussion 259-60
- 41001 Pannek, J. Vesicostomy in adult meningomyelocele patients. Reappraisal of an old technique. *Int Urol Nephrol.* 1999; 31: 643-5
- 10274 Pannek, J., Brands, F. H., Senge, T. Particle migration after transurethral injection of carbon coated beads for stress urinary incontinence. *J Urol.* 2001 Oct; 166: 1350-3
- 11293 Pannek, J., Haupt, G., Sommerfeld, H. J., Schulze, H., Senge, T. Urodynamic and rectomanometric findings in urinary incontinence. *Scand J Urol Nephrol.* 1996 Dec; 30: 457-60
- 41858 Pannek, J., Muller, M., Haupt, G. An unexpected complication of the remote-controlled intraurethral valve pump for urinary incontinence. *Urol Int.* 1998; 61: 235-6
- 42458 Pannek, J., Sommerfeld, H. J. Ovarian cystoid causing Kock pouch incontinence. *Urol Int.* 1998; 60: 59-61
- 3048 Pannill, F.C., 3d. Urinary incontinence for the primary care physician. *Conn Med.* 1993 May; 57: 299-308
- 41087 Pannu, H. K., Kaufman, H. S., Cundiff, G. W., Genadry, R., Bluemke, D. A., Fishman, E. K. Dynamic MR imaging of pelvic organ prolapse: spectrum of abnormalities. *Radiographics.* 2000 Nov-Dec; 20: 1567-82
- 43363 Pantuck, A. J., Barone, J. G., Rosenfeld, D. L., Fleisher, M. H. Occult bilateral ectopic vaginal ureters causing urinary incontinence: diagnosis by computed tomography. *Abdom Imaging.* 1996 Jan-Feb; 21: 78-80
- 10822 Pantuck, A. J., Li, R. Z., Perrotti, M. Stamey needle passage of fascial pubovaginal sling after failed vesicourethropexy. *Tech Urol.* 1999 Mar; 5: 21-3
- 40783 Paolucci, S., Antonucci, G., Grasso, M. G., Pizzamiglio, L. The role of unilateral spatial neglect in rehabilitation of right brain- damaged ischemic stroke patients: a matched comparison. *Arch Phys Med Rehabil.* 2001 Jun; 82: 743-9
- 10980 Papa Petros, P. E. A cystocele may compensate for latent stress incontinence by stretching the vaginal hammock. *Gynecol Obstet Invest.* 1998; 46: 206-9
- 11672 Papa Petros, P. E. Ambulatory surgery for urinary incontinence and vaginal prolapse. *Med J Aust.* 1994 Jul 18; 161: 171-2
- 41574 Papa Petros, P. E. Cure of urinary and fecal incontinence by pelvic ligament reconstruction suggests a connective tissue etiology for both. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 356-60
- 41960 Papa Petros, P. E. Detrusor instability and low compliance may represent different levels of disturbance in peripheral feedback control of the micturition reflex. *Neurourol Urodyn.* 1999; 18: 81-91
- 11646 Papa Petros, P. E. Tissue reaction to implanted foreign materials for cure of stress incontinence. *Am J Obstet Gynecol.* 1994 Oct; 171: 1159
- 11003 Papa Petros, P. E., Bush, M. B. A mathematical model for micturition gives new insights into pressure measurement and function. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 103-7
- 11868 Papa Petros, P. E., Ulmsten, U. An analysis of rapid pad testing and the history for the diagnosis of stress incontinence. *Acta Obstet Gynecol Scand.* 1992 Oct; 71: 529-36
- 10846 Papa Petros, P. E., Ulmsten, U. An anatomical classification--a new paradigm for management of urinary dysfunction in the female. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 29-35

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 11190 Papa Petros, P. E., Ulmsten, U. Role of the pelvic floor in bladder neck opening and closure II: vagina. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 69-73
- 40037 Papais-Alvarenga, R. M., Miranda-Santos, C. M., Puccioni-Sohler, M., de Almeida, A. M., Oliveira, S., Basilio De Oliveira, C. A., Alvarenga, H., Poser, C. M. Optic neuromyelitis syndrome in Brazilian patients. *J Neurol Neurosurg Psychiatry.* 2002 Oct; 73: 429-35
- 11247 Papasakelariou, C., Papasakelariou, B. Laparoscopic bladder neck suspension. *J Am Assoc Gynecol Laparosc.* 1997 Feb; 4: 185-9
- 53870 Paraiso, M. F., Muir, T. W., Sokol, A. I. Are midurethral slings the gold standard surgical treatment for primary genuine stress incontinence?. *J Am Assoc Gynecol Laparosc.* 2002 Nov; 9: 405-7
- 59221 Paraiso, M. F., Walters, M. D., Karram, M. M., Barber, M. D. Laparoscopic Burch colposuspension versus tension-free vaginal tape: a randomized trial. *Obstet Gynecol.* 2004 Dec; 104: 1249-58
- 41358 Parazzini, F., Colli, E., Origgi, G., Surace, M., Bianchi, M., Benzi, G., Artibani, W. Risk factors for urinary incontinence in women. *Eur Urol.* 2000 Jun; 37: 637-43
- 57480 Parazzini, F., Lavezzari, M., Arbitani, W. Prevalence of overactive bladder and urinary incontinence. *J Fam Pract.* 2002 Dec; 51: 1072-5
- 42406 Park, J. M., Montie, J. E. Mechanisms of incontinence and retention after orthotopic neobladder diversion. *Urology.* 1998 Apr; 51: 601-9
- 42718 Park, T., Lee, S. Y. A test of missing completely at random for longitudinal data with missing observations. *Stat Med.* 1997 Aug 30; 16: 1859-71
- 41683 Park, T., Lee, S. Y. Simple pattern-mixture models for longitudinal data with missing observations: analysis of urinary incontinence data. *Stat Med.* 1999 Nov 15; 18: 2933-41
- 41487 Parker, L. J. Urinary catheter management: minimizing the risk of infection. *Br J Nurs.* 1999 May 13-26; 8: 563-6, 568, 570 passim
- 4055 Parkhouse, H.F., Woodhouse, C.R. Long-term status of patients with posterior urethral valves. *Urol Clin North Am.* 1990 May; 17: 373-378
- 51890 Parmet, S., Lynm, C., Glass, R. M. JAMA patient page. Stress incontinence. *JAMA.* 2003 Jul 16; 290: 426
- 43886 Parra, R. O., Cummings, J. M., Boullier, J. A. Simple detubularization technique for construction of continent colonic urinary reservoirs. *Urology.* 1994 Jul; 44: 35-7
- 12023 Parra, R. O., Shaker, L. Experience with a simplified technique for the treatment of female stress urinary incontinence. *Br J Urol.* 1990 Dec; 66: 615-7
- 3650 Parres, J.A., Kropp, K.A. Urodynamic evaluation of the continence mechanism following urethral lengthening--reimplantation and enterocystoplasty. *J Urol.* 1991 Aug; 146: 535-538
- 11611 Partain-DeLisle, N. The use of laparoscopic surgery in the treatment of urinary stress incontinence. *Minim Invasive Surg Nurs.* 1995 Fall; 9: 118-22
- 10093 Partoll, L. M. Efficacy of tension-free vaginal tape with other pelvic reconstructive surgery. *Am J Obstet Gynecol.* 2002 Jun; 186: 1292-5; discussion 1295-8
- 3971 Parulkar, B.G., Barrett, D.M. Application of the AS-800 artificial sphincter for intractable urinary incontinence in females. *Surg Gynecol Obstet.* 1990 Aug; 171: 131-138
- 54370 Parwani, A. V., Rosenthal, D. L., Epstein, J. I., Ali, S. Z. Pathologic quiz case: a 3-year-old girl with dysuria and urinary incontinence. Primary embryonal rhabdomyosarcoma of the urinary bladder. *Arch Pathol Lab Med.* 2004 Mar; 128: 357-8
- 12102 Parys, B. T., Woolfenden, K. A., Parsons, K. F. Bladder dysfunction after simple hysterectomy: urodynamic and neurological evaluation. *Eur Urol.* 1990; 17: 129-33
- 4161 Parys, B.T., Woolfenden, K.A., and Parsons, K.F. Bladder dysfunction after simple hysterectomy: urodynamic and neurological evaluation. *Eur Urol.* 1990; 17: 129-133

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3576** Pasceri, P. Utilizing a prevention and treatment protocol for skin breakdown secondary to urinary incontinence. *Ostomy Wound Manage.* 1991 Sep-Oct; 36: 66-69
- 3363** Passerini-Glazel, G., Cisternino, A., Artibani, W., and Pagano, F. Ambulatory urodynamics: preliminary experience with vesico-urethral holter in children. *Scand J Urol Nephrol Suppl.* 1992; 141: 87-92
- 3364** Passerini-Glazel, G., Cisternino, A., Camuffo, M.C., Ferrarese, P., Aragona, F., and Artibani, W. Video-urodynamic studies of minor voiding dysfunctions in children: an overview of 13 years' experience. *Scand J Urol Nephrol Suppl.* 1992; 141: 70-84;discussion85-6
- 3829** Patel, A. Dry haricot bean: a new continence aid for elderly men?. *Bmj.* 1990 Dec 22-29; 301: 1432-1433
- 3991** Patel, J., Worthen, R., Abadir, R., Weaver, D.J., Weinstein, S., and Ross, G., Jr. Late results of combined iodine-125 and external beam radiotherapy in carcinoma of prostate. *Urology.* 1990 Jul; 36: 27-30
- 40273** Patel, M. D., Coshall, C., Rudd, A. G., Wolfe, C. D. Cognitive impairment after stroke: clinical determinants and its associations with long-term stroke outcomes. *J Am Geriatr Soc.* 2002 Apr; 50: 700-6
- 40609** Patel, M., Coshall, C., Lawrence, E., Rudd, A. G., Wolfe, C. D. Recovery from poststroke urinary incontinence: associated factors and impact on outcome. *J Am Geriatr Soc.* 2001 Sep; 49: 1229-33
- 41027** Patel, M., Coshall, C., Rudd, A. G., Wolfe, C. D. Natural history and effects on 2-year outcomes of urinary incontinence after stroke. *Stroke.* 2001 Jan; 32: 122-7
- 40664** Patel, P. M., Stock, J. A., Hanna, M. K., Lutzker, L. Ureteral triplication with ectopic upper pole moiety. *Urology.* 2001 Aug; 58: 279-80
- 3763** Paterson, H. Continence. Education wanted. *Nurs Times.* 1990 Nov 14-20; 86: 71
- 44694** Patial, R. K., Bansal, S. K., Sehgal, V. K., Chander, B. Sphincteric involvement in organophosphorus poisoning. *J Assoc Physicians India.* 1991 Jun; 39: 492-3
- 3565** Patial, R.K., Bansal, S.K., Sehgal, V.K., and Chander, B. Sphincteric involvement in organophosphorus poisoning. *J Assoc Physicians India.* 1991 Jun; 39: 492-493
- 10758** Patrick, D. L., Martin, M. L., Bushnell, D. M., Marquis, P., Andrejasich, C. M., Buesching, D. P. Cultural adaptation of a quality-of-life measure for urinary incontinence. *Eur Urol.* 1999 Nov; 36: 427-35
- 10906** Patrick, D. L., Martin, M. L., Bushnell, D. M., Yalcin, I., Wagner, T. H., Buesching, D. P. Quality of life of women with urinary incontinence: further development of the incontinence quality of life instrument (I-QOL). *Urology.* 1999 Jan; 53: 71-6
- 59053** Patry, G., Bolduc, S., Martineau, G., Fortin, D. Colovaginal fistula: an unusual complication of the tension-free vaginal tape procedure. *J Urol.* 2004 Sep; 172: 972-3
- 41747** Pattaras, J. G., Rushton, H. G., Majd, M. The role of 99mtechnetium dimercapto-succinic acid renal scans in the evaluation of occult ectopic ureters in girls with paradoxical incontinence. *J Urol.* 1999 Sep; 162: 821-5
- 40935** Patten, J. A case study in evidence-based wound management. *Br J Nurs.* 2000 Jun suppl; 9: S38-40, S42, S44 passim
- 10107** Pauliina, A., Jorma, P., Paula, I., Olavi, A. Intravaginal surface EMG probe design test for urinary incontinence patients. *Acupunct Electrother Res.* 2002; 27: 37-44
- 10829** Payne, C. K. A transvaginal sling procedure with bone anchor fixation. *Urol Clin North Am.* 1999 May; 26: 423-30, x
- 42485** Payne, C. K. Epidemiology, pathophysiology, and evaluation of urinary incontinence and overactive bladder. *Urology.* 1998 Feb; 51: 3-10
- 43964** Payne, C. K., Babiarz, J. W., Raz, S. Genitourinary problems in the elderly patient. *Surg Clin North Am.* 1994 Apr; 74: 401-29
- 3152** Payne, K.A., Hendrix, M.R., and Wade, W.J. Caudal bupivacaine for postoperative analgesia in pediatric lower limb surgery. *J Pediatr Surg.* 1993 Feb; 28: 155-157



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11635 Peacock, L. M., Wiskind, A. K., Wall, L. L. Clinical features of urinary incontinence and urogenital prolapse in a black inner-city population. *Am J Obstet Gynecol.* 1994 Dec; 171: 1464-9; discussion 1469-71
- 56180 Peake, S., Manderson, L. The constraints of a normal life: the management of urinary incontinence by middle aged women. *Women Health.* 2003; 37: 37-51
- 41701 Peake, S., Manderson, L., Potts, H. 'Part and parcel of being a woman': female urinary incontinence and constructions of control. *Med Anthropol Q.* 1999 Sep; 13: 267-85
- 43824 Pearce, K. L. Levels I and II--care in the outpatient setting. *Nurse Pract Forum.* 1994 Sep; 5: 146-51
- 44717 Pearman, J. W., Bailey, M., Riley, L. P. Bladder instillations of trisdine compared with catheter introducer for reduction of bacteriuria during intermittent catheterisation of patients with acute spinal cord trauma. *Br J Urol.* 1991 May; 67: 483-90
- 3686 Pearman, J.W., Bailey, M., and Riley, L.P. Bladder instillations of trisdine compared with catheter introducer for reduction of bacteriuria during intermittent catheterisation of patients with acute spinal cord trauma. *Br J Urol.* 1991 May; 67: 483-490
- 43113 Pearson, B. D., Kelber, S. Urinary incontinence: treatments, interventions, and outcomes. *Clin Nurse Spec.* 1996 Jul; 10: 177-82
- 3543 Pearson, B.D., Droessler, D. Problems of aging: urinary incontinence prevention. *Health Care Women Int.* 1991 Oct-Dec; 12: 443-450
- 3182 Pearson, B.D., Larson, J. Improving elders' continence state. *Clin Nurs Res.* 1992 Nov; 1: 430-439
- 53250 Peekers, I., Peekers, R. Early diagnosis and treatment of genuine stress urinary incontinence in women after pregnancy: midwives as detectives. *J Midwifery Womens Health.* 2003 Jan-Feb; 48: 60-6
- 42883 Peekers, R., Damberg, J. E., Hjalmas, K., Sjodin, J. G., von Zweigbergk, M. The urological fate of young adults with myelomeningocele: a three decade follow-up study. *Eur Urol.* 1997; 32: 213-7
- 10027 Peekers, R., Edlund, C., Wennberg, A. L., Fall, M. The treatment of sphincter incontinence with periurethral silicone implants (macroplastique). *Scand J Urol Nephrol.* 2002; 36: 194-8
- 43247 Peet, S. M., Castleden, C. M., McGrother, C. W., Duffin, H. M. The management of urinary incontinence in residential and nursing homes for older people. *Age Ageing.* 1996 Mar; 25: 139-43
- 3218 Peggs, J.F. Urinary incontinence in the elderly: pharmacologic therapies. *Am Fam Physician.* 1992 Dec; 46: 1763-1769
- 43577 Peguero, E., Abou-Khalil, B., Fakhoury, T., Mathews, G. Self-injury and incontinence in psychogenic seizures. *Epilepsia.* 1995 Jun; 36: 586-91
- 55570 Pehrson, R., Stenman, E., Andersson, K. E. Effects of tramadol on rat detrusor overactivity induced by experimental cerebral infarction. *Eur Urol.* 2003 Oct; 44: 495-9
- 10169 Pelosi, M. A., 2nd., Pelosi, M. A., 3rd, Pelekanos, M. The YAMA UroPatch sling for treatment of female stress urinary incontinence: a pilot study. *J Laparoendosc Adv Surg Tech A.* 2002 Feb; 12: 27-33
- 11335 Pelosi, M. A., 3rd, Pelosi, M. A. Laparoscopic-assisted pubovaginal sling procedure for the treatment of stress urinary incontinence. *J Am Assoc Gynecol Laparosc.* 1996 Aug; 3: 593-600
- 11078 Pelosi, M. A., 3rd, Pelosi, M. A. Laparoscopic-assisted transpectineal needle suspension of the bladder neck. *J Am Assoc Gynecol Laparosc.* 1998 Feb; 5: 39-46
- 10852 Pelosi, M. A., 3rd, Pelosi, M. A. Pubic bone suburethral stabilization sling: laparoscopic assessment of a transvaginal operation for the treatment of stress urinary incontinence. *J Laparoendosc Adv Surg Tech A.* 1999 Feb; 9: 45-50
- 11212 Pelosi, M. A., 3rd, Pelosi, M. A. Stress urinary incontinence. Laparoscopically assisted transvaginal needle suspension. *J Reprod Med.* 1997 Jun; 42: 319-24
- 11055 Pelosi, M. A., 3rd, Pelosi, M. A. Transvaginal needle suspension with LeFort colpocleisis for stress incontinence and advanced uterovaginal prolapse in a high-risk patient. *J Am Assoc Gynecol Laparosc.* 1998 May; 5: 207-11



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 11056 Pelosi, M. A., Papasakelariou, C., Pelosi, M. A., 3rd Laparoscopic colposuspension with a transvaginal illuminator. *J Am Assoc Gynecol Laparosc.* 1998 May; 5: 179-82
- 11402 Pelsang, R. E., Bonney, W. W. Voiding cystourethrography in female stress incontinence. *AJR Am J Roentgenol.* 1996 Mar; 166: 561-5
- 43684 Pena, A. Anorectal malformations. *Semin Pediatr Surg.* 1995 Feb; 4: 35-47
- 41026 Pena, A., Hong, A. Advances in the management of anorectal malformations. *Am J Surg.* 2000 Nov; 180: 370-6
- 42408 Pena, A., Kessler, O. Posterior cloaca: a unique defect. *J Pediatr Surg.* 1998 Mar; 33: 407-12
- 42308 Penalver, M. A., Angioli, R., Mirhashemi, R., Malik, R. Management of early and late complications of ileocolonic continent urinary reservoir (Miami pouch). *Gynecol Oncol.* 1998 Jun; 69: 185-91
- 43302 Penalver, M. A., Barreau, G., Sevin, B. U., Averette, H. E. Surgery for the treatment of locally recurrent disease. *J Natl Cancer Inst Monogr.* 1996; : 117-22
- 59373 Penning-van Beest, F. J., Sturkenboom, M. C., Bemelmans, B. L., Herings, R. M. Undertreatment of urinary incontinence in general practice. *Ann Pharmacother.* 2005 Jan; 39: 17-21
- 12119 Penttinen, J. Female genuine stress incontinence. A study with single cough urethrocystometry using a six-microtransducer catheter. *Acta Obstet Gynecol Scand.* 1990; 69: 673
- 59347 Pereira, C. E., Lynch, J. C. Spinal epidural abscess: an analysis of 24 cases. *Surg Neurol.* 2005; 63 Suppl 1: S26-9
- 10168 Pereyra, A. J. A simplified surgical procedure for the correction of stress incontinence in women. 1959. *J Urol.* 2002 Feb; 167: 1116-8; discussion 1119
- 11349 Perez, L. M., Smith, E. A., Broecker, B. H., Massad, C. A., Parrott, T. S., Woodard, J. R. Outcome of sling cystourethropexy in the pediatric population: a critical review. *J Urol.* 1996 Aug; 156: 642-6
- 11350 Perez, L. M., Smith, E. A., Parrott, T. S., Broecker, B. H., Massad, C. A., Woodard, J. R. Submucosal bladder neck injection of bovine dermal collagen for stress urinary incontinence in the pediatric population. *J Urol.* 1996 Aug; 156: 633-6
- 41232 Perez, L. M., Wilbanks, J. T., Joseph, D. B., Oakes, W. J. Urological outcome of patients with cervical and upper thoracic myelomeningocele. *J Urol.* 2000 Sep; 164: 962-4
- 3260 Perez, L.M., Webster, G.D. Successful outcome of artificial urinary sphincters in men with post-prostatectomy urinary incontinence despite adverse implantation features. *J Urol.* 1992 Oct; 148: 1166-1170
- 40223 Perez, M. A., Skinner, E. C., Meyerowitz, B. E. Sexuality and intimacy following radical prostatectomy: patient and partner perspectives. *Health Psychol.* 2002 May; 21: 288-93
- 10809 Perez, N., Garcier, J. M., Pin-Leveugle, J., Lhoste-Trouilloud, A., Ravel, A., McLaughlin, P., Viallet, J. F., Boyer, L. Dynamic magnetic resonance imaging of the female pelvis: radio-anatomy and pathologic applications. Preliminary results. *Surg Radiol Anat.* 1999; 21: 133-8
- 40478 Perez-Abadia, G., Van Aalst, V. C., Palacio, M. M., Werker, P. M., Ren, X., Van Savage, J., Fernandez, A. G., Kon, M., Barker, J. H. Gracilis muscle neosphincter for treating urinary incontinence. *Microsurgery.* 2001; 21: 271-80
- 53990 Perk, H., Oral, B., Yesildag, A., Serel, T. A., Ozsoy, M., Turgut, T. Magnetic resonance imaging for stress incontinence: evaluation of patients before and after surgical correction. *Eur J Radiol.* 2002 Oct; 44: 44-7
- 53060 Perk, H., Soyupek, S., Serel, T. A., Kosar, A., Sayin, A., Hoscan, M. B. Tension-free vaginal tape for surgical treatment of stress urinary incontinence: two years follow-up. *Int J Urol.* 2003 Mar; 10: 132-5
- 43010 Perkash, I. Vesicourethral dysfunction--neurogenic and nonneurogenic considerations. *J Urol.* 1996 Nov; 156: 1751-2
- 10942 Perkins, J. Vaginal weights for assessment and training of the pelvic floor. *J Wound Ostomy Continence Nurs.* 1998 Jul; 25: 206-16

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 44661 Perlmutter, A. D., Weinstein, M. D., Reitelman, C. Vesical neck reconstruction in patients with epispadias-exstrophy complex. *J Urol.* 1991 Aug; 146: 613-5
- 3649 Perlmutter, A.D., Weinstein, M.D., and Reitelman, C. Vesical neck reconstruction in patients with epispadias-exstrophy complex. *J Urol.* 1991 Aug; 146: 613-615
- 42148 Perneger, T. V., Gaspoz, J. M., Rae, A. C., Borst, F., Heliot, C. Contribution of individual items to the performance of the Norton pressure ulcer prediction scale. *J Am Geriatr Soc.* 1998 Oct; 46: 1282-6
- 40778 Pernice, L. M., Bartalucci, B., Bencini, L., Borri, A., Catarzi, S., Kroning, K. Early and late (ten years) experience with circular stapler hemorrhoidectomy. *Dis Colon Rectum.* 2001 Jun; 44: 836-41
- 43417 Perrouin-Verbe, B., Labat, J. J., Richard, I., Mauduyt de la Greve, I., Buzelin, J. M., Mathe, J. F. Clean intermittent catheterisation from the acute period in spinal cord injury patients. Long term evaluation of urethral and genital tolerance. *Paraplegia.* 1995 Nov; 33: 619-24
- 3774 Perry, J.D., Hullett, L.T. The role of home trainers in Kegel's exercise program for the treatment of incontinence. *Ostomy Wound Manage.* 1990 Sep-Oct; 30: 46-8,50-7
- 41112 Perry, S., Shaw, C., Assassa, P., Dallosso, H., Williams, K., Brittain, K. R., Mensah, F., Smith, N., Clarke, M., Jagger, C., Mayne, C., Castleden, C. M., Jones, J., McGrother, C. An epidemiological study to establish the prevalence of urinary symptoms and felt need in the community: the Leicestershire MRC Incontinence Study. Leicestershire MRC Incontinence Study Team. *J Public Health Med.* 2000 Sep; 22: 427-34
- 10236 Persson, G., Barlow, L., Karlsson, A., Rosen, M., Stefansson, C. G., Theorell, T., Tull, P., Aberg, A. Chapter 3. Major health problems. Health in Sweden: The National Public Health Report 2001. *Scand J Public Health.* 2001; Suppl 58: 37-102
- 10354 Persson, J., Bergqvist, C. E., Wolner-Hanssen, P. An ultra-short perineal pad-test for evaluation of female stress urinary incontinence treatment. *Neurourol Urodyn.* 2001; 20: 277-85
- 10617 Persson, J., Bossmar, T., Wolner-Hanssen, P. Laparoscopic colposuspension: a short term urodynamic follow-up and a three-year questionnaire-study. *Acta Obstet Gynecol Scand.* 2000 May; 79: 414-20
- 10108 Persson, J., Isif, C., Wolner-Hanssen, P. Risk factors for rejection of synthetic suburethral slings for stress urinary incontinence: a case-control study. *Obstet Gynecol.* 2002 Apr; 99: 629-34
- 53710 Persson, J., Teleman, P., Eten-Bergquist, C., Wolner-Hanssen, P. Cost-analyzes based on a prospective, randomized study comparing laparoscopic colposuspension with a tension-free vaginal tape procedure. *Acta Obstet Gynecol Scand.* 2002 Nov; 81: 1066-73
- 10690 Persson, J., Wolner-Hanssen, P. Laparoscopic Burch colposuspension for stress urinary incontinence: a randomized comparison of one or two sutures on each side of the urethra. *Obstet Gynecol.* 2000 Jan; 95: 151-5
- 10559 Persson, J., Wolner-Hanssen, P., Rydhstroem, H. Obstetric risk factors for stress urinary incontinence: a population- based study. *Obstet Gynecol.* 2000 Sep; 96: 440-5
- 59122 Pesce, F. Current management of stress urinary incontinence. *BJU Int.* 2004 Jul; 94 Suppl 1: 8-13
- 10413 Peschers, U. M., Fanger, G., Schaer, G. N., Vodusek, D. B., DeLancey, J. O., Schuessler, B. Bladder neck mobility in continent nulliparous women. *BJOG.* 2001 Mar; 108: 320-4
- 10516 Peschers, U. M., Jundt, K., Dimpfl, T. Differences between cough and Valsalva leak-point pressure in stress incontinent women. *Neurourol Urodyn.* 2000; 19: 677-81
- 55810 Peschers, U. M., Sultan, A. H., Jundt, K., Mayer, A., Drinovac, V., Dimpfl, T. Urinary and anal incontinence after vacuum delivery. *Eur J Obstet Gynecol Reprod Biol.* 2003 Sep 10; 110: 39-42
- 10569 Peschers, U. M., Tunn, R., Buczkowski, M., Perucchini, D. Tension-free vaginal tape for the treatment of stress urinary incontinence. *Clin Obstet Gynecol.* 2000 Sep; 43: 670-5
- 4054 Peters, C.A., Bauer, S.B. Evaluation and management of urinary incontinence after surgery for posterior urethral valves. *Urol Clin North Am.* 1990 May; 17: 379-387
- 4172 Peters, C.A., Hendren, W.H. Splitting the pubis for exposure in difficult reconstructions for incontinence. *Urol Clin North Am.* 1990 Feb; 17: 37-45

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41841 Peters, N. Eliminate the negative. *Nurs Times*. 1999 May 5-11; 95: 78
- 42522 Peters, S. Don't ask, don't tell. Breaking the silence surrounding female urinary incontinence. *Adv Nurse Pract*. 1997 May; 5: 41-4
- 54870 Peters, T. J., Horrocks, S., Stoddart, H., Somerset, M. Factors associated with variations in older people's use of community-based continence services. *Health Soc Care Community*. 2004 Jan; 12: 53-62
- 11557 Peters, W. A., 3rd, Christenson, M. L. Fixation of the vaginal apex to the coccygeus fascia during repair of vaginal vault eversion with enterocele. *Am J Obstet Gynecol*. 1995 Jun; 172: 1894-900; discussion 1900-2
- 41864 Petersen, T., Nielsen, J. B., Schroder, H. D. Intravesical capsaicin in patients with detrusor hyper-reflexia--a placebo-controlled cross-over study. *Scand J Urol Nephrol*. 1999 Apr; 33: 104-10
- 44973 Peterson, J. S., Patton, A. J., Noronha-Blob, L. Mini-pig urinary bladder function: comparisons of in vitro anticholinergic responses and in vivo cystometry with drugs indicated for urinary incontinence. *J Auton Pharmacol*. 1990 Apr; 10: 65-73
- 44204 Petrelli, N. J., Nagel, S., Rodriguez-Bigas, M., Piedmonte, M., Herrera, L. Morbidity and mortality following abdominoperineal resection for rectal adenocarcinoma. *Am Surg*. 1993 Jul; 59: 400-4
- 3047 Petrelli, N.J., Nagel, S., Rodriguez-Bigas, M., Piedmonte, M., and Herrera, L. Morbidity and mortality following abdominoperineal resection for rectal adenocarcinoma. *Am Surg*. 1993 Jul; 59: 400-404
- 41755 Petri, E., Koelbl, H., Schaer, G. What is the place of ultrasound in urogynecology? A written panel. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 262-73
- 3752 Petros, J.A., Catalona, W.J. Antegrade approach to radical retropubic prostatectomy in patients with difficult apical dissection. *J Urol*. 1991 May; 145: 994-997
- 52700 Petros, P. Changes in bladder neck geometry and closure pressure after midurethral anchoring suggest a musculoelastic mechanism activates closure. *Neurourol Urodyn*. 2003; 22: 191-7
- 41114 Petros, P. Influence of hysterectomy on pelvic-floor dysfunction. *Lancet*. 2000 Oct 7; 356: 1275
- 11072 Petros, P. E. New ambulatory surgical methods using an anatomical classification of urinary dysfunction improve stress, urge and abnormal emptying. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 270-7
- 11066 Petros, P. E. Re: change in urethral pressure during voluntary pelvic floor muscle contraction and vaginal stimulation. Bo K, Talseth T. *Int Urogynecol J* 1997;8:3-7. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 318
- 43294 Petros, P. E. Re: Farrell SA and Tynski G. 'The effect of urethral pressure variation in women.' *Int Urogynecol J* 1996;7:87-93. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 274
- 11085 Petros, P. E. Symptoms of defective emptying and raised residual urine may arise from ligamentous laxity in the posterior vaginal fornix. *Gynecol Obstet Invest*. 1998; 45: 105-8
- 10963 Petros, P. E. The pubourethral ligaments--an anatomical and histological study in the live patient. *Int Urogynecol J Pelvic Floor Dysfunct*. 1998; 9: 154-7
- 11847 Petros, P. E., Ulmsten, U. Bladder instability in women: a premature activation of the micturition reflex. *Neurourol Urodyn*. 1993; 12: 235-9
- 11845 Petros, P. E., Ulmsten, U. Natural volume handwashing urethrocystometry: a physiological technique for the objective diagnosis of the unstable detrusor. *Gynecol Obstet Invest*. 1993; 36: 42-6
- 11189 Petros, P. E., Ulmsten, U. Role of the pelvic floor in bladder neck opening and closure I: muscle forces. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 74-80
- 11906 Petros, P. E., Ulmsten, U. Stress incontinence following vaginal repair. *Acta Obstet Gynecol Scand*. 1992 May; 71: 323
- 11766 Petros, P. E., Ulmsten, U. Tests for 'detrusor instability' in women. These mainly measure the urethral resistance created by pelvic floor contraction acting against a premature activation of the micturition reflex. *Acta Obstet Gynecol Scand*. 1993 Nov; 72: 661-7

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 11549 Petros, P. E., Ulmsten, U. Urethral and bladder neck closure mechanisms. *Am J Obstet Gynecol.* 1995 Jul; 173: 346-8
- 11626 Petros, P. E., Ulmsten, U. Urethral pressure increase on effort originates from within the urethra, and continence from musculo vaginal closure. *Neurol Urodyn.* 1995; 14: 337-46; discussion 346-50
- 11852 Petros, P. E., Ulmsten, U. I. An integral theory and its method for the diagnosis and management of female urinary incontinence. *Scand J Urol Nephrol Suppl.* 1993; 153: 1-93
- 12123 Petros, P. E., Ulmsten, U. I. An integral theory of female urinary incontinence. Experimental and clinical considerations. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 7-31
- 12130 Petros, P. E., Ulmsten, U. I. Cough transmission ratio: an indicator of suburethral vaginal wall tension rather than urethral closure?. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 37-9
- 12121 Petros, P. E., Ulmsten, U. I. Cure of stress incontinence by repair of external anal sphincter. Two case reports. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 75
- 12126 Petros, P. E., Ulmsten, U. I. Cure of urge incontinence by the combined intravaginal sling and tuck operation. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 61-2
- 12124 Petros, P. E., Ulmsten, U. I. Non stress non urge female urinary incontinence--diagnosis and cure: a preliminary report. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 69-70
- 12131 Petros, P. E., Ulmsten, U. I. Pinch test for diagnosis of stress urinary incontinence. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 33-5
- 12120 Petros, P. E., Ulmsten, U. I. Pregnancy effects on the intravaginal sling operation. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 77-8
- 12127 Petros, P. E., Ulmsten, U. I. The combined intravaginal sling and tuck operation. An ambulatory procedure for cure of stress and urge incontinence. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 53-9
- 12122 Petros, P. E., Ulmsten, U. I. The role of a lax posterior vaginal fornix in the causation of stress and urgency symptoms: a preliminary report. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 71-3
- 12125 Petros, P. E., Ulmsten, U. I. The tethered vagina syndrome, post surgical incontinence and I-plasty operation for cure. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 63-7
- 12129 Petros, P. E., Ulmsten, U. I. The tuck procedure: a simplified vaginal repair for treatment of female urinary incontinence. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 41-2
- 12128 Petros, P. E., Ulmsten, U. I., Papadimitriou, J. The autogenic ligament procedure: a technique for planned formation of an artificial neo-ligament. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 43-51
- 10731 Petros, P. P. Medium-term follow-up of the intravaginal slingplasty operation indicates minimal deterioration of urinary continence with time. *Aust N Z J Obstet Gynaecol.* 1999 Aug; 39: 354-6
- 11302 Petros, P. P. The intravaginal slingplasty operation, a minimally invasive technique for cure of urinary incontinence in the female. *Aust N Z J Obstet Gynaecol.* 1996 Nov; 36: 453-61
- 10448 Petros, P. P., Skilling, P. M. Pelvic floor rehabilitation in the female according to the integral theory of female urinary incontinence. First report. *Eur J Obstet Gynecol Reprod Biol.* 2001 Feb; 94: 264-9
- 10956 Petros, P. P., Ulmsten, U. An anatomical classification--a new paradigm for management of female lower urinary tract dysfunction. *Eur J Obstet Gynecol Reprod Biol.* 1998 Sep; 80: 87-94
- 10764 Petros, P. P., Von Kinsky, B. Anchoring the midurethra restores bladder-neck anatomy and continence. *Lancet.* 1999 Sep 18; 354: 997-8
- 3299 Petros, P. E., Ulmsten, U. Stress incontinence following vaginal repair [letter]. *Acta Obstet Gynecol Scand.* 1992 May; 71: 323
- 45103 Petros, P. E., Ulmsten, U. I. An integral theory of female urinary incontinence. Experimental and clinical considerations. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 1-78

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3231** Petros, P.P., Ulmsten, U. Urge incontinence history is an accurate predictor of urge incontinence. *Acta Obstet Gynecol Scand.* 1992 Oct; 71: 537-539
- 11505** Petrou, S. P. Use of the Cobb-Ragde needle in pubovaginal sling surgery. *Tech Urol.* 1995 Fall; 1: 136-40
- 10864** Petrou, S. P., Brown, J. A., Blaivas, J. G. Suprameatal transvaginal urethrolysis. *J Urol.* 1999 Apr; 161: 1268-71
- 41223** Petrou, S. P., Elliott, D. S., Barrett, D. M. Artificial urethral sphincter for incontinence. *Urology.* 2000 Sep 1; 56: 353-9
- 10372** Petrou, S. P., Frank, I. Complications and initial continence rates after a repeat pubovaginal sling procedure for recurrent stress urinary incontinence. *J Urol.* 2001 Jun; 165: 1979-81
- 40303** Petrou, S. P., Jones, J., Parra, R. O. Martius flap harvest site: patient self-perception. *J Urol.* 2002 May; 167: 2098-9
- 11113** Petrou, S. P., Kollmorgen, T. A. Valsalva leak point pressure and bladder volume. *Neurourol Urodyn.* 1998; 17: 3-7
- 10781** Petrou, S. P., Wan, J. VLPP in the evaluation of the female with stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 254-9
- 10208** Petrou, S. P., Young, P. R. Rate of recurrent stress urinary incontinence after retropubic urethrolysis. *J Urol.* 2002 Feb; 167: 613-5
- 3215** Petrucci, K.E., Jacox, A., McCormick, K., Parks, P., Kjerulff, K., Baldwin, B., and Petrucci, P. Evaluating the appropriateness of a nurse expert system's patient assessment. *Comput Nurs.* 1992 Nov-Dec; 10: 243-249
- 40344** Pettersen, R., Dahl, T., Wyller, T. B. Prediction of long-term functional outcome after stroke rehabilitation. *Clin Rehabil.* 2002 Mar; 16: 149-59
- 42105** Peusch-Dreyer, D., Dreyer, K. H., Muller, C. D., Carl, U. Management of postoperative radiation injury of the urinary bladder by hyperbaric oxygen (HBO). *Strahlenther Onkol.* 1998 Nov; 174 Suppl 3: 99-100
- 10313** Peyrat, L., Boutin, J. M., Bruyere, F., Hailiot, O., Fakfak, H., Lanson, Y. Intestinal perforation as a complication of tension-free vaginal tape procedure for urinary incontinence. *Eur Urol.* 2001 May; 39: 603-5
- 10189** Peyrat, L., Hailiot, O., Bruyere, F., Boutin, J. M., Bertrand, P., Lanson, Y. Prevalence and risk factors of urinary incontinence in young and middle- aged women. *BJU Int.* 2002 Jan; 89: 61-6
- 50660** Peyromaure, M., Dayma, T., Zerbib, M. Development of a bladder stone following a tension-free vaginal tape intervention. *J Urol.* 2004 Jan; 171: 337
- 41615** Pfister, C., Dacher, J. N., Gaucher, S., Liard-Zmuda, A., Grise, P., Mitrofanoff, P. The usefulness of a minimal urodynamic evaluation and pelvic floor biofeedback in children with chronic voiding dysfunction. *BJU Int.* 1999 Dec; 84: 1054-7
- 11143** Pfister, C., Vallancien, G., Bougaran-Andre, J., Grise, P. Preliminary results of muscle cuff cervicoplasty in the ewe for the treatment of urinary incontinence. *Eur Urol.* 1997; 32: 448-54
- 41859** Pfister, S. M. Bladder diaries and voiding patterns in older adults. *J Gerontol Nurs.* 1999 Mar; 25: 36-41
- 44040** Pfister, S. M., Dougherty, M. C. Behavioral management for bladder control: response in selected rural residential care homes. *J Community Health Nurs.* 1994; 11: 155-64
- 41749** Phadke, S. R., Pahi, J., Pandey, A., Agarwal, S. S. Oral-facial-digital syndrome with acromelic short stature: a new variant--overlap with Ellis Van Creveld syndrome. *Clin Dysmorphol.* 1999 Jul; 8: 185-8
- 10421** Phelan, M. W., Franks, M., Somogyi, G. T., Yokoyama, T., Fraser, M. O., Lavelle, J. P., Yoshimura, N., Chancellor, M. B. Botulinum toxin urethral sphincter injection to restore bladder emptying in men and women with voiding dysfunction. *J Urol.* 2001 Apr; 165: 1107-10
- 54680** Phelps, J. Y., Lin, L., Liu, C. Y. Laparoscopic suburethral sling procedure. *J Am Assoc Gynecol Laparosc.* 2003 Nov; 10: 496-500



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11288 Philippe, H. J., Perdu, M., Dompeyre, P., Wahid, A., Dien, D. T. Transvaginal colpo-urethropey with fibrin sealant: 4 years-follow up in 23 cases. *Eur J Obstet Gynecol Reprod Biol.* 1996 Dec 27; 70: 157-8
- 2992 Phillips, E., Uehling, D.T. Hinman syndrome: a vicious cycle. *Urology.* 1993 Sep; 42: 317-9;discussion319-20
- 44669 Phillips, T. H., Ritchey, M. L., Dunn, C. D., Sarosdy, M. F. Complications of the Heitz-Boyer urinary diversion: case report of late development of malignancy. *J Urol.* 1991 Jul; 146: 159-61
- 11859 Phillips, T. H., Zeidman, E. J., Thompson, I. M. The fate of buried vaginal epithelium. *J Urol.* 1992 Dec; 148: 1941-3
- 3970 Phillips, T.H., Ritchey, M.L., and Beck, D.E. Technical aid for the complete removal of ureterointestinal anastomoses. *Surg Gynecol Obstet.* 1990 Aug; 171: 163-164
- 3668 Phillips, T.H., Ritchey, M.L., Dunn, C.D., and Sarosdy, M.F. Complications of the Heitz-Boyer urinary diversion: case report of late development of malignancy. *J Urol.* 1991 Jul; 146: 159-161
- 42050 Phillips, W. Data collection in continence care. *Nurs Times.* 1998 Oct 28-Nov 3; 94: 59-60
- 3147 Philp, J., Cottenden, A., and Ledger, D. Continence. A testing time. *Nurs Times.* 1993 Jan 27-Feb 2; 89: 59-62
- 3091 Philp, J., Cottenden, A., and Ledger, D. Continence. Mix and match. *Nurs Times.* 1993 Apr 21-27; 89: 70-74
- 3222 Philp, J., Cottenden, A., and Ledger, D. Continence. The reuser's guide. *Nurs Times.* 1992 Oct 28-Nov 3; 88: 66-72
- 44390 Philp, J., Cottenden, A., Ledger, D. Continence. The reuser's guide. *Nurs Times.* 1992 Oct 28-Nov 3; 88: 66-72
- 11907 Phua, S. M., Low, J. J., Chew, S. Y. The role of urodynamics in evaluating incontinent females. *Singapore Med J.* 1992 Apr; 33: 139-42
- 3338 Phua, S.M., Low, J.J., and Chew, S.Y. The role of urodynamics in evaluating incontinent females. *Singapore Med J.* 1992 Apr; 33: 139-142
- 42489 Picchio, G. L., Hallous, H., Franceschetti, G. P., Marandola, P., Orlando, G. Correction of complete urogenital prolapse with infibulation. *Arch Esp Urol.* 1997 Dec; 50: 1137-9
- 43528 Piccini, C., Bracco, L., Falcini, M., Pracucci, G., Amaducci, L. Natural history of Alzheimer's disease: prognostic value of plateaux. *J Neurol Sci.* 1995 Aug; 131: 177-82
- 52270 Pickard, R., Reaper, J., Wyness, L., Cody, D. J., McClinton, S., N'Dow, J. Periurethral injection therapy for urinary incontinence in women. *Cochrane Database Syst Rev.* 2003; : CD003881
- 45042 Pickersgill, F. Silent epidemic. *Community Outlook.* 1990 Jan 31; : 7-9
- 5239 Pickersgill, F. Silent epidemic. *Community Outlook.* 1990 Jan; 31: 7-9
- 11696 Pidutti, R. W., George, S. W., Morales, A. Correction of recurrent stress urinary incontinence by needle urethropey with a vaginal wall sling. *Br J Urol.* 1994 Apr; 73: 418-22
- 11112 Pieber, D., Zivkovic, F., Tamussino, K. Timing of urethral pressure pulses before and after continence surgery. *Neurourol Urodyn.* 1998; 17: 19-23
- 3064 Pieper, B., Cleland, V. An external urine-collection device for women: a clinical trial. *J ET Nurs.* 1993 Mar-Apr; 20: 51-55
- 41945 Pierce, J. T. A 14-year-old victim of sexual assault with an imperforate hymen and urethral meatus tear. *J Emerg Nurs.* 1999 Apr; 25: 153-4
- 43828 Pierson, C. A. 'We share a certain passion'. *Nurse Pract Forum.* 1994 Sep; 5: 121
- 44725 Pike, J. G., Berardinucci, G., Hamburger, B., Kiruluta, G. The surgical management of urinary incontinence in myelodysplastic children. *J Pediatr Surg.* 1991 Apr; 26: 466-70; discussion 470-1
- 3672 Pike, J.G., Berardinucci, G., Hamburger, B., and Kiruluta, G. The surgical management of urinary incontinence in myelodysplastic children. *J Pediatr Surg.* 1991 Apr; 26: 466-70;discussion470-1



## American Urological Association, Inc.

## Master Bibliography

## SUI Guidelines Panel

sorted by Primary Author and Title

- 40378** Piloni, V. Dynamic imaging of pelvic floor with transperineal sonography. *Tech Coloproctol.* 2001 Aug; 5: 103-5
- 57070** Pils, K., Neumann, F., Meisner, W., Schano, W., Vavrovsky, G., Van der Cammen, T. J. Predictors of falls in elderly people during rehabilitation after hip fracture--who is at risk of a second one?. *Z Gerontol Geriatr.* 2003 Feb; 36: 16-22
- 10641** Pinna, C., Zanardo, R., Cignarella, A., Bolego, C., Eberini, I., Nardi, F., Zancan, V., Puglisi, L. Diabetes influences the effect of 17beta-estradiol on mechanical responses of rat urethra and detrusor strips. *Life Sci.* 2000; 66: 617-27
- 56780** Pinter, A. B., Hock, A., Kajtar, P., Dober, I. Long-term follow-up of cancer in neonates and infants: a national survey of 142 patients. *Pediatr Surg Int.* 2003 Jun; 19: 233-9
- 3817** Pinter, A.B., Farkas, A.P. Urethral duplication with single bladder and multiple genitourinary abnormalities: an example of continent urinary diversion. *J Pediatr Surg.* 1990 Dec; 25: 1285-1286
- 42236** Pippi Salle, J. L., Capolicchio, G., Houle, A. M., Vernet, O., Jednak, R., O'Gorman, A. M., Montes, J. L., Farmer, J. P. Magnetic resonance imaging in children with voiding dysfunction: is it indicated?. *J Urol.* 1998 Sep; 160: 1080-3
- 50710** Pisarska, M., Sajdak, S. Lower urinary tract function after postoperative radiotherapy in the treatment of cervical cancer. *Eur J Gynaecol Oncol.* 2003; 24: 490-4
- 10207** Pit, M. J. Rare complications of tension-free vaginal tape procedure: late intraurethral displacement and early misplacement of tape. *J Urol.* 2002 Feb; 167: 647
- 53240** Pit, M. J., De Ruiter, M. C., Lycklama, A., Nijeholt AA, Marani, E., Zwartendijk, J. Anatomy of the arcus tendineus fasciae pelvis in females. *Clin Anat.* 2003 Mar; 16: 131-7
- 42711** Plaire, J. C., Pope, J. C., 4th, Kropp, B. P., Adams, M. C., Keating, M. A., Rink, R. C., Casale, A. J. Management of ectopic ureters: experience with the upper tract approach. *J Urol.* 1997 Sep; 158: 1245-7
- 41910** Plancke, H. R., Delaere, K. P., Pons, C. Indiana pouch in female patients with spinal cord injury. *Spinal Cord.* 1999 Mar; 37: 208-10
- 3863** Platts, L. Dispensing advice. *Nurs Stand.* 1990 Nov 14-20; 5: 14-15
- 42809** Pleym, H., Spigset, O. Peripheral neurologic deficits in relation to subarachnoid or epidural administration of local anesthetics for surgery. A survey of 21 cases. *Acta Anaesthesiol Scand.* 1997 Apr; 41: 453-60
- 10378** Podesta, M. L., Jordan, G. H. Pelvic fracture urethral injuries in girls. *J Urol.* 2001 May; 165: 1660-5
- 10638** Podnar, S., Lukanovič, A., Vodusek, D. B. Anal sphincter electromyography after vaginal delivery: neuropathic insufficiency or normal wear and tear?. *Neurourol Urodyn.* 2000; 19: 249-57
- 42552** Pohjasvaara, T., Erkinjuntti, T., Ylikoski, R., Hietanen, M., Vataja, R., Kaste, M. Clinical determinants of poststroke dementia. *Stroke.* 1998 Jan; 29: 75-81
- 40239** Pohl, H. G., Bauer, S. B., Borer, J. G., Diamond, D. A., Kelly, M. D., Grant, R., Briscoe, C. J., Doonan, G., Retik, A. B. The outcome of voiding dysfunction managed with clean intermittent catheterization in neurologically and anatomically normal children. *BJU Int.* 2002 Jun; 89: 923-7
- 11579** Polascik, T. J., Moore, R. G., Rosenberg, M. T., Kavoussi, L. R. Comparison of laparoscopic and open retropubic urethropexy for treatment of stress urinary incontinence. *Urology.* 1995 Apr; 45: 647-52
- 3489** Politano, V.A. Transurethral polytef injection for post-prostatectomy urinary incontinence. *Br J Urol.* 1992 Jan; 69: 26-28
- 44575** Pollack, M. H., Reiter, S., Hammerness, P. Genitourinary and sexual adverse effects of psychotropic medication. *Int J Psychiatry Med.* 1992; 22: 305-27
- 3139** Pollack, M.H., Reiter, S., and Hammerness, P. Genitourinary and sexual adverse effects of psychotropic medication. *Int J Psychiatry Med.* 1992; 22: 305-327
- 52820** Pollak, J. T., Jenkins, P., Kopka, S. L., Davila, G. W. Effect of genital prolapse on assessment of bladder neck mobility by the Q-tip test. *Obstet Gynecol.* 2003 Apr; 101: 662-5

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 59207** Pollock, L. SUI after childbirth. RCM Midwives. 2004 Dec; 7: 504
- 55010** Pollono, D., Tomarchia, S., Drut, R., Ibanez, O., Ferreyra, M., Cedola, J. Spinal cord compression: a review of 70 pediatric patients. *Pediatr Hematol Oncol*. 2003 Sep; 20: 457-66
- 43199** Pomfret, I. Continence. Comprehensive care to order. *Nurs Times*. 1996 Apr 10-16; 92: 62-4
- 40052** Pomfret, I. Developing a multidisciplinary continence service. *Nurs Times*. 2002 Jan 24-30; 98: 48
- 43762** Pomfret, I. Promoting continence. Part III. Revision notes. *Nurs Times*. 1994 Nov 16-22; 90: suppl 9-12; quiz 13-4
- 55830** Pomfret, I. J. Understanding post-micturition dribble incontinence in men. *Nurs Times*. 2003 Jul 22-28; 99: 56-7
- 3720** Pomfret, I., Steele, W. Continence. A working service. *Nurs Times*. 1991 Apr 24-30; 87: 46-48
- 3166** Pontes, J.E., Montie, J., Klein, E., and Huben, R. Salvage surgery for radiation failure in prostate cancer. *Cancer*. 1993 Feb 1; 71: 976-980
- 11948** Poole, M. D., Postma, D. S. Characterization of cough associated with angiotensin-converting enzyme inhibitors. *Otolaryngol Head Neck Surg*. 1991 Nov; 105: 714-6
- 12118** Porjazov, K. A ten-year follow-up of postoperative results of the treatment of urinary incontinence. *Folia Med (Plovdiv)*. 1990; 32: 26-8
- 10742** Porru, D., Madeddu, G., Campus, G., Montisci, I., Scarpa, R. M., Usai, E. Evaluation of morbidity of multi-channel pressure-flow studies. *Neurourol Urodyn*. 1999; 18: 647-52
- 59377** Porru, D., Tinelli, C., Gerardini, M., Giliberto, G. L., Stancati, S., Rovereto, B. Evaluation of urinary and general symptoms and correlation with other clinical parameters in interstitial cystitis patients. *Neurourol Urodyn*. 2005; 24: 69-73
- 11737** Porru, D., Usai, E. Standard and extramural ambulatory urodynamic investigation for the diagnosis of detrusor instability-correlated incontinence and micturition disorders. *Neurourol Urodyn*. 1994; 13: 237-42
- 10977** Portera, J. C., Summitt, R. L., Jr Common operations for stress incontinence: selecting the correct operation. *Clin Obstet Gynecol*. 1998 Sep; 41: 712-8
- 42209** Portera, S. G., Lipscomb, G. H. Pharmacologic therapy for urinary incontinence and voiding dysfunctions. *Clin Obstet Gynecol*. 1998 Sep; 41: 691-701
- 12117** Poryazov, K. Modified Marshall-Marchetti-Krantz method by Joseph A. Riggs in urinary stress incontinence (our experience--a preliminary report). *Folia Med (Plovdiv)*. 1990; 32: 26-9
- 12115** Poryazov, K. Once more on G. Marion's operation in the treatment of urinary stress incontinence (in memoriam--70 years after its introduction). *Folia Med (Plovdiv)*. 1990; 32: 20-2
- 12116** Poryazov, K. The therapeutic effect of treatment of urinary stress incontinence with estriol. *Folia Med (Plovdiv)*. 1990; 32: 16-9
- 40237** Potter, J. M., Duffy, P. G., Gordon, E. M., Malone, P. R. Detrusor myotomy: a 5-year review in unstable and non-compliant bladders. *BJU Int*. 2002 Jun; 89: 932-5
- 3221** Pottle, B. Continence. Equal rites for men. *Nurs Times*. 1992 Oct 28-Nov 3; 88: 74
- 3767** Pottle, B. Continence. Refining tools [editorial]. *Nurs Times*. 1990 Nov 14-20; 86: 58
- 3289** Pottle, B. Pulling together. *Nurs Times*. 1992 Jul 29-Aug 4; 88: 68
- 3943** Powell, L. Achieving continence. *Nurs Elder*. 1990 Jul-Aug; 2: 16,18
- 43724** Powers, I., Lowman, S., Williams, D. Urinary incontinence: a study of teaching practices of nursing students. *Ky Nurse*. 1995 Jan-Mar; 43: 19-20
- 3809** Powers, I., Williams, D. Urinary incontinence. *Adv Clin Care*. 1991 Mar-Apr; 6: 10-15
- 3212** Powers, I., Williams, D. Urinary incontinence: helping a patient regain control. *Nursing*. 1992 Dec; 22: 46-47

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 57060** Prasad, R. S., Smith, S. J., Wright, H. Lower abdominal pressure versus external bladder stimulation to aid bladder emptying in multiple sclerosis: a randomized controlled study. *Clin Rehabil.* 2003 Feb; 17: 42-7
- 10581** Prasad, S. A., Tannenbaum, E. L., Mikelsons, C. Physiotherapy in cystic fibrosis. *J R Soc Med.* 2000; 93 Suppl 38: 27-36
- 41455** Prashar, S., Simons, A., Bryant, C., Dowell, C., Moore, K. H. Attitudes to vaginal/urethral touching and device placement in women with urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 4-8
- 43445** Prasher, V. P., Filer, A. Behavioural disturbance in people with Down's syndrome and dementia. *J Intellect Disabil Res.* 1995 Oct; 39 ( Pt 5): 432-6
- 40405** Prayson, R. A., Chowdhary, S., Woodhouse, S., Hanson, M., Nair, S. Collision of a syncytial meningioma and malignant astrocytoma. *Ann Diagn Pathol.* 2002 Feb; 6: 44-8
- 10109** Pregazzi, R., Sartore, A., Bortoli, P., Grimaldi, E., Ricci, G., Guaschino, S. Immediate postpartum perineal examination as a predictor of puerperal pelvic floor dysfunction. *Obstet Gynecol.* 2002 Apr; 99: 581-4
- 10056** Pregazzi, R., Sartore, A., Bortoli, P., Grimaldi, E., Troiano, L., Guaschino, S. Perineal ultrasound evaluation of urethral angle and bladder neck mobility in women with stress urinary incontinence. *BJOG.* 2002 Jul; 109: 821-7
- 40864** Preisser, J. S., Qaqish, B. F. Robust regression for clustered data with application to binary responses. *Biometrics.* 1999 Jun; 55: 574-9
- 4072** Presti, J.C., Jr., Schmidt, R.A., Narayan, P.A., Carroll, P.R., and Tanagho, E.A. Pathophysiology of urinary incontinence after radical prostatectomy. *J Urol.* 1990 May; 143: 975-978
- 3346** Prestwood, K.M., Besdine, R.W. Geriatric medicine. *Jama.* 1992 Jul 15; 268: 360-362
- 59043** Price, N., Jackson, S. R. Clinical audit of the use of tension-free vaginal tape as a surgical treatment for urinary stress incontinence, set against NICE guidelines. *J Obstet Gynaecol.* 2004 Aug; 24: 534-8
- 11458** Primus, G., Kramer, G. Maximal external electrical stimulation for treatment of neurogenic or non-neurogenic urgency and/or urge incontinence. *Neurourol Urodyn.* 1996; 15: 187-94
- 3927** Primus, G., Pummer, K. Oxybutynin hydrochloride in the management of detrusor instability. *Int Urol Nephrol.* 1990; 22: 243-248
- 42087** Pronsati, M. P. Breaking the silence. *Adv Nurse Pract.* 1998 Oct; 6: 9
- 42687** Prosser, S., Dobbs, F. Case-finding incontinence in the over-75s. *Br J Gen Pract.* 1997 Aug; 47: 498-500
- 43936** Proudfoot, L. M., Farmer, E. S., McIntosh, J. B. Testing incontinence pads using single-case research designs. *Br J Nurs.* 1994 Apr 14-27; 3: 316, 318-20, 322 passim
- 10533** Pruthi, R. S., Petrus, C. D., Bundrick, W. S., JR New onset vesicovaginal fistula after transurethral collagen injection in women who underwent cystectomy and orthotopic neobladder creation: presentation and definitive treatment. *J Urol.* 2000 Nov; 164: 1638-9
- 42590** Publicover, C., Bear, M. The effect of bladder training on urinary incontinence in community- dwelling older women. *J Wound Ostomy Continence Nurs.* 1997 Nov; 24: 319-24
- 10657** Puneekar, S. V., Buch, D. N., Soni, A. B., Swami, G., Rao, S. R., Kinne, J. S., Karhadkar, S. S. Martius' labial fat pad interposition and its modification in complex lower urinary fistulae. *J Postgrad Med.* 1999 Jul-Sep; 45: 69-73
- 3930** Purkiss, S.F. Assessment of residual urine in men following catheterisation [see comments]. *Br J Urol.* 1990 Sep; 66: 279-280
- 40145** Pursley, H. G., Kwolek, D. S. A women's health track for internal medicine residents using evidence- based medicine. *Acad Med.* 2002 Jul; 77: 743-4
- 11031** Pycha, A., Klingler, C. H., Haitel, A., Heinz-Peer, G., Marberger, M. Implantable microballoons: an attractive alternative in the management of intrinsic sphincter deficiency. *Eur Urol.* 1998; 33: 469-75
- 40737** Pycha, A., Klingler, C. H., Reiter, W. J., Schroth, B., Haitel, A., Latal, D. Von Recklinghausen neurofibromatosis with urinary bladder involvement. *Urology.* 2001 Jul; 58: 106

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43200** Pyne, K., Stott, M. Continence. Delivering the best service. *Nurs Times*. 1996 Apr 10-16; 92: 60-2
- 59189** Qiu, Y., DU, C., Shen, X. Transurethral resection in women with lower urinary tract symptoms. *Int J Urol*. 2004 Dec; 11: 1097-103
- 10804** Quadri, G., Magatti, F., Belloni, C., Barisani, D., Natale, N. Marshall-Marchetti-Krantz urethropexy and Burch colposuspension for stress urinary incontinence in women with low pressure and hypermobility of the urethra: early results of a prospective randomized clinical trial. *Am J Obstet Gynecol*. 1999 Jul; 181: 12-8
- 11071** Quadri, G., Magatti, F., Belloni, C., Mattioli, G. Transabdominal repair of cystocele by wedge colectomy during combined abdominal-vaginal surgery. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 278-83
- 42941** Quattrocchio, G., Leombruni, S., Vaula, G., Bergui, M., Riva, A., Bradac, G. B., Bergamini, L. Autosomal dominant late-onset leukoencephalopathy. Clinical report of a new Italian family. *Eur Neurol*. 1997; 37: 53-61
- 57700** Quek, M. L., Ginsberg, D. A. Long-term urodynamics followup of bladder augmentation for neurogenic bladder. *J Urol*. 2003 Jan; 169: 195-8
- 59089** Quek, M. L., Ginsberg, D. A., Wilson, S., Skinner, E. C., Stein, J. P., Skinner, D. G. Pubovaginal slings for stress urinary incontinence following radical cystectomy and orthotopic neobladder reconstruction in women. *J Urol*. 2004 Jul; 172: 219-21
- 11632** Querleu, D., Debodinance, P., Crepin, G. Adverse tissue reaction after surgical management of stress incontinence with expanded polytetrafluoroethylene. *Am J Obstet Gynecol*. 1994 Dec; 171: 1674
- 10163** Querleu, D., Narducci, F., Poulard, V., Lacaze, S., Occelli, B., Leblanc, E., Cosson, M. Modified radical vaginal hysterectomy with or without laparoscopic nerve-sparing dissection: a comparative study. *Gynecol Oncol*. 2002 Apr; 85: 154-8
- 44692** Quinlan, D. M., Leonard, M. P., Brendler, C. B., Gearhart, J. P., Jeffs, R. D. Use of the Benckekroun hydraulic valve as a catheterizable continence mechanism. *J Urol*. 1991 Jun; 145: 1151-5
- 3698** Quinlan, D.M., Leonard, M.P., Brendler, C.B., Gearhart, J.P., and Jeffs, R.D. Use of the Benckekroun hydraulic valve as a catheterizable continence mechanism. *J Urol*. 1991 Jun; 145: 1151-1155
- 43542** Quinn, M. Pelvic floor physiology in women with faecal incontinence and urinary symptoms. *Br J Surg*. 1995 Jul; 82: 998
- 56800** Quinn, P., Goka, J., Richardson, H. Assessment of an electronic daily diary in patients with overactive bladder. *BJU Int*. 2003 May; 91: 647-52
- 56620** Quint, E. H., Smith, Y. R., Bowerman, R. A., DeLancey, J. O. Spasticity of the pelvic floor mimicking an obstructive anomaly. *J Pediatr Adolesc Gynecol*. 2003 Apr; 16: 83-5
- 52070** Qureshi, A., Nicolaou, J., Lynch, C. B., Anjum, M. I., Clay, J. Outcome of tension-free vaginal tape (TVT) procedure in women with stress urinary incontinence--patients' perspective. *J Obstet Gynaecol*. 2003 May; 23: 297-300
- 40039** Rabah, D. M., Spiess, P. E., Begin, L. R., Corcos, J. Tissue reaction of the rabbit urinary bladder to tension-free vaginal tape and porcine small intestinal submucosa. *BJU Int*. 2002 Oct; 90: 601-6
- 11007** Rabin, J. M. Clinical use of the FemAssist device in female urinary incontinence. *J Med Syst*. 1998 Aug; 22: 257-71
- 44784** Rabin, J. M., Badlani, G. Importance of complete cytometric evaluation of vesical dysfunction in elderly diabetic patients. *Arch Intern Med*. 1991 Jan; 151: 201-3
- 43000** Rabin, J. M., McNett, J., Badlani, G. H. A computerized voiding diary. *J Reprod Med*. 1996 Nov; 41: 801-6
- 44333** Rabin, J. M., McNett, J., Badlani, G. H. Computerized voiding diary. *Neurourol Urodyn*. 1993; 12: 541-53; discussion 553-4
- 43267** Rabin, J. M., McNett, J., Badlani, G. H. 'Compu-Void II': the computerized voiding diary. *J Med Syst*. 1996 Feb; 20: 19-34

## American Urological Association, Inc.

## Master Bibliography

## SUI Guidelines Panel

sorted by Primary Author and Title

- 
- 3851** Rabin, J.M., Badlani, G. Importance of complete cytometric evaluation of vesical dysfunction in elderly diabetic patients [letter; comment]. *Arch Intern Med.* 1991 Jan; 151: 201-203
- 11782** Raboy, A., Hakim, L. S., Ferzli, G., Antario, J. M., Albert, P. S. Extraperitoneal endoscopic vesicourethral suspension. *J Laparoendosc Surg.* 1993 Oct; 3: 505-8
- 11893** Rachagan, S. P., Mathews, A. Urinary incontinence caused by prazosin. *Singapore Med J.* 1992 Jun; 33: 308-9
- 10357** Rackley, R. R., Abdelmalak, J. B., Tchetchgen, M. B., Madjar, S., Jones, S., Noble, M. Tension-free vaginal tape and percutaneous vaginal tape sling procedures. *Tech Urol.* 2001 Jun; 7: 90-100
- 42871** Rackley, R. R., Appell, R. A. Evaluation and medical management of female urinary incontinence. *Cleve Clin J Med.* 1997 Feb; 64: 83-92
- 43056** Rackley, R., Kursh, E. D. Evaluation and medical management of female urinary incontinence. *Compr Ther.* 1996 Sep; 22: 547-53
- 59123** Radley, S. C. Differential diagnosis of stress urinary incontinence. *BJU Int.* 2004 Jul; 94 Suppl 1: 4-7
- 10469** Radley, S. C., Chapple, C. R., Bryan, N. P., Clarke, D. E., Craig, D. A. Effect of methoxamine on maximum urethral pressure in women with genuine stress incontinence: a placebo-controlled, double-blind crossover study. *Neurourol Urodyn.* 2001; 20: 43-52
- 10646** Radley, S. C., Chapple, C. R., Lee, J. A. Transurethral implantation of silicone polymer for stress incontinence: evaluation of a porcine model and mechanism of action in vivo. *BJU Int.* 2000 Apr; 85: 646-50
- 10397** Radley, S. C., Chapple, C. R., Mitsogiannis, I. C., Glass, K. S. Transurethral implantation of macroplastique for the treatment of female stress urinary incontinence secondary to urethral sphincter deficiency. *Eur Urol.* 2001 Apr; 39: 383-9
- 10246** Radley, S. C., Rosario, D. J., Chapple, C. R., Farkas, A. G. Conventional and ambulatory urodynamic findings in women with symptoms suggestive of bladder overactivity. *J Urol.* 2001 Dec; 166: 2253-8
- 11419** Radomski, S. B., Herschorn, S. Laparoscopic Burch bladder neck suspension: early results. *J Urol.* 1996 Feb; 155: 515-8
- 53210** Rafii, A., Darai, E., Haab, F., Samain, E., Levardon, M., Deval, B. Body mass index and outcome of tension-free vaginal tape. *Eur Urol.* 2003 Mar; 43: 288-92
- 54830** Raghavan, P., Raza, W. A., Ahmed, Y. S., Chamberlain, M. A. Prevalence of pressure sores in a community sample of spinal injury patients. *Clin Rehabil.* 2003 Dec; 17: 879-84
- 40103** Rahman, M., Gafur, M. A., Sarwar, J., Rahman, M. M. Urinary incontinence due to duplication of ureter--a case report. *Mymensingh Med J.* 2002 Jan; 11: 29-31
- 42121** Rai, G. S. Impact of urinary incontinence on quality of life. *J Am Geriatr Soc.* 1998 Nov; 46: 1480-1
- 3089** Ramon, J., Leandri, P., Rossignol, G., and Gautier, J.R. Preservation of urinary continence and potency after cystoprostatectomy. *Prog Clin Biol Res.* 1992; 378: 125-132
- 3153** Ramon, J., Leandri, P., Rossignol, G., and Gautier, J.R. Urinary continence following radical retropubic prostatectomy. *Br J Urol.* 1993 Jan; 71: 47-51
- 12056** Ramon, J., Mekras, J. A., Webster, G. D. The outcome of transvaginal cystourethropey in patients with anatomical stress urinary incontinence and outlet weakness. *J Urol.* 1990 Jul; 144: 106-8; discussion 108-9
- 3536** Ramon, J., Mekras, J., and Webster, G.D. Transvaginal needle suspension procedures for recurrent stress incontinence. *Urology.* 1991 Dec; 38: 519-522
- 11940** Ramon, J., Mekras, J., Webster, G. D. Transvaginal needle suspension procedures for recurrent stress incontinence. *Urology.* 1991 Dec; 38: 519-22
- 4005** Ramon, J., Mekras, J.A., and Webster, G.D. The outcome of transvaginal cystourethropey in patients with anatomical stress urinary incontinence and outlet weakness. *J Urol.* 1990 Jul; 144: 106-8;discussion108-9



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 11649 Ramoso-Jalbuena, J. Climacteric Filipino women: a preliminary survey in the Philippines. *Maturitas*. 1994 Oct; 19: 183-90
- 59191 Ramsay, I. N. The treatment of stress incontinence--is there a role for laparoscopy?. *BJOG*. 2004 Dec; 111 Suppl 1: 49-52
- 11429 Ramsay, I. N., Ali, H. M., Hunter, M., Stark, D., McKenzie, S., Donaldson, K., Major, K. A prospective, randomized controlled trial of inpatient versus outpatient continence programs in the treatment of urinary incontinence in the female. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 260-3
- 44502 Ramsay, I. N., Clancy, S., Hilton, P. Subtrigonal phenol injections in the treatment of idiopathic detrusor instability in the female--a long-term urodynamic follow-up. *Br J Urol*. 1992 Apr; 69: 363-5
- 11832 Ramsay, I. N., Hilton, P., Cox, T. F. Time-series analysis of urethral electrical conductance measurements in the assessment of unstable urethral pressure: results in normal patients and in those with genuine stress incontinence. *Neurourol Urodyn*. 1993; 12: 23-31
- 3420 Ramsay, I.N., Clancy, S., and Hilton, P. Subtrigonal phenol injections in the treatment of idiopathic detrusor instability in the female--a long-term urodynamic follow-up. *Br J Urol*. 1992 Apr; 69: 363-365
- 3098 Ramsay, I.N., Hilton, P., and Cox, T.F. Time-series analysis of urethral electrical conductance measurements in the assessment of unstable urethral pressure: results in normal patients and in those with genuine stress incontinence. *Neurourol Urodyn*. 1993; 12: 23-31
- 57640 Ramundo, J. M., Davis, K. E. State of the science: pathology and management of the patient with overactive bladder. *Ostomy Wound Manage*. 2002 Dec; 48: 22-7
- 42284 Rana, S., D'Amico, F., Merenstein, J. H. Relationship of vitamin B12 deficiency with incontinence in older people. *J Am Geriatr Soc*. 1998 Jul; 46: 931-2
- 10309 Rane, A. A comparison of bladder neck movement and elevation after tension free vaginal tape and colposuspension. *BJOG*. 2001 Jul; 108: 776
- 41813 Rane, A. Incontinence in women. Don't suffer it. *Aust Fam Physician*. 1999 Jun; 28: 584-6
- 10916 Rane, A. Laparoscopic colposuspension. *Br J Obstet Gynaecol*. 1998 Nov; 105: 1237
- 41205 Rangnekar, N. P., Imdad Ali, N., Kaul, S. A., Pathak, H. R. Role of the martius procedure in the management of urinary-vaginal fistulas. *J Am Coll Surg*. 2000 Sep; 191: 259-63
- 40607 Rannestad, T., Eikeland, O. J., Helland, H., Qvarnstrom, U. Are the physiologically and psychosocially based symptoms in women suffering from gynecological disorders alleviated by means of hysterectomy?. *J Womens Health Gend Based Med*. 2001 Jul-Aug; 10: 579-87
- 59295 Rao, A. R., Karim, O. M., Motiwala, H. G. Urethral diverticula: a diagnostic dilemma. *BJU Int*. 2005 Mar; 95: 680-1
- 53700 Rardin, C. R., Kohli, N., Rosenblatt, P. L., Miklos, J. R., Moore, R., Strohsnitter, W. C. Tension-free vaginal tape: outcomes among women with primary versus recurrent stress urinary incontinence. *Obstet Gynecol*. 2002 Nov; 100: 893-7
- 53690 Rardin, C. R., Rosenblatt, P. L., Kohli, N., Miklos, J. R., Heit, M., Lucente, V. R. Release of tension-free vaginal tape for the treatment of refractory postoperative voiding dysfunction. *Obstet Gynecol*. 2002 Nov; 100: 898-902
- 44048 Rasmussen, A., Mouritsen, L., Dalgaard, A., Frimodt-Moller, C. Twenty-four hour pad weighing test: reproducibility and dependency of activity level and fluid intake. *Neurourol Urodyn*. 1994; 13: 261-5
- 3079 Rasmussen, F., Lie, H.R., Hagelsteen, J.H., Lagergren, J., Borjeson, M.C., Lagerkvist, B., and Kohler, L. Nordic children with myelomeningocele. Parents' assessments of the handicap and physicians' classifications of the disabilities. *Acta Paediatr*. 1993 Mar; 82: 276-280
- 11226 Rasmussen, K. L., Krue, S., Johansson, L. E., Knudsen, H. J., Agger, A. O. Obesity as a predictor of postpartum urinary symptoms. *Acta Obstet Gynecol Scand*. 1997 Apr; 76: 359-62
- 43142 Ravalli, R., Brettschneider, N. Nursing assessment and management strategies for urinary incontinence. *J Endourol*. 1996 Jun; 10: 297-300



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 40346** Rawlings, C. A. Colposuspension as a treatment for urinary incontinence in spayed dogs. *J Am Anim Hosp Assoc.* 2002 Mar-Apr; 38: 107-10
- 41099** Rawlings, C. A., Mahaffey, M. B., Chernosky, A., Huzella, L. Immediate urodynamic and anatomic response to colposuspension in female Beagles. *Am J Vet Res.* 2000 Nov; 61: 1353-7
- 40605** Rawlings, C., Barsanti, J. A., Mahaffey, M. B., Bement, S. Evaluation of colposuspension for treatment of incontinence in spayed female dogs. *J Am Vet Med Assoc.* 2001 Sep 15; 219: 770-5
- 11620** Rayome, R. G., King, C., King, T. Patient with nocturnal enuresis and stress incontinence after previous hysterectomy and radiation therapy for cervical cancer. *J Wound Ostomy Continence Nurs.* 1995 Jan; 22: 64-7
- 41567** Raz, R., Gennesin, Y., Wasser, J., Stoler, Z., Rosenfeld, S., Rottensterich, E., Stamm, W. E. Recurrent urinary tract infections in postmenopausal women. *Clin Infect Dis.* 2000 Jan; 30: 152-6
- 11642** Raz, S. Fistulas, diverticula and incontinence. *J Urol.* 1994 Nov; 152: 1458-9
- 12083** Raz, S. Vaginal surgery for stress incontinence. *J Am Geriatr Soc.* 1990 Mar; 38: 345-7
- 11952** Raz, S., Little, N. A., Juma, S., Sussman, E. M. Repair of severe anterior vaginal wall prolapse (grade IV cystourethrocele). *J Urol.* 1991 Oct; 146: 988-92
- 3599** Raz, S., Little, N.A., Juma, S., and Sussman, E.M. Repair of severe anterior vaginal wall prolapse (grade IV cystourethrocele). *J Urol.* 1991 Oct; 146: 988-992
- 11816** Raz, S., Nitti, V. W., Bregg, K. J. Transvaginal repair of enterocele. *J Urol.* 1993 Apr; 149: 724-30
- 3128** Raz, S., Nitti, V.W., and Bregg, K.J. Transvaginal repair of enterocele. *J Urol.* 1993 Apr; 149: 724-730
- 43132** Raz, S., Stothers, L., Young, G. P., Short, J., Marks, B., Chopra, A., Wahle, G. R. Vaginal wall sling for anatomical incontinence and intrinsic sphincter dysfunction: efficacy and outcome analysis. *J Urol.* 1996 Jul; 156: 166-70
- 11875** Raz, S., Sussman, E. M., Erickson, D. B., Bregg, K. J., Nitti, V. W. The Raz bladder neck suspension: results in 206 patients. *J Urol.* 1992 Sep; 148: 845-50
- 3279** Raz, S., Sussman, E.M., Erickson, D.B., Bregg, K.J., and Nitti, V.W. The Raz bladder neck suspension: results in 206 patients. *J Urol.* 1992 Sep; 148: 845-850
- 41215** Razak, M., Sappani, K. Neurological recovery following posterior decompression of spinal secondaries. *Med J Malaysia.* 1998 Sep; 53 Suppl A: 6-11
- 12075** Realini, J. P., Walters, M. D. Vaginal diaphragm rings in the treatment of stress urinary incontinence. *J Am Board Fam Pract.* 1990 Apr-Jun; 3: 99-103
- 11811** Rechberger, T., Donica, H., Baranowski, W., Jakowicki, J. Female urinary stress incontinence in terms of connective tissue biochemistry. *Eur J Obstet Gynecol Reprod Biol.* 1993 May; 49: 187-91
- 10912** Rechberger, T., Postawski, K., Jakowicki, J. A., Gunja-Smith, Z., Woessner, J. F., Jr Role of fascial collagen in stress urinary incontinence. *Am J Obstet Gynecol.* 1998 Dec; 179: 1511-4
- 10303** Reddy, A. P., DeLancey, J. O., Zwica, L. M., Ashton-Miller, J. A. On-screen vector-based ultrasound assessment of vesical neck movement. *Am J Obstet Gynecol.* 2001 Jul; 185: 65-70
- 56900** Reddy, P. P., Redman, J. F. The management of childhood voiding dysfunction. *J Ark Med Soc.* 2003 Mar; 99: 295-8
- 32138** Redman, J. F. Female urologic diagnostic techniques. *Urol Clin North Am.* 1990 Feb; 17: 5-8
- 54050** Reed, H., Freeman, R. M., Waterfield, A., Adekanmi, O. Prevalence of bladder neck mobility in asymptomatic non-pregnant nulliparous volunteers. *BJOG.* 2004 Feb; 111: 172-5
- 43928** Regensberg, D. Objective social continence: understanding continence. *Nurs RSA.* 1994 May; 9: 23-6
- 55790** Reichle, J. K., Peterson, R. A., 2nd, Mahaffey, M. B., Schelling, C. G., Barthez, P. Y. Ureteral fibroepithelial polyps in four dogs. *Vet Radiol Ultrasound.* 2003 Jul-Aug; 44: 433-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 55390** Reichler, I. M., Hubler, M., Jochle, W., Trigg, T. E., Piche, C. A., Arnold, S. The effect of GnRH analogs on urinary incontinence after ablation of the ovaries in dogs. *Theriogenology*. 2003 Oct 15; 60: 1207-16
- 3027** Reid, C.J., Borzyskowski, M. Lower urinary tract dysfunction in cerebral palsy. *Arch Dis Child*. 1993 Jun; 68: 739-742
- 12071** Reid, G. C., DeLancey, J. O., Hopkins, M. P., Roberts, J. A., Morley, G. W. Urinary incontinence following radical vulvectomy. *Obstet Gynecol*. 1990 May; 75: 852-8
- 4085** Reid, G.C., DeLancey, J.O., Hopkins, M.P., Roberts, J.A., and Morley, G.W. Urinary incontinence following radical vulvectomy. *Obstet Gynecol*. 1990 May; 75: 852-858
- 54120** Reid, I. R., Eastell, R., Fogelman, I., Adachi, J. D., Rosen, A., Netelenbos, C., Watts, N. B., Seeman, E., Ciaccia, A. V., Draper, M. W. A comparison of the effects of raloxifene and conjugated equine estrogen on bone and lipids in healthy postmenopausal women. *Arch Intern Med*. 2004 Apr 26; 164: 871-9
- 59166** Reid, S. V., Parys, B. T. Long-term 5-year followup of the results of the vesica procedure. *J Urol*. 2005 Apr; 173: 1234-6
- 10191** Reilly, E. T., Freeman, R. M., Waterfield, M. R., Waterfield, A. E., Steggles, P., Pedlar, F. Prevention of postpartum stress incontinence in primigravidae with increased bladder neck mobility: a randomised controlled trial of antenatal pelvic floor exercises. *BJOG*. 2002 Jan; 109: 68-76
- 40261** Reilly, N. A matter of life or death. *Urol Nurs*. 2001 Apr; 21: 68
- 57690** Reinberg, Y., Crocker, J., Wolpert, J., Vandersteen, D. Therapeutic efficacy of extended release oxybutynin chloride, and immediate release and long acting tolterodine tartrate in children with diurnal urinary incontinence. *J Urol*. 2003 Jan; 169: 317-9
- 3391** Reiner, I., Jones, M., Donnell, S., and Rickwood, A.M. Incidence of normal micturition in myelomeningocele patients. *Arch Dis Child*. 1992 May; 67: 640-641
- 44392** Rekers, H., Drogendijk, A. C., Valkenburg, H. A., Riphagen, F. The menopause, urinary incontinence and other symptoms of the genito- urinary tract. *Maturitas*. 1992 Oct; 15: 101-11
- 44524** Rekers, H., Drogendijk, A. C., Valkenburg, H., Riphagen, F. Urinary incontinence in women from 35 to 79 years of age: prevalence and consequences. *Eur J Obstet Gynecol Reprod Biol*. 1992 Feb 28; 43: 229-34
- 3438** Rekers, H., Drogendijk, A.C., Valkenburg, H., and Riphagen, F. Urinary incontinence in women from 35 to 79 years of age: prevalence and consequences. *Eur J Obstet Gynecol Reprod Biol*. 1992 Feb 28; 43: 229-234
- 3198** Rekers, H., Drogendijk, A.C., Valkenburg, H.A., and Riphagen, F. The menopause, urinary incontinence and other symptoms of the genito-urinary tract. *Maturitas*. 1992 Oct; 15: 101-111
- 41409** Remsburg, R. E., Palmer, M. H., Langford, A. M., Mendelson, G. F. Staff compliance with and ratings of effectiveness of a prompted voiding program in a long-term care facility. *J Wound Ostomy Continence Nurs*. 1999 Sep; 26: 261-9
- 42510** Rentzhog, L., Stanton, S. L., Cardozo, L., Nelson, E., Fall, M., Abrams, P. Efficacy and safety of tolterodine in patients with detrusor instability: a dose-ranging study. *Br J Urol*. 1998 Jan; 81: 42-8
- 43554** Resnick, B. A bladder scan trial in geriatric rehabilitation. *Rehabil Nurs*. 1995 Jul-Aug; 20: 194-6, 203
- 43184** Resnick, B., Slocum, D., Ra, L., Moffett, P. Geriatric rehabilitation: nursing interventions and outcomes focusing on urinary function and knowledge of medications. *Rehabil Nurs*. 1996 May-Jun; 21: 142-7
- 42961** Resnick, N. M. An 89-year-old woman with urinary incontinence. *JAMA*. 1996 Dec 11; 276: 1832-40
- 12091** Resnick, N. M. Initial evaluation of the incontinent patient. *J Am Geriatr Soc*. 1990 Mar; 38: 311-6
- 11543** Resnick, N. M. Urinary incontinence. *Lancet*. 1995 Jul 8; 346: 94-9
- 11866** Resnick, N. M. Urinary incontinence in older adults. *Hosp Pract (Off Ed)*. 1992 Oct 15; 27: 139-42, 147, 150 passim

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11713 Resnick, N. M., Beckett, L. A., Branch, L. G., Scherr, P. A., Wetle, T. Short-term variability of self report of incontinence in older persons. *J Am Geriatr Soc.* 1994 Feb; 42: 202-7
- 11435 Resnick, N. M., Brandeis, G. H., Baumann, M. M., DuBeau, C. E., Yalla, S. V. Misdiagnosis of urinary incontinence in nursing home women: prevalence and a proposed solution. *Neurourol Urodyn.* 1996; 15: 599-613; discussion 613-8
- 43309 Resnick, N. M., Brandeis, G. H., Baumann, M. M., Morris, J. N. Evaluating a national assessment strategy for urinary incontinence in nursing home residents: reliability of the minimum data set and validity of the resident assessment protocol. *Neurourol Urodyn.* 1996; 15: 583-98
- 51900 Resnick, N. M., Griffiths, D. J. Expanding treatment options for stress urinary incontinence in women. *JAMA.* 2003 Jul 16; 290: 395-7
- 42350 Resnick, N., Fenner, D. Toward optimal health: the experts respond to urinary incontinence. *J Womens Health.* 1998 May; 7: 419-24
- 3895 Resnick, N.M. Noninvasive diagnosis of the patient with complex incontinence. *Gerontology.* 1990; 36 Suppl 2: 8-18
- 4157 Resnick, N.M., Ouslander, J.G. Urinary incontinence--where do we stand and where do we go from here?. *J Am Geriatr Soc.* 1990 Mar; 38: 263-264
- 10104 Resplande, J., Gholami, S. S., Graziottin, T. M., Rogers, R., Lin, C. S., Leng, W., Lue, T. F. Long-term effect of ovariectomy and simulated birth trauma on the lower urinary tract of female rats. *J Urol.* 2002 Jul; 168: 323-30
- 53530 Resplande, J., Gholami, S., Bruschini, H., Srougi, M. Urodynamic changes induced by the intravaginal electrode during pelvic floor electrical stimulation. *Neurourol Urodyn.* 2003; 22: 24-8
- 43690 Retzky, S. S., Rogers, R. M., Jr Urinary incontinence in women. *Clin Symp.* 1995; 47: 2-32
- 41967 Reuben, D. B., Frank, J. C., Hirsch, S. H., McGuigan, K. A., Maly, R. C. A randomized clinical trial of outpatient comprehensive geriatric assessment coupled with an intervention to increase adherence to recommendations. *J Am Geriatr Soc.* 1999 Mar; 47: 269-76
- 43231 Reuben, D. B., Maly, R. C., Hirsch, S. H., Frank, J. C., Oakes, A. M., Siu, A. L., Hays, R. D. Physician implementation of and patient adherence to recommendations from comprehensive geriatric assessment. *Am J Med.* 1996 Apr; 100: 444-51
- 43816 Reymert, J., Hunskaar, S. Why do only a minority of perimenopausal women with urinary incontinence consult a doctor?. *Scand J Prim Health Care.* 1994 Sep; 12: 180-3
- 10329 Rezapour, M., Falconer, C., Ulmsten, U. Tension-Free vaginal tape (TVT) in stress incontinent women with intrinsic sphincter deficiency (ISD)--a long-term follow-up. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S12-14
- 10328 Rezapour, M., Ulmsten, U. Tension-Free vaginal tape (TVT) in women with mixed urinary incontinence--a long-term follow-up. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S15-18
- 10322 Rezapour, M., Ulmsten, U. Tension-Free vaginal tape (TVT) in women with recurrent stress urinary incontinence--a long-term follow up. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S9-11
- 41541 Reznicek, S. B. Common urologic problems in the elderly. Prostate cancer, outlet obstruction, and incontinence require special management. *Postgrad Med.* 2000 Jan; 107: 163-4, 167-70, 177-8
- 43686 Rhodes, P. A postal survey of continence advisers in England and Wales. *J Adv Nurs.* 1995 Feb; 21: 286-94
- 44029 Rhodes, P., Parker, G. Continence. Profile of an adviser. *Nurs Times.* 1994 Jan 26-Feb 1; 90: 75-8
- 10098 Riachi, L., Kohli, N., Miklos, J. Repeat tension-free transvaginal tape (TVT) sling for the treatment of recurrent stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 133-5; discussion 135
- 40610 Ricci, J. A., Baggish, J. S., Hunt, T. L., Stewart, W. F., Wein, A., Herzog, A. R., Diokno, A. C. Coping strategies and health care-seeking behavior in a US national sample of adults with symptoms suggestive of overactive bladder. *Clin Ther.* 2001 Aug; 23: 1245-59

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 44164** Richardson, D. A. Conservative management of urinary incontinence. A symposium. J Reprod Med. 1993 Sep; 38: 659-61
- 11965** Richardson, D. A. Investigative procedures in urogynecology. Curr Opin Obstet Gynecol. 1991 Aug; 3: 513-9
- 11356** Richardson, D. A., Miller, K. L., Siegel, S. W., Karram, M. M., Blackwood, N. B., Staskin, D. R. Pelvic floor electrical stimulation: a comparison of daily and every- other-day therapy for genuine stress incontinence. Urology. 1996 Jul; 48: 110-8
- 11854** Richardson, D. A., Ramahi, A. Reproducibility of pressure transmission ratios in stress incontinent women. Neurourol Urodyn. 1993; 12: 123-30
- 12007** Richardson, D. A., Ramahi, A., Chalas, E. Surgical management of stress incontinence in patients with low urethral pressure. Gynecol Obstet Invest. 1991; 31: 106-9
- 4025** Richardson, D.A. Overflow incontinence and urinary retention. Clin Obstet Gynecol. 1990 Jun; 33: 378-381
- 3689** Richardson, D.A., Ramahi, A., and Chalas, E. Surgical management of stress incontinence in patients with low urethral pressure. Gynecol Obstet Invest. 1991; 31: 106-109
- 43474** Richardson, J. P., Hricz, L. Risk factors for the development of bacteremia in nursing home patients. Arch Fam Med. 1995 Sep; 4: 785-9
- 42558** Richardson, P. Re: The intravaginal slingplasty operation, a minimally invasive technique for cure of urinary incontinence in the female (1). Aust N Z J Obstet Gynaecol. 1997 Nov; 37: 485
- 10162** Richardson, P. The integral theory of pelvic floor dysfunction. Aust N Z J Obstet Gynaecol. 2002 Feb; 42: 99-100
- 43788** Richardson, P. A. Ambulatory surgery for urinary incontinence and vaginal prolapse. Med J Aust. 1994 Oct 17; 161: 511
- 11521** Richardson, T. D., Kennelly, M. J., Faerber, G. J. Endoscopic injection of glutaraldehyde cross-linked collagen for the treatment of intrinsic sphincter deficiency in women. Urology. 1995 Sep; 46: 378-81
- 11771** Richmond, D. The incontinent woman: 1. Br J Hosp Med. 1993 Oct 6-19; 50: 418-23
- 11772** Richmond, D. The incontinent woman: 2. Br J Hosp Med. 1993 Oct 20-Nov 2; 50: 490-2
- 43792** Richmond, J. Continence. The tyranny of interstitial cystitis. Nurs Times. 1994 Oct 26-Nov 1; 90: 72
- 50470** Richter, H. E., Burgio, K. L., Holley, R. L., Goode, P. S., Locher, J. L., Wright, K. C., Varner, R. E. Cadaveric fascia lata sling for stress urinary incontinence: a prospective quality-of-life analysis. Am J Obstet Gynecol. 2003 Dec; 189: 1590-5; discussion 1595-6
- 10443** Richter, H. E., Varner, R. E., Sanders, E., Holley, R. L., Northen, A., Cliver, S. P. Effects of pubovaginal sling procedure on patients with urethral hypermobility and intrinsic sphincteric deficiency: would they do it again?. Am J Obstet Gynecol. 2001 Jan; 184: 14-9
- 44726** Ricketts, R. R., Woodard, J. R., Zwiren, G. T., Andrews, H. G., Broecker, B. H. Modern treatment of cloacal exstrophy. J Pediatr Surg. 1991 Apr; 26: 444-8; discussion 448-50
- 3673** Ricketts, R.R., Woodard, J.R., Zwiren, G.T., Andrews, H.G., and Broecker, B.H. Modern treatment of cloacal exstrophy. J Pediatr Surg. 1991 Apr; 26: 444-8;discussion448-50
- 3371** Rickwood, A.M. Management of the incontinent child in general practice. The paediatric urologist's viewpoint. Scand J Urol Nephrol Suppl. 1992; 141: 117-125
- 40475** Riedmiller, H., Androulakakis, P., Beurton, D., Kocvara, R., Gerharz, E. EAU guidelines on paediatric urology. Eur Urol. 2001 Nov; 40: 589-99
- 44117** Rietberg, C. C., Lindhout, D. Adult patients with spina bifida cystica: genetic counselling, pregnancy and delivery. Eur J Obstet Gynecol Reprod Biol. 1993 Nov; 52: 63-70
- 43016** Rigby, D. Continence. Face to face support. Nurs Times. 1996 Oct 9-15; 92: 84
- 41627** Rigby, D. Persistence the key for patient who resists change. Nurs Times. 1999 Aug 4-10; 95: 61

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11389 Rigby, D. Promoting continence with electrostimulation. *Prof Nurse*. 1996 Apr; 11: 431-434
- 40297 Rigby, D., Whelan, L. Parkinson's disease and the nurse's role in continence assessment. *Nurs Times*. 2001 May 17-23; 97: 64-5
- 40300 Rigby, D., Whelan, L. Parkinson's disease--continence management. *Nurs Times*. 2001 Jul 26-Aug 1; 97: 65-6
- 41418 Rigby, M. Lost continence. *Nurs Stand*. 1999 Sep 29-Oct 5; 14: 14-5
- 3011 Riley, D.E., Lang, A.E. The spectrum of levodopa-related fluctuations in Parkinson's disease. *Neurology*. 1993 Aug; 43: 1459-1464
- 42013 Ring, H., Tshuva, M., Ronen, R., Dynia, A., Eldar, R. Quality of care on a stroke rehabilitation ward: the use of urinary incontinence as tracer. *Int J Rehabil Res*. 1998 Jun; 21: 241-5
- 43854 Rink, R. C., Adams, M. C., Keating, M. A. The flip-flap technique to lengthen the urethra (Salle procedure) for treatment of neurogenic urinary incontinence. *J Urol*. 1994 Aug; 152: 799-802
- 43654 Rintala, R. J., Lindahl, H. Is normal bowel function possible after repair of intermediate and high anorectal malformations?. *J Pediatr Surg*. 1995 Mar; 30: 491-4
- 42761 Rintala, R. J., Lindahl, H. G., Rasanen, M. Do children with repaired low anorectal malformations have normal bowel function?. *J Pediatr Surg*. 1997 Jun; 32: 823-6
- 44153 Rintala, R., Lahdenne, P., Lindahl, H., Siimes, M., Heikinheimo, M. Anorectal function in adults operated for a benign sacrococcygeal teratoma. *J Pediatr Surg*. 1993 Sep; 28: 1165-7
- 43902 Rintala, R., Mildh, L., Lindahl, H. Fecal continence and quality of life for adult patients with an operated high or intermediate anorectal malformation. *J Pediatr Surg*. 1994 Jun; 29: 777-80
- 57500 Ripetti, V., Caputo, D., Ausania, F., Esposito, E., Bruni, R., Arullani, A. Sacral nerve neuromodulation improves physical, psychological and social quality of life in patients with fecal incontinence. *Tech Coloproctol*. 2002 Dec; 6: 147-52
- 40546 Ritchie, J., Kuchel, G. A. A prospective evaluation of the pathogenesis of detrusor instability in women, using electron microscopy and immunohistochemistry. *BJU Int*. 2001 Oct; 88: 645-6
- 43262 Rivas, D. A., Chancellor, M. B., Liu, J. - B., Hanau, C., Bagley, D. H., Goldberg, B. Endoluminal ultrasonographic and histologic evaluation of periurethral collagen injection. *J Endourol*. 1996 Feb; 10: 61-6
- 43467 Rivas, D. A., Karasick, S., Chancellor, M. B. Cutaneous ileocystostomy (a bladder chimney) for the treatment of severe neurogenic vesical dysfunction. *Paraplegia*. 1995 Sep; 33: 530-5
- 10494 Rizeq, M. A., Casey, M. Recent advances in care for the elderly. *Practitioner*. 2000 Nov; 244: 931-6
- 40434 Rizk, D. E. Epidemiology consequences and natural history of urinary incontinence in non-caucasian women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 413
- 10683 Rizk, D. E. Stress urinary incontinence: prevalence among nulliparous compared with primiparous and grand multiparous pre-menopausal women. *Neurourol Urodyn*. 2000; 19: 209-10
- 40494 Rizk, D. E., Hassan, M. Y., Shaheen, H., Cherian, J. V., Micallef, R., Dunn, E. The prevalence and determinants of health care-seeking behavior for fecal incontinence in multiparous United Arab Emirates females. *Dis Colon Rectum*. 2001 Dec; 44: 1850-6
- 40551 Rizk, D. E., Raaschou, T., Mason, N., Berg, B. Evidence of progesterone receptors in the mucosa of the urinary bladder. *Scand J Urol Nephrol*. 2001 Sep; 35: 305-9
- 41778 Rizk, D. E., Shaheen, H., Thomas, L., Dunn, E., Hassan, M. Y. The prevalence and determinants of health care-seeking behavior for urinary incontinence in United Arab Emirates women. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 160-5
- 10874 Rizvi, J. H. Genital fistulae. A continuing tragedy. *J Obstet Gynaecol Res*. 1999 Feb; 25: 1-7



# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 43657 Roberts, J. P., Moon, S., Malone, P. S. Treatment of neuropathic urinary and faecal incontinence with synchronous bladder reconstruction and the antegrade continence enema procedure. *Br J Urol.* 1995 Mar; 75: 386-9
- 42034 Roberts, M. M., Park, T. A. Pelvic floor function/dysfunction and electrodiagnostic evaluation. *Phys Med Rehabil Clin N Am.* 1998 Nov; 9: 831-51, vii
- 42486 Roberts, R. O., Jacobsen, S. J., Jacobson, D. J., Reilly, W. T., Talley, N. J., Lieber, M. M. Natural history of prostatism: high American Urological Association Symptom scores among community-dwelling men and women with urinary incontinence. *Urology.* 1998 Feb; 51: 213-9
- 41807 Roberts, R. O., Jacobsen, S. J., Reilly, W. T., Pemberton, J. H., Lieber, M. M., Talley, N. J. Prevalence of combined fecal and urinary incontinence: a community- based study. *J Am Geriatr Soc.* 1999 Jul; 47: 837-41
- 42421 Roberts, R. O., Jacobsen, S. J., Rhodes, T., Reilly, W. T., Girman, C. J., Talley, N. J., Lieber, M. M. Urinary incontinence in a community-based cohort: prevalence and healthcare-seeking. *J Am Geriatr Soc.* 1998 Apr; 46: 467-72
- 11938 Robertson, A. S., Davies, J. B., Webb, R. J., Neal, D. E. Bladder augmentation and replacement. Urodynamic and clinical review of 25 patients. *Br J Urol.* 1991 Dec; 68: 590-7
- 42019 Robinson, D. Pathophysiology of female lower urinary tract dysfunction. *Obstet Gynecol Clin North Am.* 1998 Dec; 25: 747-56, vi
- 42644 Robinson, D. Urinary incontinence in the elderly: a growing problem that needs attention. *Curr Opin Obstet Gynecol.* 1997 Oct; 9: 285-8
- 10175 Robinson, D., Anders, K., Cardozo, L., Bidmead, J., Tooze-Hobson, P., Khullar, V. Can ultrasound replace ambulatory urodynamics when investigating women with irritative urinary symptoms?. *BJOG.* 2002 Feb; 109: 145-8
- 52540 Robinson, D., Bidmead, J., Cardozo, L., Muir, G. An unusual cause of voiding dysfunction following colposuspension. *J Obstet Gynaecol.* 2003 Mar; 23: 210-1
- 59194 Robinson, D., Cardozo, L. Oestrogens and the lower urinary tract. *BJOG.* 2004 Dec; 111 Suppl 1: 10-4
- 57970 Robinson, D., Cardozo, L. Overactive bladder in the female patient: the role of estrogens. *Curr Urol Rep.* 2002 Dec; 3: 452-7
- 56160 Robinson, D., Cardozo, L. Risk factors for urinary incontinence in women. *J Br Menopause Soc.* 2003 Jun; 9: 75-9
- 54850 Robinson, D., Cardozo, L. The effect of continence surgery on urogenital prolapse. *BJU Int.* 2004 Jan; 93: 25-30
- 56580 Robinson, D., Cardozo, L. The menopause and HRT. Urogenital effects of hormone therapy. *Best Pract Res Clin Endocrinol Metab.* 2003 Mar; 17: 91-104
- 51240 Robinson, D., Cardozo, L. D. The role of estrogens in female lower urinary tract dysfunction. *Urology.* 2003 Oct; 62: 45-51
- 40589 Robinson, D., Khullar, V., Cardozo, L. Pharmacological management of detrusor instability. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 271-8
- 43356 Robinson, D., McClish, D. K., Wyman, J. F., Bump, R. C., Fanti, J. A. Comparison between urinary diaries completed with and without intensive patient instructions. *Neurourol Urodyn.* 1996; 15: 143-8
- 11104 Robinson, D., Pearce, K. F., Preisser, J. S., Dugan, E., Suggs, P. K., Cohen, S. J. Relationship between patient reports of urinary incontinence symptoms and quality of life measures. *Obstet Gynecol.* 1998 Feb; 91: 224-8
- 43351 Robinson, D., Rainer, R. O., Washburn, S. A., Clarkson, T. B. Effects of estrogen and progestin replacement on the urogenital tract of the ovariectomized cynomolgus monkey. *Neurourol Urodyn.* 1996; 15: 215-21
- 56790 Robinson, D., Savvas, M., Cardozo, L. An unusual cause of 'incontinence' after hysterectomy. *BJU Int.* 2003 May; 91: 727-8



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 51570 Robinson, H., Schulz, J., Flood, C., Hansen, L. A randomized controlled trial of the NEAT expandable tip continence device. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 199-203; discussion 203
- 41556 Robinson, J. P. Managing urinary incontinence in the nursing home: residents' perspectives. *J Adv Nurs.* 2000 Jan; 31: 68-77
- 40367 Robinson, J. P. Phases of the qualitative research interview with institutionalized elderly individuals. *J Gerontol Nurs.* 2000 Nov; 26: 17-23
- 41611 Robson, W. L. Enuresis treatment in the US. *Scand J Urol Nephrol Suppl.* 1999; 202: 56-60
- 3725 Rocco, F., Franchini, V. Antimicrobial therapy for treatment of UTI in the elderly. *Eur Urol.* 1991; 19 Suppl 1: 7-15
- 12109 Rockner, G. Urinary incontinence after perineal trauma at childbirth. *Scand J Caring Sci.* 1990; 4: 169-72
- 10358 Rodriguez, L. V., Berman, J., Raz, S. Polypropylene sling for treatment of stress urinary incontinence: an alternative to tension-free vaginal tape. *Tech Urol.* 2001 Jun; 7: 87-9
- 56190 Rodriguez, L. V., Blander, D. S., Dorey, F., Raz, S., Zimmern, P. Discrepancy in patient and physician perception of patient's quality of life related to urinary symptoms. *Urology.* 2003 Jul; 62: 49-53
- 10080 Rodriguez, L. V., Blander, D. S., Raz, S. New millennium, new slings. *Curr Urol Rep.* 2001 Oct; 2: 399-406
- 59196 Rodriguez, L. V., Chen, S., Jack, G. S., de Almeida, F., Lee, K. W., Zhang, R. New objective measures to quantify stress urinary incontinence in a novel durable animal model of intrinsic sphincter deficiency. *Am J Physiol Regul Integr Comp Physiol.* 2005 May; 288: R1332-8
- 59090 Rodriguez, L. V., de Almeida, F., Dorey, F., Raz, S. Does Valsalva leak point pressure predict outcome after the distal urethral polypropylene sling? Role of urodynamics in the sling era. *J Urol.* 2004 Jul; 172: 210-4
- 10233 Rodriguez, L. V., Raz, S. Polypropylene sling for the treatment of stress urinary incontinence. *Urology.* 2001 Nov; 58: 783-5
- 59262 Rodriguez-Veiga, E., Mestre-Nieto, L., Martinez-Sainz, P., Garcia-Pascual, A., Martin-Palacios, S., Marin-Garcia, P., Gonzalez-Soriano, J. Stereological study of the external urethral sphincter in the female urethra of the lamb: a new model for studies on urinary continence. *Anat Histol Embryol.* 2005 Apr; 34: 85-92
- 3615 Roe, B. Benefits of bladder re-education. *Nursing (Lond).* 1991 Jul 25-Aug 21; 4: 11-13
- 41126 Roe, B. Effective and ineffective management of incontinence: issues around illness trajectory and health care. *Qual Health Res.* 2000 Sep; 10: 677-90
- 3021 Roe, B. Promoting continence in Denmark and UK. *Nurs Stand.* 1993 Jun 23-29; 7: 28-30
- 41331 Roe, B., Doll, H. Lifestyle factors and continence status: comparison of self-report data from a postal survey in England. *J Wound Ostomy Continence Nurs.* 1999 Nov; 26: 312-3, 315-9
- 41093 Roe, B., Doll, H. Prevalence of urinary incontinence and its relationship with health status. *J Clin Nurs.* 2000 Mar; 9: 178-87
- 41811 Roe, B., Doll, H., Wilson, K. Help seeking behaviour and health and social services utilisation by people suffering from urinary incontinence. *Int J Nurs Stud.* 1999 Jun; 36: 245-53
- 41706 Roe, B., May, C. Incontinence and sexuality: findings from a qualitative perspective. *J Adv Nurs.* 1999 Sep; 30: 573-9
- 40514 Roe, B., Moore, K. N. Utilization of incontinence clinical practice guidelines. *J Wound Ostomy Continence Nurs.* 2001 Nov; 28: 297-304
- 41025 Roe, B., Wilson, K., Doll, H. Public awareness and health education: findings from an evaluation of health services for incontinence in England. *Int J Nurs Stud.* 2001 Feb; 38: 79-89
- 3135 Roe, B.H. A comparison of nursing approaches for the promotion and management of continence in the U.K. and Denmark. *Int J Nurs Stud.* 1993 Feb; 30: 25-35
- 3954 Roe, B.H. Development of Continence Advisory Services in the United Kingdom. *Scand J Caring Sci.* 1990; 4: 51-54

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 3310** Roe, B.H. What choices in care for the incontinent?. World Health Forum. 1992; 13: 81-83
- 40441** Rogers, G. R., Villarreal, A., Kammerer-Doak, D., Qualls, C. Sexual function in women with and without urinary incontinence and/or pelvic organ prolapse. Int Urogynecol J Pelvic Floor Dysfunct. 2001; 12: 361-5
- 43017** Rogers, J. Continence. Single-minded action. Nurs Times. 1996 Oct 9-15; 92: 78-80
- 55710** Rogers, R. G., Coates, K. W., Kammerer-Doak, D., Khalsa, S., Qualls, C. A short form of the Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire (PISQ-12). Int Urogynecol J Pelvic Floor Dysfunct. 2003 Aug; 14: 164-8; discussion 168
- 59056** Rogers, R. G., Kammerer-Doak, D., Darrow, A., Murray, K., Olsen, A., Barber, M., Qualls, C. Sexual function after surgery for stress urinary incontinence and/or pelvic organ prolapse: a multicenter prospective study. Am J Obstet Gynecol. 2004 Jul; 191: 206-10
- 59058** Rogers, R. G., Kammerer-Doak, D., Olsen, A., Thompson, P. K., Walters, M. D., Lukacz, E. S., Qualls, C. A randomized, double-blind, placebo-controlled comparison of the effect of nitrofurantoin monohydrate macrocrystals on the development of urinary tract infections after surgery for pelvic organ prolapse and/or stress urinary incontinence with suprapubic c. Am J Obstet Gynecol. 2004 Jul; 191: 182-7
- 40913** Rogers, R. G., Kammerer-Doak, D., Villarreal, A., Coates, K., Qualls, C. A new instrument to measure sexual function in women with urinary incontinence or pelvic organ prolapse. Am J Obstet Gynecol. 2001 Mar; 184: 552-8
- 44411** Rohatgi, M., Gupta, D. K., Subbarao, P. Single-system cecoureterocele. J Pediatr Surg. 1992 Sep; 27: 1241-3
- 3239** Rohatgi, M., Gupta, D.K., and Subbarao, P. Single-system cecoureterocele. J Pediatr Surg. 1992 Sep; 27: 1241-1243
- 59020** Rohr, G., Christensen, K., Ulstrup, K., Kragstrup, J. Reproducibility and validity of simple questions to identify urinary incontinence in elderly women. Acta Obstet Gynecol Scand. 2004 Oct; 83: 969-72
- 59018** Rohr, G., Kragstrup, J., Gaist, D., Christensen, K. Genetic and environmental influences on urinary incontinence: a Danish population-based twin study of middle-aged and elderly women. Acta Obstet Gynecol Scand. 2004 Oct; 83: 978-82
- 40939** Roijen, L. E., Postema, K., Limbeek, V. J., Kuppevelt, V. H. Development of bladder control in children and adolescents with cerebral palsy. Dev Med Child Neurol. 2001 Feb; 43: 103-7
- 40000** Rollins, G. Behavior management improves urinary incontinence in older women living at home. Rep Med Guidel Outcomes Res. 2002 Mar 8; 13: 7-9
- 54240** Rollins, G. Hormone alternative doesn't worsen vasomotor symptoms or impact urinary incontinence in post-menopausal women. Rep Med Guidel Outcomes Res. 2004 Mar 5; 15: 7-9
- 10090** Romanzi, L. J. Management of the urethral outlet in patients with severe prolapse. Curr Opin Urol. 2002 Jul; 12: 339-44
- 10249** Romanzi, L. J. Urinary incontinence in women and men. J Gend Specif Med. 2001; 4: 14-20
- 40900** Romanzi, L. J. Urinary incontinence: a family affair. J Gend Specif Med. 1998 Oct-Nov; 1: 52-3
- 10519** Romanzi, L. J., Blaivas, J. G. Protracted urinary retention necessitating urethrolisis following tension-free vaginal tape surgery. J Urol. 2000 Dec; 164: 2022-3
- 10890** Romanzi, L. J., Chaikin, D. C., Blaivas, J. G. The effect of genital prolapse on voiding. J Urol. 1999 Feb; 161: 581-6
- 10598** Romanzi, L. J., Groutz, A., Blaivas, J. G. Urethral diverticulum in women: diverse presentations resulting in diagnostic delay and mismanagement. J Urol. 2000 Aug; 164: 428-33
- 10355** Romanzi, L. J., Groutz, A., Heritz, D. M., Blaivas, J. G. Involuntary detrusor contractions: correlation of urodynamic data to clinical categories. Neurourol Urodyn. 2001; 20: 249-57
- 43515** Romanzi, L. J., Heritz, D. M., Blaivas, J. G. Preliminary assessment of the incontinent woman. Urol Clin North Am. 1995 Aug; 22: 513-20

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 41667** Romanzi, L. J., Polaneczky, M., Glazer, H. I. Simple test of pelvic muscle contraction during pelvic examination: correlation to surface electromyography. *Neurourol Urodyn.* 1999; 18: 603-12
- 54880** Romero, A. A., Hardart, A., Kobak, W., Qualls, C., Rogers, R. Validation of a Spanish version of the Pelvic Organ Prolapse Incontinence Sexual Questionnaire. *Obstet Gynecol.* 2003 Nov; 102: 1000-5
- 30495** Rompel, R., Mischke, A. L., Langner, C., Happle, R. Linear atrophoderma of Moulin. *Eur J Dermatol.* 2000 Dec; 10: 611-3
- 42061** Rondorf-Klym, L. M., Colling, J., Simonson, W. Medication use by community-dwelling elderly with urinary incontinence. *Urol Nurs.* 1998 Sep; 18: 201-6
- 44377** Ronzoni, G., De Vecchis, M., Raschi, R., Cuneo, L., Cagossi, M. Rome pouch: pre-peritoneal continent ileal reservoir with hydraulic valve. *Br J Urol.* 1992 Nov; 70: 514-8
- 3206** Ronzoni, G., De-Vecchis, M., Raschi, R., Cuneo, L., and Cagossi, M. Rome pouch: pre-peritoneal continent ileal reservoir with hydraulic valve. *Br J Urol.* 1992 Nov; 70: 514-518
- 43719** Root, M. V., Johnston, S. D., Johnston, G. R. Vaginal septa in dogs: 15 cases (1983-1992). *J Am Vet Med Assoc.* 1995 Jan 1; 206: 56-8
- 10036** Roovers, J. P., van der Bom, J. G., van der Vaart, C. H., Schagen van Leeuwen, J. H., Heintz, A. P. Abdominal versus vaginal approach for the management of genital prolapse and coexisting stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 224-31
- 41038** Roovers, J. P., van der Vaart, C. H., van der Bom, J. G., Heintz, A. P. Urinary incontinence after hysterectomy. *Lancet.* 2000 Dec 9; 356: 2012-3
- 50570** Roovers, J. P., van der Vaart, C. H., van der Bom, J. G., van Leeuwen, J. H., Scholten, P. C., Heintz, A. P. A randomised controlled trial comparing abdominal and vaginal prolapse surgery: effects on urogenital function. *BJOG.* 2004 Jan; 111: 50-6
- 53100** Rortveit, G., Daltveit, A. K., Hannestad, Y. S., Hunskaar, S. Urinary incontinence after vaginal delivery or cesarean section. *N Engl J Med.* 2003 Mar 6; 348: 900-7
- 50780** Rortveit, G., Daltveit, A. K., Hannestad, Y. S., Hunskaar, S. Vaginal delivery parameters and urinary incontinence: the Norwegian EPINCONT study. *Am J Obstet Gynecol.* 2003 Nov; 189: 1268-74
- 10218** Rortveit, G., Hannestad, Y. S., Daltveit, A. K., Hunskaar, S. Age- and type-dependent effects of parity on urinary incontinence: the Norwegian EPINCONT study. *Obstet Gynecol.* 2001 Dec; 98: 1004-10
- 10819** Rosamilia, A., Clements, J. A., Dwyer, P. L., Kende, M., Campbell, D. J. Activation of the kallikrein kinin system in interstitial cystitis. *J Urol.* 1999 Jul; 162: 129-34
- 41212** Rosario, D. J., Radley, S. C., Chapple, C. R. The pressure-flow plot in the evaluation of female incontinence. *BJU Int.* 2000 Sep; 86: 564-5
- 44866** Rose, M. A., Baigis-Smith, J., Smith, D., Newman, D. Behavioral management of urinary incontinence in homebound older adults. *Home Healthc Nurse.* 1990 Sep-Oct; 8: 10-5
- 3876** Rose, M.A., Baigis-Smith, J., Smith, D., and Newman, D. Behavioral management of urinary incontinence in homebound older adults. *Home Healthc Nurse.* 1990 Sep-Oct; 8: 10-15
- 11144** Rose, V. L. AUA releases Treatment Guidelines for Female Stress Urinary Incontinence. *Am Fam Physician.* 1997 Nov 1; 56: 1891-2
- 11337** Rosen, D. M., Korda, A. R., Waugh, R. C. Ureteric injury at Burch colposuspension. 4 case reports and literature review. *Aust N Z J Obstet Gynaecol.* 1996 Aug; 36: 354-8
- 40636** Rosen, H. R., Urbarz, C., Holzer, B., Novi, G., Schiessel, R. Sacral nerve stimulation as a treatment for fecal incontinence. *Gastroenterology.* 2001 Sep; 121: 536-41
- 10871** Rosenbaum, T. P., Shaw, P. J., Woodhouse, C. R. Symptomatic intermittent bladder acontractility after clam cystoplasty. *Br J Urol.* 1993 Nov; 72: 664-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 57470** Rosenblum, N., Eilber, K. S., Raz, S. Herpes zoster following sacral nerve stimulation for overactive bladder. *J Urol.* 2003 Feb; 169: 619-20
- 30345** Rosenblum, N., Nitti, V. W. Post-urethral suspension obstruction. *Curr Opin Urol.* 2001 Jul; 11: 411-6
- 42110** Rosenow, F., Wyllie, E., Kotagal, P., Mascha, E., Wolgamuth, B. R., Hamer, H. Staring spells in children: descriptive features distinguishing epileptic and nonepileptic events. *J Pediatr.* 1998 Nov; 133: 660-3
- 11567** Rosenthal, A. J., McMurtry, C. T. Urinary incontinence in the elderly. Often simple to treat when properly evaluated. *Postgrad Med.* 1995 May; 97: 109-16, 121
- 11991** Rosenzweig, B. A., Bhatia, N. N., Nelson, A. L. Dynamic urethral pressure profilometry pressure transmission ratio: what do the numbers really mean?. *Obstet Gynecol.* 1991 Apr; 77: 586-90
- 11937** Rosenzweig, B. A., Hischke, D., Thomas, S., Nelson, A. L., Bhatia, N. N. Stress incontinence in women. Psychological status before and after treatment. *J Reprod Med.* 1991 Dec; 36: 835-8
- 11911** Rosenzweig, B. A., Pushkin, S., Blumenfeld, D., Bhatia, N. N. Prevalence of abnormal urodynamic test results in continent women with severe genitourinary prolapse. *Obstet Gynecol.* 1992 Apr; 79: 539-42
- 3492** Rosenzweig, B.A., Bhatia, N.N. Temporal separation of cough-induced urethral and bladder pressure spikes in women with urinary incontinence. *Urology.* 1992 Feb; 39: 165-168
- 3795** Rosenzweig, B.A., Bhatia, N.N., and Nelson, A.L. Dynamic urethral pressure profilometry pressure transmission ratio: what do the numbers really mean? [see comments]. *Obstet Gynecol.* 1991 Apr; 77: 586-590
- 3401** Rosenzweig, B.A., Hischke, D., Thomas, S., Nelson, A.L., and Bhatia, N.N. Stress incontinence in women. Psychological status before and after treatment. *J Reprod Med.* 1991 Dec; 36: 835-838
- 3454** Rosenzweig, B.A., Pushkin, S., Blumenfeld, D., and Bhatia, N.N. Prevalence of abnormal urodynamic test results in continent women with severe genitourinary prolapse. *Obstet Gynecol.* 1992 Apr; 79: 539-542
- 32062** Rosing, U., Fianu, S., Larsson, B. A new surgical technique for repairing cystocele in hysterectomized women. *J Gynecol Surg.* 1990 Winter; 6: 281-5
- 43878** Ross, J. Continence. A plan of action. *Nurs Times.* 1994 Jul 6-12; 90: 64-6
- 10932** Ross, J. Laparoscopy or open Burch colposuspension?. *Curr Opin Obstet Gynecol.* 1998 Oct; 10: 405-9
- 11379** Ross, J. Two techniques of laparoscopic Burch repair for stress incontinence: a prospective, randomized study. *J Am Assoc Gynecol Laparosc.* 1996 May; 3: 351-7
- 55360** Ross, J. J., Hu, L. T. Septic arthritis of the pubic symphysis: review of 100 cases. *Medicine (Baltimore).* 2003 Sep; 82: 340-5
- 11116** Ross, J. W. Apical vault repair, the cornerstone or pelvic vault reconstruction. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 146-52
- 10271** Ross, J. W. Laparoscopic Burch colposuspension and overlapping sphincteroplasty for double incontinence. *JSLs.* 2001 Jul-Sep; 5: 203-9
- 11106** Ross, J. W. Multichannel urodynamic evaluation of laparoscopic Burch colposuspension for genuine stress incontinence. *Obstet Gynecol.* 1998 Jan; 91: 55-9
- 41376** Ross, J. W. Numerous indications for office flexible minihysteroscopy. *J Am Assoc Gynecol Laparosc.* 2000 May; 7: 221-6
- 11248** Ross, J. W. Techniques of laparoscopic repair of total vault eversion after hysterectomy. *J Am Assoc Gynecol Laparosc.* 1997 Feb; 4: 173-83
- 53860** Ross, J. W., Galen, D. I., Abbott, K., Albala, D., Presthus, J., Su-Ou, C., Turk, T. A prospective multisite study of radiofrequency bipolar energy for treatment of genuine stress incontinence. *J Am Assoc Gynecol Laparosc.* 2002 Nov; 9: 493-9
- 44960** Ross, L. A., Lamb, C. R. Reduction of hydronephrosis and hydroureter associated with ectopic ureters in two dogs after ureterovesical anastomosis. *J Am Vet Med Assoc.* 1990 May 1; 196: 1497-9

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Primary Author and Title

- 3657 Rossignol, G., Leandri, P., Gautier, J.R., Quintens, H., Gabay-Torbiero, L., and Tap, G. Radical retropubic prostatectomy: complications and quality of life (429 cases, 1983-1989). *Eur Urol.* 1991; 19: 186-191
- 3214 Rossignol, G., Leandri, P., Ramon, J., and Gautier, J.R. Radical prostatectomy in the management of stage A carcinoma of the prostate. *Eur Urol.* 1992; 21: 269-273
- 3292 Rossignol, G., Leandri, P., Ramon, J., and Gautier, J.R. Radical prostatectomy in the management of stage-A carcinoma of the prostate. *Eur Urol.* 1991; 20: 179-183
- 4097 Rousseau, P. Chronic urinary incontinence in the elderly. *Ostomy Wound Manage.* 1990 Mar-Apr; 27: 24-8,32
- 3830 Rousseau, P. Urinary collection devices in geriatric incontinence. *J Enterostomal Ther.* 1991 Jan-Feb; 18: 26-31
- 3024 Rousseau, P., Fuentevilla-Clifton, A. Acetazolamide and salicylate interaction in the elderly: a case report. *J Am Geriatr Soc.* 1993 Aug; 41: 868-869
- 3404 Rousseau, P., Fuentevilla-Clifton, A. Urinary incontinence in the aged, Part 1: Patient evaluation. *Geriatrics.* 1992 Jun; 47: 22-6,33-4
- 3403 Rousseau, P., Fuentevilla-Clifton, A. Urinary incontinence in the aged, Part 2: Management strategies [published erratum appears in *Geriatrics* 1992 Sep;47(9):87]. *Geriatrics.* 1992 Jun; 47: 37-40,45,48
- 43185 Rousseau, T., Sapin, E., Helardot, P. G. Congenital vesicovaginal fistula. *Br J Urol.* 1996 May; 77: 760-1
- 43194 Routt, M. L., Simonian, P. T., Defalco, A. J., Miller, J., Clarke, T. Internal fixation in pelvic fractures and primary repairs of associated genitourinary disruptions: a team approach. *J Trauma.* 1996 May; 40: 784-90
- 10895 Rovner, E. S. Primary slings for everyone with genuine stress incontinence? The argument against. *Int Urogynecol J* 1997;8:321-322. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 419
- 11201 Rovner, E. S., Ginsberg, D. A., Raz, S. A method for intraoperative adjustment of sling tension: prevention of outlet obstruction during vaginal wall sling. *Urology.* 1997 Aug; 50: 273-6
- 11075 Rovner, E. S., Ginsberg, D. A., Raz, S. Re: Female Stress Urinary Incontinence Clinical Guidelines Panel summary report on surgical management of female stress urinary incontinence. *J Urol.* 1998 May; 159: 1646-7
- 11150 Rovner, E. S., Ginsberg, D. A., Raz, S. The UCLA surgical approach to sphincteric incontinence in women. *World J Urol.* 1997; 15: 280-94
- 42207 Rovner, E. S., Ginsberg, D. A., Raz, S. Why anti-incontinence surgery succeeds or fails. *Clin Obstet Gynecol.* 1998 Sep; 41: 719-34
- 41003 Rovner, E. S., Gomes, C. M., Banner, M. P., Wein, A. J. Ventral hernia of the urinary bladder with mixed urinary incontinence: treatment with herniorrhaphy and allograft fascial sling. *Urology.* 2000 Jan; 55: 145
- 52310 Rovner, E. S., Wein, A. J. Diagnosis and reconstruction of the dorsal or circumferential urethral diverticulum. *J Urol.* 2003 Jul; 170: 82-6; discussion 86
- 56290 Rovner, E. S., Wein, A. J. Evaluation of lower urinary tract symptoms in females. *Curr Opin Urol.* 2003 Jul; 13: 273-8
- 40651 Rovner, E. S., Wein, A. J. Modern pharmacotherapy of urge urinary incontinence in the USA: tolterodine and oxybutynin. *BJU Int.* 2000 Oct; 86 Suppl 2: 44-53; discussion 53-4
- 40247 Rovner, E. S., Wein, A. J. Once-daily, extended-release formulations of antimuscarinic agents in the treatment of overactive bladder: a review. *Eur Urol.* 2002 Jan; 41: 6-14
- 11702 Rowe, S. J., Thomas, A. J., Jr, Goldfarb, D. A., Klein, E. A., Montague, D. K., Streem, S. B., Novick, A. C. Safety of transurethral surgery in the early postoperative period following an open cardiac procedure. *J Urol.* 1994 Apr; 151: 902-4
- 11133 Rowland, G. F. Incontinence: first find the cause. *Practitioner.* 1997 Aug; 241: 470-3
- 42466 Roy, S. The cost of continence. *Elder Care.* 1997 Dec-1998 Jan; 9: 3-4
- 4188 Rubin, C.D. Urinary incontinence in the elderly. *Am J Med Sci.* 1990 Feb; 299: 131-147



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3745** Rudy, D.C., Woodside, J.R. The incontinent myelodysplastic patient. *Urol Clin North Am.* 1991 May; 18: 295-308
- 59260** Ruff, C. C. Risk factors for urinary incontinence in African-American women. *Urol Nurs.* 2005 Feb; 25: 33-9
- 53480** Ruff, C. C., van Rijswijk, L., Okoli, A. The impact of urinary incontinence in African American women. *Ostomy Wound Manage.* 2002 Dec; 48: 52-8
- 56130** Rufford, J., Hextall, A., Cardozo, L., Khullar, V. A double-blind placebo-controlled trial on the effects of 25 mg estradiol implants on the urge syndrome in postmenopausal women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Jun; 14: 78-83
- 53410** Runowicz, C. D. Hysterectomy options. Total and subtotal surgical procedures prove comparable. *Health News.* 2002 Dec; 8: 4
- 11502** Rush, C. B., Entman, S. S. Pelvic organ prolapse and stress urinary incontinence. *Med Clin North Am.* 1995 Nov; 79: 1473-9
- 3913** Russell, K.J., Laramore, G.E., Krieger, J.N., Wiens, L.W., Griffeth, J.T., Koh, W.J., Griffin, B.R., Austin-Seymour, M.M., Griffin, T.W., and Davis, L.W. Transient and chronic neurological complications of fast neutron radiation for adenocarcinoma of the prostate. *Radiother Oncol.* 1990 Jul; 18: 257-265
- 50850** Rutner, A. B., Levine, S. R., Schmaelzle, J. F. Processed porcine small intestine submucosa as a graft material for pubovaginal slings: durability and results. *Urology.* 2003 Nov; 62: 805-9
- 43048** Ruud Bosch, J. L., Groen, J. Treatment of refractory urge urinary incontinence with sacral spinal nerve stimulation in multiple sclerosis patients. *Lancet.* 1996 Sep 14; 348: 717-9
- 43490** Ryan, A., McFadden, L. Timely intervention. *Nurs Times.* 1995 Aug 16-22; 91: 56, 59
- 41037** Ryden, M. B., Snyder, M., Gross, C. R., Savik, K., Pearson, V., Krichbaum, K., Mueller, C. Value-added outcomes: the use of advanced practice nurses in long-term care facilities. *Gerontologist.* 2000 Dec; 40: 654-62
- 43423** Ryhammer, A. M., Bek, K. M., Laurberg, S. Multiple vaginal deliveries increase the risk of permanent incontinence of flatus urine in normal premenopausal women. *Dis Colon Rectum.* 1995 Nov; 38: 1206-9
- 41825** Ryhammer, A. M., Djurhuus, J. C., Laurberg, S. Pad testing in incontinent women: a review. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 111-5
- 42504** Ryhammer, A. M., Laurberg, S., Djurhuus, J. C., Hermann, A. P. No relationship between subjective assessment of urinary incontinence and pad test weight gain in a random population sample of menopausal women. *J Urol.* 1998 Mar; 159: 800-3
- 43096** Ryhammer, A. M., Laurberg, S., Hermann, A. P. Long-term effect of vaginal deliveries on anorectal function in normal perimenopausal women. *Dis Colon Rectum.* 1996 Aug; 39: 852-9
- 44491** Sabnis, R. B., Bapat, S. D., Desai, R. M., Punekar, S. V. Experience of continent urinary diversion with modified Koff's technique. *Arch Esp Urol.* 1992 May; 45: 383-6
- 3384** Sabnis, R.B., Bapat, S.D., Desai, R.M., and Punekar, S.V. Experience of continent urinary diversion with modified Koff's technique. *Arch Esp Urol.* 1992 May; 45: 383-386
- 10529** Sadik, S., Onoglu, A. S., Mendilcioglu, I., Sehirali, S., Sipahi, C., Taskin, O. Urinary tract injuries during advanced gynecologic laparoscopy. *J Am Assoc Gynecol Laparosc.* 2000 Nov; 7: 569-72
- 43197** Sadler, C. Combatting incontinence after childbirth. *Br J Nurs.* 1996 Apr 11-24; 5: 448-9
- 43952** Sadoughi, N., Pessis, D. Endoscopic vesical neck and uterovaginal suspension for cystocele prolapse repair. *J Am Coll Surg.* 1994 Apr; 178: 326-8
- 55960** Saedi, N. A., Schulman, S. L. Natural history of voiding dysfunction. *Pediatr Nephrol.* 2003 Sep; 18: 894-7
- 10889** Safir, M. H., Gousse, A. E., Rovner, E. S., Ginsberg, D. A., Raz, S. 4-Defect repair of grade 4 cystocele. *J Urol.* 1999 Feb; 161: 587-94
- 41872** Sahadevan, S., Lim, P. P., Choo, P. W. Dementia in the hospitalized elderly--a study of 100 consecutive cases in Singapore. *Int J Geriatr Psychiatry.* 1999 Apr; 14: 266-71



# American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 44804 Sahuquillo, J., Rubio, E., Codina, A., Molins, A., Guitart, J. M., Poca, M. A., Chasampi, A. Reappraisal of the intracranial pressure and cerebrospinal fluid dynamics in patients with the so-called 'normal pressure hydrocephalus' syndrome. *Acta Neurochir (Wien)*. 1991; 112: 50-61
- 10951 Saidi, M. H., Gallagher, M. S., Skop, I. P., Saidi, J. A., Sadler, R. K., Diaz, K. C. Extraperitoneal laparoscopic colposuspension: short-term cure rate, complications, and duration of hospital stay in comparison with Burch colposuspension. *Obstet Gynecol*. 1998 Oct; 92: 619-21
- 11016 Saidi, M. H., Sadler, R. K., Saidi, J. A. Extraperitoneal laparoscopic colposuspension for genuine urinary stress incontinence. *J Am Assoc Gynecol Laparosc*. 1998 Aug; 5: 247-52
- 51550 Saini, J., Axelrod, F. B., Maayan, C., Stringer, J., Smilen, S. W. Urinary incontinence in familial dysautonomia. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Aug; 14: 209-13; discussion 213
- 41171 Sakakibara, R., Hattori, T., Boku, K., Uchiyama, T., Yamanishi, T. Micturitional disturbance in neuro-Behcet's syndrome. *Auton Neurosci*. 2000 Sep 1; 83: 86-9
- 11084 Sakakibara, R., Hattori, T., Kita, K., Arai, K., Yamanishi, T., Yasuda, K. Stress induced urinary incontinence in patients with spinocerebellar degeneration. *J Neurol Neurosurg Psychiatry*. 1998 Mar; 64: 389-91
- 42588 Sakakibara, R., Hattori, T., Kuwabara, S., Yamanishi, T., Yasuda, K. Micturitional disturbance in patients with Guillain-Barre syndrome. *J Neurol Neurosurg Psychiatry*. 1997 Nov; 63: 649-53
- 44155 Sakakibara, R., Hattori, T., Tojo, M., Yamanishi, T., Yasuda, K., Hirayama, K. Micturitional disturbance in multiple system atrophy. *Jpn J Psychiatry Neurol*. 1993 Sep; 47: 591-8
- 44103 Sakakibara, R., Hattori, T., Tojo, M., Yamanishi, T., Yasuda, K., Hirayama, K. Micturitional disturbance in progressive supranuclear palsy. *J Auton Nerv Syst*. 1993 Nov; 45: 101-6
- 44127 Sakakibara, R., Hattori, T., Tojo, M., Yamanishi, T., Yasuda, K., Hirayama, K. Micturitional disturbance in radiation myelopathy. *J Spinal Disord*. 1993 Oct; 6: 402-5
- 43411 Sakakibara, R., Hattori, T., Tojo, M., Yamanishi, T., Yasuda, K., Hirayama, K. The location of the paths subserving micturition: studies in patients with cervical myelopathy. *J Auton Nerv Syst*. 1995 Nov 6; 55: 165-8
- 41527 Sakakibara, R., Hattori, T., Uchiyama, T., Asahina, M., Yamanishi, T. Micturitional disturbance in pure autonomic failure. *Neurology*. 2000 Jan 25; 54: 499-501
- 56320 Sakakibara, R., Hattori, T., Uchiyama, T., Kamura, K., Yamanishi, T. Uroneurological assessment of spina bifida cystica and occulta. *Neurourol Urodyn*. 2003; 22: 328-34
- 40694 Sakakibara, R., Hattori, T., Uchiyama, T., Yamanishi, T. Micturitional disturbance in subacute myelo-optico-neuropathy (SMON). *Auton Neurosci*. 2001 Mar 23; 87: 282-5
- 40479 Sakakibara, R., Hattori, T., Uchiyama, T., Yamanishi, T. Urinary dysfunction in Brown-Sequard syndrome. *Neurourol Urodyn*. 2001; 20: 661-7
- 41684 Sakakibara, R., Hattori, T., Uchiyama, T., Yamanishi, T. Urinary function in elderly people with and without leukoaraiosis: relation to cognitive and gait function. *J Neurol Neurosurg Psychiatry*. 1999 Nov; 67: 658-60
- 40555 Sakakibara, R., Hattori, T., Uchiyama, T., Yamanishi, T. Videourodynamic and sphincter motor unit potential analyses in Parkinson's disease and multiple system atrophy. *J Neurol Neurosurg Psychiatry*. 2001 Nov; 71: 600-6
- 43085 Sakakibara, R., Hattori, T., Yasuda, K., Yamanishi, T. Micturition disturbance in acute transverse myelitis. *Spinal Cord*. 1996 Aug; 34: 481-5
- 43202 Sakakibara, R., Hattori, T., Yasuda, K., Yamanishi, T. Micturitional disturbance after acute hemispheric stroke: analysis of the lesion site by CT and MRI. *J Neurol Sci*. 1996 Apr; 137: 47-56
- 43050 Sakakibara, R., Hattori, T., Yasuda, K., Yamanishi, T. Micturitional disturbance in acute disseminated encephalomyelitis (ADEM). *J Auton Nerv Syst*. 1996 Sep 12; 60: 200-5
- 42994 Sakakibara, R., Hattori, T., Yasuda, K., Yamanishi, T. Micturitional disturbance in syringomyelia. *J Neurol Sci*. 1996 Nov; 143: 100-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42934 Sakakibara, R., Hattori, T., Yasuda, K., Yamanishi, T., Tojo, M., Mori, M. Micturitional disturbance in Wernicke's encephalopathy. *Neurourol Urodyn.* 1997; 16: 111-5
- 59154 Sakakibara, R., Ito, T., Uchiyama, T., Asahina, M., Liu, Z., Yamamoto, T., Yamanaka, Y., Hattori, T. Lower urinary tract function in dementia of Lewy body type. *J Neurol Neurosurg Psychiatry.* 2005 May; 76: 729-32
- 10260 Sakakibara, R., Shinotoh, H., Uchiyama, T., Sakuma, M., Kashiwado, M., Yoshiyama, M., Hattori, T. Questionnaire-based assessment of pelvic organ dysfunction in Parkinson's disease. *Auton Neurosci.* 2001 Sep 17; 92: 76-85
- 40743 Sakakibara, R., Shinotoh, H., Uchiyama, T., Yoshiyama, M., Hattori, T., Yamanishi, T. SPECT imaging of the dopamine transporter with. *J Neurol Sci.* 2001 Jun 15; 187: 55-9
- 54550 Sakakibara, R., Uchiyama, T., Arai, K., Yamanishi, T., Hattori, T. Lower urinary tract dysfunction in Machado-Joseph disease: a study of 11 clinical-urodynamic observations. *J Neurol Sci.* 2004 Mar 15; 218: 67-72
- 54660 Sakakibara, R., Uchiyama, T., Asahina, M., Suzuki, A., Yamanishi, T., Hattori, T. Micturition disturbance in acute idiopathic autonomic neuropathy. *J Neurol Neurosurg Psychiatry.* 2004 Feb; 75: 287-91
- 55740 Sakakibara, R., Uchiyama, T., Yoshiyama, M., Aotsuka, A., Mori, M., Kanesaka, T., Hattori, T., Yamanishi, T. Micturitional disturbance in a patient with a spinal cavernous angioma. *Neurourol Urodyn.* 2003; 22: 606-10
- 55750 Sakakibara, R., Uchiyama, T., Yoshiyama, M., Yamanishi, T., Hattori, T. Urinary dysfunction in patients with systemic lupus erythematosus. *Neurourol Urodyn.* 2003; 22: 593-6
- 41399 Sakamoto, K., Smith, G. M., Storer, P. D., Jones, K. J., Damaser, M. S. Neuroregeneration and voiding behavior patterns after pudendal nerve crush in female rats. *Neurourol Urodyn.* 2000; 19: 311-21
- 41348 Sakashita, N., Ando, Y., Obayashi, K., Terazaki, H., Yamashita, T., Takei, M., Kinjo, M., Takahashi, K. Familial amyloidotic polyneuropathy (ATTR Ser50Ile): the first autopsy case report. *Virchows Arch.* 2000 Apr; 436: 345-50
- 43929 Sale, P. G., Wyman, J. F. Achievement of goals associated with bladder training by older incontinent women. *Appl Nurs Res.* 1994 May; 7: 93-6
- 59374 Saleh, N., Bener, A., Khenyab, N., Al-Mansori, Z., Al Muraikhi, A. Prevalence, awareness and determinants of health care-seeking behaviour for urinary incontinence in Qatari women: a neglected problem?. *Maturitas.* 2005 Jan 10; 50: 58-65
- 44383 Salisz, J. A., Diokno, A. C. The management of injuries to the urethra, bladder or vagina encountered during difficult placement of the artificial urinary sphincter in the female patient. *J Urol.* 1992 Nov; 148: 1528-30
- 43853 Salle, J. L., de Fraga, J. C., Amarante, A., Silveira, M. L., Lambert, M., Schmidt, M., Rosito, N. C. Urethral lengthening with anterior bladder wall flap for urinary incontinence: a new approach. *J Urol.* 1994 Aug; 152: 803-6
- 42154 Salle, J. L., McLorie, G. A., Bagli, D. J., Khoury, A. E. Modifications of and extended indications for the Pippi Salle procedure. *World J Urol.* 1998; 16: 279-84
- 42726 Salle, J. L., McLorie, G. A., Bagli, D. J., Khoury, A. E. Urethral lengthening with anterior bladder wall flap (Pippi Salle procedure): modifications and extended indications of the technique. *J Urol.* 1997 Aug; 158: 585-90
- 59140 Salonia, A., Zanni, G., Nappi, R. E., Briganti, A., Deho, F., Fabbri, F., Colombo, R., Guazzoni, G., Di Girolamo, V., Rigatti, P., Montorsi, F. Sexual dysfunction is common in women with lower urinary tract symptoms and urinary incontinence: results of a cross-sectional study. *Eur Urol.* 2004 May; 45: 642-8; discussion 648
- 3351 Saltmarche, A. Establishing a nurse continence service in Canada. *Urol Nurs.* 1992 Jun; 12: 81-82
- 40221 Saltvedt, I., Mo, E. S., Fayers, P., Kaasa, S., Sletvold, O. Reduced mortality in treating acutely sick, frail older patients in a geriatric evaluation and management unit. A prospective randomized trial. *J Am Geriatr Soc.* 2002 May; 50: 792-8
- 43057 Saltzman, D. A., Telander, M. J., Brennom, W. S., Telander, R. L. Transanal mucosectomy: a modification of the Soave procedure for Hirschsprung's disease. *J Pediatr Surg.* 1996 Sep; 31: 1272-5
- 11099 Salvatore, S., Khullar, V., Anders, K., Cardozo, L. D. Reducing artefacts in ambulatory urodynamics. *Br J Urol.* 1998 Feb; 81: 211-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 59282** Samanci, N., Dora, B., Kizilay, F., Balci, N., Ozcan, E., Arman, M. Factors affecting one year mortality and functional outcome after first ever ischemic stroke in the region of Antalya, Turkey (a hospital-based study). *Acta Neurol Belg.* 2004 Dec; 104: 154-60
- 43001** Samandari, T., Smith, B. D., Morgan, H. J. Progressive somnolence and confusion in a patient with hereditary hemorrhagic telangiectasias. *Tenn Med.* 1996 Nov; 89: 417-8
- 43804** Samil, R. S., Wishnuwardhani, S. D. Health of Indonesian women city-dwellers of perimenopausal age. *Maturitas.* 1994 Oct; 19: 191-7
- 11431** Samodai, L., Zamori, A., Kelemen, I., Kovacs, L. Continent urinary diversion after radical cystectomy: 3 years' experience. *Int Urol Nephrol.* 1996; 28: 511-6
- 41370** Sampselle, C. M. Behavioral intervention for urinary incontinence in women: evidence for practice. *J Midwifery Womens Health.* 2000 Mar-Apr; 45: 94-103
- 55590** Sampselle, C. M. Behavioral intervention: the first-line treatment for women with urinary incontinence. *Curr Urol Rep.* 2003 Oct; 4: 356-61
- 57110** Sampselle, C. M. Behavioral interventions in young and middle-age women: simple interventions to combat a complex problem. *Am J Nurs.* 2003 Mar; Suppl: 9-19
- 12044** Sampselle, C. M. Changes in pelvic muscle strength and stress urinary incontinence associated with childbirth. *J Obstet Gynecol Neonatal Nurs.* 1990 Sep-Oct; 19: 371-7
- 55030** Sampselle, C. M. Teaching women to use a voiding diary. *Am J Nurs.* 2003 Nov; 103: 62-4
- 11894** Sampselle, C. M. What is the role of pelvic muscle exercise (PME) in the prevention and treatment of stress urinary incontinence (SUI)? *NAACOG Newsl.* 1992 Jun; 19: 11
- 42736** Sampselle, C. M., Burns, P. A., Dougherty, M. C., Newman, D. K., Thomas, K. K., Wyman, J. F. Continence for women: evidence-based practice. *J Obstet Gynecol Neonatal Nurs.* 1997 Jul-Aug; 26: 375-85
- 10704** Sampselle, C. M., Burns, P. A., Dougherty, M. C., Newman, D. K., Thomas, K. K., Wyman, J. F. Continence for women: evidence-based practice. *J Obstet Gynecol Neonatal Nurs.* 1999; 28: 25-33
- 42403** Sampselle, C. M., DeLancey, J. O. Anatomy of female continence. *J Wound Ostomy Continence Nurs.* 1998 Mar; 25: 63-70, 72-4
- 11915** Sampselle, C. M., DeLancey, J. O. The Urine Stream Interruption Test and pelvic muscle function. *Nurs Res.* 1992 Mar-Apr; 41: 73-7
- 53600** Sampselle, C. M., Harlow, S. D., Skurnick, J., Brubaker, L., Bondarenko, I. Urinary incontinence predictors and life impact in ethnically diverse perimenopausal women. *Obstet Gynecol.* 2002 Dec; 100: 1230-8
- 43138** Sampselle, C. M., Miller, J. M., Herzog, A. R., Diokno, A. C. Behavioral modification: group teaching outcomes. *Urol Nurs.* 1996 Jun; 16: 59-63
- 11098** Sampselle, C. M., Miller, J. M., Mims, B. L., Delancey, J. O., Ashton-Miller, J. A., Antonakos, C. L. Effect of pelvic muscle exercise on transient incontinence during pregnancy and after birth. *Obstet Gynecol.* 1998 Mar; 91: 406-12
- 41532** Sampselle, C. M., Wyman, J. F., Thomas, K. K., Newman, D. K., Gray, M., Dougherty, M., Burns, P. A. Continence for women: a test of AWHONN's evidence-based protocol in clinical practice. Association of Women's Health Obstetric and Neonatal Nurses. *J Obstet Gynecol Neonatal Nurs.* 2000 Jan-Feb; 29: 18-26
- 41533** Sampselle, C. M., Wyman, J. F., Thomas, K. K., Newman, D. K., Gray, M., Dougherty, M., Burns, P. A. Continence for women: evaluation of AWHONN's third research utilization project. Association of Women's Health Obstetric and Neonatal Nurses. *J Obstet Gynecol Neonatal Nurs.* 2000 Jan-Feb; 29: 9-17
- 3994** Sampselle, C.M., Brink, C.A. Pelvic muscle relaxation. Assessment and management. *J Nurse Midwifery.* 1990 May-Jun; 35: 127-132
- 43238** Samsioe, G. Medical and surgical strategies for treating urogynecological disorders. *Int J Fertil Menopausal Stud.* 1996 Mar-Apr; 41: 136-41

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42363** Samsioe, G. Urogenital aging--a hidden problem. *Am J Obstet Gynecol.* 1998 May; 178: S245-9
- 41815** Samsioe, G., Heraib, F., Lidfeldt, J., Nerbrand, C., Lindholm, L., Agardh, C., Schersten, B. Urogenital symptoms in women aged 50-59 years. Women's Health in Lund Area (WHILSA) Study Group. *Gynecol Endocrinol.* 1999 Apr; 13: 113-7
- 10551** Samuelsson, E. C., Victor, F. T., Svardsudd, K. F. Five-year incidence and remission rates of female urinary incontinence in a Swedish population less than 65 years old. *Am J Obstet Gynecol.* 2000 Sep; 183: 568-74
- 40390** Samuelsson, E., Mansson, L., Milsom, I. Incontinence aids in Sweden: users and costs. *BJU Int.* 2001 Dec; 88: 893-8
- 10665** Samuelsson, E., Victor, A., Svardsudd, K. Determinants of urinary incontinence in a population of young and middle-aged women. *Acta Obstet Gynecol Scand.* 2000 Mar; 79: 208-15
- 42936** Samuelsson, E., Victor, A., Tibblin, G. A population study of urinary incontinence and nocturia among women aged 20-59 years. Prevalence, well-being and wish for treatment. *Acta Obstet Gynecol Scand.* 1997 Jan; 76: 74-80
- 3879** Sanchez-de-Badajoz, E., Diaz-Ramirez, F., and Vara-Thorbeck, C. Stress incontinence: a new endoscopic approach. *Urology.* 1990 Nov; 36: 403-405
- 11309** Sand, P. K. Pelvic floor stimulation in the treatment of mixed incontinence complicated by a low-pressure urethra. *Obstet Gynecol.* 1996 Nov; 88: 757-60
- 12037** Sand, P. K., Bowen, L. W., Ostergard, D. R. The prognostic significance of augmentation of urethral closure pressure and functional length. *Int J Gynaecol Obstet.* 1990 Oct; 33: 135-9
- 12054** Sand, P. K., Brubaker, L. T. Advances in nonoperative treatment of genuine stress incontinence. *Curr Opin Obstet Gynecol.* 1990 Aug; 2: 599-604
- 44748** Sand, P. K., Brubaker, L. T., Novak, T. Simple standing incremental cystometry as a screening method for detrusor instability. *Obstet Gynecol.* 1991 Mar; 77: 453-7
- 11552** Sand, P. K., Richardson, D. A., Staskin, D. R., Swift, S. E., Appell, R. A., Whitmore, K. E., Ostergard, D. R. Pelvic floor electrical stimulation in the treatment of genuine stress incontinence: a multicenter, placebo-controlled trial. *Am J Obstet Gynecol.* 1995 Jul; 173: 72-9
- 10815** Sand, P. K., Staskin, D., Miller, J., Diokno, A., Sant, G. R., Davila, G. W., Knapp, P., Rappaport, S., Tutrone, R. Effect of a urinary control insert on quality of life in incontinent women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 100-5
- 10687** Sand, P. K., Winkler, H., Blackhurst, D. W., Culligan, P. J. A prospective randomized study comparing modified Burch retropubic urethropexy and suburethral sling for treatment of genuine stress incontinence with low-pressure urethra. *Am J Obstet Gynecol.* 2000 Jan; 182: 30-4
- 3928** Sand, P.K., Bowen, L.W., and Ostergard, D.R. The prognostic significance of augmentation of urethral closure pressure and functional length. *Int J Gynaecol Obstet.* 1990 Oct; 33: 135-139
- 3921** Sand, P.K., Brubaker, L. Nonsurgical treatment of detrusor overactivity in postmenopausal women. *J Reprod Med.* 1990 Aug; 35: 758-764
- 3827** Sand, P.K., Brubaker, L.T., and Novak, T. Simple standing incremental cystometry as a screening method for detrusor instability. *Obstet Gynecol.* 1991 Mar; 77: 453-457
- 10143** Sander, P., Moller, L. M., Rudnicki, P. M., Lose, G. Does the tension-free vaginal tape procedure affect the voiding phase? Pressure-flow studies before and 1 year after surgery. *BJU Int.* 2002 May; 89: 694-8
- 41589** Sander, P., Mouritsen, L., Andersen, J. T., Fischer-Rasmussen, W. Evaluation of a simple, non-surgical concept for management of urinary incontinence (minimal care) in an open-access, interdisciplinary incontinence clinic. *Neurourol Urodyn.* 2000; 19: 9-17
- 40181** Sander, P., Mouritsen, L., Andersen, J. T., Fischer-Rasmussen, W. Should measurement of maximum urinary flow rate and residual urine volume be a part of a 'minimal care' assessment programme in female incontinence?. *Scand J Urol Nephrol.* 2002; 36: 124-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10870** Sander, P., Thyssen, H., Lose, G., Andersen, J. T. Effect of a vaginal device on quality of life with urinary stress incontinence. *Obstet Gynecol.* 1999 Mar; 93: 407-11
- 40290** Sanders, C., Driver, C. P., Rickwood, A. M. The anocutaneous reflex and urinary continence in children with myelomeningocele. *BJU Int.* 2002 May; 89: 720-1
- 43574** Sandvik, H. Criterion validity of responses to patient vignettes: an analysis based on management of female urinary incontinence. *Fam Med.* 1995 Jun; 27: 388-92
- 10811** Sandvik, H. Health information and interaction on the internet: a survey of female urinary incontinence. *BMJ.* 1999 Jul 3; 319: 29-32
- 3858** Sandvik, H., Hunskar, S. Doctors' characteristics and practice patterns in general practice: an analysis based on management of urinary incontinence. *Scand J Prim Health Care.* 1990 Sep; 8: 179-182
- 43487** Sandvik, H., Hunskar, S. General practitioners' management of female urinary incontinence. Medical records do not reflect patients' recall. *Scand J Prim Health Care.* 1995 Sep; 13: 168-74
- 43860** Sandvik, H., Hunskar, S. Incontinence in women: different response rates may introduce bias in community studies of pad consumption. *J Epidemiol Community Health.* 1994 Aug; 48: 419
- 3001** Sandvik, H., Hunskar, S. Incontinence pads--prevalence of use and individual consumption. *Scand J Soc Med.* 1993 Jun; 21: 120-121
- 43532** Sandvik, H., Hunskar, S. The epidemiology of pad consumption among community-dwelling incontinent women. *J Aging Health.* 1995 Aug; 7: 417-26
- 4012** Sandvik, H., Hunskar, S., and Eriksen, B.C. Management of urinary incontinence in women in general practice: actions taken at the first consultation. *Scand J Prim Health Care.* 1990 Mar; 8: 3-8
- 44996** Sandvik, H., Hunskar, S., Eriksen, B. C. Management of urinary incontinence in women in general practice: actions taken at the first consultation. *Scand J Prim Health Care.* 1990 Mar; 8: 3-8
- 44085** Sandvik, H., Hunskar, S., Seim, A., Hermstad, R., Vanvik, A., Bratt, H. Validation of a severity index in female urinary incontinence and its implementation in an epidemiological survey. *J Epidemiol Community Health.* 1993 Dec; 47: 497-9
- 11590** Sandvik, H., Hunskar, S., Vanvik, A., Bratt, H., Seim, A., Hermstad, R. Diagnostic classification of female urinary incontinence: an epidemiological survey corrected for validity. *J Clin Epidemiol.* 1995 Mar; 48: 339-43
- 3073** Sandvik, H., Kveine, E., and Hunskar, S. Female urinary incontinence--psychosocial impact, self care, and consultations. *Scand J Caring Sci.* 1993; 7: 53-56
- 11831** Sandvik, H., Kveine, E., Hunskar, S. Female urinary incontinence--psychosocial impact, self care, and consultations. *Scand J Caring Sci.* 1993; 7: 53-6
- 41519** Sandvik, H., Seim, A., Vanvik, A., Hunskar, S. A severity index for epidemiological surveys of female urinary incontinence: comparison with 48-hour pad-weighing tests. *Neurourol Urodyn.* 2000; 19: 137-45
- 11705** Santarosa, R. P., Blaivas, J. G. Periurethral injection of autologous fat for the treatment of sphincteric incontinence. *J Urol.* 1994 Mar; 151: 607-11
- 52740** Sapmaz, E., Celik, H. Burch colposuspension performed at cesarean delivery in pregnancies complicated by genuine stress urinary incontinence. *J Reprod Med.* 2003 Mar; 48: 191-3
- 50380** Sapsford, R. Rehabilitation of pelvic floor muscles utilizing trunk stabilization. *Man Ther.* 2004 Feb; 9: 3-12
- 40656** Sapsford, R. R., Hodges, P. W. Contraction of the pelvic floor muscles during abdominal maneuvers. *Arch Phys Med Rehabil.* 2001 Aug; 82: 1081-8
- 10470** Sapsford, R. R., Hodges, P. W., Richardson, C. A., Cooper, D. H., Markwell, S. J., Jull, G. A. Co-activation of the abdominal and pelvic floor muscles during voluntary exercises. *Neurourol Urodyn.* 2001; 20: 31-42
- 42572** Sargent, R. P. Primum non nocere?. *Am J Obstet Gynecol.* 1997 Dec; 177: 1564-5



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 43692** Sarica, K., Kupeli, S. Agenesis of bladder associated with multiple organ anomalies. *Int Urol Nephrol*. 1995; 27: 697-703
- 40565** Sarioglu, A., Tanyel, F. C., Senocak, M. E., Buyukpamukcu, N., Hicsonmez, A. Complications of the two major operations of Hirschsprung's disease: a single center experience. *Turk J Pediatr*. 2001 Jul-Sep; 43: 219-22
- 51020** Sarnelli, G., Trovato, C., Imarisio, M., Talleri, D., Braconi, A. Ultrasound assessment of the female perineum: technique, methods, indications and ultrasound anatomy. *Radiol Med (Torino)*. 2003 Oct; 106: 357-69
- 44342** Sarrias, M., Sarrias, F., Borau, A. The 'Barcelona' technique. *Neurourol Urodyn*. 1993; 12: 495-6
- 54160** Sartore, A., De Seta, F., Maso, G., Pregazzi, R., Grimaldi, E., Guaschino, S. The effects of mediolateral episiotomy on pelvic floor function after vaginal delivery. *Obstet Gynecol*. 2004 Apr; 103: 669-73
- 52750** Sartore, A., Pregazzi, R., Bortoli, P., Grimaldi, E., Ricci, G., Guaschino, S. Assessment of pelvic floor muscle function after vaginal delivery. Clinical value of different tests. *J Reprod Med*. 2003 Mar; 48: 171-4
- 52960** Sartore, A., Pregazzi, R., Bortoli, P., Grimaldi, E., Ricci, G., Guaschino, S. Effects of epidural analgesia during labor on pelvic floor function after vaginal delivery. *Acta Obstet Gynecol Scand*. 2003 Feb; 82: 143-6
- 11574** Sartori, M. G., Baracat, E. C., Girao, M. J., Goncalves, W. J., Sartori, J. P., de Lima, G. R. Menopausal genuine stress urinary incontinence treated with conjugated estrogens plus progestogens. *Int J Gynaecol Obstet*. 1995 May; 49: 165-9
- 11041** Sarver, R., Govier, F. E. Pubovaginal slings: past, present and future. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 358-68
- 52460** Sasso, K. Case study: challenges of pessary management. *J Wound Ostomy Continence Nurs*. 2003 May; 30: 152-7; discussion 157-8
- 10945** Sasso, K. C. New treatment options for stress incontinence. *RN*. 1998 Sep; 61: 36-9
- 42964** Sasso, K. C., Gallo, M. Patient selection criteria for treatment of urinary incontinence with pelvic floor stimulation. *Urol Nurs*. 1996 Dec; 16: 135-9
- 11525** Sauer, H. A., Klutke, C. G. Transvaginal sacrospinous ligament fixation for treatment of vaginal prolapse. *J Urol*. 1995 Sep; 154: 1008-12
- 44896** Sauerwein, D., Ingunza, W., Fischer, J., Madersbacher, H., Polkey, C. E., Brindley, G. S., Colombel, P., Teddy, P. Extradural implantation of sacral anterior root stimulators. *J Neurol Neurosurg Psychiatry*. 1990 Aug; 53: 681-4
- 3923** Sauerwein, D., Ingunza, W., Fischer, J., Madersbacher, H., Polkey, C. E., Brindley, G. S., Colombel, P., and Teddy, P. Extradural implantation of sacral anterior root stimulators. *J Neurol Neurosurg Psychiatry*. 1990 Aug; 53: 681-684
- 3859** Saunders, B. Catheter care. Working together for continence. *Nursing (Lond)*. 1990 Dec 6-19; 4: 14-16
- 40151** Savolainen, S., Hurskainen, H., Paljarvi, L., Alafuzoff, I., Vapalahti, M. Five-year outcome of normal pressure hydrocephalus with or without a shunt: predictive value of the clinical signs, neuropsychological evaluation and infusion test. *Acta Neurochir (Wien)*. 2002 Jun; 144: 515-23; discussion 523
- 44179** Sawle, G. V., Playford, E. D., Brooks, D. J., Quinn, N., Frackowiak, R. S. Asymmetrical pre-synaptic and post-synaptic changes in the striatal dopamine projection in dopa naive parkinsonism. Diagnostic implications of the D2 receptor status. *Brain*. 1993 Aug; 116 ( Pt 4): 853-67
- 3008** Sawle, G. V., Playford, E. D., Brooks, D. J., Quinn, N., and Frackowiak, R. S. Asymmetrical pre-synaptic and post-synaptic changes in the striatal dopamine projection in dopa naive parkinsonism. Diagnostic implications of the D2 receptor status. *Brain*. 1993 Aug; 116: 853-867
- 12013** Saxton, H. M. Urodynamics in the investigation of women with frequency, urgency, and incontinence, and voiding difficulties. *Urol Radiol*. 1991; 13: 48-57
- 43496** Sayegh, M. E., French, M. E. Urge incontinence secondary to a large abdominal haematoma. *Br J Urol*. 1995 Aug; 76: 261-2



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41870** Scardillo, J., Aronovitch, S. A. Successfully managing incontinence-related irritant dermatitis across the lifespan. *Ostomy Wound Manage.* 1999 Apr; 45: 36-40, 42-4
- 53290** Scarpero, H. M., Dmochowski, R. R., Nitti, V. W. Repeat urethrolisis after failed urethrolisis for iatrogenic obstruction. *J Urol.* 2003 Mar; 169: 1013-6
- 52230** Scarpero, H. M., Fiske, J., Xue, X., Nitti, V. W. American Urological Association Symptom Index for lower urinary tract symptoms in women: correlation with degree of bother and impact on quality of life. *Urology.* 2003 Jun; 61: 1118-22
- 44579** Scarratt, W. K., Furr, M. O., Robertson, J. L. Hepatoencephalopathy and hypocalcemia in a miniature horse mare. *J Am Vet Med Assoc.* 1991 Dec 15; 199: 1754-6
- 42436** Schaeffer, A. J., Clemens, J. Q., Ferrari, M., Stamey, T. A. The male bulbourethral sling procedure for post-radical prostatectomy incontinence. *J Urol.* 1998 May; 159: 1510-5
- 10344** Schaer, G. The clinical value of sonographic imaging of the urethrovesical anatomy. *Scand J Urol Nephrol Suppl.* 2001; : 80-6; discussion 106-25
- 42642** Schaer, G. N. Ultrasonography of the lower urinary tract. *Curr Opin Obstet Gynecol.* 1997 Oct; 9: 313-6
- 42940** Schaer, G. N., Koechli, O. R., Schuessler, B., Haller, U. Can simultaneous perineal sonography and urethrocystometry help explain urethral pressure variations?. *Neurourol Urodyn.* 1997; 16: 31-8
- 11494** Schaer, G. N., Koechli, O. R., Schuessler, B., Haller, U. Improvement of perineal sonographic bladder neck imaging with ultrasound contrast medium. *Obstet Gynecol.* 1995 Dec; 86: 950-4
- 11605** Schaer, G. N., Koechli, O. R., Schuessler, B., Haller, U. Perineal ultrasound for evaluating the bladder neck in urinary stress incontinence. *Obstet Gynecol.* 1995 Feb; 85: 220-4
- 43179** Schaer, G. N., Koechli, O. R., Schuessler, B., Haller, U. Perineal ultrasound: determination of reliable examination procedures. *Ultrasound Obstet Gynecol.* 1996 May; 7: 347-52
- 11400** Schaer, G. N., Koechli, O. R., Schuessler, B., Haller, U. Usefulness of ultrasound contrast medium in perineal sonography for visualization of bladder neck funneling--first observations. *Urology.* 1996 Mar; 47: 452-3
- 10869** Schaer, G. N., Perucchini, D., Munz, E., Peschers, U., Koechli, O. R., Delancey, J. O. Sonographic evaluation of the bladder neck in continent and stress- incontinent women. *Obstet Gynecol.* 1999 Mar; 93: 412-6
- 11103** Schaer, G. N., Siegwart, R., Perucchini, D., DeLancey, J. O. Examination of voiding in seated women using a remote-controlled ultrasound probe. *Obstet Gynecol.* 1998 Feb; 91: 297-301
- 43335** Schaer, G., Koelbl, H., Voigt, R., Merz, E., Anthuber, C., Niemeyer, R., Ralph, G., Bader, W., Fink, D., Grischke, E. Recommendations of the German Association of Urogynecology on functional sonography of the lower female urinary tract. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 105-8
- 43052** Schaffer, J., Fantl, J. A. Urogenital effects of the menopause. *Baillieres Clin Obstet Gynaecol.* 1996 Sep; 10: 401-17
- 50900** Schatz, H., Henriksson, L. Pain during the TVT procedure performed under local anesthesia. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 347-9; discussion 349
- 59349** Schatz, I. J. Case 27-2004: multiple-system atrophy. *N Engl J Med.* 2004 Dec 30; 351: 2881-3; author reply 2881-3
- 41328** Schatzl, G., Temml, C., Schmidbauer, J., Dolezal, B., Haidinger, G., Madersbacher, S. Cross-sectional study of nocturia in both sexes: analysis of a voluntary health screening project. *Urology.* 2000 Jul; 56: 71-5
- 40011** Scheepens, W. A., de Bie, R. A., Weil, E. H., van Kerrebroeck, P. E. Unilateral versus bilateral sacral neuromodulation in patients with chronic voiding dysfunction. *J Urol.* 2002 Nov; 168: 2046-50
- 57800** Scheepens, W. A., Van Koeveeringe, G. A., De Bie, R. A., Weil, E. H., Van Kerrebroeck, P. E. Long-term efficacy and safety results of the two-stage implantation technique in sacral neuromodulation. *BJU Int.* 2002 Dec; 90: 840-5

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 42064** Schettini, M., Diana, M., Gallucci, M. Treatment of urinary incontinence with AMS 800 artificial urinary sphincter. *Int Surg.* 1998 Jul-Sep; 83: 257-61
- 10737** Schettini, M., Fortunato, P., Gallucci, M. Abdominal sacral colpopexy with prolene mesh. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 295-9
- 11989** Scheve, A. A., Engel, B. T., McCormick, K. A., Leahy, E. G. Exercise in continence. *Geriatr Nurs.* 1991 May-Jun; 12: 124
- 3435** Scheve, A.A., Engel, B.T., McCormick, K.A., and Leahy, E.G. Exercise in continence. *Geriatr-Nurs (New York).* 1991 May-Jun; 12: 124
- 11724** Schick, E. Regarding 'Reproducibility of pressure transmission ratios in stress incontinent women'. *Neurourol Urodyn.* 1994; 13: 81-3
- 59126** Schick, E., Bertrand, P. E., DuPont, C., Jolivet-Tremblay, M., Tessier, J. Urethral incompetence: an update with special reference to residual maximal urethral closure pressure. *Urology.* 2004 May; 63: 811-4
- 50050** Schick, E., Dupont, C., Bertrand, P. E., Jolivet-Tremblay, M., Tessier, J. Predictive value of maximum urethral closure pressure, urethral hypermobility and urethral incompetence in the diagnosis of clinically significant female genuine stress incontinence. *J Urol.* 2004 May; 171: 1871-5
- 50520** Schick, E., Jolivet-Tremblay, M., Tessier, J., Dupont, C., Bertrand, P. E. Observations on the function of the female urethra: III: An overview with special reference to the relation between urethral hypermobility and urethral incompetence. *Neurourol Urodyn.* 2004; 23: 22-6
- 43041** Schiff, D., O'Neill, B. P. Intramedullary spinal cord metastases: clinical features and treatment outcome. *Neurology.* 1996 Oct; 47: 906-12
- 3736** Schiff, S.F., Lytton, B. Incontinence after augmentation cystoplasty and internal diversion. *Urol Clin North Am.* 1991 May; 18: 383-392
- 3702** Schileru, G., Ozan, O. Implantation of the cuff of A.U.S. around of all the corpora. *Acta Urol Belg.* 1990; 58: 83-87
- 43225** Schilling, A., Krawczak, G., Friesen, A., Kruse, H. Pregnancy in a patient with an ileal substitute bladder followed by severe destabilization of the pelvic support. *J Urol.* 1996 Apr; 155: 1389-90
- 52560** Schiotz, H. Effect of adding biofeedback to pelvic floor muscle training to treat urodynamic stress incontinence. *Obstet Gynecol.* 2003 May; 101: 1024; reply 1024-5
- 11447** Schiotz, H. A. Comparison of 1 and 3 days' transurethral Foley catheterization after retropubic incontinence surgery. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 98-101
- 11725** Schiotz, H. A. One month maximal electrostimulation for genuine stress incontinence in women. *Neurourol Urodyn.* 1994; 13: 43-50
- 42502** Schlenk, E. A., Erlen, J. A., Dunbar-Jacob, J., McDowell, J., Engberg, S., Sereika, S. M., Rohay, J. M., Bernier, M. J. Health-related quality of life in chronic disorders: a comparison across studies using the MOS SF-36. *Qual Life Res.* 1998 Jan; 7: 57-65
- 40276** Schlienger, R. G., Keller, M. J., Krahenbuhl, S. Tolterodine-associated acute mixed liver injury. *Ann Pharmacother.* 2002 May; 36: 817-9
- 59355** Schmid, D. M., Curt, A., Hauri, D., Schurch, B. Motor evoked potentials (MEP) and evoked pressure curves (EPC) from the urethral compressive musculature (UCM) by functional magnetic stimulation in healthy volunteers and patients with neurogenic incontinence. *Neurourol Urodyn.* 2005; 24: 117-27
- 40707** Schmidbauer, J., Temml, C., Schatzl, G., Haidinger, G., Madersbacher, S. Risk factors for urinary incontinence in both sexes. Analysis of a health screening project. *Eur Urol.* 2001 May; 39: 565-70
- 41558** Schmidt, B., Haberlik, A., Uray, E., Ratschek, M., Lackner, H., Hollwarth, M. E. Sacrococcygeal teratoma: clinical course and prognosis with a special view to long-term functional results. *Pediatr Surg Int.* 1999; 15: 573-6
- 42240** Schmidt, R. A., Doggweiler, R. Neurostimulation and neuromodulation: a guide to selecting the right urologic patient. *Eur Urol.* 1998; 34 Suppl 1: 23-6

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 41804** Schmidt, R. A., Jonas, U., Oleson, K. A., Janknegt, R. A., Hassouna, M. M., Siegel, S. W., van Kerrebroeck, P. E. Sacral nerve stimulation for treatment of refractory urinary urge incontinence. Sacral Nerve Stimulation Study Group. J Urol. 1999 Aug; 162: 352-7
- 44984** Schmidt, R. A., Kogan, B. A., Tanagho, E. A. Neuroprostheses in the management of incontinence in myelomeningocele patients. J Urol. 1990 Apr; 143: 779-82
- 3847** Schmidt, R.A. Treatment of unstable bladder. Urology. 1991 Jan; 37: 28-32
- 4124** Schmidt, R.A., Kogan, B.A., and Tanagho, E.A. Neuroprostheses in the management of incontinence in myelomeningocele patients. J Urol. 1990 Apr; 143: 779-782
- 44009** Schneider, M. S., King, L. R., Surwit, R. S. Kegel exercises and childhood incontinence: a new role for an old treatment. J Pediatr. 1994 Jan; 124: 91-2
- 42659** Schnelle, J. F., Adamson, G. M., Cruise, P. A., al-Samarrai, N., Sarbaugh, F. C., Uman, G., Ouslander, J. G. Skin disorders and moisture in incontinent nursing home residents: intervention implications. J Am Geriatr Soc. 1997 Oct; 45: 1182-8
- 54820** Schnelle, J. F., Cadogan, M. P., Grbic, D., Bates-Jensen, B. M., Osterweil, D., Yoshii, J., Simmons, S. F. A standardized quality assessment system to evaluate incontinence care in the nursing home. J Am Geriatr Soc. 2003 Dec; 51: 1754-61
- 55930** Schnelle, J. F., Cadogan, M. P., Yoshii, J., Al-Samarrai, N. R., Osterweil, D., Bates-Jensen, B. M., Simmons, S. F. The minimum data set urinary incontinence quality indicators: do they reflect differences in care processes related to incontinence?. Med Care. 2003 Aug; 41: 909-22
- 42269** Schnelle, J. F., Cruise, P. A., Alessi, C. A., Al-Samarrai, N., Ouslander, J. G. Individualizing nighttime incontinence care in nursing home residents. Nurs Res. 1998 Jul-Aug; 47: 197-204
- 57420** Schnelle, J. F., Kapur, K., Alessi, C., Osterweil, D., Beck, J. G., Al-Samarrai, N. R., Ouslander, J. G. Does an exercise and incontinence intervention save healthcare costs in a nursing home population?. J Am Geriatr Soc. 2003 Feb; 51: 161-8
- 43457** Schnelle, J. F., Keeler, E., Hays, R. D., Simmons, S., Ouslander, J. G., Siu, A. L. A cost and value analysis of two interventions with incontinent nursing home residents. J Am Geriatr Soc. 1995 Oct; 43: 1112-7
- 43409** Schnelle, J. F., MacRae, P. G., Ouslander, J. G., Simmons, S. F., Nitta, M. Functional Incidental Training, mobility performance, and incontinence care with nursing home residents. J Am Geriatr Soc. 1995 Dec; 43: 1356-62
- 43447** Schnelle, J. F., McNees, P., Crooks, V., Ouslander, J. G. The use of a computer-based model to implement an incontinence management program. Gerontologist. 1995 Oct; 35: 656-65
- 44287** Schnelle, J. F., Newman, D., White, M., Abbey, J., Wallston, K. A., Fogarty, T., Ory, M. G. Maintaining continence in nursing home residents through the application of industrial quality control. Gerontologist. 1993 Feb; 33: 114-21
- 44147** Schnelle, J. F., Ouslander, J. G., Simmons, S. F., Alessi, C. A., Gravel, M. D. Nighttime sleep and bed mobility among incontinent nursing home residents. J Am Geriatr Soc. 1993 Sep; 41: 903-9
- 44146** Schnelle, J. F., Ouslander, J. G., Simmons, S. F., Alessi, C. A., Gravel, M. D. The nighttime environment, incontinence care, and sleep disruption in nursing homes. J Am Geriatr Soc. 1993 Sep; 41: 910-4
- 4139** Schnelle, J.F. Treatment of urinary incontinence in nursing home patients by prompted voiding. J Am Geriatr Soc. 1990 Mar; 38: 356-360
- 3143** Schnelle, J.F., Newman, D., White, M., Abbey, J., Wallston, K.A., Fogarty, T., and Ory, M.G. Maintaining continence in nursing home residents through the application of industrial quality control. Gerontologist. 1993 Feb; 33: 114-121
- 4014** Schnelle, J.F., Newman, D.R., and Fogarty, T. Management of patient continence in long-term care nursing facilities. Gerontologist. 1990 Jun; 30: 373-376
- 3926** Schnelle, J.F., Newman, D.R., and Fogarty, T. Statistical quality control in nursing homes: assessment and management of chronic urinary incontinence. Health Serv Res. 1990 Oct; 25: 627-637

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3828** Schnelle, J.F., Newman, D.R., Fogarty, T.E., Wallston, K., and Ory, M. Assessment and quality control of incontinence care in long-term nursing facilities. *J Am Geriatr Soc.* 1991 Feb; 39: 165-171
- 59203** Scholes, D., Hooton, T. M., Roberts, P. L., Gupta, K., Stapleton, A. E., Stamm, W. E. Risk factors associated with acute pyelonephritis in healthy women. *Ann Intern Med.* 2005 Jan 4; 142: 20-7
- 41602** Schonherr, M. C., Groothoff, J. W., Mulder, G. A., Eisma, W. H. Functional outcome of patients with spinal cord injury: rehabilitation outcome study. *Clin Rehabil.* 1999 Dec; 13: 457-63
- 10536** Schrepferman, C. G., Griebing, T. L., Nygaard, I. E., Kreder, K. J. Resolution of urge symptoms following sling cystourethropey. *J Urol.* 2000 Nov; 164: 1628-31
- 41560** Schroder, A., Levin, R. M., Kogan, B. A., Das, A. K., Kay, F., Mahashabde, A. Absorption of oxybutynin from vaginal inserts: drug blood levels and the response of the rabbit bladder. *Urology.* 2000 Dec 20; 56: 1063-7
- 59278** Schuessler, B. Research of surgical outcome of incontinence surgery in women. *Am J Obstet Gynecol.* 2005 Mar; 192: 984-5; author reply 985
- 51250** Schuessler, B., Baessler, K. Pharmacologic treatment of stress urinary incontinence: expectations for outcome. *Urology.* 2003 Oct; 62: 31-8
- 11170** Schulman, C., Claes, H., Matthijs, J. Urinary incontinence in Belgium: a population-based epidemiological survey. *Eur Urol.* 1997; 32: 315-20
- 41982** Schulman, S. L., Quinn, C. K., Plachter, N., Kodman-Jones, C. Comprehensive management of dysfunctional voiding. *Pediatrics.* 1999 Mar; 103: E31
- 40528** Schulman, S. L., Von Zuben, F. C., Plachter, N., Kodman-Jones, C. Biofeedback methodology: does it matter how we teach children how to relax the pelvic floor during voiding?. *J Urol.* 2001 Dec; 166: 2423-6
- 43063** Schulman, S. L., Zderic, S., Kaplan, P. Increased prevalence of urinary symptoms and voiding dysfunction in Williams syndrome. *J Pediatr.* 1996 Sep; 129: 466-9
- 10983** Schultheiss, D., Hofner, K., Oelke, M., Grunewald, V., Jonas, U. Does bone anchor fixation improve the outcome of percutaneous bladder neck suspension in female stress urinary incontinence?. *Br J Urol.* 1998 Aug; 82: 192-5
- 10790** Schultheiss, D., Jonas, U. Do we need bone anchors in urogynecology?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 153-4
- 42839** Schultz, A., Dickey, G., Skoner, M. Self-report of incontinence in acute care. *Urol Nurs.* 1997 Mar; 17: 23-8
- 43317** Schultz, A., Talseth, T. Continent urinary diversion in patients with dysfunction of the lower urinary tract. Experience with the detubularized right colonic segment as urinary reservoir. *Scand J Urol Nephrol Suppl.* 1996; 179: 93-6
- 42109** Schultz, I., Mellgren, A., Nilsson, B. Y., Dolk, A., Holmstrom, B. Preoperative electrophysiologic assessment cannot predict continence after rectopexy. *Dis Colon Rectum.* 1998 Nov; 41: 1392-8
- 55120** Schultz, S. E., Kopec, J. A. Impact of chronic conditions. *Health Rep.* 2003 Aug; 14: 41-53
- 42103** Schultz-Lampel, D., Jiang, C., Lindstrom, S., Thuroff, J. W. Experimental results on mechanisms of action of electrical neuromodulation in chronic urinary retention. *World J Urol.* 1998; 16: 301-4
- 40363** Schulz, J. A. Assessing and treating pelvic organ prolapse. *Ostomy Wound Manage.* 2001 May; 47: 54-9
- 10752** Schulz, J. A., Drutz, H. P. The surgical management of recurrent stress urinary incontinence. *Curr Opin Obstet Gynecol.* 1999 Oct; 11: 489-94
- 56280** Schurch, B., Reilly, I., Reitz, A., Curt, A. Electrophysiological recordings during the peripheral nerve evaluation (PNE) test in complete spinal cord injury patients. *World J Urol.* 2003 May; 20: 319-22
- 41247** Schurch, B., Stohrer, M., Kramer, G., Schmid, D. M., Gaul, G., Hauri, D. Botulinum-A toxin for treating detrusor hyperreflexia in spinal cord injured patients: a new alternative to anticholinergic drugs? Preliminary results. *J Urol.* 2000 Sep; 164: 692-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 41660** Schurch, B., Suter, S., Dubs, M. Intraurethral sphincter prosthesis to treat hyporeflexic bladders in women: does it work?. *BJU Int.* 1999 Nov; 84: 789-94
- 11527** Schurmans, J. R., Weerman, P. C., Bosch, J. L., van der Leij, E. M., Schroder, F. H. Quality of life assessment in heterotopic and orthotopic neobladder reconstruction: a comparison. *Acta Urol Belg.* 1995 Sep; 63: 55-8
- 42488** Schuur, P. M., Kasteren, M. E., Sabbe, L., Vos, M. C., Janssens, M. M., Buiting, A. G. Urinary tract infections with *Aerococcus urinae* in the south of The Netherlands. *Eur J Clin Microbiol Infect Dis.* 1997 Dec; 16: 871-5
- 41420** Schwartz, B. F., Stoller, M. L. The vesical calculus. *Urol Clin North Am.* 2000 May; 27: 333-46
- 43880** Schwartz, S. L., Kennelly, M. J., McGuire, E. J., Faerber, G. J. Incontinent ileo-vesicostomy urinary diversion in the treatment of lower urinary tract dysfunction. *J Urol.* 1994 Jul; 152: 99-102
- 59172** Schweitzer, K. J., Vierhout, M. E., Milani, A. L. Surgery for pelvic organ prolapse in women of 80 years of age and older. *Acta Obstet Gynecol Scand.* 2005 Mar; 84: 286-9
- 59027** Schytt, E., Lindmark, G., Waldenstrom, U. Symptoms of stress incontinence 1 year after childbirth: prevalence and predictors in a national Swedish sample. *Acta Obstet Gynecol Scand.* 2004 Oct; 83: 928-36
- 41415** Scott, D. Continence. Bangladeshi venture. *Nurs Times.* 1999 Oct 20-26; 95: 76-9
- 53650** Scott, L., Leddy, M., Bernay, F., Davot, J. L. Evaluation of phenylpropanolamine in the treatment of urethral sphincter mechanism incompetence in the bitch. *J Small Anim Pract.* 2002 Nov; 43: 493-6
- 11107** Scotti, R. J., Angell, G., Flora, R., Greston, W. M. Antecedent history as a predictor of surgical cure of urgency symptoms in mixed incontinence. *Obstet Gynecol.* 1998 Jan; 91: 51-4
- 10913** Scotti, R. J., Garely, A. D., Greston, W. M., Flora, R. F., Olson, T. R. Paravaginal repair of lateral vaginal wall defects by fixation to the ischial periosteum and obturator membrane. *Am J Obstet Gynecol.* 1998 Dec; 179: 1436-45
- 11822** Scotti, R. J., Myers, D. L. A comparison of the cough stress test and single-channel cystometry with multichannel urodynamic evaluation in genuine stress incontinence. *Obstet Gynecol.* 1993 Mar; 81: 430-3
- 12049** Scotti, R. J., Ostergard, D. R., Guillaume, A. A., Kohatsu, K. E. Predictive value of urethroscopy as compared to urodynamics in the diagnosis of genuine stress incontinence. *J Reprod Med.* 1990 Aug; 35: 772-6
- 3919** Scotti, R.J., Ostergard, D.R., Guillaume, A.A., and Kohatsu, K.E. Predictive value of urethroscopy as compared to urodynamics in the diagnosis of genuine stress incontinence. *J Reprod Med.* 1990 Aug; 35: 772-776
- 43329** Scowen, P. Childbirth and continence: 1. *Prof Care Mother Child.* 1996; 6: 91-4
- 43301** Scowen, P. Childbirth and continence: 2. *Prof Care Mother Child.* 1996; 6: 119-23
- 3623** Scullin, P.D. Financial repercussions of incontinence management [editorial]. *Ostomy Wound Manage.* 1991 Jul-Aug; 35: 4
- 42822** Scura, K. W., Whipple, B. How to provide better care for the postmenopausal woman. *Am J Nurs.* 1997 Apr; 97: 36-43
- 59220** Segal, J. L., Vassallo, B., Kleeman, S., Silva, W. A., Karram, M. M. Prevalence of persistent and de novo overactive bladder symptoms after the tension-free vaginal tape. *Obstet Gynecol.* 2004 Dec; 104: 1263-9
- 43037** Segreti, E. M., Morris, M., Levenback, C., Lucas, K. R., Gershenson, D. M., Burke, T. W. Transverse colon urinary diversion in gynecologic oncology. *Gynecol Oncol.* 1996 Oct; 63: 66-70
- 43921** Seidel, G. K., Millis, S. R., Lichtenberg, P. A., Dijkers, M. Predicting bowel and bladder continence from cognitive status in geriatric rehabilitation patients. *Arch Phys Med Rehabil.* 1994 May; 75: 590-3
- 3264** Seiler, W.O., Stahelin, H.B., and Hefti, U. Desmopressin reduces night urine volume in geriatric patients: implication for treatment of the nocturnal incontinence. *Clin Investig.* 1992 Jul; 70: 619
- 11292** Seim, A., Eriksen, B. C., Hunskaar, S. A study of female urinary incontinence in general practice. Demography, medical history, and clinical findings. *Scand J Urol Nephrol.* 1996 Dec; 30: 465-71



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 41931** Seim, A., Hermstad, R., Hunskaar, S. Female urinary incontinence: long-term follow-up after treatment in general practice. *Br J Gen Pract.* 1998 Nov; 48: 1731-4
- 11225** Seim, A., Hermstad, R., Hunskaar, S. Management in general practice significantly reduced psychosocial consequences of female urinary incontinence. *Qual Life Res.* 1997 Apr; 6: 257-64
- 41042** Seim, A., Hunskaar, S. Female urinary incontinence--the role of the general practitioner. *Acta Obstet Gynecol Scand.* 2000 Dec; 79: 1046-51
- 43659** Seim, A., Sandvik, H., Hermstad, R., Hunskaar, S. Female urinary incontinence--consultation behaviour and patient experiences: an epidemiological survey in a Norwegian community. *Fam Pract.* 1995 Mar; 12: 18-21
- 43136** Seim, A., Sivertsen, B., Eriksen, B. C., Hunskaar, S. Treatment of urinary incontinence in women in general practice: observational study. *BMJ.* 1996 Jun 8; 312: 1459-62
- 42771** Sekido, N., Kawai, K., Akaza, H. Lower urinary tract dysfunction as persistent complication of radical hysterectomy. *Int J Urol.* 1997 May; 4: 259-64
- 42116** Selcuki, M., Coskun, K. Management of tight filum terminale syndrome with special emphasis on normal level conus medullaris (NLCM). *Surg Neurol.* 1998 Oct; 50: 318-22; discussion 322
- 41384** Selcuki, M., Unlu, A., Ugur, H. C., Soygur, T., Arikan, N., Selcuki, D. Patients with urinary incontinence often benefit from surgical detethering of tight filum terminale. *Childs Nerv Syst.* 2000 Mar; 16: 150-4; discussion 155
- 11719** Seman, E., O'Shea, R. T. Laparoscopic Burch colposuspension--a new approach for stress incontinence. *Med J Aust.* 1994 Jan 3; 160: 42
- 42551** Sen, S., Ahmed, S., Borghol, M. Surgical management of complete ureteric duplication abnormalities. *Pediatr Surg Int.* 1998 Jan; 13: 61-4
- 56690** Sen, S., Zachariah, N., Chacko, J., Thomas, G. Buttressing the divided bladder neck by a rectus abdominis muscle flap to prevent urethral recanalisation in paediatric urinary incontinence. *Pediatr Surg Int.* 2003 Apr; 19: 124-6
- 52500** Sendag, F., Vidinli, H., Kazandi, M., Itil, I. M., Askar, N., Vidinli, B., Pourbagher, A. Role of perineal sonography in the evaluation of patients with stress urinary incontinence. *Aust N Z J Obstet Gynaecol.* 2003 Feb; 43: 54-7
- 43968** Senechal, P. K. Symphysis pubis separation during childbirth. *J Am Board Fam Pract.* 1994 Mar-Apr; 7: 141-4
- 44021** Sengstaken, E. A., King, S. A. Chronic schizophrenia or meningioma?. *J Am Board Fam Pract.* 1994 Jan-Feb; 7: 71-3
- 40376** Senior, J. Clean intermittent self-catheterisation and children. *Br J Community Nurs.* 2001 Aug; 6: 381-6
- 10785** Serel, T. A., Gungor, M. Urodynamic evaluation after endoscopic modified bladder neck suspension. *Urol Int.* 1999; 62: 17-20
- 10749** Serels, S. R., Rackley, R. R., Appell, R. A. In situ slings with concurrent cystocele repair. *Tech Urol.* 1999 Sep; 5: 129-32
- 10676** Serels, S. R., Rackley, R. R., Appell, R. A. Surgical treatment for stress urinary incontinence associated with valsava induced detrusor instability. *J Urol.* 2000 Mar; 163: 884-7
- 42529** Serels, S., Stein, M. Prospective study comparing hyoscyamine, doxazosin, and combination therapy for the treatment of urgency and frequency in women. *Neurourol Urodyn.* 1998; 17: 31-6
- 3234** Servoll, E., Halvorsen, O.J., Haukaas, S., and Hoisaeter, P.A. Radical retropubic prostatectomy: our experience with the first 54 patients. *Scand J Urol Nephrol.* 1992; 26: 231-234
- 11994** Sethia, K. K., Webb, R. J., Neal, D. E. Urodynamic study of ileocystoplasty in the treatment of idiopathic detrusor instability. *Br J Urol.* 1991 Mar; 67: 286-90
- 3729** Sethia, K.K., Webb, R.J., and Neal, D.E. Urodynamic study of ileocystoplasty in the treatment of idiopathic detrusor instability. *Br J Urol.* 1991 Mar; 67: 286-290



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 52200 Sevestre, S., Ciofu, C., Deval, B., Traxer, O., Amarenco, G., Haab, F. Results of the tension-free vaginal tape technique in the elderly. *Eur Urol.* 2003 Jul; 44: 128-31
- 11774 Sexton, D. J., Heskestad, L., Lambeth, W. R., McCallum, R., Levin, L. S., Corey, G. R. Postoperative pubic osteomyelitis misdiagnosed as osteitis pubis: report of four cases and review. *Clin Infect Dis.* 1993 Oct; 17: 695-700
- 42514 Sgadari, A., Topinkova, E., Bjornson, J., Bernabei, R. Urinary incontinence in nursing home residents: a cross-national comparison. *Age Ageing.* 1997 Sep; 26 Suppl 2: 49-54
- 43440 Shader, R. I., Oesterheld, J. R. Case 7: the addled nonagenarian. *J Clin Psychopharmacol.* 1995 Oct; 15: 378
- 12016 Shafik, A. Dilatation and closing anal reflexes. Description and clinical significance of new reflexes: preliminary report. *Acta Anat (Basel).* 1991; 142: 293-8
- 10593 Shafik, A. Electrovesicogram in stress urinary incontinence: a preliminary study. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 203-7
- 11124 Shafik, A. Endoscopic pudendal canal decompression for the treatment of fecal incontinence due to pudendal canal syndrome. *J Laparoendosc Adv Surg Tech A.* 1997 Aug; 7: 227-34
- 10732 Shafik, A. Levator ani muscle: new physioanatomical aspects and role in the micturition mechanism. *World J Urol.* 1999 Oct; 17: 266-73
- 41091 Shafik, A. Neuronal innervation of urethral and anal sphincters: surgical anatomy and clinical implications. *Curr Opin Obstet Gynecol.* 2000 Oct; 12: 387-98
- 10921 Shafik, A. Pudendal canal syndrome as a cause of vulvodynia and its treatment by pudendal nerve decompression. *Eur J Obstet Gynecol Reprod Biol.* 1998 Oct; 80: 215-20
- 59165 Shafik, A. Re: Functional and neuroanatomical effects of vaginal distention and pudendal nerve crush in the female rat. *J Urol.* 2005 Apr; 173: 1436; author reply 1436
- 50030 Shafik, A. Stress urinary incontinence: new concept of pathogenesis and treatment by pudendal canal decompression. *Adv Exp Med Biol.* 2003; 539: 415-40
- 10876 Shafik, A., Doss, S. Surgical anatomy of the somatic terminal innervation to the anal and urethral sphincters: role in anal and urethral surgery. *J Urol.* 1999 Jan; 161: 85-9
- 56770 Shafik, A., Shafik, I. A. Overactive bladder inhibition in response to pelvic floor muscle exercises. *World J Urol.* 2003 May; 20: 374-7
- 51730 Shah, D. K., Paul, E. M., Amukele, S., Eisenberg, E. R., Badlani, G. H. Broad based tension-free synthetic sling for stress urinary incontinence: 5-year outcome. *J Urol.* 2003 Sep; 170: 849-51
- 50690 Shah, D. K., Paul, E. M., Rastinehad, A. R., Eisenberg, E. R., Badlani, G. H. Short-term outcome analysis of total pelvic reconstruction with mesh: the vaginal approach. *J Urol.* 2004 Jan; 171: 261-3
- 40549 Shah, M., Moogerfeld, M. S., Ahmed, J., Mughal, M., Aziz, K. Metastatic cervical cancer with unusual presentation: a case report. *Conn Med.* 2001 Sep; 65: 523-5
- 42823 Shah, P. N., Maly, R. C., Frank, J. C., Hirsch, S. H., Reuben, D. B. Managing geriatric syndromes: what geriatric assessment teams recommend, what primary care physicians implement, what patients adhere to. *J Am Geriatr Soc.* 1997 Apr; 45: 413-9
- 54090 Shaji, K. S., Smitha, K., Lal, K. P., Prince, M. J. Caregivers of people with Alzheimer's disease: a qualitative study from the Indian 10/66 Dementia Research Network. *Int J Geriatr Psychiatry.* 2003 Jan; 18: 1-6
- 42435 Shaker, H. S., Hassouna, M. Sacral nerve root neuromodulation: an effective treatment for refractory urge incontinence. *J Urol.* 1998 May; 159: 1516-9
- 41645 Shaker, H., Hassouna, M. M. Sacral root neuromodulation in the treatment of various voiding and storage problems. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 336-43
- 10893 Shandera, K. C. Diagnosis and management of female urinary incontinence. *Hawaii Med J.* 1998 Dec; 57: 746-8

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 43699** Shapiro, E., Lepor, H. Matrix changes in the bladder associated with normal aging. *Adv Exp Med Biol.* 1995; 385: 187-90; discussion 223-8
- 10177** Sharifi-Aghdas, F., Ghaderian, N., Payvand, A. Free bladder mucosal autograft in the treatment of complicated vesicovaginal fistula. *BJU Int.* 2002 Mar; 89 Suppl 1: 54-6
- 50610** Sharma, B., Oligbo, N. Delayed vaginal erosion of the tape--a rare complication with TVT. *J Obstet Gynaecol.* 2004 Jan; 24: 96-8
- 10477** Sharp, H. T., Doucette, R. C., Norton, P. A. Dyspareunia and recurrent stress urinary incontinence after laparoscopic colposuspension with mesh and staples. A case report. *J Reprod Med.* 2000 Nov; 45: 947-9
- 40423** Shaw, C. A review of the psychosocial predictors of help-seeking behaviour and impact on quality of life in people with urinary incontinence. *J Clin Nurs.* 2001 Jan; 10: 15-24
- 57940** Shaw, C. A systematic review of the literature on the prevalence of sexual impairment in women with urinary incontinence and the prevalence of urinary leakage during sexual activity. *Eur Urol.* 2002 Nov; 42: 432-40
- 40123** Shaw, C., Matthews, R. J., Perry, S. I., Assassa, R. P., Williams, K., McGrother, C., Dallosso, H., Jagger, C., Mayne, C., Clarke, M. Validity and reliability of an interviewer-administered questionnaire to measure the severity of lower urinary tract symptoms of storage abnormality: the Leicester Urinary Symptom Questionnaire. *BJU Int.* 2002 Aug; 90: 205-15
- 40775** Shaw, C., McColl, E., Bond, S. Functional abilities and continence: the use of proxy respondents in research involving older people. *Qual Life Res.* 2000; 9: 1117-26
- 41023** Shaw, C., Tansey, R., Jackson, C., Hyde, C., Allan, R. Barriers to help seeking in people with urinary symptoms. *Fam Pract.* 2001 Feb; 18: 48-52
- 40917** Shaw, C., Williams, K. S., Assassa, R. P. Patients' views of a new nurse-led continence service. *J Clin Nurs.* 2000 Jul; 9: 574-82
- 42450** Shaw, F. Continence--it's never too late. *Nurs Times.* 1998 Feb 11-17; 94: 68-70, 72
- 3925** Shaw, J. Continence in cerebral palsy. *Health Visit.* 1990 Sep; 63: 301-302
- 59032** Shaw, M. B., Rink, R. C., Kaefer, M., Cain, M. P., Casale, A. J. Continence and classic bladder exstrophy treated with staged repair. *J Urol.* 2004 Oct; 172: 1450-3; discussion 1453
- 41971** Shaw, M., Galloway, S. To be or not to be: the challenge of urinary continence in older adults. *Perspectives.* 1998 Winter; 22: 18-22
- 10601** Shehata, N. A., de Courcy-Wheeler, R. H., Sim, D. A. Ureteric kinking after colposuspension: a case report and review of the literature. *Ulster Med J.* 2000 May; 69: 74-5
- 41127** Shehu, B. B., Ameh, E. A., Ismail, N. J. Spina bifida cystica: selective management in Zaria, Nigeria. *Ann Trop Paediatr.* 2000 Sep; 20: 239-42
- 40613** Sheikh, M. A., Khan, M. S., Khatoon, A., Arain, G. M. Incidence of urinary tract infection during pregnancy. *East Mediterr Health J.* 2000 Mar-May; 6: 265-71
- 41544** Sheldon, C. A., Minevich, E., Wacksman, J. Modified technique of antegrade continence enema using a stapling device. *J Urol.* 2000 Feb; 163: 589-91
- 3779** Sheldon, C., Cormier, M., Crone, K., and Wacksman, J. Occult neurovesical dysfunction in children with imperforate anus and its variants. *J Pediatr Surg.* 1991 Jan; 26: 49-54
- 44781** Sheldon, C., Cormier, M., Crone, K., Wacksman, J. Occult neurovesical dysfunction in children with imperforate anus and its variants. *J Pediatr Surg.* 1991 Jan; 26: 49-54
- 44345** Shen, W. C., Lee, S. K., Ho, Y. J., Lee, K. R. Myelography, CT and MRI in leukaemic infiltration of the lumbar theca. *Neuroradiology.* 1993; 35: 516-7
- 43905** Shepherd, J. H., Crawford, R. A. Reconstructive procedures in benign and malignant gynecological surgery. *Curr Opin Obstet Gynecol.* 1994 Jun; 6: 206-9

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 40582 Sherburn, M., Guthrie, J. R., Dudley, E. C., O'Connell, H. E., Dennerstein, L. Is incontinence associated with menopause?. *Obstet Gynecol.* 2001 Oct; 98: 628-33
- 44213 Sherer, D. M., Abramowicz, J. S., Perillo, A. M., Woods, J. R., Jr Post cesarean delivery atonic bladder with overflow incontinence appearing sonographically as a large retrovesical hypoechoic mass. *J Ultrasound Med.* 1993 Jun; 12: 365-7
- 3058 Sherer, D.M., Abramowicz, J.S., Perillo, A.M., and Woods, J.R., Jr. Post cesarean delivery atonic bladder with overflow incontinence appearing sonographically as a large retrovesical hypoechoic mass. *J Ultrasound Med.* 1993 Jun; 12: 365-367
- 42439 Sheriff, M. K., Foley, S., McFarlane, J., Nauth-Misir, R., Craggs, M., Shah, P. J. Long-term suprapubic catheterisation: clinical outcome and satisfaction survey. *Spinal Cord.* 1998 Mar; 36: 171-6
- 11171 Sheriff, M. K., Foley, S., Mcfarlane, J., Nauth-Misir, R., Shah, P. J. Endoscopic correction of intractable stress incontinence with silicone micro-implants. *Eur Urol.* 1997; 32: 284-8
- 44116 Sherman, A. M. An introduction to urinary incontinence. *Orthop Nurs.* 1993 Nov-Dec; 12: 27-30
- 56360 Sherman, A. M., Shumaker, S. A., Kancler, C., Zheng, B., Reboussin, D. M., Legault, C., Herrington, D. M. Baseline health-related quality of life in postmenopausal women with coronary heart disease: the Estrogen Replacement and Atherosclerosis (ERA) trial. *J Womens Health (Larchmt).* 2003 May; 12: 351-62
- 11176 Sherman, R. A., Davis, G. D., Wong, M. F. Behavioral treatment of exercise-induced urinary incontinence among female soldiers. *Mil Med.* 1997 Oct; 162: 690-4
- 44076 Sherman, S., Umlauf, M. G. Urinary incontinence in community dwelling elders. *Urol Nurs.* 1993 Dec; 13: 120-7
- 42807 Shetty, S. D., Kirkemo, A. K. Bilateral bone anchor vaginal vault suspension: an initial report of a new technique. *Tech Urol.* 1997 Spring; 3: 1-5
- 41492 Sheu, J. J., Yuan, R. Y., Lu, J. J., Chung, C. L., Hsu, C. Y. Tuberculous meningitis in a Filipino maid. *J Formos Med Assoc.* 1999 Nov; 98: 783-6
- 43622 Shibata, T., Nonomura, K., Kakizaki, H., Murayama, M., Seki, T., Koyanagi, T. A case of unique communication between blind-ending ectopic ureter and ipsilateral hemi-hematocolpometra in uterus didelphys. *J Urol.* 1995 Apr; 153: 1208-10
- 55770 Shih, Y. C., Hartzema, A. G., Tolleson-Rinehart, S. Labor costs associated with incontinence in long-term care facilities. *Urology.* 2003 Sep; 62: 442-6
- 57850 Shimada, K., Matsumoto, F., Tohda, A., Harada, Y., Naitoh, Y. Surgical management of urinary incontinence in children with anatomical bladder-outlet anomalies. *Int J Urol.* 2002 Oct; 9: 561-6
- 41071 Shimanouchi, S., Kamei, T., Hayashi, M. Home care for the frail elderly based on urinary incontinence level. *Public Health Nurs.* 2000 Nov-Dec; 17: 468-73
- 30322 Shimizu, I., Ishii, D., Kawashima, K., Oka, M., Hosoki, K. Pharmacological effect of amezinium on urethra and bladder of rabbits. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 170-7
- 11119 Shimonovitz, S., Monga, A. K., Stanton, S. L. Does the menstrual cycle influence cystometry?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 213-5; discussion 215-6
- 10691 Shinopulos, N. M., Dann, J. A., Smith, J. J., 3rd Patient selection and education for use of the CapSure (Re/Stor) continence shield. *Urol Nurs.* 1999 Jun; 19: 135-40
- 10599 Shinopulos, N. M., Jacobson, J. Relationship between health promotion lifestyle profiles and patient outcomes of biofeedback therapy for urinary incontinence. *Urol Nurs.* 1999 Dec; 19: 249-53
- 44132 Shiohama, N., Shinomiya, S., Nagaoka, M. Clinical features of anterior bradyrhythmia. *Clin Electroencephalogr.* 1993 Oct; 24: 194-201
- 40471 Shobeiri, S. A., Chesson, R. R., Echols, K. T. Cystoscopic fistulography: a new technique for the diagnosis of vesicocervical fistula. *Obstet Gynecol.* 2001 Dec; 98: 1124-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 50880** Shobeiri, S. A., Echols, K. T., Franco, N. Sinus formation after insertion of a silicone-coated suburethral sling. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 356-7
- 11015** Shoemaker, E. S., Wilkinson, P. D. Teloscopy after bladder neck suspension. *J Am Assoc Gynecol Laparosc.* 1998 Aug; 5: 261-3
- 43671** Shortliffe, L. M. The management of urinary tract infections in children without urinary tract abnormalities. *Urol Clin North Am.* 1995 Feb; 22: 67-73
- 10332** Showalter, P. R., Zimmern, P. E., Roehrborn, C. G., Lemack, G. E. Standing cystourethrogram: an outcome measure after anti-incontinence procedures and cystocele repair in women. *Urology.* 2001 Jul; 58: 33-7
- 57220** Shukla, A. R., Pow-Sang, J. M., Helal, M. A., Seigne, J., Ordorica, R., Lockhart, J. L. Urinary incontinence after continent urinary diversion using cecal wrap or plicated ileum: a patient questionnaire review. *Urology.* 2003 Feb; 61: 328-31
- 11960** Shull, B. L. Urologic surgical techniques. *Curr Opin Obstet Gynecol.* 1991 Aug; 3: 534-40
- 11647** Shumaker, S. A., Wyman, J. F., Uebersax, J. S., McClish, D., Fantl, J. A. Health-related quality of life measures for women with urinary incontinence: the Incontinence Impact Questionnaire and the Urogenital Distress Inventory. Continence Program in Women (CPW) Research Group. *Qual Life Res.* 1994 Oct; 3: 291-306
- 41604** Sibbald, B. Unique health needs of elderly women being ignored, symposium told. *CMAJ.* 1999 Nov 16; 161: 1309-10
- 45068** Sidi, A. A., Becher, E. F., Reddy, P. K., Dykstra, D. D. Augmentation enterocystoplasty for the management of voiding dysfunction in spinal cord injury patients. *J Urol.* 1990 Jan; 143: 83-5
- 4227** Sidi, A.A., Becher, E.F., Reddy, P.K., and Dykstra, D.D. Augmentation enterocystoplasty for the management of voiding dysfunction in spinal cord injury patients. *J Urol.* 1990 Jan; 143: 83-85
- 41073** Siegel, S. W., Catanzaro, F., Dijkema, H. E., Elhilali, M. M., Fowler, C. J., Gajewski, J. B., Hassouna, M. M., Janknegt, R. A., Jonas, U., van Kerrebroeck, P. E., Lycklama, a., Nijeholt AA, Oleson, K. A., Schmidt, R. A. Long-term results of a multicenter study on sacral nerve stimulation for treatment of urinary urge incontinence, urgency-frequency, and retention. *Urology.* 2000 Dec 4; 56: 87-91
- 11132** Siegel, S. W., Richardson, D. A., Miller, K. L., Karram, M. M., Blackwood, N. B., Sand, P. K., Staskin, D. R., Tuttle, J. P. Pelvic floor electrical stimulation for the treatment of urge and mixed urinary incontinence in women. *Urology.* 1997 Dec; 50: 934-40
- 11237** Siegelman, E. S., Banner, M. P., Ramchandani, P., Schnall, M. D. Multicoil MR imaging of symptomatic female urethral and periurethral disease. *Radiographics.* 1997 Mar-Apr; 17: 349-65
- 10335** Sievert, K. D., Emre Bakircioglu, M., Tsai, T., Dahms, S. E., Nunes, L., Lue, T. F. The effect of simulated birth trauma and/or ovariectomy on rodent continence mechanism. Part I: functional and structural change. *J Urol.* 2001 Jul; 166: 311-7
- 3483** Silbert, P.L., Stewart-Wynne, E.G. Incontinence after stroke [letter]. *Lancet.* 1992 Feb 15; 339: 428
- 10746** Siltberg, H., Larsson, G., Hallen, B., Johansson, C., Ulmsten, U. Validation of cough-induced leak point pressure measurement in the evaluation of pharmacological treatment of stress incontinence. *Neurourol Urodyn.* 1999; 18: 591-602
- 10917** Siltberg, H., Larsson, G., Victor, A. Cough-induced leak-point pressure--a valid measure for assessing treatment in women with stress incontinence. *Acta Obstet Gynecol Scand.* 1998 Nov; 77: 1000-7
- 11263** Siltberg, H., Larsson, G., Victor, A. Frequency/volume chart: the basic tool for investigating urinary symptoms. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 24-7
- 11454** Siltberg, H., Larsson, G., Victor, A. Reproducibility of a new method to determine cough-induced leak-point pressure in women with stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 13-9
- 11262** Siltberg, H., Victor, A., Larsson, G. Pad weighing tests: the best way to quantify urine loss in patients with incontinence. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 28-32

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 40603** Silva, C., Avelino, A., Souto-Moura, C., Cruz, F. A light- and electron-microscopic histopathological study of human bladder mucosa after intravesical resiniferatoxin application. *BJU Int.* 2001 Sep; 88: 355-60
- 40127** Silva, C., Ribeiro, M. J., Cruz, F. The effect of intravesical resiniferatoxin in patients with idiopathic detrusor instability suggests that involuntary detrusor contractions are triggered by C-fiber input. *J Urol.* 2002 Aug; 168: 575-9
- 41169** Silva, C., Rio, M. E., Cruz, F. Desensitization of bladder sensory fibers by intravesical resiniferatoxin, a capsaicin analog: long-term results for the treatment of detrusor hyperreflexia. *Eur Urol.* 2000 Oct; 38: 444-52
- 41154** Silverblatt, F. J., Tibert, C., Mikolich, D., Blazek-D'Arezzo, J., Alves, J., Tack, M., Agatiello, P. Preventing the spread of vancomycin-resistant enterococci in a long-term care facility. *J Am Geriatr Soc.* 2000 Oct; 48: 1211-5
- 42856** Silveri, M., Capitanucci, M. L., Capozza, N., Mosiello, G., Silvano, A., Gennaro, M. D. Occult spinal dysraphism: neurogenic voiding dysfunction and long-term urologic follow-up. *Pediatr Surg Int.* 1997 Feb; 12: 148-50
- 42093** Silveri, M., Capitanucci, M. L., Mosiello, G., Broggi, G., De Gennaro, M. Endoscopic treatment for urinary incontinence in children with a congenital neuropathic bladder. *Br J Urol.* 1998 Nov; 82: 694-7
- 42707** Silverman, M., McDowell, B. J., Musa, D., Rodriguez, E., Martin, D. To treat or not to treat: issues in decisions not to treat older persons with cognitive impairment, depression, and incontinence. *J Am Geriatr Soc.* 1997 Sep; 45: 1094-101
- 31585** Silverman, M., Musa, D., Martin, D. C., Lave, J. R., Adams, J., Ricci, E. M. Evaluation of outpatient geriatric assessment: a randomized multi-site trial. *J Am Geriatr Soc.* 1995 Jul; 43: 733-40
- 11017** Silvis, R., Gooszen, H. G., Kahraman, T., Groenendijk, A. G., Lock, M. T., Italiaander, M. V., Janssen, L. W. Novel approach to combined defaecation and micturition disorders with rectovaginoscopic pexy. *Br J Surg.* 1998 Jun; 85: 813-7
- 43090** Simeoni, J., Guys, J. M., Mollard, P., Buzelin, J. M., Moscovici, J., Bondonny, J. M., Melin, Y., Lortat-Jacob, S., Aubert, D., Costa, F., Galifer, B., Debeugny, P. Artificial urinary sphincter implantation for neurogenic bladder: a multi-institutional study in 107 children. *Br J Urol.* 1996 Aug; 78: 287-93
- 12019** Simeonova, Z., Bengtsson, C. Prevalence of urinary incontinence among women at a Swedish primary health care centre. *Scand J Prim Health Care.* 1990 Dec; 8: 203-6
- 10821** Simeonova, Z., Milsom, I., Kullendorff, A. M., Molander, U., Bengtsson, C. The prevalence of urinary incontinence and its influence on the quality of life in women from an urban Swedish population. *Acta Obstet Gynecol Scand.* 1999 Jul; 78: 546-51
- 40055** Simeonsson, R. J., McMillen, J. S., Huntington, G. S. Secondary conditions in children with disabilities: spina bifida as a case example. *Ment Retard Dev Disabil Res Rev.* 2002; 8: 198-205
- 44577** Simforoosh, N., Norbala, M. H., Danesh, A., Bassiri, A. Proper use of gastrointestinal tract to achieve continent urinary diversion in 73 patients. *J Urol (Paris).* 1992; 98: 206-9
- 3110** Simforoosh, N., Norbala, M.H., Danesh, A., and Bassiri, A. Proper use of gastrointestinal tract to achieve continent urinary diversion in 73 patients. *J-Urol (Paris).* 1992; 98: 206-209
- 59286** Simmons, R. Conservative and surgical approaches to the treatment of overactive bladder. *Prof Nurse.* 2005 Feb; 20: 31-3
- 40587** Simon, H. B. On call. My wife's problem with urinary leakage has improved with Kegel exercises. I've had dribbling since my TURP operation last month. Can these exercises help me, too?. *Harv Mens Health Watch.* 2001 Sep; 6: 8
- 44879** Simon, J. K. Cones are not a substitute for specialist physiotherapy. *Prof Nurse.* 1990 Aug; 5: 585
- 3946** Simon, J.K. Cones are not a substitute for specialist physiotherapy [letter]. *Prof Nurse.* 1990 Aug; 5: 585
- 10468** Simons, A. M., Dowell, C. J., Bryant, C. M., Prashar, S., Moore, K. H. Use of the Dowell Bryant Incontinence Cost Index as a post-treatment outcome measure after non-surgical therapy. *Neurourol Urodyn.* 2001; 20: 85-93
- 40899** Simons, A. M., Yoong, W. C., Buckland, S., Moore, K. H. Inadequate repeatability of the one-hour pad test: the need for a new incontinence outcome measure. *BJOG.* 2001 Mar; 108: 315-9



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 44143 Simor, A. E., Yake, S. L., Tsimidis, K. Infection due to Clostridium difficile among elderly residents of a long-term-care facility. Clin Infect Dis. 1993 Oct; 17: 672-8
- 10140 Simpson, L. Stress incontinence in younger women: prevention and treatment. Nurs Stand. 2000 May 24-30; 14: 49-54; quiz 56, 58
- 40175 Singer, M. A., Cintron, J. R., Fleshman, J. W., Chaudhry, V., Birnbaum, E. H., Read, T. E., Spitz, J. S., Abcarian, H. Early experience with stapled hemorrhoidectomy in the United States. Dis Colon Rectum. 2002 Mar; 45: 360-7; discussion 367-9
- 43263 Singh, G., Thomas, D. G. Artificial urinary sphincter in patients with neurogenic bladder dysfunction. Br J Urol. 1996 Feb; 77: 252-5
- 43721 Singh, G., Thomas, D. G. Enterocystoplasty in the neuropathic bladder. Neurourol Urodyn. 1995; 14: 5-10
- 43499 Singh, G., Thomas, D. G. Intermittent catheterization following enterocystoplasty. Br J Urol. 1995 Aug; 76: 175-8
- 40455 Singh, I., Nabi, G., Kumar, R., Hemal, A. K. Endourologic management of obstetrical ureterouterine fistula: case report and review of literature. J Endourol. 2001 Dec; 15: 985-8
- 50670 Singh, M., Bushman, W., Clemens, J. Q. Do pad tests and voiding diaries affect patient willingness to participate in studies of incontinence treatment outcomes?. J Urol. 2004 Jan; 171: 316-8; discussion 318-9
- 10684 Singla, A. K. The use of cadaveric fascia lata in the treatment of stress urinary incontinence in women. BJU Int. 2000 Feb; 85: 264-9
- 44112 Siproudhis, L., Dautreme, S., Ropert, A., Bretagne, J. F., Heresbach, D., Raoul, J. L., Gosselin, M. Dyschezia and rectocele--a marriage of convenience? Physiologic evaluation of the rectocele in a group of 52 women complaining of difficulty in evacuation. Dis Colon Rectum. 1993 Nov; 36: 1030-6
- 10145 Siracusano, S., Bertolotto, M., Silvestre, G., d'Aloia, G., Pecorari, V., Stener, S., Quaia, E., Baschiera, P., Knez, R. The feasibility of urethral color ultrasound imaging in the diagnosis of female intrinsic sphincter deficiency: preliminary results. Spinal Cord. 2002 Apr; 40: 192-5
- 52940 Siracusano, S., Pregazzi, R., d'Aloia, G., Sartore, A., Di Benedetto, P., Pecorari, V., Guaschino, S., Pappagallo, G., Belgrano, E. Prevalence of urinary incontinence in young and middle-aged women in an Italian urban area. Eur J Obstet Gynecol Reprod Biol. 2003 Apr 25; 107: 201-4
- 41434 Siracusano, S., Trombetta, C., Liguori, G., De Giorgi, G., d'Aloia, G., Di Benedetto, P., Belgrano, E. Laparoscopic bladder auto-augmentation in an incomplete traumatic spinal cord injury. Spinal Cord. 2000 Jan; 38: 59-61
- 10095 Sirls, L. T., Foote, J. E., Kaufman, J. M., Lightner, D. J., Miller, J. L., Moseley, W. G., Nygaard, I. E., Steidle, C. P. Long-term results of the FemSoft urethral insert for the management of female stress urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct. 2002; 13: 88-95; discussion 95
- 11501 Sirls, L. T., Keoleian, C. M., Korman, H. J., Kirkemo, A. K. The effect of study methodology on reported success rates of the modified Pereyra bladder neck suspension. J Urol. 1995 Nov; 154: 1732-5
- 41687 Sirls, L. T., Rashid, T. Geriatric urinary incontinence. Geriatr Nephrol Urol. 1999; 9: 87-99
- 30670 Siskin, G. P., Stainken, B. F., Dowling, K., Meo, P., Ahn, J., Dolen, E. G. Outpatient uterine artery embolization for symptomatic uterine fibroids: experience in 49 patients. J Vasc Interv Radiol. 2000 Mar; 11: 305-11
- 3938 Sislow, J.G., Mayo, M.E. Reduction in human bladder wall compliance following decentralization. J Urol. 1990 Oct; 144: 945-947
- 44294 Sit, K. H. Urinary incontinence caused by prazosin. Singapore Med J. 1993 Feb; 34: 91
- 51040 Siu, L. S., Chang, A. M., Yip, S. K., Chang, A. M. Compliance with a pelvic muscle exercise program as a causal predictor of urinary stress incontinence amongst Chinese women. Neurourol Urodyn. 2003; 22: 659-63
- 44688 Skehan, M. C., Sutherst, J. R. Re: Biofeedback therapy for female incontinence due to low urethral resistance. J Urol. 1991 Jun; 145: 1278



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3694** Skehan, M.C., Sutherst, J.R. Re: Biofeedback therapy for female incontinence due to low urethral resistance [letter; comment]. *J Urol.* 1991 Jun; 145: 1278
- 40389** Skeil, D., Thorpe, A. C. Transcutaneous electrical nerve stimulation in the treatment of neurological patients with urinary symptoms. *BJU Int.* 2001 Dec; 88: 899-908
- 41105** Skelly, J., Boblin-Cummings, S. Promoting seniors' health--confronting the issue of incontinence. *Can J Nurs Leadersh.* 1999 Sep-Oct; 12: 13-7
- 43642** Skelly, J., Flint, A. J. Urinary incontinence associated with dementia. *J Am Geriatr Soc.* 1995 Mar; 43: 286-94
- 41839** Skelton, N. Meeting the challenge. *Nurs Times.* 1999 May 5-11; 95: 82
- 53090** Skinner, M. H., Kuan, H. Y., Pan, A., Sathirakul, K., Knadler, M. P., Gonzales, C. R., Yeo, K. P., Reddy, S., Lim, M., Ayan-Oshodi, M., Wise, S. D. Duloxetine is both an inhibitor and a substrate of cytochrome P4502D6 in healthy volunteers. *Clin Pharmacol Ther.* 2003 Mar; 73: 170-7
- 54860** Skinner, M. H., Kuan, H. Y., Skerjanec, A., Seger, M. E., Heathman, M., O'Brien, L., Reddy, S., Knadler, M. P. Effect of age on the pharmacokinetics of duloxetine in women. *Br J Clin Pharmacol.* 2004 Jan; 57: 54-61
- 57740** Skobejko-Wlodarska, L. Treatment of neuropathic urinary and faecal incontinence. *Eur J Pediatr Surg.* 2002 Oct; 12: 318-21
- 43782** Skoner, M. M. Self-management of urinary incontinence among women 31 to 50 years of age. *Rehabil Nurs.* 1994 Nov-Dec; 19: 339-43, 347
- 44115** Skoner, M. M., Haylor, M. J. Managing incontinence: women's normalizing strategies. *Health Care Women Int.* 1993 Nov-Dec; 14: 549-60
- 11659** Skoner, M. M., Thompson, W. D., Caron, V. A. Factors associated with risk of stress urinary incontinence in women. *Nurs Res.* 1994 Sep-Oct; 43: 301-6
- 10150** Skorupski, P., Rechberger, T., Postawski, K., Woessner, J. F., Jr., Jakowicki, J. A. Is diminished pubocervical fascia collagen content a risk factor for failure of surgical management of genuine stress urinary incontinence in women?. *Eur J Obstet Gynecol Reprod Biol.* 2002 May 10; 102: 195-8
- 40357** Sloane, K. Continence promotion during pregnancy. *Aust Nurs J.* 2000 Aug; 8: 32
- 41927** Sloane, P. D., Davidson, S., Knight, N., Tangen, C., Mitchell, C. M. Severe disruptive vocalizers. *J Am Geriatr Soc.* 1999 Apr; 47: 439-45
- 10426** Slors, F. J., van Zuijlen, P. P., van Dijk, G. J. Sexual and bladder dysfunction after total mesorectal excision for benign diseases. *Scand J Gastroenterol Suppl.* 2000; : 48-51
- 41398** Sloss, E. M., Solomon, D. H., Shekelle, P. G., Young, R. T., Saliba, D., MacLean, C. H., Rubenstein, L. Z., Schnelle, J. F., Kamberg, C. J., Wenger, N. S. Selecting target conditions for quality of care improvement in vulnerable older adults. *J Am Geriatr Soc.* 2000 Apr; 48: 363-9
- 3451** Small, E. Animal illness and human emotion. Loathsome and disfiguring conditions. *Probl Vet Med.* 1991 Mar; 3: 73-82
- 4035** Small, K.A., Wynne, J.M. Evaluating the pelvic floor in obstetric patients. *Aust N Z J Obstet Gynaecol.* 1990 Feb; 30: 41-4,45
- 11956** Smart, R. F. Polytef paste for urinary incontinence. *Aust N Z J Surg.* 1991 Sep; 61: 663-6
- 59202** Smith, A. L., Moy, M. L. Modern management of women with stress urinary incontinence. *Ostomy Wound Manage.* 2004 Dec; 50: 32-9; quiz 40-1
- 11480** Smith, A. R. Laparoscopic and needle colposuspension. *Baillieres Clin Obstet Gynaecol.* 1995 Dec; 9: 757-67
- 11512** Smith, A. R. Laparoscopic surgery for incontinence and genitourinary prolapse. *Curr Opin Obstet Gynecol.* 1995 Oct; 7: 397-9
- 11671** Smith, A. R. Role of connective tissue and muscle in pelvic floor dysfunction. *Curr Opin Obstet Gynecol.* 1994 Aug; 6: 317-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 56660** Smith, A. R., Higgs, P. J. Evidence-based practice in urogynaecology. *Hosp Med*. 2003 Apr; 64: 223-9
- 11047** Smith, A. R., Stanton, S. L. Laparoscopic colposuspension. *Br J Obstet Gynaecol*. 1998 Apr; 105: 383-4
- 43067** Smith, A. Y., Borden, T. Excisional plication of the ileocecal valve: a useful adjunct for the construction of continent urinary diversions. *J Urol*. 1996 Sep; 156: 1118-9
- 10052** Smith, C. P., O'Leary, M., Erickson, J., Somogyi, G. T., Chancellor, M. B. Botulinum toxin urethral sphincter injection resolves urinary retention after pubovaginal sling operation. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 185-6
- 43822** Smith, D. A. Devices for continence. *Nurse Pract Forum*. 1994 Sep; 5: 186-9
- 43841** Smith, D. A., Newman, D. K. Basic elements of biofeedback therapy for pelvic muscle rehabilitation. *Urol Nurs*. 1994 Sep; 14: 130-5
- 41497** Smith, D. B. Urinary continence issues in oncology. *Clin J Oncol Nurs*. 1999 Oct; 3: 161-7
- 10590** Smith, D. B., Boileau, M. A., Buan, L. D. A self-directed home biofeedback system for women with symptoms of stress, urge, and mixed incontinence. *J Wound Ostomy Continence Nurs*. 2000 Jul; 27: 240-6
- 42818** Smith, D. N., Appell, R. A., Winters, J. C., Rackley, R. R. Collagen injection therapy for female intrinsic sphincteric deficiency. *J Urol*. 1997 Apr; 157: 1275-8
- 42873** Smith, E. A., Woodard, J. R., Broecker, B. H., Gosalbez, R., Jr, Ricketts, R. R. Current urologic management of cloacal exstrophy: experience with 11 patients. *J Pediatr Surg*. 1997 Feb; 32: 256-61; discussion 261-2
- 11475** Smith, J. J., 3rd Intravaginal stimulation randomized trial. *J Urol*. 1996 Jan; 155: 127-30
- 3979** Smith, K.A. Bowel and bladder management of the child with myelomeningocele in the school setting. *J Pediatr Health Care*. 1990 Jul-Aug; 4: 175-180
- 41407** Smith, L., Smith, P., Lee, S. K. Behavioural treatment of urinary incontinence and encopresis in children with learning disabilities: transfer of stimulus control. *Dev Med Child Neurol*. 2000 Apr; 42: 276-9
- 10025** Smith, M. Stress factor. *Nurs Stand*. 2001 Mar 28-Apr 3; 15: 26
- 4159** Smith, M.D., Bohlman, H.H. Spondylolisthesis treated by a single-stage operation combining decompression with in situ posterolateral and anterior fusion. An analysis of eleven patients who had long-term follow-up. *J Bone-Joint-Surg [Am]*. 1990 Mar; 72: 415-421
- 11871** Smith, N. Application of urodynamics to incontinence. *Br J Hosp Med*. 1992 Sep 16-Oct 6; 48: 289-90
- 3244** Smith, N. Application of urodynamics to incontinence [editorial]. *Br J Hosp Med*. 1992 Sep 16-Oct 6; 48: 289-290
- 3023** Smith, P. Estrogens and the urogenital tract. Studies on steroid hormone receptors and a clinical study on a new estradiol-releasing vaginal ring. *Acta Obstet Gynecol Scand Suppl*. 1993; 157: 1-26
- 3003** Smith, P., Heimer, G., Norgren, A., and Ulmsten, U. Localization of steroid hormone receptors in the pelvic muscles. *Eur J Obstet Gynecol Reprod Biol*. 1993 Jun; 50: 83-85
- 44220** Smith, P., Heimer, G., Norgren, A., Ulmsten, U. Localization of steroid hormone receptors in the pelvic muscles. *Eur J Obstet Gynecol Reprod Biol*. 1993 Jun; 50: 83-5
- 43941** Smith, R. D. Magnetic resonance imaging in the identification of an otherwise undetectable upper pole moiety. *Br J Urol*. 1994 Apr; 73: 470
- 11127** Smith, R. N., Cardozo, L. Early voiding difficulty after colposuspension. *Br J Urol*. 1997 Dec; 80: 911-4
- 43460** Smith, W. Initiative to advise shoppers on continence. *Nurs Times*. 1995 Sep 13-19; 91: 11-2
- 42713** Snodgrass, W. A simplified Kropp procedure for incontinence. *J Urol*. 1997 Sep; 158: 1049-52
- 12020** Snooks, S. J., Swash, M., Mathers, S. E., Henry, M. M. Effect of vaginal delivery on the pelvic floor: a 5-year follow-up. *Br J Surg*. 1990 Dec; 77: 1358-60

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 3832 Snooks, S.J., Swash, M., Mathers, S.E., and Henry, M.M. Effect of vaginal delivery on the pelvic floor: a 5-year follow-up. *Br J Surg*. 1990 Dec; 77: 1358-1360
- 4000 Snyder, H.M., 3d. Evolving themes in the continent reconstruction of the lower urinary tract. *Postgrad Med J*. 1990; 66 Suppl 1: S54-S61
- 3750 Snyder, J.A., Lipsitz, D.U. Evaluation of female urinary incontinence. *Urol Clin North Am*. 1991 May; 18: 197-209
- 42351 Snyder, M., Pearson, V., Hanscom, J., Hoyman, K., Hagans, E., Lee, H., Liao, W., Ryden, M. Barriers to progress in urinary incontinence: achieving quality assessments. *Geriatr Nurs*. 1998 Mar-Apr; 19: 77-80
- 59224 Soderberg, M. W., Falconer, C., Bystrom, B., Malmstrom, A., Ekman, G. Young women with genital prolapse have a low collagen concentration. *Acta Obstet Gynecol Scand*. 2004 Dec; 83: 1193-8
- 10263 Soergel, T. M., Shott, S., Heit, M. Poor surgical outcomes after fascia lata allograft slings. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 247-53
- 3204 Sole-Balcells, F., Villavicencio, H., and Ortiz, A. Postsurgical management of the patient undergoing radical prostatectomy. *Br J Urol*. 1992 Nov; 70 Suppl 1: 43-49
- 10908 Soler, D., Borzyskowski, M. Lower urinary tract dysfunction in children with central nervous system tumours. *Arch Dis Child*. 1998 Oct; 79: 344-7
- 55370 Soligo, M., Salvatore, S., Milani, R., Lalia, M., Malberti, S., Digesu, G. A., Mariani, S. Double incontinence in urogynecologic practice: a new insight. *Am J Obstet Gynecol*. 2003 Aug; 189: 438-43
- 12055 Sommer, P., Bauer, T., Nielsen, K. K., Kristensen, E. S., Hermann, G. G., Steven, K., Nordling, J. Voiding patterns and prevalence of incontinence in women. A questionnaire survey. *Br J Urol*. 1990 Jul; 66: 12-5
- 3950 Sommer, P., Bauer, T., Nielsen, K.K., Kristensen, E.S., Hermann, G.G., Steven, K., and Nordling, J. Voiding patterns and prevalence of incontinence in women. A questionnaire survey. *Br J Urol*. 1990 Jul; 66: 12-15
- 40561 Sommerfeld, D. K., von Arbin, M. H. Disability test 10 days after acute stroke to predict early discharge home in patients 65 years and older. *Clin Rehabil*. 2001 Oct; 15: 528-34
- 11554 Song, J. T., Rozanski, T. A., Belville, W. D. Stress leak point pressure: a simple and reproducible method utilizing a fiberoptic microtransducer. *Urology*. 1995 Jul; 46: 81-4
- 54530 Soon, P. S., Lynch, W., Schwartz, P. Breast cancer presenting initially with urinary incontinence: a case of bladder metastasis from breast cancer. *Breast*. 2004 Feb; 13: 69-71
- 40111 Soroka, D., Drutz, H. P., Glazener, C. M., Hay-Smith, E. J., Ross, S. Perineal pad test in evaluating outcome of treatments for female incontinence: a systematic review. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 165-75
- 10312 Soulie, M., Cuvillier, X., Benaissa, A., Mouly, P., Larroque, J. M., Bernstein, J., Soulie, R., Tollon, C., Brucher, P., Vazzoler, N., Seguin, P., Pontonnier, F., Plante, P. The tension-free transvaginal tape procedure in the treatment of female urinary stress incontinence: a French prospective multicentre study. *Eur Urol*. 2001 Jun; 39: 709-14; discussion 715
- 40090 Soulie, M., Seguin, P., Martel, P., Vazzoler, N., Mouly, P., Plante, P. A modified intussuscepted nipple in the Kock pouch urinary diversion: assessment of perioperative complications and functional results. *BJU Int*. 2002 Sep; 90: 397-402
- 3898 Sourander, L.B. Treatment of urinary incontinence: the place of drugs. *Gerontology*. 1990; 36 Suppl 2: 19-26
- 10452 Sousa-Escandon, A. 'Sandwich technique' for suburethral placement of Mersilene mesh sling during pubovaginal suspension surgery: preliminary results. *Urology*. 2001 Jan; 57: 49-54
- 51170 Sousa-Escandon, A., Lema Grille, J., Rodriguez Gomez, J. I., Rios Tallon, L., Uribarri Gonzalez, C., Marques-Queimadelos, A. Externally readjustable device to regulate sling tension in stress urinary incontinence: preliminary results. *J Endourol*. 2003 Sep; 17: 515-21
- 4113 Southern, D., Henderson, P. Setting standards. Tackling incontinence. *Nurs Times*. 1990 Mar 7-13; 86: 36-38
- 10610 Soygur, T., Safak, M., Yesilli, C., Arikan, N., Gogus, O. Extraperitoneal laparoscopic bladder neck suspension using hernia mesh and tacker. *Urology*. 2000 Jul; 56: 121-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 54480 Spain, C. V., Scarlett, J. M., Houpt, K. A. Long-term risks and benefits of early-age gonadectomy in dogs. *J Am Vet Med Assoc.* 2004 Feb 1; 224: 380-7
- 40208 Specht, J. K., Lyons, S. S., Maas, M. L. Patterns and treatments of Urinary incontinence on special care units. *J Gerontol Nurs.* 2002 May; 28: 13-21
- 43911 Spector, W. D. Correlates of pressure sores in nursing homes: evidence from the National Medical Expenditure Survey. *J Invest Dermatol.* 1994 Jun; 102: 42S-45S
- 41152 Speights, S. E., Moore, R. D., Miklos, J. R. Frequency of lower urinary tract injury at laparoscopic burch and paravaginal repair. *J Am Assoc Gynecol Laparosc.* 2000 Nov; 7: 515-8
- 40498 Spellacy, E. Urinary incontinence in pregnancy and the puerperium. *J Obstet Gynecol Neonatal Nurs.* 2001 Nov-Dec; 30: 634-41
- 11711 Spence-Jones, C., Kamm, M. A., Henry, M. M., Hudson, C. N. Bowel dysfunction: a pathogenic factor in uterovaginal prolapse and urinary stress incontinence. *Br J Obstet Gynaecol.* 1994 Feb; 101: 147-52
- 50580 Spiess, P. E., Rabah, D., Herrera, C., Singh, G., Moore, R., Corcos, J. The tensile properties of tension-free vaginal tape and cadaveric fascia lata in an in vivo rat model. *BJU Int.* 2004 Jan; 93: 171-3
- 40713 Spinelli, M., Bertapelle, P., Cappellano, F., Zanollo, A., Carone, R., Catanzaro, F., Giardiello, G., De Seta, F. Chronic sacral neuromodulation in patients with lower urinary tract symptoms: results from a national register. *J Urol.* 2001 Aug; 166: 541-5
- 55330 Spinelli, M., Giardiello, G., Gerber, M., Arduini, A., van den Hombergh, U., Malaguti, S. New sacral neuromodulation lead for percutaneous implantation using local anesthesia: description and first experience. *J Urol.* 2003 Nov; 170: 1905-7
- 40943 Sponseller, P. D., Jani, M. M., Jeffs, R. D., Gearhart, J. P. Anterior innominate osteotomy in repair of bladder exstrophy. *J Bone Joint Surg Am.* 2001 Feb; 83-A: 184-93
- 3669 Sponseller, P.D., Gearhart, J.P., and Jeffs, R.D. Anterior innominate osteotomies for failure or late closure of bladder exstrophy. *J Urol.* 1991 Jul; 146: 137-140
- 43856 Springer, J. P., Kropp, B. P., Thor, K. B. Facilitatory and inhibitory effects of selective norepinephrine reuptake inhibitors on hypogastric nerve-evoked urethral contractions in the cat: a prominent role of urethral beta-adrenergic receptors. *J Urol.* 1994 Aug; 152: 515-9
- 55100 Spruijt, J., Vierhout, M., Verstraeten, R., Janssens, J., Burger, C. Vaginal electrical stimulation of the pelvic floor: a randomized feasibility study in urinary incontinent elderly women. *Acta Obstet Gynecol Scand.* 2003 Nov; 82: 1043-8
- 44387 Squire, K. R., Adams, S. B. Bilateral ureterocystostomy in a 450-kg horse with ectopic ureters. *J Am Vet Med Assoc.* 1992 Oct 15; 201: 1213-5
- 11777 Srinivasan, V., Blackford, H. N. Genuine stress incontinence induced by prazosin. *Br J Urol.* 1993 Oct; 72: 510
- 57880 St John, W., James, H., McKenzie, S. 'Oh, that's a bit of a nuisance': community-dwelling clients' perspectives of urinary continence health service provision. *J Wound Ostomy Continence Nurs.* 2002 Nov; 29: 312-9
- 51640 Stach-Lempinen, B., Hakala, A. L., Laippala, P., Lehtinen, K., Metsanoja, R., Kujansuu, E. Severe depression determines quality of life in urinary incontinent women. *Neurourol Urodyn.* 2003; 22: 563-8
- 59017 Stach-Lempinen, B., Sintonen, H., Kujansuu, E. The relationship between clinical parameters and health-related quality of life as measured by the 15D in incontinent women before and after treatment. *Acta Obstet Gynecol Scand.* 2004 Oct; 83: 983-8
- 11251 Stamey, T. A. Re: Editorial comment: should Stamey colposuspension be our primary surgery for stress incontinence?. *J Urol.* 1997 Feb; 157: 627-8
- 41361 Stamm, W. E., Raz, R. Factors contributing to susceptibility of postmenopausal women to recurrent urinary tract infections. *Clin Infect Dis.* 1999 Apr; 28: 723-5
- 40804 Stamp, G., Kruzins, G., Crowther, C. Perineal massage in labour and prevention of perineal trauma: randomised controlled trial. *BMJ.* 2001 May 26; 322: 1277-80

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 3559 Stanasic, T.H., Jennings, C.E., and Miller, J.I. Polytetrafluoroethylene injection for post-prostatectomy incontinence: experience with 20 patients during 3 years. J Urol. 1991 Dec; 146: 1575-1577
- 11638 Stanley, K. E., Kreder, K. J., Winfield, H. N., Cohen, M. B. Laparoscopic approaches to the treatment of intrinsic urethral weakness (type III stress urinary incontinence). J Endourol. 1994 Dec; 8: 439-43
- 11739 Stanley, K. E., Winfield, H. N., Donovan, J. F. Urologic laparoscopy. Surg Annu. 1994; 26: 67-88
- 43201 Stanley, R. Treatment of continence in people with learning disabilities: 2. Br J Nurs. 1996 Apr 25-May 8; 5: 492-8
- 59263 Stanton, A. L., Bernaards, C. A., Ganz, P. A. The BCPT symptom scales: a measure of physical symptoms for women diagnosed with or at risk for breast cancer. J Natl Cancer Inst. 2005 Mar 16; 97: 448-56
- 43503 Stanton, S. L. An unusual cause of post-menopausal bleeding and incontinence of urine: primary lymphoma of the vagina. Br J Obstet Gynaecol. 1995 Aug; 102: 672-3
- 42158 Stanton, S. L. Consensus report on pelvic floor weakness of the elderly female. World J Urol. 1998; 16 Suppl 1: S44-7
- 11972 Stanton, S. L. Female stress incontinence. Treatment options and indications. Urologe A. 1991 Jul; 30: 239-43
- 11687 Stanton, S. L. Indications and operative treatment of stress urinary incontinence. Eur J Obstet Gynecol Reprod Biol. 1994 May 31; 55: 45-6
- 11564 Stanton, S. L. Indications and operative treatment of stress urinary incontinence. Acta Urol Belg. 1995 May; 63: 41-3
- 59193 Stanton, S. L. Mid-urethral tapes: which? Review of available commercial mid-urethral tapes for the correction of stress incontinence. BJOG. 2004 Dec; 111 Suppl 1: 41-5
- 11426 Stanton, S. L. Minimally invasive surgery: competent and continent?. Int Urogynecol J Pelvic Floor Dysfunct. 1996; 7: 305-6
- 12089 Stanton, S. L. Suprapubic approaches for stress incontinence in women. J Am Geriatr Soc. 1990 Mar; 38: 348-51
- 11151 Stanton, S. L. Surgical treatment of sphincteric incontinence in women. World J Urol. 1997; 15: 275-9
- 11207 Stanton, S. L. What is the right operation for stress incontinence? A gynaecological view. Br J Urol. 1997 Jul; 80 Suppl 1: 84-7
- 11244 Stanton, S. L., Monga, A. K. Incontinence in elderly women: is periurethral collagen an advance?. Br J Obstet Gynaecol. 1997 Feb; 104: 154-7
- 3162 Stanton, S.L. Cut and dry--urinary incontinence in the female. Trans Med Soc Lond. 1990-91; 107: 9-11
- 3905 Stanton, S.L. Stress urinary incontinence. Ciba Found Symp. 1990; 151: 182-9;discussion189-94
- 4028 Stanton, S.L. Surgical management of urethral sphincter incompetence. Clin Obstet Gynecol. 1990 Jun; 33: 346-357
- 44980 Starer, P., Libow, L. Cystometric evaluation of bladder dysfunction in elderly diabetic patients. Arch Intern Med. 1990 Apr; 150: 810-3
- 4080 Starer, P., Libow, L. Cystometric evaluation of bladder dysfunction in elderly diabetic patients [see comments]. Arch Intern Med. 1990 Apr; 150: 810-813
- 3348 Starer, P., Libow, L.S. Medical care of the elderly in the nursing home. J Gen Intern Med. 1992 May-Jun; 7: 350-362
- 3679 Starer, P., Libow, L.S. Persistence of detrusor hyperreflexia in a continent, institutionalized elderly patient with Parkinson's disease. N Y State J Med. 1991 Apr; 91: 166-167
- 40279 Starr, C. H. Eroding the quality of life. Bus Health. 2002 Spring; Spec No: 8-10, 14, 23-4
- 40281 Starr, C. H. Getting the word out. Bus Health. 2002 Spring; Spec No: 20-2, 24
- 40280 Starr, C. H. The numbers lie. Bus Health. 2002 Spring; Spec No: 4-7, 23



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40282** Starr, C. H. Treatment can lead to a long dry spell. *Bus Health*. 2002 Spring; Spec No: 15-9, 24
- 11149** Staskin, D. R., Choe, J. M., Breslin, D. S. The Gore-tex sling procedure for female sphincteric incontinence: indications, technique, and results. *World J Urol*. 1997; 15: 295-9
- 57590** Staskin, D. R., Dmochowski, R. R. Future studies of overactive bladder: the need for standardization. *Urology*. 2002 Nov; 60: 90-3
- 59391** Staskin, D. R., Harnett, M. D. Effect of tiroprium chloride on somnolence and sleepiness in patients with overactive bladder. *Curr Urol Rep*. 2004 Dec; 5: 423-6
- 53920** Staskin, D. R., Plzak, L. Synthetic slings: pros and cons. *Curr Urol Rep*. 2002 Oct; 3: 414-7
- 11386** Staskin, D., Bavendam, T., Miller, J., Davila, G. W., Diokno, A., Knapp, P., Rappaport, S., Sand, P., Sant, G., Tutrone, R. Effectiveness of a urinary control insert in the management of stress urinary incontinence: early results of a multicenter study. *Urology*. 1996 May; 47: 629-36
- 3744** Staskin, D.R. Hydroureteronephrosis after spinal cord injury. Effects of lower urinary tract dysfunction on upper tract anatomy. *Urol Clin North Am*. 1991 May; 18: 309-316
- 3902** Staskin, D.R., Wein, A.J., and Andersson, K.E. Urinary incontinence: classification and pharmacological therapy. *Ciba Found Symp*. 1990; 151: 289-306;discussion306-17
- 40623** Stec, A. A., Pannu, H. K., Tadros, Y. E., Sponseller, P. D., Fishman, E. K., Gearhart, J. P. Pelvic floor anatomy in classic bladder exstrophy using 3-dimensional computerized tomography: initial insights. *J Urol*. 2001 Oct; 166: 1444-9
- 10667** Steele, A. C., Kohli, N., Karram, M. M. Periurethral collagen injection for stress incontinence with and without urethral hypermobility. *Obstet Gynecol*. 2000 Mar; 95: 327-31
- 41826** Steele, A. C., Kohli, N., Mallipeddi, P., Karram, M. Pharmacologic causes of female incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 106-10
- 40686** Steele, A. C., Walsh, P., Bentley, M., Neff, J., Karram, M. A randomized, double-blind placebo-controlled trial of the effects of the 5-hydroxytryptamine(4) agonist cisapride on the female urinary bladder. *Am J Obstet Gynecol*. 2001 Jul; 185: 62-4
- 3647** Steele, W., Pomfret, I. Promoting continence at work. *Occup-Health (Lond)*. 1991 Jul; 43: 213-214
- 3633** Steen, B. The importance of diagnostic procedures to ensure quality of health care in geriatric medicine. Examples from recent studies. *Qual Assur Health Care*. 1990; 2: 387-392
- 59297** Steers, W., Corcos, J., Foote, J., Kralidis, G. An investigation of dose titration with darifenacin, an M3-selective receptor antagonist. *BJU Int*. 2005 Mar; 95: 580-6
- 3577** Steidle, C.P., Kennedy, K.L. Achieving a state of urinary continence for residents of nursing facilities. Part II: Urodynamics and laboratory investigation. *Ostomy Wound Manage*. 1991 Sep-Oct; 36: 45-6,48-50
- 3382** Steidle, C.P., Kennedy, K.L. Achieving a state of urinary continence for residents of nursing facilities. Part III: Manufactured incontinence. *Ostomy Wound Manage*. 1992 Jan-Feb; 38: 36-38
- 42730** Stein, J. P., Grossfeld, G. D., Freeman, J. A., Esrig, D., Ginsberg, D. A., Cote, R. J., Skinner, E. C., Boyd, S. D., Lieskovsky, G., Skinner, D. G. Orthotopic lower urinary tract reconstruction in women using the Kock ileal neobladder: updated experience in 34 patients. *J Urol*. 1997 Aug; 158: 400-5
- 11592** Stein, M., Discippio, W., Davia, M., Taub, H. Biofeedback for the treatment of stress and urge incontinence. *J Urol*. 1995 Mar; 153: 641-3
- 11967** Stein, M., Weinberg, J. J. Polytetrafluoroethylene vs. polypropylene suture for endoscopic bladder neck suspension. *Urology*. 1991 Aug; 38: 119-22
- 43479** Stein, R., Fisch, M., Bauer, H., Friedberg, V., Hohenfellner, R. Operative reconstruction of the external and internal genitalia in female patients with bladder exstrophy or incontinent epispadias. *J Urol*. 1995 Sep; 154: 1002-7



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42838** Stein, R., Fisch, M., Beetz, R., Matani, Y., Doi, Y., Hohenfellner, K., Burger, R. A., Abol-Enein, H., Hohenfellner, R. Urinary diversion in children and young adults using the Mainz Pouch I technique. *Br J Urol.* 1997 Mar; 79: 354-61
- 41879** Stein, R., Fisch, M., Black, P., Hohenfellner, R. Strategies for reconstruction after unsuccessful or unsatisfactory primary treatment of patients with bladder exstrophy or incontinent epispadias. *J Urol.* 1999 Jun; 161: 1934-41
- 41547** Stein, R., Fisch, M., Ermert, A., Schwarz, M., Black, P., Filipas, D., Hohenfellner, R. Urinary diversion and orthotopic bladder substitution in children and young adults with neurogenic bladder: a safe option for treatment?. *J Urol.* 2000 Feb; 163: 568-73
- 42931** Stein, R., Hohenfellner, K., Fisch, M., Stockle, M., Beetz, R., Hohenfellner, R. Management of bladder exstrophy and incontinent epispadias: 25 years of experience with urinary diversion. *Arch Esp Urol.* 1997 Jan-Feb; 50: 91-102; discussion 102-4
- 42609** Steiner, J. F., Kramer, A. M., Eilertsen, T. B., Kowalsky, J. C. Development and validation of a clinical prediction rule for prolonged nursing home residence after hip fracture. *J Am Geriatr Soc.* 1997 Dec; 45: 1510-4
- 3044** Steiner, M.S., Burnett, A.L., Brooks, J.D., Brendler, C.B., Stutzman, R.E., and Carter, H.B. Tubularized neourethra following radical retropubic prostatectomy. *J Urol.* 1993 Aug; 150: 407-9;discussion409-10
- 3810** Steiner, M.S., Morton, R.A., and Walsh, P.C. Impact of anatomical radical prostatectomy on urinary continence. *J Urol.* 1991 Mar; 145: 512-4;discussion514-5
- 52380** Stember, D. S., Scarpero, H. M., Nitti, V. W. Vaginal granulation tissue secondary to bone anchors: experience in two patients. *J Urol.* 2003 Jun; 169: 2300-1
- 50930** Stenberg, A. M., Larsson, G., Johnson, P. Urethral injection for stress urinary incontinence: long-term results with dextranomer/hyaluronic acid copolymer. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 335-8; discussion 338
- 41537** Stenberg, A., Heimer, G., Holmberg, L., Ulmsten, U. Prevalence of postmenopausal symptoms in two age groups of elderly women in relation to oestrogen replacement therapy. *Maturitas.* 1999 Dec 15; 33: 229-37
- 43391** Stenberg, A., Heimer, G., Ulmsten, U. The prevalence of urogenital symptoms in postmenopausal women. *Maturitas.* 1995 Dec; 22 Suppl: S17-S20
- 11380** Stenberg, A., Heimer, G., Ulmsten, U., Cnattingius, S. Prevalence of genitourinary and other climacteric symptoms in 61-year- old women. *Maturitas.* 1996 May; 24: 31-6
- 10968** Stenberg, A., Larsson, G., Heimer, G., Johnson, P., Ulmsten, U. Transurethral endoscopic treatment of urinary stress incontinence in women. Materials and results in former and present agents. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 44-6
- 10835** Stenberg, A., Larsson, G., Johnson, P., Heimer, G., Ulmsten, U. DiHA Dextran Copolymer, a new biocompatible material for endoscopic treatment of stress incontinent women. Short term results. *Acta Obstet Gynecol Scand.* 1999 May; 78: 436-42
- 56220** Sterbis, J. R., Lewis, V. L., Bushman, W. Urologic and plastic surgical collaboration for continent diversion when urine leakage is complicated by pressure ulcers or obesity. *J Spinal Cord Med.* 2003 Summer; 26: 124-8
- 59365** Stern, R. M., Vitellaro, K., Thomas, M., Higgins, S. C., Koch, K. L. Electrogastrographic biofeedback: a technique for enhancing normal gastric activity. *Neurogastroenterol Motil.* 2004 Dec; 16: 753-7
- 43031** Stevenson, K. R. Voiding dysfunction in women. *Curr Opin Obstet Gynecol.* 1996 Oct; 8: 343-6
- 43688** Stewart, C. I., McMurdo, M. E. Closing the loop in an audit of urinary incontinence. *Scott Med J.* 1995 Feb; 40: 21-2
- 44553** Stewart, D. A., Taylor, J., Ghosh, S., Macphee, G. J., Abdullah, I., McLenachan, J. M., Stott, D. J. Terodiline causes polymorphic ventricular tachycardia due to reduced heart rate and prolongation of QT interval. *Eur J Clin Pharmacol.* 1992; 42: 577-80
- 3329** Stewart, D.A., Taylor, J., Ghosh, S., Macphee, G.J., Abdullah, I., McLenachan, J.M., and Stott, D.J. Terodiline causes polymorphic ventricular tachycardia due to reduced heart rate and prolongation of QT interval. *Eur J Clin Pharmacol.* 1992; 42: 577-580

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 56270** Stewart, W. F., Van Rooyen, J. B., Cundiff, G. W., Abrams, P., Herzog, A. R., Corey, R., Hunt, T. L., Wein, A. J. Prevalence and burden of overactive bladder in the United States. *World J Urol.* 2003 May; 20: 327-36
- 44165** Stickler, D. J., King, J. B., Winters, C., Morris, S. L. Blockage of urethral catheters by bacterial biofilms. *J Infect.* 1993 Sep; 27: 133-5
- 43783** Stickler, D. J., Zimakoff, J. Complications of urinary tract infections associated with devices used for long-term bladder management. *J Hosp Infect.* 1994 Nov; 28: 177-94
- 55150** Stikkelbroeck, N. M., Beerendonk, C. C., Willemsen, W. N., Schreuders-Bais, C. A., Feitz, W. F., Rieu, P. N., Hermus, A. R., Otten, B. J. The long term outcome of feminizing genital surgery for congenital adrenal hyperplasia: anatomical, functional and cosmetic outcomes, psychosexual development, and satisfaction in adult female patients. *J Pediatr Adolesc Gynecol.* 2003 Oct; 16: 289-96
- 4126** Stockle, M., Becht, E., Voges, G., Riedmiller, H., and Hohenfellner, R. Ureterosigmoidostomy: an outdated approach to bladder exstrophy?. *J Urol.* 1990 Apr; 143: 770-4;discussion774-5
- 44986** Stockle, M., Becht, E., Voges, G., Riedmiller, H., Hohenfellner, R. Ureterosigmoidostomy: an outdated approach to bladder exstrophy?. *J Urol.* 1990 Apr; 143: 770-4; discussion 774-5
- 40457** Stocklin-Gautschi, N. M., Hassig, M., Reichler, I. M., Hubler, M., Arnold, S. The relationship of urinary incontinence to early spaying in bitches. *J Reprod Fertil Suppl.* 2001; 57: 233-6
- 40708** Stoddart, H., Donovan, J., Whitley, E., Sharp, D., Harvey, I. Urinary incontinence in older people in the community: a neglected problem?. *Br J Gen Pract.* 2001 Jul; 51: 548-52
- 40937** Stoker, J., Halligan, S., Bartram, C. I. Pelvic floor imaging. *Radiology.* 2001 Mar; 218: 621-41
- 52780** Stoker, J., Rociu, E., Bosch, J. L., Messelink, E. J., van der Hulst, V. P., Groenendijk, A. G., Eijkemans, M. J., Lameris, J. S. High-resolution endovaginal MR imaging in stress urinary incontinence. *Eur Radiol.* 2003 Aug; 13: 2031-7
- 3743** Stone, A.R. Treatment of voiding complaints and incontinence in painful bladder syndrome. *Urol Clin North Am.* 1991 May; 18: 317-325
- 11537** Stothers, L., Chopra, A., Raz, S. Vaginal reconstructive surgery for female incontinence and anterior vaginal-wall prolapse. *Urol Clin North Am.* 1995 Aug; 22: 641-55
- 11076** Stothers, L., Goldenberg, S. L. Delayed hypersensitivity and systemic arthralgia following transurethral collagen injection for stress urinary incontinence. *J Urol.* 1998 May; 159: 1507-9
- 11100** Stothers, L., Goldenberg, S. L., Leone, E. F. Complications of periurethral collagen injection for stress urinary incontinence. *J Urol.* 1998 Mar; 159: 806-7
- 54990** Stothers, L., Laher, I., Christ, G. T. A review of the L-arginine - nitric oxide - guanylate cyclase pathway as a mediator of lower urinary tract physiology and symptoms. *Can J Urol.* 2003 Oct; 10: 1971-80
- 59270** Stothers, L., Thom, D., Calhoun, E. Urologic diseases in America project: urinary incontinence in males--demographics and economic burden. *J Urol.* 2005 Apr; 173: 1302-8
- 45087** Stott, D. J., Dutton, M., Williams, B. O., MacDonald, J. Functional capacity and mental status of elderly people in long-term care in west Glasgow. *Health Bull (Edinb).* 1990 Jan; 48: 17-24
- 4104** Stott, D.J., Dutton, M., Williams, B.O., and MacDonald, J. Functional capacity and mental status of elderly people in long-term care in west Glasgow. *Health-Bull (Edinb).* 1990 Jan; 48: 17-24
- 41717** Strasser, H., Tiefenthaler, M., Steinlechner, M., Bartsch, G., Konwalinka, G. Urinary incontinence in the elderly and age-dependent apoptosis of rhabdosphincter cells. *Lancet.* 1999 Sep 11; 354: 918-9
- 10532** Strasser, H., Tiefenthaler, M., Steinlechner, M., Eder, I., Bartsch, G., Konwalinka, G. Age dependent apoptosis and loss of rhabdosphincter cells. *J Urol.* 2000 Nov; 164: 1781-5
- 11583** Stricker, P. D. Proper patient selection for Contigen Bard Collagen implant. *Int J Urol.* 1995 Apr; 2 Suppl 1: 2-6; discussion 16-8

## American Urological Association, Inc.

## Master Bibliography

## SUI Guidelines Panel

sorted by Primary Author and Title

- 11830** Stricker, P., Haylen, B. Injectable collagen for type 3 female stress incontinence: the first 50 Australian patients. *Med J Aust.* 1993 Jan 18; 158: 89-91
- 31196** Strinic, T., Eterovic, D., Dujic, Z., Markovic, V., Tocilj, J. Spirometric disorders in women with genital descensus. *Acta Obstet Gynecol Scand.* 1997 Oct; 76: 879-83
- 43082** Strohbehn, K. Managed care in reconstructive pelvic surgery and urogynecology. *Curr Opin Obstet Gynecol.* 1996 Aug; 8: 319-24
- 42021** Strohbehn, K. Normal pelvic floor anatomy. *Obstet Gynecol Clin North Am.* 1998 Dec; 25: 683-705
- 42643** Strohbehn, K. Urogynecology. *Curr Opin Obstet Gynecol.* 1997 Oct; 9: 307-8
- 11310** Strohbehn, K., Quint, L. E., Prince, M. R., Wojno, K. J., Delancey, J. O. Magnetic resonance imaging anatomy of the female urethra: a direct histologic comparison. *Obstet Gynecol.* 1996 Nov; 88: 750-6
- 42330** Stude, D. E., Bergmann, T. F., Finer, B. A. A conservative approach for a patient with traumatically induced urinary incontinence. *J Manipulative Physiol Ther.* 1998 Jun; 21: 363-7
- 10787** Su, T. H., Hsu, C. Y., Chen, J. C. Injection therapy for stress incontinence in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 200-6
- 10722** Su, T. H., Huang, J. P., Wang, Y. L., Yang, J. M., Wei, H. J., Huang, C. L. Is modified in situ vaginal wall sling operation the treatment of choice for recurrent genuine stress incontinence?. *J Urol.* 1999 Dec; 162: 2073-7
- 11205** Su, T. H., Wang, K. G., Hsu, C. Y., Wei, H. J., Hong, B. K. Prospective comparison of laparoscopic and traditional colposuspensions in the treatment of genuine stress incontinence. *Acta Obstet Gynecol Scand.* 1997 Jul; 76: 576-82
- 11530** Su, T. H., Yang, J. M., Chen, C. P., Wei, H. J., Hwu, Y. M., Yang, Y. C. Mini-catheter used for bladder drainage following stress-incontinence surgery and the factors relating to drainage failure. *J Obstet Gynaecol.* 1995 Aug; 21: 319-24
- 12004** Suarez, G. M., Baum, N. H., Jacobs, J. Use of standard contraceptive diaphragm in management of stress urinary incontinence. *Urology.* 1991 Feb; 37: 119-22
- 3825** Suarez, G.M., Baum, N.H., and Jacobs, J. Use of standard contraceptive diaphragm in management of stress urinary incontinence. *Urology.* 1991 Feb; 37: 119-122
- 10572** Subak, L. L., Caughey, A. B. Measuring cost-effectiveness of surgical procedures. *Clin Obstet Gynecol.* 2000 Sep; 43: 551-60
- 40251** Subak, L. L., Johnson, C., Whitcomb, E., Boban, D., Saxton, J., Brown, J. S. Does weight loss improve incontinence in moderately obese women?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 40-3
- 10078** Subak, L. L., Quesenberry, C. P., Posner, S. F., Cattolica, E., Soghikian, K. The effect of behavioral therapy on urinary incontinence: a randomized controlled trial. *Obstet Gynecol.* 2002 Jul; 100: 72-8
- 40580** Subak, L. L., Waetjen, L. E., van den Eeden, S., Thom, D. H., Vittinghoff, E., Brown, J. S. Cost of pelvic organ prolapse surgery in the United States. *Obstet Gynecol.* 2001 Oct; 98: 646-51
- 59073** Subasi, M., Arslan, H., Necmioglu, S., Onen, A., Ozen, S., Kaya, M. Long-term outcomes of conservatively treated paediatric pelvic fractures. *Injury.* 2004 Aug; 35: 771-81
- 43240** Sueppel, C., Arthur, C., Van Why, K., Lepic, M., Foutain, K. A comprehensive screening program for urinary dysfunction in older adults. *Urol Nurs.* 1996 Mar; 16: 14-9
- 53390** Sugaya, K., Nishijima, S., Oda, M., Owan, T., Ashitomi, K., Miyazato, M., Morozumi, M., Hatano, T., Ogawa, Y. Transabdominal vesical sonography of urethral syndrome and stress incontinence. *Int J Urol.* 2003 Jan; 10: 36-42
- 41588** Sugaya, K., Nishizawa, O., Satoh, T., Hatano, T., Ogawa, Y. Bladder-pumping therapy for the treatment of low-capacity or low-compliance bladders. *Neurourol Urodyn.* 2000; 19: 19-28
- 51830** Sugaya, K., Owan, T., Hatano, T., Nishijima, S., Miyazato, M., Mukouyama, H., Shiroma, K., Soejima, K., Masaki, Z., Ogawa, Y. Device to promote pelvic floor muscle training for stress incontinence. *Int J Urol.* 2003 Aug; 10: 416-22

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40395 Sugerman, H. J. Bariatric surgery for severe obesity. *J Assoc Acad Minor Phys.* 2001 Jul; 12: 129-36
- 10252 Sugerman, H. J. Effects of increased intra-abdominal pressure in severe obesity. *Surg Clin North Am.* 2001 Oct; 81: 1063-75, vi
- 11519 Sugerman, H. J., Felton, W. L., 3rd, Salvant, J. B., Jr, Sismanis, A., Kellum, J. M. Effects of surgically induced weight loss on idiopathic intracranial hypertension in morbid obesity. *Neurology.* 1995 Sep; 45: 1655-9
- 10838 Sugerman, H. J., Felton, W. L., 3rd, Sismanis, A., Kellum, J. M., DeMaria, E. J., Sugerman, E. L. Gastric surgery for pseudotumor cerebri associated with severe obesity. *Ann Surg.* 1999 May; 229: 634-40; discussion 640-2
- 57400 Sugerman, H. J., Sugerman, E. L., DeMaria, E. J., Kellum, J. M., Kennedy, C., Mowery, Y., Wolfe, L. G. Bariatric surgery for severely obese adolescents. *J Gastrointest Surg.* 2003 Jan; 7: 102-7; discussion 107-8
- 40709 Sugerman, H. J., Sugerman, E. L., Wolfe, L., Kellum, J. M., Jr, Schweitzer, M. A., DeMaria, E. J. Risks and benefits of gastric bypass in morbidly obese patients with severe venous stasis disease. *Ann Surg.* 2001 Jul; 234: 41-6
- 56400 Sugerman, H. J., Wolfe, L. G., Sica, D. A., Clore, J. N. Diabetes and hypertension in severe obesity and effects of gastric bypass-induced weight loss. *Ann Surg.* 2003 Jun; 237: 751-6; discussion 757-8
- 11279 Sugerman, H., Windsor, A., Bessos, M., Wolfe, L. Intra-abdominal pressure, sagittal abdominal diameter and obesity comorbidity. *J Intern Med.* 1997 Jan; 241: 71-9
- 43761 Sugiyama, T., Hashimoto, K., Kiwamoto, H., Ohnishi, N., Esa, A., Park, Y. C., Kurita, T. Urinary incontinence in senile dementia of the Alzheimer type (SDAT). *Int J Urol.* 1994 Dec; 1: 337-40
- 40944 Suguita, M., Giraio, M. J., Simoes, M. J., Sartori, M. G., Baracat, E. C., Rodrigues de Lima, G. R. A morphologic and morphometric study of the vesical mucosa and urethra of castrated female rats following estrogen and/or progestogen replacement. *Clin Exp Obstet Gynecol.* 2000; 27: 176-8
- 44084 Sulak, P. J., Kuehl, T. J., Shull, B. L. Vaginal pessaries and their use in pelvic relaxation. *J Reprod Med.* 1993 Dec; 38: 919-23
- 42320 Sullivan, L. D., Chow, V. D., Ko, D. S., Wright, J. E., McLoughlin, M. G. An evaluation of quality of life in patients with continent urinary diversions after cystectomy. *Br J Urol.* 1998 May; 81: 699-704
- 44089 Sultan, A. H., Kamm, M. A., Bartram, C. I., Hudson, C. N. Anal sphincter trauma during instrumental delivery. *Int J Gynaecol Obstet.* 1993 Dec; 43: 263-70
- 42763 Sultan, A. H., Monga, A. K. Anal and urinary incontinence in women with obstetric anal sphincter rupture. *Br J Obstet Gynaecol.* 1997 Jun; 104: 754-5
- 43181 Sultan, A. H., Monga, A. K., Stanton, S. L. The pelvic floor sequelae of childbirth. *Br J Hosp Med.* 1996 May 1-14; 55: 575-9
- 11499 Sultana, C. J. Urethral closure pressure and leak-point pressure in incontinent women. *Obstet Gynecol.* 1995 Nov; 86: 839-42
- 42863 Sultana, C. J., Campbell, J. W., Pisanelli, W. S., Sivinski, L., Rimm, A. A. Morbidity and mortality of incontinence surgery in elderly women: an analysis of Medicare data. *Am J Obstet Gynecol.* 1997 Feb; 176: 344-8
- 11637 Sultana, C. J., Walters, M. D. Estrogen and urinary incontinence in women. *Maturitas.* 1994 Dec; 20: 129-38
- 57840 Sumathi, V. P., Murnaghan, M., Dobbs, S. P., McCluggage, W. G. Extragenital mullerian carcinosarcoma arising from the peritoneum: report of two cases. *Int J Gynecol Cancer.* 2002 Nov-Dec; 12: 764-7
- 43656 Sumfest, J. M., Burns, M. W., Mitchell, M. E. Pseudoureterocele: potential for misdiagnosis of an ectopic ureter as a ureterocele. *Br J Urol.* 1995 Mar; 75: 401-5
- 44081 Sumfest, J. M., Burns, M. W., Mitchell, M. E. The Mitrofanoff principle in urinary reconstruction. *J Urol.* 1993 Dec; 150: 1875-7; discussion 1877-8
- 41471 Sumi, T., Ishiko, O., Hirai, K., Yoshida, H., Ogita, S. Is measuring the posterior urethrovesical angle of clinical value for controlling pelvic organ Prolapse?. Retrospective analysis of 107 postoperative cases. *Gynecol Obstet Invest.* 2000; 49: 183-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 
- 42693** Sumiya, T., Kawamura, K., Tokuhira, A., Takechi, H., Ogata, H. A survey of wheelchair use by paraplegic individuals in Japan. Part 2: Prevalence of pressure sores. *Spinal Cord*. 1997 Sep; 35: 595-8
- 12043** Summitt, R. L., Jr, Bent, A. E., Ostergard, D. R., Harris, T. A. Stress incontinence and low urethral closure pressure. Correlation of preoperative urethral hypermobility with successful suburethral sling procedures. *J Reprod Med*. 1990 Sep; 35: 877-80
- 11679** Summitt, R. L., Jr, Sipes, D. R., 2nd, Bent, A. E., Ostergard, D. R. Evaluation of pressure transmission ratios in women with genuine stress incontinence and low urethral pressure: a comparative study. *Obstet Gynecol*. 1994 Jun; 83: 984-8
- 31907** Summitt, R. L., Jr, Stovall, T. G. Urethral diverticula: evaluation by urethral pressure profilometry, cystourethroscopy, and the voiding cystourethrogram. *Obstet Gynecol*. 1992 Oct; 80: 695-9
- 11888** Summitt, R. L., Jr, Stovall, T. G., Bent, A. E., Ostergard, D. R. Urinary incontinence: correlation of history and brief office evaluation with multichannel urodynamic testing. *Am J Obstet Gynecol*. 1992 Jun; 166: 1835-40; discussion 1840-4
- 3286** Summitt, R.L., Jr. Investigative techniques, assessment of incontinence, and urodynamics. *Curr Opin Obstet Gynecol*. 1992 Aug; 4: 548-553
- 3891** Summitt, R.L., Jr., Bent, A.E., Ostergard, D.R., and Harris, T.A. Stress incontinence and low urethral closure pressure. Correlation of preoperative urethral hypermobility with successful suburethral sling procedures. *J Reprod Med*. 1990 Sep; 35: 877-880
- 3341** Summitt, R.L., Jr., Stovall, T.G., Bent, A.E., and Ostergard, D.R. Urinary incontinence: correlation of history and brief office evaluation with multichannel urodynamic testing. *Am J Obstet Gynecol*. 1992 Jun; 166: 1835-40; discussion 1840-4
- 59106** Sun, M. J., Chang, S. Y., Lin, K. C., Chen, G. D. Is an indwelling catheter necessary for bladder drainage after modified Burch colposuspension?. *Int Urogynecol J Pelvic Floor Dysfunct*. 2004 May-Jun; 15: 203-7
- 59158** Sun, M. J., Chen, G. D., Chang, S. Y., Lin, K. C., Chen, S. Y. Prevalence of lower urinary tract symptoms during pregnancy in Taiwan. *J Formos Med Assoc*. 2005 Mar; 104: 185-9
- 42768** Sundaram, C. P., Reinberg, Y., Aliabadi, H. A. Failure to obtain durable results with collagen implantation in children with urinary incontinence. *J Urol*. 1997 Jun; 157: 2306-7
- 10621** Sung, M. S., Choi, Y. H., Back, S. H., Hong, J. Y., Yoon, H. The effect of pelvic floor muscle exercises on genuine stress incontinence among Korean women--focusing on its effects on the quality of life. *Yonsei Med J*. 2000 Apr; 41: 237-51
- 10591** Sung, M. S., Hong, J. Y., Choi, Y. H., Baik, S. H., Yoon, H. FES-biofeedback versus intensive pelvic floor muscle exercise for the prevention and treatment of genuine stress incontinence. *J Korean Med Sci*. 2000 Jun; 15: 303-8
- 42390** Sung, V. C., Corridan, P. G. Acute-angle closure glaucoma as a side-effect of oxybutynin. *Br J Urol*. 1998 Apr; 81: 634-5
- 10765** Supanich, B. Urethral barriers for stress incontinence. *J Fam Pract*. 1999 Sep; 48: 662-3
- 40823** Surer, I., Baker, L. A., Jeffs, R. D., Gearhart, J. P. Combined bladder neck reconstruction and epispadias repair for exstrophy-epispadias complex. *J Urol*. 2001 Jun; 165: 2425-7
- 40813** Surer, I., Baker, L. A., Jeffs, R. D., Gearhart, J. P. Modified Young-Dees-Leadbetter bladder neck reconstruction in patients with successful primary bladder closure elsewhere: a single institution experience. *J Urol*. 2001 Jun; 165: 2438-40
- 40973** Sureshkumar, P., Craig, J. C., Roy, L. P., Knight, J. F. A reproducible pediatric daytime urinary incontinence questionnaire. *J Urol*. 2001 Feb; 165: 569-73
- 10506** Sureshkumar, P., Craig, J. C., Roy, L. P., Knight, J. F. Daytime urinary incontinence in primary school children: a population- based survey. *J Pediatr*. 2000 Dec; 137: 814-8
- 4127** Surya, B.V., Provet, J., Johanson, K.E., and Brown, J. Anastomotic strictures following radical prostatectomy: risk factors and management. *J Urol*. 1990 Apr; 143: 755-758



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 43864** Susset, J. Evaluation of female incontinence. *R I Med.* 1994 Aug; 77: 266-72
- 12062** Susset, J. G., Galea, G., Read, L. Biofeedback therapy for female incontinence due to low urethral resistance. *J Urol.* 1990 Jun; 143: 1205-8
- 11571** Susset, J., Galea, G., Manbeck, K., Susset, A. A predictive score index for the outcome of associated biofeedback and vaginal electrical stimulation in the treatment of female incontinence. *J Urol.* 1995 May; 153: 1461-6
- 4045** Susset, J.G., Galea, G., and Read, L. Biofeedback therapy for female incontinence due to low urethral resistance [see comments]. *J Urol.* 1990 Jun; 143: 1205-1208
- 10966** Sustersic, O., Kralj, B. The influence of obesity, constitution and physical work on the phenomenon of urinary incontinence in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 140-4
- 41133** Sutaria, P. M., Staskin, D. R. Hydronephrosis and renal deterioration in the elderly due to abnormalities of the lower urinary tract and ureterovesical junction. *Int Urol Nephrol.* 2000; 32: 119-26
- 54190** Sutherland, S. E., Goldman, H. B. Treatment options for female urinary incontinence. *Med Clin North Am.* 2004 Mar; 88: 345-66
- 3386** Swaddiwudhipong, W., Koonchote, S., Nguntra, P., and Chaovakiratipong, C. Assessment of socio-economic, functional and medical problems among the elderly in one rural community of Thailand. *Southeast Asian J Trop Med Public Health.* 1991 Sep; 22: 299-306
- 44641** Swaddiwudhipong, W., Koonchote, S., Nguntra, P., Chaovakiratipong, C. Assessment of socio-economic, functional and medical problems among the elderly in one rural community of Thailand. *Southeast Asian J Trop Med Public Health.* 1991 Sep; 22: 299-306
- 43481** Swaffield, J. Quality audit--a review of the literature concerning delivery of continence care. *J Clin Nurs.* 1995 Sep; 4: 277-82
- 3405** Swami, K.S., Abrams, P. Artificial urinary sphincters. *Br J Hosp Med.* 1992 Apr 15-May 5; 47: 591-596
- 11158** Swami, S., Batista, J. E., Abrams, P. Collagen for female genuine stress incontinence after a minimum 2-year follow-up. *Br J Urol.* 1997 Nov; 80: 757-61
- 40384** Swanson, J. G., Skelly, J., Hutchison, B., Kaczorowski, J. Urinary incontinence in Canada. National survey of family physicians' knowledge, attitudes, and practices. *Can Fam Physician.* 2002 Jan; 48: 86-92
- 44594** Swanson, S. J., 3rd, Skoog, S. J., Garcia, V., Wahl, R. C. Pseudoadrenal mass: unusual presentation of bronchogenic cyst. *J Pediatr Surg.* 1991 Dec; 26: 1401-3
- 5266** Swanson, S.J., Skoog, S.J., Garcia, V., and Wahl, R.C. Pseudoadrenal mass: unusual presentation of bronchogenic cyst. *J Pediatr Surg.* 1991 Dec; 26: 1401-1403
- 53640** Swart, A. M., Hagerty, J., Corstiaans, A., Rane, A. Management of the very weak pelvic floor. Is there a point?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002 Nov; 13: 346-8; discussion 348
- 3906** Swash, M. The neurogenic hypothesis of stress incontinence. *Ciba Found Symp.* 1990; 151: 156-70;discussion170-5
- 11639** Swash, M. The pelvic floor and incontinence. *Lancet.* 1994 Nov 5; 344: 1301
- 10106** Sweat, S. D., Itano, N. B., Clemens, J. Q., Bushman, W., Gruenenfelder, J., McGuire, E. J., Lightner, D. J. Polypropylene mesh tape for stress urinary incontinence: complications of urethral erosion and outlet obstruction. *J Urol.* 2002 Jul; 168: 144-6
- 41986** Sweat, S. D., Lightner, D. J. Complications of sterile abscess formation and pulmonary embolism following periurethral bulking agents. *J Urol.* 1999 Jan; 161: 93-6
- 43962** Swierzewski, S. J., 3rd, Gormley, E. A., Belville, W. D., Sweetser, P. M., Wan, J., McGuire, E. J. The effect of terazosin on bladder function in the spinal cord injured patient. *J Urol.* 1994 Apr; 151: 951-4
- 11810** Swierzewski, S. J., 3rd, McGuire, E. J. Pubovaginal sling for treatment of female stress urinary incontinence complicated by urethral diverticulum. *J Urol.* 1993 May; 149: 1012-4



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 5263 Swierzewski, S.J., McGuire, E.J. Pubovaginal sling for treatment of female stress urinary incontinence complicated by urethral diverticulum. *J Urol.* 1993 May; 149: 1012-1014
- 5264 Swierzewski, S.J., McGuire, E.J., Podrazik, R.M., and Stanley, J.C. Aortic occlusion and lower extremity exercise induced stress urinary incontinence. *J Urol.* 1993 Apr; 149: 846-847
- 41036 Swift, B. J. Early neutering of dogs. *Vet Rec.* 2000 Dec 2; 147: 667
- 42778 Swift, S. E. The reliability of performing a screening cystometrogram using a fetal monitoring device for the detection of detrusor instability. *Obstet Gynecol.* 1997 May; 89: 708-12
- 11569 Swift, S. E., Ostergard, D. R. A comparison of stress leak-point pressure and maximal urethral closure pressure in patients with genuine stress incontinence. *Obstet Gynecol.* 1995 May; 85: 704-8
- 11547 Swift, S. E., Ostergard, D. R. Evaluation of current urodynamic testing methods in the diagnosis of genuine stress incontinence. *Obstet Gynecol.* 1995 Jul; 86: 85-91
- 11424 Swift, S. E., Rust, P. F., Ostergard, D. R. Intrasubject variability of the pressure-transmission ratio in patients with genuine stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 312-6
- 41295 Swift, S. E., Utrie, J. W. The need for standardization of the valsalva leak-point pressure. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 227-30
- 10812 Swift, S. E., Yoon, E. A. Test-retest reliability of the cough stress test in the evaluation of urinary incontinence. *Obstet Gynecol.* 1999 Jul; 94: 99-102
- 57180 Swift, S., Garely, A., Dimpfl, T., Payne, C. A new once-daily formulation of tolterodine provides superior efficacy and is well tolerated in women with overactive bladder. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Feb; 14: 50-4; discussion 54-5
- 59279 Swift, S., Woodman, P., O'Boyle, A., Kahn, M., Valley, M., Bland, D., Wang, W., Schaffer, J. Pelvic Organ Support Study (POSST): the distribution, clinical definition, and epidemiologic condition of pelvic organ support defects. *Am J Obstet Gynecol.* 2005 Mar; 192: 795-806
- 41419 Swithinkbank, L. V., Abrams, P. A detailed description, by age, of lower urinary tract symptoms in a group of community-dwelling women. *BJU Int.* 2000 Apr; 85 Suppl 2: 19-24
- 41739 Swithinkbank, L. V., Abrams, P. The impact of urinary incontinence on the quality of life of women. *World J Urol.* 1999 Aug; 17: 225-9
- 44059 Swithinkbank, L. V., Carr, J. C., Abrams, P. H. Longitudinal study of urinary symptoms in children. Longitudinal study of urinary symptoms and incontinence in local schoolchildren. *Scand J Urol Nephrol Suppl.* 1994; 163: 67-73
- 41365 Swithinkbank, L. V., Donovan, J. L., du Heaume, J. C., Rogers, C. A., James, M. C., Yang, Q., Abrams, P. Urinary symptoms and incontinence in women: relationships between occurrence, age, and perceived impact. *Br J Gen Pract.* 1999 Nov; 49: 897-900
- 10568 Swithinkbank, L. V., Donovan, J. L., Rogers, C. A., Abrams, P. Nocturnal incontinence in women: a hidden problem. *J Urol.* 2000 Sep; 164: 764-6
- 10831 Swithinkbank, L. V., James, M., Shepherd, A., Abrams, P. Role of ambulatory urodynamic monitoring in clinical urological practice. *Neurourol Urodyn.* 1999; 18: 215-22
- 40566 Swithinkbank, L., Abrams, P. Lower urinary tract symptoms in community-dwelling women: defining diurnal and nocturnal frequency and 'the incontinence case'. *BJU Int.* 2001 Sep; 88 Suppl 2: 18-22; discussion 49-50
- 55730 Swithinkbank, L., Abrams, P. Prevalence of urinary incontinence in women determined using the BFLUTS questionnaire. *Neurourol Urodyn.* 2003; 22: 617; author reply 617-8
- 42957 Sylora, J. A., Gonzalez, R., Vaughn, M., Reinberg, Y. Intermittent self-catheterization by quadriplegic patients via a catheterizable Mitrofanoff channel. *J Urol.* 1997 Jan; 157: 48-50
- 10110 Sze, E. H., Jones, W. P., Ferguson, J. L., Barker, C. D., Dolezal, J. M. Prevalence of urinary incontinence symptoms among black, white, and Hispanic women. *Obstet Gynecol.* 2002 Apr; 99: 572-5

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 11209 Sze, E. H., Kohli, N., Miklos, J. R., Roat, T. W., Karram, M. M. Comparative morbidity and charges associated with route of hysterectomy and concomitant Burch colposuspension. *Obstet Gynecol.* 1997 Jul; 90: 42-5
- 10698 Sze, E. H., Kohli, N., Miklos, J. R., Roat, T., Karram, M. M. A retrospective comparison of abdominal sacrocolpopexy with Burch colposuspension versus sacrospinous fixation with transvaginal needle suspension for the management of vaginal vault prolapse and coexisting stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 390-3
- 10203 Sze, E. H., Meranus, J., Kohli, N., Miklos, J. R., Karram, M. M. Vaginal configuration on MRI after abdominal sacrocolpopexy and sacrospinous ligament suspension. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 375-9; discussion 379-80
- 11322 Sze, E. H., Miklos, J. R., Karram, M. M. Voiding after Burch colposuspension and effects of concomitant pelvic surgery: correlation with preoperative voiding mechanism. *Obstet Gynecol.* 1996 Oct; 88: 564-7
- 11282 Sze, E. H., Miklos, J. R., Partoll, L., Roat, T. W., Karram, M. M. Sacrospinous ligament fixation with transvaginal needle suspension for advanced pelvic organ prolapse and stress incontinence. *Obstet Gynecol.* 1997 Jan; 89: 94-6
- 41292 Sze, K. H., Wong, E., Or, K. H., Lum, C. M., Woo, J. Factors predicting stroke disability at discharge: a study of 793 Chinese. *Arch Phys Med Rehabil.* 2000 Jul; 81: 876-80
- 43560 Szonyi, G., Collas, D. M., Ding, Y. Y., Malone-Lee, J. G. Oxybutynin with bladder retraining for detrusor instability in elderly people: a randomized controlled trial. *Age Ageing.* 1995 Jul; 24: 287-91
- 44959 Tabbara, I. A., Sibley, D. S., Quesenberry, P. J. Spinal cord compression due to metastatic neoplasm. *South Med J.* 1990 May; 83: 519-23
- 4041 Tabbara, I.A., Sibley, D.S., and Quesenberry, P.J. Spinal cord compression due to metastatic neoplasm. *South Med J.* 1990 May; 83: 519-523
- 42832 Taguchi, K., Hirose, T., Ito, N., Kumamoto, Y., Tsukamoto, T. Functional outcome and late complications in patients with continent urinary reservoirs. *Int J Urol.* 1997 Mar; 4: 134-8
- 10695 Takahashi, S., Homma, Y., Fujishiro, T., Hosaka, Y., Kitamura, T., Kawabe, K. Electromyographic study of the striated urethral sphincter in type 3 stress incontinence: evidence of myogenic-dominant damages. *Urology.* 2000 Dec 20; 56: 946-50
- 10164 Takahashi, S., Miyao, N., Hisataki, T., Matsukawa, M., Takagi, S., Sasao, T., Adachi, H., Miyake, M., Tsukamoto, T. Complications of Stamey needle suspension for female stress urinary incontinence. *Urol Int.* 2002; 68: 148-51
- 11324 Takahashi, S., Moriyama, N., Yamazaki, R., Kawabe, K. Urodynamic analysis of age-related changes of alpha 1-adrenoceptor responsiveness in female beagle dogs. *J Urol.* 1996 Oct; 156: 1485-8
- 42441 Takano, K., Yamaguchi, T., Minematsu, K., Sawada, T., Omae, T. Differences in clinical features and computed tomographic findings between embolic and non-embolic acute ischemic stroke: a quantitative differential diagnosis. *Intern Med.* 1998 Feb; 37: 141-8
- 41146 Takano, M., Hamada, A. Evaluation of pelvic descent disorders by dynamic contrast roentgenography. *Dis Colon Rectum.* 2000 Oct; 43: S6-11
- 54920 Takeda, M., Araki, I., Kamiyama, M., Takhana, Y., Komuro, M., Furuya, Y. Diagnosis and treatment of voiding symptoms. *Urology.* 2003 Nov; 62: 11-9
- 10784 Takeda, M., Hatano, A., Kurumada, S., Takahashi, H., Wakatsuki, S., Go, H., Watanabe, R., Tomita, Y., Takahashi, K. Bladder neck suspension using percutaneous bladder neck stabilization to the pubic bone with a bone-anchor suture fixation system: A new extraperitoneal laparoscopic approach. *Urol Int.* 1999; 62: 57-60
- 43977 Talbot, L. A. Coping with urinary incontinence: a conceptualization of the process. *Ostomy Wound Manage.* 1994 Mar; 40: 28-30, 32, 34 passim
- 43895 Talbot, L. A. Coping with urinary incontinence: development and testing of a scale. *Nurs Diagn.* 1994 Jul-Sep; 5: 127-32

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 43414 Talbot, L. A., Cox, M. Differences in coping strategies among community-residing older adults with functional urinary continence, dysfunctional urinary continence and actual urinary incontinence. *Ostomy Wound Manage.* 1995 Nov-Dec; 41: 30-2, 34-7
- 41526 Talic, R. F. Augmentation ureterocystoplasty with ipsilateral renal preservation in the management of patients with compromised renal function secondary to dysfunctional voiding. *Int Urol Nephrol.* 1999; 31: 463-70
- 41094 Talic, R. F. Paramedian extraperitoneal approach for combined nephrectomy and augmentation ureterocystoplasty in children with neurovesical dysfunction. *Eur Urol.* 2000 Dec; 38: 762-5
- 52440 Tamanini, J. T., D'Ancona, C. A., Tadini, V., Netto, N. R., Jr Macroplastique implantation system for the treatment of female stress urinary incontinence. *J Urol.* 2003 Jun; 169: 2229-33
- 30656 Tamer, S. K. The pediatric non-epileptic seizure. *Indian J Pediatr.* 1997 Sep-Oct; 64: 671-6
- 53330 Tamilselvi, A., Duckett, J. R. Surgical correction of genuine stress incontinence in an achondroplastic woman. *J Obstet Gynaecol.* 2002 Nov; 22: 704
- 11496 Tampakoudis, P., Tantanassis, T., Grimbizis, G., Papaletsos, M., Mantalenakis, S. Cigarette smoking and urinary incontinence in women--a new calculative method of estimating the exposure to smoke. *Eur J Obstet Gynecol Reprod Biol.* 1995 Nov; 63: 27-30
- 10239 Tamussino, K. F., Hanzal, E., Kolle, D., Ralph, G., Riss, P. A. Tension-free vaginal tape operation: results of the Austrian registry. *Obstet Gynecol.* 2001 Nov; 98: 732-6
- 10709 Tamussino, K. F., Zivkovic, F., Pieber, D., Moser, F., Haas, J., Ralph, G. Five-year results after anti-incontinence operations. *Am J Obstet Gynecol.* 1999 Dec; 181: 1347-52
- 10325 Tamussino, K., Hanzal, E., Kolle, D., Ralph, G., Riss, P. The Austrian tension-free vaginal tape registry. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S28-9
- 57360 Tan, T. L., Bergmann, M. A., Griffiths, D., Resnick, N. M. Which stop test is best? Measuring detrusor contractility in older females. *J Urol.* 2003 Mar; 169: 1023-7
- 43777 Tanagho, E. A. Urinary incontinence. *J Urol.* 1994 Nov; 152: 1471-2
- 4140 Tanagho, E.A. Electrical stimulation. *J Am Geriatr Soc.* 1990 Mar; 38: 352-355
- 41997 Tanaka, H., Kakizaki, H., Kobayashi, S., Shibata, T., Ameda, K., Koyanagi, T. The relevance of urethral resistance in children with myelodysplasia: its impact on upper urinary tract deterioration and the outcome of conservative management. *J Urol.* 1999 Mar; 161: 929-32
- 40867 Tanaka, N., Tamai, T., Mukaiyama, H., Hirabayashi, A., Muranaka, H., Akahane, S., Miyata, H., Akahane, M. Discovery of novel N-phenylglycine derivatives as potent and selective beta(3)-adrenoceptor agonists for the treatment of frequent urination and urinary incontinence. *J Med Chem.* 2001 Apr 26; 44: 1436-45
- 40512 Tanaka, N., Tamai, T., Mukaiyama, H., Hirabayashi, A., Muranaka, H., Ishikawa, T., Akahane, S., Akahane, M. Beta(3)-adrenoceptor agonists for the treatment of frequent urination and urinary incontinence: 2-[4-(2-[(1S,2R)-2-hydroxy-2-(4-hydroxyphenyl)-1-methylethyl]amino)ethyl]phenoxy]-2-methylpropionic acid. *Bioorg Med Chem.* 2001 Dec; 9: 3265-71
- 40744 Tanaka, R., Hoshi, K., Yamane, Y. Partial bladder resection in a bitch with urinary retention following surgical excision of a vaginal leiomyoma. *J Small Anim Pract.* 2001 Jun; 42: 301-3
- 54410 Tang, W. K., Chan, S. S., Chiu, H. F., Ungvari, G. S., Wong, K. S., Kwok, T. C., Mok, V., Wong, K. T., Richards, P. S., Ahuja, A. T. Frequency and determinants of poststroke dementia in Chinese. *Stroke.* 2004 Apr; 35: 930-5
- 31315 Taniguchi, N., Hamada, K., Ogasawara, T., Ukai, Y., Yoshikuni, Y., Kimura, K. NS-49, an alpha 1A-adrenoceptor agonist, selectively increases intraurethral pressure in dogs. *Eur J Pharmacol.* 1996 Dec 27; 318: 117-22
- 10241 Tannenbaum, C., Bachand, G., Dubeau, C. E., Kuchel, G. A. Experience of an incontinence clinic for older women: no apparent age limit for potential physical and psychological benefits. *J Womens Health Gend Based Med.* 2001 Oct; 10: 751-6
- 55140 Tannenbaum, C., Mayo, N. Women's health priorities and perceptions of care: a survey to identify opportunities for improving preventative health care delivery for older women. *Age Ageing.* 2003 Nov; 32: 626-35

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42141** Tao, Y. X., Heit, M., Lei, Z. M., Rao, C. V. The urinary bladder of a woman is a novel site of luteinizing hormone-human chorionic gonadotropin receptor gene expression. *Am J Obstet Gynecol.* 1998 Oct; 179: 1026-31
- 44940** Tapp, A. J., Cardozo, L. D., Versi, E., Cooper, D. The treatment of detrusor instability in post-menopausal women with oxybutynin chloride: a double blind placebo controlled study. *Br J Obstet Gynaecol.* 1990 Jun; 97: 521-6
- 3976** Tapp, A.J., Cardozo, L.D., Versi, E., and Cooper, D. The treatment of detrusor instability in post-menopausal women with oxybutynin chloride: a double blind placebo controlled study [see comments]. *Br J Obstet Gynaecol.* 1990 Jun; 97: 521-526
- 59206** Tapp, K., Connolly, A., Visco, A. G. Evaluation of Aa point and cotton-tipped swab test as predictors of urodynamic stress incontinence. *Obstet Gynecol.* 2005 Jan; 105: 115-9
- 43214** Tarvonen-Schroder, S., Roytta, M., Raiha, I., Kurki, T., Rajala, T., Sourander, L. Clinical features of leuko-araiosis. *J Neurol Neurosurg Psychiatry.* 1996 Apr; 60: 431-6
- 55580** Tash, J., Staskin, D. R. Artificial graft slings at the midurethra: physiology of continence. *Curr Urol Rep.* 2003 Oct; 4: 367-70
- 40078** Taskinen, S., Valanne, L., Rintala, R. Effect of spinal cord abnormalities on the function of the lower urinary tract in patients with anorectal abnormalities. *J Urol.* 2002 Sep; 168: 1147-9
- 44993** Taslitz, L. Informed consent revisited. *Hosp Law Newsl.* 1990 Apr; 7: 1-4
- 44008** Taub, H. C., Stein, M. Bladder distention therapy for symptomatic relief of frequency and urgency: a ten-year review. *Urology.* 1994 Jan; 43: 36-9
- 43988** Taub, N. A., Wolfe, C. D., Richardson, E., Burney, P. G. Predicting the disability of first-time stroke sufferers at 1 year. 12- month follow-up of a population-based cohort in southeast England. *Stroke.* 1994 Feb; 25: 352-7
- 11481** Tay, K. P., Lim, P. H., Chng, H. C. Surgical management of stress urinary incontinence: Burch colposuspension, modified Pereyra and Stamey bladder neck suspension, and collagen injection--Toa Payoh Hospital experience. *Singapore Med J.* 1995 Dec; 36: 651-5
- 11352** Tay, K. P., Lim, P. H., Ravintharan, T. Laparoscopic bladder-neck suspension for urinary stress incontinence in women: our first twenty patients. *Int J Urol.* 1996 Jul; 3: 278-81
- 43894** Tayal, S. C., Bansal, S. K., Chadha, D. K. Hypopituitarism: a difficult diagnosis in elderly people but worth a search. *Age Ageing.* 1994 Jul; 23: 320-2
- 11718** Taylor, J. D., Tsokos, N. A retroperitoneal approach to surgery for stress incontinence using the laparoscope. *Med J Aust.* 1994 Jan 3; 160: 42
- 11751** Taylor, J. D., Tsokos, N. Retroperitoneal laparoscopic surgery for stress incontinence. *Lancet.* 1993 Dec 18-25; 342: 1564-5
- 10708** Tchetgen, M. B., Sanda, M. G., Montie, J. E., Faerber, G. J. Collagen injection for the treatment of incontinence after cystectomy and orthotopic neobladder reconstruction in women. *J Urol.* 2000 Jan; 163: 212-4
- 10459** Tebyani, N., Patel, H., Yamaguchi, R., Aboseif, S. R. Percutaneous needle bladder neck suspension for the treatment of stress urinary incontinence in women: long-term results. *J Urol.* 2000 May; 163: 1510-2
- 41444** Tediosi, F., Parazzini, F., Bortolotti, A., Garattini, L. The cost of urinary incontinence in Italian women. A cross-sectional study. *Gruppo di Studio Incontinenza. Pharmacoeconomics.* 2000 Jan; 17: 71-6
- 10320** Tegerstedt, G., Sjoberg, B., Hammarstrom, M. Clinical outcome or abdominal urethropexy-colposuspension: a long-term follow-up. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 161-5
- 52620** Tei, T. M., Stolzenburg, T., Buntzen, S., Laurberg, S., Kjeldsen, H. Use of transpelvic rectus abdominis musculocutaneous flap for anal cancer salvage surgery. *Br J Surg.* 2003 May; 90: 575-80
- 11576** Teichman, J. M. Laparoscopic Burch colposuspension. *Tech Urol.* 1995 Spring; 1: 19-24
- 42178** Teichman, J. M., Harris, J. M., Currie, D. M., Barber, D. B. Malone antegrade continence enema for adults with neurogenic bowel disease. *J Urol.* 1998 Oct; 160: 1278-81

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 55190** Teleman, P. M., Gunnarsson, M., Lidfeldt, J., Nerbrand, C., Samsioe, G., Mattiasson, A. Urethral pressure changes in response to squeeze: a population-based study in healthy and incontinent 53- to 63-year-old women. *Am J Obstet Gynecol.* 2003 Oct; 189: 1100-5
- 59094** Teleman, P. M., Lidfeldt, J., Nerbrand, C., Samsioe, G., Mattiasson, A. Overactive bladder: prevalence, risk factors and relation to stress incontinence in middle-aged women. *BJOG.* 2004 Jun; 111: 600-4
- 57720** Teleman, P., Gunnarsson, M., Lidfeldt, J., Nerbrand, C., Samsioe, G., Mattiasson, A. Urodynamic characterisation of women with naive urinary incontinence: a population-based study in subjectively incontinent and healthy 53-63 years old women. *Eur Urol.* 2002 Dec; 42: 583-9
- 40404** Telford, C. Understanding the problem of urinary incontinence. *JAAPA.* 2002 Jan; 15: 45-50
- 41401** Temml, C., Haidinger, G., Schmidbauer, J., Schatzl, G., Madersbacher, S. Urinary incontinence in both sexes: prevalence rates and impact on quality of life and sexual life. *Neurourol Urodyn.* 2000; 19: 259-71
- 51140** ter Meulen, P. H., Berghmans, L. C., van Kerrebroeck, P. E. Systematic review: efficacy of silicone microimplants (Macroplastique) therapy for stress urinary incontinence in adult women. *Eur Urol.* 2003 Nov; 44: 573-82
- 42885** ter Meulen, P. H., Heesakkers, J. P., Janknegt, R. A. A study on the feasibility of vesicomyotomy in patients with motor urge incontinence. *Eur Urol.* 1997; 32: 166-9
- 56140** ter Meulen, P. H., Zambon, V., Kessels, A. G., van Kerrebroeck, P. E. Quality of life, functional outcome and durability of the AMS 800 artificial urinary sphincter in patients with intrinsic sphincter deficiency. *Urol Int.* 2003; 71: 55-60
- 3761** Tester, K. Continence. Changing time. *Nurs Times.* 1991 Apr 3-9; 87: 70
- 43209** Tetrad, J. W., Golbe, L. I., Forno, L. S., Farmer, P. M. Autopsy-proven progressive supranuclear palsy in two siblings. *Neurology.* 1996 Apr; 46: 931-4
- 42804** Tetzschner, T., Sorensen, M., Jonsson, L., Lose, G., Christiansen, J. Delivery and pudendal nerve function. *Acta Obstet Gynecol Scand.* 1997 Apr; 76: 324-31
- 43040** Tetzschner, T., Sorensen, M., Lose, G., Christiansen, J. Anal and urinary incontinence in women with obstetric anal sphincter rupture. *Br J Obstet Gynaecol.* 1996 Oct; 103: 1034-40
- 59265** Teunissen, D., Lagro-Janssen, T. Urinary incontinence in community dwelling elderly: are there sex differences in help-seeking behaviour?. *Scand J Prim Health Care.* 2004 Dec; 22: 209-16
- 44807** Tew, B., Laurence, K. M., Jenkins, V. Factors affecting employability among young adults with spina bifida and hydrocephalus. *Z Kinderchir.* 1990 Dec; 45 Suppl 1: 34-6
- 3798** Tew, B., Laurence, K.M., and Jenkins, V. Factors affecting employability among young adults with spina bifida and hydrocephalus. *Z Kinderchir.* 1990 Dec; 45 Suppl 1: 34-36
- 41863** Tfayli, A., Hentschel, P., Madajewicz, S., Manzione, J., Chowhan, N., Davis, R., Roche, P., Iliya, A., Roque, C., Meek, A., Shady, M. Toxicities related to intraarterial infusion of cisplatin and etoposide in patients with brain tumors. *J Neurooncol.* 1999 Mar; 42: 73-7
- 10001** Thakar, R., Ayers, S., Clarkson, P., Stanton, S., Manyonda, I. Outcomes after total versus subtotal abdominal hysterectomy. *N Engl J Med.* 2002 Oct 24; 347: 1318-25
- 41107** Thakar, R., Stanton, S. Regular review: management of urinary incontinence in women. *BMJ.* 2000 Nov 25; 321: 1326-31
- 10612** Thakar, R., Stanton, S. L. Weakness of the pelvic floor: urological consequences. *Hosp Med.* 2000 Apr; 61: 259-66
- 10006** Thakar, R., Stanton, S., Prodigalidad, L., den Boon, J. Secondary colposuspension: results of a prospective study from a tertiary referral centre. *BJOG.* 2002 Oct; 109: 1115-20
- 59083** Thaweekul, Y., Bunyavejchevin, S., Wisawasukmongchol, W., Santingamkun, A. Long term results of anterior colporrhaphy with Kelly plication for the treatment of stress urinary incontinence. *J Med Assoc Thai.* 2004 Apr; 87: 357-60



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 43796** Thayer, D. How to assess and control urinary incontinence. *Am J Nurs.* 1994 Oct; 94: 42-7; quiz 48
- 43617** Thelwell, S., Symon, C., Gay, S., Cottenden, A., Feneley, R. Continence. Systems for leg bags. *Nurs Times.* 1995 Apr 19-25; 91: 62-4
- 59326** Themistocleous, G. S., Papagelopoulos, P. J., Petraki, K. D., Stilianessi, E. V., Partsinevelos, A. A., Sapkas, G. S. A 23-year-old woman with complete paraplegia and anesthesia below the T8 level. *Clin Orthop Relat Res.* 2005 Jan; : 258-65
- 10999** Theodorou, C. h., Floratos, D., Katsifotis, C. h., Moutzouris, G., Mertziotis, N., Thermogianni, H. Transvaginal incisionless bladder neck suspension. A simplified technique for female genuine stress incontinence. *Int Urol Nephrol.* 1998; 30: 273-8
- 11535** Theofrastous, J. P., Bump, R. C., Elser, D. M., Wyman, J. F., McClish, D. K. Correlation of urodynamic measures of urethral resistance with clinical measures of incontinence severity in women with pure genuine stress incontinence. The Continence Program for Women Research Group. *Am J Obstet Gynecol.* 1995 Aug; 173: 407-12; discussion 412-4
- 11384** Theofrastous, J. P., Cundiff, G. W., Harris, R. L., Bump, R. C. The effect of vesical volume on Valsalva leak-point pressures in women with genuine stress urinary incontinence. *Obstet Gynecol.* 1996 May; 87: 711-4
- 10031** Theofrastous, J. P., Simpkins, K. Urinary retention and intravesical hemorrhage following urethral collagen injections in women using warfarin. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 268-9
- 54670** Theofrastous, J. P., Whiteside, J., Paraiso, M. F. The utility of urodynamic testing. *J Am Assoc Gynecol Laparosc.* 2003 Nov; 10: 548-52
- 11166** Theofrastous, J. P., Wyman, J. F., Bump, R. C., McClish, D. K., Elser, D. M., Robinson, D., Fantl, J. A. Relationship between urethral and vaginal pressures during pelvic muscle contraction. The Continence Program for Women Research Group. *Neurourol Urodyn.* 1997; 16: 553-8
- 43648** Theoharides, T. C., Sant, G. R., el-Mansoury, M., Letourneau, R., Ucci, A. A., Jr, Meares, E. M., Jr Activation of bladder mast cells in interstitial cystitis: a light and electron microscopic study. *J Urol.* 1995 Mar; 153: 629-36
- 3076** Thessen, C.C., Kreder, K.J. Ogilvie's syndrome: a potential complication of vaginal surgery. *J Urol.* 1993 Jun; 149: 1541-1543
- 42789** Theus, R., Arnold, S., Hubler, M., Wiestner, T., Binder, H., Ruesch, P. Effect of intra-abdominally induced pressure on the urethral pressure profiles of healthy and incontinent bitches. *Am J Vet Res.* 1997 May; 58: 555-9
- 12035** Thiede, H. A., Thiede, F. K. A glance at the urodynamic database. *J Reprod Med.* 1990 Oct; 35: 925-31
- 11462** Thind, P., Bagi, P., Mieszczak, C., Lose, G. Influence of pudendal nerve blockade on stress relaxation in the female urethra. *Neurourol Urodyn.* 1996; 15: 31-6
- 3658** Thind, P., Colstrup, H., Lose, G., and Kristensen, J.K. Method for evaluation of the urethral closure mechanism in women during standardised changes of cross-sectional area. *Clin Phys Physiol Meas.* 1991 May; 12: 163-170
- 11988** Thind, P., Colstrup, H., Lose, G., Kristensen, J. K. Method for evaluation of the urethral closure mechanism in women during standardised changes of cross-sectional area. *Clin Phys Physiol Meas.* 1991 May; 12: 163-70
- 11660** Thind, P., Lose, G. The effect of bilateral pudendal blockade on the adjunctive urethral closure forces in healthy females. *Scand J Urol Nephrol.* 1994 Sep; 28: 249-55
- 11922** Thind, P., Lose, G. Urethral stress relaxation phenomenon in healthy and stress incontinent women. *Br J Urol.* 1992 Jan; 69: 75-8
- 3471** Thind, P., Lose, G., and Colstrup, H. Initial urethral pressure increase during stress episodes in genuine stress incontinent women. *Br J Urol.* 1992 Feb; 69: 137-140
- 3337** Thind, P., Lose, G., and Colstrup, H. Pressure response to rapid dilation of resting urethra in healthy women. *Urology.* 1992 Jul; 40: 44-49
- 11920** Thind, P., Lose, G., Colstrup, H. Initial urethral pressure increase during stress episodes in genuine stress incontinent women. *Br J Urol.* 1992 Feb; 69: 137-40



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11887 Thind, P., Lose, G., Colstrup, H. Pressure response to rapid dilation of resting urethra in healthy women. *Urology*. 1992 Jul; 40: 44-9
- 11065 Thom, D. Variation in estimates of urinary incontinence prevalence in the community: effects of differences in definition, population characteristics, and study type. *J Am Geriatr Soc*. 1998 Apr; 46: 473-80
- 42122 Thom, D. H., Brown, J. S. Reproductive and hormonal risk factors for urinary incontinence in later life: a review of the clinical and epidemiologic literature. *J Am Geriatr Soc*. 1998 Nov; 46: 1411-7
- 42656 Thom, D. H., Haan, M. N., Van Den Eeden, S. K. Medically recognized urinary incontinence and risks of hospitalization, nursing home admission and mortality. *Age Ageing*. 1997 Sep; 26: 367-74
- 59271 Thom, D. H., Nygaard, I. E., Calhoun, E. A. Urologic diseases in America project: urinary incontinence in women-national trends in hospitalizations, office visits, treatment and economic impact. *J Urol*. 2005 Apr; 173: 1295-301
- 42613 Thom, D. H., van den Eeden, S. K., Brown, J. S. Evaluation of parturition and other reproductive variables as risk factors for urinary incontinence in later life. *Obstet Gynecol*. 1997 Dec; 90: 983-9
- 3699 Thomas, A.M., Morse, J.M. Managing urinary incontinence with self-care practices. *J Gerontol Nurs*. 1991 Jun; 17: 9-14
- 42808 Thomas, D. F. Surgical treatment of urinary incontinence. *Arch Dis Child*. 1997 Apr; 76: 377-80
- 41860 Thomas, K. K., Sampsel, C., Gray, M., Newman, D., Sailer, S., d'Entremont, P., Wheeler, L. Getting into nursing research: dropping in on AWHONN's Continence for Women researchers. *AWHONN Lifelines*. 1999 Feb-Mar; 3: 24-6
- 10165 Thomas, K., Venn, S. N., Mundy, A. R. Outcome of the artificial urinary sphincter in female patients. *J Urol*. 2002 Apr; 167: 1720-2
- 54510 Thomas, P., Ingrand, P., Lalloue, F., Hazif-Thomas, C., Billon, R., Vieban, F., Clement, J. P. Reasons of informal caregivers for institutionalizing dementia patients previously living at home: the Pixel study. *Int J Geriatr Psychiatry*. 2004 Feb; 19: 127-35
- 3303 Thomas, P.J., Nurse, D.E., Deliveliotis, C., and Mundy, A.R. Cystoprostatectomy and substitution cystoplasty for locally invasive bladder cancer. *Br J Urol*. 1992 Jul; 70: 40-42
- 40058 Thomas, S. Continence in older people: a priority for primary care. *Nurs Stand*. 2001 Mar 7-13; 15: 45-50; quiz 52, 55
- 41642 Thomas, S. Investing in continence. *Elder Care*. 1999 Feb-Mar; 11: 32
- 41504 Thomas, S. Investing in continence. *Nurs Stand*. 1999 Sep 15-21; 13: 38
- 40931 Thomas, V. S. Excess functional disability among demented subjects? Findings from the Canadian Study of Health and Aging. *Dement Geriatr Cogn Disord*. 2001 May-Jun; 12: 206-10
- 55990 Thome-Souza, S., Freitas, A., Fiore, L. A., Valente, K. D. Lamotrigine and valproate: efficacy of co-administration in a pediatric population. *Pediatr Neurol*. 2003 May; 28: 360-4
- 41869 Thommessen, B., Bautz-Holter, E., Laake, K. Predictors of outcome of rehabilitation of elderly stroke patients in a geriatric ward. *Clin Rehabil*. 1999 Apr; 13: 123-8
- 40430 Thompson, D. L. The national coverage decision for reimbursement for biofeedback and pelvic floor electrical stimulation for treatment of urinary incontinence. *J Wound Ostomy Continence Nurs*. 2002 Jan; 29: 11-9
- 3766 Thompson, J. Managing continence systematically. *Nurs Times*. 1990 Nov 14-20; 86: 60-62
- 52040 Thompson, J. A., O'Sullivan, P. B. Levator plate movement during voluntary pelvic floor muscle contraction in subjects with incontinence and prolapse: a cross-sectional study and review. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Jun; 14: 84-8
- 40195 Thompson, J. F., Roberts, C. L., Currie, M., Ellwood, D. A. Prevalence and persistence of health problems after childbirth: associations with parity and method of birth. *Birth*. 2002 Jun; 29: 83-94

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10524 Thompson, P. K., Duff, D. S., Thayer, P. S. Stress incontinence in women under 50: does urodynamics improve surgical outcome?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 285-9
- 51810 Thomson, A. J., Tincello, D. G. The influence of pad test loss on management of women with urodynamic stress incontinence. *BJOG.* 2003 Aug; 110: 771-3
- 51270 Thor, K. B. Serotonin and norepinephrine involvement in efferent pathways to the urethral rhabdosphincter: implications for treating stress urinary incontinence. *Urology.* 2003 Oct; 62: 3-9
- 59092 Thor, K. B., Donatucci, C. Central nervous system control of the lower urinary tract: new pharmacological approaches to stress urinary incontinence in women. *J Urol.* 2004 Jul; 172: 27-33
- 3120 Thornburn, P., Cottenden, A., and Ledger, D. Continence. Undercover trials. *Nurs Times.* 1992 Mar 25-31; 88: 72-78
- 42733 Thornburn, P., Fader, M., Dean, G., Brooks, R., Cottenden, A. Improving the performance of small incontinence pads: a study of 'wet comfort'. *J Wound Ostomy Continence Nurs.* 1997 Jul; 24: 219-25
- 44716 Thorp, J. M., Jr Exercise-associated urinary incontinence. *JAMA.* 1991 May 1; 265: 2191-2
- 10778 Thorp, J. M., Jr, Norton, P. A., Wall, L. L., Kuller, J. A., Eucker, B., Wells, E. Urinary incontinence in pregnancy and the puerperium: a prospective study. *Am J Obstet Gynecol.* 1999 Aug; 181: 266-73
- 11448 Thorp, J. M., Jones, L. H., Wells, E., Ananth, C. V. Assessment of pelvic floor function: a series of simple tests in nulliparous women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 94-7
- 3754 Thorp, J.M., Jr. Exercise-associated urinary incontinence [letter]. *Jama.* 1991 May 1; 265: 2191-2192
- 43328 Thorpe, A. C. Significance of rectal contraction noted on multichannel urodynamics. *Neurourol Urodyn.* 1996; 15: 577-8
- 11608 Thorpe, A. C., Roberts, J. P., Williams, N. S., Blandy, J. P., Badenoch, D. F. Pelvic floor physiology in women with faecal incontinence and urinary symptoms. *Br J Surg.* 1995 Feb; 82: 173-6
- 11839 Thorpe, A. C., Williams, N. S., Badenoch, D. F., Blandy, J. P., Grahn, M. F. Simultaneous dynamic electromyographic proctography and cystometrography. *Br J Surg.* 1993 Jan; 80: 115-20
- 42049 Thrusfield, M. V., Holt, P. E., Muirhead, R. H. Acquired urinary incontinence in bitches: its incidence and relationship to neutering practices. *J Small Anim Pract.* 1998 Dec; 39: 559-66
- 4036 Thunedborg, P., Fischer-Rasmussen, W., and Jensen, S.B. Stress urinary incontinence and posterior bladder suspension defects. Results of vaginal repair versus Burch colposuspension. *Acta Obstet Gynecol Scand.* 1990; 69: 55-59
- 12098 Thunedborg, P., Fischer-Rasmussen, W., Jensen, S. B. Stress urinary incontinence and posterior bladder suspension defects. Results of vaginal repair versus Burch colposuspension. *Acta Obstet Gynecol Scand.* 1990; 69: 55-9
- 41741 Thuroff, J. W. Epidemiology of bladder control problems. *Curr Opin Urol.* 1999 Jul; 9: 283-4
- 10949 Thuroff, J. W., Chartier-Kastler, E., Corcus, J., Humke, J., Jonas, U., Palmtag, H., Tanagho, E. A. Medical treatment and medical side effects in urinary incontinence in the elderly. *World J Urol.* 1998; 16 Suppl 1: S48-61
- 40254 Thyssen, H. H., Clevin, L., Olesen, S., Lose, G. Urinary incontinence in elite female athletes and dancers. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 15-7
- 11117 Thyssen, H. H., Lose, G. Long-term efficacy and safety of a disposable vaginal device (continence guard) in the treatment of female stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 130-2; discussion 133
- 10185 Thyssen, H., Bidmead, J., Lose, G., Moller Bek, K., Dwyer, P., Cardozo, L. A new intravaginal device for stress incontinence in women. *BJU Int.* 2001 Dec; 88: 889-92
- 11412 Thyssen, H., Lose, G. New disposable vaginal device (continence guard) in the treatment of female stress incontinence. Design, efficacy and short term safety. *Acta Obstet Gynecol Scand.* 1996 Feb; 75: 170-3

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 41757 Thyssen, H., Sander, P., Lose, G. A vaginal device (continence guard) in the management of urge incontinence in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 219-22
- 3049 Tiemann, D., Shea, L., Klutke, C.G., Gaehle, K., and Moore, S. Artificial urinary sphincters. Treatment for post-prostatectomy incontinence. *Aorn J.* 1993 Jun; 57: 1366-72,1375-9
- 42815 Tillem, S. M., Kessler, O. J., Hanna, M. K. Long-term results of lower urinary tract reconstruction with the ceco-appendiceal unit. *J Urol.* 1997 Apr; 157: 1429-33
- 40495 Tilling, K., Sterne, J. A., Rudd, A. G., Glass, T. A., Wityk, R. J., Wolfe, C. D. A new method for predicting recovery after stroke. *Stroke.* 2001 Dec 1; 32: 2867-73
- 11963 Timmons, M. C., Addison, W. A. Choice of operation for genuine stress incontinence. *Curr Opin Obstet Gynecol.* 1991 Aug; 3: 528-33
- 3816 Timoney, A.G., Shaw, P.J. Urological outcome in female patients with spinal cord injury: the effectiveness of intermittent catheterisation. *Paraplegia.* 1990 Nov; 28: 556-563
- 10666 Tincello, D. G., Adams, E. J., Bolderson, J., Richmond, D. H. A urinary control device for management of female stress incontinence. *Obstet Gynecol.* 2000 Mar; 95: 417-20
- 40446 Tincello, D. G., Adams, E. J., Richmond, D. H. Antenatal screening for postpartum urinary incontinence in nulliparous women: a pilot study. *Eur J Obstet Gynecol Reprod Biol.* 2002 Feb 10; 101: 70-3
- 41506 Tincello, D. G., Adams, E. J., Sutherst, J. R., Richmond, D. H. Oxybutynin for detrusor instability with adjuvant salivary stimulant pastilles to improve compliance: results of a multicentre, randomized controlled trial. *BJU Int.* 2000 Mar; 85: 416-20
- 40184 Tincello, D. G., Alfirevic, Z. Important clinical outcomes in urogynecology: views of patients, nurses and medical staff. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 96-8; discussion 98
- 11159 Tincello, D. G., Bolderson, J., Richmond, D. H. Preliminary experience with a urinary control device in the management of women with genuine stress incontinence. *Br J Urol.* 1997 Nov; 80: 752-6
- 10899 Tincello, D. G., Richmond, D. H. The Larsson frequency/volume chart is not a substitute for cystometry in the investigation of women with urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 391-6
- 57430 Tincello, D. G., Teare, J., Fraser, W. D. Second trimester concentration of relaxin and pregnancy related incontinence. *Eur J Obstet Gynecol Reprod Biol.* 2003 Feb 10; 106: 237-8
- 41068 Tinnion, E., Jowitt, F. The active urine collection device: a novel continence management system focusing particularly on the needs of disabled women. *Disabil Rehabil.* 2000 Nov 10; 22: 745-8
- 55620 Titton, R. L., Gervais, D. A., Hahn, P. F., Harisinghani, M. G., Arellano, R. S., Mueller, P. R. Urine leaks and urinomas: diagnosis and imaging-guided intervention. *Radiographics.* 2003 Sep-Oct; 23: 1133-47
- 3078 Toan, N.N. Simplified urethrocystovaginal suspension as treatment for stress urinary incontinence [letter]. *Am J Obstet Gynecol.* 1993 May; 168: 1642
- 43268 Toba, K., Ouchi, Y., Orimo, H., Iimura, O., Sasaki, H., Nakamura, Y., Takasaki, M., Kuzuya, F., Sekimoto, H., Yoshioka, H., Ogiwara, T., Kimura, I., Ozawa, T., Fujishima, M. Urinary incontinence in elderly inpatients in Japan: a comparison between general and geriatric hospitals. *Aging (Milano).* 1996 Feb; 8: 47-54
- 2999 Tobin, G.W. Incontinence in the elderly. *West Engl Med J.* 1992 Dec; 107: 79-81
- 40310 Todd, L. T., Jr, Yaszemski, M. J., Currier, B. L., Fuchs, B., Kim, C. W., Sim, F. H. Bowel and bladder function after major sacral resection. *Clin Orthop.* 2002 Apr; : 36-9
- 54790 Toglia, M. R., Nolan, T. E. Morbidity and mortality rates of elective gynecologic surgery in the elderly woman. *Am J Obstet Gynecol.* 2003 Dec; 189: 1584-7; discussion 1587-9
- 10039 Toh, K., Diokno, A. C. Management of intrinsic sphincter deficiency in adolescent females with normal bladder emptying function. *J Urol.* 2002 Sep; 168: 1150-3
- 59022 Tok, E. C., Ertunc, D., Dilek, U., Pata, O., Erdogan, O., Aydin, S. The prevalence of stress urinary incontinence among women operated on for abdominal wall hernias. *Acta Obstet Gynecol Scand.* 2004 Oct; 83: 962-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 3072** Tokunaka, S., Fujii, H., Hashimoto, H., and Yachiku, S. Proportions of fiber types in the external urethral sphincter of young nulliparous and old multiparous rabbits. *Urol Res.* 1993 Mar; 21: 121-124
- 11820** Tokunaka, S., Fujii, H., Hashimoto, H., Yachiku, S. Proportions of fiber types in the external urethral sphincter of young nulliparous and old multiparous rabbits. *Urol Res.* 1993 Mar; 21: 121-4
- 11216** Tomezsko, J. E., Sand, P. K. Pregnancy and intercurrent diseases of the urogenital tract. *Clin Perinatol.* 1997 Jun; 24: 343-68
- 54640** Tomizawa, K., Tanaka, S., Saito, B., Ota, K. A peculiar type of dystrophic calcinosis cutis affecting the surface of damaged genital skin and mucosa in an elderly woman with a vesicovaginal fistula. *Br J Dermatol.* 2004 Jan; 150: 169-71
- 42376** Tomlinson, A. J., Thornton, J. G. A randomised controlled trial of antibiotic prophylaxis for vesico- vaginal fistula repair. *Br J Obstet Gynaecol.* 1998 Apr; 105: 397-9
- 41920** Tomlinson, B. U., Dougherty, M. C., Pendergast, J. F., Boyington, A. R., Coffman, M. A., Pickens, S. M. Dietary caffeine, fluid intake and urinary incontinence in older rural women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 22-8
- 52100** Tong, Y. C. An alternative method of tension-free vaginal tape implantation for the treatment of female urinary incontinence. *Urol Int.* 2003; 71: 51-4
- 11321** Toozs-Hobson, P., Gleeson, C., Perdu, M., Cardozo, L. The Burch colposuspension for women with and without detrusor overactivity. *Br J Obstet Gynaecol.* 1996 Oct; 103: 1050-1
- 44247** Topper, A. K., Holliday, P. J., Fernie, G. R. Bladder volume estimation in the elderly using a portable ultrasound-based measurement device. *J Med Eng Technol.* 1993 May-Jun; 17: 99-103
- 40353** Topsakal, C., Kaplan, M., Erol, F., Cetin, H., Ozercan, I. Unusual arachnoid cyst of the quadrigeminal cistern in an adult presenting with apneic spells and normal pressure hydrocephalus--case report. *Neurol Med Chir (Tokyo).* 2002 Jan; 42: 44-50
- 11503** Torrance, C., Jordan, S. Bionursing: assessment of stress incontinence. *Nurs Stand.* 1995 Oct 18-24; 10: 29-31
- 40044** Torres, C., Ciocon, J. O., Galindo, D., Ciocon, D. G. Clinical approach to urinary incontinence: a comparison between internists and geriatricians. *Int Urol Nephrol.* 2001; 33: 549-52
- 42270** Torres, S. A., Holley, J. A., Ando, J., DeVera, J., Harris, P., Giles, A. Maximizing care outcomes of a patient with impaired bladder function: a PI project in a rehabilitation unit. *J Nurs Care Qual.* 1998 Aug; 12: 64-9
- 53510** Tosaka, A., Murota-Kawano, A., Ando, M. Video urodynamics using transrectal ultrasonography for lower urinary tract symptoms in women. *Neurourol Urodyn.* 2003; 22: 33-9
- 43669** Touho, H., Karasawa, J., Ohnishi, H. Cerebral revascularization using gracilis muscle transplantation for childhood moyamoya disease. *Surg Neurol.* 1995 Feb; 43: 191-7; discussion 197-8
- 43168** Touho, H., Karasawa, J., Tenjin, H., Ueda, S. Omental transplantation using a superficial temporal artery previously used for encephaloduroarteriosynangiosis. *Surg Neurol.* 1996 Jun; 45: 550-8; discussion 558-9
- 42089** Trieman, N., Hughes, J., Leff, J. The TAPS Project 42: the last to leave hospital--a profile of residual long-stay populations and plans for their resettlement. Team for the Assessment of Psychiatric Services. *Acta Psychiatr Scand.* 1998 Nov; 98: 354-9
- 4090** Tries, J. Kegel exercises enhanced by biofeedback. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 67-76
- 44314** Triolo, J., Breu, B. A. What is your diagnosis? Hemangiosarcoma of the falciform ligament. *J Am Vet Med Assoc.* 1993 Jan 1; 202: 133-4
- 11371** Trockman, B. A., Leach, G. E. Needle suspension procedures: past, present, and future. *J Endourol.* 1996 Jun; 10: 217-20
- 43508** Trockman, B. A., Leach, G. E. Surgical treatment of intrinsic urethral dysfunction: injectables (fat). *Urol Clin North Am.* 1995 Aug; 22: 665-71

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 11500 Trockman, B. A., Leach, G. E., Hamilton, J., Sakamoto, M., Santiago, L., Zimmern, P. E. Modified Pereyra bladder neck suspension: 10-year mean followup using outcomes analysis in 125 patients. *J Urol.* 1995 Nov; 154: 1841-7
- 40697 Tromp, A. M., Pluijm, S. M., Smit, J. H., Deeg, D. J., Bouter, L. M., Lips, P. Fall-risk screening test: a prospective study on predictors for falls in community-dwelling elderly. *J Clin Epidemiol.* 2001 Aug; 54: 837-44
- 42090 Tromp, A. M., Smit, J. H., Deeg, D. J., Bouter, L. M., Lips, P. Predictors for falls and fractures in the Longitudinal Aging Study Amsterdam. *J Bone Miner Res.* 1998 Dec; 13: 1932-9
- 43357 Trsinar, B., Kraij, B. Maximal electrical stimulation in children with unstable bladder and nocturnal enuresis and/or daytime incontinence: a controlled study. *Neurourol Urodyn.* 1996; 15: 133-42
- 10202 Truijen, G., Wyndaele, J. J., Weyler, J. Conservative treatment of stress urinary incontinence in women: who will benefit?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 386-90
- 40949 Truss, M. C., Stief, C. G., Uckert, S., Becker, A. J., Schultheiss, D., Machtens, S., Jonas, U. Initial clinical experience with the selective phosphodiesterase-I isoenzyme inhibitor vinpocetine in the treatment of urge incontinence and low compliance bladder. *World J Urol.* 2000 Dec; 18: 439-43
- 10339 Tsai, E., Yang, C., Chen, H., Wu, C., Lee, J. Bladder neck circulation by Doppler ultrasonography in postmenopausal women with urinary stress incontinence. *Obstet Gynecol.* 2001 Jul; 98: 52-6
- 54940 Tsao, J. W., Heilman, K. M. Transient memory impairment and hallucinations associated with tolterodine use. *N Engl J Med.* 2003 Dec 4; 349: 2274-5
- 10779 Tschopp, P. J., Wesley-James, T., Spekkens, A., Lohfeld, L. Collagen injections for urinary stress incontinence in a small urban urology practice: time to failure analysis of 99 cases. *J Urol.* 1999 Sep; 162: 779-82; discussion 782-3
- 10521 Tseng, I. J., Chen, Y. T., Chen, M. T., Kou, H. Y., Tseng, S. F. Prevalence of urinary incontinence and intention to seek treatment in the elderly. *J Formos Med Assoc.* 2000 Oct; 99: 753-8
- 50860 Tseng, L. H., Lo, T. S., Wang, A. C., Liang, C. C., Soong, Y. K. Bladder perforation presenting as vulvar edema after the tension-free vaginal tape procedure. A case report. *J Reprod Med.* 2003 Oct; 48: 824-6
- 50410 Tsivian, A., Kessler, O., Mogutin, B., Rosenthal, J., Korczak, D., Levin, S., Sidi, A. A. Tape related complications of the tension-free vaginal tape procedure. *J Urol.* 2004 Feb; 171: 762-4
- 59051 Tsivian, A., Mogutin, B., Kessler, O., Korczak, D., Levin, S., Sidi, A. A. Tension-free vaginal tape procedure for the treatment of female stress urinary incontinence: long-term results. *J Urol.* 2004 Sep; 172: 998-1000
- 52400 Tsivian, A., Shtricker, A., Levin, S., Sidi, A. A. Bone anchor 4-corner cystourethropexy: long-term results. *J Urol.* 2003 Jun; 169: 2244-5
- 43729 Tsuboi, K., Yoshii, Y., Hyodo, A., Takada, K., Nose, T. Leukoencephalopathy associated with intra-arterial ACNU in patients with gliomas. *J Neurooncol.* 1995; 23: 223-31
- 43077 Tsuboniwa, N., Kuroda, M., Hanafusa, T., Maeda, O., Saiki, S., Kinouchi, T., Miki, T., Usami, M., Kotake, T. Giant hydronephrosis of bilateral duplex systems associated with ureteral ectopia: a case report. *Hinyokika Kyo.* 1996 Aug; 42: 587-90
- 40641 Tsuchiya, K., Ikeda, K., Haga, C., Kobayashi, T., Morimatsu, Y., Nakano, I., Matsushita, M. Atypical amyotrophic lateral sclerosis with dementia mimicking frontal Pick's disease: a report of an autopsy case with a clinical course of 15 years. *Acta Neuropathol (Berl).* 2001 Jun; 101: 625-30
- 40375 Tsuji, T., Matsuyama, Y., Sato, K., Iwata, H. Infantile spinal cord tumor: diagnostic difficulties. A case report. *J Pediatr Orthop B.* 2002 Jan; 11: 1-5
- 41351 Tulikangas, P. K., Weber, A. M., Larive, A. B., Walters, M. D. Intraoperative cystoscopy in conjunction with anti-incontinence surgery. *Obstet Gynecol.* 2000 Jun; 95: 794-6
- 40552 Tullberg, M., Jensen, C., Ekholm, S., Wikkelso, C. Normal pressure hydrocephalus: vascular white matter changes on MR images must not exclude patients from shunt surgery. *AJNR Am J Neuroradiol.* 2001 Oct; 22: 1665-73



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 10736 Tunn, R., DeLancey, J. O., Howard, D., Thorp, J. M., Ashton-Miller, J. A., Quint, L. E. MR imaging of levator ani muscle recovery following vaginal delivery. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 300-7
- 10929 Tunn, R., Paris, S., Fischer, W., Hamm, B., Kuchinke, J. Static magnetic resonance imaging of the pelvic floor muscle morphology in women with stress urinary incontinence and pelvic prolapse. *Neurourol Urodyn.* 1998; 17: 579-89
- 51750 Tunn, R., Petri, E. Introital and transvaginal ultrasound as the main tool in the assessment of urogenital and pelvic floor dysfunction: an imaging panel and practical approach. *Ultrasound Obstet Gynecol.* 2003 Aug; 22: 205-13
- 59091 Tunuguntla, H. S., Gousse, A. E. Missed bilateral bladder perforation during pubovaginal sling procedure. *J Urol.* 2004 Jul; 172: 189-90
- 43331 Turan, C., Zorlu, C. G., Ekin, M., Hancerliogullari, N., Saracoglu, F. Urinary incontinence in women of reproductive age. *Gynecol Obstet Invest.* 1996; 41: 132-4
- 59228 Turkan, A., Inci, Y., Fazli, D. The short-term effects of physical therapy in different intensities of urodynamic stress incontinence. *Gynecol Obstet Invest.* 2005; 59: 43-8
- 3822 Turkington, D., Grant, J., Tophill, P., and Johnston, J. Psychiatric aspects of urinary incontinence [letter]. *Bmj.* 1990 Sep 1; 301: 444-445
- 56720 Turkolmez, K., Gogus, C., Baltaci, S. Construction of a continent outlet using an ileal valve, an in vivo animal model. *Urol Res.* 2003 Jul; 31: 194-7
- 11703 Turner, T. Continence. Muscle control. *Nurs Times.* 1994 Mar 9-15; 90: 64-9
- 3322 Turner-Stokes, L., Frank, A.O. Urinary incontinence among patients with arthritis--a neglected disability. *J R Soc Med.* 1992 Jul; 85: 389-393
- 42875 Tutuarima, J. A., van der Meulen, J. H., de Haan, R. J., van Straten, A., Limburg, M. Risk factors for falls of hospitalized stroke patients. *Stroke.* 1997 Feb; 28: 297-301
- 56680 Uchiyama, T., Sakakibara, R., Hattori, T., Yamanishi, T. Short-term effect of a single levodopa dose on micturition disturbance in Parkinson's disease patients with the wearing-off phenomenon. *Mov Disord.* 2003 May; 18: 573-8
- 43717 Uebersax, J. S., Wyman, J. F., Shumaker, S. A., McClish, D. K., Fantl, J. A. Short forms to assess life quality and symptom distress for urinary incontinence in women: the Incontinence Impact Questionnaire and the Urogenital Distress Inventory. Continence Program for Women Research Group. *Neurourol Urodyn.* 1995; 14: 131-9
- 10648 Ueda, T., Tamaki, M., Kageyama, S., Yoshimura, N., Yoshida, O. Urinary incontinence among community-dwelling people aged 40 years or older in Japan: prevalence, risk factors, knowledge and self-perception. *Int J Urol.* 2000 Mar; 7: 95-103
- 41476 Ueda, T., Yoshimura, N., Yoshida, O. Prognostic factors for long-term maintenance of urinary continence in patients with incontinence managed by diapers or indwelling catheters. *Eur Urol.* 2000 Mar; 37: 318-24
- 59063 Ugboma, H. A., Okpani, A. O., Anya, S. E. Genital prolapse in Port Harcourt, Nigeria. *Niger J Med.* 2004 Apr-Jun; 13: 124-9
- 10324 Ulmsten, U. An introduction to tension-free vaginal tape (TVT)--a new surgical procedure for treatment of female urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S3-4
- 44829 Ulmsten, U. Connective tissue factors in the aetiology of female pelvic disorders. *Ann Med.* 1990 Dec; 22: 403
- 3790 Ulmsten, U. Connective tissue factors in the aetiology of female pelvic disorders [editorial]. *Ann Med.* 1990 Dec; 22: 403
- 11581 Ulmsten, U. On urogenital ageing. *Maturitas.* 1995 Apr; 21: 163-9
- 11266 Ulmsten, U. Some reflections and hypotheses on the pathophysiology of female urinary incontinence. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 3-8



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10289 Ulmsten, U. The basic understanding and clinical results of tension-free vaginal tape for stress urinary incontinence. *Urologe A*. 2001 Jul; 40: 269-73
- 10750 Ulmsten, U., Falconer, C. Connective tissue in female urinary incontinence. *Curr Opin Obstet Gynecol*. 1999 Oct; 11: 509-15
- 10938 Ulmsten, U., Falconer, C., Johnson, P., Jomaa, M., Lanner, L., Nilsson, C. G., Olsson, I. A multicenter study of tension-free vaginal tape (TVT) for surgical treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 1998; 9: 210-3
- 11450 Ulmsten, U., Henriksson, L., Johnson, P., Varhos, G. An ambulatory surgical procedure under local anesthesia for treatment of female urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 81-5; discussion 85-6
- 11734 Ulmsten, U., Johnson, P., Petros, P. Intravaginal slingplasty. *Zentralbl Gynakol*. 1994; 116: 398-404
- 10800 Ulmsten, U., Johnson, P., Rezapour, M. A three-year follow up of tension free vaginal tape for surgical treatment of female stress urinary incontinence. *Br J Obstet Gynaecol*. 1999 Apr; 106: 345-50
- 11597 Ulmsten, U., Petros, P. Intravaginal slingplasty (IVS): an ambulatory surgical procedure for treatment of female urinary incontinence. *Scand J Urol Nephrol*. 1995 Mar; 29: 75-82
- 11895 Ulmsten, U., Petros, P. Surgery for female urinary incontinence. *Curr Opin Obstet Gynecol*. 1992 Jun; 4: 456-62
- 43396 Umlauf, M. G., Mathis, J. A. Urinary incontinence among primiparous women. *Urol Nurs*. 1995 Dec; 15: 112-6
- 3458 Umstad, M.P., Glenning, P.P. Urodynamic investigation in the management of incontinent women. *Asia Oceania J Obstet Gynaecol*. 1991 Dec; 17: 307-313
- 51070 Unsal, A., Saglam, R., Cimentepe, E. Extracorporeal magnetic stimulation for the treatment of stress and urge incontinence in women--results of 1-year follow-up. *Scand J Urol Nephrol*. 2003; 37: 424-8
- 11588 Unsworth, J. Stress incontinence: treatment using pelvic floor re-education. *Br J Nurs*. 1995 Mar 23-Apr 12; 4: 323-4, 326-7
- 10418 Unterweger, M., Marincek, B., Gottstein-Aalame, N., Debatin, J. F., Seifert, B., Ochsenbein-Imhof, N., Perucchini, D., Kubik-Huch, R. A. Ultrafast MR imaging of the pelvic floor. *AJR Am J Roentgenol*. 2001 Apr; 176: 959-63
- 10285 Ushiroyama, T., Ikeda, A., Ueki, M. Clinical efficacy of clenbuterol and propiverine in menopausal women with urinary incontinence: improvement in quality of life. *J Med*. 2000; 31: 311-9
- 10712 Ushiroyama, T., Ikeda, A., Ueki, M. Prevalence, incidence, and awareness in the treatment of menopausal urinary incontinence. *Maturitas*. 1999 Oct 24; 33: 127-32
- 59205 Ustun, Y., Engin-Ustun, Y., Gungor, M., Tezcan, S. Randomized comparison of Burch urethropexy procedures concomitant with gynecologic operations. *Gynecol Obstet Invest*. 2005; 59: 19-23
- 51150 Ustun, Y., Engin-Ustun, Y., Gungor, M., Tezcan, S. Tension-free vaginal tape compared with laparoscopic Burch urethropexy. *J Am Assoc Gynecol Laparosc*. 2003 Aug; 10: 386-9
- 54330 Uustal Fornell, E., Wingren, G., Kjolhede, P. Factors associated with pelvic floor dysfunction with emphasis on urinary and fecal incontinence and genital prolapse: an epidemiological study. *Acta Obstet Gynecol Scand*. 2004 Apr; 83: 383-9
- 40745 Vachvanichsanong, P., Malagon, M., Moore, E. S. Recurrent abdominal and flank pain in children with idiopathic hypercalciuria. *Acta Paediatr*. 2001 Jun; 90: 643-8
- 43791 Vachvanichsanong, P., Malagon, M., Moore, E. S. Urinary incontinence due to idiopathic hypercalciuria in children. *J Urol*. 1994 Oct; 152: 1226-8
- 40771 Vachvanichsanong, P., Malagon, M., Moore, E. S. Urinary tract infection in children associated with idiopathic hypercalciuria. *Scand J Urol Nephrol*. 2001 Apr; 35: 112-6
- 42646 Vahtera, T., Haaranen, M., Viramo-Koskela, A. L., Ruutiainen, J. Pelvic floor rehabilitation is effective in patients with multiple sclerosis. *Clin Rehabil*. 1997 Aug; 11: 211-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 42310** Vaidyanathan, S., Soni, B. M., Brown, E., Sett, P., Krishnan, K. R., Bingley, J., Markey, S. Effect of intermittent urethral catheterization and oxybutynin bladder instillation on urinary continence status and quality of life in a selected group of spinal cord injury patients with neuropathic bladder dysfunction. *Spinal Cord*. 1998 Jun; 36: 409-14
- 42280** Vaizey, C. J., Kamm, M. A., Gold, D. M., Bartram, C. I., Halligan, S., Nicholls, R. J. Clinical, physiological, and radiological study of a new purpose- designed artificial bowel sphincter. *Lancet*. 1998 Jul 11; 352: 105-9
- 41493** Vakar-Lopez, F., Abrams, J. Basaloid squamous cell carcinoma occurring in the urinary bladder. *Arch Pathol Lab Med*. 2000 Mar; 124: 455-9
- 11684** Valaitis, S. R., Stanton, S. L. Sacrocolpopexy: a retrospective study of a clinician's experience. *Br J Obstet Gynaecol*. 1994 Jun; 101: 518-22
- 40150** Valente, E. M., Brancati, F., Caputo, V., Bertini, E., Patrono, C., Costanti, D., Dallapiccola, B. Novel locus for autosomal dominant pure hereditary spastic paraplegia (SPG19) maps to chromosome 9q33-q34. *Ann Neurol*. 2002 Jun; 51: 681-5
- 11153** Valerius, A. J. Quality of life tools for assessment of urinary incontinence. *Urol Nurs*. 1997 Sep; 17: 104-5
- 11154** Valerius, A. J. The psychosocial impact of urinary incontinence on women aged 25 to 45 years. *Urol Nurs*. 1997 Sep; 17: 96-103
- 10489** Valiquette, L., Duclos, A. J., Lapointe, S. P. FPSUND: a new clinical classification of urinary incontinence. *Can J Urol*. 2000 Jun; 7: 1038-42
- 40865** Valk, M., Post, M. W., Cools, H. J., Schrijvers, G. A. Measuring disability in nursing home residents: validity and reliability of a newly developed instrument. *J Gerontol B Psychol Sci Soc Sci*. 2001 May; 56: P187-91
- 43465** Valdeoriola, F., Valls-Sole, J., Tolosa, E. S., Marti, M. J. Striated anal sphincter denervation in patients with progressive supranuclear palsy. *Mov Disord*. 1995 Sep; 10: 550-5
- 11196** Valley, M. T. Pubic bone suburethral stabilization sling for recurrent urinary incontinence. *Obstet Gynecol*. 1997 Sep; 90: 481-2
- 52330** Valpas, A., Kivela, A., Penttinen, J., Kauko, M., Kujansuu, E., Tomas, E., Haarala, M., Meltomaa, S., Nilsson, C. K. Tension-free vaginal tape and laparoscopic mesh colposuspension in the treatment of stress urinary incontinence: immediate outcome and complications--a randomized clinical trial. *Acta Obstet Gynecol Scand*. 2003 Jul; 82: 665-71
- 59076** Valpas, A., Kivela, A., Penttinen, J., Kujansuu, E., Haarala, M., Nilsson, C. G. Tension-free vaginal tape and laparoscopic mesh colposuspension for stress urinary incontinence. *Obstet Gynecol*. 2004 Jul; 104: 42-9
- 43023** Valvanne, J., Juva, K., Erkinjuntti, T., Tilvis, R. Major depression in the elderly: a population study in Helsinki. *Int Psychogeriatr*. 1996 Fall; 8: 437-43
- 42301** van Aalst, V. C., Werker, P. M., Stremel, R. W., Perez Abadia, G. A., Petty, G. D., Heilman, S. J., Palacio, M. M., Kon, M., Tobin, G. R., Barker, J. H. Electrically stimulated free-flap graciloplasty for urinary sphincter reconstruction: a new surgical procedure. *Plast Reconstr Surg*. 1998 Jul; 102: 84-91
- 40662** van Balken, M. R., Vandoninck, V., Gisolf, K. W., Vergunst, H., Kiemeny, L. A., Debruyne, F. M., Bemelmans, B. L. Posterior tibial nerve stimulation as neuromodulative treatment of lower urinary tract dysfunction. *J Urol*. 2001 Sep; 166: 914-8
- 43570** van Bennekom, C. A., Jelles, F., Lankhorst, G. J., Bouter, L. M. The Rehabilitation Activities Profile: a validation study of its use as a disability index with stroke patients. *Arch Phys Med Rehabil*. 1995 Jun; 76: 501-7
- 50890** van Brummen, H. J., van de Pol, G., Aalders, C. I., Heintz, A. P., van der Vaart, C. H. Sacrospinous hysteropexy compared to vaginal hysterectomy as primary surgical treatment for a descensus uteri: effects on urinary symptoms. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Nov; 14: 350-5; discussion 355
- 42396** van der Hurk, P. R., Middelkoop, H. A., van Waalwijk-van Doorn, E. S., Roos, R. A., Cools, H. J. Long-term ambulatory monitoring of urine leakage in the elderly: an evaluation of the validity and clinical applicability of thermistor signalling. *J Med Eng Technol*. 1998 Mar-Apr; 22: 91-3

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 44157 van der Linden, M. C., Gerretsen, G., Brandhorst, M. S., Ooms, E. C., Kremer, C. M., Doesburg, W. H. The effect of estriol on the cytology of urethra and vagina in postmenopausal women with genito-urinary symptoms. *Eur J Obstet Gynecol Reprod Biol.* 1993 Sep; 51: 29-33
- 57340 van der Vaart, C. H., de Leeuw, J. R., Roovers, J. P., Heintz, A. P. Measuring health-related quality of life in women with urogenital dysfunction: the urogenital distress inventory and incontinence impact questionnaire revisited. *Neurourol Urodyn.* 2003; 22: 97-104
- 10019 van der Vaart, C. H., de Leeuw, J. R., Roovers, J. P., Heintz, A. P. The effect of urinary incontinence and overactive bladder symptoms on quality of life in young women. *BJU Int.* 2002 Oct; 90: 544-9
- 10166 van der Vaart, C. H., van der Bom, J. G., de Leeuw, J. R., Roovers, J. P., Heintz, A. P. The contribution of hysterectomy to the occurrence of urge and stress urinary incontinence symptoms. *BJOG.* 2002 Feb; 109: 149-54
- 54210 van der Weide, M., Smits, J. Adoption of innovations by specialised nurses: personal, work and organisational characteristics. *Health Policy.* 2004 Apr; 68: 81-92
- 40040 Van der Werf, B. A., Creed, K. E. Mechanical properties and innervation of the smooth muscle layers of the urethra of greyhounds. *BJU Int.* 2002 Oct; 90: 588-95
- 41454 van Geelen, J. M., van de Weijer, P. H., Arnolds, H. T. Urogenital symptoms and resulting discomfort in non-institutionalized Dutch women aged 50-75 years. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 9-14
- 11528 van Gool, J. D. Dysfunctional voiding: a complex of bladder/sphincter dysfunction, urinary tract infections and vesicoureteral reflux. *Acta Urol Belg.* 1995 Sep; 63: 27-33
- 40285 van Gool, J. D. Enuresis and incontinence in children. *Semin Pediatr Surg.* 2002 May; 11: 100-7
- 44554 van Gool, J. D., Vijverberg, M. A., de Jong, T. P. Functional daytime incontinence: clinical and urodynamic assessment. *Scand J Urol Nephrol Suppl.* 1992; 141: 58-69
- 42624 Van Hoogmoed, L., Snyder, J. R., Roberts, G., Harmon, F. A. Unilateral nephrectomy in a juvenile llama. *Vet Surg.* 1997 Nov-Dec; 26: 497-501
- 42924 Van Kerrebroeck, E. V., van der Aa, H. E., Bosch, J. L., Koldewijn, E. L., Vorsteveld, J. H., Debruyne, F. M. Sacral rhizotomies and electrical bladder stimulation in spinal cord injury. Part I: Clinical and urodynamic analysis. Dutch Study Group on Sacral Anterior Root Stimulation. *Eur Urol.* 1997; 31: 263-71
- 59119 Van Kerrebroeck, P. Duloxetine: an innovative approach for treating stress urinary incontinence. *BJU Int.* 2004 Jul; 94 Suppl 1: 31-7
- 42239 Van Kerrebroeck, P. E. The role of electrical stimulation in voiding dysfunction. *Eur Urol.* 1998; 34 Suppl 1: 27-30
- 42151 Van Kerrebroeck, P. E., Amarenco, G., Thuroff, J. W., Madersbacher, H. G., Lock, M. T., Messelink, E. J., Soler, J. M. Dose-ranging study of tolterodine in patients with detrusor hyperreflexia. *Neurourol Urodyn.* 1998; 17: 499-512
- 44341 Van Kerrebroeck, P. E., Koldewijn, E. L., Debruyne, F. M. Worldwide experience with the Finetech-Brindley sacral anterior root stimulator. *Neurourol Urodyn.* 1993; 12: 497-503
- 44246 Van Kerrebroeck, P. E., Koldewijn, E. L., Scherpenhuizen, S., Debruyne, F. M. The morbidity due to lower urinary tract function in spinal cord injury patients. *Paraplegia.* 1993 May; 31: 320-9
- 50260 van Kerrebroeck, P., Abrams, P., Lange, R., Slack, M., Wyndaele, J. J., Yalcin, I., Bump, R. C. Duloxetine versus placebo in the treatment of European and Canadian women with stress urinary incontinence. *BJOG.* 2004 Mar; 111: 249-57
- 40929 Van Kerrebroeck, P., Kreder, K., Jonas, U., Zinner, N., Wein, A. Tolterodine once-daily: superior efficacy and tolerability in the treatment of the overactive bladder. *Urology.* 2001 Mar; 57: 414-21
- 53220 van Kerrebroeck, P., ter Meulen, F., Farrelly, E., Larsson, G., Edwall, L., Fianu-Jonasson, A. Treatment of stress urinary incontinence: recent developments in the role of urethral injection. *Urol Res.* 2003 Feb; 30: 356-62
- 43595 Van Kerrebroek, E. V. Female incontinence: critical analysis of diagnostic procedures. *Acta Urol Belg.* 1995 May; 63: 11-2

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10349 Van Kessel, K., Reed, S., Newton, K., Meier, A., Lentz, G. The second stage of labor and stress urinary incontinence. *Am J Obstet Gynecol.* 2001 Jun; 184: 1571-5
- 40569 van Kuijk, A. A., van der Linde, H., van Limbeek, J. Urinary incontinence in stroke patients after admission to a postacute inpatient rehabilitation program. *Arch Phys Med Rehabil.* 2001 Oct; 82: 1407-11
- 42428 van Loenen, N. T., Vierhout, M. E. Augmentation of urethral pressure profile by voluntary pelvic floor contraction. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 284-7
- 40665 van Melick, H. H., Gisolf, K. W., Eckhardt, M. D., van Venrooij, G. E., Boon, T. A. One 24-hour frequency-volume chart in a woman with objective urinary motor urge incontinence is sufficient. *Urology.* 2001 Aug; 58: 188-92
- 52950 van Os-Bossagh, P., Pols, T., Hop, W. C., Bohnen, A. M., Vierhout, M. E., Drogendijk, A. C. Voiding symptoms in chronic pelvic pain (CPP). *Eur J Obstet Gynecol Reprod Biol.* 2003 Apr 25; 107: 185-90
- 41490 Van Savage, J. G., Chancellor, M. B., Slaughenhaupt, B. Transverse retubularized ileovesicostomy continent urinary diversion to the umbilicus. *Tech Urol.* 2000 Mar; 6: 29-33
- 43008 Van Savage, J. G., Khoury, A. E., McLorie, G. A., Churchill, B. M. Outcome analysis of Mitrofanoff principle applications using appendix and ureter to umbilical and lower quadrant stomal sites. *J Urol.* 1996 Nov; 156: 1794-7
- 43974 Van Savage, J. G., McSherry, S. A., Lepor, H., Mohler, J. L. Effects of alpha-adrenergic agonist on neobladder water and electrolyte transport. *Urology.* 1994 Mar; 43: 324-7
- 43644 Van Savage, J. G., Mesrobian, H. G. The impact of prenatal sonography on the morbidity and outcome of patients with renal duplication anomalies. *J Urol.* 1995 Mar; 153: 768-70
- 40710 Van Savage, J. G., Yepuri, J. N. Transverse retubularized sigmoidovesicostomy continent urinary diversion to the umbilicus. *J Urol.* 2001 Aug; 166: 644-7
- 41230 Van Savage, J. G., Yohannes, P. Laparoscopic antegrade continence enema in situ appendix procedure for refractory constipation and overflow fecal incontinence in children with spina bifida. *J Urol.* 2000 Sep; 164: 1084-7
- 42762 Van Savage, J., Slaughenhaupt, B. L. Advances in the management of urinary incontinence in children. *J Ky Med Assoc.* 1997 Jun; 95: 226-34
- 51840 van Veggel, L., Morrell, M., Harris, C., Dormans-Linssen, M. A new device for the treatment of female stress urinary incontinence. *Proc Inst Mech Eng [H].* 2003; 217: 317-21
- 43776 van Venrooij, G. E., Boon, T. A. Extensive urodynamic investigation: interaction among diuresis, detrusor instability, urethral relaxation, incontinence and complaints in women with a history of urge incontinence. *J Urol.* 1994 Nov; 152: 1535-8
- 42881 van Waalwijk van Doorn, E. S., Ambergen, A. W., Janknegt, R. A. Detrusor activity index: quantification of detrusor overactivity by ambulatory monitoring. *J Urol.* 1997 Feb; 157: 596-9
- 43453 van Waalwijk van Doorn, E. S., Gommer, E. D. Ambulatory urodynamics. *Curr Opin Obstet Gynecol.* 1995 Oct; 7: 378-81
- 11904 van Waalwijk van Doorn, E. S., Remmers, A., Janknegt, R. A. Conventional and extramural ambulatory urodynamic testing of the lower urinary tract in female volunteers. *J Urol.* 1992 May; 147: 1319-25; discussion 1326
- 11971 van Waalwijk van Doorn, E. S., Remmers, A., Janknegt, R. A. Extramural ambulatory urodynamic monitoring during natural filling and normal daily activities: evaluation of 100 patients. *J Urol.* 1991 Jul; 146: 124-31
- 12095 van Waalwijk van Doorn, E. S., Zwiers, W. Ambulant monitoring to assess the efficacy of oxybutynin chloride in patients with mixed incontinence. *Eur Urol.* 1990; 18: 49-51
- 44350 Van Zak, D. B. Non-invasive feedback of external pubococcegeii muscle activity as a treatment for urinary incontinence. *Int J Psychosom.* 1993; 40: 56-9
- 10774 van Zon-Rabelink, I., Laven, J., Vleugels, M. The bacteriological changes after re-using a vaginal continence guard. *Acta Obstet Gynecol Scand.* 1999 Sep; 78: 722-7

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

sorted by Primary Author and Title

- 42723 Vancaillie, T. G. Laparoscopic colposuspension and pelvic floor repair. *Curr Opin Obstet Gynecol.* 1997 Aug; 9: 244-6
- 3526 Vancaillie, T.G., Schuessler, W. Laparoscopic bladderneck suspension. *J Laparoendosc Surg.* 1991 Jun; 1: 169-173
- 43592 Vandeberg, C. Female incontinence: critical analysis of diagnostic procedures. *Acta Urol Belg.* 1995 May; 63: 35-6
- 5262 Vanderhooft, J.E., Conrad, E.U., Anderson, P.A., Richardson, M.L., and Bruckner, J. Intradural recurrence with chondrosarcoma of the spine. A case report and review of the literature. *Clin Orthop.* 1993 Sep; 294: 90-95
- 40993 VanderHorst, V. G., Meijer, E., Holstege, G. Estrogen receptor-alpha immunoreactivity in parasympathetic preganglionic neurons innervating the bladder in the adult ovariectomized cat. *Neurosci Lett.* 2001 Feb 9; 298: 147-50
- 59359 Vandoninck, V., Bemelmans, B. L., Mazzetta, C., Robertson, C., Keech, M., Boyle, P., Kiemeney, L. A. The prevalence of urinary incontinence in community-dwelling married women: a matter of definition. *BJU Int.* 2004 Dec; 94: 1291-5
- 57650 Vandoninck, V., Van Balken, M. R., Finazzi Agro, E., Petta, F., Caltagirone, C., Heesakkers, J. P., Kiemeney, L. A., Debruyne, F. M., Bemelmans, B. L. Posterior tibial nerve stimulation in the treatment of urge incontinence. *Neurourol Urodyn.* 2003; 22: 17-23
- 56760 Vandoninck, V., van Balken, M. R., Finazzi Agro, E., Petta, F., Micali, F., Heesakkers, J. P., Debruyne, F. M., Kiemeney, L. A., Bemelmans, B. L. Percutaneous tibial nerve stimulation in the treatment of overactive bladder: urodynamic data. *Neurourol Urodyn.* 2003; 22: 227-32
- 3800 van-Gool, J.D., de-Jong, T.P. Urinary infection, incontinence and clean intermittent catheterisation in myelomeningocele. *Z Kinderchir.* 1990 Dec; 45 Suppl 1: 10
- 3365 van-Gool, J.D., Vijverberg, M.A., and de-Jong, T.P. Functional daytime incontinence: clinical and urodynamic assessment. *Scand J Urol Nephrol Suppl.* 1992; 141: 58-69
- 3362 van-Gool, J.D., Vijverberg, M.A., Messer, A.P., Elzinga-Plomp, A., and de-Jong, T.P. Functional daytime incontinence: non-pharmacological treatment. *Scand J Urol Nephrol Suppl.* 1992; 141: 93-103;discussion104-5
- 3028 Van-Kerrebroeck, P.E., Koldewijn, E.L., Scherpenhuizen, S., and Debruyne, F.M. The morbidity due to lower urinary tract function in spinal cord injury patients. *Paraplegia.* 1993 May; 31: 320-329
- 3407 Van-Rijswijk, L. AHCPR update. The guidelines for urinary incontinence in adults. *Ostomy Wound Manage.* 1992 May; 38: 8,10
- 3269 Van-Rijswijk, L. AHCPR update. Treatment of urinary incontinence. *Ostomy Wound Manage.* 1992 Jul-Aug; 38: 42-43
- 3671 van-Waalwijk-van-Doom, E.S., Remmers, A., and Janknegt, R.A. Extramural ambulatory urodynamic monitoring during natural filling and normal daily activities: evaluation of 100 patients. *J Urol.* 1991 Jul; 146: 124-131
- 40553 Vapnek, J. M. Urinary incontinence. Screening and treatment of urinary dysfunction. *Geriatrics.* 2001 Oct; 56: 25-9; quiz 32
- 44405 Vara, A. R., Shanberg, A. M., Sawyer, D. E., Tansey, L. A., Martin, D. C. Modification of Le Bag ileocolonic pouch with improved results. Review of 17 cases. *Urology.* 1992 Sep; 40: 221-6
- 12051 Varner, R. E. Retropubic long-needle suspension procedures for stress urinary incontinence. *Am J Obstet Gynecol.* 1990 Aug; 163: 551-7
- 11489 Varner, R. E., Plessala, K. J., Richter, H. Effects of sacrocolposuspension on the lower urinary tract. *Am J Obstet Gynecol.* 1995 Dec; 173: 1684-8; discussion 1688-9
- 11951 Varner, R. E., Sparks, J. M. Surgery for stress urinary incontinence. *Surg Clin North Am.* 1991 Oct; 71: 1111-34
- 3962 Varner, R.E. Retropubic long-needle suspension procedures for stress urinary incontinence [see comments]. *Am J Obstet Gynecol.* 1990 Aug; 163: 551-557



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10901** Vasavada, S. P., Rackley, R. R., Appell, R. A. In situ anterior vaginal wall sling formation with preservation of the endopelvic fascia for treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 379-84
- 3875** Vasilev, S.A., Schlaerth, J.B. Intraoperative pressure profile measurement and continence mechanism adjustment in the Indiana pouch urinary reservoir. *Surg Gynecol Obstet.* 1990 Dec; 171: 518-520
- 10024** Vassallo, B. J., Kleeman, S. D., Segal, J. L., Walsh, P., Karram, M. M. Tension-free vaginal tape: a quality-of-life assessment. *Obstet Gynecol.* 2002 Sep; 100: 518-24
- 52600** Vassallo, B. J., Kleeman, S. D., Segal, J., Karram, M. M. Urethral erosion of a tension-free vaginal tape. *Obstet Gynecol.* 2003 May; 101: 1055-8
- 42841** Vecchioli Scaldazza, C. Rehabilitative treatment of non-neurogenic female urinary incontinence. Clinical and urodynamic evaluation. *Minerva Urol Nefrol.* 1997 Mar; 49: 5-8
- 3813** Vehmas, T., Lindell, O., Soimakallio, S., Paivansalo, M., Balk, S., and Kivisaari, L. Percutaneous nephrostomy in the management of urinary leakages and fistulas. *Rontgenblatter.* 1990 Dec; 43: 512-515
- 41952** Velez, J. B. Behavior therapy for urge incontinence in older women. *J Fam Pract.* 1999 Mar; 48: 168-9
- 44972** Venkatesan, P., Gladman, J., Macfarlane, J. T., Barer, D., Berman, P., Kinnear, W., Finch, R. G. A hospital study of community acquired pneumonia in the elderly. *Thorax.* 1990 Apr; 45: 254-8
- 4009** Venkatesan, P., Gladman, J., Macfarlane, J.T., Barer, D., Berman, P., Kinnear, W., and Finch, R.G. A hospital study of community acquired pneumonia in the elderly. *Thorax.* 1990 Apr; 45: 254-258
- 41245** Venn, S. N., Greenwell, T. J., Mundy, A. R. The long-term outcome of artificial urinary sphincters. *J Urol.* 2000 Sep; 164: 702-6; discussion 706-7
- 41758** Venn, S. N., Mundy, A. R. Continent urinary diversion using the Mainz-type ureterosigmoidostomy-- a valuable salvage procedure. *Eur Urol.* 1999 Sep; 36: 247-51
- 11484** Venus, J. T., Calhoun, B. C. Urinary incontinence procedures performed at a military teaching hospital. *Mil Med.* 1995 Dec; 160: 613-4
- 40674** Vereecken, R. L. A critical view on the value of urodynamics in non-neurogenic incontinence in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 188-95
- 43596** Vereecken, R. L. Clinical history and computerized questionnaires in the evaluation of incontinence. *Acta Urol Belg.* 1995 May; 63: 1-7
- 43316** Vereecken, R. L. Physiological and pathological urethral pressure variations. *Urol Int.* 1996; 57: 145-50
- 10250** Vereecken, R. L., Lechat, A. Cadaver fascia lata sling in the treatment of intrinsic sphincter weakness. *Urol Int.* 2001; 67: 232-4
- 10679** Vereecken, R. L., Proesmans, W. Extensive surgery on the trigone for complete ureteral duplication does not cause incontinence or voiding problems. *Urology.* 2000 Feb; 55: 267-70; discussion 270-1
- 41545** Vereecken, R. L., Proesmans, W. Urethral instability as an important element of dysfunctional voiding. *J Urol.* 2000 Feb; 163: 585-8
- 11086** Vereecken, R. L., Van Nuland, T. Detrusor pressure in ambulatory versus standard urodynamics. *Neurourol Urodyn.* 1998; 17: 129-33
- 3321** Vereecken, R.L. Bladder pressure and kidney function in children with myelomeningocele: review article. *Paraplegia.* 1992 Mar; 30: 153-159
- 42623** Vernarec, E. The high costs of hidden conditions. *Bus Health.* 1998 Jan; 16: 19-23
- 42632** Vernon, S., Bleakley, S. A successful bladder retraining program. *Nurs Times.* 1997 Sep 17-23; 93: 50-1
- 40295** Vernon, T. Managing excoriation. *Nurs Times.* 2000 Jul 20; 96: 12



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11140** Veronikis, D. K., Nichols, D. H., Wakamatsu, M. M. The incidence of low-pressure urethra as a function of prolapse- reducing technique in patients with massive pelvic organ prolapse (maximum descent at all vaginal sites). *Am J Obstet Gynecol.* 1997 Dec; 177: 1305-13; discussion 1313-4
- 12081** Versi, E. Discriminant analysis of urethral pressure profilometry data for the diagnosis of genuine stress incontinence. *Br J Obstet Gynaecol.* 1990 Mar; 97: 251-9
- 4024** Versi, E. Incontinence in the climacteric. *Clin Obstet Gynecol.* 1990 Jun; 33: 392-398
- 40764** Versi, E. The clinical value of video-urethrography. *Scand J Urol Nephrol Suppl.* 2001; : 74-9; discussion 106-25
- 11973** Versi, E. The significance of an open bladder neck in women. *Br J Urol.* 1991 Jul; 68: 42-3
- 44477** Versi, E. The Stamey endoscopic bladder neck suspension: a clinical and urodynamic investigation, including actuarial follow-up over four years. *Br J Obstet Gynaecol.* 1992 May; 99: 442-3
- 3333** Versi, E. The Stamey endoscopic bladder neck suspension: a clinical and urodynamic investigation, including actuarial follow-up over four years [letter]. *Br J Obstet Gynaecol.* 1992 May; 99: 442-443
- 41421** Versi, E., Appell, R., Mobley, D., Patton, W., Saltzstein, D. Dry mouth with conventional and controlled-release oxybutynin in urinary incontinence. The Ditropan XL Study Group. *Obstet Gynecol.* 2000 May; 95: 718-21
- 3597** Versi, E., Cardozo, L., Anand, D., and Cooper, D. Symptoms analysis for the diagnosis of genuine stress incontinence. *Br J Obstet Gynaecol.* 1991 Aug; 98: 815-819
- 11959** Versi, E., Cardozo, L., Anand, D., Cooper, D. Symptoms analysis for the diagnosis of genuine stress incontinence. *Br J Obstet Gynaecol.* 1991 Aug; 98: 815-9
- 3594** Versi, E., Cardozo, L., and Cooper, D.J. Urethral pressures: analysis of transmission pressure ratios. *Br J Urol.* 1991 Sep; 68: 266-270
- 11954** Versi, E., Cardozo, L., Cooper, D. J. Urethral pressures: analysis of transmission pressure ratios. *Br J Urol.* 1991 Sep; 68: 266-70
- 10995** Versi, E., Griffiths, D. J., Harvey, M. A. A new external urethral occlusive device for female urinary incontinence. *Obstet Gynecol.* 1998 Aug; 92: 286-91
- 10918** Versi, E., Harvey, M. A. Efficacy of an external urethral device in women with genuine stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 271-4
- 10930** Versi, E., Lyell, D. J., Griffiths, D. J. Videourodynamic diagnosis of occult genuine stress incontinence in patients with anterior vaginal wall relaxation. *J Soc Gynecol Investig.* 1998 Nov-Dec; 5: 327-30
- 43273** Versi, E., Orrego, G., Hardy, E., Seddon, G., Smith, P., Anand, D. Evaluation of the home pad test in the investigation of female urinary incontinence. *Br J Obstet Gynaecol.* 1996 Feb; 103: 162-7
- 40243** Vickerman, J. The role of the occupational therapist in continence care. *Nurs Times.* 2002 Apr 23-29; 98: 52
- 3789** Victor, A. Pad weighing test--a simple method to quantitate urinary incontinence. *Ann Med.* 1990 Dec; 22: 443-447
- 11035** Videla, F. L., Wall, L. L. Stress incontinence diagnosed without multichannel urodynamic studies. *Obstet Gynecol.* 1998 Jun; 91: 965-8
- 10620** Viera, A. J., Larkins-Pettigrew, M. Practical use of the pessary. *Am Fam Physician.* 2000 May 1; 61: 2719-26, 2729
- 59066** Viereck, V., Bader, W., Skala, C., Gauruder-Burmester, A., Emons, G., Hilgers, R., Krauss, T. Determination of bladder neck position by intraoperative introital ultrasound in colposuspension: outcome at 6-month follow-up. *Ultrasound Obstet Gynecol.* 2004 Aug; 24: 186-91
- 10366** Vierhout, M. E. Severe hemorrhage complicating tension-free vaginal tape (TVT): a case report. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 139-40
- 11769** Vierhout, M. E., Gianotten, W. L. Mechanisms of urine loss during sexual activity. *Eur J Obstet Gynecol Reprod Biol.* 1993 Nov; 52: 45-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11095 Vierhout, M. E., Hol, M. Vaginal ultrasound studies before and after successful colposuspension and in continent controls. *Acta Obstet Gynecol Scand.* 1998 Jan; 77: 101-4
- 11169 Vierhout, M. E., Lose, G. Preventive vaginal and intra-urethral devices in the treatment of female urinary stress incontinence. *Curr Opin Obstet Gynecol.* 1997 Oct; 9: 325-8
- 11884 Vierhout, M. E., Mulder, A. F. De novo detrusor instability after Burch colposuspension. *Acta Obstet Gynecol Scand.* 1992 Aug; 71: 414-6
- 42938 Vijverberg, M. A., Elzinga-Plomp, A., Messer, A. P., van Gool, J. D., de Jong, T. P. Bladder rehabilitation, the effect of a cognitive training programme on urge incontinence. *Eur Urol.* 1997; 31: 68-72
- 53580 Viktrup, L. Female stress and urge incontinence in family practice: insight into the lower urinary tract. *Int J Clin Pract.* 2002 Nov; 56: 694-700
- 10196 Viktrup, L. The risk of lower urinary tract symptoms five years after the first delivery. *Neurourol Urodyn.* 2002; 21: 2-29
- 51090 Viktrup, L., Bump, R. C. Pharmacological agents used for the treatment of stress urinary incontinence in women. *Curr Med Res Opin.* 2003; 19: 485-90
- 59182 Viktrup, L., Koke, S., Burgio, K. L., Ouslander, J. G. Stress urinary incontinence in active elderly women. *South Med J.* 2005 Jan; 98: 79-89
- 10256 Viktrup, L., Lose, G. Do fertile women remember the onset of stress incontinence? Recall bias 5 years after 1st delivery. *Acta Obstet Gynecol Scand.* 2001 Oct; 80: 952-5
- 11756 Viktrup, L., Lose, G. Epidural anesthesia during labor and stress incontinence after delivery. *Obstet Gynecol.* 1993 Dec; 82: 984-6
- 10466 Viktrup, L., Lose, G. Lower urinary tract symptoms 5 years after the first delivery. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Dec; 11: 336-40
- 10302 Viktrup, L., Lose, G. The risk of stress incontinence 5 years after first delivery. *Am J Obstet Gynecol.* 2001 Jul; 185: 82-7
- 3425 Viktrup, L., Lose, G., Rolff, M., and Barfoed, K. The symptom of stress incontinence caused by pregnancy or delivery in primiparas. *Obstet Gynecol.* 1992 Jun; 79: 945-949
- 11898 Viktrup, L., Lose, G., Rolff, M., Barfoed, K. The symptom of stress incontinence caused by pregnancy or delivery in primiparas. *Obstet Gynecol.* 1992 Jun; 79: 945-9
- 59121 Viktrup, L., Summers, K. H., Dennett, S. L. Clinical practice guidelines for the initial management of urinary incontinence in women: a European-focused review. *BJU Int.* 2004 Jul; 94 Suppl 1: 14-22
- 44396 Viljoen, A. C. Further experience with the vaginal strips sling operation. *S Afr Med J.* 1992 Oct; 82: 286-7
- 3253 Viljoen, A.C. Further experience with the vaginal strips sling operation [letter]. *S Afr Med J.* 1992 Oct; 82: 286-287
- 4003 Viljoen, A.C. The vaginal strips sling operation. An alternative procedure for urinary incontinence. *S Afr Med J.* 1990 Jun 16; 77: 632-634
- 53610 Villet, R., Ercoli, A., Atallah, D., Hoffmann, P., Salet-Lizee, D. Second tension-free vaginal tape procedure and mesh retensioning: two possibilities of treatment of recurrent-persistent genuine stress urinary incontinence after a primary tension-free vaginal tape procedure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002 Nov; 13: 377-9
- 44154 Vincent, C. Osteitis pubis. *J Am Board Fam Pract.* 1993 Sep-Oct; 6: 492-6
- 40585 Vinker, S., Kaplan, B., Nakar, S., Samuels, G., Shapira, G., Kitai, E. Urinary incontinence in women: prevalence, characteristics and effect on quality of life. A primary care clinic study. *Isr Med Assoc J.* 2001 Sep; 3: 663-6
- 12009 Vinsnes, A. G., Hunskaar, S. Distress associated with urinary incontinence, as measured by a visual analogue scale. *Scand J Caring Sci.* 1991; 5: 57-61
- 42014 Vinson, J., Proch, J. Inhibition of moisture penetration to the skin by a novel incontinence barrier product. *J Wound Ostomy Continence Nurs.* 1998 Sep; 25: 256-60

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 42096** Virgili, A., Corazza, M., Califano, A. Diaper dermatitis in an adult. A case of erythema papuloerosive of Sevestre and Jacquet. *J Reprod Med.* 1998 Nov; 43: 949-51
- 10037** Virtanen, H. S., Kiilholma, P. Urogynecologic ultrasound is a useful aid in the assessment of female stress urinary incontinence--a prospective study with TVT procedure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 218-22; discussion 223
- 11799** Virtanen, H. S., Makinen, J. I. Retrospective analysis of 711 patients operated on for pelvic relaxation in 1983-1989. *Int J Gynaecol Obstet.* 1993 Aug; 42: 109-15
- 11648** Virtanen, H. S., Makinen, J. I. Vesicocervical fistula--a rare cause of urinary incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1994 Oct; 57: 54-5
- 11707** Virtanen, H., Hirvonen, T., Makinen, J., Kiilholma, P. Outcome of thirty patients who underwent repair of posthysterectomy prolapse of the vaginal vault with abdominal sacral colpopexy. *J Am Coll Surg.* 1994 Mar; 178: 283-7
- 11753** Virtanen, H., Makinen, J., Tenho, T., Kiilholma, P., Pitkanen, Y., Hirvonen, T. Effects of abdominal hysterectomy on urinary and sexual symptoms. *Br J Urol.* 1993 Dec; 72: 868-72
- 10886** Visco, A. G., Figuers, C. Nonsurgical management of pelvic floor dysfunction. *Obstet Gynecol Clin North Am.* 1998 Dec; 25: 849-65, vii
- 41590** Visco, A. G., Weidner, A. C., Cundiff, G. W., Bump, R. C. Observed patient compliance with a structured outpatient bladder retraining program. *Am J Obstet Gynecol.* 1999 Dec; 181: 1392-4
- 41750** Visco, A. G., Yamauchi, M. Collagen cross-linking in patients with urinary incontinence. *Am J Obstet Gynecol.* 1999 Aug; 181: 509-10
- 52470** Viseshsindh, W., Kochakarn, W., Waikakul, W., Roongruangsilp, U., Siripornpinyo, N., Viseshsindh, V. A randomized controlled trial of pubovaginal sling versus vaginal wall sling for stress urinary incontinence. *J Med Assoc Thai.* 2003 Apr; 86: 308-15
- 10199** Visser, A. J., Heyns, C. F., Visser Jun, A. J. Vesicosuspension for female stress incontinence and cystocele using pubic bone anchors. *S Afr J Surg.* 2001 Nov; 39: 129-32
- 10467** Vodusek, D. B. Clinical neurophysiological tests in urogynecology. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Dec; 11: 333-5
- 58010** Vodusek, D. B. The role of electrophysiology in the evaluation of incontinence and prolapse. *Curr Opin Obstet Gynecol.* 2002 Oct; 14: 509-14
- 42179** Voelker, R. International group seeks to dispel incontinence 'taboo'. *JAMA.* 1998 Sep 16; 280: 951-3
- 41256** Volkmer, B. G., Kuefer, R., Nesslerauer, T., Loeffler, M., Gottfried, H. W. Colour Doppler ultrasound in vesicovaginal fistulas. *Ultrasound Med Biol.* 2000 Jun; 26: 771-5
- 53370** Volkmer, B. G., Nesslerauer, T., Rinnab, L., Schradin, T., Hautmann, R. E., Gottfried, H. W. Surgical intervention for complications of tension-free vaginal tape procedure. *J Urol.* 2003 Feb; 169: 570-4
- 42386** von Gontard, A. Annotation: day and night wetting in children--a paediatric and child psychiatric perspective. *J Child Psychol Psychiatry.* 1998 May; 39: 439-51
- 41771** von Gontard, A., Benden, B., Mauer-Mucke, K., Lehmkuhl, G. Somatic correlates of functional enuresis. *Eur Child Adolesc Psychiatry.* 1999 Jun; 8: 117-25
- 31300** von Gontard, A., Hollmann, E., Eiberg, H., Benden, B., Rittig, S., Lehmkuhl, G. Clinical enuresis phenotypes in familial nocturnal enuresis. *Scand J Urol Nephrol Suppl.* 1997; 183: 11-6
- 10268** von Gontard, A., Laufersweiler-Plass, C., Backes, M., Zerres, K., Rudnik-Schoneborn, S. Enuresis and urinary incontinence in children and adolescents with spinal muscular atrophy. *BJU Int.* 2001 Sep; 88: 409-13
- 42322** von Gontard, A., Lettgen, B., Olbing, H., Heiken-Lowenau, C., Gaebel, E., Schmitz, I. Behavioural problems in children with urge incontinence and voiding postponement: a comparison of a paediatric and child psychiatric sample. *Br J Urol.* 1998 May; 81 Suppl 3: 100-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40527 von Gontard, A., Schaumburg, H., Hollmann, E., Eiberg, H., Rittig, S. The genetics of enuresis: a review. *J Urol*. 2001 Dec; 166: 2438-43
- 41480 von Holst, T., Salbach, B. Efficacy and tolerability of a new 7-day transdermal estradiol patch versus placebo in hysterectomized women with postmenopausal complaints. *Maturitas*. 2000 Feb 15; 34: 143-53
- 51920 von Pechmann, W. S., Mutone, M., Fyffe, J., Hale, D. S. Total colpocleisis with high levator plication for the treatment of advanced pelvic organ prolapse. *Am J Obstet Gynecol*. 2003 Jul; 189: 121-6
- 11221 von Theobald, P., Barjot, P., Levy, G. Feasibility of and interest in laparoscopic assessment in recurrent urinary stress incontinence after Burch procedure performed by laparotomy. *Surg Endosc*. 1997 May; 11: 468-71
- 11497 von Theobald, P., Guillaumin, D., Levy, G. Laparoscopic preperitoneal colposuspension for stress incontinence in women. Technique and results of 37 procedures. *Surg Endosc*. 1995 Nov; 9: 1189-92
- 44930 von Wendt, L., Simila, S., Niskanen, P., Jarvelin, M. R. Development of bowel and bladder control in the mentally retarded. *Dev Med Child Neurol*. 1990 Jun; 32: 515-8
- 3996 von-Wendt, L., Simila, S., Niskanen, P., and Jarvelin, M.R. Development of bowel and bladder control in the mentally retarded. *Dev Med Child Neurol*. 1990 Jun; 32: 515-518
- 41016 Votolato, N. A., Stern, S., Caputo, R. M. Serotonergic antidepressants and urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000 Dec; 11: 386-8
- 41618 Vowles, J. E., Wagg, A. S. The pressure-flow plot in the evaluation of female incontinence. *BJU Int*. 1999 Dec; 84: 948-52
- 41542 Vroomen, P. C., de Krom, M. C., Knottnerus, J. A. Consistency of history taking and physical examination in patients with suspected lumbar nerve root involvement. *Spine*. 2000 Jan; 25: 91-6; discussion 97
- 43572 Vukovich, J. G., McKenna, P. H., Grice, G. P., Docimo, S. G. A heterotopic autoinnervated urinary neosphincter. *J Urol*. 1995 Jun; 153: 2010-3
- 42680 Waaldijk, K. Immediate indwelling bladder catheterization at postpartum urine leakage--personal experience of 1200 patients. *Trop Doct*. 1997 Oct; 27: 227-8
- 43611 Waaldijk, K. Surgical classification of obstetric fistulas. *Int J Gynaecol Obstet*. 1995 May; 49: 161-3
- 43961 Waaldijk, K. The immediate surgical management of fresh obstetric fistulas with catheter and/or early closure. *Int J Gynaecol Obstet*. 1994 Apr; 45: 11-6
- 3843 Wade, B.E. Colostomy patients: psychological adjustment at 10 weeks and 1 year after surgery in districts which employed stoma-care nurses and districts which did not. *J Adv Nurs*. 1990 Nov; 15: 1297-1304
- 40663 Wadley, J., Harkness, W., Thompson, D., Hayward, R. Urinary incontinence and ventriculoperitoneal shunts. *Pediatr Neurosurg*. 2001 Jul; 35: 52
- 50350 Waetjen, L. E., Brown, J. S., Modelska, K., Blackwell, T., Vittinghoff, E., Cummings, S. R. Effect of raloxifene on urinary incontinence: a randomized controlled trial. *Obstet Gynecol*. 2004 Feb; 103: 261-6
- 10576 Waetjen, L. E., Jackson, R. Periurethral collagen injection for stress incontinence with and without urethral hypermobility. *Obstet Gynecol*. 2000 Jul; 96: 153
- 52810 Waetjen, L. E., Subak, L. L., Shen, H., Lin, F., Wang, T. H., Vittinghoff, E., Brown, J. S. Stress urinary incontinence surgery in the United States. *Obstet Gynecol*. 2003 Apr; 101: 671-6
- 56840 Wagenius, J., Laurin, J. Clinical symptoms after anal sphincter rupture: a retrospective study. *Acta Obstet Gynecol Scand*. 2003 Mar; 82: 246-50
- 59322 Wagg, A. Urinary incontinence--older people: where are we now?. *BJOG*. 2004 Dec; 111 Suppl 1: 15-9
- 11300 Wagg, A. S., Lieu, P. K., Ding, Y. Y., Malone-Lee, J. G. A urodynamic analysis of age associated changes in urethral function in women with lower urinary tract symptoms. *J Urol*. 1996 Dec; 156: 1984-8
- 42124 Wagg, A., Bayliss, M., Ingham, N. J., Arnold, K., Malone-Lee, J. Urodynamic variables cannot be used to classify the severity of detrusor instability. *Br J Urol*. 1998 Oct; 82: 499-502

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 42054 Wagg, A., Malone-Lee, J. The management of urinary incontinence in the elderly. *Br J Urol.* 1998 Dec; 82 Suppl 1: 11-7
- 42192 Wagner, T. H., Hu, T. W. Economic costs of urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 127-8
- 43372 Wagner, T. H., Patrick, D. L., Bavendam, T. G., Martin, M. L., Buesching, D. P. Quality of life of persons with urinary incontinence: development of a new measure. *Urology.* 1996 Jan; 47: 67-71; discussion 71-2
- 11008 Wahle, G. Durable continence procedures for women. *J Urol.* 1998 Aug; 160: 377
- 11700 Wahle, G. R., Young, G. P., Raz, S. Vaginal surgery for stress urinary incontinence. *Urology.* 1994 Apr; 43: 416-9
- 59131 Wai, C. Y., Corton, M. M., Miller, M., Sailors, J., Schaffer, J. I. Multiple vaginal wall cysts: diagnosis and surgical management. *Obstet Gynecol.* 2004 May; 103: 1099-102
- 59368 Wai, C. Y., Liehr, P., Boreham, M. K., Schaffer, J. I., Word, R. A. Effect of periurethral denervation on smooth muscles of the lower urinary tract. *Am J Obstet Gynecol.* 2004 Dec; 191: 1950-60
- 54780 Wai, C. Y., Liehr, P., Tibbals, H. F., Sager, M., Schaffer, J. I., Word, R. A. Effect of periurethral denervation on function of the female urethra. *Am J Obstet Gynecol.* 2003 Dec; 189: 1637-45
- 51390 Wai, C. Y., Margulis, V., Baugh, B. R., Schaffer, J. I. Multiple vesical calculi and complete vaginal vault prolapse. *Am J Obstet Gynecol.* 2003 Sep; 189: 884-5
- 11036 Wainstein, M. A., Klutke, C. G. Periurethral pseudocyst following cystoscopic collagen injection. *Urology.* 1998 May; 51: 835-6
- 56420 Wakamatsu, M. M. What affects bladder function more: menopause or age?. *Menopause.* 2003 May-Jun; 10: 191-2
- 10321 Wakavaichi, V. M., Girao, M. J., Sartori, M. G., Baracat, E. C., Rodrigues de Lima, G., Novo, N. F. Changes in the lower urinary tract in continent women and in women with stress urinary incontinence, according to menopausal status. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 156-60
- 42222 Wakhlu, A., Dalela, D., Tandon, R. K., Chandra, H., Wakhlu, A. K. The single ectopic ureter. *Br J Urol.* 1998 Aug; 82: 246-51
- 11890 Walker, G. T., Texter, J. H., Jr Success and patient satisfaction following the Stamey procedure for stress urinary incontinence. *J Urol.* 1992 Jun; 147: 1521-3
- 54620 Walker, L. J., Evison, J. G., Garrett, C. Recurrent pancreatitis: not just alcohol, gallstones and scorpion venom. *J R Soc Med.* 2004 Feb; 97: 82-3
- 55630 Walker, R. D. The management of the failed bladder neck procedure in patients with spina bifida. *BJU Int.* 2003 Oct; 92 Suppl 1: 35-7
- 43524 Walker, R. D., 3rd, Flack, C. E., Hawkins-Lee, B., Lim, D. J., Parramore, H., Hackett, R. L. Rectus fascial wrap: early results of a modification of the rectus fascial sling. *J Urol.* 1995 Aug; 154: 771-4
- 59301 Wall, J., Colley, T. A study to evaluate factors for inclusion in a new self-assessed risk indicator for persons who use a wheelchair for mobility. *J Tissue Viability.* 2005 Jan; 15: 9-16
- 41941 Wall, L. L. Birth trauma and the pelvic floor: lessons from the developing world. *J Womens Health.* 1999 Mar; 8: 149-55
- 41192 Wall, L. L. Cost-effectiveness of elective cesarean delivery after one prior low transverse cesarean. *Obstet Gynecol.* 2000 Sep; 96: 482
- 57750 Wall, L. L. Fitsari 'dan Duniya. An African (Hausa) praise song about vesicovaginal fistulas. *Obstet Gynecol.* 2002 Dec; 100: 1328-32
- 11791 Wall, L. L. Medical management of pelvic relaxation. *Curr Opin Obstet Gynecol.* 1993 Aug; 5: 440-5
- 12064 Wall, L. L. The management of detrusor instability. *Clin Obstet Gynecol.* 1990 Jun; 33: 367-77
- 11754 Wall, L. L. The muscles of the pelvic floor. *Clin Obstet Gynecol.* 1993 Dec; 36: 910-25



# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 53150 Wall, L. L. The treatment of urinary incontinence in 1814. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Feb; 14: 67-9
- 12084 Wall, L. L., Addison, W. A. Prazosin-induced stress incontinence. *Obstet Gynecol*. 1990 Mar; 75: 558-60
- 11295 Wall, L. L., Copas, P., Galloway, N. T. Use of a pedicled rectus abdominis muscle flap sling in the treatment of complicated stress urinary incontinence. *Am J Obstet Gynecol*. 1996 Dec; 175: 1460-4; discussion 1464-6
- 11903 Wall, L. L., Davidson, T. G. The role of muscular re-education by physical therapy in the treatment of genuine stress urinary incontinence. *Obstet Gynecol Surv*. 1992 May; 47: 322-31
- 11685 Wall, L. L., Helms, M., Peattie, A. B., Pearce, M., Stanton, S. L. Bladder neck mobility and the outcome of surgery for genuine stress urinary incontinence. A logistic regression analysis of lateral bead- chain cystourethrograms. *J Reprod Med*. 1994 Jun; 39: 429-35
- 11654 Wall, L. L., Hewitt, J. K. Urodynamic characteristics of women with complete posthysterectomy vaginal vault prolapse. *Urology*. 1994 Sep; 44: 336-41; discussion 341-2
- 11397 Wall, L. L., Hewitt, J. K. Voiding function after Burch colposuspension for stress incontinence. *J Reprod Med*. 1996 Mar; 41: 161-5
- 43620 Wall, L. L., Hewitt, J. K., Helms, M. J. Are vaginal and rectal pressures equivalent approximations of one another for the purpose of performing subtracted cystometry?. *Obstet Gynecol*. 1995 Apr; 85: 488-93
- 12057 Wall, L. L., Wang, K., Robson, I., Stanton, S. L. The Pyridium pad test for diagnosing urinary incontinence. A comparative study of asymptomatic and incontinent women. *J Reprod Med*. 1990 Jul; 35: 682-4
- 11634 Wall, L. L., Wiskind, A. K., Taylor, P. A. Simple bladder filling with a cough stress test compared with subtracted cystometry for the diagnosis of urinary incontinence. *Am J Obstet Gynecol*. 1994 Dec; 171: 1472-7; discussion 1477-9
- 3854 Wall, L.L. Diagnosis and management of urinary incontinence due to detrusor instability. *Obstet Gynecol Surv*. 1990 Nov; 45: 1S-47S
- 3592 Wall, L.L., DeLancey, J.O. The politics of prolapse: a revisionist approach to disorders of the pelvic floor in women. *Perspect Biol Med*. 1991 Summer; 34: 486-496
- 3978 Wall, L.L., Wang, K., Robson, I., and Stanton, S.L. The Pyridium pad test for diagnosing urinary incontinence. A comparative study of asymptomatic and incontinent women. *J Reprod Med*. 1990 Jul; 35: 682-684
- 43958 Wallace, K. Female pelvic floor functions, dysfunctions, and behavioral approaches to treatment. *Clin Sports Med*. 1994 Apr; 13: 459-81
- 43676 Waller, L., Jonsson, O., Norlen, L., Sullivan, L. Clean intermittent catheterization in spinal cord injury patients: long- term followup of a hydrophilic low friction technique. *J Urol*. 1995 Feb; 153: 345-8
- 3958 Wallner, K.E., Nori, D., Morse, M.J., Sogani, P.C., Whitmore, W.F., and Fuks, Z. 125iodine reimplantation for locally progressive prostatic carcinoma. *J Urol*. 1990 Sep; 144: 704-706
- 11587 Wallwiener, D., Grischke, E. M., Rimbach, S., Maleika, A., Bastert, G. Endoscopic retropubic colposuspension: 'Retziusscopy' versus laparoscopy--a reasonable enlargement of the operative spectrum in the management of recurrent stress incontinence?. *Endosc Surg Allied Technol*. 1995 Apr-Jun; 3: 115-8
- 43463 Walsh, A. Incontinence in the older woman. *Ir Med J*. 1995 Sep-Oct; 88: 151
- 10043 Walsh, I. K., Nambirajan, T., Donellan, S. M., Mahendra, V., Stone, A. R. Cadaveric fascia lata pubovaginal slings: early results on safety, efficacy and patient satisfaction. *BJU Int*. 2002 Sep; 90: 415-9
- 41029 Walsh, I. K., Thompson, T., Loughridge, W. G., Johnston, S. R., Keane, P. F., Stone, A. R. Non-invasive antidromic neurostimulation: a simple effective method for improving bladder storage. *Neurourol Urodyn*. 2001; 20: 73-84
- 50270 Walsh, K., Generao, S. E., White, M. J., Katz, D., Stone, A. R. The influence of age on quality of life outcome in women following a tension-free vaginal tape procedure. *J Urol*. 2004 Mar; 171: 1185-8



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40112** Walter, A. J., Buller, J. L., Davis, G. Variability of reported techniques for performance of the pubovaginal sling procedure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 160-4; discussion 164
- 10049** Walter, A. J., Iglesia, C. B. Surgical management of stress urinary incontinence: consideration for an algorithmic approach. *Curr Womens Health Rep.* 2002 Aug; 2: 291-7
- 10142** Walter, A. J., Morse, A. N., Hammer, R. H., Hentz, J. G., Magrina, J. F., Cornella, J. L., Magtibay, P. M. Laparoscopic versus open Burch retropubic urethropexy: comparison of morbidity and costs when performed with concurrent vaginal prolapse repairs. *Am J Obstet Gynecol.* 2002 Apr; 186: 723-8
- 41137** Walter, A., Magtibay, P., Cornella, J. L. Percutaneous bone anchor sling using synthetic mesh associated with urethral overcorrection and erosion. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 328-9
- 11846** Walter, J. S., Wheeler, J. S., Morgan, C., Zaszczurynski, P., Plishka, M. Measurement of total urethral compliance in females with stress incontinence. *Neurourol Urodyn.* 1993; 12: 273-6
- 3032** Walter, J.S., Wheeler, J.S., Morgan, C., Zaszczurynski, P., and Plishka, M. Measurement of total urethral compliance in females with stress incontinence. *Neurourol Urodyn.* 1993; 12: 273-276
- 45066** Walters, M. D. The unstable urethra in the female. *Obstet Gynecol.* 1990 Jan; 75: 142-3
- 10213** Walters, M. D., Iannetta, L. T. Combination of pessary and periurethral collagen injections for nonsurgical treatment of uterovaginal prolapse and genuine stress urinary incontinence. *Obstet Gynecol.* 1997 Oct; 90: 691-2
- 12048** Walters, M. D., Jackson, G. M. Urethral mobility and its relationship to stress incontinence in women. *J Reprod Med.* 1990 Aug; 35: 777-84
- 11883** Walters, M. D., Realini, J. P., Dougherty, M. Nonsurgical treatment of urinary incontinence. *Curr Opin Obstet Gynecol.* 1992 Aug; 4: 554-8
- 12107** Walters, M. D., Taylor, S., Schoenfeld, L. S. Psychosexual study of women with detrusor instability. *Obstet Gynecol.* 1990 Jan; 75: 22-6
- 10237** Walters, M. D., Tulikangas, P. K., LaSala, C., Muir, T. W. Vascular injury during tension-free vaginal tape procedure for stress urinary incontinence. *Obstet Gynecol.* 2001 Nov; 98: 957-9
- 4214** Walters, M.D. The unstable urethra in the female [letter; comment]. *Obstet Gynecol.* 1990 Jan; 75: 142-143
- 3423** Walters, M.D., Realini, J.P. The evaluation and treatment of urinary incontinence in women: a primary care approach. *J Am Board Fam Pract.* 1992 May-Jun; 5: 289-301
- 3285** Walters, M.D., Realini, J.P., and Dougherty, M. Nonsurgical treatment of urinary incontinence. *Curr Opin Obstet Gynecol.* 1992 Aug; 4: 554-558
- 4213** Walters, M.D., Taylor, S., and Schoenfeld, L.S. Psychosexual study of women with detrusor instability. *Obstet Gynecol.* 1990 Jan; 75: 22-26
- 44920** Wan, J. L., McGuire, E. J. Augmentation cystoplasty and closure of the urethra for the destroyed lower urinary tract. *J Am Paraplegia Soc.* 1990 Jul; 13: 40-5
- 11796** Wan, J., McGuire, E. J., Bloom, D. A., Ritchey, M. L. Stress leak point pressure: a diagnostic tool for incontinent children. *J Urol.* 1993 Aug; 150: 700-2
- 44447** Wan, J., McGuire, E. J., Bloom, D. A., Ritchey, M. L. The treatment of urinary incontinence in children using glutaraldehyde cross-linked collagen. *J Urol.* 1992 Jul; 148: 127-30
- 3039** Wan, J., McGuire, E.J., Bloom, D.A., and Ritchey, M.L. Stress leak point pressure: a diagnostic tool for incontinent children. *J Urol.* 1993 Aug; 150: 700-702
- 3347** Wan, J., McGuire, E.J., Bloom, D.A., and Ritchey, M.L. The treatment of urinary incontinence in children using glutaraldehyde cross-linked collagen. *J Urol.* 1992 Jul; 148: 127-130
- 10525** Wang, A. C. An assessment of the early surgical outcome and urodynamic effects of the tension-free vaginal tape (TVT). *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 282-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10479 Wang, A. C. Bladder-sphincter biofeedback as treatment of detrusor instability in women who failed to respond to oxybutynin. *Changgeng Yi Xue Za Zhi*. 2000 Oct; 23: 590-9
- 11353 Wang, A. C. Burch colposuspension vs. Stamey bladder neck suspension. A comparison of complications with special emphasis on detrusor instability and voiding dysfunction. *J Reprod Med*. 1996 Jul; 41: 529-33
- 50190 Wang, A. C. The techniques of trocar insertion and intraoperative urethrocystoscopy in tension-free vaginal taping: an experience of 600 cases. *Acta Obstet Gynecol Scand*. 2004 Mar; 83: 293-8
- 10153 Wang, A. C., Chen, M. C. A comparison of urethral pressure profilometry using microtip and double-lumen perfusion catheters in women with genuine stress incontinence. *BJOG*. 2002 Mar; 109: 322-6
- 52710 Wang, A. C., Chen, M. C. Comparison of tension-free vaginal taping versus modified Burch colposuspension on urethral obstruction: a randomized controlled trial. *Neurourol Urodyn*. 2003; 22: 185-90
- 10419 Wang, A. C., Chen, M. C. Randomized comparison of local versus epidural anesthesia for tension- free vaginal tape operation. *J Urol*. 2001 Apr; 165: 1177-80
- 52920 Wang, A. C., Chen, M. C. The correlation between preoperative voiding mechanism and surgical outcome of the tension-free vaginal tape procedure, with reference to quality of life. *BJU Int*. 2003 Apr; 91: 502-6
- 59215 Wang, A. C., Lee, L. Y., Lin, C. T., Chen, J. R. A histologic and immunohistochemical analysis of defective vaginal healing after continence taping procedures: a prospective case-controlled pilot study. *Am J Obstet Gynecol*. 2004 Dec; 191: 1868-74
- 11039 Wang, A. C., Lo, T. S. Tension-free vaginal tape. A minimally invasive solution to stress urinary incontinence in women. *J Reprod Med*. 1998 May; 43: 429-34
- 53630 Wang, K. H., Wang, K. H., Neimark, M., Davila, G. W. Voiding dysfunction following TVT procedure. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002 Nov; 13: 353-7; discussion 358
- 41600 Wang, K., Yamataka, A., Morioka, A., Lane, G. J., Iwashita, K., Miyano, T. Complications after sigmoidocolocystoplasty: review of 100 cases at one institution. *J Pediatr Surg*. 1999 Nov; 34: 1672-7
- 56030 Wang, M. Y., Levi, A. D., Green, B. A. Intradural spinal arachnoid cysts in adults. *Surg Neurol*. 2003 Jul; 60: 49-55; discussion 55-6
- 40218 Wang, P. S., Levin, R., Zhao, S. Z., Avorn, J. Urinary antispasmodic use and the risks of ventricular arrhythmia and sudden death in older patients. *J Am Geriatr Soc*. 2002 Jan; 50: 117-24
- 3469 Wang, Y., Hadley, H.R. Experiences with the artificial urinary sphincter in the irradiated patient. *J Urol*. 1992 Mar; 147: 612-613
- 3601 Wang, Y., Hadley, H.R. Management of persistent or recurrent urinary incontinence after placement of artificial urinary sphincter. *J Urol*. 1991 Oct; 146: 1005-1006
- 55970 Wang, Y., Lim, L. L., Heller, R. F., Fisher, J., Levi, C. R. A prediction model of 1-year mortality for acute ischemic stroke patients. *Arch Phys Med Rehabil*. 2003 Jul; 84: 1006-11
- 40698 Wang, Y., Lim, L. L., Levi, C., Heller, R. F., Fischer, J. A prognostic index for 30-day mortality after stroke. *J Clin Epidemiol*. 2001 Aug; 54: 766-73
- 3664 Wanich, C.K., Reilly, N.J. Incontinence care products: non-surgical management of urinary incontinence. *Ostomy Wound Manage*. 1991 May-Jun; 34: 45-6,48,51
- 50210 Ward, K. L., Hilton, P. A prospective multicenter randomized trial of tension-free vaginal tape and colposuspension for primary urodynamic stress incontinence: two-year follow-up. *Am J Obstet Gynecol*. 2004 Feb; 190: 324-31
- 10072 Ward, K., Hilton, P. Prospective multicentre randomised trial of tension-free vaginal tape and colposuspension as primary treatment for stress incontinence. *BMJ*. 2002 Jul 13; 325: 67-73
- 3473 Warkentin, R. Implementation of a urinary continence program. *J Gerontol Nurs*. 1992 Jan; 18: 31-36

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 56980** Warming, L., Christoffersen, C., Riis, B. J., Stakkestad, J. A., Delmas, P. D., Christiansen, C. Adverse effects of a SERM (Levomeloxifene). Safety parameters and bone mineral density 12 months after treatment withdrawal. *Maturitas*. 2003 Mar 28; 44: 189-99
- 43836** Warner, J. P., Harvey, C. A., Barnes, T. R. Clozapine and urinary incontinence. *Int Clin Psychopharmacol*. 1994 Sep; 9: 207-9
- 4137** Warren, J.W. Urine-collection devices for use in adults with urinary incontinence. *J Am Geriatr Soc*. 1990 Mar; 38: 364-367
- 10574** Warren, M. P., Shantha, S. The female athlete. *Baillieres Best Pract Res Clin Endocrinol Metab*. 2000 Mar; 14: 37-53
- 40157** Warshaw, E., Nix, D., Kula, J., Markon, C. E. Clinical and cost effectiveness of a cleanser protectant lotion for treatment of perineal skin breakdown in low-risk patients with incontinence. *Ostomy Wound Manage*. 2002 Jun; 48: 44-51
- 3877** Warshaw, G.A. New perspectives in the management of Alzheimer's disease. *Am Fam Physician*. 1990 Nov; 42: 41S-47S
- 3867** Warwick, D.J., Abrams, P. The perineal artificial sphincter for acquired incontinence--a cut and dried solution?. *Br J Urol*. 1990 Nov; 66: 495-499
- 3254** Warwick, R.T. Functional restoration & reconstruction of the incontinent female urethra. *Rev Med Suisse Romande*. 1992 Sep; 112: 775-785
- 40598** Washington, J. L. A pilgrim's progress: my urogynecological quest. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 221-2
- 10123** Washington, J. L. Staple erosion into the bladder after mesh and staple laparoscopic colposuspension. A case report. *J Reprod Med*. 2002 Apr; 47: 325-6
- 10035** Washington, J. L., Somers, K. Laparoscopic mesh and staple Burch colposuspension. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 253-5; discussion 255
- 11561** Wasserman, G. A. Correction of a vault suspension graft complication. *J Am Assoc Gynecol Laparosc*. 1995 May; 2: 359-61
- 42767** Watanabe, T., Perlash, I., Constantinou, C. E. Modulation of detrusor contraction strength and micturition characteristics by intrathecal baclofen in anesthetized rats. *J Urol*. 1997 Jun; 157: 2361-5
- 42712** Waters, P. R., Chehade, N. C., Kropp, K. A. Urethral lengthening and reimplantation: incidence and management of catheterization problems. *J Urol*. 1997 Sep; 158: 1053-6
- 41535** Watson, A. J., Currie, I., Curran, S., Jarvis, G. J. A prospective study examining the association between the symptoms of anxiety and depression and severity of urinary incontinence. *Eur J Obstet Gynecol Reprod Biol*. 2000 Jan; 88: 7-9
- 10797** Watson, A. J., Currie, I., Jarvis, G. J. A prospective placebo controlled double blind randomised study to investigate the use of indoramin to prevent post-operative voiding disorders after surgical treatment for genuine stress incontinence. *Br J Obstet Gynaecol*. 1999 Mar; 106: 270-2
- 3121** Watson, E. Continence. A basis for change. *Nurs Times*. 1992 Mar 25-31; 88: 69-70
- 54810** Watson, N. M., Brink, C. A., Zimmer, J. G., Mayer, R. D. Use of the Agency for Health Care Policy and Research Urinary Incontinence Guideline in nursing homes. *J Am Geriatr Soc*. 2003 Dec; 51: 1779-86
- 3945** Watson, R. An improved urinary sheath. *Nurs Elder*. 1990 Jul-Aug; 2: 12
- 11693** Watson, R. Continence. Anxious moments. *Nurs Times*. 1994 Apr 13-19; 90: 82
- 3612** Watson, R. Incontinence in perspective. *Nursing (Lond)*. 1991 Jul 25-Aug 21; 4: 7-10
- 3791** Watson, R. Incontinence. A case for treatment. *Nurs Elder*. 1991 Jan-Feb; 3: 28
- 3442** Watson, R. Justifying your practice. *Nursing (Lond)*. 1992 Feb 13-26; 5: 11-13

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 4062** Watson, R. Management of incontinence: the concept of cost-effectiveness. *Nurs Stand.* 1990 Apr 25-May 1; 4: 36-39
- 4047** Watson, R., Kuhn, M. The influence of component parts on the performance of urinary sheath systems. *J Adv Nurs.* 1990 Apr; 15: 417-422
- 31721** Watson, V. The duration of the second stage of labour. *Mod Midwife.* 1994 Jun; 4: 21-2
- 11542** Wattiez, A., Boughizane, S., Alexandre, F., Canis, M., Mage, G., Pouly, J. L., Bruhat, M. A. Laparoscopic procedures for stress incontinence and prolapse. *Curr Opin Obstet Gynecol.* 1995 Aug; 7: 317-21
- 10414** Wattiez, A., Canis, M., Mage, G., Pouly, J. L., Bruhat, M. A. Promontofixation for the treatment of prolapse. *Urol Clin North Am.* 2001 Feb; 28: 151-7
- 41090** Weatherall, M. Biofeedback in urinary incontinence: past, present and future. *Curr Opin Obstet Gynecol.* 2000 Oct; 12: 411-3
- 10825** Weatherall, M. Biofeedback or pelvic floor muscle exercises for female genuine stress incontinence: a meta-analysis of trials identified in a systematic review. *BJU Int.* 1999 Jun; 83: 1015-6
- 4068** Webb, J. Continence: help for the elderly confused. *Nurs Times.* 1990 Apr 18-24; 86: 64-68
- 43823** Webb, M. L. Urinary incontinence in younger women. *Nurse Pract Forum.* 1994 Sep; 5: 164-9
- 11961** Webb, R. J., Ramsden, P. D., Neal, D. E. Ambulatory monitoring and electronic measurement of urinary leakage in the diagnosis of detrusor instability and incontinence. *Br J Urol.* 1991 Aug; 68: 148-52
- 3610** Webb, R.J., Ramsden, P.D., and Neal, D.E. Ambulatory monitoring and electronic measurement of urinary leakage in the diagnosis of detrusor instability and incontinence. *Br J Urol.* 1991 Aug; 68: 148-152
- 42589** Webb, S., Patterson, V., Hutchinson, M. Two families with autosomal recessive spastic paraplegia, pigmented maculopathy, and dementia. *J Neurol Neurosurg Psychiatry.* 1997 Nov; 63: 628-32
- 44987** Webber, E. M., Crofts, P. G., Pomeroy, C., Coleman, G. U., Arnold, W. J., Johnson, H. W. Augmentation ileocystoplasty in children with myelodysplasia. *Can J Surg.* 1990 Apr; 33: 135-8
- 3845** Webber, E.M., Crofts, P.G., Pomeroy, C., Coleman, G.U., Arnold, W.J., and Johnson, H.W. Augmentation ileocystoplasty in children with myelodysplasia. *Can J Surg.* 1990 Apr; 33: 135-138
- 10231** Weber, A. M. Is urethral pressure profilometry a useful diagnostic test for stress urinary incontinence?. *Obstet Gynecol Surv.* 2001 Nov; 56: 720-35
- 10074** Weber, A. M. Leak point pressure measurement and stress urinary incontinence. *Curr Womens Health Rep.* 2001 Aug; 1: 45-52
- 56860** Weber, A. M. New approaches to surgery for urinary incontinence and pelvic organ prolapse from the laparoscopic perspective. *Clin Obstet Gynecol.* 2003 Mar; 46: 44-60
- 54400** Weber, A. M. The perspective of a gynecologist on treatment-related research for fecal incontinence in women. *Gastroenterology.* 2004 Jan; 126: S169-71
- 10318** Weber, A. M., Abrams, P., Brubaker, L., Cundiff, G., Davis, G., Dmochowski, R. R., Fischer, J., Hull, T., Nygaard, I., Weidner, A. C. The standardization of terminology for researchers in female pelvic floor disorders. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 178-86
- 10178** Weber, A. M., Taylor, R. J., Wei, J. T., Lemack, G., Piedmonte, M. R., Walters, M. D. The cost-effectiveness of preoperative testing (basic office assessment vs. urodynamics) for stress urinary incontinence in women. *BJU Int.* 2002 Mar; 89: 356-63
- 42879** Weber, A. M., Walters, M. D. Anterior vaginal prolapse: review of anatomy and techniques of surgical repair. *Obstet Gynecol.* 1997 Feb; 89: 311-8
- 10515** Weber, A. M., Walters, M. D. Burch procedure compared with sling for stress urinary incontinence: a decision analysis. *Obstet Gynecol.* 2000 Dec; 96: 867-73

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10488 Weber, A. M., Walters, M. D. Cost-effectiveness of urodynamic testing before surgery for women with pelvic organ prolapse and stress urinary incontinence. *Am J Obstet Gynecol.* 2000 Dec; 183: 1338-46; discussion 1346-7
- 41321 Weber, A. M., Walters, M. D., Piedmonte, M. R. Sexual function and vaginal anatomy in women before and after surgery for pelvic organ prolapse and urinary incontinence. *Am J Obstet Gynecol.* 2000 Jun; 182: 1610-5
- 41718 Weber, A. M., Walters, M. D., Schover, L. R., Church, J. M., Piedmonte, M. R. Functional outcomes and satisfaction after abdominal hysterectomy. *Am J Obstet Gynecol.* 1999 Sep; 181: 530-5
- 43621 Weber, A. M., Walters, M. D., Schover, L. R., Mitchinson, A. Sexual function in women with uterovaginal prolapse and urinary incontinence. *Obstet Gynecol.* 1995 Apr; 85: 483-7
- 57710 Webster, C., Bukkapatnam, R., Seigne, J. D., Pow-Sang, J., Hoffman, M., Helal, M., Ordorica, R., Lockhart, J. L. Continent colonic urinary reservoir (Florida pouch): long-term surgical complications (greater than 11 years). *J Urol.* 2003 Jan; 169: 174-6
- 12041 Webster, G. D., Kreder, K. J. Voiding dysfunction following cystourethropey: its evaluation and management. *J Urol.* 1990 Sep; 144: 670-3
- 11896 Webster, G. D., Perez, L. M., Khoury, J. M., Timmons, S. L. Management of type III stress urinary incontinence using artificial urinary sphincter. *Urology.* 1992 Jun; 39: 499-503
- 3345 Webster, G.D., Perez, L.M., Khoury, J.M., and Timmons, S.L. Management of type III stress urinary incontinence using artificial urinary sphincter. *Urology.* 1992 Jun; 39: 499-503
- 43123 Webster, J. J., Williams, G. Adhesions of the labia minora. *Br J Urol.* 1996 Jul; 78: 146-7
- 51820 Webster, T. M., Gerridzen, R. G. Gone in 24 hours: the feasibility of performing pubovaginal sling surgery with an overnight hospital stay. *Can J Urol.* 2003 Jun; 10: 1905-9
- 40999 Weckermann, D., Wawroschek, F., Schipp, J., Krawczak, G., Harzmann, R. Metabolic changes and urodynamic findings after continent urinary diversion. *Int Urol Nephrol.* 1999; 31: 665-74
- 41698 Wedderburn, A. W., Adamson, A. S. Management of the incompetent urethra in the chronically debilitated female patient: an alternative to urethral closure. *BJU Int.* 1999 Oct; 84: 727-8
- 40818 Wedderburn, A., Lee, R. S., Denny, A., Steinbrecher, H. A., Koyle, M. A., Malone, P. S. Synchronous bladder reconstruction and antegrade continence enema. *J Urol.* 2001 Jun; 165: 2392-3
- 11740 Wedenberg, K., Ronquist, G., Waldenstrom, A., Ulmsten, U. Low energy charge and high adenosine content in smooth muscle of human bladder in comparison with striated muscle. *Int J Clin Lab Res.* 1994; 24: 230-2
- 50390 Wee, H. Y., Low, C., Han, H. C. Burch colposuspension: review of perioperative complications at a women's and children's hospital in Singapore. *Ann Acad Med Singapore.* 2003 Nov; 32: 821-3
- 43064 Ween, J. E., Alexander, M. P., D'Esposito, M., Roberts, M. Incontinence after stroke in a rehabilitation setting: outcome associations and predictive factors. *Neurology.* 1996 Sep; 47: 659-63
- 11518 Weerasekera, D. S., Gunawardena, K. K. The Stamy procedure: a retrospective analysis of clinical outcome in stress incontinence. *Ceylon Med J.* 1995 Sep; 40: 101-2
- 44212 Weese, D. L., Roskamp, D. A., Leach, G. E., Zimmern, P. E. Intravesical oxybutynin chloride: experience with 42 patients. *Urology.* 1993 Jun; 41: 527-30
- 3057 Weese, D.L., Roskamp, D.A., Leach, G.E., and Zimmern, P.E. Intravesical oxybutynin chloride: experience with 42 patients. *Urology.* 1993 Jun; 41: 527-530
- 52660 Wei, T. S., Su, T. H. Tension-free vaginal tape failure caused by sling displacement and successfully retreated using Burch colposuspension. *Acta Obstet Gynecol Scand.* 2003 Apr; 82: 385-6
- 10487 Weidner, A. C., Barber, M. D., Visco, A. G., Bump, R. C., Sanders, D. B. Pelvic muscle electromyography of levator ani and external anal sphincter in nulliparous women and women with pelvic floor dysfunction. *Am J Obstet Gynecol.* 2000 Dec; 183: 1390-9; discussion 1399-401



# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 10442 Weidner, A. C., Myers, E. R., Visco, A. G., Cundiff, G. W., Bump, R. C. Which women with stress incontinence require urodynamic evaluation?. *Am J Obstet Gynecol.* 2001 Jan; 184: 20-7
- 54340 Weigel, R., Senn, P., Weis, J., Krauss, J. K. Severe complications after intrathecal methotrexate (MTX) for treatment of primary central nervous system lymphoma (PCNSL). *Clin Neurol Neurosurg.* 2004 Mar; 106: 82-7
- 10965 Weil, E. H., Eerdmans, P. H., Dijkman, G. A., Tamussino, K., Feyereisl, J., Vierhout, M. E., Schmidbauer, C., Egarter, C., Kolle, D., Plasman, J. E., Heidler, H., Abbuhl, B. E., Wein, W. Randomized double-blind placebo-controlled multicenter evaluation of efficacy and dose finding of midodrine hydrochloride in women with mild to moderate stress urinary incontinence: a phase II study. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 145-50
- 41494 Weil, E. H., Ruiz-Cerda, J. L., Eerdmans, P. H., Janknegt, R. A., Bemelmans, B. L., van Kerrebroeck, P. E. Sacral root neuromodulation in the treatment of refractory urinary urge incontinence: a prospective randomized clinical trial. *Eur Urol.* 2000 Feb; 37: 161-71
- 42102 Weil, E. H., Ruiz-Cerda, J. L., Eerdmans, P. H., Janknegt, R. A., Van Kerrebroeck, P. E. Clinical results of sacral neuromodulation for chronic voiding dysfunction using unilateral sacral foramen electrodes. *World J Urol.* 1998; 16: 313-21
- 11844 Weil, E. H., van Waalwijk van Doorn, E. S., Heesakkers, J. P., Meguid, T., Janknegt, R. A. Transvaginal ultrasonography: a study with healthy volunteers and women with genuine stress incontinence. *Eur Urol.* 1993; 24: 226-30
- 2997 Weil, E.H., van-Waalwijk-van-Doorn, E.S., Heesakkers, J.P., Meguid, T., and Janknegt, R.A. Transvaginal ultrasonography: a study with healthy volunteers and women with genuine stress incontinence. *Eur Urol.* 1993; 24: 226-230
- 59118 Wein, A. J. A randomized crossover study to evaluate Ro 115-1240, a selective alpha-adrenoceptor partial agonist in women with stress urinary incontinence. *BJU Int.* 2004 May; 93: 1115
- 41996 Wein, A. J. Clinical usefulness of urinary control urethral insert devices. *J Urol.* 1999 Mar; 161: 1043-4
- 11934 Wein, A. J. Oral and intravaginal estrogens alone and in combination with alpha- adrenergic stimulation in genuine stress incontinence. *J Urol.* 1991 Dec; 146: 1670-1
- 40965 Wein, A. J. Overactive bladder: defining the disease. *Am J Manag Care.* 2000 Jul; 6: S559-64; discussion S607-19
- 57610 Wein, A. J., Rovner, E. S. Definition and epidemiology of overactive bladder. *Urology.* 2002 Nov; 60: 7-12; discussion 12
- 41877 Wein, A. J., Rovner, E. S. The overactive bladder: an overview for primary care health providers. *Int J Fertil Womens Med.* 1999 Mar-Apr; 44: 56-66
- 4148 Wein, A.J. Pharmacologic treatment of incontinence. *J Am Geriatr Soc.* 1990 Mar; 38: 317-325
- 11598 Weinberger, M. W. Conservative treatment of urinary incontinence. *Clin Obstet Gynecol.* 1995 Mar; 38: 175-88
- 10853 Weinberger, M. W., Goodman, B. M., Carnes, M. Long-term efficacy of nonsurgical urinary incontinence treatment in elderly women. *J Gerontol A Biol Sci Med Sci.* 1999 Mar; 54: M117-21
- 43614 Weinberger, M. W., Julian, T. M. Voiding dysfunction and incontinence caused by uterine retroversion. A case report. *J Reprod Med.* 1995 May; 40: 387-90
- 11546 Weinberger, M. W., Ostergard, D. R. Long-term clinical and urodynamic evaluation of the polytetrafluoroethylene suburethral sling for treatment of genuine stress incontinence. *Obstet Gynecol.* 1995 Jul; 86: 92-6
- 11468 Weinberger, M. W., Ostergard, D. R. Postoperative catheterization, urinary retention, and permanent voiding dysfunction after polytetrafluoroethylene suburethral sling placement. *Obstet Gynecol.* 1996 Jan; 87: 50-4
- 43419 Weiner, H. L., Constantini, S., Cohen, H., Wisoff, J. H. Current treatment of normal-pressure hydrocephalus: comparison of flow- regulated and differential-pressure shunt valves. *Neurosurgery.* 1995 Nov; 37: 877-84
- 56990 Weir, N. U., Counsell, C. E., McDowall, M., Gunkel, A., Dennis, M. S. Reliability of the variables in a new set of models that predict outcome after stroke. *J Neurol Neurosurg Psychiatry.* 2003 Apr; 74: 447-51



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 59178** Weiss, B. D. Selecting medications for the treatment of urinary incontinence. *Am Fam Physician*. 2005 Jan 15; 71: 315-22
- 3654** Weiss, B.D. Nonpharmacologic treatment of urinary incontinence. *Am Fam Physician*. 1991 Aug; 44: 579-586
- 10947** Weiss, J. P., Blaivas, J. G., Stember, D. S., Brooks, M. M. Nocturia in adults: etiology and classification. *Neurourol Urodyn*. 1998; 17: 467-72
- 11899** Weiss, R. E., Cohen, E. Erosion of buttress following bladder neck suspension. *Br J Urol*. 1992 Jun; 69: 656-7
- 44196** Weiss, R. E., Garden, R. J., Cohen, E. L., Stone, N. N. Covered exstrophy with sequestered colonic remnant. *J Urol*. 1993 Jul; 150: 185-7
- 3061** Weiss, R.E., Garden, R.J., Cohen, E.L., and Stone, N.N. Covered exstrophy with sequestered colonic remnant. *J Urol*. 1993 Jul; 150: 185-187
- 41408** Wells, J. A., Ouslander, J. G., Meadows, E., Johnson, V. Y. Urinary incontinence in a geriatric patient with a complex neurologic history. *J Wound Ostomy Continence Nurs*. 1999 Sep; 26: 270-4; discussion 274-5
- 3734** Wells, M. A tangible means of assessing progress. Biofeedback in the management of urinary incontinence. *Prof Nurse*. 1991 Apr; 6: 396-7,399
- 3101** Wells, M. Are we meeting clients' needs? Nursing audit in continence care. *Prof Nurse*. 1993 Apr; 8: 430-436
- 11392** Wells, M. Continence following childbirth. *Br J Nurs*. 1996 Mar 28-Apr 10; 5: 353-4, 356, 358, passim
- 12021** Wells, M. Stress incontinence and pelvic floor exercises. *Prof Nurse*. 1990 Dec; 6: 151, 154-6
- 41284** Wells, M. The role of the nurse in urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol*. 2000 Apr; 14: 335-54
- 3814** Wells, M., White, H. Continence. Self-starters. *Nurs Times*. 1991 Feb 13-19; 87: 64
- 3995** Wells, T. Conquering incontinence. *Geriatr-Nurs (New York)*. 1990 May-Jun; 11: 133-135
- 3129** Wells, T. Scientist wins one for women [interview by Julie Goldsmith]. *Reflections*. 1992 Winter; 17: 8-9
- 55110** Wells, T. J. Curiouser and curiouser... *J Wound Ostomy Continence Nurs*. 2003 Nov; 30: 300-4
- 11957** Wells, T. J., Brink, C. A., Diokno, A. C., Wolfe, R., Gillis, G. L. Pelvic muscle exercise for stress urinary incontinence in elderly women. *J Am Geriatr Soc*. 1991 Aug; 39: 785-91
- 3359** Wells, T.J. Managing incontinence through managing the environment. *Urol Nurs*. 1992 Jun; 12: 48-49
- 4145** Wells, T.J. Pelvic (floor) muscle exercise. *J Am Geriatr Soc*. 1990 Mar; 38: 333-337
- 3661** Wells, T.J., Brink, C.A., Diokno, A.C., Wolfe, R., and Gillis, G.L. Pelvic muscle exercise for stress urinary incontinence in elderly women. *J Am Geriatr Soc*. 1991 Aug; 39: 785-791
- 41379** Wen, J. G., Yeung, C. K., Djurhuus, J. C. Cystometry techniques in female infants and children. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 103-12
- 12087** Wenderoth, U. K., Bachor, R., Egghart, G., Frohneberg, D., Miller, K., Hautmann, R. E. The ileal neobladder: experience and results of more than 100 consecutive cases. *J Urol*. 1990 Mar; 143: 492-6; discussion 496-7
- 51080** Wennberg, A. L., Edlund, C., Fall, M., Peecker, R. Stamey's abdominovaginal needle colposuspension for the correction of female genuine stress urinary incontinence--long-term results. *Scand J Urol Nephrol*. 2003; 37: 419-23
- 43543** Wennergren, H., Oberg, B. Pelvic floor exercises for children: a method of treating dysfunctional voiding. *Br J Urol*. 1995 Jul; 76: 9-15
- 43867** Wenning, G. K., Ben Shlomo, Y., Magalhaes, M., Daniel, S. E., Quinn, N. P. Clinical features and natural history of multiple system atrophy. An analysis of 100 cases. *Brain*. 1994 Aug; 117 ( Pt 4): 835-45

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 41685 Wenning, G. K., Scherfler, C., Granata, R., Bosch, S., Verny, M., Chaudhuri, K. R., Jellinger, K., Poewe, W., Litvan, I. Time course of symptomatic orthostatic hypotension and urinary incontinence in patients with postmortem confirmed parkinsonian syndromes: a clinicopathological study. *J Neurol Neurosurg Psychiatry*. 1999 Nov; 67: 620-3
- 59396 Wenning, G. K., Tison, F., Seppi, K., Sampaio, C., Diem, A., Yekhelef, F., Ghorayeb, I., Ory, F., Galitzky, M., Scaravilli, T., Bozi, M., Colosimo, C., Gilman, S., Shults, C. W., Quinn, N. P., Rascol, O., Poewe, W. Development and validation of the Unified Multiple System Atrophy Rating Scale (UMSARS). *Mov Disord*. 2004 Dec; 19: 1391-402
- 4056 Werbrout, P., Baert, L., Binard, J.E., Chiou, R.K., and Van-Poppel, H. Balloon dilatation of the external urethral sphincter: a case study. *J Am Paraplegia Soc*. 1990 Apr; 13: 13-14
- 41522 Werkstrom, V., Lam, D. S., Farnsworth, R. H., Awad, N., Burcher, E., Moore, K. H. In vitro contractile responses of detrusor to carbachol and neurokinin A, in children with recurrent urinary tract infection or day wetting. *BJU Int*. 2000 Feb; 85: 319-25
- 50640 Werner, M., Najjari, L., Schuessler, B. Transurethral resection of tension-free vaginal tape penetrating the urethra. *Obstet Gynecol*. 2003 Nov; 102: 1034-6
- 41393 Westney, O. L., Amundsen, C. L., McGuire, E. J. Bladder endometriosis: conservative management. *J Urol*. 2000 Jun; 163: 1814-7
- 10040 Westney, O. L., Lee, J. T., McGuire, E. J., Palmer, J. L., Cespedes, R. D., Amundsen, C. L. Long-term results of Ingelman-Sundberg denervation procedure for urge incontinence refractory to medical therapy. *J Urol*. 2002 Sep; 168: 1044-7
- 40794 Westney, O. L., McGuire, E. J. Surgical procedures for the treatment of urge incontinence. *Tech Urol*. 2001 Jun; 7: 126-32
- 12003 Weston, P. M., Morgan, J. D., Hussain, J., Stephenson, T. P. Artificial urinary sphincters around intestinal segments--are they safe?. *Br J Urol*. 1991 Feb; 67: 150-4
- 3786 Weston, P.M., Morgan, J.D., Hussain, J., and Stephenson, T.P. Artificial urinary sphincters around intestinal segments--are they safe?. *Br J Urol*. 1991 Feb; 67: 150-154
- 43629 Wetle, T., Scherr, P., Branch, L. G., Resnick, N. M., Harris, T., Evans, D., Taylor, J. O. Difficulty with holding urine among older persons in a geographically defined community: prevalence and correlates. *J Am Geriatr Soc*. 1995 Apr; 43: 349-55
- 4049 Wheelahan, J.B. Long-term results of colposuspension. *Br J Urol*. 1990 Apr; 65: 329-332
- 11680 Wheeler, J. S., Jr Osteomyelitis of the pubis: complication of a Stamey urethropexy. *J Urol*. 1994 Jun; 151: 1638-40
- 3973 Wheeler, J.S., Jr., Niecestro, R.M. Urinary incontinence: managing the problem. *J Enterostomal Ther*. 1990 Jul-Aug; 17: 174-179
- 3444 Wheeler, J.S., Jr., Walter, J.S., Niecestro, R.M., and Scalzo, A.J. Behavioral therapy for urinary incontinence. *J ET Nurs*. 1992 Mar-Apr; 19: 59-65
- 3514 Wheeler, R.A., Malone, P.S. Use of the appendix in reconstructive surgery: a case against incidental appendectomy. *Br J Surg*. 1991 Nov; 78: 1283-1285
- 3993 Wheeler, V. A new kind of loving? The effect of continence problems on sexuality. *Prof Nurse*. 1990 Jun; 5: 492-496
- 42026 Wishaw, M. Urinary incontinence in the elderly. Establishing a cause may allow a cure. *Aust Fam Physician*. 1998 Dec; 27: 1087-90
- 42025 Wishaw, M. Urinary incontinence in the elderly. Managing for maximum outcomes. *Aust Fam Physician*. 1998 Dec; 27: 1091-4
- 55940 White, C. F. Engineered structures for use in disposable incontinence products. *Proc Inst Mech Eng [H]*. 2003; 217: 243-51

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Primary Author and Title

- 4066 White, H. Continence: playing a central role. *Nurs Times*. 1990 Apr 18-24; 86: 73-75
- 41843 White, H. Designer gear. *Nurs Times*. 1999 May 5-11; 95: 69-70, 73, 76
- 43742 White, H. M. Choosing continence aids. *Br J Nurs*. 1994 Dec 8-1995 Jan 11; 3: 1158, 1160, 1162-3
- 40298 White, H., Holland, D. Looking good and feeling good: clothes to help promote continence. *Nurs Times*. 2001 May 17-23; 97: 60-1
- 4111 White, M. Continence: independence for the handicapped child. *Nurs Times*. 1990 Feb 14-20; 86: 69-72
- 3426 White, M., Williams, J. A good start to a full life. Managing continence in children with spina bifida and hydrocephalus. *Prof Nurse*. 1992 Apr; 7: 474-477
- 40541 White, R. N. Urethropy for the management of urethral sphincter mechanism incompetence in the bitch. *J Small Anim Pract*. 2001 Oct; 42: 481-6
- 43003 White, R. N., Davies, J. V., Gregory, S. P. Vaginourethroplasty for treatment of urethral obstruction in the bitch. *Vet Surg*. 1996 Nov-Dec; 25: 503-10
- 11618 Whiting, M. A., Smith, N. I., Agar, J. W. Vaginal peritoneal dialysate leakage per fallopian tubes. *Perit Dial Int*. 1995; 15: 85
- 10404 Whitman, G. T. Patients with urinary incontinence and falls. *J Am Geriatr Soc*. 2001 Mar; 49: 336-7
- 11695 Whittington, R., Faulds, D. Hormone replacement therapy: I. A pharmacoeconomic appraisal of its therapeutic use in menopausal symptoms and urogenital estrogen deficiency. *Pharmacoeconomics*. 1994 May; 5: 419-45
- 44276 Whyte, T. D., McNally, D. S., James, E. D. Six-element sensor for measuring vaginal pressure profiles. *Med Biol Eng Comput*. 1993 Mar; 31: 184-6
- 3029 Whyte, T.D., McNally, D.S., and James, E.D. Six-element sensor for measuring vaginal pressure profiles. *Med Biol Eng Comput*. 1993 Mar; 31: 184-186
- 3229 Widgerow, A.D. Abdominoplasty following colostomy. *Ann Plast Surg*. 1992 Nov; 29: 454-456
- 42914 Wielink, G., Essink-Bot, M. L., van Kerrebroeck, P. E., Rutten, F. F. Sacral rhizotomies and electrical bladder stimulation in spinal cord injury. 2. Cost-effectiveness and quality of life analysis. Dutch Study Group on Sacral Anterior Root Stimulation. *Eur Urol*. 1997; 31: 441-6
- 41242 Wiener, J. S., Scales, M. T., Hampton, J., King, L. R., Surwit, R., Edwards, C. L. Long-term efficacy of simple behavioral therapy for daytime wetting in children. *J Urol*. 2000 Sep; 164: 786-90
- 56170 Wijma, J., Potters, A. E., de Wolf, B. T., Tinga, D. J., Aarnoudse, J. G. Anatomical and functional changes in the lower urinary tract following spontaneous vaginal delivery. *BJOG*. 2003 Jul; 110: 658-63
- 11928 Wijma, J., Tinga, D. J., Visser, G. H. Compensatory mechanisms which prevent urinary incontinence in aging women. *Gynecol Obstet Invest*. 1992; 33: 102-4
- 12018 Wijma, J., Tinga, D. J., Visser, G. H. Perineal ultrasonography in women with stress incontinence and controls: the role of the pelvic floor muscles. *Gynecol Obstet Invest*. 1991; 32: 176-9
- 3443 Wijma, J., Tinga, D.J., and Visser, G.H. Compensatory mechanisms which prevent urinary incontinence in aging women. *Gynecol Obstet Invest*. 1992; 33: 102-104
- 3520 Wijma, J., Tinga, D.J., and Visser, G.H. Perineal ultrasonography in women with stress incontinence and controls: the role of the pelvic floor muscles. *Gynecol Obstet Invest*. 1991; 32: 176-179
- 40702 Wijma, J., Weis Potters, A. E., de Wolf, B. T., Tinga, D. J., Aarnoudse, J. G. Anatomical and functional changes in the lower urinary tract during pregnancy. *BJOG*. 2001 Jul; 108: 726-32
- 42452 Wikander, B., Ekelund, P., Milsom, I. An evaluation of multidisciplinary intervention governed by functional independence measure (FIMSM) in incontinent stroke patients. *Scand J Rehabil Med*. 1998 Mar; 30: 15-21
- 42267 Wilbur, J., Miller, A. M., Montgomery, A., Chandler, P. Sociodemographic characteristics, biological factors, and symptom reporting in midlife women. *Menopause*. 1998 Spring; 5: 43-51

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 40284** Wilcox, D. T. The management of urinary incontinence in the exstrophy complex, posterior urethral valves, and infraspincteric ureters. *Semin Pediatr Surg.* 2002 May; 11: 128-33
- 44023** Wilker, C. E., Meyers-Wallen, V. N., Schlafer, D. H., Dykes, N. L., Kovacs, A., Ball, B. A. XX sex reversal in a llama. *J Am Vet Med Assoc.* 1994 Jan 1; 204: 112-5
- 40293** Wilkins, K. Medications and fall-related fractures in the elderly. *Health Rep.* 1999 Summer; 11: 45-53(Eng); 49-58(Fre)
- 10139** Wilkinson, K. Pakistani women's perceptions and experiences of incontinence. *Nurs Stand.* 2001 Oct 17-23; 16: 33-9
- 43432** Wilkinson, K., Williamson, B. Lights, camera, action!. *Nurs Stand.* 1995 Oct 25-31; 10: 19-21
- 43498** Williams, E. R., Malone, P. S. The social implications of lower urinary tract reconstruction performed during childhood. *Br J Urol.* 1995 Aug; 76: 226-30
- 40918** Williams, K. S., Assassa, R. P., Smith, N. K., Jagger, C., Perry, S., Shaw, C., Dallosso, H., McGrother, C., Clarke, M., Brittain, K. R., Castleden, C. M., Mayne, C. Development, implementation and evaluation of a new nurse-led continence service: a pilot study. *J Clin Nurs.* 2000 Jul; 9: 566-73
- 10138** Williams, K. S., Assassa, R. P., Smith, N., Rippin, C., Shaw, C., Mayne, C. Good practice in continence care: development of nurse-led service. *Br J Nurs.* 2002 Apr 25-May 8; 11: 548-59
- 43410** Williams, K., Roe, B., Sindhu, F. Using a handbook to improve nurses' continence care. *Nurs Stand.* 1995 Nov 15-21; 10: 39-42
- 44014** Williams, M. A., Noe, H. N., Smith, R. A. The importance of urinary tract infection in the evaluation of the incontinent child. *J Urol.* 1994 Jan; 151: 188-90
- 43129** Williams, M. E., Richman, J., Scatliff, J. A 67-year-old woman with a progressive gait disturbance. *J Am Geriatr Soc.* 1996 Jul; 44: 843-6
- 44290** Williams, M. P., Wallhagen, M., Dowling, G. Urinary retention in hospitalized elderly women. *J Gerontol Nurs.* 1993 Feb; 19: 7-14
- 4152** Williams, M.E., Gaylord, S.A. Role of functional assessment in the evaluation of urinary incontinence. *J Am Geriatr Soc.* 1990 Mar; 38: 296-299
- 3165** Williams, M.P., Wallhagen, M., and Dowling, G. Urinary retention in hospitalized elderly women. *J Gerontol Nurs.* 1993 Feb; 19: 7-14
- 44299** Williams, N. S., Fowler, C. G., George, B. D., Blandy, J. P., Badenoch, D. F., Patel, J. Electrically stimulated gracilis sphincter for bladder incontinence. *Lancet.* 1993 Jan 9; 341: 115-6
- 3192** Williams, N.S., Fowler, C.G., George, B.D., Blandy, J.P., Badenoch, D.F., and Patel, J. Electrically stimulated gracilis sphincter for bladder incontinence [letter]. *Lancet.* 1993 Jan 9; 341: 115-116
- 3282** Williams, R. Promoting continence following head injury. *Br J Nurs.* 1992 Jun 25-Jul 8; 1: 236-7,239-40
- 3124** Williams, T. Nursing initiative pinpointed problem. *N Z Nurs J.* 1993 Feb; 86: 14
- 42835** Willis, J. Consumer choice in continence products. *Nurs Times.* 1997 Mar 26-Apr 1; 93: 64-6
- 42007** Willis, J. Continence: a case for home delivery services. *Nurs Times.* 1998 Nov 25-Dec 1; 94: 64-6
- 42700** Willis, J. Continence--holiday plans. *Nurs Times.* 1997 Jul 23-29; 93: 73-4
- 43598** Willis, J. Intermittent catheters. *Prof Nurse.* 1995 May; 10: 523-4, 527-8
- 42347** Willis, J. Promoting continence control. *Nurs Times.* 1998 Apr 15-21; 94: 59-60
- 41626** Willis, J. Sex, relationships and continence. *Nurs Times.* 1999 Aug 4-10; 95: 62, 65
- 42798** Willis, J. Use it or lose it. *Nurs Times.* 1997 Apr 9-15; 93: 70, 73

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 11514 Wilson, D., Herbison, P. Conservative management of incontinence. *Curr Opin Obstet Gynecol.* 1995 Oct; 7: 386-92
- 40633 Wilson, L., Brown, J. S., Shin, G. P., Luc, K. O., Subak, L. L. Annual direct cost of urinary incontinence. *Obstet Gynecol.* 2001 Sep; 98: 398-406
- 55900 Wilson, M. M. Urinary incontinence: bridging the gender gap. *J Gerontol A Biol Sci Med Sci.* 2003 Aug; 58: 752-5
- 12069 Wilson, P. D., Borland, M. Vaginal cones for the treatment of genuine stress incontinence. *Aust N Z J Obstet Gynaecol.* 1990 May; 30: 157-60
- 11128 Wilson, P. D., George, M., Imrie, J. J. Vaginal electrostimulation for the treatment of genuine stress incontinence. *Aust N Z J Obstet Gynaecol.* 1997 Nov; 37: 446-9
- 42084 Wilson, P. D., Herbison, G. P. A randomized controlled trial of pelvic floor muscle exercises to treat postnatal urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 257-64
- 43274 Wilson, P. D., Herbison, R. M., Herbison, G. P. Obstetric practice and the prevalence of urinary incontinence three months after delivery. *Br J Obstet Gynaecol.* 1996 Feb; 103: 154-61
- 4029 Wilson, P.D. Conservative management of urethral sphincter incompetence. *Clin Obstet Gynecol.* 1990 Jun; 33: 330-345
- 59087 Wilson, S., Quek, M. L., Ginsberg, D. A. Transurethral injection of bulking agents for stress urinary incontinence following orthotopic neobladder reconstruction in women. *J Urol.* 2004 Jul; 172: 244-6
- 43991 Wilson, T. G., Moreno, J. G., Weinberg, A., Ahlering, T. E. Late complications of the modified Indiana pouch. *J Urol.* 1994 Feb; 151: 331-4
- 52840 Wilson, T. S., Lemack, G. E., Zimmern, P. E. Management of intrinsic sphincteric deficiency in women. *J Urol.* 2003 May; 169: 1662-9
- 10014 Wilson, T. S., Zimmern, P. E. Tailor-made incontinence care. Match type of incontinence to resident assessment for optimal treatment. Part 2. *Contemp Longterm Care.* 2002 Sep; 25: 18, 20
- 40049 Wilson, T. S., Zimmern, P. E. Urinary incontinence in elderly women. *Contemp Longterm Care.* 2002 Aug; 25: 18-20
- 42820 Wilson, W. D. Equine herpesvirus 1 myeloencephalopathy. *Vet Clin North Am Equine Pract.* 1997 Apr; 13: 53-72
- 10837 Winder, A. Incontinence: why women are still suffering in silence. *Community Nurse.* 1998 Oct; 4: 15-6
- 42258 Winkler, H. A., Sand, P. K. Treatment of detrusor instability with oxybutynin rectal suppositories. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 100-2
- 42557 Winson, L. Catheterization: a need for improved patient management. *Br J Nurs.* 1997 Nov 27-Dec 10; 6: 1229-32, 1234, 1251-2
- 12026 Winter, C. C. Re: Review of an 8-year experience with modifications of endoscopic suspension of the bladder neck for female stress urinary incontinence. *J Urol.* 1990 Dec; 144: 1481-2
- 3886 Winter, C.C. Re: Review of an 8-year experience with modifications of endoscopic suspension of the bladder neck for female stress urinary incontinence [letter; comment]. *J Urol.* 1990 Dec; 144: 1481-1482
- 43507 Winters, J. C., Appell, R. Periurethral injection of collagen in the treatment of intrinsic sphincteric deficiency in the female patient. *Urol Clin North Am.* 1995 Aug; 22: 673-8
- 43112 Winters, J. C., Appell, R. A. Collagen injection therapy in the treatment of urinary incontinence. *Tech Urol.* 1996 Summer; 2: 59-64
- 10499 Winters, J. C., Cespedes, R. D., Vanlangendonck, R. Abdominal sacral colpopexy and abdominal enterocele repair in the management of vaginal vault prolapse. *Urology.* 2000 Dec 4; 56: 55-63
- 10614 Winters, J. C., Chiverton, A., Scarpero, H. M., Prats, L. J., Jr Collagen injection therapy in elderly women: long-term results and patient satisfaction. *Urology.* 2000 Jun; 55: 856-61



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 10503** Winters, J. C., Scarpero, H. M., Appell, R. A. Use of bone anchors in female urology. *Urology*. 2000 Dec 4; 56: 15-22
- 44536** Wise, B. G., Abbott, D., Kelleher, C. J., Haken, J., Burton, G., Cardozo, L. D. Urinary incontinence. *BMJ*. 1992 Jan 11; 304: 119-20
- 11885** Wise, B. G., Burton, G., Cutner, A., Cardozo, L. D. Effect of vaginal ultrasound probe on lower urinary tract function. *Br J Urol*. 1992 Jul; 70: 12-6
- 11805** Wise, B. G., Cardozo, L. D., Cutner, A., Benness, C. J., Burton, G. Prevalence and significance of urethral instability in women with detrusor instability. *Br J Urol*. 1993 Jul; 72: 26-9
- 11964** Wise, B., Cardozo, L. Urge incontinence and stress incontinence. *Curr Opin Obstet Gynecol*. 1991 Aug; 3: 520-7
- 3491** Wise, B.G., Abbott, D., Kelleher, C.J., Haken, J., Burton, G., and Cardozo, L.D. Urinary incontinence [letter; comment]. *Bmj*. 1992 Jan 11; 304: 119-120
- 3305** Wise, B.G., Burton, G., Cutner, A., and Cardozo, L.D. Effect of vaginal ultrasound probe on lower urinary tract function. *Br J Urol*. 1992 Jul; 70: 12-16
- 44682** Wise, L. A., Lappin, M. R. A syndrome resembling feline dysautonomia (Key-Gaskell syndrome) in a dog. *J Am Vet Med Assoc*. 1991 Jun 15; 198: 2103-6
- 41885** Wise, T. N. Psychosocial side effects of sildenafil therapy for erectile dysfunction. *J Sex Marital Ther*. 1999 Apr-Jun; 25: 145-50
- 44737** Wise, W. E., Jr, Aguilar, P. S., Padmanabhan, A., Meesig, D. M., Arnold, M. W., Stewart, W. R. Surgical treatment of low rectovaginal fistulas. *Dis Colon Rectum*. 1991 Mar; 34: 271-4
- 3415** Wiseman, J. Layers of meaning. *Nurs Times*. 1992 May 6-12; 88: 38-40
- 40489** Wiseman, O. J., v, d., Hombergh U, Koldewijn, E. L., Spinelli, M., Siegel, S. W., Fowler, C. J. Sacral neuromodulation and pregnancy. *J Urol*. 2002 Jan; 167: 165-8
- 44722** Wiseman, P. A., Malone-Lee, J., Rai, G. S. Terodiline with bladder retraining for treating detrusor instability in elderly people. *BMJ*. 1991 Apr 27; 302: 994-6
- 3688** Wiseman, P.A., Malone-Lee, J., and Rai, G.S. Terodiline with bladder retraining for treating detrusor instability in elderly people [see comments]. *Bmj*. 1991 Apr 27; 302: 994-996
- 11722** Wiskind, A. K., Miller, K. F., Wall, L. L. One hundred unstable bladders. *Obstet Gynecol*. 1994 Jan; 83: 108-12
- 5300** Wiskind, A.K. The incidence of genital prolapse following the Burch colposuspension operation. *Neurourology and Urodynamics*. 1991; 10: 453-454
- 41901** Wisser, J., Schar, G., Kurmanavicius, J., Huch, R., Huch, A. Use of 3D ultrasound as a new approach to assess obstetrical trauma to the pelvic floor. *Ultraschall Med*. 1999 Feb; 20: 15-8
- 44802** Wolf, H., Wandt, H., Jonat, W. Immunohistochemical evidence of estrogen and progesterone receptors in the female lower urinary tract and comparison with the vagina. *Gynecol Obstet Invest*. 1991; 32: 227-31
- 3096** Wolf, J.S., Jr., Turzan, C.W. Augmentation ureterocystoplasty. *J Urol*. 1993 May; 149: 1095-1098
- 41304** Wolf, S. L., Riolo, L., Ouslander, J. G. Urge incontinence and the risk of falling in older women. *J Am Geriatr Soc*. 2000 Jul; 48: 847-8
- 44259** Wolfe, C. D., Taub, N. A., Woodrow, J., Richardson, E., Warburton, F. G., Burney, P. G. Does the incidence, severity, or case fatality of stroke vary in southern England?. *J Epidemiol Community Health*. 1993 Apr; 47: 139-43
- 10211** Wolters, M., Methfessel, H. D., Goepel, C., Koelbl, H. Computer-assisted virtual urethral pressure profile in the assessment of female genuine stress incontinence. *Obstet Gynecol*. 2002 Jan; 99: 69-74
- 42496** Wong, E. Y. Uterine didelphys and occult spinal dysraphism: an unusual case. *Dev Med Child Neurol*. 1998 Feb; 40: 124-5
- 43741** Wong, L. Incontinence has different meanings for different people. *Aust J Adv Nurs*. 1995 Spring; 13: 6-15



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 50460** Wong, M. Y., Harmanli, O. H., Agar, M., Dandolu, V., Grody, M. H. Collagen content of nonsupport tissue in pelvic organ prolapse and stress urinary incontinence. *Am J Obstet Gynecol.* 2003 Dec; 189: 1597-9; discussion 1599-1600
- 11551** Woo, H. H., Rosario, D. J., Chapple, C. R. Stone formation on permanent suture material used previously in colposuspension. *Br J Urol.* 1995 Jul; 76: 139-40
- 44019** Woo, J., Ho, S. C., Lau, J., Yuen, Y. K., Chiu, H., Lee, H. C., Chi, I. The prevalence of depressive symptoms and predisposing factors in an elderly Chinese population. *Acta Psychiatr Scand.* 1994 Jan; 89: 8-13
- 40653** Wood, B. C., Rossmeisl, J. H., Jr, Rohleder, J. J. What is your diagnosis? Pronounced ventral deviation of the colon by an irregular soft tissue opacity in the retroperitoneal area. *J Am Vet Med Assoc.* 2001 Aug 1; 219: 305-6
- 42498** Woodhouse, C. R., Christofides, M. Modified ureterosigmoidostomy (Mainz II)--technique and early results. *Br J Urol.* 1998 Feb; 81: 247-52
- 44005** Woodhouse, C. R., Gordon, E. M. The Mitrofanoff principle for urethral failure. *Br J Urol.* 1994 Jan; 73: 55-60
- 43801** Woodhouse, C. R., MacNeily, A. E. The Mitrofanoff principle: expanding upon a versatile technique. *Br J Urol.* 1994 Oct; 74: 447-53
- 43212** Woodhouse, C. R., Redgrave, N. G. Late failure of the reconstructed exstrophy bladder. *Br J Urol.* 1996 Apr; 77: 590-2
- 3307** Woodhouse, C.R. Reconstruction of the lower urinary tract for neurogenic bladder: lessons from the adolescent age group. *Br J Urol.* 1992 Jun; 69: 589-593
- 10697** Woodman, P. J. In situ anterior vaginal wall sling formation with preservation of the endopelvic fascia for treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 409
- 41378** Woodman, P. J., Davis, G. D. The relationship of the in-situ advancing vaginal wall sling to vaginal epithelial inclusion cyst. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 124-6
- 40059** Woodman, P. J., Graney, D. O. Anatomy and physiology of the female perineal body with relevance to obstetrical injury and repair. *Clin Anat.* 2002 Aug; 15: 321-34
- 40501** Woodman, P. J., Misko, C. A., Fischer, J. R. The use of short-form quality of life questionnaires to measure the impact of imipramine on women with urge incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 312-5; discussion 315-6
- 50110** Woodman, P. J., Ruiz, H. L. Retropubic urethrolisis without resuspension for the management of posturethorpey urinary retention and voiding dysfunction. *Mil Med.* 2004 Feb; 169: 117-20
- 44727** Woods, D., Dobranowski, J., Orovan, W. L., Schiff, D. The Koch pouch: radiographic evaluation of the orthotopic and cutaneous forms. *Can Assoc Radiol J.* 1991 Apr; 42: 119-26
- 3684** Woods, D., Dobranowski, J., Orovan, W.L., and Schiff, D. The Koch pouch: radiographic evaluation of the orthotopic and cutaneous forms. *Can Assoc Radiol J.* 1991 Apr; 42: 119-126
- 11509** Woodtli, A. Mixed incontinence: a new nursing diagnosis?. *Nurs Diagn.* 1995 Oct-Dec; 6: 135-42
- 11550** Woodtli, A. Stress incontinence: clinical identification and validation of defining characteristics. *Nurs Diagn.* 1995 Jul-Sep; 6: 115-22
- 11842** Woodtli, M. A. Assessing urge incontinence in elderly women. *Geriatr Nurs.* 1993 Jan-Feb; 14: 19-22
- 3184** Woodward, S. A checklist to meet long-term needs. Continence assessment of neuroscience patients. *Prof Nurse.* 1993 Jan; 8: 222-226
- 43069** Woodward, S. Impact of neurological problems on urinary continence. *Br J Nurs.* 1996 Aug 8-Sep 11; 5: 906-13
- 41511** Wooldridge, L. S. Toileting assistance based on bladder volume. *Ostomy Wound Manage.* 1999 Dec; 45: 50
- 42649** Wootton, J. C. Search on urinary incontinence in elderly females. *J Womens Health.* 1997 Oct; 6: 583-6
- 43239** Wozniak-Petrofsky, J. Periurethral collagen injection in the treatment of urinary incontinence. *Urol Nurs.* 1996 Mar; 16: 20-2

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 3133** Wozniak-Petrofsky, J. Urinary incontinence in the elderly: not a normal part of aging. *Urol Nurs*. 1993 Mar; 13: 12-16
- 40116** Wraige, E., Borzyskowski, M. Investigation of daytime wetting: when is spinal cord imaging indicated?. *Arch Dis Child*. 2002 Aug; 87: 151-5
- 59281** Wren, P. A., Janz, N. K., Brubaker, L., Fitzgerald, M. P., Weber, A. M., LaPorte, F. B., Wei, J. T. Reliability of health-related quality-of-life measures 1 year after surgical procedures for pelvic floor disorders. *Am J Obstet Gynecol*. 2005 Mar; 192: 780-8
- 40792** Wright, E. J. Current status of fascia lata allograft slings treating urinary incontinence: effective or ephemeral?. *Tech Urol*. 2001 Jun; 7: 81-6
- 10989** Wright, E. J., Iselin, C. E., Carr, L. K., Webster, G. D. Pubovaginal sling using cadaveric allograft fascia for the treatment of intrinsic sphincter deficiency. *J Urol*. 1998 Sep; 160: 759-62
- 3833** Wright, K. Collaborative management of the incontinent patient [editorial]. *Urol Nurs*. 1990 Dec; 10: 6
- 4096** Wright, K. ET nurses as the specialists in the care and prevention of incontinence [editorial]. *J Enterostomal Ther*. 1990 Mar-Apr; 17: 41-42
- 3782** Wright, K. Special update on incontinence in the adult. *J Enterostomal Ther*. 1991 Mar-Apr; 18: 26A-27A
- 3775** Wroblewski, J. Terodiline: a new compound for the treatment of urge incontinence. *Ostomy Wound Manage*. 1990 Sep-Oct; 30: 22-29
- 44412** Wszolek, Z. K., Pfeiffer, R. F., Bhatt, M. H., Schelper, R. L., Cordes, M., Snow, B. J., Rodnitzky, R. L., Wolters, E. C., Arwert, F., Calne, D. B. Rapidly progressive autosomal dominant parkinsonism and dementia with pallido-ponto-nigral degeneration. *Ann Neurol*. 1992 Sep; 32: 312-20
- 3251** Wszolek, Z.K., Pfeiffer, R.F., Bhatt, M.H., Schelper, R.L., Cordes, M., Snow, B.J., Rodnitzky, R.L., Wolters, E.C., Arwert, F., and Calne, D.B. Rapidly progressive autosomal dominant parkinsonism and dementia with pallido-ponto-nigral degeneration. *Ann Neurol*. 1992 Sep; 32: 312-320
- 31178** Wu, V., Farrell, S. A., Baskett, T. F., Flowerdew, G. A simplified protocol for pessary management. *Obstet Gynecol*. 1997 Dec; 90: 990-4
- 40094** Wu, W. J., Chiang, P. H., Huang, C. H. Retroperitoneal laparoscopic nephrectomy in the treatment of incontinence from ectopic ureter with renal hypoplasia in the child--a case report. *Kaohsiung J Med Sci*. 2001 Dec; 17: 626-9
- 40660** Wyczolkowski, M., Klima, W., Piasecki, Z. Reoperation after complicated tension-free vaginal tape procedures. *J Urol*. 2001 Sep; 166: 1004-5
- 50300** Wyllie, M. G. Hormone-based approaches: altering the balance. *BJU Int*. 2004 Feb; 93: 415-6
- 10577** Wyman, J. F. Management of urinary incontinence in adult ambulatory care populations. *Annu Rev Nurs Res*. 2000; 18: 171-94
- 11812** Wyman, J. F. Managing urinary incontinence with bladder training: a case study. *J ET Nurs*. 1993 May-Jun; 20: 121-6
- 42335** Wyman, J. F. Quality of life of older adults with urinary incontinence. *J Am Geriatr Soc*. 1998 Jun; 46: 778-9
- 42904** Wyman, J. F. The 'costs' of urinary incontinence. *Eur Urol*. 1997; 32 Suppl 2: 13-9
- 43870** Wyman, J. F. The psychiatric and emotional impact of female pelvic floor dysfunction. *Curr Opin Obstet Gynecol*. 1994 Aug; 6: 336-9
- 57090** Wyman, J. F. Treatment of urinary incontinence in men and older women: the evidence shows the efficacy of a variety of techniques. *Am J Nurs*. 2003 Mar; Suppl: 26-35
- 11784** Wyman, J. F., Elswick, R. K., Jr, Ory, M. G., Wilson, M. S., Fantl, J. A. Influence of functional, urological, and environmental characteristics on urinary incontinence in community-dwelling older women. *Nurs Res*. 1993 Sep-Oct; 42: 270-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10943** Wyman, J. F., Fantl, J. A., McClish, D. K., Bump, R. C. Comparative efficacy of behavioral interventions in the management of female urinary incontinence. Continence Program for Women Research Group. Am J Obstet Gynecol. 1998 Oct; 179: 999-1007
- 11118** Wyman, J. F., Fantl, J. A., McClish, D. K., Harkins, S. W., Uebersax, J. S., Ory, M. G. Quality of life following bladder training in older women with urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct. 1997; 8: 223-9
- 45025** Wyman, J. F., Harkins, S. W., Fantl, J. A. Psychosocial impact of urinary incontinence in the community-dwelling population. J Am Geriatr Soc. 1990 Mar; 38: 282-8
- 3588** Wyman, J.F., Fantl, J.A. Bladder training in ambulatory care management of urinary incontinence. Urol Nurs. 1991 Sep; 11: 11-17
- 4155** Wyman, J.F., Harkins, S.W., and Fantl, J.A. Psychosocial impact of urinary incontinence in the community-dwelling population. J Am Geriatr Soc. 1990 Mar; 38: 282-288
- 43590** Wyndaele, J. J. Non surgical treatment of female incontinence. Acta Urol Belg. 1995 May; 63: 39-40
- 40747** Wyndaele, J. J., Madersbacher, H., Kovindha, A. Conservative treatment of the neuropathic bladder in spinal cord injured patients. Spinal Cord. 2001 Jun; 39: 294-300
- 3408** Wyndaele, J.J. Are sensations perceived during bladder filling reproducible during cystometry?. Urol Int. 1992; 48: 299-301
- 4074** Wyndaele, J.J., Maes, D. Clean intermittent self-catheterization: a 12-year followup. J Urol. 1990 May; 143: 906-908
- 44845** Xu, W. P., Song, X. W., Yue, S. Y., Cai, Y. B., Wu, J. Primary sacral tumors and their surgical treatment. A report of 87 cases. Chin Med J (Engl). 1990 Nov; 103: 879-84
- 3831** Xu, W.P., Song, X.W., Yue, S.Y., Cai, Y.B., and Wu, J. Primary sacral tumors and their surgical treatment. A report of 87 cases. Chin-Med-J (Engl). 1990 Nov; 103: 879-884
- 40338** Xu, Y. M., Qiao, Y., Sa, Y. L., Zhang, J., Li, T., Zhang, X. R., Chen, Z. Study of efferent tube suspension as a continent diversion mechanism. an experimental study in dogs. Urol Int. 2002; 68: 193-6
- 44732** Yachia, D. Re: Pulmonary migration following periurethral polytetrafluoroethylene injection for urinary incontinence. J Urol. 1991 Apr; 145: 839-40
- 3778** Yachia, D. Re: Pulmonary migration following periurethral polytetrafluoroethylene injection for urinary incontinence [letter; comment]. J Urol. 1991 Apr; 145: 839-840
- 59057** Yalcin, I., Bump, R. C. The effect of previous treatment experience and incontinence severity on the placebo response of stress urinary incontinence. Am J Obstet Gynecol. 2004 Jul; 191: 194-7
- 51930** Yalcin, I., Bump, R. C. Validation of two global impression questionnaires for incontinence. Am J Obstet Gynecol. 2003 Jul; 189: 98-101
- 59129** Yalcin, I., Versi, E., Benson, J. T., Schafer, W., Bump, R. C. Validation of a clinical algorithm to diagnose stress urinary incontinence for large studies. J Urol. 2004 Jun; 171: 2321-5
- 10616** Yalcin, O. T., Hassa, H., Ozalp, S. Effectiveness of ultrasonographic parameters for documenting the severity of anatomic stress incontinence. Acta Obstet Gynecol Scand. 2000 May; 79: 421-6
- 10155** Yalcin, O. T., Hassa, H., Tanir, M. A new ultrasonographic method for evaluation of the results of anti-incontinence operations. Acta Obstet Gynecol Scand. 2002 Feb; 81: 151-6
- 10390** Yalcin, O. T., Yildirim, A., Hassa, H. The effects of severe cystocele on urogynecologic symptoms and findings. Acta Obstet Gynecol Scand. 2001 May; 80: 423-7
- 50720** Yalcin, O., Isikoglu, M., Beji, N. K. Results of TVT operations alone and combined with other vaginal surgical procedures. Arch Gynecol Obstet. 2004 Jan; 269: 96-8
- 10535** Yalla, S. V. Injections, slings and urodynamics. J Urol. 2000 Nov; 164: 1632

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10991** Yamada, T., Arai, G., Masuda, H., Tsukamoto, T., Nagahama, K., Nagamatsu, H. The correction of type 2 stress incontinence with a polytetrafluoroethylene patch sling: 5-year mean followup. *J Urol.* 1998 Sep; 160: 746-9
- 10170** Yamada, T., Ichiyanagi, N., Kamata, S., Sakai, Y., Nagahama, K., Tanizawa, A., Watanabe, T., Horiuchi, S., Saitoh, H. Need for sling surgery in patients with large cystoceles and masked stress urinary incontinence. *Int J Urol.* 2001 Nov; 8: 599-603
- 10184** Yamada, T., Kamata, S., Nagahama, K., Ichiyanagi, N., Horiuchi, S., Saitoh, H. Polytetrafluoroethylene patch sling for type 2 or type 3 stress urinary incontinence. *Int J Urol.* 2001 Dec; 8: 675-80
- 3560** Yamada, T., Mizuo, T., Kawakami, S., Watanabe, T., Negishi, T., and Oshima, H. Application of transrectal ultrasonography in modified Stamey procedure for stress urinary incontinence. *J Urol.* 1991 Dec; 146: 1555-1558
- 11935** Yamada, T., Mizuo, T., Kawakami, S., Watanabe, T., Negishi, T., Oshima, H. Application of transrectal ultrasonography in modified Stamey procedure for stress urinary incontinence. *J Urol.* 1991 Dec; 146: 1555-8
- 3463** Yamakawa, H., Ohkuma, A., Hattori, T., Niikawa, S., and Kobayashi, H. Primary intracranial arachnoid cyst in the elderly: a survey on 39 cases. *Acta-Neurochir (Wien).* 1991; 113: 42-47
- 44799** Yamakawa, H., Ohkuma, A., Hattori, T., Niikawa, S., Kobayashi, H. Primary intracranial arachnoid cyst in the elderly: a survey on 39 cases. *Acta Neurochir (Wien).* 1991; 113: 42-7
- 41121** Yamanishi, T., Sakakibara, R., Uchiyama, T., Suda, S., Hattori, T., Ito, H., Yasuda, K. Comparative study of the effects of magnetic versus electrical stimulation on inhibition of detrusor overactivity. *Urology.* 2000 Nov 1; 56: 777-81
- 41159** Yamanishi, T., Yasuda, K., Murayama, N., Sakakibara, R., Uchiyama, T., Ito, H. Biofeedback training for detrusor overactivity in children. *J Urol.* 2000 Nov; 164: 1686-90
- 11162** Yamanishi, T., Yasuda, K., Sakakibara, R., Hattori, T., Ito, H., Murakami, S. Pelvic floor electrical stimulation in the treatment of stress incontinence: an investigational study and a placebo controlled double- blind trial. *J Urol.* 1997 Dec; 158: 2127-31
- 41502** Yamanishi, T., Yasuda, K., Sakakibara, R., Hattori, T., Suda, S. Randomized, double-blind study of electrical stimulation for urinary incontinence due to detrusor overactivity. *Urology.* 2000 Mar; 55: 353-7
- 42180** Yamanishi, T., Yasuda, K., Sakakibara, R., Murayama, N., Hattori, T., Ito, H. Detrusor overactivity and penile erection in patients with lower lumbar spine lesions. *Eur Urol.* 1998 Oct; 34: 360-4
- 41710** Yamanishi, T., Yasuda, K., Sakakibara, R., Suda, S., Ishikawa, N., Hattori, T., Hosaka, H. Induction of urethral closure and inhibition of bladder contraction by continuous magnetic stimulation. *Neurourol Urodyn.* 1999; 18: 505-10
- 10689** Yamanishi, T., Yasuda, K., Suda, S., Ishikawa, N., Sakakibara, R., Hattori, T. Effect of functional continuous magnetic stimulation for urinary incontinence. *J Urol.* 2000 Feb; 163: 456-9
- 44788** Yamashita, H., Kumazawa, J. Voiding dysfunction: patients with human T-lymphotropic-virus-type-1- associated myelopathy. *Urol Int.* 1991; 47 Suppl 1: 69-71
- 59079** Yan, A., Anne, M., Karine, A., Vanessa, F., Christophe, P., Anne, T., Patrick, M. Cystocele repair by a synthetic vaginal mesh secured anteriorly through the obturator foramen. *Eur J Obstet Gynecol Reprod Biol.* 2004 Jul 15; 115: 90-4
- 59392** Yan, Y. J., Feng, Z. X., Min, Z. H., Jin, Y. X. Single-system ectopic ureters associated with renal dysplasia. *Pediatr Surg Int.* 2004 Dec; 20: 851-4
- 54720** Yang, J. C., Chang, K. C. Exercise-induced acute spinal subdural hematoma: a case report. *Kaohsiung J Med Sci.* 2003 Dec; 19: 624-7
- 43158** Yang, J. M. Factors affecting urethrocystographic parameters in urinary continent women. *J Clin Ultrasound.* 1996 Jun; 24: 249-55
- 51770** Yang, J. M., Huang, W. C. Bladder wall thickness on ultrasonographic cystourethrography: affecting factors and their implications. *J Ultrasound Med.* 2003 Aug; 22: 777-82

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 53730** Yang, J. M., Huang, W. C. Discrimination of bladder disorders in female lower urinary tract symptoms on ultrasonographic cystourethrography. *J Ultrasound Med.* 2002 Nov; 21: 1249-55
- 10013** Yang, J. M., Huang, W. C. Implications of abdominal straining in women with lower urinary tract symptoms. *Urology.* 2002 Sep; 60: 428-33
- 11479** Yang, S. C., Park, D. S., Lee, J. M., Graham, R. W. Laparoscopic extraperitoneal bladder neck suspension (LEBNS) for stress urinary incontinence. *J Korean Med Sci.* 1995 Dec; 10: 426-30
- 56600** Yang, T., Liu, Z., Liu, Y. Electroacupuncture at ciliao and huiyang for treating neuropathic incontinence of defecation and urination in 30 cases. *J Tradit Chin Med.* 2003 Mar; 23: 53-4
- 55420** Yap, L. K., Au, S. Y., Ang, Y. H., Kwan, K. Y., Ng, S. C., Ee, C. H. Who are the residents of a nursing home in Singapore?. *Singapore Med J.* 2003 Feb; 44: 65-73
- 43660** Yarker, Y. E., Goa, K. L., Fitton, A. Oxybutynin. A review of its pharmacodynamic and pharmacokinetic properties, and its therapeutic use in detrusor instability. *Drugs Aging.* 1995 Mar; 6: 243-62
- 10751** Yasuda, K., Yamanishi, T. Critical evaluation of electro-stimulation for management of female urinary incontinence. *Curr Opin Obstet Gynecol.* 1999 Oct; 11: 503-7
- 43893** Yasumura, S., Haga, H., Nagai, H., Suzuki, T., Amano, H., Shibata, H. Rate of falls and the correlates among elderly people living in an urban community in Japan. *Age Ageing.* 1994 Jul; 23: 323-7
- 40977** Yavuzer, G., Gok, H., Tuncer, S., Soygur, T., Arikan, N., Arasil, T. Compliance with bladder management in spinal cord injury patients. *Spinal Cord.* 2000 Dec; 38: 762-5
- 41907** Yeruham, I., Elad, D., Perl, S., Avidar, Y., Israeli, B., Shlosberg, A. Isolation of *Corynebacterium pilosum* and *Actinomyces pyogenes* from cystitis and vulvovaginitis infection in a 2-month-old female calf. *Zentralbl Veterinarmed [B].* 1999 Mar; 46: 127-30
- 41733** Yeung, C. K., Liu, K. W., Ng, W. T., Tan, H. L., Tam, Y. H., Lee, K. H. Laparoscopy as the investigation and treatment of choice for urinary incontinence caused by small 'invisible' dysplastic kidneys with infrasphincteric ureteric ectopia. *BJU Int.* 1999 Aug; 84: 324-8
- 54500** Yeung, C. K., Sihoe, J. D., Sit, F. K., Bower, W., Sreedhar, B., Lau, J. Characteristics of primary nocturnal enuresis in adults: an epidemiological study. *BJU Int.* 2004 Feb; 93: 341-5
- 52520** Yip, S. K., Chan, A., Pang, S., Leung, P., Tang, C., Shek, D., Chung, T. The impact of urodynamic stress incontinence and detrusor overactivity on marital relationship and sexual function. *Am J Obstet Gynecol.* 2003 May; 188: 1244-8
- 53170** Yip, S. K., Chung, T. K. Treatment-seeking behavior in Hong Kong Chinese women with urinary symptoms. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Feb; 14: 27-30; discussion 30
- 11001** Yip, S. K., Leung, T. Y., Chan, C. K. Hematuria and clot retention after Burch colposuspension and Cystofix suprapubic catheterization: suprapubic cystotomy as an alternative suprapubic drainage method. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 122-4
- 10016** Yip, S. K., Sahota, D., Chang, A. M., Chung, T. K. Four-year follow-up of women who were diagnosed to have postpartum urinary retention. *Am J Obstet Gynecol.* 2002 Sep; 187: 648-52
- 51650** Yip, S. K., Sahota, D., Chang, A., Chung, T. Effect of one interval vaginal delivery on the prevalence of stress urinary incontinence: a prospective cohort study. *Neurourol Urodyn.* 2003; 22: 558-62
- 11584** Yokoyama, E. Contigen Bard Collagen implant: the Japanese experience. *Int J Urol.* 1995 Apr; 2 Suppl 1: 11-5; discussion 16-8
- 44543** Yokoyama, O., Nagano, K., Kawaguchi, K., Komatsu, K., Egawa, M., Hisazumi, H. The influence of pelvic nerve transection on the neuromuscular system of the canine urinary bladder. *Urol Res.* 1992; 20: 45-8
- 41349** Yokoyama, O., Yoshiyama, M., Namiki, M., de Groat, W. C. Role of the forebrain in bladder overactivity following cerebral infarction in the rat. *Exp Neurol.* 2000 Jun; 163: 469-76



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Primary Author and Title**

- 10480 Yokoyama, T., Yoshimura, N., Dhir, R., Qu, Z., Fraser, M. O., Kumon, H., de Groat, W. C., Huard, J., Chancellor, M. B. Persistence and survival of autologous muscle derived cells versus bovine collagen as potential treatment of stress urinary incontinence. *J Urol.* 2001 Jan; 165: 271-6
- 59360 Yokozuka, M., Namima, T., Nakagawa, H., Ichie, M., Handa, Y. Effects and indications of sacral surface therapeutic electrical stimulation in refractory urinary incontinence. *Clin Rehabil.* 2004 Dec; 18: 899-907
- 41119 Yono, M., Yoshida, M., Takahashi, W., Inadome, A., Ueda, S. Comparison of the effects of novel antimuscarinic drugs on human detrusor smooth muscle. *BJU Int.* 2000 Oct; 86: 719-25
- 41936 Yono, M., Yoshida, M., Wada, Y., Kikukawa, H., Takahashi, W., Inadome, A., Seshita, H., Ueda, S. Pharmacological effects of tolterodine on human isolated urinary bladder. *Eur J Pharmacol.* 1999 Mar 5; 368: 223-30
- 42714 Yoo, J. J., Magliochetti, M., Atala, A. Detachable self-sealing membrane system for the endoscopic treatment of incontinence. *J Urol.* 1997 Sep; 158: 1045-8
- 42262 Yoon, E., Swift, S. A comparison of maximum cystometric bladder capacity with maximum environmental voided volumes. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 78-82
- 57440 Yoon, H. S., Song, H. H., Ro, Y. J. A comparison of effectiveness of bladder training and pelvic muscle exercise on female urinary incontinence. *Int J Nurs Stud.* 2003 Jan; 40: 45-50
- 42501 Yordan, E. L. Obstetrics and gynecology. *J Am Coll Surg.* 1998 Feb; 186: 182-8
- 40012 Yoshimura, N., Chancellor, M. B. Current and future pharmacological treatment for overactive bladder. *J Urol.* 2002 Nov; 168: 1897-913
- 42562 Yoshimura, N., Nagahama, Y., Ueda, T., Yoshida, O. Paroxysmal urinary incontinence associated with multiple sclerosis. *Urol Int.* 1997; 59: 197-9
- 41301 Yoshimura, T., Nagata, Y., Matsuura, K., Okamura, H. Primary vaginal stone in an 11-year-old recumbent girl. *Gynecol Obstet Invest.* 2000; 50: 64-6
- 41878 Yoshino, M., Yoshimi, Y., Taniguchi, M., Nakamura, S., Ikeda, T. Syndrome of inappropriate secretion of antidiuretic hormone associated with idiopathic normal pressure hydrocephalus. *Intern Med.* 1999 Mar; 38: 290-2
- 41136 Yoshiyama, M., Yamamoto, T., de Groat, W. C. Role of spinal alpha(1)-adrenergic mechanisms in the control of lower urinary tract in the rat. *Brain Res.* 2000 Nov 3; 882: 36-44
- 42132 You, H. Y., Wang, S. R. Normal pressure hydrocephalus in a patient with systemic lupus erythematosus: a case report. *Zhonghua Yi Xue Za Zhi (Taipei).* 1998 Sep; 61: 551-5
- 42206 Young, S. B., Becker, J. Postoperative urinary drainage. *Clin Obstet Gynecol.* 1998 Sep; 41: 735-43
- 10305 Young, S. B., Howard, A. E., Baker, S. P. Mersilene mesh sling: short- and long-term clinical and urodynamic outcomes. *Am J Obstet Gynecol.* 2001 Jul; 185: 32-40
- 43913 Young, S. B., Pingeton, D. M. A practical approach to perimenopausal and postmenopausal urinary incontinence. *Obstet Gynecol Clin North Am.* 1994 Jun; 21: 357-79
- 41846 Young, S. B., Pingeton, D. M. Office assessment of female urinary incontinence. *Clin Obstet Gynecol.* 1999 Jun; 42: 249-66
- 11486 Young, S. B., Rosenblatt, P. L., Pingeton, D. M., Howard, A. E., Baker, S. P. The Mersilene mesh suburethral sling: a clinical and urodynamic evaluation. *Am J Obstet Gynecol.* 1995 Dec; 173: 1719-25; discussion 1725-6
- 3318 Younoszai, M.K. Stooling problems in patients with myelomeningocele. *South Med J.* 1992 Jul; 85: 718-724
- 52450 Yu, H. J., Wong, W. Y., Chen, J., Chie, W. C. Quality of life impact and treatment seeking of Chinese women with urinary incontinence. *Qual Life Res.* 2003 May; 12: 327-33
- 12079 Yu, L. C., Rohner, T. J., Kaltreider, D. L., Hu, T. W., Igou, J. F., Dennis, P. J. Profile of urinary incontinent elderly in long-term care institutions. *J Am Geriatr Soc.* 1990 Apr; 38: 433-9



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 3564 Yu, L.C., Johnson, K., Kaltreider, D.L., Hu, T.W., Brannon, D., and Ory, M. Urinary incontinence: nursing home staff reaction toward residents. *J Gerontol Nurs*. 1991 Nov; 17: 34-41
- 4076 Yu, L.C., Rohner, T.J., Kaltreider, D.L., Hu, T.W., Igou, J.F., and Dennis, P.J. Profile of urinary incontinent elderly in long-term care institutions [see comments]. *J Am Geriatr Soc*. 1990 Apr; 38: 433-439
- 44142 Yu, T. J. Single unilateral vaginal ectopic ureter. *J Formos Med Assoc*. 1993 Oct; 92: 923-5
- 59037 Yuan, X., Mudge, B. J., Raezer, D. M. Small intestine erosion by artificial urinary sphincter reservoir tubing. *J Urol*. 2004 Oct; 172: 1363
- 54130 Yucel, S., Baskin, L. S. An anatomical description of the male and female urethral sphincter complex. *J Urol*. 2004 May; 171: 1890-7
- 43134 Yusuf, S. W., Booth, S. A., Mishra, R. M. Falls and urinary incontinence in a 66-year-old woman. *Lancet*. 1996 Jun 22; 347: 1738
- 40097 Zannolli, R., Gilman, S., Rossi, S., Volpi, N., Bernini, A., Galluzzi, P., Galimberti, D., Pucci, L., D'Ambrosio, A., Morgese, G., Giannini, F. Hereditary neuronal intranuclear inclusion disease with autonomic failure and cerebellar degeneration. *Arch Neurol*. 2002 Aug; 59: 1319-26
- 11314 Zaragoza, M. R. Expanded indications for the pubovaginal sling: treatment of type 2 or 3 stress incontinence. *J Urol*. 1996 Nov; 156: 1620-2
- 42292 Zaragoza, M. R. The unspoken affliction. *Del Med J*. 1998 Jun; 70: 301-2
- 57830 Zemack, G., Romner, B. Adjustable valves in normal-pressure hydrocephalus: a retrospective study of 218 patients. *Neurosurgery*. 2002 Dec; 51: 1392-400; discussion 1400-2
- 52650 Zibecchi, L., Greendale, G. A., Ganz, P. A. Continuing education: Comprehensive menopausal assessment: an approach to managing vasomotor and urogenital symptoms in breast cancer survivors. *Oncol Nurs Forum*. 2003 May-Jun; 30: 393-407
- 55350 Zietman, A. L., Sacco, D., Skowronski, U., Gomery, P., Kaufman, D. S., Clark, J. A., Talcott, J. A., Shipley, W. U. Organ conservation in invasive bladder cancer by transurethral resection, chemotherapy and radiation: results of a urodynamic and quality of life study on long-term survivors. *J Urol*. 2003 Nov; 170: 1772-6
- 3167 Zietman, A.L., Shipley, W.U., and Willett, C.G. Residual disease after radical surgery or radiation therapy for prostate cancer. Clinical significance and therapeutic implications. *Cancer*. 1993 Feb 1; 71: 959-969
- 10365 Zilbert, A. W., Farrell, S. A. External iliac artery laceration during tension-free vaginal tape procedure. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 141-3
- 44209 Zimakoff, J., Pontoppidan, B., Larsen, S. O., Stickler, D. J. Management of urinary bladder function in Danish hospitals, nursing homes and home care. *J Hosp Infect*. 1993 Jul; 24: 183-99
- 2995 Zimakoff, J., Pontoppidan, B., Larsen, S.O., and Stickler, D.J. Management of urinary bladder function in Danish hospitals, nursing homes and home care. *J Hosp Infect*. 1993 Jul; 24: 183-199
- 43205 Zimakoff, J., Stickler, D. J., Pontoppidan, B., Larsen, S. O. Bladder management and urinary tract infections in Danish hospitals, nursing homes, and home care: a national prevalence study. *Infect Control Hosp Epidemiol*. 1996 Apr; 17: 215-21
- 43623 Zimmern, P. Incontinence. *J Urol*. 1995 Apr; 153: 1194-5
- 53930 Zimmern, P. E. A new injectable bulking agent for treatment of stress urinary incontinence. *Curr Urol Rep*. 2002 Oct; 3: 400
- 53940 Zimmern, P. E. Autologous fat injection as treatment for female stress urinary incontinence. *Curr Urol Rep*. 2002 Oct; 3: 399
- 11284 Zimmern, P. E., Hadley, R. Re: The endoscopic fascial sling for treatment of female urinary stress incontinence. *J Urol*. 1997 Jan; 157: 268
- 42242 Zinner, N. R. Clinical aspects of detrusor instability and the value of urodynamics. *Eur Urol*. 1998; 34 Suppl 1: 16-9

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Primary Author and Title

- 40220** Zinner, N. R., Mattiasson, A., Stanton, S. L. Efficacy, safety, and tolerability of extended-release once-daily tolterodine treatment for overactive bladder in older versus younger patients. *J Am Geriatr Soc.* 2002 May; 50: 799-807
- 59247** Zinner, N., Harnett, M., Sabounjian, L., Sandage, B., Jr, Dmochowski, R., Staskin, D. The overactive bladder-symptom composite score: a composite symptom score of toilet voids, urgency severity and urge urinary incontinence in patients with overactive bladder. *J Urol.* 2005 May; 173: 1639-43
- 11168** Zivkovic, F., Tamussino, K. Effects of vaginal surgery on the lower urinary tract. *Curr Opin Obstet Gynecol.* 1997 Oct; 9: 329-31
- 10580** Zivkovic, F., Tamussino, K., Pieber, D., Haas, J. Body mass index and outcome of incontinence surgery. *Obstet Gynecol.* 1999 May; 93: 753-6
- 11415** Zivkovic, F., Tamussino, K., Ralph, G., Schied, G., Auer-Grumbach, M. Long-term effects of vaginal dissection on the innervation of the striated urethral sphincter. *Obstet Gynecol.* 1996 Feb; 87: 257-60
- 3173** Zollner-Nielsen, M., Samuelsson, S.M. Maximal electrical stimulation of patients with frequency, urgency and urge incontinence. Report of 38 cases. *Acta Obstet Gynecol Scand.* 1992 Dec; 71: 629-631
- 10820** Zorn, B. H., Montgomery, H., Pieper, K., Gray, M., Steers, W. D. Urinary incontinence and depression. *J Urol.* 1999 Jul; 162: 82-4
- 11474** Zorzos, I., Paterson, P. J. Quality of life after a Marshall-Marchetti-Krantz procedure for stress urinary incontinence. *J Urol.* 1996 Jan; 155: 259-62
- 57670** Zoubina, E. V., Smith, P. G. Expression of estrogen receptors alpha and beta by sympathetic ganglion neurons projecting to the proximal urethra of female rats. *J Urol.* 2003 Jan; 169: 382-5
- 10021** Zozikov, B., Kunchev, S. I., Varlev, C. Application of clenbuterol in the treatment of urinary incontinence. *Int Urol Nephrol.* 2001; 33: 413-6
- 59078** Zubke, W., Becker, S., Kramer, B., Wallwiener, D. Persistent urinary retention after tension-free vaginal tape: a new surgical solution. *Eur J Obstet Gynecol Reprod Biol.* 2004 Jul 15; 115: 95-8
- 41470** Zulkowski, K., Kindsfater, D. Examination of care-planning needs for elderly newly admitted to an acute care setting. *Ostomy Wound Manage.* 2000 Jan; 46: 32-8
- 10146** Zullo, F., Morelli, M., Russo, T., Iuzzolino, D., Palomba, S. Two techniques of laparoscopic retropubic urethropexy. *J Am Assoc Gynecol Laparosc.* 2002 May; 9: 178-81
- 10238** Zullo, F., Palomba, S., Piccione, F., Morelli, M., Arduino, B., Mastrantonio, P. Laparoscopic Burch colposuspension: a randomized controlled trial comparing two transperitoneal surgical techniques. *Obstet Gynecol.* 2001 Nov; 98: 783-8
- 59225** Zullo, F., Palomba, S., Russo, T., Sbano, F. M., Falbo, A., Morelli, M., Pellicano, M., Mastrantonio, P. Laparoscopic colposuspension using sutures or prolene meshes: a 3-year follow-up. *Eur J Obstet Gynecol Reprod Biol.* 2004 Dec 1; 117: 201-3
- 59175** Zullo, M. A., Plotti, F., Bellati, F., Muzii, L., Angioli, R., Panici, P. B. Transurethral polydimethylsiloxane implantation: a valid option for the treatment of stress urinary incontinence due to intrinsic sphincter deficiency without urethral hypermobility. *J Urol.* 2005 Mar; 173: 898-902
- 41012** Zvosec, D. L., Smith, S. W., McCutcheon, J. R., Spillane, J., Hall, B. J., Peacock, E. A. Adverse events, including death, associated with the use of 1,4- butanediol. *N Engl J Med.* 2001 Jan 11; 344: 87-94
- 4198** Zweig, S., Lawhorne, L., and Post, R. Factors predicting mortality in rural elderly hospitalized for pneumonia. *J Fam Pract.* 1990 Feb; 30: 153-159
- 45038** Zweig, S., Lawhorne, L., Post, R. Factors predicting mortality in rural elderly hospitalized for pneumonia. *J Fam Pract.* 1990 Feb; 30: 153-9
- 51530** Zyczynski, H. M., Howden, N. S. Surgical management of urinary incontinence. *Curr Womens Health Rep.* 2003 Oct; 3: 399-404

7109 articles listed

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 2992** Phillips, E., Uehling, D.T. Hinman syndrome: a vicious cycle. *Urology*. 1993 Sep; 42: 317-9;discussion319-20
- 2993** Acheson, L.S., Danner, S.C. Postpartum care and breast-feeding. *Prim Care*. 1993 Sep; 20: 729-747
- 2995** Zimakoff, J., Pontoppidan, B., Larsen, S.O., and Stickler, D.J. Management of urinary bladder function in Danish hospitals, nursing homes and home care. *J Hosp Infect*. 1993 Jul; 24: 183-199
- 2996** Broseta, E., Osca, J.M., Morera, J., Martinez-Agullo, E., and Jimenez-Cruz, J.F. Urological manifestations of herpes zoster. *Eur Urol*. 1993; 24: 244-247
- 2997** Weil, E.H., van-Waalwijk-van-Doorn, E.S., Heesakkers, J.P., Meguid, T., and Janknegt, R.A. Transvaginal ultrasonography: a study with healthy volunteers and women with genuine stress incontinence. *Eur Urol*. 1993; 24: 226-230
- 2999** Tobin, G.W. Incontinence in the elderly. *West Engl Med J*. 1992 Dec; 107: 79-81
- 3000** Ehrlich, R.M., Gershman, A. Laparoscopic seromyotomy (auto-augmentation) for non-neurogenic neurogenic bladder in a child: initial case report. *Urology*. 1993 Aug; 42: 175-178
- 3001** Sandvik, H., Hunskar, S. Incontinence pads--prevalence of use and individual consumption. *Scand J Soc Med*. 1993 Jun; 21: 120-121
- 3002** Brooks, M.J. Urinary incontinence: assessment, treatment, and reimbursement. *Home Healthc Nurse*. 1993 Jul-Aug; 11: 41-46
- 3003** Smith, P., Heimer, G., Norgren, A., and Ulmsten, U. Localization of steroid hormone receptors in the pelvic muscles. *Eur J Obstet Gynecol Reprod Biol*. 1993 Jun; 50: 83-85
- 3004** Dijkema, H.E., Weil, E.H., Mijs, P.T., and Janknegt, R.A. Neuromodulation of sacral nerves for incontinence and voiding dysfunctions. Clinical results and complications. *Eur Urol*. 1993; 24: 72-76
- 3005** Borzi, P., Gough, D.C. Pedicled gastric tube as a catheterising conduit. *Eur Urol*. 1993; 24: 103-105
- 3008** Sawle, G.V., Playford, E.D., Brooks, D.J., Quinn, N., and Frackowiak, R.S. Asymmetrical pre-synaptic and post-synaptic changes in the striatal dopamine projection in dopa naive parkinsonism. Diagnostic implications of the D2 receptor status. *Brain*. 1993 Aug; 116: 853-867
- 3009** Hollander, J.B., Diokno, A.C. Urinary diversion and reconstruction in the patient with spinal cord injury. *Urol Clin North Am*. 1993 Aug; 20: 465-474
- 3010** Kurisaka, M., Arisawa, M., Moriki, A., and Mori, K. Successful combination chemotherapy (cisplatin, vinblastine, and bleomycin) with small-dose irradiation in the treatment of pineoblastoma metastasized into spinal cord: case report. *Surg Neurol*. 1993 Feb; 39: 152-157
- 3011** Riley, D.E., Lang, A.E. The spectrum of levodopa-related fluctuations in Parkinson's disease. *Neurology*. 1993 Aug; 43: 1459-1464
- 3013** Mayhew, P.A. Overcoming barriers to research utilization with researched-based practice guidelines. *Medsurg Nurs*. 1993 Aug; 2: 336-337
- 3014** Anon. International Continence Society. 23rd annual meeting, Rome, Italy, 8-11 September 1993. Abstracts. *Neurourol Urodyn*. 1993; 12: 303-440
- 3016** Lopez, A.E., Padron, O.F., Patsias, G., and Politano, V.A. Transurethral polytetrafluoroethylene injection in female patients with urinary continence. *J Urol*. 1993 Sep; 150: 856-858
- 3017** Hollowell, J.G., Hill, P.D., Duffy, P.G., and Ransley, P.G. Evaluation and treatment of incontinence after bladder neck reconstruction in exstrophy and epispadias. *Br J Urol*. 1993 Jun; 71: 743-749
- 3018** Geirsson, G., Fall, M., and Lindstrom, S. The ice-water test--a simple and valuable supplement to routine cystometry. *Br J Urol*. 1993 Jun; 71: 681-685
- 3019** Moore, K., Griffiths, D., Latimer, G., and Merke, R. Twenty four-hour monitoring of incontinence and bladder function in a community hospital. *J ET Nurs*. 1993 Jul-Aug; 20: 163-168
- 3020** McGuire, E.J., Gormley, E.A. Urinary incontinence [editorial]. *J ET Nurs*. 1993 Jul-Aug; 20: 136-137

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 3021 Roe, B. Promoting continence in Denmark and UK. *Nurs Stand*. 1993 Jun 23-29; 7: 28-30
- 3022 Hassink, E.A., Rieu, P.N., Severijnen, R.S., vd-Staak, F.H., and Festen, C. Are adults content or continent after repair for high anal atresia? A long-term follow-up study in patients 18 years of age and older. *Ann Surg*. 1993 Aug; 218: 196-200
- 3023 Smith, P. Estrogens and the urogenital tract. Studies on steroid hormone receptors and a clinical study on a new estradiol-releasing vaginal ring. *Acta Obstet Gynecol Scand Suppl*. 1993; 157: 1-26
- 3024 Rousseau, P., Fuentevilla-Clifton, A. Acetazolamide and salicylate interaction in the elderly: a case report. *J Am Geriatr Soc*. 1993 Aug; 41: 868-869
- 3025 Lalos, O., Berglund, A.L., and Bjerle, P. Urodynamics in women with stress incontinence before and after surgery. *Eur J Obstet Gynecol Reprod Biol*. 1993 Mar; 48: 197-205
- 3026 Brandell, R.A., Brock, J.W., 3d. Common problems in pediatric urology. *Compr Ther*. 1993; 19: 11-16
- 3027 Reid, C.J., Borzyskowski, M. Lower urinary tract dysfunction in cerebral palsy. *Arch Dis Child*. 1993 Jun; 68: 739-742
- 3028 Van-Kerrebroeck, P.E., Koldewijn, E.L., Scherpenhuizen, S., and Debruyne, F.M. The morbidity due to lower urinary tract function in spinal cord injury patients. *Paraplegia*. 1993 May; 31: 320-329
- 3029 Whyte, T.D., McNally, D.S., and James, E.D. Six-element sensor for measuring vaginal pressure profiles. *Med Biol Eng Comput*. 1993 Mar; 31: 184-186
- 3030 Karasawa, J., Touho, H., Ohnishi, H., Miyamoto, S., and Kikuchi, H. Cerebral revascularization using omental transplantation for childhood moyamoya disease. *J Neurosurg*. 1993 Aug; 79: 192-196
- 3031 Cottenden, A., Ledger, D. Incontinence pads: predicting their leakage performance using laboratory tests. *Neurourol Urodyn*. 1993; 12: 289-291
- 3032 Walter, J.S., Wheeler, J.S., Morgan, C., Zaszczurynski, P., and Plishka, M. Measurement of total urethral compliance in females with stress incontinence. *Neurourol Urodyn*. 1993; 12: 273-276
- 3034 Nochajski, T.H., Burns, P.A., Pranikoff, K., and Dittmar, S.S. Dimensions of urine loss among older women with genuine stress incontinence. *Neurourol Urodyn*. 1993; 12: 223-233
- 3035 Jakobsen, H., Kromann-Andersen, B., Nielsen, K.K., and Maegaard, E. Pad weighing tests with 50% or 75% bladder filling. Does it matter?. *Acta Obstet Gynecol Scand*. 1993 Jul; 72: 377-381
- 3037 Chang, M.K., Joseph, A.C. Evolution of a bladder behavior clinic for patients after prostatectomy. *Urol Nurs*. 1993 Jun; 13: 62-66
- 3038 Nguyen, D.H., Bain, M.A., Salmonson, K.L., Ganesan, G.S., Burns, M.W., and Mitchell, M.E. The syndrome of dysuria and hematuria in pediatric urinary reconstruction with stomach. *J Urol*. 1993 Aug; 150: 707-709
- 3039 Wan, J., McGuire, E.J., Bloom, D.A., and Ritchey, M.L. Stress leak point pressure: a diagnostic tool for incontinent children. *J Urol*. 1993 Aug; 150: 700-702
- 3040 Decter, R.M. Use of the fascial sling for neurogenic incontinence: lessons learned. *J Urol*. 1993 Aug; 150: 683-686
- 3041 Caione, P., Lais, A., de-Gennaro, M., and Capozza, N. Glutaraldehyde cross-linked bovine collagen in exstrophy/epispadias complex. *J Urol*. 1993 Aug; 150: 631-633
- 3042 Gearhart, J.P., Canning, D.A., Peppas, D.S., and Jeffs, R.D. Techniques to create continence in the failed bladder exstrophy closure patient. *J Urol*. 1993 Aug; 150: 441-443
- 3043 Gosalbez, R., Jr., Woodard, J.R., Broecker, B.H., Parrott, T.S., and Massad, C. The use of stomach in pediatric urinary reconstruction. *J Urol*. 1993 Aug; 150: 438-440
- 3044 Steiner, M.S., Burnett, A.L., Brooks, J.D., Brendler, C.B., Stutzman, R.E., and Carter, H.B. Tubularized neourethra following radical retropubic prostatectomy. *J Urol*. 1993 Aug; 150: 407-9;discussion409-10

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 3045** Fishman, I.J., Scott, F.B. Pregnancy in patients with the artificial urinary sphincter. *J Urol.* 1993 Aug; 150: 340-341
- 3046** Ishigooka, M., Hashimoto, T., Izumiya, K., Katoh, T., Yaguchi, H., Nakada, T., Handa, Y., and Hoshimiya, N. Electrical pelvic floor stimulation in the management of urinary incontinence due to neuropathic overactive bladder. *Front Med Biol Eng.* 1993; 5: 1-10
- 3047** Petrelli, N.J., Nagel, S., Rodriguez-Bigas, M., Piedmonte, M., and Herrera, L. Morbidity and mortality following abdominoperineal resection for rectal adenocarcinoma. *Am Surg.* 1993 Jul; 59: 400-404
- 3048** Pannill, F.C., 3d. Urinary incontinence for the primary care physician. *Conn Med.* 1993 May; 57: 299-308
- 3049** Tiemann, D., Shea, L., Klutke, C.G., Gaehle, K., and Moore, S. Artificial urinary sphincters. Treatment for post-prostatectomy incontinence. *Aorn J.* 1993 Jun; 57: 1366-72,1375-9
- 3050** Burns, P.A., Pranikoff, K., Nochajski, T.H., Hadley, E.C., Levy, K.J., and Ory, M.G. A comparison of effectiveness of biofeedback and pelvic muscle exercise treatment of stress incontinence in older community-dwelling women. *J Gerontol.* 1993 Jul; 48: M167-M174
- 3051** Nurse, D.E., Britton, J.P., and Mundy, A.R. Relative indications for orthotopic lower urinary tract reconstruction, continent urinary diversion and conduit urinary diversion. *Br J Urol.* 1993 May; 71: 562-565
- 3052** Jones, J.A., Mitchell, M.E., and Rink, R.C. Improved results using a modification of the Young-Dees-Leadbetter bladder neck repair. *Br J Urol.* 1993 May; 71: 555-561
- 3053** Ekelund, P., Grimby, A., and Milsom, I. Urinary incontinence. Social and financial costs high [letter]. *Bmj.* 1993 May 15; 306: 1344
- 3054** Jolleys, J.V., Wilson, J.V. Urinary incontinence. GPs lack confidence [letter]. *Bmj.* 1993 May 15; 306: 1344
- 3055** Hamano, S., Nakanishi, Y., Nara, T., Seki, T., Ohtani, T., Oishi, T., Joh, K., Oikawa, T., Muramatsu, Y., Ogawa, Y., et al. Neurological manifestations of hemorrhagic colitis in the outbreak of *Escherichia coli* O157:H7 infection in Japan. *Acta Paediatr.* 1993 May; 82: 454-458
- 3056** Chester, F. Promoting urinary continence (continuing education credit). *Nurs Stand.* 1993 May 12-18; 7: 31-36
- 3057** Weese, D.L., Roskamp, D.A., Leach, G.E., and Zimmern, P.E. Intravesical oxybutynin chloride: experience with 42 patients. *Urology.* 1993 Jun; 41: 527-530
- 3058** Sherer, D.M., Abramowicz, J.S., Perillo, A.M., and Woods, J.R., Jr. Post cesarean delivery atonic bladder with overflow incontinence appearing sonographically as a large retrovesical hypoechoic mass. *J Ultrasound Med.* 1993 Jun; 12: 365-367
- 3059** Nazarko, L. Care of the elderly: incontinence through incompetence. *Nurs Stand.* 1993 Apr 28-May 4; 7: 52-53
- 3060** Hautmann, R.E., Miller, K., Steiner, U., and Wenderoth, U. The ileal neobladder: 6 years of experience with more than 200 patients. *J Urol.* 1993 Jul; 150: 40-45
- 3061** Weiss, R.E., Garden, R.J., Cohen, E.L., and Stone, N.N. Covered exstrophy with sequestered colonic remnant. *J Urol.* 1993 Jul; 150: 185-187
- 3062** McCormack, M., Pike, J., and Kiruluta, G. Leak point of incontinence: a measure of the interaction between outlet resistance and bladder capacity. *J Urol.* 1993 Jul; 150: 162-164
- 3063** Ishigooka, M., Hashimoto, T., Sasagawa, I., Nakada, T., and Handa, Y. Technique of percutaneous electrode implantation for electrical pelvic floor stimulation. *Eur Urol.* 1993; 23: 413-416
- 3064** Pieper, B., Cleland, V. An external urine-collection device for women: a clinical trial. *J ET Nurs.* 1993 Mar-Apr; 20: 51-55
- 3065** Mooney, R.A., Newman, D.K., Smith, D.A., and Grey, M. Establishing a continence service using AHCPR guidelines. *Ostomy Wound Manage.* 1993 Apr; 39: 28-30,32
- 3067** Davies, D.D. Incidence of major complications of neurolytic coeliac plexus block. *J R Soc Med.* 1993 May; 86: 264-266



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 3068 Burn, J., Sandercock, P. Predicting the outcome of acute stroke. *J Neurol Neurosurg Psychiatry*. 1993 May; 56: 576
- 3069 Lagace, E.A., Hansen, W., and Hickner, J.M. Prevalence and severity of urinary incontinence in ambulatory adults: an UPRNet study. *J Fam Pract*. 1993 Jun; 36: 610-614
- 3070 Grosshans, C., Passadori, Y., and Peter, B. Urinary retention in the elderly: a study of 100 hospitalized patients. *J Am Geriatr Soc*. 1993 Jun; 41: 633-638
- 3071 Castleden, C.M. Long-term outcome following stroke [letter]. *Age Ageing*. 1993 May; 22: 231-232
- 3072 Tokunaka, S., Fujii, H., Hashimoto, H., and Yachiku, S. Proportions of fiber types in the external urethral sphincter of young nulliparous and old multiparous rabbits. *Urol Res*. 1993 Mar; 21: 121-124
- 3073 Sandvik, H., Kveine, E., and Hunskaar, S. Female urinary incontinence--psychosocial impact, self care, and consultations. *Scand J Caring Sci*. 1993; 7: 53-56
- 3074 Campbell, J.M., Dowd, T.T. Capturing scarce resources: documentation and communication. *Nurs Econ*. 1993 Mar-Apr; 11: 103-106
- 3075 Anon. Diagnostic and therapeutic technology assessment. Use of Teflon preparations for urinary incontinence and vesicoureteral reflux. *Jama*. 1993 Jun 16; 269: 2975-2980
- 3076 Thessen, C.C., Kreder, K.J. Ogilvie's syndrome: a potential complication of vaginal surgery. *J Urol*. 1993 Jun; 149: 1541-1543
- 3077 Milsom, I., Ekelund, P., Molander, U., Arvidsson, L., and Areskoug, B. The influence of age, parity, oral contraception, hysterectomy and menopause on the prevalence of urinary incontinence in women. *J Urol*. 1993 Jun; 149: 1459-1462
- 3078 Toan, N.N. Simplified urethrocystovaginal suspension as treatment for stress urinary incontinence [letter]. *Am J Obstet Gynecol*. 1993 May; 168: 1642
- 3079 Rasmussen, F., Lie, H.R., Hagelsteen, J.H., Lagergren, J., Borjeson, M.C., Lagerkvist, B., and Kohler, L. Nordic children with myelomeningocele. Parents' assessments of the handicap and physicians' classifications of the disabilities. *Acta Paediatr*. 1993 Mar; 82: 276-280
- 3080 Cohen, H.A., Abarbanel, J., Ashkenasi, A., Frydman, M., Straussberg, R., and Varsano, I. Urodynamic manifestations associated with Ramsay-Hunt syndrome. Case report. *Scand J Urol Nephrol*. 1993; 27: 129-131
- 3081 Pang, D. Sacral agenesis and caudal spinal cord malformations. *Neurosurgery*. 1993 May; 32: 755-78;discussion778-9
- 3082 Kurtz, M., Murrey, M., Salmonson, K., and Cornell, C. Daytime incontinence. *J Pediatr Health Care*. 1993 Mar-Apr; 7: 92,99-100
- 3083 Brocklehurst, J.C. Urinary incontinence in the community--analysis of a MORI poll [see comments]. *Bmj*. 1993 Mar 27; 306: 832-834
- 3084 Jarvis, G.J. Urinary incontinence in the community [editorial; comment]. *Bmj*. 1993 Mar 27; 306: 809-810
- 3085 Klein, E.A. Modified apical dissection for early continence after radical prostatectomy. *Prostate*. 1993; 22: 217-223
- 3086 Hooley, J.S. Kegel exercises [letter]. *J Fla Med Assoc*. 1993 Mar; 80: 213
- 3087 Lao, T.T., Halpern, S.H., MacDonald, D., and Huh, C. Spinal subdural haematoma in a parturient after attempted epidural anaesthesia. *Can J Anaesth*. 1993 Apr; 40: 340-345
- 3088 Harke, J.M., Richgels, K. Barriers to implementing a continence program in nursing homes. *Clin Nurs Res*. 1992 May; 1: 158-168
- 3089 Ramon, J., Leandri, P., Rossignol, G., and Gautier, J.R. Preservation of urinary continence and potency after cystoprostatectomy. *Prog Clin Biol Res*. 1992; 378: 125-132
- 3090 Norton, C. Continence. A helping handle. *Nurs Times*. 1993 Apr 21-27; 89: 76-78



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3091** Philp, J., Cottenden, A., and Ledger, D. Continence. Mix and match. *Nurs Times*. 1993 Apr 21-27; 89: 70-74
- 3092** Herschorn, S., Thijssen, A.J., and Radomski, S.B. Experience with the hemi-Kock ileocystoplasty with a continent abdominal stoma. *J Urol*. 1993 May; 149: 998-1001
- 3093** Borer, J.G., Corgan, F.J., Krantz, R., Gordon, D.H., Maiman, M., and Glassberg, K.I. Unilateral single vaginal ectopic ureter with ipsilateral hypoplastic pelvic kidney and bicornuate uterus. *J Urol*. 1993 May; 149: 1124-1127
- 3094** Gearhart, J.P., Peppas, D.S., and Jeffs, R.D. Complete genitourinary reconstruction in female epispadias. *J Urol*. 1993 May; 149: 1110-1113
- 3095** Cher, M.L., Allen, T.D. Continence in the myelodysplastic patient following enterocystoplasty. *J Urol*. 1993 May; 149: 1103-1106
- 3096** Wolf, J.S., Jr., Turzan, C.W. Augmentation ureterocystoplasty. *J Urol*. 1993 May; 149: 1095-1098
- 3097** Keating, M.A., Rink, R.C., and Adams, M.C. Appendicovesicostomy: a useful adjunct to continent reconstruction of the bladder. *J Urol*. 1993 May; 149: 1091-1094
- 3098** Ramsay, I.N., Hilton, P., and Cox, T.F. Time-series analysis of urethral electrical conductance measurements in the assessment of unstable urethral pressure: results in normal patients and in those with genuine stress incontinence. *Neurourol Urodyn*. 1993; 12: 23-31
- 3099** Griffiths, D.J., McCracken, P.N., Harrison, G.M., and Gormley, E.A. Relationship of fluid intake to voluntary micturition and urinary incontinence in geriatric patients. *Neurourol Urodyn*. 1993; 12: 1-7
- 3100** Gormley, E.A., Griffiths, D.J., McCracken, P.N., and Harrison, G.M. Polypharmacy and its effect on urinary incontinence in a geriatric population. *Br J Urol*. 1993 Mar; 71: 265-269
- 3101** Wells, M. Are we meeting clients' needs? Nursing audit in continence care. *Prof Nurse*. 1993 Apr; 8: 430-436
- 3102** Grimby, A., Milsom, I., Molander, U., Wiklund, I., and Ekelund, P. The influence of urinary incontinence on the quality of life of elderly women. *Age Ageing*. 1993 Mar; 22: 82-89
- 3103** Geirsson, G., Fall, M., and Lindstrom, S. Subtypes of overactive bladder in old age. *Age Ageing*. 1993 Mar; 22: 125-131
- 3104** Mouritsen, L., Strandberg, C., Jensen, A.R., Berget, A., Frimodt-Moller, C., and Folke, K. Inter- and intra-observer variation of colpo-cysto-urethrography diagnoses. *Acta Obstet Gynecol Scand*. 1993 Apr; 72: 200-204
- 3105** O'Donnell, P. Volume-interval relationship of incontinence episodes in elderly inpatient men. *Urology*. 1993 Apr; 41: 334-337
- 3106** Gundian, J.C., Barrett, D.M., and Parulkar, B.G. Mayo Clinic experience with the AS800 artificial urinary sphincter for urinary incontinence after transurethral resection of prostate or open prostatectomy. *Urology*. 1993 Apr; 41: 318-321
- 3108** Docherty, J.G., Carachi, R. Use of the appendix to provide urinary continence. *Eur J Pediatr Surg*. 1993 Feb; 3: 25-27
- 3109** Ishigooka, M., Hashimoto, T., Izumiya, K., Kodama, C., and Nakada, T. Membranous lipodystrophy (Nasu's disease): a rare cause of neuropathic urinary incontinence. *Urol Int*. 1993; 50: 179-181
- 3110** Simforoosh, N., Norbala, M.H., Danesh, A., and Bassiri, A. Proper use of gastrointestinal tract to achieve continent urinary diversion in 73 patients. *J-Urol (Paris)*. 1992; 98: 206-209
- 3111** Ouslander, J., Schnelle, J., Simmons, S., Bates-Jensen, B., and Zeitlin, M. The dark side of incontinence: nighttime incontinence in nursing home residents. *J Am Geriatr Soc*. 1993 Apr; 41: 371-376
- 3112** Mouritsen, L., Rasmussen, A. Bladder neck mobility evaluated by vaginal ultrasonography. *Br J Urol*. 1993 Feb; 71: 166-171
- 3113** Keane, D.P., Winder, A., Lewis, P., Shepherd, A.M., and Abrams, P. A combined urodynamic and continence unit--a review of the first 19 years. *Br J Urol*. 1993 Feb; 71: 161-165

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3114 Moore, T.F., Saltmarche, A. Developing and testing an instrument to assess the information needs of persons with urinary incontinence. *Perspectives*. 1993 Spring; 17: 2-6
- 3115 Hage, J.J., Bouman, F.G., and Bloem, J.J. Construction of the fixed part of the neourethra in female-to-male transsexuals: experience in 53 patients. *Plast Reconstr Surg*. 1993 Apr; 91: 904-10;discussion911-3
- 3117 Anon. Continence. Providing an informed service. *Nurs Times*. 1992 Mar 25-31; 88: 88
- 3118 Oldbury, M. Continence. Hard won comfort. *Nurs Times*. 1992 Mar 25-31; 88: 86
- 3119 Bozier, K. Continence. Part of the problem. *Nurs Times*. 1992 Mar 25-31; 88: 84-86
- 3120 Thornburn, P., Cottenden, A., and Ledger, D. Continence. Undercover trials. *Nurs Times*. 1992 Mar 25-31; 88: 72-78
- 3121 Watson, E. Continence. A basis for change. *Nurs Times*. 1992 Mar 25-31; 88: 69-70
- 3122 Freeman, R., Miyawaki, E. The treatment of autonomic dysfunction. *J Clin Neurophysiol*. 1993 Jan; 10: 61-82
- 3123 Benarroch, E.E., Chang, F.L. Central autonomic disorders. *J Clin Neurophysiol*. 1993 Jan; 10: 39-50
- 3124 Williams, T. Nursing initiative pinpointed problem. *N Z Nurs J*. 1993 Feb; 86: 14
- 3125 Binnie, F. Incontinent patients take part in test. *N Z Nurs J*. 1993 Feb; 86: 12-14
- 3126 Golomb, J., Ben-Chaim, J., Goldwasser, B., Korach, J., and Mashlach, S. Conservative treatment of a vesicocervical fistula resulting from Shirodkar cervical cerclage. *J Urol*. 1993 Apr; 149: 833-834
- 3127 Nitti, V.W., Bregg, K.J., Sussman, E.M., and Raz, S. The Raz bladder neck suspension in patients 65 years old and older. *J Urol*. 1993 Apr; 149: 802-807
- 3128 Raz, S., Nitti, V.W., and Bregg, K.J. Transvaginal repair of enterocele. *J Urol*. 1993 Apr; 149: 724-730
- 3129 Wells, T. Scientist wins one for women [interview by Julie Goldsmith]. *Reflections*. 1992 Winter; 17: 8-9
- 3130 Fox, R.A. Treatment recommendations for respiratory tract infections associated with aging. *Drugs Aging*. 1993 Jan-Feb; 3: 40-48
- 3131 Colling, J.C., Newman, D.K., McCormick, K.A., and Pearson, B.D. Behavioral management strategies for urinary incontinence. *J ET Nurs*. 1993 Jan-Feb; 20: 9-13
- 3132 Chan, K.M., Lim, P.H., Chee, Y.C., and Jayaratnam, F.J. Urinary symptoms and urodynamic diagnosis of patients in one geriatric department. *Ann Acad Med Singapore*. 1992 Nov; 21: 813-817
- 3133 Wozniak-Petrofsky, J. Urinary incontinence in the elderly: not a normal part of aging. *Urol Nurs*. 1993 Mar; 13: 12-16
- 3134 Klein, H.M., Kirschner-Hermanns, R., Lagunilla, J., and Gunther, R.W. Assessment of incontinence with intraurethral US: preliminary results. *Radiology*. 1993 Apr; 187: 141-143
- 3135 Roe, B.H. A comparison of nursing approaches for the promotion and management of continence in the U.K. and Denmark. *Int J Nurs Stud*. 1993 Feb; 30: 25-35
- 3136 Gelber, D.A., Good, D.C., Laven, L.J., and Verhulst, S.J. Causes of urinary incontinence after acute hemispheric stroke. *Stroke*. 1993 Mar; 24: 378-382
- 3137 Knoll, M., Madersbacher, H. The chances of a spina bifida patient becoming continent/socially dry by conservative therapy. *Paraplegia*. 1993 Jan; 31: 22-27
- 3138 Blomerth, P.R. Normal pressure hydrocephalus. *J Manipulative Physiol Ther*. 1993 Feb; 16: 104-106
- 3139 Pollack, M.H., Reiter, S., and Hammerness, P. Genitourinary and sexual adverse effects of psychotropic medication. *Int J Psychiatry Med*. 1992; 22: 305-327
- 3141 Houston, K.A. Incontinence and the older woman. *Clin Geriatr Med*. 1993 Feb; 9: 157-171
- 3142 Green, B. Elderly care: a poor substitute for life. *Nurs Stand*. 1993 Jan 20-26; 7: 20-23

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 3143 Schnelle, J.F., Newman, D., White, M., Abbey, J., Wallston, K.A., Fogarty, T., and Ory, M.G. Maintaining continence in nursing home residents through the application of industrial quality control. *Gerontologist*. 1993 Feb; 33: 114-121
- 3144 Gambino, J., Cohen, A.J., and Friedenber, R.M. The direction of bladder displacement by adnexal masses. *Clin Imaging*. 1993 Jan-Mar; 17: 8-11
- 3145 Bosman, G., Vierhout, M.E., and Huikeshoven, F.J. A modified Raz bladder neck suspension operation. Results of a one to three years follow-up investigation. *Acta Obstet Gynecol Scand*. 1993 Jan; 72: 47-49
- 3146 Doyle, M. Continence. Suffering in secret. *Nurs Times*. 1993 Jan 27-Feb 2; 89: 64-66
- 3147 Philp, J., Cottenden, A., and Ledger, D. Continence. A testing time. *Nurs Times*. 1993 Jan 27-Feb 2; 89: 59-62
- 3149 Hanzal, E., Berger, E., and Koelbl, H. Levator ani muscle morphology and recurrent genuine stress incontinence. *Obstet Gynecol*. 1993 Mar; 81: 426-429
- 3151 Hwang, Y.M., Lee, M.C., Suh, D.C., and Lee, W.Y. Coxiella (Q fever)-associated myelopathy. *Neurology*. 1993 Feb; 43: 338-342
- 3152 Payne, K.A., Hendrix, M.R., and Wade, W.J. Caudal bupivacaine for postoperative analgesia in pediatric lower limb surgery. *J Pediatr Surg*. 1993 Feb; 28: 155-157
- 3153 Ramon, J., Leandri, P., Rossignol, G., and Gautier, J.R. Urinary continence following radical retropubic prostatectomy. *Br J Urol*. 1993 Jan; 71: 47-51
- 3154 Harrison, S.C., Brown, C., and OBoyle, P.J. Periurethral Teflon for stress urinary incontinence: medium-term results. *Br J Urol*. 1993 Jan; 71: 25-27
- 3155 Dewan, P.A., Byard, R.W. Re: Transurethral Polytef injection for post-prostatectomy urinary incontinence and long-term follow-up of women treated with periurethral Teflon injections for stress incontinence [letter]. *Br J Urol*. 1993 Jan; 71: 112
- 3156 Dewan, P.A., Byard, R.W. Re: Long-term follow-up of women treated with perurethral teflon injections for stress incontinence [letter]. *Br J Urol*. 1993 Jan; 71: 112
- 3157 Keane, D.P., Eckford, S.D., Shepherd, A.M., and Abrams, P. Urodynamic investigation in elderly women [letter]. *Bmj*. 1993 Jan 9; 306: 145
- 3158 Lemesh, R.A. Accidental chronic salicylate intoxication in an elderly patient: major morbidity despite early recognition. *Vet Hum Toxicol*. 1993 Feb; 35: 34-36
- 3159 Handler, M.S., Johnson, L.M., Dick, A.R., and Batnitzky, S. Neurosarcoidosis with unusual MRI findings. *Neuroradiology*. 1993; 35: 146-148
- 3160 Langer, R., Golan, A., Arad, D., Pansky, M., Bukovsky, I., and Caspi, E. Effects of induced menopause on Burch colposuspension for urinary stress incontinence. *J Reprod Med*. 1992 Dec; 37: 956-958
- 3161 Johnson, J.C. General concepts of geriatric medicine. *Clin Podiatr Med Surg*. 1993 Jan; 10: 23-33
- 3162 Stanton, S.L. Cut and dry--urinary incontinence in the female. *Trans Med Soc Lond*. 1990-91; 107: 9-11
- 3163 Foldspang, A., Mommsen, S., Lam, G.W., and Elving, L. Parity as a correlate of adult female urinary incontinence prevalence. *J Epidemiol Community Health*. 1992 Dec; 46: 595-600
- 3164 Appell, R., Baum, N. Treatment of urinary incontinence in the elderly. *J La State Med Soc*. 1992 Dec; 144: 581-585
- 3165 Williams, M.P., Wallhagen, M., and Dowling, G. Urinary retention in hospitalized elderly women. *J Gerontol Nurs*. 1993 Feb; 19: 7-14
- 3166 Pontes, J.E., Montie, J., Klein, E., and Huben, R. Salvage surgery for radiation failure in prostate cancer. *Cancer*. 1993 Feb 1; 71: 976-980
- 3167 Zietman, A.L., Shipley, W.U., and Willett, C.G. Residual disease after radical surgery or radiation therapy for prostate cancer. Clinical significance and therapeutic implications. *Cancer*. 1993 Feb 1; 71: 959-969

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 3168 Overmeyer, S., Rothenberger, A., and Koelfen, W. Psychiatric disturbances in children with hamartomas: a neglected somatopsychic issue. A case report. *Acta Paedopsychiatr.* 1992; 55: 243-249
- 3169 Brito, C.G., Mulcahy, J.J., Mitchell, M.E., and Adams, M.C. Use of a double cuff AMS800 urinary sphincter for severe stress incontinence. *J Urol.* 1993 Feb; 149: 283-285
- 3170 Lotenfoe, R., OKelly, J.K., Helal, M., and Lockhart, J.L. Periurethral polytetrafluoroethylene paste injection in incontinent female subjects: surgical indications and improved surgical technique. *J Urol.* 1993 Feb; 149: 279-282
- 3171 Chao, R., Mayo, M.E., Bejany, D.E., and Bavendam, T. Bladder neck closure with continent augmentation or suprapubic catheter in patients with neurogenic bladders. *J Am Paraplegia Soc.* 1993 Jan; 16: 18-22
- 3172 Anon. Urinary incontinence in adults: quick reference guide for clinicians. Agency for Health Care Policy and Research. *J ET Nurs.* 1992 Nov-Dec; 19: 216-224
- 3173 Zollner-Nielsen, M., Samuelsson, S.M. Maximal electrical stimulation of patients with frequency, urgency and urge incontinence. Report of 38 cases. *Acta Obstet Gynecol Scand.* 1992 Dec; 71: 629-631
- 3175 Jarvis, G.J. Re: Erosion of buttress following bladder neck suspension [letter]. *Br J Urol.* 1992 Dec; 70: 695
- 3176 Borzi, P.A., Bruce, J., and Gough, D.C. Continent cutaneous diversions in children: experience with the Mitrofanoff procedure. *Br J Urol.* 1992 Dec; 70: 669-673
- 3177 Barrett, J.A., Banks, A., and Roe, B. Urodynamic investigation in elderly women [letter]. *Bmj.* 1992 Dec 5; 305: 1438
- 3178 Kiilholma, P., Makinen, J., Chancellor, M.B., Pitkanen, Y., and Hirvonen, T. Modified Burch colposuspension for stress urinary incontinence in females. *Surg Gynecol Obstet.* 1993 Feb; 176: 111-115
- 3179 Albala, D.M., Schuessler, W.W., and Vancaillie, T.G. Laparoscopic bladder suspension for the treatment of stress incontinence. *Semin Urol.* 1992 Nov; 10: 222-226
- 3180 Burnet, C., Carter, H., and Gorman, D. Urinary incontinence: a survey of knowledge, working practice and training needs of nursing staff in Fife. *Health-Bull (Edinb).* 1992 Nov; 50: 448-452
- 3182 Pearson, B.D., Larson, J. Improving elders' continence state. *Clin Nurs Res.* 1992 Nov; 1: 430-439
- 3183 Merimsky, O., Reider-Groswasser, I., Wigler, N., and Chaitchik, S. Encephalopathy in ifosfamide-treated patients. *Acta Neurol Scand.* 1992 Nov; 86: 521-525
- 3184 Woodward, S. A checklist to meet long-term needs. Continence assessment of neuroscience patients. *Prof Nurse.* 1993 Jan; 8: 222-226
- 3186 OConnell, H.E., MacGregor, R.J., and Russell, J.M. Female urinary incontinence. Management in primary care. *Med J Aust.* 1992 Oct 19; 157: 537-544
- 3187 Belloli, G., Campobasso, P., and Mercurella, A. Neuropathic urinary incontinence in pediatric patients: management with artificial sphincter. *J Pediatr Surg.* 1992 Nov; 27: 1461-1464
- 3188 Ahmed, S., Morris, L.L., and Byard, R.W. Ectopic ureter with complete ureteric duplication in the female child. *J Pediatr Surg.* 1992 Nov; 27: 1455-1460
- 3189 Morris, A., Browne, G., and Saltmarche, A. Urinary incontinence: correlates among cognitively impaired elderly veterans. *J Gerontol Nurs.* 1992 Oct; 18: 33-40
- 3190 Lopez-Lopez, J.A., Valdivia-Uria, J.G., and Ucar-Terren, A. Percutaneous endoscopic urethrocervicopexy. *Eur Urol.* 1992; 22: 167-170
- 3191 Hyams, G., McCoull, K., Smith, P.S., and Tyrer, S.P. Behavioural continence training in mental handicap: a 10-year follow-up study. *J Intellect Disabil Res.* 1992 Dec; 36: 551-558
- 3192 Williams, N.S., Fowler, C.G., George, B.D., Blandy, J.P., Badenoch, D.F., and Patel, J. Electrically stimulated gracilis sphincter for bladder incontinence [letter]. *Lancet.* 1993 Jan 9; 341: 115-116
- 3193 Ivey, J.F. Understanding and evaluating chronic urinary incontinence. *J Fla Med Assoc.* 1992 Dec; 79: 823-827

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 3194 Fitzgerald, J.F., Smith, D.M., Martin, D.K., Freedman, J.A., and Wolinsky, F.D. Replication of the multidimensionality of activities of daily living. *J Gerontol.* 1993 Jan; 48: S28-S31
- 3195 The geriatric. *J Am Geriatr Soc.* 1993 Jan; 41: 78-84
- 3196 Creditor, M.C. Hazards of hospitalization of the elderly. *Ann Intern Med.* 1993 Feb 1; 118: 219-223
- 3197 Doan, T., Patterson, R., and Greenberger, P.A. Cough variant asthma: usefulness of a diagnostic-therapeutic trial with prednisone. *Ann Allergy.* 1992 Dec; 69: 505-509
- 3198 Rekers, H., Drogendijk, A.C., Valkenburg, H.A., and Riphagen, F. The menopause, urinary incontinence and other symptoms of the genito-urinary tract. *Maturitas.* 1992 Oct; 15: 101-111
- 3199 Madejski, R.M. LPN overview of urinary incontinence. *J Pract Nurs.* 1992 Dec; 42: 24-33
- 3200 Fowler, C.J., van-Kerrebroeck, P.E., Nordenbo, A., and Van-Poppel, H. Treatment of lower urinary tract dysfunction in patients with multiple sclerosis. Committee of the European Study Group of SUDIMS (Sexual and Urological Disorders in Multiple Sclerosis). *J Neurol Neurosurg Psychiatry.* 1992 Nov; 55: 986-989
- 3201 deHoll, J.D., Jr., Williams, L.A., Steers, W.D., Rodeheaver, G.T., Clark, M.M., and Edlich, R.F. Technical considerations in the use of external condom catheter systems. *J Burn Care Rehabil.* 1992 Nov-Dec; 13: 664-672
- 3202 Hanau, C.A., Chancellor, M.B., Alexander, A., Rishi, M., and Jordan, A.G. Fine-needle aspiration of a periurethral Teflon-filled cyst following radical prostatectomy. *Diagn Cytopathol.* 1992; 8: 614-616
- 3203 Lam, G.W., Foldspang, A., Elving, L.B., and Mommsen, S. Social context, social abstention, and problem recognition correlated with adult female urinary incontinence. *Dan Med Bull.* 1992 Dec; 39: 565-570
- 3204 Sole-Balcells, F., Villavicencio, H., and Ortiz, A. Postsurgical management of the patient undergoing radical prostatectomy. *Br J Urol.* 1992 Nov; 70 Suppl 1: 43-49
- 3205 Bassiouny, I.E. Continent urinary reservoir in exstrophy/epispadias complex. *Br J Urol.* 1992 Nov; 70: 558-562
- 3206 Ronzoni, G., De-Vecchis, M., Raschi, R., Cuneo, L., and Cagossi, M. Rome pouch: pre-peritoneal continent ileal reservoir with hydraulic valve. *Br J Urol.* 1992 Nov; 70: 514-518
- 3207 Lagro-Janssen, A.L., Debruyne, F.M., and Van-Weel, C. Psychological aspects of female urinary incontinence in general practice. *Br J Urol.* 1992 Nov; 70: 499-502
- 3208 Berned-Muller, E., Nordwall, A., and von-Wendt, L. The influence of scoliosis brace treatment on function in children with myelomeningocele. *Acta Paediatr.* 1992 Nov; 81: 925-928
- 3209 McCormick, K.A., Newman, D.K., Colling, J., and Pearson, B.D. Urinary incontinence in adults. *Am J Nurs.* 1992 Oct; 92: 75-88
- 3210 Bender, P. Deceptive distress in the elderly. *Am J Nurs.* 1992 Oct; 92: 28-32
- 3211 Joseph, A.C. Joseph Continence Assessment Tool. *Urol Nurs.* 1992 Dec; 12: 144-146
- 3212 Powers, I., Williams, D. Urinary incontinence: helping a patient regain control. *Nursing.* 1992 Dec; 22: 46-47
- 3213 Lagro-Janssen, A.L., Debruyne, F.M., Smits, A.J., and van-Weel, C. The effects of treatment of urinary incontinence in general practice. *Fam Pract.* 1992 Sep; 9: 284-289
- 3214 Rossignol, G., Leandri, P., Ramon, J., and Gautier, J.R. Radical prostatectomy in the management of stage A carcinoma of the prostate. *Eur Urol.* 1992; 21: 269-273
- 3215 Petrucci, K.E., Jacox, A., McCormick, K., Parks, P., Kjerulff, K., Baldwin, B., and Petrucci, P. Evaluating the appropriateness of a nurse expert system's patient assessment. *Comput Nurs.* 1992 Nov-Dec; 10: 243-249
- 3216 Iliffe, S., Tai, S.S., Haines, A., Gallivan, S., Goldenberg, E., Booroff, A., and Morgan, P. Are elderly people living alone an at risk group?. *Bmj.* 1992 Oct 24; 305: 1001-1004
- 3217 Hollowell, J.G., Hill, P.D., Duffy, P.G., and Ransley, P.G. Lower urinary tract function after exstrophy closure. *Pediatr Nephrol.* 1992 Sep; 6: 428-432



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 3218 Peggs, J.F. Urinary incontinence in the elderly: pharmacologic therapies. *Am Fam Physician*. 1992 Dec; 46: 1763-1769
- 3219 Norton, C. Continence. Continent's provision. *Nurs Times*. 1992 Oct 28-Nov 3; 88: 76-78
- 3220 Allen, S. Continence. Undercover trials unfair [letter]. *Nurs Times*. 1992 Oct 28-Nov 3; 88: 74
- 3221 Pottle, B. Continence. Equal rites for men. *Nurs Times*. 1992 Oct 28-Nov 3; 88: 74
- 3222 Philp, J., Cottenden, A., and Ledger, D. Continence. The reuser's guide. *Nurs Times*. 1992 Oct 28-Nov 3; 88: 66-72
- 3224 Morrison, L.M., Glen, E.S., Cherry, L.C., and Dawes, H.A. The open access Continence Resource Centre for Greater Glasgow Health Board. *Br J Urol*. 1992 Oct; 70: 395-398
- 3225 Moore, K.H., Gilpin, S.A., Dixon, J.S., Richmond, D.H., and Sutherst, J.R. Increase in presumptive sensory nerves of the urinary bladder in idiopathic detrusor instability. *Br J Urol*. 1992 Oct; 70: 370-372
- 3226 Borenstein, R., Elchalal, U., Goldchmit, R., Rosenman, D., Ben-Hur, H., and Katz, Z. The importance of the endopelvic fascia repair during vaginal hysterectomy. *Surg Gynecol Obstet*. 1992 Dec; 175: 551-554
- 3227 Holland, M.S. Central anticholinergic syndrome in a pediatric patient following transdermal scopolamine patch placement. *Nurse Anesth*. 1992 Sep; 3: 121-124
- 3228 Clarke, B. Urethral instability. *Aust N Z J Obstet Gynaecol*. 1992 Aug; 32: 270-275
- 3229 Widgerow, A.D. Abdominoplasty following colostomy. *Ann Plast Surg*. 1992 Nov; 29: 454-456
- 3231 Petros, P.P., Ulmsten, U. Urge incontinence history is an accurate predictor of urge incontinence. *Acta Obstet Gynecol Scand*. 1992 Oct; 71: 537-539
- 3234 Servoll, E., Halvorsen, O.J., Haukaas, S., and Hoisaeter, P.A. Radical retropubic prostatectomy: our experience with the first 54 patients. *Scand J Urol Nephrol*. 1992; 26: 231-234
- 3235 Maggi, C.A. Therapeutic potential of capsaicin-like molecules: studies in animals and humans. *Life Sci*. 1992; 51: 1777-1781
- 3236 Janknegt, R.A., Baeten, C.G., Weil, E.H., and Spaans, F. Electrically stimulated gracilis sphincter for treatment of bladder sphincter incontinence. *Lancet*. 1992 Nov 7; 340: 1129-1130
- 3237 Gasparini, M.E., Hinman, F., Jr., Presti, J.C., Jr., Schmidt, R.A., and Carroll, P.R. Continence after radical cystoprostatectomy and total bladder replacement: a urodynamic analysis. *J Urol*. 1992 Dec; 148: 1861-1864
- 3238 Herschorn, S., Radomski, S.B., and Steele, D.J. Early experience with intraurethral collagen injections for urinary incontinence. *J Urol*. 1992 Dec; 148: 1797-1800
- 3239 Rohatgi, M., Gupta, D.K., and Subbarao, P. Single-system cecoureterocele. *J Pediatr Surg*. 1992 Sep; 27: 1241-1243
- 3240 Appell, R.A., Baum, N. Evaluation of urinary incontinence in the elderly. *J La State Med Soc*. 1992 Nov; 144: 517-522
- 3242 Flaherty, J.H., Miller, D.K., and Coe, R.M. Impact on caregivers of supporting urinary function in noninstitutionalized, chronically ill seniors. *Gerontologist*. 1992 Aug; 32: 541-545
- 3244 Smith, N. Application of urodynamics to incontinence [editorial]. *Br J Hosp Med*. 1992 Sep 16-Oct 6; 48: 289-290
- 3245 Keane, D.P., Eckford, S.D., Shepherd, A.M., and Abrams, P. Referral patterns and diagnoses in women attending a urodynamic unit. *Bmj*. 1992 Oct 3; 305: 808
- 3246 Oakeshott, P., Hunt, G.M. Intermittent self catheterization for patients with urinary incontinence or difficulty emptying the bladder. *Br J Gen Pract*. 1992 Jun; 42: 253-255
- 3247 Jeter, K.F. Review of AHCPR urinary incontinence in adults: a patient's guide [letter]. *Decubitus*. 1992 Sep; 5: 8
- 3248 Jeter, K.F. A lifetime of incontinence [editorial]. *Ostomy Wound Manage*. 1992 Sep; 38: 45-6,48,50-1



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 3249 Hesnan, K. ET nurses expanding our practice. Behavioral interventions for incontinence. Ostomy Wound Manage. 1992 Sep; 38: 12,14-6,17passim
- 3250 Mitteness, L.S. Social aspects of urinary incontinence in the elderly. Aorn J. 1992 Oct; 56: 731-737
- 3251 Wszolek, Z.K., Pfeiffer, R.F., Bhatt, M.H., Schelper, R.L., Cordes, M., Snow, B.J., Rodnitzky, R.L., Wolters, E.C., Arwert, F., and Calne, D.B. Rapidly progressive autosomal dominant parkinsonism and dementia with pallido-ponto-nigral degeneration. Ann Neurol. 1992 Sep; 32: 312-320
- 3252 Chapelle, T., Reher, S., and Denis, B. Surgical extraction of a bladder stone due to a foreign body. Acta Urol Belg. 1992; 60: 85-87
- 3253 Viljoen, A.C. Further experience with the vaginal strips sling operation [letter]. S Afr Med J. 1992 Oct; 82: 286-287
- 3254 Warwick, R.T. Functional restoration & reconstruction of the incontinent female urethra. Rev Med Suisse Romande. 1992 Sep; 112: 775-785
- 3255 Lagro-Janssen, T., Smits, A., and Van-Weel, C. Urinary incontinence in women and the effects on their lives. Scand J Prim Health Care. 1992 Sep; 10: 211-216
- 3256 Anon. New studies, new treatments, new organization discussed at national NP symposium [news]. Nurse Pract. 1992 Oct; 17: 66-68
- 3257 Lindboe, C.F., Stolt-Nielsen, A., and Dale, L.G. Hemorrhage in a highly vascularized subependymoma of the septum pellucidum: case report. Neurosurgery. 1992 Oct; 31: 741-745
- 3259 Boone, T.B., Wilson, W.T., and Husmann, D.A. Postpubertal genitourinary function following posterior urethral disruptions in children. J Urol. 1992 Oct; 148: 1232-1234
- 3260 Perez, L.M., Webster, G.D. Successful outcome of artificial urinary sphincters in men with post-prostatectomy urinary incontinence despite adverse implantation features. J Urol. 1992 Oct; 148: 1166-1170
- 3261 Bishop, K.R., Dougherty, M., Mooney, R., Gimotty, P., and Williams, B. Effects of age, parity, and adherence on pelvic muscle response to exercise. J Obstet Gynecol Neonatal Nurs. 1992 Sep-Oct; 21: 401-406
- 3263 Ishigooka, M., Ishii, N., Hashimoto, T., Suzuki, Y., Adachi, M., Nakada, T., Saito, C., Ichie, M., and Handa, Y. Electrical stimulation of pelvic floor musculature by percutaneous implantable electrodes: a case report. Int Urol Nephrol. 1992; 24: 277-282
- 3264 Seiler, W.O., Stahelin, H.B., and Hefti, U. Desmopressin reduces night urine volume in geriatric patients: implication for treatment of the nocturnal incontinence. Clin Investig. 1992 Jul; 70: 619
- 3265 Karram, M.M., Angel, O., Koonings, P., Tabor, B., Bergman, A., and Bhatia, N. The modified Pereyra procedure: a clinical and urodynamic review. Br J Obstet Gynaecol. 1992 Aug; 99: 655-658
- 3266 McCormick, K.A., Palmer, M.H. Urinary incontinence in older adults. Annu Rev Nurs Res. 1992; 10: 25-53
- 3267 Nazarko, L. Programmed to succeed. Nurs Elder. 1992 Jul-Aug; 4: 20-21
- 3268 Norton, C. Incontinence in old age. Nurs Elder. 1992 Jul-Aug; 4: 17-18
- 3269 Van-Rijswijk, L. AHCPR update. Treatment of urinary incontinence. Ostomy Wound Manage. 1992 Jul-Aug; 38: 42-43
- 3271 Liptak, G.S., Shurtleff, D.B., Bloss, J.W., Baltus-Hebert, E., and Manitta, P. Mobility aids for children with high-level myelomeningocele: parapodium versus wheelchair. Dev Med Child Neurol. 1992 Sep; 34: 787-796
- 3272 Barrows, B., Bavendam, T., and Leach, G.E. Ectopically draining dysplastic kidney associated with genuine stress urinary incontinence: unusual combined cause of incontinence. Urology. 1992 Sep; 40: 283-285
- 3273 Franco, I., Reda, E.F., and Kaplan, W.E. Injectable prosthetic materials for the management of reflux and urinary incontinence in children. Semin Urol. 1992 Aug; 10: 184-193
- 3274 Fainsinger, R.L., MacEachern, T., Hanson, J., and Bruera, E. The use of urinary catheters in terminally ill cancer patients. J Pain Symptom Manage. 1992 Aug; 7: 333-338

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Procite Number

- 3276 Abbott, D. Objective assessment ensures improved diagnosis. Principles and techniques of urodynamics. Prof Nurse. 1992 Aug; 7: 738,740-2
- 3277 Anon. Non-surgical treatment of stress incontinence [editorial]. Lancet. 1992 Sep 12; 340: 643-644
- 3278 Brodak, P.P., Juma, S., and Raz, S. Levator hernia. J Urol. 1992 Sep; 148: 872-873
- 3279 Raz, S., Sussman, E.M., Erickson, D.B., Bregg, K.J., and Nitti, V.W. The Raz bladder neck suspension: results in 206 patients. J Urol. 1992 Sep; 148: 845-850
- 3280 Doughty, D. Role of the enterostomal therapy nurse in ostomy patient rehabilitation. Cancer. 1992 Sep 1; 70: 1390-1392
- 3281 McNees, M.P., Schnelle, J.F. Computer-aided management of urinary incontinence in nursing homes. West J Nurs Res. 1992 Aug; 14: 516-519
- 3282 Williams, R. Promoting continence following head injury. Br J Nurs. 1992 Jun 25-Jul 8; 1: 236-7,239-40
- 3283 Anon. Gynecologic urology. Curr Opin Obstet Gynecol. 1992 Aug; 4: 627-631
- 3284 Keane, D.P., Eckford, S.D., and Abrams, P. Surgical treatment and complications of urinary incontinence. Curr Opin Obstet Gynecol. 1992 Aug; 4: 559-564
- 3285 Walters, M.D., Realini, J.P., and Dougherty, M. Nonsurgical treatment of urinary incontinence. Curr Opin Obstet Gynecol. 1992 Aug; 4: 554-558
- 3286 Summitt, R.L., Jr. Investigative techniques, assessment of incontinence, and urodynamics. Curr Opin Obstet Gynecol. 1992 Aug; 4: 548-553
- 3287 Kossard, S., Bear, L. A florid papulo-nodular eruption in a sexagenarian. Australas J Dermatol. 1991; 32: 178-180
- 3288 Kondo, A., Kato, K., Sakakibara, T., Hashizume, Y., and Ito, S. Tethered cord syndrome: cause for urge incontinence and pain in lower extremities. Urology. 1992 Aug; 40: 143-146
- 3289 Pottle, B. Pulling together. Nurs Times. 1992 Jul 29-Aug 4; 88: 68
- 3290 Llewelyn, S. Attitude problems. Nurs Times. 1992 Jul 29-Aug 4; 88: 64,66
- 3292 Rossignol, G., Leandri, P., Ramon, J., and Gautier, J.R. Radical prostatectomy in the management of stage-A carcinoma of the prostate. Eur Urol. 1991; 20: 179-183
- 3293 Aprikian, A., Berardinucci, G., Pike, J., and Kiruluta, G. Experience with the AS-800 artificial urinary sphincter in myelodysplastic children. Can J Surg. 1992 Aug; 35: 396-400
- 3294 Maklebust, J., Magnan, M.A. Approaches to patient and family education for pressure ulcer management. Decubitus. 1992 Jul; 5: 18-20,24,26passim
- 3295 Bump, R.C., Sugerman, H.J., Fantl, J.A., and McClish, D.K. Obesity and lower urinary tract function in women: effect of surgically induced weight loss. Am J Obstet Gynecol. 1992 Aug; 167: 392-7;discussion397-9
- 3296 McMurdo, M.E., Davey, P.G., Elder, M.A., Miller, R.M., Old, D.C., and Malek, M. A cost-effectiveness study of the management of intractable urinary incontinence by urinary catheterisation or incontinence pads. J Epidemiol Community Health. 1992 Jun; 46: 222-226
- 3297 Mostafa, W.Z., Abahussein, A.A., and Alzayer, A.A. Diaper area granuloma of incontinence. J Dermatol. 1992 May; 19: 319-322
- 3298 Borrie, M.J., Davidson, H.A. Incontinence in institutions: costs and contributing factors. Can Med Assoc J. 1992 Aug 1; 147: 322-328
- 3299 Petros, P.E., Ulmsten, U. Stress incontinence following vaginal repair [letter]. Acta Obstet Gynecol Scand. 1992 May; 71: 323
- 3300 Atala, A., Bauer, S.B., Dyro, F.M., Shefner, J., Shillito, J., Sathi, S., and Scott, R.M. Bladder functional changes resulting from lipomyelomeningocele repair. J Urol. 1992 Aug; 148: 592-594

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3301** Boone, T.B., Roehrborn, C.G., and Hurt, G. Transurethral intravesical electrotherapy for neurogenic bladder dysfunction in children with myelodysplasia: a prospective, randomized clinical trial. *J Urol.* 1992 Aug; 148: 550-554
- 3302** Havranek, P., Hedlund, H., Rubenson, A., Guth, D., Husberg, M., Frykberg, T., and Larsson, L.T. Sacrococcygeal teratoma in Sweden between 1978 and 1989: long-term functional results. *J Pediatr Surg.* 1992 Jul; 27: 916-918
- 3303** Thomas, P.J., Nurse, D.E., Deliveliotis, C., and Mundy, A.R. Cystoprostatectomy and substitution cystoplasty for locally invasive bladder cancer. *Br J Urol.* 1992 Jul; 70: 40-42
- 3304** Nordstrom, G.M., Nyman, C.R. Male and female sexual function and activity following ileal conduit urinary diversion. *Br J Urol.* 1992 Jul; 70: 33-39
- 3305** Wise, B.G., Burton, G., Cutner, A., and Cardozo, L.D. Effect of vaginal ultrasound probe on lower urinary tract function. *Br J Urol.* 1992 Jul; 70: 12-16
- 3307** Woodhouse, C.R. Reconstruction of the lower urinary tract for neurogenic bladder: lessons from the adolescent age group. *Br J Urol.* 1992 Jun; 69: 589-593
- 3308** Meyer, S., Dhenin, T., Schmidt, N., and De-Grandi, P. Subjective and objective effects of intravaginal electrical myostimulation and biofeedback in patients with genuine stress urinary incontinence. *Br J Urol.* 1992 Jun; 69: 584-588
- 3309** Beckingham, I.J., Wemyss-Holden, G., and Lawrence, W.T. Long-term follow-up of women treated with perurethral Teflon injections for stress incontinence. *Br J Urol.* 1992 Jun; 69: 580-583
- 3310** Roe, B.H. What choices in care for the incontinent?. *World Health Forum.* 1992; 13: 81-83
- 3311** Mulhall, A. U.K. experience with indwelling urethral catheters [letter]. *Am J Infect Control.* 1992 Jun; 20: 164
- 3312** Ogundipe, A., Rosenzweig, B.A., Karram, M.M., Blumenfeld, D., and Bhatia, N.N. Modified suburethral sling procedure for treatment of recurrent or severe stress urinary incontinence. *Surg Gynecol Obstet.* 1992 Aug; 175: 173-176
- 3314** Hendren, W.H. Ileal nipple for continence in cloacal exstrophy. *J Urol.* 1992 Aug; 148: 372-379
- 3315** Dator, D.P., Hatchett, L., Dyro, F.M., Shefner, J.M., and Bauer, S.B. Urodynamic dysfunction in walking myelodysplastic children. *J Urol.* 1992 Aug; 148: 362-365
- 3316** Malone, M.L. Teaching about urinary incontinence [letter]. *J Am Geriatr Soc.* 1992 Aug; 40: 850-851
- 3317** Lachs, M.S., Becker, M., Siegal, A.P., Miller, R.L., and Tinetti, M.E. Delusions and behavioral disturbances in cognitively impaired elderly persons [see comments]. *J Am Geriatr Soc.* 1992 Aug; 40: 768-773
- 3318** Younoszai, M.K. Stooling problems in patients with myelomeningocele. *South Med J.* 1992 Jul; 85: 718-724
- 3321** Vereecken, R.L. Bladder pressure and kidney function in children with myelomeningocele: review article. *Paraplegia.* 1992 Mar; 30: 153-159
- 3322** Turner-Stokes, L., Frank, A.O. Urinary incontinence among patients with arthritis--a neglected disability. *J R Soc Med.* 1992 Jul; 85: 389-393
- 3323** Creason, N.S., Burgener, S.C., and Farrand, L. Guidelines for assessment of incontinence in elderly institutionalized women. *Geriatr-Nurs (New York).* 1992 Mar-Apr; 13: 76-79
- 3324** Freundl, M., Dugan, J. Urinary incontinence in the elderly: knowledge and attitude of long-term care staff. *Geriatr-Nurs (New York).* 1992 Mar-Apr; 13: 70-75
- 3325** Kirkeby, L.T., Beier-Holgersen, R., and Nordling, J. Successful pregnancy after ileocystoplasty. Case report. *Scand J Urol Nephrol.* 1992; 26: 195
- 3326** Nordstrom, G., Nyman, C.R., and Theorell, T. Psychosocial adjustment and general state of health in patients with ileal conduit urinary diversion. *Scand J Urol Nephrol.* 1992; 26: 139-147
- 3327** Hanley, J. Choosing garments to aid incontinence. *Nurs Times.* 1992 Jul 1-7; 88: 50-51

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3329** Stewart, D.A., Taylor, J., Ghosh, S., Macphee, G.J., Abdullah, I., McLenachan, J.M., and Stott, D.J. Terodiline causes polymorphic ventricular tachycardia due to reduced heart rate and prolongation of QT interval. *Eur J Clin Pharmacol.* 1992; 42: 577-580
- 3330** Brendler, C.B., Walsh, P.C. The role of radical prostatectomy in the treatment of prostate cancer. *CA Cancer J Clin.* 1992 Jul-Aug; 42: 212-222
- 3331** Gough, M., McDermott, E.W., Lyons, B., and Hederman, W.P. Perforation of bladder carcinoma presenting as acute abdomen. *Br J Urol.* 1992 May; 69: 541-542
- 3333** Versi, E. The Stamey endoscopic bladder neck suspension: a clinical and urodynamic investigation, including actuarial follow-up over four years [letter]. *Br J Obstet Gynaecol.* 1992 May; 99: 442-443
- 3334** Oliver, H. Contracting for a continence service. *Nurs Stand.* 1992 Jun 10-16; 6: 25-27
- 3335** Hildebrand, J., Moussa, Z., Raftopoulos, C., Vanhouche, J., Laute, M.A., and Przedborski, S. Variations of homovanillic acid levels in ventricular cerebrospinal fluid. *Acta Neurol Scand.* 1992 May; 85: 340-342
- 3336** Anderson, C.L., Hughes, E. The maximizing urinary functioning program: an innovative approach to managing incontinence in long term care. *Perspectives.* 1992 Summer; 16: 6-11
- 3337** Thind, P., Lose, G., and Colstrup, H. Pressure response to rapid dilation of resting urethra in healthy women. *Urology.* 1992 Jul; 40: 44-49
- 3338** Phua, S.M., Low, J.J., and Chew, S.Y. The role of urodynamics in evaluating incontinent females. *Singapore Med J.* 1992 Apr; 33: 139-142
- 3339** Coloby, P., Gattegno, B., Fourcade, R.O., Fiatte, P., Lagrange, L., Gilbon, F., Elias, E., Montete, P., and Thibault, P. Bladder reconstruction with ileum after cystoprostatectomy for bladder cancer: analysis of the micturition and continence of 44 consecutive patients. *Jpn J Clin Oncol.* 1992 Apr; 22: 122-130
- 3341** Summitt, R.L., Jr., Stovall, T.G., Bent, A.E., and Ostergard, D.R. Urinary incontinence: correlation of history and brief office evaluation with multichannel urodynamic testing. *Am J Obstet Gynecol.* 1992 Jun; 166: 1835-40;discussion1840-4
- 3343** Kok, A.L., Voorhorst, F.J., Burger, C.W., van-Houten, P., Kenemans, P., and Janssens, J. Urinary and faecal incontinence in community-residing elderly women. *Age Ageing.* 1992 May; 21: 211-215
- 3344** Griffiths, D.J., McCracken, P.N., Harrison, G.M., and Gormley, E.A. Characteristics of urinary incontinence in elderly patients studied by 24-hour monitoring and urodynamic testing. *Age Ageing.* 1992 May; 21: 195-201
- 3345** Webster, G.D., Perez, L.M., Khoury, J.M., and Timmons, S.L. Management of type III stress urinary incontinence using artificial urinary sphincter. *Urology.* 1992 Jun; 39: 499-503
- 3346** Prestwood, K.M., Besdine, R.W. Geriatric medicine. *Jama.* 1992 Jul 15; 268: 360-362
- 3347** Wan, J., McGuire, E.J., Bloom, D.A., and Ritchey, M.L. The treatment of urinary incontinence in children using glutaraldehyde cross-linked collagen. *J Urol.* 1992 Jul; 148: 127-130
- 3348** Starer, P., Libow, L.S. Medical care of the elderly in the nursing home. *J Gen Intern Med.* 1992 May-Jun; 7: 350-362
- 3349** Anon. Medical audit in general practice. I: Effects on doctors' clinical behaviour for common childhood conditions. North of England Study of Standards and Performance in General Practice. *Bmj.* 1992 Jun 6; 304: 1480-1484
- 3350** Gardner, J. Promoting continence in Australian nursing homes: a national project. *Urol Nurs.* 1992 Jun; 12: 83
- 3351** Saltmarche, A. Establishing a nurse continence service in Canada. *Urol Nurs.* 1992 Jun; 12: 81-82
- 3352** Hesnan, K.D., Runner-Heidt, C. Implementation of a hospital-based home care continence program. *Urol Nurs.* 1992 Jun; 12: 78-80
- 3353** Bierwirth, W.W. Which pad is for you?. *Urol Nurs.* 1992 Jun; 12: 75-77
- 3354** Gray, M. Electrostimulation in the management of voiding dysfunction. *Urol Nurs.* 1992 Jun; 12: 73-74

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3355** Moore, K., Metcalfe, J.B. Effectiveness of vaginal cones in treatment of urinary incontinence. *Urol Nurs.* 1992 Jun; 12: 69-72
- 3356** Duffy, L.M. Continence management for the frail elderly and cognitively impaired. *Urol Nurs.* 1992 Jun; 12: 66-68
- 3357** Faller, N., Jeter, K.F. The ABCs of product selection. *Urol Nurs.* 1992 Jun; 12: 52-54
- 3358** Motta, G.J. Reimbursement for incontinence products. *Urol Nurs.* 1992 Jun; 12: 50-51
- 3359** Wells, T.J. Managing incontinence through managing the environment. *Urol Nurs.* 1992 Jun; 12: 48-49
- 3360** Creason, N.S. How useful are urinary incontinence nursing diagnoses?. *Urol Nurs.* 1992 Jun; 12: 46-47
- 3361** McCormick, K.A., Newman, D.K., Colling, J., and Pearson, B.D. A practice guideline for urinary incontinence: the challenge to nurses. *Urol Nurs.* 1992 Jun; 12: 40-45
- 3362** van-Gool, J.D., Vijverberg, M.A., Messer, A.P., Elzinga-Plomp, A., and de-Jong, T.P. Functional daytime incontinence: non-pharmacological treatment. *Scand J Urol Nephrol Suppl.* 1992; 141: 93-103;discussion104-5
- 3363** Passerini-Glazel, G., Cisternino, A., Artibani, W., and Pagano, F. Ambulatory urodynamics: preliminary experience with vesico-urethral holter in children. *Scand J Urol Nephrol Suppl.* 1992; 141: 87-92
- 3364** Passerini-Glazel, G., Cisternino, A., Camuffo, M.C., Ferrarese, P., Aragona, F., and Artibani, W. Video-urodynamic studies of minor voiding dysfunctions in children: an overview of 13 years' experience. *Scand J Urol Nephrol Suppl.* 1992; 141: 70-84;discussion85-6
- 3365** van-Gool, J.D., Vijverberg, M.A., and de-Jong, T.P. Functional daytime incontinence: clinical and urodynamic assessment. *Scand J Urol Nephrol Suppl.* 1992; 141: 58-69
- 3366** Hansson, S. Urinary incontinence in children and associated problems. *Scand J Urol Nephrol Suppl.* 1992; 141: 47-55;discussion56-7
- 3367** Hjalmas, K. Functional daytime incontinence: definitions and epidemiology. *Scand J Urol Nephrol Suppl.* 1992; 141: 39-44;discussion45-6
- 3368** Mouriquand, P.D., Mollard, P. Management of urinary incontinence in neurogenic bladder. *Scand J Urol Nephrol Suppl.* 1992; 141: 28-36;discussion37-8
- 3369** Jaureguizar, E., Pereira, L. Structural incontinence. *Scand J Urol Nephrol Suppl.* 1992; 141: 20-5;discussion26-7
- 3370** Olbing, H. Management of the incontinent child in general practice. The paediatrician's viewpoint. *Scand J Urol Nephrol Suppl.* 1992; 141: 126-134
- 3371** Rickwood, A.M. Management of the incontinent child in general practice. The paediatric urologist's viewpoint. *Scand J Urol Nephrol Suppl.* 1992; 141: 117-125
- 3372** Hjalmas, K., Passerini-Glazel, G., and Chiozza, M.L. Functional daytime incontinence: pharmacological treatment. *Scand J Urol Nephrol Suppl.* 1992; 141: 108-14;discussion115-6
- 3373** Hjalmas, K. Urinary incontinence in children: suggestions for definitions and terminology. *Scand J Urol Nephrol Suppl.* 1992; 141: 1-6;discussion18-9
- 3374** Anon. Urinary incontinence in children -- focusing on daytime wetting. Proceedings of a workshop. Beaune, France, 11 April 1991. *Scand J Urol Nephrol Suppl.* 1992; 141: 1-139
- 3375** Mezey, M., Lavizzo-Mourey, R.J., Brunswick, J., and Taylor, L.A. Consensus among geriatric experts on the components of a complete nursing-home admission assessment. *Nurse Pract.* 1992 Jun; 17: 50,53-6,61
- 3376** Gillon, G., Engelstein, D., and Servadio, C. Risk factors and their effect on the results of Burch colposuspension for urinary stress incontinence. *Isr J Med Sci.* 1992 Jun; 28: 354-356
- 3377** De-Muylder, X., Claes, H., Neven, P., and De-Jaegher, K. Usefulness of urodynamic investigations in female incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1992 May 13; 44: 205-208
- 3378** Amark, P., Beck, O. Effect of phenylpropanolamine on incontinence in children with neurogenic bladders. A double-blind crossover study. *Acta Paediatr.* 1992 Apr; 81: 345-350



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3379** Hattori, T., Yasuda, K., Sakakibara, R., Yamanishi, T., Kitahara, H., and Hirayama, K. Micturitional disturbance in tumors of the lumbosacral area. *J Spinal Disord.* 1992 Jun; 5: 193-197
- 3380** Fawdry, R. Symptoms analysis for the diagnosis of genuine stress incontinence [letter]. *Br J Obstet Gynaecol.* 1992 Mar; 99: 271
- 3381** Burns, P.A., Nochajski, T.H., and Pranikoff, K. Factors discriminating between genuine stress and mixed incontinence. *J Am Acad Nurse Pract.* 1992 Jan-Mar; 4: 15-21
- 3382** Steidle, C.P., Kennedy, K.L. Achieving a state of urinary continence for residents of nursing facilities. Part III: Manufactured incontinence. *Ostomy Wound Manage.* 1992 Jan-Feb; 38: 36-38
- 3383** Godsey, S.G. Innovative technologies for the treatment of urinary incontinence. *Ostomy Wound Manage.* 1992 Jan-Feb; 38: 22-26
- 3384** Sabnis, R.B., Bapat, S.D., Desai, R.M., and Puneekar, S.V. Experience of continent urinary diversion with modified Koff's technique. *Arch Esp Urol.* 1992 May; 45: 383-386
- 3386** Swaddiwudhipong, W., Koonchote, S., Nguntra, P., and Chaovakiratipong, C. Assessment of socio-economic, functional and medical problems among the elderly in one rural community of Thailand. *Southeast Asian J Trop Med Public Health.* 1991 Sep; 22: 299-306
- 3387** Gladman, J.R., Harwood, D.M., and Barer, D.H. Predicting the outcome of acute stroke: prospective evaluation of five multivariate models and comparison with simple methods. *J Neurol Neurosurg Psychiatry.* 1992 May; 55: 347-351
- 3388** Haight, B.K., Jeter, K.F., and Wells, T.J. Urinary incontinence: two viewpoints. *J Gerontol Nurs.* 1992 Jun; 18: 41-45
- 3389** Brendler, C., Schlegel, P., Dowd, J., Kirby, R., and Zattoni, F. Surgical treatment for benign prostatic hyperplasia. *Cancer.* 1992 Jul 1; 70: 371-373
- 3390** Anon. Demand for urological devices increases among aging population [news]. *Front Med Biol Eng.* 1992; 4: 65-66
- 3391** Reiner, I., Jones, M., Donnell, S., and Rickwood, A.M. Incidence of normal micturition in myelomeningocele patients. *Arch Dis Child.* 1992 May; 67: 640-641
- 3394** Constantinou, C.E. Pharmacologic treatment of detrusor incontinence with thiphenamil HCl. *Urol Int.* 1992; 48: 42-47
- 3396** Hadorn, D.C., McCormick, K., and Diokno, A. An annotated algorithm approach to clinical guideline development. *Jama.* 1992 Jun 24; 267: 3311-3314
- 3397** Dolman, M. Midwives' recording of urinary output. *Nurs Stand.* 1992 Mar 25-31; 6: 25-27
- 3398** Meehan, J. Guideline issued for urinary incontinence. *Am Nurse.* 1992 May; 24: 2
- 3399** Colak, A., Tahta, K., Ozcan, O.E., and Eryilmaz, M. Congenital lumbosacral lipomas presenting as a form of occult spinal dysraphism. A report of 9 surgically treated cases. *Zentralbl Neurochir.* 1992; 53: 15-19
- 3401** Rosenzweig, B.A., Hischke, D., Thomas, S., Nelson, A.L., and Bhatia, N.N. Stress incontinence in women. Psychological status before and after treatment. *J Reprod Med.* 1991 Dec; 36: 835-838
- 3402** Hoffman, M.S., Roberts, W.S., Finan, M.A., Fiorica, J.V., Bryson, S.C., Ruffolo, E.H., and Cavanagh, D. A comparative study of radical vulvectomy and modified radical vulvectomy for the treatment of invasive squamous cell carcinoma of the vulva. *Gynecol Oncol.* 1992 May; 45: 192-197
- 3403** Rousseau, P., Fuentevilla-Clifton, A. Urinary incontinence in the aged, Part 2: Management strategies [published erratum appears in *Geriatrics* 1992 Sep;47(9):87]. *Geriatrics.* 1992 Jun; 47: 37-40,45,48
- 3404** Rousseau, P., Fuentevilla-Clifton, A. Urinary incontinence in the aged, Part 1: Patient evaluation. *Geriatrics.* 1992 Jun; 47: 22-6,33-4
- 3405** Swami, K.S., Abrams, P. Artificial urinary sphincters. *Br J Hosp Med.* 1992 Apr 15-May 5; 47: 591-596



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3406** Duker, P.C., Dekkers, M. Development of diurnal bladder control in severely and profoundly mentally handicapped residents. *J Intellect Disabil Res.* 1992 Apr; 36: 177-181
- 3407** Van-Rijswijk, L. AHCPR update. The guidelines for urinary incontinence in adults. *Ostomy Wound Manage.* 1992 May; 38: 8,10
- 3408** Wyndaele, J.J. Are sensations perceived during bladder filling reproducible during cystometry?. *Urol Int.* 1992; 48: 299-301
- 3409** Hunskaar, S. One hundred and fifty men with urinary incontinence. II. Help seeking and self care. *Scand J Prim Health Care.* 1992 Mar; 10: 26-29
- 3410** Hunskaar, S. One hundred and fifty men with urinary incontinence. I. Demography and medical history. *Scand J Prim Health Care.* 1992 Mar; 10: 21-25
- 3411** Anon. High quality long-term care for elderly people. A summary of a report of the Royal College of Physicians and the British Geriatrics Society. *J R Coll Physicians Lond.* 1992 Apr; 26: 130-133
- 3412** Hannappel, J., Krieger, S. Subjective and clinical results after transurethral resection and suprapubic prostatectomy in benign prostatic hypertrophy. *Eur Urol.* 1991; 20: 272-276
- 3413** Malone-Lee, J., Lubel, D., and Szonyi, G. Low dose oxybutynin for the unstable bladder [letter]. *Bmj.* 1992 Apr 18; 304: 1053
- 3415** Wiseman, J. Layers of meaning. *Nurs Times.* 1992 May 6-12; 88: 38-40
- 3416** Arena, M.G., Di-Rosa, A.E., Arcudi, L., Ruello, C., Magaudo, A., and Meduri, M. Voiding disorders in patients with cerebrovascular disease. *Funct Neurol.* 1992 Jan-Feb; 7: 47-49
- 3417** Hemal, A.K. Re: Actinomycotic vesico-uterine fistula from a wishbone pessary contraceptive device. P. Buckley et al. *Br. J. Urol.*, 68, 206-207, 1991 [letter]. *Br J Urol.* 1992 Apr; 69: 442
- 3418** Liu, S., Christmas, T.J., Nagendran, K., and Kirby, R.S. Sphincter electromyography in patients after radical prostatectomy and cystoprostatectomy. *Br J Urol.* 1992 Apr; 69: 397-403
- 3419** Fenn, N., Conn, I.G., German, K.A., and Stephenson, T.P. Complications of clam enterocystoplasty with particular reference to urinary tract infection. *Br J Urol.* 1992 Apr; 69: 366-368
- 3420** Ramsay, I.N., Clancy, S., and Hilton, P. Subtrigonal phenol injections in the treatment of idiopathic detrusor instability in the female--a long-term urodynamic follow-up. *Br J Urol.* 1992 Apr; 69: 363-365
- 3422** Harrington, W.J., Jr., Sheremata, W.A., Snodgrass, S.R., Emerson, S., Phillips, S., and Berger, J.R. Tropical spastic paraparesis/HTLV-1-associated myelopathy (TSP/HAM): treatment with an anabolic steroid danazol. *AIDS Res Hum Retroviruses.* 1991 Dec; 7: 1031-1034
- 3423** Walters, M.D., Realini, J.P. The evaluation and treatment of urinary incontinence in women: a primary care approach. *J Am Board Fam Pract.* 1992 May-Jun; 5: 289-301
- 3424** Juma, S., Little, N.A., and Raz, S. Vaginal wall sling: four years later. *Urology.* 1992 May; 39: 424-428
- 3425** Viktrup, L., Lose, G., Rolff, M., and Barfoed, K. The symptom of stress incontinence caused by pregnancy or delivery in primiparas. *Obstet Gynecol.* 1992 Jun; 79: 945-949
- 3426** White, M., Williams, J. A good start to a full life. Managing continence in children with spina bifida and hydrocephalus. *Prof Nurse.* 1992 Apr; 7: 474-477
- 3427** Leger, J.M., Henin, D., Belec, L., Mercier, B., Cohen, L., Bouche, P., Hauw, J.J., and Brunet, P. Lymphoma-induced polyradiculopathy in AIDS: two cases. *J Neurol.* 1992 Mar; 239: 132-134
- 3428** Cheater, F.M. Nurses' educational preparation and knowledge concerning continence promotion. *J Adv Nurs.* 1992 Mar; 17: 328-338
- 3429** Fulcher, R.A., Maisey, S.P. Evaluation of dipstick tests and reflectance meter for screening for bacteriuria in elderly patients. *Br J Clin Pract.* 1991 Winter; 45: 245-246

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3430** O'Donnell, B.F., Drachman, D.A., Barnes, H.J., Peterson, K.E., Swearer, J.M., and Lew, R.A. Incontinence and troublesome behaviors predict institutionalization in dementia. *J Geriatr Psychiatry Neurol.* 1992 Jan-Mar; 5: 45-52
- 3432** Bliss, M.R. Stroke [letter]. *Lancet.* 1992 May 2; 339: 1113
- 3433** Kreder, K., Das, A.K., and Webster, G.D. The hemi-Kock ileocystoplasty: a versatile procedure in reconstructive urology. *J Urol.* 1992 May; 147: 1248-1251
- 3434** Goldstein, M., Hawthorne, M.E., Engeberg, S., McDowell, B.J., and Burgio, K.L. Urinary incontinence. Why people do not seek help. *J Gerontol Nurs.* 1992 Apr; 18: 15-20
- 3435** Scheve, A.A., Engel, B.T., McCormick, K.A., and Leahy, E.G. Exercise in continence. *Geriatr-Nurs (New York).* 1991 May-Jun; 12: 124
- 3436** Holmes, S.A., Christmas, T.J., Kirby, R.S., and Hendry, W.F. Cystectomy and substitution enterocystoplasty: alternative primary treatment for T2/3 bladder cancer. *Br J Urol.* 1992 Mar; 69: 260-264
- 3437** Butt, J. Incontinence. Practical products. *Nurs Elder.* 1991 Jul-Aug; 3: 14-15
- 3438** Rekers, H., Drogendijk, A.C., Valkenburg, H., and Riphagen, F. Urinary incontinence in women from 35 to 79 years of age: prevalence and consequences. *Eur J Obstet Gynecol Reprod Biol.* 1992 Feb 28; 43: 229-234
- 3440** Lie, H.R., Lagergren, J., Rasmussen, F., Lagerkvist, B., Hagelsteen, J., Borjeson, M.C., Muttillainen, M., and Taudorf, F.K. Children with myelomeningocele: their urinary and bowel control. *Eur J Pediatr Surg.* 1991 Dec; 1 Suppl 1: 40
- 3441** Lagro-Janssen, T.L., Debruyne, F.M., Smits, A.J., and van-Weel, C. Controlled trial of pelvic floor exercises in the treatment of urinary stress incontinence in general practice. *Br J Gen Pract.* 1991 Nov; 41: 445-449
- 3442** Watson, R. Justifying your practice. *Nursing (Lond).* 1992 Feb 13-26; 5: 11-13
- 3443** Wijma, J., Tinga, D.J., and Visser, G.H. Compensatory mechanisms which prevent urinary incontinence in aging women. *Gynecol Obstet Invest.* 1992; 33: 102-104
- 3444** Wheeler, J.S., Jr., Walter, J.S., Niecestro, R.M., and Scalzo, A.J. Behavioral therapy for urinary incontinence. *J ET Nurs.* 1992 Mar-Apr; 19: 59-65
- 3445** Motta, G. Incontinence reimbursement. *Ostomy Wound Manage.* 1992 Mar; 38: 72-73
- 3446** Two incontinence management devices: the benefits of the. *Ostomy Wound Manage.* 1992 Mar; 38: 28-35
- 3447** Awad, S.A., Gajewski, J.B., Katz, N.O., and Acker-Roy, K. Final diagnosis and therapeutic implications of mixed symptoms of urinary incontinence in women. *Urology.* 1992 Apr; 39: 352-357
- 3448** Kurabayashi, H., Kubota, K., Kawada, E., Tamura, K., Tamura, J., and Shirakura, T. Complete cure of urinary and faecal incontinence after intravenous vitamin B12 therapy in a patient with post-gastrectomy megaloblastic anaemia. *J Intern Med.* 1992 Mar; 231: 313-315
- 3449** McCormick, K.A., Burgio, L.D., Engel, B.T., Scheve, A., and Leahy, E. Urinary incontinence: an augmented prompted void approach. *J Gerontol Nurs.* 1992 Mar; 18: 3-10
- 3450** McDowell, B.J., Burgio, K.L., Dombrowski, M., Locher, J.L., and Rodriguez, E. An interdisciplinary approach to the assessment and behavioral treatment of urinary incontinence in geriatric outpatients. *J Am Geriatr Soc.* 1992 Apr; 40: 370-374
- 3451** Small, E. Animal illness and human emotion. Loathsome and disfiguring conditions. *Probl Vet Med.* 1991 Mar; 3: 73-82
- 3453** Lee, K.S., Chan, C.J., Merriman, A., Tan, E.C., and Osborn, V. Clinical profile of elderly urinary incontinence in Singapore: a community-based study. *Ann Acad Med Singapore.* 1991 Nov; 20: 736-739
- 3454** Rosenzweig, B.A., Pushkin, S., Blumenfeld, D., and Bhatia, N.N. Prevalence of abnormal urodynamic test results in continent women with severe genitourinary prolapse. *Obstet Gynecol.* 1992 Apr; 79: 539-542

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3455** Herschorn, S., Radomski, S.B. Fascial slings and bladder neck tapering in the treatment of male neurogenic incontinence. *J Urol.* 1992 Apr; 147: 1073-1075
- 3457** Palmer, M.H., McCormick, K.A., Langford, A., Langlois, J., and Alvaran, M. Continence outcomes: documentation on medical records in the nursing home environment. *J Nurs Care Qual.* 1992 Apr; 6: 36-43
- 3458** Umstad, M.P., Glenning, P.P. Urodynamic investigation in the management of incontinent women. *Asia Oceania J Obstet Gynaecol.* 1991 Dec; 17: 307-313
- 3460** Fujita, M., Ohno, S., Danno, K., and Miyachi, Y. Two cases of diaper area granuloma of the adult. *J Dermatol.* 1991 Nov; 18: 671-675
- 3461** Campbell, E.B., Knight, M., Benson, M., and Colling, J. Effect of an incontinence training program on nursing home staff's knowledge, attitudes, and behavior. *Gerontologist.* 1991 Dec; 31: 788-794
- 3463** Yamakawa, H., Ohkuma, A., Hattori, T., Niikawa, S., and Kobayashi, H. Primary intracranial arachnoid cyst in the elderly: a survey on 39 cases. *Acta-Neurochir (Wien).* 1991; 113: 42-47
- 3464** Niecestro, R.M., Wheeler, J.S., Jr., Nanninga, J., Einhorn, C., and Goggin, C. Use of stresscath for diagnosing stress incontinence. *Urology.* 1992 Mar; 39: 266-269
- 3465** Mizuo, T., Tanizawa, A., Yamada, T., Ando, M., and Oshima, H. Sling operation for male stress incontinence by utilizing modified Stamey technique. *Urology.* 1992 Mar; 39: 211-214
- 3466** Newman, D.K., Smith, D.A. Pelvic muscle reeducation as a nursing treatment for incontinence. *Urol Nurs.* 1992 Mar; 12: 9-15
- 3467** Palmer, M.H., German, P.S., and Ouslander, J.G. Risk factors for urinary incontinence one year after nursing home admission. *Res Nurs Health.* 1991 Dec; 14: 405-412
- 3468** Leandri, P., Rossignol, G., Gautier, J.R., and Ramon, J. Radical retropubic prostatectomy: morbidity and quality of life. Experience with 620 consecutive cases. *J Urol.* 1992 Mar; 147: 883-887
- 3469** Wang, Y., Hadley, H.R. Experiences with the artificial urinary sphincter in the irradiated patient. *J Urol.* 1992 Mar; 147: 612-613
- 3470** Duncan, H.J., Nurse, D.E., and Mundy, A.R. Role of the artificial urinary sphincter in the treatment of stress incontinence in women. *Br J Urol.* 1992 Feb; 69: 141-143
- 3471** Thind, P., Lose, G., and Colstrup, H. Initial urethral pressure increase during stress episodes in genuine stress incontinent women. *Br J Urol.* 1992 Feb; 69: 137-140
- 3472** Ganzini, L., Heintz, R., Hoffman, W.F., Keepers, G.A., and Casey, D.E. Acute extrapyramidal syndromes in neuroleptic-treated elders: a pilot study. *J Geriatr Psychiatry Neurol.* 1991 Oct-Dec; 4: 222-225
- 3473** Warkentin, R. Implementation of a urinary continence program. *J Gerontol Nurs.* 1992 Jan; 18: 31-36
- 3474** Colling, J., Ouslander, J., Hadley, B.J., Eisch, J., and Campbell, E. The effects of patterned urge-response toileting (PURT) on urinary incontinence among nursing home residents. *J Am Geriatr Soc.* 1992 Feb; 40: 135-141
- 3477** Briggs, M., Williams, E.S. Urinary incontinence [letter; comment]. *Bmj.* 1992 Jan 25; 304: 255
- 3478** Oakeshott, P., Hunt, G.M. Urinary incontinence in women [letter; comment]. *Bmj.* 1992 Jan 25; 304: 255
- 3479** Goldberg, N.S., Esterly, N.B., Rothman, K.F., Fallon, J.D., Cropley, T.G., Szaniawski, W., and Glassman, M. Perianal pseudoverrucous papules and nodules in children. *Arch Dermatol.* 1992 Feb; 128: 240-242
- 3480** Klevmark, B., Kulseng-Hanssen, S. Continence mechanism in the female. *Scand J Urol Nephrol Suppl.* 1991; 138: 35-40
- 3481** Ford, H. Continence--feeling off-colour. *Nurs Times.* 1992 Jan 29-Feb 4; 88: 64,66,68
- 3482** Blannin, J. Continence--breaking point. *Nurs Times.* 1992 Jan 29-Feb 4; 88: 61-64
- 3483** Silbert, P.L., Stewart-Wynne, E.G. Incontinence after stroke [letter]. *Lancet.* 1992 Feb 15; 339: 428

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 3484** Dimpfl, T., Hesse, U., and Schussler, B. Incidence and cause of postpartum urinary stress incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1992 Jan 9; 43: 29-33
- 3486** OFlynn, K.J., Murphy, R., and Thomas, D.G. Neurogenic bladder dysfunction in lumbar intervertebral disc prolapse. *Br J Urol.* 1992 Jan; 69: 38-40
- 3487** Ganabathi, K., Abrams, P., Mundy, A.R., Dwyer, P.L., and Glenning, P.P. Stamey-Martius procedure for severe genuine stress incontinence. *Br J Urol.* 1992 Jan; 69: 34-37
- 3488** Dewan, P.A. Is injected polytetrafluoroethylene (Polytef) carcinogenic?. *Br J Urol.* 1992 Jan; 69: 29-33
- 3489** Politano, V.A. Transurethral polytef injection for post-prostatectomy urinary incontinence. *Br J Urol.* 1992 Jan; 69: 26-28
- 3490** Kieswetter, H., Fischer, M., Wober, L., and Flamm, J. Endoscopic implantation of collagen (GAX) for the treatment of urinary incontinence. *Br J Urol.* 1992 Jan; 69: 22-25
- 3491** Wise, B.G., Abbott, D., Kelleher, C.J., Haken, J., Burton, G., and Cardozo, L.D. Urinary incontinence [letter; comment]. *Bmj.* 1992 Jan 11; 304: 119-120
- 3492** Rosenzweig, B.A., Bhatia, N.N. Temporal separation of cough-induced urethral and bladder pressure spikes in women with urinary incontinence. *Urology.* 1992 Feb; 39: 165-168
- 3493** Koraitim, M., Khalil, R. Preservation of urosexual functions after radical cystectomy. *Urology.* 1992 Feb; 39: 117-121
- 3494** Lie, H.R., Lagergren, J., Rasmussen, F., Lagerkvist, B., Hagelsteen, J., Borjeson, M.C., Muttilainen, M., and Taudorf, K. Bowel and bladder control of children with myelomeningocele: a Nordic study. *Dev Med Child Neurol.* 1991 Dec; 33: 1053-1061
- 3495** Haenggi, W., Ammann, M., Katz, M., Koenig, C.F., Dreher, E., and Schneider, H. Urethral isolation of Chlamydia trachomatis in women with urinary incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1991 Nov 3; 42: 53-56
- 3496** Lyder, C.H., Clemes-Lowrance, C., Davis, A., Sullivan, L., and Zucker, A. Structured skin care regimen to prevent perineal dermatitis in the elderly. *J ET Nurs.* 1992 Jan-Feb; 19: 12-16
- 3497** MacArthur, C., Lewis, M., and Knox, E.G. Health after childbirth. *Br J Obstet Gynaecol.* 1991 Dec; 98: 1193-1195
- 3498** Fonda, D. The billion dollar question: can incontinence be reduced in nursing homes? [editorial]. *Med J Aust.* 1992 Jan 6; 156: 6-7
- 3499** Harrington, W.J., Jr., Sheramata, W., and Cabral, L. Danazol for urinary incontinence in tropical spastic paraparesis [letter]. *Lancet.* 1992 Feb 8; 339: 368
- 3500** Harari, D., Malone-Lee, J.G. Oxybutynin and incontinence during grand mal seizures. *Br J Urol.* 1991 Dec; 68: 658
- 3502** Cardozo, L. Urinary incontinence in women: have we anything new to offer? [see comments]. *Bmj.* 1991 Dec 7; 303: 1453-1457
- 3504** Jirovec, M.M. Effect of individualized prompted toileting on incontinence in nursing home residents. *Appl Nurs Res.* 1991 Nov; 4: 188-191
- 3505** Johnson, J.D., Lamensdorf, H., Hollander, I.N., and Thurman, A.E. Use of transvaginal endosonography in the evaluation of women with stress urinary incontinence. *J Urol.* 1992 Feb; 147: 421-425
- 3506** Mayo, M.E. Lower urinary tract dysfunction in cerebral palsy. *J Urol.* 1992 Feb; 147: 419-420
- 3507** Montague, D.K. The artificial urinary sphincter (AS 800): experience in 166 consecutive patients. *J Urol.* 1992 Feb; 147: 380-382
- 3508** Ouslander, J.G. Geriatric urinary incontinence. *Dis Mon.* 1992 Feb; 38: 65-149
- 3509** Kohn, D., Sinoff, G., Strulov, A., Ciechanover, M., and Wei, J.Y. Long-term follow-up of patients aged 75 years and older admitted to an acute care hospital in Israel. *Aging (Milano).* 1991 Sep; 3: 279-285

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 3510 Borstad, E., Skrede, M., and Rud, T. Failure to predict and attempts to explain urinary stress incontinence following vaginal repair in continent women by using a modified lateral urethrocytography. *Acta Obstet Gynecol Scand.* 1991; 70: 501-506
- 3511 Kreder, K.J., Webster, G.D. Management of the bladder outlet in patients requiring enterocystoplasty. *J Urol.* 1992 Jan; 147: 38-41
- 3512 Davidsson, T., Barker, S.B., and Mansson, W. Tapering of intussuscepted ileal nipple valve or ileocecal valve to correct secondary incontinence in patients with urinary reservoir. *J Urol.* 1992 Jan; 147: 144-146
- 3513 Burgio, K.L., Burgio, L.D., McCormick, K.A., and Engel, B.T. Assessing toileting skills and habits in an adult day care center. *J Gerontol Nurs.* 1991 Dec; 17: 32-35
- 3514 Wheeler, R.A., Malone, P.S. Use of the appendix in reconstructive surgery: a case against incidental appendectomy. *Br J Surg.* 1991 Nov; 78: 1283-1285
- 3516 Cutner, A., Cardozo, L.D., and Wise, B.G. The effects of pregnancy on previous incontinence surgery. Case report. *Br J Obstet Gynaecol.* 1991 Nov; 98: 1181-1183
- 3518 Cheater, F. Continence training programmes: need for standardisation. *Nurs Stand.* 1991 Nov 13-19; 6: 24-27
- 3519 Almog, S., Winkler, E., Amitai, Y., Dani, S., Shefi, M., Tirosh, M., and Shemer, J. Acute pyridostigmine overdose: a report of nine cases. *Isr J Med Sci.* 1991 Nov-Dec; 27: 659-663
- 3520 Wijma, J., Tinga, D.J., and Visser, G.H. Perineal ultrasonography in women with stress incontinence and controls: the role of the pelvic floor muscles. *Gynecol Obstet Invest.* 1991; 32: 176-179
- 3521 Cammu, H., Van-Nylen, M., Derde, M.P., DeBruyne, R., and Amy, J.J. Pelvic physiotherapy in genuine stress incontinence. *Urology.* 1991 Oct; 38: 332-337
- 3522 Durrani, A.F., Rosenbaum, T.P., Shaw, P.J., Singh, S.K., and Worth, P.H. Does the Kaufman prosthesis still have a place? Review of thirteen years' experience. *Urology.* 1991 Oct; 38: 328-331
- 3523 Lamhut, P., Jackson, T.W., and Wall, L.L. The treatment of urinary incontinence with electrical stimulation in nursing home patients: a pilot study. *J Am Geriatr Soc.* 1992 Jan; 40: 48-52
- 3525 De-Gennaro, M., Lais, A., Fariello, G., Caldarelli, M., Capozza, N., Talamo, M., and Caione, P. Early diagnosis and treatment of spinal dysraphism to prevent urinary incontinence. *Eur Urol.* 1991; 20: 140-145
- 3526 Vancaillie, T.G., Schuessler, W. Laparoscopic bladderneck suspension. *J Laparoendosc Surg.* 1991 Jun; 1: 169-173
- 3527 Bergman, A., Stanczyk, F.Z., and Lobo, R.A. The role of prostaglandins in detrusor instability. *Am J Obstet Gynecol.* 1991 Dec; 165: 1833-1836
- 3529 Hollowell, J.G., Ransley, P.G. Surgical management of incontinence in bladder exstrophy. *Br J Urol.* 1991 Nov; 68: 543-548
- 3530 George, V.K., Russell, G.L., Shutt, A., Gaches, C.G., and Ashken, M.H. Clam ileocystoplasty. *Br J Urol.* 1991 Nov; 68: 487-489
- 3531 Chapple, C.R., Hampson, S.J., Turner-Warwick, R.T., and Worth, P.H. Subtrigonal phenol injection. How safe and effective is it?. *Br J Urol.* 1991 Nov; 68: 483-486
- 3532 Moore, K.H., Richmond, D.H., and Parys, B.T. Sex distribution of adult idiopathic detrusor instability in relation to childhood bedwetting. *Br J Urol.* 1991 Nov; 68: 479-482
- 3533 OBrien, J., Austin, M., Sethi, P., and OBoyle, P. Urinary incontinence: prevalence, need for treatment, and effectiveness of intervention by nurse [see comments]. *Bmj.* 1991 Nov 23; 303: 1308-1312
- 3534 Ojanuga, D. Preventing birth injury among women in Africa: case studies in northern Nigeria. *Am J Orthopsychiatry.* 1991 Oct; 61: 533-539
- 3535 Efficacy and morbidity of. *Urology.* 1991 Dec; 38: 526-528



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 3536 Ramon, J., Mekras, J., and Webster, G.D. Transvaginal needle suspension procedures for recurrent stress incontinence. *Urology*. 1991 Dec; 38: 519-522
- 3537 Benbow, S., Sangster, G., and Barer, D. Incontinence after stroke [letter; comment]. *Lancet*. 1991 Dec 21-28; 338: 1602-1603
- 3538 Oliver, J.R., Wheeless, C.R., Jr., and Fakhoury, G. Correction of incontinent ileocolic urostomy with Kock's nipple valve. *Gynecol Oncol*. 1991 Nov; 43: 178-181
- 3539 Hamilton, S., Flood, H.D., Shetty, M.K., and Grainger, R. Radiology of the AS 800 artificial urinary sphincter; normal appearances and complications. *Eur J Radiol*. 1991 Sep-Oct; 13: 122-125
- 3540 Fossa, S.D., Hosbach, G. Short-term moderate-dose pelvic radiotherapy of advanced bladder carcinoma. A questionnaire-based evaluation of its symptomatic effect. *Acta Oncol*. 1991; 30: 735-738
- 3541 Campbell, J.M., Dowd, T.T. Promoting clinical research through collegial relationships. *Nursingconnections*. 1991 Fall; 4: 39-45
- 3542 Kuo, H.C., Chang, S.C., and Hsu, T. A new classification of female stress urinary incontinence--based on transrectal sonographic cystourethrography. *Taiwan I Hsueh Hui Tsa Chih*. 1991 Aug; 90: 769-775
- 3543 Pearson, B.D., Droessler, D. Problems of aging: urinary incontinence prevention. *Health Care Women Int*. 1991 Oct-Dec; 12: 443-450
- 3544 Mercer, L.J., Ludtke, L.J. Adenoma malignum presenting as urinary incontinence. *Int J Gynaecol Obstet*. 1991 Oct; 36: 149-153
- 3545 Khan, Z., Mieza, M., Starer, P., and Singh, V.K. Post-prostatectomy incontinence. A urodynamic and fluoroscopic point of view. *Urology*. 1991 Nov; 38: 483-488
- 3546 Gearhart, J.P. Failed bladder exstrophy repair. Evaluation and management. *Urol Clin North Am*. 1991 Nov; 18: 687-699
- 3547 Boyd, S.D., Lieskovsky, G., and Skinner, D.G. Kock pouch bladder replacement. *Urol Clin North Am*. 1991 Nov; 18: 641-648
- 3548 Miller, K., Wenderoth, U.K., de-Petriconi, R., Kleinschmidt, K., and Hautmann, R. The ileal neobladder. Operative technique and results. *Urol Clin North Am*. 1991 Nov; 18: 623-630
- 3549 Gotoh, M., Kondo, A., and Miyake, K. Bladder compliance in myelodysplastic children: does antireflux surgery compromise it?. *Urol Int*. 1991; 47 Suppl 1: 63-66
- 3550 Kondo, A. Status and tasks of today's urodynamics. *Urol Int*. 1991; 47 Suppl 1: 16-18
- 3551 Irvine, L. Paving the way to self-control. Maintaining continence in elderly people. *Prof Nurse*. 1991 Nov; 7: 94-97
- 3552 Anon. Continence--whose responsibility?. *Nurs Times*. 1991 Oct 30-Nov 5; 87: 68
- 3553 Deegan, S. Continence--close to normality. *Nurs Times*. 1991 Oct 30-Nov 5; 87: 65,67
- 3554 Dawes, H., Cherry, L., Ballentyne, M., and Glen, E. Continence--advice for all. *Nurs Times*. 1991 Oct 30-Nov 5; 87: 56,58,62
- 3555 Beck, R.P., McCormick, S., and Nordstrom, L. A 25-year experience with 519 anterior colporrhaphy procedures. *Obstet Gynecol*. 1991 Dec; 78: 1011-1018
- 3556 Henriksen, T. Incontinence after stroke [letter] [see comments]. *Lancet*. 1991 Nov 23; 338: 1335
- 3557 Ouslander, J.G. Urinary incontinence in the geriatric population. *Nippon Ronen Igakkai Zasshi*. 1991 Jul; 28: 484-492
- 3559 Stanisic, T.H., Jennings, C.E., and Miller, J.I. Polytetrafluoroethylene injection for post-prostatectomy incontinence: experience with 20 patients during 3 years. *J Urol*. 1991 Dec; 146: 1575-1577
- 3560 Yamada, T., Mizuo, T., Kawakami, S., Watanabe, T., Negishi, T., and Oshima, H. Application of transrectal ultrasonography in modified Stamey procedure for stress urinary incontinence. *J Urol*. 1991 Dec; 146: 1555-1558



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 3561 Luangkhot, R., Peng, B.C., and Blaivas, J.G. Ileocecostoplasty for the management of refractory neurogenic bladder: surgical technique and urodynamic findings. *J Urol.* 1991 Nov; 146: 1340-1344
- 3562 Burgio, K.L., Matthews, K.A., and Engel, B.T. Prevalence, incidence and correlates of urinary incontinence in healthy, middle-aged women. *J Urol.* 1991 Nov; 146: 1255-1259
- 3563 Fossaluzza, V., Di-Benedetto, P., Zampa, A., and De-Vita, S. Misoprostol-induced urinary incontinence. *J Intern Med.* 1991 Nov; 230: 463-464
- 3564 Yu, L.C., Johnson, K., Kaltreider, D.L., Hu, T.W., Brannon, D., and Ory, M. Urinary incontinence: nursing home staff reaction toward residents. *J Gerontol Nurs.* 1991 Nov; 17: 34-41
- 3565 Patial, R.K., Bansal, S.K., Sehgal, V.K., and Chander, B. Sphincteric involvement in organophosphorus poisoning. *J Assoc Physicians India.* 1991 Jun; 39: 492-493
- 3566 Alvarez, O.M., Childs, E.J. Pressure ulcers. Physical, supportive, and local aspects of management. *Clin Podiatr Med Surg.* 1991 Oct; 8: 869-890
- 3567 Bull, E., Chilton, C.P., Gould, C.A., and Sutton, T.M. Single-blind, randomised, parallel group study of the Bard Biocath catheter and a silicone elastomer coated catheter. *Br J Urol.* 1991 Oct; 68: 394-399
- 3568 Gelister, J.S., Woodhouse, C.R. Role of continent suprapubic diversion in pelvic cancer. *Br J Urol.* 1991 Oct; 68: 376-379
- 3569 Hanzal, E., Berger, E., and Koelbl, H. Reliability of the urethral closure pressure profile during stress in the diagnosis of genuine stress incontinence. *Br J Urol.* 1991 Oct; 68: 369-371
- 3570 Foster, D.C. Geriatric urinary tract dysfunction. *Curr Opin Obstet Gynecol.* 1990 Aug; 2: 612-619
- 3572 Beck, R.P. Detrusor instability: diagnosis and therapy. *Curr Opin Obstet Gynecol.* 1990 Aug; 2: 591-598
- 3573 Creighton, S.M., Stanton, S.L. Comparison of surgical techniques. *Curr Opin Obstet Gynecol.* 1990 Aug; 2: 585-590
- 3574 Mostwin, J.L. Effects of pharmaceuticals on bladder function. *Curr Opin Obstet Gynecol.* 1990 Aug; 2: 580-584
- 3576 Pasceri, P. Utilizing a prevention and treatment protocol for skin breakdown secondary to urinary incontinence. *Ostomy Wound Manage.* 1991 Sep-Oct; 36: 66-69
- 3577 Steidle, C.P., Kennedy, K.L. Achieving a state of urinary continence for residents of nursing facilities. Part II: Urodynamics and laboratory investigation. *Ostomy Wound Manage.* 1991 Sep-Oct; 36: 45-6,48-50
- 3578 Cochran, A. Fatal attraction: Foley catheters. *Ostomy Wound Manage.* 1991 Sep-Oct; 36: 40-1,43-4
- 3580 Ju, C.C., Swan, L.K., Merriman, A., Choon, T.E., and Viegas, O. Urinary incontinence among the elderly people of Singapore [published erratum appears in *Age Ageing* 1991 Sep;20(5):387]. *Age Ageing.* 1991 Jul; 20: 262-266
- 3581 Grischke, E.M., Anton, H., Stolz, W., von-Fournier, D., and Bastert, G. Urodynamic assessment and lateral urethrocytography. A comparison of two diagnostic procedures for female urinary incontinence. *Acta Obstet Gynecol Scand.* 1991; 70: 225-229
- 3583 Narayan, P. Nerve sparing and continence preservation during radical prostatectomy. *Urol Int.* 1991; 46: 266-274
- 3584 Lockhart, J.L., Pow-Sang, J.M., Persky, L., Sanford, E., and Helal, M. Results, complications and surgical indications of the Florida pouch. *Surg Gynecol Obstet.* 1991 Oct; 173: 289-296
- 3585 Huddleston, H.T., Dunniho, D.R., and Otterson, W.O. Digital augmentation during repair for a paravaginal defect. *Surg Gynecol Obstet.* 1991 Aug; 173: 157
- 3587 de-Jong, P. Easier needle bladder-neck suspension procedure [letter]. *S Afr Med J.* 1991 Oct 5; 80: 360
- 3588 Wyman, J.F., Fantl, J.A. Bladder training in ambulatory care management of urinary incontinence. *Urol Nurs.* 1991 Sep; 11: 11-17
- 3589 Light, J.K. Continence mechanisms following continent urinary diversion and orthotopic bladder replacement. *Prog Clin Biol Res.* 1991; 370: 83-92

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3590** Hara, M., Watanabe, M., and Tagami, H. Jacquet erosive diaper dermatitis in a young girl with urinary incontinence. *Pediatr Dermatol.* 1991 Jun; 8: 160-161
- 3591** Haydon, S. The hidden problem. *Nurs Times.* 1991 Oct 9-15; 87: 18-19
- 3592** Wall, L.L., DeLancey, J.O. The politics of prolapse: a revisionist approach to disorders of the pelvic floor in women. *Perspect Biol Med.* 1991 Summer; 34: 486-496
- 3593** Hollowell, J.G., Hill, P.D., Duffy, P.G., and Ransley, P.G. Bladder function and dysfunction in exstrophy and epispadias. *Lancet.* 1991 Oct 12; 338: 926-928
- 3594** Versi, E., Cardozo, L., and Cooper, D.J. Urethral pressures: analysis of transmission pressure ratios. *Br J Urol.* 1991 Sep; 68: 266-270
- 3595** Anon. Terodiline and torsades de pointes [letter; comment]. *Bmj.* 1991 Aug 31; 303: 519-520
- 3596** Kinnunen, O. Study of constipation in a geriatric hospital, day hospital, old people's home and at home. *Aging (Milano).* 1991 Jun; 3: 161-170
- 3597** Versi, E., Cardozo, L., Anand, D., and Cooper, D. Symptoms analysis for the diagnosis of genuine stress incontinence. *Br J Obstet Gynaecol.* 1991 Aug; 98: 815-819
- 3598** Hellstrom, A.L. Bladder symptoms and urinary infections. *Nurs Times.* 1991 Sep 11-17; 87: 55
- 3599** Raz, S., Little, N.A., Juma, S., and Sussman, E.M. Repair of severe anterior vaginal wall prolapse (grade IV cystourethrocele). *J Urol.* 1991 Oct; 146: 988-992
- 3600** Gearhart, J.P., Canning, D.A., and Jeffs, R.D. Failed bladder neck reconstruction: options for management. *J Urol.* 1991 Oct; 146: 1082-1084
- 3601** Wang, Y., Hadley, H.R. Management of persistent or recurrent urinary incontinence after placement of artificial urinary sphincter. *J Urol.* 1991 Oct; 146: 1005-1006
- 3602** Eisch, J.S., Colling, J., Ouslander, J., Hadley, B.J., and Campbell, E. Issues in implementing clinical research in nursing home settings. *J N Y State Nurses Assoc.* 1991 Sep; 22: 18-22
- 3603** Chancellor, A.M., Warlow, C.P., Webb, J.N., Lucas, M.G., Besley, G.T., and Broadhead, D.M. Acid maltase deficiency presenting with a myopathy and exercise induced urinary incontinence in a 68 year old male [letter]. *J Neurol Neurosurg Psychiatry.* 1991 Jul; 54: 659-660
- 3604** McCormick, K.A. From clinical trial to health policy--research on urinary incontinence in the adult, Part II. *J Prof Nurs.* 1991 Jul-Aug; 7: 202
- 3605** Jirovec, M.M. The impact of daily exercise on the mobility, balance and urine control of cognitively impaired nursing home residents. *Int J Nurs Stud.* 1991; 28: 145-151
- 3606** Gray, M. Role of the ET nurse in the management of incontinence [editorial]. *J ET Nurs.* 1991 Sep-Oct; 18: 151-152
- 3608** Marshall, S. Conservative management of stress urinary incontinence [letter]. *Urology.* 1991 Sep; 38: 294
- 3609** Dowd, T.T. Discovering older women's experience of urinary incontinence. *Res Nurs Health.* 1991 Jun; 14: 179-186
- 3610** Webb, R.J., Ramsden, P.D., and Neal, D.E. Ambulatory monitoring and electronic measurement of urinary leakage in the diagnosis of detrusor instability and incontinence. *Br J Urol.* 1991 Aug; 68: 148-152
- 3611** Molander, U., Milsom, I., Ekelund, P., Arvidsson, L., and Eriksson, O. A health care program for the investigation and treatment of elderly women with urinary incontinence and related urogenital symptoms. *Acta Obstet Gynecol Scand.* 1991; 70: 137-142
- 3612** Watson, R. Incontinence in perspective. *Nursing (Lond).* 1991 Jul 25-Aug 21; 4: 7-10
- 3613** Callan, B., Chance, R. Incontinence. Aids and appliances. *Nursing (Lond).* 1991 Jul 25-Aug 21; 4: 18-20
- 3614** Laycock, J. Incontinence. Pelvic floor re-education. *Nursing (Lond).* 1991 Jul 25-Aug 21; 4: 15-17
-

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3615** Roe, B. Benefits of bladder re-education. *Nursing (Lond)*. 1991 Jul 25-Aug 21; 4: 11-13
- 3616** Kelley, L.S., Mobily, P.R. Iatrogenesis in the elderly. *Impaired skin integrity. J Gerontol Nurs*. 1991 Sep; 17: 24-29
- 3617** Anon. Gynecologic urology. *Curr Opin Obstet Gynecol*. 1991 Aug; 3: 610-613
- 3622** Kennedy, K.L., Steidle, C.P. Achieving a state of urinary continence for residents of nursing facilities. Part I: The history and physical examination. *Ostomy Wound Manage*. 1991 Jul-Aug; 35: 72-77
- 3623** Scullin, P.D. Financial repercussions of incontinence management [editorial]. *Ostomy Wound Manage*. 1991 Jul-Aug; 35: 4
- 3625** Meyer, S., DeGrandi, P., and Schmidt, N. Effect of occluding the urethra while recording urethral stress profile. *Urology*. 1991 Aug; 38: 157-160
- 3626** ODonnell, P.D., Beck, C. Urinary incontinence volume patterns in elderly inpatient men. *Urology*. 1991 Aug; 38: 128-131
- 3628** Blandy, J.P., Badenoch, D.F., Fowler, C.G., Jenkins, B.J., and Thomas, N.W. Early repair of iatrogenic injury to the ureter or bladder after gynecological surgery. *J Urol*. 1991 Sep; 146: 761-765
- 3629** Craggs, M.D., Chaffey, N.J., and Mundy, A.R. A preliminary report on a new hydraulic sphincter for controlling urinary incontinence. *J Med Eng Technol*. 1991 Mar-Apr; 15: 58-62
- 3631** Kockelbergh, R.C., Tan, J.B., Bates, C.P., Bishop, M.C., Dunn, M., and Lemberger, R.J. Clam enterocystoplasty in general urological practice. *Br J Urol*. 1991 Jul; 68: 38-41
- 3632** Mouritsen, L., Frimodt-Moller, C., and Moller, M. Long-term effect of pelvic floor exercises on female urinary incontinence. *Br J Urol*. 1991 Jul; 68: 32-37
- 3633** Steen, B. The importance of diagnostic procedures to ensure quality of health care in geriatric medicine. Examples from recent studies. *Qual Assur Health Care*. 1990; 2: 387-392
- 3634** Bump, R.C., Hurt, W.G., Fantl, J.A., and Wyman, J.F. Assessment of Kegel pelvic muscle exercise performance after brief verbal instruction. *Am J Obstet Gynecol*. 1991 Aug; 165: 322-7;discussion327-9
- 3635** Anon. Incontinence. Comment--setting the sights. *Nurs Times*. 1991 Aug 7-13; 87: 72
- 3636** Britton, B. Continence. Marketing forces. *Nurs Times*. 1991 Aug 7-13; 87: 68,70
- 3637** Miles, B. Continence. Nurse, heal thyself. *Nurs Times*. 1991 Aug 7-13; 87: 66
- 3638** Hyland, N. Continence--training for success. *Nurs Times*. 1991 Aug 7-13; 87: 60,62
- 3639** Kuhn, W., Rist, M., and Zaech, G.A. Intermittent urethral self-catheterisation: long term results (bacteriological evolution, continence, acceptance, complications). *Paraplegia*. 1991 May; 29: 222-232
- 3640** Benson, J.T., Sumners, J.E., and Pittman, J.S. Definition of normal female pelvic floor anatomy using ultrasonographic techniques. *JCU J Clin Ultrasound*. 1991 Jun; 19: 275-282
- 3642** Anon. Urinary incontinence. *J ET Nurs*. 1991 Jul-Aug; 18: 136-140
- 3643** Diokno, A.C., Brown, M.B., and Herzog, A.R. Relationship between use of diuretics and continence status in the elderly. *Urology*. 1991 Jul; 38: 39-42
- 3644** McCormick, K.A., Cella, M., Scheve, A., and Engel, B.T. Cost-effectiveness of treating incontinence in severely mobility-impaired long term care residents. *QRB Qual Rev Bull*. 1990 Dec; 16: 439-443
- 3645** Esa, A., Kiwamoto, H., Sugiyama, T., Park, Y.C., Kaneko, S., and Kurita, T. Functional electrical stimulation in the management of incontinence: studies of urodynamics. *Int Urol Nephrol*. 1991; 23: 135-141
- 3646** Baum, N., Suarez, G., and Appell, R.A. Urinary incontinence. Not a 'normal' part of aging [see comments]. *Postgrad Med*. 1991 Aug; 90: 99-102,107-9
- 3647** Steele, W., Pomfret, I. Promoting continence at work. *Occup-Health (Lond)*. 1991 Jul; 43: 213-214

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 3648** Gearhart, J.P., Jeffs, R.D. Techniques to create urinary continence in the cloacal exstrophy patient. *J Urol.* 1991 Aug; 146: 616-618
- 3649** Perlmutter, A.D., Weinstein, M.D., and Reitelman, C. Vesical neck reconstruction in patients with epispadias-exstrophy complex. *J Urol.* 1991 Aug; 146: 613-615
- 3650** Parres, J.A., Kropp, K.A. Urodynamic evaluation of the continence mechanism following urethral lengthening--reimplantation and enterocystoplasty. *J Urol.* 1991 Aug; 146: 535-538
- 3651** Greenfield, S.P., Fera, M. The use of intravesical oxybutynin chloride in children with neurogenic bladder. *J Urol.* 1991 Aug; 146: 532-534
- 3652** Boyd, G. Terodiline for treating detrusor instability in elderly people [letter; comment]. *Bmj.* 1991 Jul 13; 303: 124
- 3653** Brown, J., Thomas, E., White, H., and McCallum, A. An incontinence helpline service. *Nurs Stand.* 1991 Jun 12-18; 5: 25-27
- 3654** Weiss, B.D. Nonpharmacologic treatment of urinary incontinence. *Am Fam Physician.* 1991 Aug; 44: 579-586
- 3655** Bosco, P.J., Bauer, S.B., Colodny, A.H., Mandell, J., and Retik, A.B. The long-term results of artificial sphincters in children. *J Urol.* 1991 Aug; 146: 396-399
- 3656** Chen, K.K., Chang, L.S., and Chen, M.T. Neobladder construction using completely detubularized sigmoid colon after radical cystoprostatectomy. *J Urol.* 1991 Aug; 146: 311-315
- 3657** Rossignol, G., Leandri, P., Gautier, J.R., Quintens, H., Gabay-Torbiero, L., and Tap, G. Radical retropubic prostatectomy: complications and quality of life (429 cases, 1983-1989). *Eur Urol.* 1991; 19: 186-191
- 3658** Thind, P., Colstrup, H., Lose, G., and Kristensen, J.K. Method for evaluation of the urethral closure mechanism in women during standardised changes of cross-sectional area. *Clin Phys Physiol Meas.* 1991 May; 12: 163-170
- 3660** Mortensen, N., Humphreys, M.S. The anal continence plug: a disposable device for patients with anorectal incontinence. *Lancet.* 1991 Aug 3; 338: 295-297
- 3661** Wells, T.J., Brink, C.A., Diokno, A.C., Wolfe, R., and Gillis, G.L. Pelvic muscle exercise for stress urinary incontinence in elderly women. *J Am Geriatr Soc.* 1991 Aug; 39: 785-791
- 3663** Lagro-Janssen, A.L., Debruyne, F.M., and van-Weel, C. Value of the patient's case history in diagnosing urinary incontinence in general practice. *Br J Urol.* 1991 Jun; 67: 569-572
- 3664** Wanich, C.K., Reilly, N.J. Incontinence care products: non-surgical management of urinary incontinence. *Ostomy Wound Manage.* 1991 May-Jun; 34: 45-6,48,51
- 3665** Fiorelli, C., Menghetti, I., Trippitelli, A., Saltutti, C., and Mottola, A. Simplified endoscopic suspension for stress incontinence through pervaginal route. *Arch Esp Urol.* 1991 Jan-Feb; 44: 101-104
- 3666** Dykes, E.H., Duffy, P.G., and Ransley, P.G. The use of the Mitrofanoff principle in achieving clean intermittent catheterisation and urinary continence in children. *J Pediatr Surg.* 1991 May; 26: 535-538
- 3667** McCormick, K.A. Research. From clinical trial to health policy--research on urinary incontinence in the adult, Part I. *J Prof Nurs.* 1991 May-Jun; 7: 147
- 3668** Phillips, T.H., Ritchey, M.L., Dunn, C.D., and Sarosdy, M.F. Complications of the Heitz-Boyer urinary diversion: case report of late development of malignancy. *J Urol.* 1991 Jul; 146: 159-161
- 3669** Sponseller, P.D., Gearhart, J.P., and Jeffs, R.D. Anterior innominate osteotomies for failure or late closure of bladder exstrophy. *J Urol.* 1991 Jul; 146: 137-140
- 3670** Kil, P.J., Hoekstra, J.W., van-der-Meijden, A.P., Smans, A.J., Theeuwes, A.G., and Schreinemachers, L.M. Transvaginal ultrasonography and urodynamic evaluation after suspension operations: comparison among the Gittes, Stamey and Burch suspensions. *J Urol.* 1991 Jul; 146: 132-136
- 3671** van-Waalwijk-van-Doorn, E.S., Remmers, A., and Janknegt, R.A. Extramural ambulatory urodynamic monitoring during natural filling and normal daily activities: evaluation of 100 patients. *J Urol.* 1991 Jul; 146: 124-131

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3672** Pike, J.G., Berardinucci, G., Hamburger, B., and Kiruluta, G. The surgical management of urinary incontinence in myelodysplastic children. *J Pediatr Surg.* 1991 Apr; 26: 466-70;discussion470-1
- 3673** Ricketts, R.R., Woodard, J.R., Zwiren, G.T., Andrews, H.G., and Broecker, B.H. Modern treatment of cloacal exstrophy. *J Pediatr Surg.* 1991 Apr; 26: 444-8;discussion448-50
- 3674** Hautmann, R.E. The ileal neobladder. *Acta Urol Belg.* 1991; 59: 227-240
- 3675** Jorgensen, L., Lose, G., and Alexander, N. Acute effect of norfenefrine on the urethral pressure profile in females with genuine stress incontinence. *Urol Int.* 1991; 46: 176-179
- 3676** Anon. Urinary incontinence among hospitalized persons aged 65 years and older--United States, 1984-1987. *MMWR Morb Mortal Wkly Rep.* 1991 Jul 5; 40: 433-436
- 3677** Nghiem-Toan, N. Simplified urethrocystovaginal suspension for stress urinary incontinence [letter; comment]. *Am J Obstet Gynecol.* 1991 Jun; 164: 1689-1690
- 3678** Bernstein, I.T., Bennicke, K., Rordam, P., Klarskov, P., and Iversen, H.G. Bricker's ileal conduit urinary diversion with a simple non-refluxing uretero ileal anastomosis. *Scand J Urol Nephrol.* 1991; 25: 29-33
- 3679** Starer, P., Libow, L.S. Persistence of detrusor hyperreflexia in a continent, institutionalized elderly patient with Parkinson's disease. *N Y State J Med.* 1991 Apr; 91: 166-167
- 3680** Ebrahim, S., Patel, N., Coats, M., Greig, C., Gilley, J., Bangham, C., and Stacey, S. Prevalence and severity of morbidity among Gujarati Asian elders: a controlled comparison. *Fam Pract.* 1991 Mar; 8: 57-62
- 3681** Davies, S.W., Brecker, S.J., and Stevenson, R.N. Terodiline for treating detrusor instability in elderly people [letter] [see comments]. *Bmj.* 1991 May 25; 302: 1276
- 3682** Barrett, J.A., Oldham, J.A. Physiotherapy for stress urinary incontinence [letter; comment]. *Bmj.* 1991 May 18; 302: 1208
- 3683** Lee, K.S., Owen, R.E., Choo, P.W., and Jayaratnam, F.J. Urinary incontinence in the elderly. *Singapore Med J.* 1991 Apr; 32: 161-163
- 3684** Woods, D., Dobranowski, J., Orovan, W.L., and Schiff, D. The Koch pouch: radiographic evaluation of the orthotopic and cutaneous forms. *Can Assoc Radiol J.* 1991 Apr; 42: 119-126
- 3685** Evans, J.W., Christmas, T.J. Detrusor instability following colchicine therapy. *Br J Urol.* 1991 May; 67: 552-554
- 3686** Pearman, J.W., Bailey, M., and Riley, L.P. Bladder instillations of trisdine compared with catheter introducer for reduction of bacteriuria during intermittent catheterisation of patients with acute spinal cord trauma. *Br J Urol.* 1991 May; 67: 483-490
- 3687** Griffiths, D.J., McCracken, P.N., and Harrison, G.M. Incontinence in the elderly: objective demonstration and quantitative assessment. *Br J Urol.* 1991 May; 67: 467-471
- 3688** Wiseman, P.A., Malone-Lee, J., and Rai, G.S. Terodiline with bladder retraining for treating detrusor instability in elderly people [see comments]. *Bmj.* 1991 Apr 27; 302: 994-996
- 3689** Richardson, D.A., Ramahi, A., and Chalas, E. Surgical management of stress incontinence in patients with low urethral pressure. *Gynecol Obstet Invest.* 1991; 31: 106-109
- 3690** Lawson, W., Irving, F. Perioperative nursing rounds: bladder neck suspension. *Can Oper Room Nurs J.* 1991 May-Jun; 9: 9-13
- 3691** Byrne, P., Morris, J., Mordey, S., and Condie, R. Physiotherapy for stress incontinence of urine [letter]. *Bmj.* 1991 May 4; 302: 1084
- 3694** Skehan, M.C., Sutherst, J.R. Re: Biofeedback therapy for female incontinence due to low urethral resistance [letter; comment]. *J Urol.* 1991 Jun; 145: 1278
- 3696** Gardy, M., Kozminski, M., DeLancey, J., Elkins, T., and McGuire, E.J. Stress incontinence and cystoceles. *J Urol.* 1991 Jun; 145: 1211-1213
- 3697** Ahlering, T.E., Weinberg, A.C., and Razor, B. Modified Indiana pouch. *J Urol.* 1991 Jun; 145: 1156-1158



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3698** Quinlan, D.M., Leonard, M.P., Brendler, C.B., Gearhart, J.P., and Jeffs, R.D. Use of the Benckroun hydraulic valve as a catheterizable continence mechanism. *J Urol.* 1991 Jun; 145: 1151-1155
- 3699** Thomas, A.M., Morse, J.M. Managing urinary incontinence with self-care practices. *J Gerontol Nurs.* 1991 Jun; 17: 9-14
- 3700** Caione, P., De-Gennaro, M., Zaccara, A., and Capozza, N. Female incontinence in childhood: aetiopathogenetic assessment and therapeutic approach. *Int Urol Nephrol.* 1990; 22: 543-551
- 3701** Cheater, F. Elderly people: attitudes towards urinary incontinence. *Nurs Stand.* 1991 Mar 20-26; 5: 23-27
- 3702** Schileru, G., Ozan, O. Implantation of the cuff of A.U.S. around of all the corpora. *Acta Urol Belg.* 1990; 58: 83-87
- 3714** Anon. An integral theory of female urinary incontinence. Experimental and clinical considerations. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 1-78
- 3715** Cutner, A., Cardozo, L. Urinary incontinence--diagnosis. *Practitioner.* 1991 Jan; 235: 24,27-30
- 3716** Bethell, C. Pre-school and adolescent incontinence [letter]. *N Z Nurs J.* 1991 Apr; 84: 4-5
- 3717** O'Donnell, P.D., Doyle, R. Biofeedback therapy technique for treatment of urinary incontinence. *Urology.* 1991 May; 37: 432-436
- 3718** Kursh, E.D., Angell, A.H., and Resnick, M.I. Evolution of endoscopic urethropexy: seven-year experience with various techniques. *Urology.* 1991 May; 37: 428-431
- 3719** Kontturi, M.J., Hellstrom, P.A., Tammela, T.L., and Lukkarinen, O.A. Colocystoplasty for the treatment of severe interstitial cystitis. *Urol Int.* 1991; 46: 50-54
- 3720** Pomfret, I., Steele, W. Continence. A working service. *Nurs Times.* 1991 Apr 24-30; 87: 46-48
- 3721** Madersbacher, H., Jilg, G. Control of detrusor hyperreflexia by the intravesical instillation of oxybutynine hydrochloride. *Paraplegia.* 1991 Feb; 29: 84-90
- 3722** Macaulay, A.J., Stern, R.S., and Stanton, S.L. Psychological aspects of 211 female patients attending a urodynamic unit. *J Psychosom Res.* 1991; 35: 1-10
- 3723** Davidson, H.A., Borrie, M.J., and Crilly, R.G. Copy task performance and urinary incontinence in Alzheimer's disease. *J Am Geriatr Soc.* 1991 May; 39: 467-471
- 3724** Klemm, L.W., Creason, N.S. Self-care practices of women with urinary incontinence--a preliminary study. *Health Care Women Int.* 1991 Apr-Jun; 12: 199-209
- 3725** Rocco, F., Franchini, V. Antimicrobial therapy for treatment of UTI in the elderly. *Eur Urol.* 1991; 19 Suppl 1: 7-15
- 3726** Chancellor, M.B., Blaivas, J.G. Diagnostic evaluation of incontinence in patients with neurological disorders. *Compr Ther.* 1991 Feb; 17: 37-43
- 3727** Nijman, R.J., Scholtmeijer, R.J. Complications of transurethral electro-incision of posterior urethral valves. *Br J Urol.* 1991 Mar; 67: 324-326
- 3728** Griffith-Jones, M.D., Jarvis, G.J., and McNamara, H.M. Adverse urinary symptoms after total abdominal hysterectomy--fact or fiction? [see comments]. *Br J Urol.* 1991 Mar; 67: 295-297
- 3729** Sethia, K.K., Webb, R.J., and Neal, D.E. Urodynamic study of ileocystoplasty in the treatment of idiopathic detrusor instability. *Br J Urol.* 1991 Mar; 67: 286-290
- 3730** Hellstrom, P.A., Tammela, T.L., Kontturi, M.J., and Lukkarinen, O.A. The bladder cooling test for urodynamic assessment: analysis of 400 examinations. *Br J Urol.* 1991 Mar; 67: 275-279
- 3731** McInerney, P.D., Vanner, T.F., Harris, S.A., and Stephenson, T.P. Ambulatory urodynamics. *Br J Urol.* 1991 Mar; 67: 272-274
- 3732** Mundy, A.R. Artificial sphincters. *Br J Urol.* 1991 Mar; 67: 225-229
- 3733** Mantle, J., Versi, E. Physiotherapy for stress urinary incontinence: a national survey [published erratum appears in *BMJ* 1991 Aug 24;303(6800):440] [see comments]. *Bmj.* 1991 Mar 30; 302: 753-755



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 3734 Wells, M. A tangible means of assessing progress. Biofeedback in the management of urinary incontinence. Prof Nurse. 1991 Apr; 6: 396-7,399
- 3735 Fall, M., Lindstrom, S. Electrical stimulation. A physiologic approach to the treatment of urinary incontinence. Urol Clin North Am. 1991 May; 18: 393-407
- 3736 Schiff, S.F., Lytton, B. Incontinence after augmentation cystoplasty and internal diversion. Urol Clin North Am. 1991 May; 18: 383-392
- 3737 Kreder, K.J., Webster, G.D. Evaluation and management of incontinence after implantation of the artificial urinary sphincter. Urol Clin North Am. 1991 May; 18: 375-381
- 3739 Blaivas, J.G. Treatment of female incontinence secondary to urethral damage or loss. Urol Clin North Am. 1991 May; 18: 355-363
- 3740 McGuire, E.J., Gardy, M., Elkins, T., and DeLancey, J.O. Treatment of incontinence with pelvic prolapse. Urol Clin North Am. 1991 May; 18: 349-353
- 3741 Kelly, M.J., Zimmern, P.E., and Leach, G.E. Complications of bladder neck suspension procedures. Urol Clin North Am. 1991 May; 18: 339-338
- 3742 Lam, T.C., Hadley, H.R. Surgical procedures for uncomplicated ("routine") female stress incontinence.. Urol Clin North Am. 1991 May; 18: 327-337
- 3743 Stone, A.R. Treatment of voiding complaints and incontinence in painful bladder syndrome. Urol Clin North Am. 1991 May; 18: 317-325
- 3744 Staskin, D.R. Hydroureteronephrosis after spinal cord injury. Effects of lower urinary tract dysfunction on upper tract anatomy. Urol Clin North Am. 1991 May; 18: 309-316
- 3745 Rudy, D.C., Woodside, J.R. The incontinent myelodysplastic patient. Urol Clin North Am. 1991 May; 18: 295-308
- 3746 Himsl, K.K., Hurwitz, R.S. Pediatric urinary incontinence. Urol Clin North Am. 1991 May; 18: 283-293
- 3748 Foote, J., Yun, S., and Leach, G.E. Postprostatectomy incontinence. Pathophysiology, evaluation, and management. Urol Clin North Am. 1991 May; 18: 229-241
- 3749 Myers, R.P. Male urethral sphincteric anatomy and radical prostatectomy. Urol Clin North Am. 1991 May; 18: 211-227
- 3750 Snyder, J.A., Lipsitz, D.U. Evaluation of female urinary incontinence. Urol Clin North Am. 1991 May; 18: 197-209
- 3751 Anon. Evaluation and treatment of urinary incontinence. Urol Clin North Am. 1991 May; 18: 175-407
- 3752 Petros, J.A., Catalona, W.J. Antegrade approach to radical retropubic prostatectomy in patients with difficult apical dissection. J Urol. 1991 May; 145: 994-997
- 3753 Gallaspy, J.W. A method for safer urinary incontinence surgery [letter]. Am J Obstet Gynecol. 1991 Apr; 164: 1151
- 3754 Thorp, J.M., Jr. Exercise-associated urinary incontinence [letter]. Jama. 1991 May 1; 265: 2191-2192
- 3755 Clancy, B., Malone-Lee, J. Reducing the leakage of body-worn incontinence pads. J Adv Nurs. 1991 Feb; 16: 187-193
- 3757 Mochizuki, H., Saito, H. Mesial frontal lobe syndromes: correlations between neurological deficits and radiological localizations. Tohoku J Exp Med. 1990 Aug; 161 Suppl: 231-239
- 3759 Hellstrom, L., Ekelund, P., Larsson, M., and Milsom, I. A comparison between experienced and objectively demonstrated urinary leakage in 85-year old men and women. Scand J Caring Sci. 1991; 5: 17-21
- 3760 Berglund, A.L., Fugl-Meyer, K.S. Sexual problems in women with urinary incontinence. A retrospective study of medical records. Scand J Caring Sci. 1991; 5: 13-16
- 3761 Tester, K. Continence. Changing time. Nurs Times. 1991 Apr 3-9; 87: 70

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3762** Brown, J., Thomas, E., McCallum, A., and White, H. Campaigning for continence. *Nurs Times*. 1991 Apr 3-9; 87: 66,68
- 3763** Paterson, H. Continence. Education wanted. *Nurs Times*. 1990 Nov 14-20; 86: 71
- 3764** Dawes, H., Small, D., and Glen, E. Continence. Adding computers to the armoury. *Nurs Times*. 1990 Nov 14-20; 86: 68-69
- 3765** Macaulay, M., Henry, G. Continence. Drop in and do well. *Nurs Times*. 1990 Nov 14-20; 86: 65-66
- 3766** Thompson, J. Managing continence systematically. *Nurs Times*. 1990 Nov 14-20; 86: 60-62
- 3767** Pottle, B. Continence. Refining tools [editorial]. *Nurs Times*. 1990 Nov 14-20; 86: 58
- 3768** Crowder, H. Incontinence: the secret problem. *N Z Nurs J*. 1991 Mar; 84: 19-21
- 3769** Bergman, A., Koonings, P.P., and Ballard, C.A. The Ball-Burch procedure for stress incontinence with low urethral pressure. *J Reprod Med*. 1991 Feb; 36: 137-140
- 3770** Hunskaar, S., Vinsnes, A. The quality of life in women with urinary incontinence as measured by the sickness impact profile [published erratum appears in *J Am Geriatr Soc* 1992 Sep;40(9):976-7]. *J Am Geriatr Soc*. 1991 Apr; 39: 378-382
- 3771** Kane, R.L., Garrard, J., Buchanan, J.L., Rosenfeld, A., Skay, C., and McDermott, S. Improving primary care in nursing homes. *J Am Geriatr Soc*. 1991 Apr; 39: 359-367
- 3772** Keller, P.A., Sinkovic, S.P., and Miles, S.J. Skin dryness: a major factor in reducing incontinence dermatitis. *Ostomy Wound Manage*. 1990 Sep-Oct; 30: 60-64
- 3773** Muratore, C. The OBRA mandate: the positive effects for incontinent residents. *Ostomy Wound Manage*. 1990 Sep-Oct; 30: 58-59
- 3774** Perry, J.D., Hullett, L.T. The role of home trainers in Kegel's exercise program for the treatment of incontinence. *Ostomy Wound Manage*. 1990 Sep-Oct; 30: 46-8,50-7
- 3775** Wroblewski, J. Terodiline: a new compound for the treatment of urge incontinence. *Ostomy Wound Manage*. 1990 Sep-Oct; 30: 22-29
- 3776** Castro-Gago, M., Novo, I., Cimadevila, A., Pena, J., Rodriguez-Nunez, A., and Marques-Queimadelos, A. Management of neurogenic bladder dysfunction secondary to myelomeningocele. *Eur J Pediatr*. 1990 Nov; 150: 62-65
- 3777** Fonda, D. Improving management of urinary incontinence in geriatric centres and nursing homes. Victorian Geriatricians Peer Review Group. *Aust Clin Rev*. 1990; 10: 66-71
- 3778** Yachia, D. Re: Pulmonary migration following periurethral polytetrafluoroethylene injection for urinary incontinence [letter; comment]. *J Urol*. 1991 Apr; 145: 839-840
- 3779** Sheldon, C., Cormier, M., Crone, K., and Wacksman, J. Occult neurovesical dysfunction in children with imperforate anus and its variants. *J Pediatr Surg*. 1991 Jan; 26: 49-54
- 3780** Halio, J.H. Urinary incontinence in the elderly [letter]. *J Am Geriatr Soc*. 1991 Mar; 39: 315
- 3781** Jones, J.W. Insufficiency fracture of the sacrum with displacement and neurologic damage: a case report and review of the literature. *J Am Geriatr Soc*. 1991 Mar; 39: 280-283
- 3782** Wright, K. Special update on incontinence in the adult. *J Enterostomal Ther*. 1991 Mar-Apr; 18: 26A-27A
- 3783** Ezzat, M.I. Abdomino-perineal approach for management of traumatic strictured posterior urethra. *Int Urol Nephrol*. 1990; 22: 447-453
- 3786** Weston, P.M., Morgan, J.D., Hussain, J., and Stephenson, T.P. Artificial urinary sphincters around intestinal segments--are they safe?. *Br J Urol*. 1991 Feb; 67: 150-154
- 3788** Lose, G. Medical treatment of female urge incontinence. *Ann Med*. 1990 Dec; 22: 449-454

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 3789 Victor, A. Pad weighing test--a simple method to quantitate urinary incontinence. *Ann Med.* 1990 Dec; 22: 443-447
- 3790 Ulmsten, U. Connective tissue factors in the aetiology of female pelvic disorders [editorial]. *Ann Med.* 1990 Dec; 22: 403
- 3791 Watson, R. Incontinence. A case for treatment. *Nurs Elder.* 1991 Jan-Feb; 3: 28
- 3792 Lundqvist, C., Siosteen, A., Blomstrand, C., Lind, B., and Sullivan, M. Spinal cord injuries. Clinical, functional, and emotional status. *Spine.* 1991 Jan; 16: 78-83
- 3794 McGrother, C. Handicaps associated with incontinence. *Nurs Times.* 1991 Mar 6-12; 87: 48
- 3795 Rosenzweig, B.A., Bhatia, N.N., and Nelson, A.L. Dynamic urethral pressure profilometry pressure transmission ratio: what do the numbers really mean? [see comments]. *Obstet Gynecol.* 1991 Apr; 77: 586-590
- 3796 Gerber, S.D. They don't all live happily ever after. *Nursing.* 1991 Mar; 21: 136
- 3797 Hellstrom, A., Hanson, E., Hansson, S., Hjalmas, K., and Jodal, U. Association between urinary symptoms at 7 years old and previous urinary tract infection [see comments]. *Arch Dis Child.* 1991 Feb; 66: 232-234
- 3798 Tew, B., Laurence, K.M., and Jenkins, V. Factors affecting employability among young adults with spina bifida and hydrocephalus. *Z Kinderchir.* 1990 Dec; 45 Suppl 1: 34-36
- 3799 Lonton, A.P. The characteristics of patients with encephaloceles. *Z Kinderchir.* 1990 Dec; 45 Suppl 1: 18-19
- 3800 van-Gool, J.D., de-Jong, T.P. Urinary infection, incontinence and clean intermittent catheterisation in myelomeningocele. *Z Kinderchir.* 1990 Dec; 45 Suppl 1: 10
- 3801 O'Donnell, P.D., Calandro, V.J., 2d. Incontinence management scale for elderly inpatient men. *Urology.* 1991 Mar; 37: 220-223
- 3802 Kelly, M.J., Nielsen, K., Bruskewitz, R., Roskamp, D., and Leach, G.E. Symptom analysis of patients undergoing modified Pereyra bladder neck suspension for stress urinary incontinence. Pre- and postoperative findings. *Urology.* 1991 Mar; 37: 213-219
- 3804 Lofting, D. The dry season. Promoting continence in the South West. *Prof Nurse.* 1991 Feb; 6: 270,272,274
- 3805 Langtry, H.D., McTavish, D. Terodiline. A review of its pharmacological properties, and therapeutic use in the treatment of urinary incontinence. *Drugs.* 1990 Nov; 40: 748-761
- 3806 Creighton, S.M., Plevnik, S., and Stanton, S.L. Distal urethral electrical conductance (DUEC)--a preliminary assessment of its role as a quick screening test for incontinent women. *Br J Obstet Gynaecol.* 1991 Jan; 98: 69-72
- 3807 Hosker, G.L. Commentary. Detrusor instability--current management [letter] [published erratum appears in *Br J Obstet Gynaecol* 1991 Feb;98(2):226] [comment]. *Br J Obstet Gynaecol.* 1991 Jan; 98: 114-115
- 3808 Carroll, P., Maher, V.F. Legal issues in the care of patients with urinary incontinence. *Adv Clin Care.* 1991 Mar-Apr; 6: 9
- 3809 Powers, I., Williams, D. Urinary incontinence. *Adv Clin Care.* 1991 Mar-Apr; 6: 10-15
- 3810 Steiner, M.S., Morton, R.A., and Walsh, P.C. Impact of anatomical radical prostatectomy on urinary continence. *J Urol.* 1991 Mar; 145: 512-4;discussion514-5
- 3811 Marshall, F.F., Mostwin, J.L., Radebaugh, L.C., Walsh, P.C., and Brendler, C.B. Ileocolic neobladder post-cystectomy: continence and potency. *J Urol.* 1991 Mar; 145: 502-504
- 3812 Nissenkorn, I., Richter, S., and Slutzker, D. A simple, self-retaining intraurethral catheter for treatment of prostatic obstruction. *Eur Urol.* 1990; 18: 286-289
- 3813 Vehmas, T., Lindell, O., Soimakallio, S., Paivansalo, M., Balk, S., and Kivisaari, L. Percutaneous nephrostomy in the management of urinary leakages and fistulas. *Rontgenblatter.* 1990 Dec; 43: 512-515
- 3814 Wells, M., White, H. Continence. Self-starters. *Nurs Times.* 1991 Feb 13-19; 87: 64

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3815** Colley, W. Continence. The Colley Model. *Nurs Times*. 1991 Feb 13-19; 87: 61-63
- 3816** Timoney, A.G., Shaw, P.J. Urological outcome in female patients with spinal cord injury: the effectiveness of intermittent catheterisation. *Paraplegia*. 1990 Nov; 28: 556-563
- 3817** Pinter, A.B., Farkas, A.P. Urethral duplication with single bladder and multiple genitourinary abnormalities: an example of continent urinary diversion. *J Pediatr Surg*. 1990 Dec; 25: 1285-1286
- 3818** McMullen, D. Candida albicans and incontinence. *Dermatol Nurs*. 1991 Feb; 3: 21-24
- 3819** Hellstrom, L., Ekelund, P., Milsom, I., and Mellstrom, D. The prevalence of urinary incontinence and use of incontinence aids in 85-year-old men and women. *Age Ageing*. 1990 Nov; 19: 383-389
- 3820** Eriksen, B.C., Sandvik, H., and Hunskaar, S. Management of urinary incontinence in gynecological practice in Norway. *Acta Obstet Gynecol Scand*. 1990; 69: 515-519
- 3822** Turkington, D., Grant, J., Tophill, P., and Johnston, J. Psychiatric aspects of urinary incontinence [letter]. *Bmj*. 1990 Sep 1; 301: 444-445
- 3823** Dennis, P.J., Rohner, T.J., Jr., Hu, T.W., Igou, J.F., Yu, L.C., and Kaltreider, D.L. Simple urodynamic evaluation of incontinent elderly female nursing home patients. A descriptive analysis. *Urology*. 1991 Feb; 37: 173-179
- 3824** ODonnell, P.D., al-Juburi, A.Z. Microtip urethral pressure profile measurement in men. *Urology*. 1991 Feb; 37: 170-171
- 3825** Suarez, G.M., Baum, N.H., and Jacobs, J. Use of standard contraceptive diaphragm in management of stress urinary incontinence. *Urology*. 1991 Feb; 37: 119-122
- 3826** Bander, N.H. Initial results with slightly modified Kock pouch. *Urology*. 1991 Feb; 37: 100-105
- 3827** Sand, P.K., Brubaker, L.T., and Novak, T. Simple standing incremental cystometry as a screening method for detrusor instability. *Obstet Gynecol*. 1991 Mar; 77: 453-457
- 3828** Schnelle, J.F., Newman, D.R., Fogarty, T.E., Wallston, K., and Ory, M. Assessment and quality control of incontinence care in long-term nursing facilities. *J Am Geriatr Soc*. 1991 Feb; 39: 165-171
- 3829** Patel, A. Dry haricot bean: a new continence aid for elderly men?. *Bmj*. 1990 Dec 22-29; 301: 1432-1433
- 3830** Rousseau, P. Urinary collection devices in geriatric incontinence. *J Enterostomal Ther*. 1991 Jan-Feb; 18: 26-31
- 3831** Xu, W.P., Song, X.W., Yue, S.Y., Cai, Y.B., and Wu, J. Primary sacral tumors and their surgical treatment. A report of 87 cases. *Chin-Med-J (Engl)*. 1990 Nov; 103: 879-884
- 3832** Snooks, S.J., Swash, M., Mathers, S.E., and Henry, M.M. Effect of vaginal delivery on the pelvic floor: a 5-year follow-up. *Br J Surg*. 1990 Dec; 77: 1358-1360
- 3833** Wright, K. Collaborative management of the incontinent patient [editorial]. *Urol Nurs*. 1990 Dec; 10: 6
- 3835** McClish, D.K., Fantl, J.A., Wyman, J.F., Pisani, G., and Bump, R.C. Bladder training in older women with urinary incontinence: relationship between outcome and changes in urodynamic observations. *Obstet Gynecol*. 1991 Feb; 77: 281-286
- 3836** al-Rifaei, M.A., Gaafar, S., and Abdel-Rahman, M. Management of posterior urethral strictures secondary to pelvic fractures in children. *J Urol*. 1991 Feb; 145: 353-356
- 3837** Merguerian, P.A., McLorie, G.A., McMullin, N.D., Khoury, A.E., Husmann, D.A., and Churchill, B.M. Continence in bladder exstrophy: determinants of success. *J Urol*. 1991 Feb; 145: 350-352
- 3838** McGrother, C.W., Jagger, C., Clarke, M., and Castleden, C.M. Handicaps associated with incontinence: implications for management. *J Epidemiol Community Health*. 1990 Sep; 44: 246-248
- 3841** Fantl, J.A., Wyman, J.F., McClish, D.K., Harkins, S.W., Elswick, R.K., Taylor, J.R., and Hadley, E.C. Efficacy of bladder training in older women with urinary incontinence. *Jama*. 1991 Feb 6; 265: 609-613
- 3842** Du-Beau, C.E. Urodynamics [letter; comment]. *J Am Geriatr Soc*. 1991 Jan; 39: 105-107

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3843** Wade, B.E. Colostomy patients: psychological adjustment at 10 weeks and 1 year after surgery in districts which employed stoma-care nurses and districts which did not. *J Adv Nurs*. 1990 Nov; 15: 1297-1304
- 3844** Orovan, W.L., Davis, I.R. Kock to urethra: continent functional bladder replacement. *Can J Surg*. 1990 Apr; 33: 91-94
- 3845** Webber, E.M., Crofts, P.G., Pomeroy, C., Coleman, G.U., Arnold, W.J., and Johnson, H.W. Augmentation ileocystoplasty in children with myelodysplasia. *Can J Surg*. 1990 Apr; 33: 135-138
- 3846** Braverman, R.M., Lebowitz, R.L. Occult ectopic ureter in girls with urinary incontinence: diagnosis by using CT. *AJR Am J Roentgenol*. 1991 Feb; 156: 365-366
- 3847** Schmidt, R.A. Treatment of unstable bladder. *Urology*. 1991 Jan; 37: 28-32
- 3848** MacDonagh, R.P., Forster, D.M., and Thomas, D.G. Urinary continence in spinal injury patients following complete sacral posterior rhizotomy. *Br J Urol*. 1990 Dec; 66: 618-622
- 3850** Creighton, S.M., Stanton, S.L. Caffeine: does it affect your bladder?. *Br J Urol*. 1990 Dec; 66: 613-614
- 3851** Rabin, J.M., Badlani, G. Importance of complete cytometric evaluation of vesical dysfunction in elderly diabetic patients [letter; comment]. *Arch Intern Med*. 1991 Jan; 151: 201-203
- 3852** Brindley, G.S., Rushton, D.N. Long-term follow-up of patients with sacral anterior root stimulator implants. *Paraplegia*. 1990 Oct; 28: 469-475
- 3853** DeLancey, J.O., Nygaard, I. Exercise-associated urinary incontinence. *Jama*. 1991 Jan 23-30; 265: 514
- 3854** Wall, L.L. Diagnosis and management of urinary incontinence due to detrusor instability. *Obstet Gynecol Surv*. 1990 Nov; 45: 1S-47S
- 3855** McKeever, M.P. An investigation of recognized incontinence within a health authority. *J Adv Nurs*. 1990 Oct; 15: 1197-1207
- 3856** Cabrera, J.A., Szekely, Z., and Ospitia, J.A. Suprapubic or vaginal procedure [letter]. *Am J Obstet Gynecol*. 1990 Dec; 163: 2025-2026
- 3857** Newman, D.K., Lynch, K., Smith, D.A., and Cell, P. Restoring urinary continence. *Am J Nurs*. 1991 Jan; 91: 28-34
- 3858** Sandvik, H., Hunskaar, S. Doctors' characteristics and practice patterns in general practice: an analysis based on management of urinary incontinence. *Scand J Prim Health Care*. 1990 Sep; 8: 179-182
- 3859** Saunders, B. Catheter care. Working together for continence. *Nursing (Lond)*. 1990 Dec 6-19; 4: 14-16
- 3860** Breitenbucher, R.B. Minimizing urinary incontinence in the nursing home. *Geriatrics*. 1990 Dec; 45: 32-40
- 3861** Moore, K.H., Goldstein, M., and Hay, D. The treatment of detrusor instability in postmenopausal women with oxybutynin chloride: a double blind placebo controlled study [letter; comment]. *Br J Obstet Gynaecol*. 1990 Nov; 97: 1063-1064
- 3862** Norton, C. Nurse prescribing. Prescribing rights. *Nurs Stand*. 1990 Nov 14-20; 5: 4-5
- 3863** Platts, L. Dispensing advice. *Nurs Stand*. 1990 Nov 14-20; 5: 14-15
- 3864** Farragher, D. Trophic stimulation. *Nurs Stand*. 1990 Nov 14-20; 5: 10-11
- 3865** Campbell, H., Crawford, V., and Stout, R.W. The impact of private residential and nursing care on statutory residential and hospital care of elderly people in south Belfast. *Age Ageing*. 1990 Sep; 19: 318-324
- 3866** Gelet, A., Sanseverino, R., Salas, M., Martin, X., Marechal, J.M., and Dubernard, J.M. The AS 800 urinary sphincter in renal transplantation. *Br J Urol*. 1990 Nov; 66: 549-550
- 3867** Warwick, D.J., Abrams, P. The perineal artificial sphincter for acquired incontinence--a cut and dried solution?. *Br J Urol*. 1990 Nov; 66: 495-499
- 3868** O'Donnell, P.D., Brookover, T., Hewett, M., and al-Juburi, A.Z. Continence level following radical prostatectomy. *Urology*. 1990 Dec; 36: 511-512



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3869** Chang, H.C., Chang, S.C., Kuo, H.C., and Tsai, T.C. Transrectal sonographic cystourethrography: studies in stress urinary incontinence. *Urology*. 1990 Dec; 36: 488-492
- 3870** Epstein, S., Jenike, M.A. Disabling urinary obsessions: an uncommon variant of obsessive-compulsive disorder. *Psychosomatics*. 1990 Fall; 31: 450-452
- 3872** Chan, A.S., Ouslander, J.G. Effects of diltiazem on urinary incontinence [letter]. *J Am Geriatr Soc*. 1990 Nov; 38: 1265-1266
- 3873** Jonasson, A., Larsson, B., Pschera, H., and Nylund, L. Short-term maximal electrical stimulation--a conservative treatment of urinary incontinence. *Gynecol Obstet Invest*. 1990; 30: 120-123
- 3874** Eriksen, B.C. Electrostimulation of the pelvic floor in female urinary incontinence. *Acta Obstet Gynecol Scand*. 1990; 69: 359-360
- 3875** Vasilev, S.A., Schlaerth, J.B. Intraoperative pressure profile measurement and continence mechanism adjustment in the Indiana pouch urinary reservoir. *Surg Gynecol Obstet*. 1990 Dec; 171: 518-520
- 3876** Rose, M.A., Baigis-Smith, J., Smith, D., and Newman, D. Behavioral management of urinary incontinence in homebound older adults. *Home Healthc Nurse*. 1990 Sep-Oct; 8: 10-15
- 3877** Warshaw, G.A. New perspectives in the management of Alzheimer's disease. *Am Fam Physician*. 1990 Nov; 42: 41S-47S
- 3878** Diokno, A.C., Normolle, D.P., Brown, M.B., and Herzog, A.R. Urodynamic tests for female geriatric urinary incontinence. *Urology*. 1990 Nov; 36: 431-439
- 3879** Sanchez-de-Badajoz, E., Diaz-Ramirez, F., and Vara-Thorbeck, C. Stress incontinence: a new endoscopic approach. *Urology*. 1990 Nov; 36: 403-405
- 3880** Jarvelin, M.R., Huttunen, N.P., Seppanen, J., Seppanen, U., and Moilanen, I. Screening of urinary tract abnormalities among day and nightwetting children. *Scand J Urol Nephrol*. 1990; 24: 181-189
- 3881** Gibson, E. An exhibition to eradicate ignorance. Setting up a continence resource centre. *Prof Nurse*. 1990 Oct; 6: 38-41
- 3882** Palmer, M.H. Urinary incontinence. *Nurs Clin North Am*. 1990 Dec; 25: 919-934
- 3883** Haimanot, R.T. Neurological complications of endemic skeletal fluorosis, with special emphasis on radiculo-myelopathy. *Paraplegia*. 1990 May; 28: 244-251
- 3884** Butturini, E. Pants for incontinence patients. *N Z Nurs J*. 1990 Oct; 83: 26
- 3885** Cotton, P. Physicians hear about incontinence [news]. *Jama*. 1990 Nov 14; 264: 2361-2362
- 3886** Winter, C.C. Re: Review of an 8-year experience with modifications of endoscopic suspension of the bladder neck for female stress urinary incontinence [letter; comment]. *J Urol*. 1990 Dec; 144: 1481-1482
- 3887** Klose, A.G., Sackett, C.K., and Mesrobian, H.G. Management of children with myelodysplasia: urological alternatives. *J Urol*. 1990 Dec; 144: 1446-1449
- 3889** Connor, J.P., Burbige, K.A. Long-term urinary continence and renal function in neonates with posterior urethral valves. *J Urol*. 1990 Nov; 144: 1209-1211
- 3890** Nielsen, K.K., Kromann-Andersen, B., Jacobsen, H., Nielsen, E.M., Nordling, J., Holm, H.H., and Larsen, J.F. The urethral plug: a new treatment modality for genuine urinary stress incontinence in women. *J Urol*. 1990 Nov; 144: 1199-1202
- 3891** Summitt, R.L., Jr., Bent, A.E., Ostergard, D.R., and Harris, T.A. Stress incontinence and low urethral closure pressure. Correlation of preoperative urethral hypermobility with successful suburethral sling procedures. *J Reprod Med*. 1990 Sep; 35: 877-880
- 3893** Frang, D., Pajor, L. Radical prostatectomy and complications. *Int Urol Nephrol*. 1990; 22: 349-357



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 3894 Ahlstrom, K., Sandahl, B., Sjoberg, B., Ulmsten, U., Stormby, N., and Lindskog, M. Effect of combined treatment with phenylpropanolamine and estriol, compared with estriol treatment alone, in postmenopausal women with stress urinary incontinence. *Gynecol Obstet Invest.* 1990; 30: 37-43
- 3895 Resnick, N.M. Noninvasive diagnosis of the patient with complex incontinence. *Gerontology.* 1990; 36 Suppl 2: 8-18
- 3896 Brocklehurst, J.C. Urinary incontinence in old age: helping the general practitioner to make a diagnosis. *Gerontology.* 1990; 36 Suppl 2: 3-7
- 3898 Sourander, L.B. Treatment of urinary incontinence: the place of drugs. *Gerontology.* 1990; 36 Suppl 2: 19-26
- 3899 Le-Coutour, X., Jung-Faerber, S., Klein, P., and Renaud, R. Female urinary incontinence: comparative value of history and urodynamic investigations. *Eur J Obstet Gynecol Reprod Biol.* 1990 Dec; 37: 279-286
- 3900 Fossberg, E., Sorensen, S., Ruutu, M., Bakke, A., Stien, R., Henriksson, L., and Kinn, A.C. Maximal electrical stimulation in the treatment of unstable detrusor and urge incontinence. *Eur Urol.* 1990; 18: 120-123
- 3901 Cunsolo, A., Bragaglia, R.B., Manara, G., Poggioli, G., and Gozzetti, G. Urogenital dysfunction after abdominoperineal resection for carcinoma of the rectum. *Dis Colon Rectum.* 1990 Nov; 33: 918-922
- 3902 Staskin, D.R., Wein, A.J., and Andersson, K.E. Urinary incontinence: classification and pharmacological therapy. *Ciba Found Symp.* 1990; 151: 289-306;discussion306-17
- 3903 de-Groat, W.C. Central neural control of the lower urinary tract. *Ciba Found Symp.* 1990; 151: 27-44;discussion44-56
- 3904 Brindley, G.S. Treatment of urinary and faecal incontinence by surgically implanted devices. *Ciba Found Symp.* 1990; 151: 267-74;discussion274-82
- 3905 Stanton, S.L. Stress urinary incontinence. *Ciba Found Symp.* 1990; 151: 182-9;discussion189-94
- 3906 Swash, M. The neurogenic hypothesis of stress incontinence. *Ciba Found Symp.* 1990; 151: 156-70;discussion170-5
- 3907 Anon. Neurobiology of incontinence. A symposium. London, 11-13 October 1989. *Proceedings. Ciba Found Symp.* 1990; 151: 1-322
- 3908 MacDermott, J.P., Palmer, J.M., and Stone, A.R. Vesicocutaneous fistula secondary to bladder instability. *Br J Urol.* 1990 Oct; 66: 430-431
- 3909 Lagro-Janssen, T.L., Smits, A.J., and Van-Weel, C. Women with urinary incontinence: self-perceived worries and general practitioners' knowledge of problem. *Br J Gen Pract.* 1990 Aug; 40: 331-334
- 3910 Langer, R., Golan, A., Neuman, M., Schneider, D., Bukovsky, I., and Caspi, E. The effect of large uterine fibroids on urinary bladder function and symptoms. *Am J Obstet Gynecol.* 1990 Oct; 163: 1139-1141
- 3911 Juma, S., Little, N.A., and Raz, S. Basic evaluation of female urinary incontinence. *Am J Kidney Dis.* 1990 Oct; 16: 317-321
- 3912 Kong, T.K., Morris, J.A., Robinson, J.M., and Brocklehurst, J.C. Predicting urodynamic dysfunction from clinical features in incontinent elderly women. *Age Ageing.* 1990 Jul; 19: 257-263
- 3913 Russell, K.J., Laramore, G.E., Krieger, J.N., Wiens, L.W., Griffeth, J.T., Koh, W.J., Griffin, B.R., Austin-Seymour, M.M., Griffin, T.W., and Davis, L.W. Transient and chronic neurological complications of fast neutron radiation for adenocarcinoma of the prostate. *Radiother Oncol.* 1990 Jul; 18: 257-265
- 3914 Amdur, R.J., Parsons, J.T., Fitzgerald, L.T., and Million, R.R. Adenocarcinoma of the prostate treated with external-beam radiation therapy: 5-year minimum follow-up. *Radiother Oncol.* 1990 Jul; 18: 235-246
- 3915 Binstock, M.A., Semrad, N., Dubow, L., and Watring, W. Combined vesicovaginal-ureterovaginal fistulas associated with a vaginal foreign body. *Obstet Gynecol.* 1990 Nov; 76: 918-921
- 3916 Karram, M.M., Bhatia, N.N. Importance of a neurologic evaluation in women with lower urinary tract dysfunction. *J Reprod Med.* 1990 Aug; 35: 799-804

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 3919 Scotti, R.J., Ostergard, D.R., Guillaume, A.A., and Kohatsu, K.E. Predictive value of urethroscopy as compared to urodynamics in the diagnosis of genuine stress incontinence. *J Reprod Med.* 1990 Aug; 35: 772-776
- 3920 DeLancey, J.O., Starr, R.A. Histology of the connection between the vagina and levator ani muscles. Implications for urinary tract function. *J Reprod Med.* 1990 Aug; 35: 765-771
- 3921 Sand, P.K., Brubaker, L. Nonsurgical treatment of detrusor overactivity in postmenopausal women. *J Reprod Med.* 1990 Aug; 35: 758-764
- 3923 Sauerwein, D., Ingunza, W., Fischer, J., Madersbacher, H., Polkey, C.E., Brindley, G.S., Colombel, P., and Teddy, P. Extradural implantation of sacral anterior root stimulators. *J Neurol Neurosurg Psychiatry.* 1990 Aug; 53: 681-684
- 3924 Johnson, D.E., Muncie, H.L., O'Reilly, J.L., and Warren, J.W. An external urine collection device for incontinent women. Evaluation of long-term use. *J Am Geriatr Soc.* 1990 Sep; 38: 1016-1022
- 3925 Shaw, J. Continence in cerebral palsy. *Health Visit.* 1990 Sep; 63: 301-302
- 3926 Schnelle, J.F., Newman, D.R., and Fogarty, T. Statistical quality control in nursing homes: assessment and management of chronic urinary incontinence. *Health Serv Res.* 1990 Oct; 25: 627-637
- 3927 Primus, G., Pummer, K. Oxybutynin hydrochloride in the management of detrusor instability. *Int Urol Nephrol.* 1990; 22: 243-248
- 3928 Sand, P.K., Bowen, L.W., and Ostergard, D.R. The prognostic significance of augmentation of urethral closure pressure and functional length. *Int J Gynaecol Obstet.* 1990 Oct; 33: 135-139
- 3929 Harrison, S.C., Abrams, P.H. The endoscopic video camera as an aid to the Stamey procedure. *Br J Urol.* 1990 Sep; 66: 329
- 3930 Purkiss, S.F. Assessment of residual urine in men following catheterisation [see comments]. *Br J Urol.* 1990 Sep; 66: 279-280
- 3931 Maskell, R. Psychiatric aspects of urinary incontinence [letter; comment]. *Bmj.* 1990 Sep 15; 301: 556
- 3932 Mogielnicki, R.P., Nelson, W.A., and Dulac, J. A study of the dying process in elderly hospitalized males. *J Cancer Educ.* 1990; 5: 135-145
- 3937 Jirovec, M.M., Wells, T.J. Urinary incontinence in nursing home residents with dementia: the mobility-cognition paradigm. *Appl Nurs Res.* 1990 Aug; 3: 112-117
- 3938 Sislow, J.G., Mayo, M.E. Reduction in human bladder wall compliance following decentralization. *J Urol.* 1990 Oct; 144: 945-947
- 3939 Lockhart, J.L., Pow-Sang, J.M., Persky, L., Kahn, P., Helal, M., and Sanford, E. A continent colonic urinary reservoir: the Florida pouch. *J Urol.* 1990 Oct; 144: 864-867
- 3940 Levy, B.J., Wight, T.N. Structural changes in the aging submucosa: new morphologic criteria for the evaluation of the unstable human bladder. *J Urol.* 1990 Oct; 144: 1044-1055
- 3941 Burns, A., Jacoby, R., and Levy, R. Psychiatric phenomena in Alzheimer's disease. IV: Disorders of behaviour. *Br J Psychiatry.* 1990 Jul; 157: 86-94
- 3942 Meadow, S.R. Day wetting. *Pediatr Nephrol.* 1990 Mar; 4: 178-184
- 3943 Powell, L. Achieving continence. *Nurs Elder.* 1990 Jul-Aug; 2: 16,18
- 3944 Metcalfe, S. The working week. *Nurs Elder.* 1990 Jul-Aug; 2: 14-15
- 3945 Watson, R. An improved urinary sheath. *Nurs Elder.* 1990 Jul-Aug; 2: 12
- 3946 Simon, J.K. Cones are not a substitute for specialist physiotherapy [letter]. *Prof Nurse.* 1990 Aug; 5: 585
- 3947 Clancy, B., Malone-Lee, J. Reducing leakage rates of incontinence pads. *Nurs Times.* 1990 Sep 5-11; 86: 49,51
- 3949 Garber, S.J., Christmas, T.J., and Rickards, D. Voiding dysfunction due to neurosyphilis. *Br J Urol.* 1990 Jul; 66: 19-21

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3950** Sommer, P., Bauer, T., Nielsen, K.K., Kristensen, E.S., Hermann, G.G., Steven, K., and Nordling, J. Voiding patterns and prevalence of incontinence in women. A questionnaire survey. *Br J Urol.* 1990 Jul; 66: 12-15
- 3951** Koonings, P.P., Bergman, A., and Ballard, C.A. Low urethral pressure and stress urinary incontinence in women: risk factor for failed retropubic surgical procedure. *Urology.* 1990 Sep; 36: 245-248
- 3953** Lim, P.H., Brown, A.D., and Chisholm, G.D. The Burch Colposuspension operation for stress urinary incontinence. *Singapore Med J.* 1990 Jun; 31: 242-246
- 3954** Roe, B.H. Development of Continence Advisory Services in the United Kingdom. *Scand J Caring Sci.* 1990; 4: 51-54
- 3955** Taking the. *Med J Aust.* 1990 Sep 3; 153: 245-247
- 3956** Norton, K.R., Bhat, A.V., and Stanton, S.L. Psychiatric aspects of urinary incontinence in women attending an outpatient urodynamic clinic [see comments]. *Bmj.* 1990 Aug 4; 301: 271-272
- 3958** Wallner, K.E., Nori, D., Morse, M.J., Sogani, P.C., Whitmore, W.F., and Fuks, Z. 125iodine reimplantation for locally progressive prostatic carcinoma. *J Urol.* 1990 Sep; 144: 704-706
- 3959** Meaglia, J.P., Joseph, A.C., Chang, M., and Schmidt, J.D. Post-prostatectomy urinary incontinence: response to behavioral training. *J Urol.* 1990 Sep; 144: 674-676
- 3961** Fukui, J., Sakai, Y., Hosaka, K., Yamashita, T., Ogawa, A., and Shirai, H. A newly designed deodorant pad for urinary incontinence. *J Am Geriatr Soc.* 1990 Aug; 38: 889-892
- 3962** Varner, R.E. Retropubic long-needle suspension procedures for stress urinary incontinence [see comments]. *Am J Obstet Gynecol.* 1990 Aug; 163: 551-557
- 3963** Diokno, A.C., Brock, B.M., Herzog, A.R., and Bromberg, J. Medical correlates of urinary incontinence in the elderly. *Urology.* 1990 Aug; 36: 129-138
- 3964** Anderson, M. Continence. Painting a new picture. *Nurs Times.* 1990 Aug 15-21; 86: 74
- 3965** Norton, C. Continence. A success story. *Nurs Times.* 1990 Aug 15-21; 86: 72
- 3966** Anon. Continence. Reforming plans [editorial]. *Nurs Times.* 1990 Aug 15-21; 86: 65
- 3967** Anon. Continence. *Nurs Times.* 1990 Aug 15-21; 86: 62-76
- 3968** Nishida, K., Ueda, S., Matsumoto, K., Kusaka, K., and Takeuchi, R. Cauda equina neurinoma associated with normal pressure hydrocephalus--case report. *Neurol-Med-Chir (Tokyo).* 1990 Apr; 30: 258-262
- 3969** Hagan, T. Nurses take the lead in continence work. *Nurs Stand.* 1990 Jun 27-Jul 3; 4: 24-28
- 3970** Phillips, T.H., Ritchey, M.L., and Beck, D.E. Technical aid for the complete removal of ureterointestinal anastomoses. *Surg Gynecol Obstet.* 1990 Aug; 171: 163-164
- 3971** Parulkar, B.G., Barrett, D.M. Application of the AS-800 artificial sphincter for intractable urinary incontinence in females. *Surg Gynecol Obstet.* 1990 Aug; 171: 131-138
- 3972** Eyman, R.K., Grossman, H.J., Chaney, R.H., and Call, T.L. The life expectancy of profoundly handicapped people with mental retardation [see comments]. *N Engl J Med.* 1990 Aug 30; 323: 584-589
- 3973** Wheeler, J.S., Jr., Niecestro, R.M. Urinary incontinence: managing the problem. *J Enterostomal Ther.* 1990 Jul-Aug; 17: 174-179
- 3974** Hu, T.W., Kaltreider, D.L., Igou, J.F., Yu, L.C., and Rohner, T.J. Cost effectiveness of training incontinent elderly in nursing homes: a randomized clinical trial. *Health Serv Res.* 1990 Aug; 25: 455-477
- 3975** Ibrahim, M.E. Reconstruction of bladder neck-posterior urethral region in patients with complete epispadias. *Int Urol Nephrol.* 1990; 22: 61-65
- 3976** Tapp, A.J., Cardozo, L.D., Versi, E., and Cooper, D. The treatment of detrusor instability in post-menopausal women with oxybutynin chloride: a double blind placebo controlled study [see comments]. *Br J Obstet Gynaecol.* 1990 Jun; 97: 521-526

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 3977 Cardozo, L. Detrusor instability--current management [see comments]. *Br J Obstet Gynaecol.* 1990 Jun; 97: 463-466
- 3978 Wall, L.L., Wang, K., Robson, I., and Stanton, S.L. The Pyridium pad test for diagnosing urinary incontinence. A comparative study of asymptomatic and incontinent women. *J Reprod Med.* 1990 Jul; 35: 682-684
- 3979 Smith, K.A. Bowel and bladder management of the child with myelomeningocele in the school setting. *J Pediatr Health Care.* 1990 Jul-Aug; 4: 175-180
- 3980 Kahn, D. Dismayed by response on incontinent pads [letter]. *Can Nurse.* 1990 Jun; 86: 8-11
- 3981 Ashervath, J., Kizakipunner, K. Achieving continence in the confused elderly. *Adv Clin Care.* 1990 Jul-Aug; 5: 37-40
- 3982 Drachman, D.A., ODonnell, B.F., Lew, R.A., and Swearer, J.M. The prognosis in Alzheimer's disease. 'How far' rather than 'how fast' best predicts the course. *Arch Neurol.* 1990 Aug; 47: 851-856
- 3983 Nill, T.G., Peller, P.A., and Kropp, K.A. Management of urinary incontinence by bladder tube urethral lengthening and submucosal reimplantation. *J Urol.* 1990 Aug; 144: 559-61;discussion562-3
- 3984 Mitchell, M.E., Brito, C.G., and Rink, R.C. Cloacal exstrophy reconstruction for urinary continence. *J Urol.* 1990 Aug; 144: 554-8;discussion562-3
- 3985 Jumper, B.M., McLorie, G.A., Churchill, B.M., Khoury, A.E., and Toi, A. Effects of the artificial urinary sphincter on prostatic development and sexual function in pubertal boys with meningomyelocele. *J Urol.* 1990 Aug; 144: 438-42;discussion443-4
- 3986 Elder, J.S. Periurethral and puboprostatic sling repair for incontinence in patients with myelodysplasia. *J Urol.* 1990 Aug; 144: 434-7;discussion443-4
- 3987 Khoury, A.E., Hendrick, E.B., McLorie, G.A., Kulkarni, A., and Churchill, B.M. Occult spinal dysraphism: clinical and urodynamic outcome after division of the filum terminale. *J Urol.* 1990 Aug; 144: 426-8;discussion428-9,443-4
- 3988 Araki, T., Takamoto, H., Hara, T., Fujimoto, H., Yoshida, M., and Katayama, Y. The loop-loosening procedure for urination difficulties after Stamey suspension of the vesical neck [see comments]. *J Urol.* 1990 Aug; 144: 319-22;discussion322-3
- 3989 Green, N., Treible, D., and Wallack, H. Prostate cancer: post-irradiation incontinence. *J Urol.* 1990 Aug; 144: 307-309
- 3990 Dixon, P.J., Christmas, T.J., and Chapple, C.R. Stress incontinence due to pelvic floor muscle involvement in limb-girdle muscular dystrophy. *Br J Urol.* 1990 Jun; 65: 653-654
- 3991 Patel, J., Worthen, R., Abadir, R., Weaver, D.J., Weinstein, S., and Ross, G., Jr. Late results of combined iodine-125 and external beam radiotherapy in carcinoma of prostate. *Urology.* 1990 Jul; 36: 27-30
- 3992 Oesterling, J.E., Gearhart, J.P. Utilization of ileal conduit in construction of continent urinary reservoir. *Urology.* 1990 Jul; 36: 15-19
- 3993 Wheeler, V. A new kind of loving? The effect of continence problems on sexuality. *Prof Nurse.* 1990 Jun; 5: 492-496
- 3994 Sampsel, C.M., Brink, C.A. Pelvic muscle relaxation. Assessment and management. *J Nurse Midwifery.* 1990 May-Jun; 35: 127-132
- 3995 Wells, T. Conquering incontinence. *Geriatr-Nurs (New York).* 1990 May-Jun; 11: 133-135
- 3996 von-Wendt, L., Simila, S., Niskanen, P., and Jarvelin, M.R. Development of bowel and bladder control in the mentally retarded. *Dev Med Child Neurol.* 1990 Jun; 32: 515-518
- 3997 Bax, M. Managing incontinence [editorial]. *Dev Med Child Neurol.* 1990 Jun; 32: 471-472
- 3998 Krasner, D. Alterations in skin integrity related to continence management/incontinence: some problems and solutions. *Ostomy Wound Manage.* 1990 May-Jun; 28: 62-63

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 3999** Martin, S. The pharmacists' role in recognizing and treating urinary incontinence. *Am Pharm.* 1990 Jul; Ns30: 42-45
- 4000** Snyder, H.M., 3d. Evolving themes in the continent reconstruction of the lower urinary tract. *Postgrad Med J.* 1990; 66 Suppl 1: S54-S61
- 4001** Allen-Mersh, T.G., Turner, M.J., and Mann, C.V. Effect of abdominal Ivalon rectopexy on bowel habit and rectal wall. *Dis Colon Rectum.* 1990 Jul; 33: 550-553
- 4002** Langer, R., Golan, A., Ron-El, R., Neuman, M., Pansky, M., Bukovsky, I., and Caspi, E. Colposuspension for urinary stress incontinence in premenopausal and postmenopausal women. *Surg Gynecol Obstet.* 1990 Jul; 171: 13-16
- 4003** Viljoen, A.C. The vaginal strips sling operation. An alternative procedure for urinary incontinence. *S Afr Med J.* 1990 Jun 16; 77: 632-634
- 4004** Husmann, D.A., Wilson, W.T., Boone, T.B., and Allen, T.D. Prostatomembranous urethral disruptions: management by suprapubic cystostomy and delayed urethroplasty. *J Urol.* 1990 Jul; 144: 76-78
- 4005** Ramon, J., Mekras, J.A., and Webster, G.D. The outcome of transvaginal cystourethropey in patients with anatomical stress urinary incontinence and outlet weakness. *J Urol.* 1990 Jul; 144: 106-8;discussion108-9
- 4006** Malone, P.S., Spitz, L., Kiely, E.M., Brereton, R.J., Duffy, P.G., and Ransley, P.G. The functional sequelae of sacrococcygeal teratoma. *J Pediatr Surg.* 1990 Jun; 25: 679-680
- 4007** Ferriani, R.A., Silva-de-Sa, M.F., Dias-de-Moura, M., Charaffedine, M.N., and Hockgreb-de-Freitas-Junior, A. Ureteral blockage as a complication of Burch colposuspension: report of 6 cases. *Gynecol Obstet Invest.* 1990; 29: 239-240
- 4008** Bergman, A., Karram, M.M., and Bhatia, N.N. Changes in urethral cytology following estrogen administration. *Gynecol Obstet Invest.* 1990; 29: 211-213
- 4009** Venkatesan, P., Gladman, J., Macfarlane, J.T., Barer, D., Berman, P., Kinnear, W., and Finch, R.G. A hospital study of community acquired pneumonia in the elderly. *Thorax.* 1990 Apr; 45: 254-258
- 4010** Ali-Khan, S., Washecka, R.M., D'Agostino, J., and Siddharth, P. Operative prostatomy: an aid to urethral anastomosis. A preliminary report. *Scand J Urol Nephrol.* 1990; 24: 89-90
- 4011** Kinn, A.C., Larsson, P.O. Desmopressin: a new principle for symptomatic treatment of urgency and incontinence in patients with multiple sclerosis. *Scand J Urol Nephrol.* 1990; 24: 109-112
- 4012** Sandvik, H., Hunskaar, S., and Eriksen, B.C. Management of urinary incontinence in women in general practice: actions taken at the first consultation. *Scand J Prim Health Care.* 1990 Mar; 8: 3-8
- 4013** Green, R.J., Laycock, J. Objective methods for evaluation of interferential therapy in the treatment of incontinence. *IEEE Trans Biomed Eng.* 1990 Jun; 37: 615-623
- 4014** Schnelle, J.F., Newman, D.R., and Fogarty, T. Management of patient continence in long-term care nursing facilities. *Gerontologist.* 1990 Jun; 30: 373-376
- 4015** Ouslander, J.G., Abelson, S. Perceptions of urinary incontinence among elderly outpatients. *Gerontologist.* 1990 Jun; 30: 369-372
- 4016** Drago, J.R., Badalament, R.A., Nesbitt, J.A., and York, J.P. Radical nerve-sparing prostatectomy with epidural anaesthesia in 100 patients. *Br J Urol.* 1990 May; 65: 517-519
- 4017** Lewis, D.K., Morgan, J.R., Weston, P.M.T., Stephenson, T.R. The clam : indications and complications. *Br J Urol.* 1990 May; 65: 488-491
- 4018** Light, J.K., Marks, J.L. Total bladder replacement in the male and female using the ileocolonic segment (LeBag). *Br J Urol.* 1990 May; 65: 467-472
- 4019** Bachor, R., Frohneberg, D., Miller, K., Egghart, G., and Hautmann, R. Continence after total bladder replacement: urodynamic analysis of the ileal neobladder. *Br J Urol.* 1990 May; 65: 462-466



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 4020 O'Donnell, P.D., Finkbeiner, A.E., and Beck, C. Urinary incontinence volume measurement in elderly male inpatients. *Urology*. 1990 Jun; 35: 499-503
- 4021 Husmann, D.A., McLorie, G.A., and Churchill, B.M. Factors predisposing to renal scarring: following staged reconstruction of classical bladder exstrophy. *J Pediatr Surg*. 1990 May; 25: 500-504
- 4024 Versi, E. Incontinence in the climacteric. *Clin Obstet Gynecol*. 1990 Jun; 33: 392-398
- 4025 Richardson, D.A. Overflow incontinence and urinary retention. *Clin Obstet Gynecol*. 1990 Jun; 33: 378-381
- 4028 Stanton, S.L. Surgical management of urethral sphincter incompetence. *Clin Obstet Gynecol*. 1990 Jun; 33: 346-357
- 4029 Wilson, P.D. Conservative management of urethral sphincter incompetence. *Clin Obstet Gynecol*. 1990 Jun; 33: 330-345
- 4030 Norton, P.A. Diagnostic evaluation: additional urodynamic testing. *Clin Obstet Gynecol*. 1990 Jun; 33: 325-329
- 4031 Brubaker, L., Sand, P.K. Cystometry, urethrocystometry, and videocystourethrography. *Clin Obstet Gynecol*. 1990 Jun; 33: 315-324
- 4032 Mainprize, T.C. Diagnosis of urinary incontinence. *Clin Obstet Gynecol*. 1990 Jun; 33: 308-314
- 4033 Norton, P.A. Prevalence and social impact of urinary incontinence in women. *Clin Obstet Gynecol*. 1990 Jun; 33: 295-297
- 4034 Lockhart-Pretti, P.A. Urinary incontinence. *J Enterostomal Ther*. 1990 May-Jun; 17: 112-119
- 4035 Small, K.A., Wynne, J.M. Evaluating the pelvic floor in obstetric patients. *Aust N Z J Obstet Gynaecol*. 1990 Feb; 30: 41-4,45
- 4036 Thunedborg, P., Fischer-Rasmussen, W., and Jensen, S.B. Stress urinary incontinence and posterior bladder suspension defects. Results of vaginal repair versus Burch colposuspension. *Acta Obstet Gynecol Scand*. 1990; 69: 55-59
- 4037 Enzelsberger, H., Schatten, C., Kurz, C., and Fitzal, P. Urodynamic and radiologic parameters before and after loop surgery for recurrent urinary stress incontinence. *Acta Obstet Gynecol Scand*. 1990; 69: 51-54
- 4038 Eriksen, B.C., Hagen, B., Eik-Nes, S.H., Molne, K., Mjølnerod, O.K., and Romslo, I. Long-term effectiveness of the Burch colposuspension in female urinary stress incontinence. *Acta Obstet Gynecol Scand*. 1990; 69: 45-50
- 4039 Koelbl, H., Bernaschek, G., and Deutinger, J. Assessment of female urinary incontinence by introital sonography. *JCU J Clin Ultrasound*. 1990 May; 18: 370-374
- 4040 Hill, D.E., Chantigian, P.M., and Kramer, S.A. Pregnancy after augmentation cystoplasty. *Surg Gynecol Obstet*. 1990 Jun; 170: 485-487
- 4041 Tabbara, I.A., Sibley, D.S., and Quesenberry, P.J. Spinal cord compression due to metastatic neoplasm. *South Med J*. 1990 May; 83: 519-523
- 4042 Black, P.A. Urinary incontinence: a many faceted problem. *Prof Nurse*. 1990 Apr; 5: 378-384
- 4043 Casanova, J.E. Incontinence after use of enalapril [letter]. *J Urol*. 1990 Jun; 143: 1237-1238
- 4044 deVries, C.R., Anderson, R.U. Endoscopic urethroplasty: an improved technique. *J Urol*. 1990 Jun; 143: 1225-1226
- 4045 Susset, J.G., Galea, G., and Read, L. Biofeedback therapy for female incontinence due to low urethral resistance [see comments]. *J Urol*. 1990 Jun; 143: 1205-1208
- 4046 Klockgether, T., Schroth, G., Diener, H.C., and Dichgans, J. Idiopathic cerebellar ataxia of late onset: natural history and MRI morphology. *J Neurol Neurosurg Psychiatry*. 1990 Apr; 53: 297-305
- 4047 Watson, R., Kuhn, M. The influence of component parts on the performance of urinary sheath systems. *J Adv Nurs*. 1990 Apr; 15: 417-422
- 4049 Wheelahan, J.B. Long-term results of colposuspension. *Br J Urol*. 1990 Apr; 65: 329-332



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 4050 Hunt, G.M. Open spina bifida: outcome for a complete cohort treated unselectively and followed into adulthood. *Dev Med Child Neurol.* 1990 Feb; 32: 108-118
- 4051 Allen, F.J., de-Kock, M.L. Asymmetrical bilateral genital ureteric ectopy. *Br J Urol.* 1990 Mar; 65: 300-301
- 4053 Drago, J.R., Badalament, R.A., and Nesbitt, J.A. Radical prostatectomy 1972-1987 single institutional experience: comparison of standard radical prostatectomy and nerve-sparing technique. *Urology.* 1990 May; 35: 377-380
- 4054 Peters, C.A., Bauer, S.B. Evaluation and management of urinary incontinence after surgery for posterior urethral valves. *Urol Clin North Am.* 1990 May; 17: 379-387
- 4055 Parkhouse, H.F., Woodhouse, C.R. Long-term status of patients with posterior urethral valves. *Urol Clin North Am.* 1990 May; 17: 373-378
- 4056 Werbrouck, P., Baert, L., Binard, J.E., Chiou, R.K., and Van-Poppel, H. Balloon dilatation of the external urethral sphincter: a case study. *J Am Paraplegia Soc.* 1990 Apr; 13: 13-14
- 4057 Burgio, L.D., Engel, B.T., Hawkins, A., McCormick, K., Scheve, A., and Jones, L.T. A staff management system for maintaining improvements in continence with elderly nursing home residents. *J Appl Behav Anal.* 1990 Spring; 23: 111-118
- 4059 Lachs, M.S., Feinstein, A.R., Cooney, L.M., Jr., Drickamer, M.A., Marottoli, R.A., Pannill, F.C., and Tinetti, M.E. A simple procedure for general screening for functional disability in elderly patients [see comments]. *Ann Intern Med.* 1990 May 1; 112: 699-706
- 4061 Katlowitz, N.M., Karwa, G., and Lautin, E. Stress incontinence secondary to a vesicourethral fistula: case report. *Urol Radiol.* 1990; 12: 37-38
- 4062 Watson, R. Management of incontinence: the concept of cost-effectiveness. *Nurs Stand.* 1990 Apr 25-May 1; 4: 36-39
- 4063 Molander, U., Milsom, I., Ekelund, P., and Mellstrom, D. An epidemiological study of urinary incontinence and related urogenital symptoms in elderly women. *Maturitas.* 1990 Apr; 12: 51-60
- 4064 Hellstrom, A.L., Hanson, E., Hansson, S., Hjalmas, K., and Jodal, U. Micturition habits and incontinence in 7-year-old Swedish school entrants. *Eur J Pediatr.* 1990 Mar; 149: 434-437
- 4065 Garcia, J.G., Lam, C. Treating urinary incontinence in a head-injured adult. *Brain Inj.* 1990 Apr-Jun; 4: 203-207
- 4066 White, H. Continence: playing a central role. *Nurs Times.* 1990 Apr 18-24; 86: 73-75
- 4067 Beadle, J., de-Laine, C., and Morgan, S. Continence: a new regional model. *Nurs Times.* 1990 Apr 18-24; 86: 71-73
- 4068 Webb, J. Continence: help for the elderly confused. *Nurs Times.* 1990 Apr 18-24; 86: 64-68
- 4069 Anon. Continence: turning the tide [editorial]. *Nurs Times.* 1990 Apr 18-24; 86: 63
- 4070 Aliabadi, H., Gonzalez, R. Success of the artificial urinary sphincter after failed surgery for incontinence. *J Urol.* 1990 May; 143: 987-990
- 4071 Hensle, T.W., Connor, J.P., and Burbige, K.A. Continent urinary diversion in childhood. *J Urol.* 1990 May; 143: 981-983
- 4072 Presti, J.C., Jr., Schmidt, R.A., Narayan, P.A., Carroll, P.R., and Tanagho, E.A. Pathophysiology of urinary incontinence after radical prostatectomy. *J Urol.* 1990 May; 143: 975-978
- 4073 Juma, S., Morales, A., and Emerson, L. The mechanisms of continence in the Indiana pouch: a video-urodynamic study. *J Urol.* 1990 May; 143: 973-974
- 4074 Wyndaele, J.J., Maes, D. Clean intermittent self-catheterization: a 12-year followup. *J Urol.* 1990 May; 143: 906-908
- 4075 Ouslander, J.G., Zarit, S.H., Orr, N.K., and Muira, S.A. Incontinence among elderly community-dwelling dementia patients. Characteristics, management, and impact on caregivers. *J Am Geriatr Soc.* 1990 Apr; 38: 440-445

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 4076** Yu, L.C., Rohner, T.J., Kaltreider, D.L., Hu, T.W., Igou, J.F., and Dennis, P.J. Profile of urinary incontinent elderly in long-term care institutions [see comments]. *J Am Geriatr Soc.* 1990 Apr; 38: 433-439
- 4077** McDowell, B.J., Burgio, K.L., and Candib, D. Behavioral and pharmacological treatment of persistent urinary incontinence in the elderly. *J Am Acad Nurse Pract.* 1990 Jan-Mar; 2: 17-23
- 4078** Darling, C.A., Davidson, J.K., Sr., and Conway-Welch, C. Female ejaculation: perceived origins, the Grafenberg spot/area, and sexual responsiveness [see comments]. *Arch Sex Behav.* 1990 Feb; 19: 29-47
- 4080** Starer, P., Libow, L. Cystometric evaluation of bladder dysfunction in elderly diabetic patients [see comments]. *Arch Intern Med.* 1990 Apr; 150: 810-813
- 4081** Fantl, J.A., Wyman, J.F., McClish, D.K., and Bump, R.C. Urinary incontinence in community-dwelling women: clinical, urodynamic, and severity characteristics. *Am J Obstet Gynecol.* 1990 Apr; 162: 946-51;discussion951-2
- 4084** Barer, D.H. The influence of visual and tactile inattention on predictions for recovery from acute stroke. *Q J Med.* 1990 Jan; 74: 21-32
- 4085** Reid, G.C., DeLancey, J.O., Hopkins, M.P., Roberts, J.A., and Morley, G.W. Urinary incontinence following radical vulvectomy. *Obstet Gynecol.* 1990 May; 75: 852-858
- 4086** Nygaard, I., DeLancey, J.O., Arnsdorf, L., and Murphy, E. Exercise and incontinence. *Obstet Gynecol.* 1990 May; 75: 848-851
- 4087** Benson, J.T., Agosta, A., and McClellan, E. Evaluation of a minimal-incision pubovaginal suspension as an adjunct to other pelvic-floor surgery. *Obstet Gynecol.* 1990 May; 75: 844-847
- 4088** Duffy, L.M. Helping caregivers cope: managing urinary incontinence associated with Alzheimer's disease. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 87-93
- 4089** Fowler, E.M., Ouslander, J., and Papen, J. Managing incontinence in the nursing home population. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 77-86
- 4090** Tries, J. Kegel exercises enhanced by biofeedback. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 67-76
- 4092** Brown, J.P. A practical approach to teaching self-catheterization to children with myelomeningocele. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 54-56
- 4093** Gray, M. Congenital causes of incontinence in childhood: presentation and treatment. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 47-53
- 4094** Gray, M., Doughty, D. Urinary incontinence: challenge for collaboration in care [editorial]. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 45-46
- 4095** Jeter, K.F. Introduction for theme issue on urinary incontinence [editorial]. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 43-44
- 4096** Wright, K. ET nurses as the specialists in the care and prevention of incontinence [editorial]. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 41-42
- 4097** Rousseau, P. Chronic urinary incontinence in the elderly. *Ostomy Wound Manage.* 1990 Mar-Apr; 27: 24-8,32
- 4098** Aboulafia, D.M., Saxton, E.H., Koga, H., Diagne, A., and Rosenblatt, J.D. A patient with progressive myelopathy and antibodies to human T-cell leukemia virus type I and human immunodeficiency virus type 1 in serum and cerebrospinal fluid. *Arch Neurol.* 1990 Apr; 47: 477-479
- 4099** Leach, G.E. Urethral resistance after surgery for stress incontinence [letter; comment]. *Urology.* 1990 Apr; 35: 373-374
- 4100** Chen, K.K., Chang, L.S., Chen, M.T., Huang, J.K., Yin, J.H., and Lin, S.N. Clinical experience of Kock pouch continent urinary diversion. *Urology.* 1990 Apr; 35: 317-320
- 4102** Bryant, J.E., Bueschen, A.J., Cohn, J.H., and Nading, A.M. Transurethral prostatectomy: analysis and comparison of four clinical series. *South Med J.* 1990 Apr; 83: 386-389

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 4103** Bitsch, M., Nerstrom, H., Nordling, J., and Hald, T. Upper urinary tract deterioration after implantation of artificial urinary sphincter. *Scand J Urol Nephrol*. 1990; 24: 31-34
- 4104** Stott, D.J., Dutton, M., Williams, B.O., and MacDonald, J. Functional capacity and mental status of elderly people in long-term care in west Glasgow. *Health-Bull (Edinb)*. 1990 Jan; 48: 17-24
- 4107** McInerney, P.D., Robinson, L.Q., Weston, P.M., Cox, R., and Stephenson, T.P. Assessment of the poorly contractile or acontractile bladder in the older male in the absence of neuropathy. *Br J Urol*. 1990 Feb; 65: 161-163
- 4108** Castleden, C.M., Battcock, T.M., and Duffin, H.M. Oxybutynin and urinary incontinence [letter; comment]. *Age Ageing*. 1990 Jan; 19: 72-73
- 4109** Motley, R.C., Barrett, D.M. Artificial urinary sphincter cuff erosion. Experience with reimplantation in 38 patients. *Urology*. 1990 Mar; 35: 215-218
- 4110** Hemsley, D. Continence: combining resources. *Nurs Times*. 1990 Feb 14-20; 86: 74
- 4111** White, M. Continence: independence for the handicapped child. *Nurs Times*. 1990 Feb 14-20; 86: 69-72
- 4112** Anon. A.C.A. Continence. *Nurs Times*. 1990 Feb 14-20; 86: 65-76
- 4113** Southern, D., Henderson, P. Setting standards. Tackling incontinence. *Nurs Times*. 1990 Mar 7-13; 86: 36-38
- 4122** Ferguson, K.L., McKey, P.L., Bishop, K.R., Kloen, P., Verheul, J.B., and Dougherty, M.C. Stress urinary incontinence: effect of pelvic muscle exercise. *Obstet Gynecol*. 1990 Apr; 75: 671-675
- 4123** Mackin, B. Evaluating bodyworn continence pads. *Nurs Stand*. 1990 Jan 31-Feb 6; 4: 36-39
- 4124** Schmidt, R.A., Kogan, B.A., and Tanagho, E.A. Neuroprostheses in the management of incontinence in myelomeningocele patients. *J Urol*. 1990 Apr; 143: 779-782
- 4125** Gonzalez, R., Fernandes, E.T. Single-stage feminization genitoplasty. *J Urol*. 1990 Apr; 143: 776-778
- 4126** Stockle, M., Becht, E., Voges, G., Riedmiller, H., and Hohenfellner, R. Ureterosigmoidostomy: an outdated approach to bladder exstrophy?. *J Urol*. 1990 Apr; 143: 770-4;discussion774-5
- 4127** Surya, B.V., Provet, J., Johanson, K.E., and Brown, J. Anastomotic strictures following radical prostatectomy: risk factors and management. *J Urol*. 1990 Apr; 143: 755-758
- 4128** Lockhart, J.L., Ellis, G.F., Helal, M., and Pow-Sang, J.M. Combined cystourethropepy for the treatment of type 3 and complicated female urinary incontinence. *J Urol*. 1990 Apr; 143: 722-725
- 4129** Francois, Y., Descos, L., and Vignal, J. Conservative treatment of low rectovaginal fistula in Crohn's disease. *Int J Colorectal Dis*. 1990 Feb; 5: 12-14
- 4130** Miller, J. Assessing urinary incontinence. *J Gerontol Nurs*. 1990 Mar; 16: 15-19
- 4131** Bellin, C. Relocating adult day care: its impact on persons with dementia. *J Gerontol Nurs*. 1990 Mar; 16: 11-14
- 4132** Herzog, A.R., Diokno, A.C., Brown, M.B., Normolle, D.P., and Brock, B.M. Two-year incidence, remission, and change patterns of urinary incontinence in noninstitutionalized older adults. *J Gerontol*. 1990 Mar; 45: M67-M74
- 4133** Brocklehurst, J.C. Professional and public education about incontinence. The British experience. *J Am Geriatr Soc*. 1990 Mar; 38: 384-386
- 4134** Jeter, K.F., Wagner, D.B. Incontinence in the American home. A survey of 36,500 people. *J Am Geriatr Soc*. 1990 Mar; 38: 379-383
- 4135** Mitteness, L.S. Knowledge and beliefs about urinary incontinence in adulthood and old age. *J Am Geriatr Soc*. 1990 Mar; 38: 374-378
- 4136** Brink, C.A. Absorbent pads, garments, and management strategies. *J Am Geriatr Soc*. 1990 Mar; 38: 368-373
- 4137** Warren, J.W. Urine-collection devices for use in adults with urinary incontinence. *J Am Geriatr Soc*. 1990 Mar; 38: 364-367

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 4138** Engel, B.T., Burgio, L.D., McCormick, K.A., Hawkins, A.M., Scheve, A.A., and Leahy, E. Behavioral treatment of incontinence in the long-term care setting. *J Am Geriatr Soc.* 1990 Mar; 38: 361-363
- 4139** Schnelle, J.F. Treatment of urinary incontinence in nursing home patients by prompted voiding. *J Am Geriatr Soc.* 1990 Mar; 38: 356-360
- 4140** Tanagho, E.A. Electrical stimulation. *J Am Geriatr Soc.* 1990 Mar; 38: 352-355
- 4143** Burns, P.A., Pranikoff, K., Nochajski, T., Desotelle, P., and Harwood, M.K. Treatment of stress incontinence with pelvic floor exercises and biofeedback. *J Am Geriatr Soc.* 1990 Mar; 38: 341-344
- 4144** Burgio, K.L., Engel, B.T. Biofeedback-assisted behavioral training for elderly men and women. *J Am Geriatr Soc.* 1990 Mar; 38: 338-340
- 4145** Wells, T.J. Pelvic (floor) muscle exercise. *J Am Geriatr Soc.* 1990 Mar; 38: 333-337
- 4146** Fantl, J.A., Wyman, J.F., Harkins, S.W., and Hadley, E.C. Bladder training in the management of lower urinary tract dysfunction in women. A review. *J Am Geriatr Soc.* 1990 Mar; 38: 329-332
- 4147** Cardozo, L. Role of estrogens in the treatment of female urinary incontinence. *J Am Geriatr Soc.* 1990 Mar; 38: 326-328
- 4148** Wein, A.J. Pharmacologic treatment of incontinence. *J Am Geriatr Soc.* 1990 Mar; 38: 317-325
- 4150** Blaivas, J.G. Diagnostic evaluation of incontinence in patients with neurologic disease. *J Am Geriatr Soc.* 1990 Mar; 38: 306-310
- 4151** Diokno, A.C. Diagnostic categories of incontinence and the role of urodynamic testing. *J Am Geriatr Soc.* 1990 Mar; 38: 300-305
- 4152** Williams, M.E., Gaylord, S.A. Role of functional assessment in the evaluation of urinary incontinence. *J Am Geriatr Soc.* 1990 Mar; 38: 296-299
- 4153** Hu, T.W. Impact of urinary incontinence on health-care costs. *J Am Geriatr Soc.* 1990 Mar; 38: 292-295
- 4154** Ouslander, J.G. Urinary incontinence in nursing homes. *J Am Geriatr Soc.* 1990 Mar; 38: 289-291
- 4155** Wyman, J.F., Harkins, S.W., and Fantl, J.A. Psychosocial impact of urinary incontinence in the community-dwelling population. *J Am Geriatr Soc.* 1990 Mar; 38: 282-288
- 4156** Herzog, A.R., Fultz, N.H. Prevalence and incidence of urinary incontinence in community-dwelling populations. *J Am Geriatr Soc.* 1990 Mar; 38: 273-281
- 4157** Resnick, N.M., Ouslander, J.G. Urinary incontinence--where do we stand and where do we go from here?. *J Am Geriatr Soc.* 1990 Mar; 38: 263-264
- 4158** Anon. National Institutes of Health Consensus Development Conference on Urinary Incontinence in Adults. Bethesda, Maryland, October 3-5, 1988. Proceedings. *J Am Geriatr Soc.* 1990 Mar; 38: 263-386
- 4159** Smith, M.D., Bohlman, H.H. Spondylolisthesis treated by a single-stage operation combining decompression with in situ posterolateral and anterior fusion. An analysis of eleven patients who had long-term follow-up. *J Bone-Joint-Surg [Am].* 1990 Mar; 72: 415-421
- 4161** Parys, B.T., Woolfenden, K.A., and Parsons, K.F. Bladder dysfunction after simple hysterectomy: urodynamic and neurological evaluation. *Eur Urol.* 1990; 17: 129-133
- 4168** O'Donnell, P.D., Beck, C., and Walls, R.C. Serial incontinence assessment in elderly inpatient men. *J Rehabil Res Dev.* 1990 Winter; 27: 1-8
- 4170** Palmer, R.M. Ambulatory management of urinary incontinence in the frail elderly. *Geriatrics.* 1990 Mar; 45: 61-66
- 4172** Peters, C.A., Hendren, W.H. Splitting the pubis for exposure in difficult reconstructions for incontinence. *Urol Clin North Am.* 1990 Feb; 17: 37-45
- 4173** Jensen, H., Nielsen, K., and Frimodt-Moller, C. Abacterial cystitis in urinary incontinent females. *Urol Int.* 1990; 45: 20-24

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 4174 Andrew, J. Adult aqueductal stenosis representing with double incontinence [letter; comment]. *Surg Neurol.* 1990 Feb; 33: 158-159
- 4178 Klutke, C., Golomb, J., Barbaric, Z., and Raz, S. The anatomy of stress incontinence: magnetic resonance imaging of the female bladder neck and urethra. *J Urol.* 1990 Mar; 143: 563-566
- 4179 Catalona, W.J., Bigg, S.W. Nerve-sparing radical prostatectomy: evaluation of results after 250 patients. *J Urol.* 1990 Mar; 143: 538-43;discussion544
- 4180 Muncie, H.L., Jr., Warren, J.W. Reasons for replacement of long-term urethral catheters: implications for randomized trials. *J Urol.* 1990 Mar; 143: 507-509
- 4182 Hu, T.W., Kaltreider, D.L., and Igou, J. The cost-effectiveness of disposable versus reusable diapers. A controlled experiment in a nursing home. *J Gerontol Nurs.* 1990 Feb; 16: 19-24
- 4184 Karlin, G.S., Badlani, G.H. Endourologic management of lower urinary tract dysfunction. *Clin Geriatr Med.* 1990 Feb; 6: 109-113
- 4185 Anand, K.B., Wolf-Klein, G.P., Silverstone, F.A., and Foley, C.J. Demographic changes and their financial implications. *Clin Geriatr Med.* 1990 Feb; 6: 1-12
- 4187 Olah, K.S., Bridges, N., Denning, J., and Farrar, D.J. The conservative management of patients with symptoms of stress incontinence: a randomized, prospective study comparing weighted vaginal cones and interferential therapy. *Am J Obstet Gynecol.* 1990 Jan; 162: 87-92
- 4188 Rubin, C.D. Urinary incontinence in the elderly. *Am J Med Sci.* 1990 Feb; 299: 131-147
- 4190 Holmes, P. Mind over bladder. *Nurs Times.* 1990 Jan 24-30; 86: 16-17
- 4196 Kohorn, E.I. Negative Q-tip test as a risk factor for failed incontinence surgery in women [letter; comment]. *J Reprod Med.* 1990 Jan; 35: 68
- 4197 Koonings, P.P., Bergman, A., and Ballard, C.A. Prostaglandins for enhancing detrusor function after surgery for stress incontinence in women. *J Reprod Med.* 1990 Jan; 35: 1-5
- 4198 Zweig, S., Lawhorne, L., and Post, R. Factors predicting mortality in rural elderly hospitalized for pneumonia. *J Fam Pract.* 1990 Feb; 30: 153-159
- 4199 Kaltreider, D.L., Hu, T.W., Igou, J.F., Yu, L.C., and Craighead, W.E. Can reminders curb incontinence?. *Geriatr-Nurs (New York).* 1990 Jan-Feb; 11: 17-19
- 4210 Diokno, A.C., Brown, M.B., and Herzog, A.R. Sexual function in the elderly. *Arch Intern Med.* 1990 Jan; 150: 197-200
- 4212 De-Groote, B., Van-Laer, P., Maurus, K., Van-Biervliet, J.P., and Meeus, L. Embolization of ectopic kidney to control incontinence. *Pediatrics.* 1990 Feb; 85: 217-219
- 4213 Walters, M.D., Taylor, S., and Schoenfeld, L.S. Psychosexual study of women with detrusor instability. *Obstet Gynecol.* 1990 Jan; 75: 22-26
- 4214 Walters, M.D. The unstable urethra in the female [letter; comment]. *Obstet Gynecol.* 1990 Jan; 75: 142-143
- 4226 Mollard, P., Mouriquand, P., and Joubert, P. Urethral lengthening for neurogenic urinary incontinence (Kropp's procedure): results of 16 cases. *J Urol.* 1990 Jan; 143: 95-97
- 4227 Sidi, A.A., Becher, E.F., Reddy, P.K., and Dykstra, D.D. Augmentation enterocystoplasty for the management of voiding dysfunction in spinal cord injury patients. *J Urol.* 1990 Jan; 143: 83-85
- 4228 Golimbu, M., al-Askari, S., and Morales, P. Transpubic approach for lower urinary tract surgery: a 15-year experience. *J Urol.* 1990 Jan; 143: 72-76
- 5237 Anon. Urinary incontinence in adults. Agency for Health Care Policy and Research. *Clin Pract Guidel Quick Ref Guide Clin.* 1992; 2: QR1-Q27
- 5238 Anon. Urinary incontinence in adults. Agency for Health Care Policy and Research. *Clin Pract Guidel.* 1992 Mar; 2: 1-125



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 5239** Pickersgill, F. Silent epidemic. *Community Outlook*. 1990 Jan; 31: 7-9
- 5262** Vanderhooft, J.E., Conrad, E.U., Anderson, P.A., Richardson, M.L., and Bruckner, J. Intradural recurrence with chondrosarcoma of the spine. A case report and review of the literature. *Clin Orthop*. 1993 Sep; 294: 90-95
- 5263** Swierzewski, S.J., McGuire, E.J. Pubovaginal sling for treatment of female stress urinary incontinence complicated by urethral diverticulum. *J Urol*. 1993 May; 149: 1012-1014
- 5264** Swierzewski, S.J., McGuire, E.J., Podrazik, R.M., and Stanley, J.C. Aortic occlusion and lower extremity exercise induced stress urinary incontinence. *J Urol*. 1993 Apr; 149: 846-847
- 5265** Murphy, S., Denman, S., Bennett, R.G., Greenough, W.B., Lindsay, J., and Zelesnick, L.B. Methicillin-resistant *Staphylococcus aureus* colonization in a long-term-care facility. *J Am Geriatr Soc*. 1992 Mar; 40: 213-217
- 5266** Swanson, S.J., Skoog, S.J., Garcia, V., and Wahl, R.C. Pseudoadrenal mass: unusual presentation of bronchogenic cyst. *J Pediatr Surg*. 1991 Dec; 26: 1401-1403
- 5267** Bihrlé, W., Tarantino, A.F. Complications of retropubic bladder neck suspension. *Urology*. 1990 Mar; 35: 213-214
- 5268** Loughlin, K.R., Whitmore, W.F., Gittes, R.F., and Richie, J.P. Review of an 8-year experience with modifications of endoscopic suspension of the bladder neck for female stress urinary incontinence [see comments]. *J Urol*. 1990 Jan; 143: 44-45
- 5277** Appell, R.A., McGuire, E.J., DeRidder, P.A., Bennett, A.H., and Webster, G.D. Results of the multicenter study using injectable GAX-collagen in females. *J Urol*. 1991; 145: 225A
- 5282** Blaivas, J.G. Surgical treatment of urinary incontinence in 223 consecutive women. *Neurourology and Urodynamics*. 1990; 9: 401-402
- 5293** Kato, K., Kondo, A., Saito, M., and Otani, T. Stamey's procedure for stress urinary incontinence: surgical results between the elderly and adults. *Neurourology and Urodynamics*. 1990; 9: 399-400
- 5295** Kursh, E.D. What factors influence the outcome of a no-incision endoscopic urethropexy?. *J Urol*. 1991; 145: 223A
- 5298** Muller, S.C., Jenny, E., Molling, L., Burger, R.A., and Hohenfellner, R. Long-term results of fascial sling plasty in patients with urinary stress incontinence. *J Urol*. 1990; 143: 225A
- 5300** Wiskind, A.K. The incidence of genital prolapse following the Burch colposuspension operation. *Neurourology and Urodynamics*. 1991; 10: 453-454
- 5303** Kelly, M.J., Nielsen, K.K., Roskamp, D.A., Leach, G.E., and Bruskewitz, R.C. Long-term follow-up of the Raz bladder neck suspension for the correction of female stress urinary incontinence. *Neurourology and Urodynamics*. 1990; 9: 231-232
- 5311** Knespl, J. The Cobb-Ragde method of a simplified correction of female stress incontinence. *Cesk Gynekol*. 1990; 55: 268-269
- 5312** Korda, A., Ferry, J., and Hunter, P. Silastic slings for female incontinence. *International Urogynaecology Journal*. 1990; 1: 63-66
- 10000** deSouza, N. M., Daniels, O. J., Williams, A. D., Gilderdale, D. J., Abel, P. D. Female urinary genuine stress incontinence: anatomic considerations at MR imaging of the paravaginal fascia and urethra initial observations. *Radiology*. 2002 Nov; 225: 433-9
- 10001** Thakar, R., Ayers, S., Clarkson, P., Stanton, S., Manyonda, I. Outcomes after total versus subtotal abdominal hysterectomy. *N Engl J Med*. 2002 Oct 24; 347: 1318-25
- 10002** Chandra, M., Saharia, R., Shi, Q., Hill, V. Giggie incontinence in children: a manifestation of detrusor instability. *J Urol*. 2002 Nov; 168: 2184-7; discussion 2187
- 10003** Kobashi, K. C., Leach, G. E., Chon, J., Govier, F. E. Continued multicenter followup of cadaveric prolapse repair with sling. *J Urol*. 2002 Nov; 168: 2063-8
- 10004** Choe, J. M. Suprapubic sling adjustment: minimally invasive method of curing recurrent stress incontinence after sling surgery. *J Urol*. 2002 Nov; 168: 2059-62



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10005 Chaliha, C., Khullar, V., Stanton, S. L., Monga, A., Sultan, A. H. Urinary symptoms in pregnancy: are they useful for diagnosis?. BJOG. 2002 Oct; 109: 1181-3
- 10006 Thakar, R., Stanton, S., Prodigididad, L., den Boon, J. Secondary colposuspension: results of a prospective study from a tertiary referral centre. BJOG. 2002 Oct; 109: 1115-20
- 10007 Hilton, P. Trials of surgery for stress incontinence--thoughts on the 'Humpty Dumpty principle'. BJOG. 2002 Oct; 109: 1081-8
- 10008 Morkved, S., Bo, K., Fjortoft, T. Effect of adding biofeedback to pelvic floor muscle training to treat urodynamic stress incontinence. Obstet Gynecol. 2002 Oct; 100: 730-9
- 10009 Maddern, G. J., Middleton, P. F., Grant, A. M. Urinary stress incontinence. BMJ. 2002 Oct 12; 325: 789-90
- 10010 Choe, J. M. Vaginal erosion caused by antibacterial mesh sling. J Urol. 2002 Oct; 168: 1504
- 10011 Elard, S., Cicco, A., Salomon, L., You, K., de La Taille, A., Vordos, D., Hoznek, A., Chopin, D., Abbou, C. C. Embolization for arterial injury incurred during tension-free vaginal tape procedure. J Urol. 2002 Oct; 168: 1503
- 10012 Marshall, V. F., Marchetti, A. A., Krantz, K. E. The correction of stress incontinence by simple vesicourethral suspension. 1949. J Urol. 2002 Oct; 168: 1326-31
- 10013 Yang, J. M., Huang, W. C. Implications of abdominal straining in women with lower urinary tract symptoms. Urology. 2002 Sep; 60: 428-33
- 10014 Wilson, T. S., Zimmern, P. E. Tailor-made incontinence care. Match type of incontinence to resident assessment for optimal treatment. Part 2. Contemp Longterm Care. 2002 Sep; 25: 18, 20
- 10015 Autry, M. G., Davis, J. W., Sanders, R. Type III stress urinary incontinence: response to interdisciplinary pelvic physiotherapy. Urol Nurs. 2002 Aug; 22: 251-5
- 10016 Yip, S. K., Sahota, D., Chang, A. M., Chung, T. K. Four-year follow-up of women who were diagnosed to have postpartum urinary retention. Am J Obstet Gynecol. 2002 Sep; 187: 648-52
- 10017 Cooper, J. Stress incontinence. Clin Evid. 2002 Jun; : 1772-83
- 10018 Mingin, G. C., Youngren, K., Stock, J. A., Hanna, M. K. The rectus myofascial wrap in the management of urethral sphincter incompetence. BJU Int. 2002 Oct; 90: 550-3
- 10019 van der Vaart, C. H., de Leeuw, J. R., Roovers, J. P., Heintz, A. P. The effect of urinary incontinence and overactive bladder symptoms on quality of life in young women. BJU Int. 2002 Oct; 90: 544-9
- 10020 Maaita, M., Bhaumik, J., Davies, A. E. Sexual function after using tension-free vaginal tape for the surgical treatment of genuine stress incontinence. BJU Int. 2002 Oct; 90: 540-3
- 10021 Zozikov, B., Kunchev, S. I., Varlev, C. Application of clenbuterol in the treatment of urinary incontinence. Int Urol Nephrol. 2001; 33: 413-6
- 10022 Lefranc, J. P., Atallah, D., Camatte, S., Blondon, J. Longterm followup of posthysterectomy vaginal vault prolapse abdominal repair: a report of 85 cases. J Am Coll Surg. 2002 Sep; 195: 352-8
- 10023 Iskander, M. N., Kent, A. Re: Zilbert AW, Farrell SA. External iliac artery laceration during tension free vaginal tape procedure. Int Urogynecol J Pelvic Floor Dysfunct. 2002; 13: 274
- 10024 Vassallo, B. J., Kleeman, S. D., Segal, J. L., Walsh, P., Karram, M. M. Tension-free vaginal tape: a quality-of-life assessment. Obstet Gynecol. 2002 Sep; 100: 518-24
- 10025 Smith, M. Stress factor. Nurs Stand. 2001 Mar 28-Apr 3; 15: 26
- 10026 Paddison, K. Complying with pelvic floor exercises: a literature review. Nurs Stand. 2002 Jun 12-18; 16: 33-8
- 10027 Peeker, R., Edlund, C., Wennberg, A. L., Fall, M. The treatment of sphincter incontinence with periurethral silicone implants (macropastique). Scand J Urol Nephrol. 2002; 36: 194-8
- 10028 Dundar, M., Kocak, I., Erkus, M., Celasun, B. Changes in urethral connective tissue after estrogen replacement therapy in ovariectomized rats. Scand J Urol Nephrol. 2002; 36: 173-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10029** Burch, J. C. Cooper's ligament urethrovesical suspension for stress incontinence. Nine years' experience -- results, complications, techniques. 1968. *Am J Obstet Gynecol.* 2002 Aug; 187: 512, discussion 513
- 10030** Kenton, K., Brubaker, L. Relationship between levator ani contraction and motor unit activation in the urethral sphincter. *Am J Obstet Gynecol.* 2002 Aug; 187: 403-6
- 10031** Theofrastous, J. P., Simpkins, K. Urinary retention and intravesical hemorrhage following urethral collagen injections in women using warfarin. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 268-9
- 10032** Gill, E. J., Nichols, C. M. Cystoscopic confirmation of inadvertent ureteral catheterization during cystometry. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 266-7
- 10033** Meschia, M., Busacca, M., Pifarotti, P., De Marinis, S. Bowel perforation during insertion of tension-free vaginal tape (TVT). *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 263-5; discussion 265
- 10034** Bai, S. W., Jeon, M. J., Kim, J. Y., Chung, K. A., Kim, S. K., Park, K. H. Relationship between stress urinary incontinence and pelvic organ prolapse. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 256-60; discussion 260
- 10035** Washington, J. L., Somers, K. Laparoscopic mesh and staple Burch colposuspension. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 253-5; discussion 255
- 10036** Roovers, J. P., van der Bom, J. G., van der Vaart, C. H., Schagen van Leeuwen, J. H., Heintz, A. P. Abdominal versus vaginal approach for the management of genital prolapse and coexisting stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 224-31
- 10037** Virtanen, H. S., Kiilholma, P. Urogynecologic ultrasound is a useful aid in the assessment of female stress urinary incontinence--a prospective study with TVT procedure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 218-22; discussion 223
- 10038** Lose, G., Brostrom, S. Low-pressure urethra in women: what does it mean and what can it be used for?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 215-7
- 10039** Toh, K., Diokno, A. C. Management of intrinsic sphincter deficiency in adolescent females with normal bladder emptying function. *J Urol.* 2002 Sep; 168: 1150-3
- 10040** Westney, O. L., Lee, J. T., McGuire, E. J., Palmer, J. L., Cespedes, R. D., Amundsen, C. L. Long-term results of Ingelman-Sundberg denervation procedure for urge incontinence refractory to medical therapy. *J Urol.* 2002 Sep; 168: 1044-7
- 10041** Hathaway, J. K., Choe, J. M. Intact genetic material is present in commercially processed cadaver allografts used for pubovaginal slings. *J Urol.* 2002 Sep; 168: 1040-3
- 10042** Hannestad, Y. S., Rortveit, G., Hunskaar, S. Help-seeking and associated factors in female urinary incontinence. The Norwegian EPINCONT Study. Epidemiology of Incontinence in the County of Nord-Trondelag. *Scand J Prim Health Care.* 2002 Jun; 20: 102-7
- 10043** Walsh, I. K., Nambirajan, T., Donellan, S. M., Mahendra, V., Stone, A. R. Cadaveric fascia lata pubovaginal slings: early results on safety, efficacy and patient satisfaction. *BJU Int.* 2002 Sep; 90: 415-9
- 10044** Cannon, T. W., Wojcik, E. M., Ferguson, C. L., Saraga, S., Thomas, C., Damaser, M. S. Effects of vaginal distension on urethral anatomy and function. *BJU Int.* 2002 Sep; 90: 403-7
- 10045** Liang, C. C., Soong, Y. K. Tension-free vaginal tape versus laparoscopic bladder neck suspension for stress urinary incontinence. *Chang Gung Med J.* 2002 Jun; 25: 360-6
- 10046** Nguyen, J. K. Diagnosis and treatment of voiding dysfunction caused by urethral obstruction after anti-incontinence surgery. *Obstet Gynecol Surv.* 2002 Jul; 57: 468-75
- 10047** Agarwala, N., Liu, C. Y. Minimally invasive management of urinary incontinence. *Curr Opin Obstet Gynecol.* 2002 Aug; 14: 429-33
- 10048** Buchsbaum, G. M., Chin, M., Glantz, C., Guzik, D. Prevalence of urinary incontinence and associated risk factors in a cohort of nuns. *Obstet Gynecol.* 2002 Aug; 100: 226-9
- 10049** Walter, A. J., Iglesia, C. B. Surgical management of stress urinary incontinence: consideration for an algorithmic approach. *Curr Womens Health Rep.* 2002 Aug; 2: 291-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10050 de Rossi, P. Clinical outcome of fascial slings for female stress incontinence. *Medscape Womens Health*. 2002 May-Jun; 7: 1
- 10051 Barrington, J. W., Arunkalaivanan, A. S., Swart, M. Post-colposuspension syndrome following a tension-free vaginal tape procedure. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 187-8
- 10052 Smith, C. P., O'Leary, M., Erickson, J., Somogyi, G. T., Chancellor, M. B. Botulinum toxin urethral sphincter injection resolves urinary retention after pubovaginal sling operation. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 185-6
- 10053 Fritel, X., Pigne, A. Anterior repair using Bologna procedure: long-term results on stress urinary continence. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 176-81; discussion 181
- 10054 Heit, M. What is the scientific evidence for bone anchor use during bladder neck suspension?. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 143-4
- 10055 Murray, C., Goh, J. T., Fynes, M., Carey, M. P. Urinary and faecal incontinence following delayed primary repair of obstetric genital fistula. *BJOG*. 2002 Jul; 109: 828-32
- 10056 Pregazzi, R., Sartore, A., Bortoli, P., Grimaldi, E., Troiano, L., Guaschino, S. Perineal ultrasound evaluation of urethral angle and bladder neck mobility in women with stress urinary incontinence. *BJOG*. 2002 Jul; 109: 821-7
- 10057 Barrington, J. W., Edwards, G., Arunkalaivanan, A. S., Swart, M. The use of porcine dermal implant in a minimally invasive pubovaginal sling procedure for genuine stress incontinence. *BJU Int*. 2002 Aug; 90: 224-7
- 10058 De Vries, S. H., Klijn, A. J., Lilien, M. R., De Jong, T. P. Development of renal function after neonatal urinary ascites due to obstructive uropathy. *J Urol*. 2002 Aug; 168: 675-8
- 10059 Adamiak, A., Milart, P., Skorupski, P., Kuchnicka, K., Nestorowicz, A., Jakowicki, J., Rechberger, T. The efficacy and safety of the tension-free vaginal tape procedure do not depend on the method of analgesia. *Eur Urol*. 2002 Jul; 42: 29-33
- 10060 Eliasson, K., Larsson, T., Mattsson, E. Prevalence of stress incontinence in nulliparous elite trampolinists. *Scand J Med Sci Sports*. 2002 Apr; 12: 106-10
- 10061 Greydanus, D. E., Patel, D. R. The female athlete. Before and beyond puberty. *Pediatr Clin North Am*. 2002 Jun; 49: 553-80, vi
- 10062 Neale, E. J. Abdominal hysterectomy after insertion of tension-free vaginal tape. *BJOG*. 2002 Jun; 109: 731-2
- 10063 Bewley, S., Cockburn, J. II. The unfacts of 'request' caesarean section. *BJOG*. 2002 Jun; 109: 597-605
- 10064 Heit, M. Intraurethral sonography and the test-retest reliability of urethral sphincter measurements in women. *J Clin Ultrasound*. 2002 Jul-Aug; 30: 349-55
- 10065 Kenton, K., FitzGerald, M. P., Brubaker, L. Multiple foreign body erosions after laparoscopic colposuspension with mesh. *Am J Obstet Gynecol*. 2002 Jul; 187: 252-3
- 10066 Kenton, K. S., Woods, M. P., Brubaker, L. Uncomplicated erosion of polytetrafluoroethylene grafts into the rectum. *Am J Obstet Gynecol*. 2002 Jul; 187: 233-4
- 10067 Kenton, K., Oldham, L., Brubaker, L. Open Burch urethropexy has a low rate of perioperative complications. *Am J Obstet Gynecol*. 2002 Jul; 187: 107-10
- 10068 Delancey, J. O. Fascial and muscular abnormalities in women with urethral hypermobility and anterior vaginal wall prolapse. *Am J Obstet Gynecol*. 2002 Jul; 187: 93-8
- 10069 Melville, J. L., Walker, E., Katon, W., Lentz, G., Miller, J., Fenner, D. Prevalence of comorbid psychiatric illness and its impact on symptom perception, quality of life, and functional status in women with urinary incontinence. *Am J Obstet Gynecol*. 2002 Jul; 187: 80-7
- 10070 Kleeman, S., Goldwasser, S., Vassallo, B., Karram, M. Predicting postoperative voiding efficiency after operation for incontinence and prolapse. *Am J Obstet Gynecol*. 2002 Jul; 187: 49-52
- 10071 Norton, P. A., Zinner, N. R., Yalcin, I., Bump, R. C. Duloxetine versus placebo in the treatment of stress urinary incontinence. *Am J Obstet Gynecol*. 2002 Jul; 187: 40-8

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10072** Ward, K., Hilton, P. Prospective multicentre randomised trial of tension-free vaginal tape and colposuspension as primary treatment for stress incontinence. *BMJ*. 2002 Jul 13; 325: 67-73
- 10073** Benson, J. T. New therapeutic options for urge incontinence. *Curr Womens Health Rep*. 2001 Aug; 1: 61-6
- 10074** Weber, A. M. Leak point pressure measurement and stress urinary incontinence. *Curr Womens Health Rep*. 2001 Aug; 1: 45-52
- 10075** Lyons, T. L., Winer, W. K., Adolph, A. J. Classic intrafascial supracervical hysterectomies. *J Am Assoc Gynecol Laparosc*. 2002 Aug; 9: 401; discussion 401-2
- 10076** Lo, T. S., Horng, S. G., Chang, C. L., Huang, H. J., Tseng, L. H., Liang, C. C. Tension-free vaginal tape procedure after previous failure in incontinence surgery. *Urology*. 2002 Jul; 60: 57-61
- 10077** Aboseif, S., Tamaddon, K., Chalfin, S., Freedman, S., Kaptein, J. Sacral neuromodulation as an effective treatment for refractory pelvic floor dysfunction. *Urology*. 2002 Jul; 60: 52-6
- 10078** Subak, L. L., Quesenberry, C. P., Posner, S. F., Cattolica, E., Soghikian, K. The effect of behavioral therapy on urinary incontinence: a randomized controlled trial. *Obstet Gynecol*. 2002 Jul; 100: 72-8
- 10079** Baseman, A. G., Lemack, G. E. Practical outcome measures for assessing efficacy of incontinence procedures. *Curr Urol Rep*. 2001 Oct; 2: 407-12
- 10080** Rodriguez, L. V., Blander, D. S., Raz, S. New millennium, new slings. *Curr Urol Rep*. 2001 Oct; 2: 399-406
- 10081** Daneshgari, F. Valsalva leak point pressure: steps toward standardization. *Curr Urol Rep*. 2001 Oct; 2: 388-91
- 10082** Brophy, M. M., Klutke, J. J., Klutke, C. G. A review of the tension-free vaginal tape procedure: outcomes, complications, and theories. *Curr Urol Rep*. 2001 Oct; 2: 364-9
- 10083** Ghoniem, G. M., Kapoor, D. S. Nonautologous sling materials. *Curr Urol Rep*. 2001 Oct; 2: 357-63
- 10084** Koduri, S., Sand, P. Transvaginal bladder neck suspension to Cooper's ligament. *Curr Urol Rep*. 2001 Oct; 2: 344-9
- 10085** Appell, R. A. Surgery or collagen for the treatment of female stress urinary incontinence: results of a multicenter, randomized trial supports either as first line of treatment. *Curr Urol Rep*. 2001 Oct; 2: 343
- 10086** Glazener, C. M., Cooper, K. Bladder neck needle suspension for urinary incontinence in women. *Cochrane Database Syst Rev*. 2002; : CD003636
- 10087** Kochakarn, W. Tension-free vaginal tape procedure for the treatment of stress urinary incontinence: the first experience in Thailand. *J Med Assoc Thai*. 2002 Jan; 85: 87-91
- 10088** Gunnarsson, M., Teleman, P., Mattiasson, A., Lidfeldt, J., Nerbrand, C., Samsioe, G. Effects of pelvic floor exercises in middle aged women with a history of naive urinary incontinence: a population based study. *Eur Urol*. 2002 May; 41: 556-61
- 10089** Flynn, B. J., Webster, G. D. Surgical management of the apical vaginal defect. *Curr Opin Urol*. 2002 Jul; 12: 353-8
- 10090** Romanzi, L. J. Management of the urethral outlet in patients with severe prolapse. *Curr Opin Urol*. 2002 Jul; 12: 339-44
- 10091** Al-Mulhim, A. A., Al-Gazzar, S. A., Bahnassy, A. A. Conservative treatment of idiopathic detrusor instability in elderly women. *Saudi Med J*. 2002 May; 23: 543-5
- 10092** Bodelsson, G., Henriksson, L., Osser, S., Stjernquist, M. Short term complications of the tension free vaginal tape operation for stress urinary incontinence in women. *BJOG*. 2002 May; 109: 566-9
- 10093** Partoll, L. M. Efficacy of tension-free vaginal tape with other pelvic reconstructive surgery. *Am J Obstet Gynecol*. 2002 Jun; 186: 1292-5; discussion 1295-8
- 10094** Ghoniem, G. M., Elgamasy, A. N., Elsergany, R., Kapoor, D. S. Grades of intrinsic sphincteric deficiency (ISD) associated with female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 99-105; discussion 105

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10095 Sirls, L. T., Foote, J. E., Kaufman, J. M., Lightner, D. J., Miller, J. L., Moseley, W. G., Nygaard, I. E., Steidle, C. P. Long-term results of the FemSoft urethral insert for the management of female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 88-95; discussion 95
- 10096 Chen, B. H., Wen, Y., Li, H., Polan, M. L. Collagen metabolism and turnover in women with stress urinary incontinence and pelvic prolapse. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 80-7; discussion 87
- 10097 Geis, K., Dietl, J. Ilioinguinal nerve entrapment after tension-free vaginal tape (TVT) procedure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 136-8; discussion 138
- 10098 Riachi, L., Kohli, N., Miklos, J. Repeat tension-free transvaginal tape (TVT) sling for the treatment of recurrent stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 133-5; discussion 135
- 10099 Neumann, P., Gill, V. Pelvic floor and abdominal muscle interaction: EMG activity and intra- abdominal pressure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 125-32
- 10100 Kaum, H. J., Wolff, F. TVT: on midurethral tape positioning and its influence on continence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 110-5; discussion 115
- 10101 Kammerer-Doak, D. N., Rogers, R. G., Bellar, B. Vaginal erosion of cadaveric fascia lata following abdominal sacrocolpopexy and suburethral sling urethropexy. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 106-9; discussion 109
- 10102 Bakas, P., Liapis, A., Creatsas, G. Q-tip test and tension-free vaginal tape in the management of female patients with genuine stress incontinence. *Gynecol Obstet Invest.* 2002; 53: 170-3
- 10103 Abbas Shobeiri, S., Garely, A. D., Chesson, R. R., Nolan, T. E. Recognition of occult bladder injury during the tension-free vaginal tape procedure. *Obstet Gynecol.* 2002 Jun; 99: 1067-72
- 10104 Resplande, J., Gholami, S. S., Graziottin, T. M., Rogers, R., Lin, C. S., Leng, W., Lue, T. F. Long-term effect of ovariectomy and simulated birth trauma on the lower urinary tract of female rats. *J Urol.* 2002 Jul; 168: 323-30
- 10105 Jorion, J. L. Endoscopic treatment of bladder perforation after tension-free vaginal tape procedure. *J Urol.* 2002 Jul; 168: 197
- 10106 Sweat, S. D., Itano, N. B., Clemens, J. Q., Bushman, W., Gruenenfelder, J., McGuire, E. J., Lightner, D. J. Polypropylene mesh tape for stress urinary incontinence: complications of urethral erosion and outlet obstruction. *J Urol.* 2002 Jul; 168: 144-6
- 10107 Pauliina, A., Jorma, P., Paula, I., Olavi, A. Intravaginal surface EMG probe design test for urinary incontinence patients. *Acupunct Electrother Res.* 2002; 27: 37-44
- 10108 Persson, J., Iosif, C., Wolner-Hanssen, P. Risk factors for rejection of synthetic suburethral slings for stress urinary incontinence: a case-control study. *Obstet Gynecol.* 2002 Apr; 99: 629-34
- 10109 Pregazzi, R., Sartore, A., Bortoli, P., Grimaldi, E., Ricci, G., Guaschino, S. Immediate postpartum perineal examination as a predictor of puerperal pelvic floor dysfunction. *Obstet Gynecol.* 2002 Apr; 99: 581-4
- 10110 Sze, E. H., Jones, W. P., Ferguson, J. L., Barker, C. D., Dolezal, J. M. Prevalence of urinary incontinence symptoms among black, white, and Hispanic women. *Obstet Gynecol.* 2002 Apr; 99: 572-5
- 10111 Barnes, N. M., Dmochowski, R. R., Park, R., Nitti, V. W. Pubovaginal sling and pelvic prolapse repair in women with occult stress urinary incontinence: effect on postoperative emptying and voiding symptoms. *Urology.* 2002 Jun; 59: 856-60
- 10112 Palomba, S., Russo, T., Iuzzolino, D., Cosco, C., Noia, R., Arduino, B., Morelli, M., Zullo, F. Comparison between two laparoscopic retropubic urethropexy. *Minerva Chir.* 2002 Jun; 57: 323-9
- 10113 Borup, K., Nielsen, J. B. Results in 32 women operated for genuine stress incontinence with the pubovaginal sling procedure ad modum Ed McGuire. *Scand J Urol Nephrol.* 2002; 36: 128-33
- 10114 Goode, P. S., Burgio, K. L., Locher, J. L., Umlauf, M. G., Lloyd, L. K., Roth, D. L. Urodynamic changes associated with behavioral and drug treatment of urge incontinence in older women. *J Am Geriatr Soc.* 2002 May; 50: 808-16



# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Procite Number

- 10115 Bergmark, K., Avall-Lundqvist, E., Dickman, P. W., Henningsohn, L., Steineck, G. Patient-rating of distressful symptoms after treatment for early cervical cancer. *Acta Obstet Gynecol Scand.* 2002 May; 81: 443-50
- 10116 Logan, K. Audit of advice provided on pelvic floor exercises. *Prof Nurse.* 2001 Jun; 16: 1369-72
- 10117 Domany, B., Koppan, M., Bodis, J. Results with colposuspension by the Burch procedure in our practice. *Am J Obstet Gynecol.* 2002 May; 186: 1108; discussion 1108-9
- 10118 Carey, M. P., Goh, J. T., Fynes, M. M., Murray, C. J. Stress urinary incontinence after delayed primary closure of genitourinary fistula: a technique for surgical management. *Am J Obstet Gynecol.* 2002 May; 186: 948-53
- 10119 Klingele, C. J., Carley, M. E., Hill, R. F. Patient characteristics that are associated with urodynamically diagnosed detrusor instability and genuine stress incontinence. *Am J Obstet Gynecol.* 2002 May; 186: 866-8
- 10120 Bombier, L., Freeman, R. M., Perkins, E. P., Williams, M. P., Shaw, S. R. Why do women have voiding dysfunction and de novo detrusor instability after colposuspension?. *BJOG.* 2002 Apr; 109: 402-12
- 10121 Bombieri, L., Freeman, R. M., Perkins, E. P., Williams, M. P., Shaw, S. R. Objective assessment of bladder neck elevation and urethral compression at colposuspension. *BJOG.* 2002 Apr; 109: 395-401
- 10122 Kayano, C. E., Sartori, M. G., Baracat, E. C., de Lima, G. R., Girao, M. J. Vaginal hysterectomy allied with Kelly-Kennedy surgery and perineal repair for the treatment of patients with a prolapsed uterus and urinary stress incontinence. *Clin Exp Obstet Gynecol.* 2002; 29: 27-30
- 10123 Washington, J. L. Staple erosion into the bladder after mesh and staple laparoscopic colposuspension. A case report. *J Reprod Med.* 2002 Apr; 47: 325-6
- 10124 Lieberman, E., O'donoghue, C. Unintended effects of epidural analgesia during labor: a systematic review. *Am J Obstet Gynecol.* 2002 May; 186: S31-68
- 10125 Okorocha, I., Cumming, G., Gould, I. Female urodynamics and lower urinary tract infection. *BJU Int.* 2002 Jun; 89: 863-7
- 10126 Chung, M. K., Chung, R. P. Comparison of laparoscopic Burch and tension-free vaginal tape in treating stress urinary incontinence in obese patients. *JSLs.* 2002 Jan-Mar; 6: 17-21
- 10127 Nguyen, J. K., Gunn, G. C., Bhatia, N. N. The effect of patient position on leak-point pressure measurements in women with genuine stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 9-14
- 10128 Iskander, M. N., Kent, A., Zilbert AW, Farrell SA. External iliac artery laceration during tension- free vaginal tape procedure. *Int Urogynecol J* 2001; 12:141-143. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 59; discussion 59
- 10129 Echols, K. T., Chesson, R. R., Breaux, E. F., Shobeiri, S. A. Persistence of delayed hypersensitivity following transurethral collagen injection for recurrent urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 52-4
- 10130 de Tayrac, R., Salet-Lizee, D., Villet, R. Comparison of anterior colporrhaphy versus Bologna procedure in women with genuine stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 36-9
- 10131 Pajoncini, C., Costantini, E., Guercini, F., Porena, M. Intrinsic sphincter deficiency: do the maximum urethral closure pressure and the Valsalva leak-point pressure identify different pathogenic mechanisms?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 30-5
- 10132 Meade-D'Alisera, P., Merriweather, T., Wentland, M., Fatal, M., Ghafar, M. Depressive symptoms in women with urinary incontinence: a prospective study. *Urol Nurs.* 2001 Dec; 21: 397-9
- 10133 Female stress urinary incontinence facts. *Urol Nurs.* 2001 Apr; 21: 134
- 10134 Criner, J. A. Urinary incontinence in vulnerable populations: female soldiers. *Urol Nurs.* 2001 Apr; 21: 120-4
- 10135 Kayigil, O., Biri, A. Double forced sling by combining in situ vaginal wall and Infast pubic bone suburethral stabilization techniques: a new method. *J Urol.* 2002 Jun; 167: 2481-3
- 10136 Metin, A., Kayigil, O., Ahmed, S. I. Modified insitu vaginal wall sling in stress incontinence. *Int Urol Nephrol.* 2001; 32: 641-5



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10137 Martan, A., Masata, J., Halaska, M., Otcenasek, M., Svabik, K. Ultrasound imaging of paravaginal defects in women with stress incontinence before and after paravaginal defect repair. *Ultrasound Obstet Gynecol.* 2002 May; 19: 496-500
- 10138 Williams, K. S., Assassa, R. P., Smith, N., Rippin, C., Shaw, C., Mayne, C. Good practice in continence care: development of nurse-led service. *Br J Nurs.* 2002 Apr 25-May 8; 11: 548-59
- 10139 Wilkinson, K. Pakistani women's perceptions and experiences of incontinence. *Nurs Stand.* 2001 Oct 17-23; 16: 33-9
- 10140 Simpson, L. Stress incontinence in younger women: prevention and treatment. *Nurs Stand.* 2000 May 24-30; 14: 49-54; quiz 56, 58
- 10141 Chen, G. D., Lin, L. Y., Wang, P. H., Lee, H. S. Urinary tract dysfunction after radical hysterectomy for cervical cancer. *Gynecol Oncol.* 2002 May; 85: 292-7
- 10142 Walter, A. J., Morse, A. N., Hammer, R. H., Hentz, J. G., Magrina, J. F., Cornella, J. L., Magtibay, P. M. Laparoscopic versus open Burch retropubic urethropexy: comparison of morbidity and costs when performed with concurrent vaginal prolapse repairs. *Am J Obstet Gynecol.* 2002 Apr; 186: 723-8
- 10143 Sander, P., Moller, L. M., Rudnicki, P. M., Lose, G. Does the tension-free vaginal tape procedure affect the voiding phase? Pressure-flow studies before and 1 year after surgery. *BJU Int.* 2002 May; 89: 694-8
- 10144 Boustead, G. B. The tension-free vaginal tape for treating female stress urinary incontinence. *BJU Int.* 2002 May; 89: 687-93
- 10145 Siracusano, S., Bertolotto, M., Silvestre, G., d'Aloia, G., Pecorari, V., Stener, S., Quaia, E., Baschiera, P., Knez, R. The feasibility of urethral color ultrasound imaging in the diagnosis of female intrinsic sphincter deficiency: preliminary results. *Spinal Cord.* 2002 Apr; 40: 192-5
- 10146 Zullo, F., Morelli, M., Russo, T., Iuzzolino, D., Palomba, S. Two techniques of laparoscopic retropubic urethropexy. *J Am Assoc Gynecol Laparosc.* 2002 May; 9: 178-81
- 10147 Deval, B., Jeffry, L., Al Najjar, F., Soriano, D., Darai, E. Determinants of patient dissatisfaction after a tension-free vaginal tape procedure for urinary incontinence. *J Urol.* 2002 May; 167: 2093-7
- 10148 Maniam, P., Goldman, H. B. Removal of transurethral catheter during urodynamics may unmask stress urinary incontinence. *J Urol.* 2002 May; 167: 2080-2
- 10149 McGuire, E. J. Mixed symptomatology. *BJU Int.* 2000 May; 85 Suppl 3: 47-52; discussion 55-6
- 10150 Skorupski, P., Rechberger, T., Postawski, K., Woessner, J. F., Jr., Jakowicki, J. A. Is diminished pubocervical fascia collagen content a risk factor for failure of surgical management of genuine stress urinary incontinence in women?. *Eur J Obstet Gynecol Reprod Biol.* 2002 May 10; 102: 195-8
- 10151 Jackson, S., James, M., Abrams, P. The effect of oestradiol on vaginal collagen metabolism in postmenopausal women with genuine stress incontinence. *BJOG.* 2002 Mar; 109: 339-44
- 10152 Hawkins, E., Taylor, D., Hughes-Nurse, J. Long term follow up of the cruciate fascial sling for women with genuine stress incontinence. *BJOG.* 2002 Mar; 109: 327-38
- 10153 Wang, A. C., Chen, M. C. A comparison of urethral pressure profilometry using microtip and double-lumen perfusion catheters in women with genuine stress incontinence. *BJOG.* 2002 Mar; 109: 322-6
- 10154 Amarenco, G., Bayle, B., Ismael, S. S., Kerdraon, J. Bulbocavernosus muscle responses after suprapubic stimulation: analysis and measurement of suprapubic bulbocavernosus reflex latency. *Neurourol Urodyn.* 2002; 21: 210-3
- 10155 Yalcin, O. T., Hassa, H., Tanir, M. A new ultrasonographic method for evaluation of the results of anti-incontinence operations. *Acta Obstet Gynecol Scand.* 2002 Feb; 81: 151-6
- 10156 Kuuva, N., Nilsson, C. G. A nationwide analysis of complications associated with the tension-free vaginal tape (TVT) procedure. *Acta Obstet Gynecol Scand.* 2002 Jan; 81: 72-7
- 10157 Liu, C., Andrews, G. R. Prevalence and incidence of urinary incontinence in the elderly: a longitudinal study in South Australia. *Chin Med J (Engl).* 2002 Jan; 115: 119-22

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10158 Chaliha, C., Stanton, S. L. Urological problems in pregnancy. *BJU Int.* 2002 Mar; 89: 469-76
- 10159 Madjar, S., Tchetgen, M. B., Van Antwerp, A., Abdelmalak, J., Rackley, R. R. Urethral erosion of tension-free vaginal tape. *Urology.* 2002 Apr; 59: 601
- 10160 Chung, S. Y., Franks, M., Smith, C. P., Lee, J. Y., Lu, S. H., Chancellor, M. Technique of combined pubovaginal sling and cystocele repair using a single piece of cadaveric dermal graft. *Urology.* 2002 Apr; 59: 538-41
- 10161 Farnsworth, B. The integral theory of female urinary incontinence. *Aust N Z J Obstet Gynaecol.* 2002 Feb; 42: 99; discussion 100
- 10162 Richardson, P. The integral theory of pelvic floor dysfunction. *Aust N Z J Obstet Gynaecol.* 2002 Feb; 42: 99-100
- 10163 Querleu, D., Narducci, F., Poulard, V., Lacaze, S., Occelli, B., Leblanc, E., Cosson, M. Modified radical vaginal hysterectomy with or without laparoscopic nerve-sparing dissection: a comparative study. *Gynecol Oncol.* 2002 Apr; 85: 154-8
- 10164 Takahashi, S., Miyao, N., Hisataki, T., Matsukawa, M., Takagi, S., Sasao, T., Adachi, H., Miyake, M., Tsukamoto, T. Complications of Stamey needle suspension for female stress urinary incontinence. *Urol Int.* 2002; 68: 148-51
- 10165 Thomas, K., Venn, S. N., Mundy, A. R. Outcome of the artificial urinary sphincter in female patients. *J Urol.* 2002 Apr; 167: 1720-2
- 10166 van der Vaart, C. H., van der Bom, J. G., de Leeuw, J. R., Roovers, J. P., Heintz, A. P. The contribution of hysterectomy to the occurrence of urge and stress urinary incontinence symptoms. *BJOG.* 2002 Feb; 109: 149-54
- 10167 McGuire, E. J., Lytton, B. Pubovaginal sling procedure for stress incontinence. 1978. *J Urol.* 2002 Feb; 167: 1120-3; discussion 1124
- 10168 Pereyra, A. J. A simplified surgical procedure for the correction of stress incontinence in women. 1959. *J Urol.* 2002 Feb; 167: 1116-8; discussion 1119
- 10169 Pelosi, M. A., 2nd., Pelosi, M. A., 3rd., Pelekanos, M. The YAMA UroPatch sling for treatment of female stress urinary incontinence: a pilot study. *J Laparoendosc Adv Surg Tech A.* 2002 Feb; 12: 27-33
- 10170 Yamada, T., Ichiyanagi, N., Kamata, S., Sakai, Y., Nagahama, K., Tanizawa, A., Watanabe, T., Horiuchi, S., Saitoh, H. Need for sling surgery in patients with large cystoceles and masked stress urinary incontinence. *Int J Urol.* 2001 Nov; 8: 599-603
- 10171 Fielding, J. R. Practical MR imaging of female pelvic floor weakness. *Radiographics.* 2002 Mar-Apr; 22: 295-304
- 10172 Laycock, J., Brown, J., Cusack, C., Green, S., Jerwood, D., Mann, K., McLachlan, Z., Schofield, A. Pelvic floor reeducation for stress incontinence: comparing three methods. *Br J Community Nurs.* 2001 May; 6: 230-7
- 10173 Bae, J. H., Moon, D. G., Lee, J. G. The effects of a selective noradrenaline reuptake inhibitor on the urethra: an in vitro and in vivo study. *BJU Int.* 2001 Nov; 88: 771-5
- 10174 Palumbo, M. V. Pessary placement and management. *Ostomy Wound Manage.* 2000 Dec; 46: 40-5
- 10175 Robinson, D., Anders, K., Cardozo, L., Bidmead, J., Tooze-Hobson, P., Khullar, V. Can ultrasound replace ambulatory urodynamics when investigating women with irritative urinary symptoms?. *BJOG.* 2002 Feb; 109: 145-8
- 10176 Lo, T. S., Huang, H. J., Chang, C. L., Wong, S. Y., Horng, S. G., Liang, C. C. Use of intravenous anesthesia for tension-free vaginal tape therapy in elderly women with genuine stress incontinence. *Urology.* 2002 Mar; 59: 349-53
- 10177 Sharifi-Aghdas, F., Ghaderian, N., Payvand, A. Free bladder mucosal autograft in the treatment of complicated vesicovaginal fistula. *BJU Int.* 2002 Mar; 89 Suppl 1: 54-6
- 10178 Weber, A. M., Taylor, R. J., Wei, J. T., Lemack, G., Piedmonte, M. R., Walters, M. D. The cost-effectiveness of preoperative testing (basic office assessment vs. urodynamics) for stress urinary incontinence in women. *BJU Int.* 2002 Mar; 89: 356-63

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10179** Moehrer, B., Ellis, G., Carey, M., Wilson, P. D. Laparoscopic colposuspension for urinary incontinence in women. *Cochrane Database Syst Rev.* 2002; : CD002239
- 10180** Herbison, P., Plevnik, S., Mantle, J. Weighted vaginal cones for urinary incontinence. *Cochrane Database Syst Rev.* 2002; : CD002114
- 10181** Kulseng-Hanssen, S., Berild, G. H. Subjective and objective incontinence 5 to 10 years after Burch colposuspension. *Neurourol Urodyn.* 2002; 21: 100-5
- 10182** Aaron, R., Muliyl, J., Abraham, S. Medico-social dimensions of menopause: a cross-sectional study from rural south India. *Natl Med J India.* 2002 Jan-Feb; 15: 14-7
- 10183** Long, C. Y., Hsu, S. C., Chen, Y. H., Chen, S. C., Chen, W. C., Su, J. H. The effects on vesicourethral function following laparoscopic hysterectomy. *Kaohsiung J Med Sci.* 2001 Nov; 17: 564-9
- 10184** Yamada, T., Kamata, S., Nagahama, K., Ichianagi, N., Horiuchi, S., Saitoh, H. Polytetrafluoroethylene patch sling for type 2 or type 3 stress urinary incontinence. *Int J Urol.* 2001 Dec; 8: 675-80
- 10185** Thyssen, H., Bidmead, J., Lose, G., Moller Bek, K., Dwyer, P., Cardozo, L. A new intravaginal device for stress incontinence in women. *BJU Int.* 2001 Dec; 88: 889-92
- 10186** Kuo, H. C. The surgical results of the pubovaginal sling procedure using polypropylene mesh for stress urinary incontinence. *BJU Int.* 2001 Dec; 88: 884-8
- 10187** Mukherjee, K., Constantine, G. Urinary stress incontinence in obese women: tension-free vaginal tape is the answer. *BJU Int.* 2001 Dec; 88: 881-3
- 10188** Merlin, T., Arnold, E., Petros, P., MacTaggart, P., Tulloch, A., Faulkner, K., Maddern, G. A systematic review of tension-free urethropexy for stress urinary incontinence: intravaginal slingplasty and the tension-free vaginal tape procedures. *BJU Int.* 2001 Dec; 88: 871-80
- 10189** Peyrat, L., Haillot, O., Bruyere, F., Boutin, J. M., Bertrand, P., Lanson, Y. Prevalence and risk factors of urinary incontinence in young and middle- aged women. *BJU Int.* 2002 Jan; 89: 61-6
- 10190** Kristiansson, P., Samuelsson, E., von Schoultz, B., Svardsudd, K. Reproductive hormones and stress urinary incontinence in pregnancy. *Acta Obstet Gynecol Scand.* 2001 Dec; 80: 1125-30
- 10191** Reilly, E. T., Freeman, R. M., Waterfield, M. R., Waterfield, A. E., Steggles, P., Pedlar, F. Prevention of postpartum stress incontinence in primigravidae with increased bladder neck mobility: a randomised controlled trial of antenatal pelvic floor exercises. *BJOG.* 2002 Jan; 109: 68-76
- 10192** Nitti, V. W., Carlson, K. V., Blaivas, J. G., Dmochowski, R. R. Early results of pubovaginal sling lysis by midline sling incision. *Urology.* 2002 Jan; 59: 47-51; discussion 51-2
- 10193** Lemack, G. E., Baseman, A. G., Zimmern, P. E. Voiding dynamics in women: a comparison of pressure-flow studies between asymptomatic and incontinent women. *Urology.* 2002 Jan; 59: 42-6
- 10194** FitzGerald, M. P., Butler, N., Shott, S., Brubaker, L. Bother arising from urinary frequency in women. *Neurourol Urodyn.* 2002; 21: 36-40; discussion 41
- 10195** FitzGerald, M. P., Brubaker, L. Urinary incontinence symptom scores and urodynamic diagnoses. *Neurourol Urodyn.* 2002; 21: 30-5
- 10196** Viktrup, L. The risk of lower urinary tract symptoms five years after the first delivery. *Neurourol Urodyn.* 2002; 21: 2-29
- 10197** O'Reilly, K. J., Govier, F. E. Intermediate term failure of pubovaginal slings using cadaveric fascia lata: a case series. *J Urol.* 2002 Mar; 167: 1356-8
- 10198** Hegarty, P. K., Power, P. C., O'Brien, M. F., Bredin, H. C. Longevity of the Marshall-Marchetti-Krantz procedure. *Ann Chir Gynaecol.* 2001; 90: 286-9
- 10199** Visser, A. J., Heyns, C. F., Visser Jun, A. J. Vesicosuspension for female stress incontinence and cystocele using pubic bone anchors. *S Afr J Surg.* 2001 Nov; 39: 129-32

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10200 Barber, M. D., Visco, A. G., Wyman, J. F., Fantl, J. A., Bump, R. C. Sexual function in women with urinary incontinence and pelvic organ prolapse. *Obstet Gynecol.* 2002 Feb; 99: 281-9
- 10201 Nager, C. W., Schulz, J. A., Stanton, S. L., Monga, A. Correlation of urethral closure pressure, leak-point pressure and incontinence severity measures. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 395-400
- 10202 Truijen, G., Wyndaele, J. J., Weyler, J. Conservative treatment of stress urinary incontinence in women: who will benefit?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 386-90
- 10203 Sze, E. H., Meranus, J., Kohli, N., Miklos, J. R., Karram, M. M. Vaginal configuration on MRI after abdominal sacrocolpopexy and sacrospinous ligament suspension. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 375-9; discussion 379-80
- 10204 Glavind, K., Larsen, E. H. Results and complications of tension-free vaginal tape (TVT) for surgical treatment of female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 370-2
- 10205 Kochakarn, W., Leenanupunth, C., Ratana-Olarn, K., Roongreungsilp, U., Siripornpinyo, N. Pubovaginal sling for the treatment of female stress urinary incontinence: experience of 100 cases at Ramathibodi Hospital. *J Med Assoc Thai.* 2001 Oct; 84: 1412-5
- 10206 Bhatnagar, V., Dave, S., Agarwala, S., Mitra, D. K. Augmentation colcystoplasty in bladder exstrophy. *Pediatr Surg Int.* 2002 Jan; 18: 43-9
- 10207 Pit, M. J. Rare complications of tension-free vaginal tape procedure: late intraurethral displacement and early misplacement of tape. *J Urol.* 2002 Feb; 167: 647
- 10208 Petrou, S. P., Young, P. R. Rate of recurrent stress urinary incontinence after retropubic urethrolisis. *J Urol.* 2002 Feb; 167: 613-5
- 10209 Flynn, B. J., Yap, W. T. Pubovaginal sling using allograft fascia lata versus autograft fascia for all types of stress urinary incontinence: 2-year minimum followup. *J Urol.* 2002 Feb; 167: 608-12
- 10210 Demirci, F., Yucel, O. Comparison of pubovaginal sling and burch colposuspension procedures in type I/II genuine stress incontinence. *Arch Gynecol Obstet.* 2001 Nov; 265: 190-4
- 10211 Wolters, M., Methfessel, H. D., Goepel, C., Koelbl, H. Computer-assisted virtual urethral pressure profile in the assessment of female genuine stress incontinence. *Obstet Gynecol.* 2002 Jan; 99: 69-74
- 10212 Heit, M. Prolonged urinary retention after collagen periurethral injections: a sequela of humoral immunity. *Obstet Gynecol.* 1997 Oct; 90: 693-5
- 10213 Walters, M. D., Iannetta, L. T. Combination of pessary and periurethral collagen injections for nonsurgical treatment of uterovaginal prolapse and genuine stress urinary incontinence. *Obstet Gynecol.* 1997 Oct; 90: 691-2
- 10214 Niemczyk, P., Klutke, J. J., Carlin, B. I., Klutke, C. G. United States experience with tension-free vaginal tape procedure for urinary stress incontinence: assessment of safety and tolerability. *Tech Urol.* 2001 Dec; 7: 261-5
- 10215 Jung, B. H., Bai, S. W., Chung, B. C. Urinary profile of endogenous steroids in postmenopausal women with stress urinary incontinence. *J Reprod Med.* 2001 Nov; 46: 969-74
- 10216 Jueng-Anuwat, P., Roongruangsilp, U., Kochakarn, W., Ratana-Olarn, K. Risk factors for stress urinary incontinence in middle aged and elderly Thai women. *J Med Assoc Thai.* 2001 Aug; 84: 1121-5
- 10217 Nguyen, J. K., Glowacki, C. A., Bhatia, N. N. Survey of voiding dysfunction and urinary retention after anti-incontinence procedures. *Obstet Gynecol.* 2001 Dec; 98: 1011-7
- 10218 Rortveit, G., Hannestad, Y. S., Daltveit, A. K., Hunskaar, S. Age- and type-dependent effects of parity on urinary incontinence: the Norwegian EPINCONT study. *Obstet Gynecol.* 2001 Dec; 98: 1004-10
- 10219 Liapis, A., Bakas, P., Creatsas, G. Management of stress urinary incontinence in women with the use of tension-free vaginal tape. *Eur Urol.* 2001 Nov; 40: 548-51
- 10220 Lebret, T., Lugagne, P. M., Herve, J. M., Barre, P., Orsoni, J. L., Yonneau, L., Saporta, F., Botto, H. Evaluation of tension-free vaginal tape procedure. Its safety and efficacy in the treatment of female stress urinary incontinence during the learning phase. *Eur Urol.* 2001 Nov; 40: 543-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10221 Goldberg, R. P., Koduri, S., Lobel, R. W., Culligan, P. J., Tomezsko, J. E., Winkler, H. A., Sand, P. K. Protective effect of suburethral slings on postoperative cystocele recurrence after reconstructive pelvic operation. *Am J Obstet Gynecol.* 2001 Dec; 185: 1307-12; discussion 1312-3
- 10222 Nguyen, J. K., Bhatia, N. N. Risk of recurrent stress incontinence in women undergoing the combined modified peryra procedure and transvaginal sacrospinous ligament vault suspension. *Urology.* 2001 Dec; 58: 947-52
- 10223 Huang, Y. H., Lin, A. T., Chen, K. K., Pan, C. C., Chang, L. S. High failure rate using allograft fascia lata in pubovaginal sling surgery for female stress urinary incontinence. *Urology.* 2001 Dec; 58: 943-6
- 10224 Haferkamp, A., Steiner, G., Muller, S. C., Schumacher, S. Urethral erosion of tension-free vaginal tape. *J Urol.* 2002 Jan; 167: 250
- 10225 Fulmer, B. R., Sakamoto, K., Turk, T. M., Galen, D., Presthus, J. B., Abbott, K., Ross, J., Ou, C. S., Albala, D. M. Acute and long-term outcomes of radio frequency bladder neck suspension. *J Urol.* 2002 Jan; 167: 141-5
- 10226 Blonski, J. Is tolterodine (Detrol) or oxybutynin (Ditropan) the best for treatment of urge urinary incontinence?. *J Fam Pract.* 2001 Dec; 50: 1017
- 10227 Lobel, B., Manunta, A., Rodriguez, A. The management of female stress urinary incontinence using the sling procedure. *BJU Int.* 2001 Nov; 88: 832-9
- 10228 Langer, R., Lipshitz, Y., Halperin, R., Pansky, M., Bukovsky, I., Sherman, D. Long-Term (10-15 years) follow-up after Burch colposuspension for urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 323-6; discussion 326-7
- 10229 Alper, T., Cetinkaya, M., Okutgen, S., Kokcu, A., Malatyalioglu, E. Evaluation of urethrovesical angle by ultrasound in women with and without urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 308-11
- 10230 Dietz, H. P., Clarke, B. Translabial color Doppler urodynamics. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 304-7
- 10231 Weber, A. M. Is urethral pressure profilometry a useful diagnostic test for stress urinary incontinence?. *Obstet Gynecol Surv.* 2001 Nov; 56: 720-35
- 10232 Feretis, C., Benakis, P., Dailianas, A., Dimopoulos, C., Mavrantonis, C., Stamou, K. M., Manouras, A., Apostolidis, N., Androulakis, G. Implantation of microballoons in the management of fecal incontinence. *Dis Colon Rectum.* 2001 Nov; 44: 1605-9
- 10233 Rodriguez, L. V., Raz, S. Polypropylene sling for the treatment of stress urinary incontinence. *Urology.* 2001 Nov; 58: 783-5
- 10234 Jeffry, L., Deval, B., Birsan, A., Soriano, D., Darai, E. Objective and subjective cure rates after tension-free vaginal tape for treatment of urinary incontinence. *Urology.* 2001 Nov; 58: 702-6
- 10235 Klutke, C., Siegel, S., Carlin, B., Paszkiewicz, E., Kirkemo, A., Klutke, J. Urinary retention after tension-free vaginal tape procedure: incidence and treatment. *Urology.* 2001 Nov; 58: 697-701
- 10236 Persson, G., Barlow, L., Karlsson, A., Rosen, M., Stefansson, C. G., Theorell, T., Tull, P., Aberg, A. Chapter 3. Major health problems. Health in Sweden: The National Public Health Report 2001. *Scand J Public Health.* 2001; Suppl 58: 37-102
- 10237 Walters, M. D., Tulikangas, P. K., LaSala, C., Muir, T. W. Vascular injury during tension-free vaginal tape procedure for stress urinary incontinence. *Obstet Gynecol.* 2001 Nov; 98: 957-9
- 10238 Zullo, F., Palomba, S., Piccione, F., Morelli, M., Arduino, B., Mastrantonio, P. Laparoscopic Burch colposuspension: a randomized controlled trial comparing two transperitoneal surgical techniques. *Obstet Gynecol.* 2001 Nov; 98: 783-8
- 10239 Tamussino, K. F., Hanzal, E., Kolle, D., Ralph, G., Riss, P. A. Tension-free vaginal tape operation: results of the Austrian registry. *Obstet Gynecol.* 2001 Nov; 98: 732-6
- 10240 Copas, P., Bukovsky, A., Asbury, B., Elder, R. F., Caudle, M. R. Estrogen, progesterone, and androgen receptor expression in levator ani muscle and fascia. *J Womens Health Gend Based Med.* 2001 Oct; 10: 785-95



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10241 Tannenbaum, C., Bachand, G., Dubeau, C. E., Kuchel, G. A. Experience of an incontinence clinic for older women: no apparent age limit for potential physical and psychological benefits. *J Womens Health Gend Based Med.* 2001 Oct; 10: 751-6
- 10242 Hagglund, D., Walker-Engstrom, M. L., Larsson, G., Leppert, J. Quality of life and seeking help in women with urinary incontinence. *Acta Obstet Gynecol Scand.* 2001 Nov; 80: 1051-5
- 10243 Neal, L. J. Rehab's role in incontinence treatment and ostomy care. *Rehab Manag.* 2000 Jun-Jul; 13: 28-30, 100
- 10244 Kapoor, D., Ghoniem, G. Re: Randomized comparison of local versus epidural anesthesia for tension-free vaginal tape operation. *J Urol.* 2001 Dec; 166: 2323-4
- 10245 Goldman, H. B., Rackley, R. R., Appell, R. A. The in situ anterior vaginal wall sling: predictors of success. *J Urol.* 2001 Dec; 166: 2259-62
- 10246 Radley, S. C., Rosario, D. J., Chapple, C. R., Farkas, A. G. Conventional and ambulatory urodynamic findings in women with symptoms suggestive of bladder overactivity. *J Urol.* 2001 Dec; 166: 2253-8
- 10247 Bo, K., Borgen, J. S. Prevalence of stress and urge urinary incontinence in elite athletes and controls. *Med Sci Sports Exerc.* 2001 Nov; 33: 1797-802
- 10248 Bezerra, C. A., Bruschini, H. Suburethral sling operations for urinary incontinence in women. *Cochrane Database Syst Rev.* 2001; : CD001754
- 10249 Romanzi, L. J. Urinary incontinence in women and men. *J Gend Specif Med.* 2001; 4: 14-20
- 10250 Vereecken, R. L., Lechat, A. Cadaver fascia lata sling in the treatment of intrinsic sphincter weakness. *Urol Int.* 2001; 67: 232-4
- 10251 Gordon, D., Gold, R. S., Pauzner, D., Lessing, J. B., Groutz, A. Combined genitourinary prolapse repair and prophylactic tension-free vaginal tape in women with severe prolapse and occult stress urinary incontinence: preliminary results. *Urology.* 2001 Oct; 58: 547-50
- 10252 Sugerman, H. J. Effects of increased intra-abdominal pressure in severe obesity. *Surg Clin North Am.* 2001 Oct; 81: 1063-75, vi
- 10253 Ganio, E., Masin, A., Ratto, C., Altomare, D. F., Ripetti, V., Clerico, G., Lise, M., Doglietto, G. B., Memeo, V., Landolfi, V., Del Genio, A., Arullani, A., Giardiello, G., de Seta, F. Short-term sacral nerve stimulation for functional anorectal and urinary disturbances: results in 40 patients: evaluation of a new option for anorectal functional disorders. *Dis Colon Rectum.* 2001 Sep; 44: 1261-7
- 10254 Kupeli, B., Kordan, Y., Alkibay, T. Urinary incontinence after pelvic trauma: a case report. *Int Urol Nephrol.* 2001; 32: 363-5
- 10255 Norris, A., Scerri, A., Powell, M. Quality of anaesthesia for insertion of tension-free vaginal tape using local analgesia and sedation. *Eur J Anaesthesiol.* 2001 Nov; 18: 755-8
- 10256 Viktrup, L., Lose, G. Do fertile women remember the onset of stress incontinence? Recall bias 5 years after 1st delivery. *Acta Obstet Gynecol Scand.* 2001 Oct; 80: 952-5
- 10257 Bo, K., Finckenhagen, H. B. Vaginal palpation of pelvic floor muscle strength: inter-test reproducibility and comparison between palpation and vaginal squeeze pressure. *Acta Obstet Gynecol Scand.* 2001 Oct; 80: 883-7
- 10258 Mutone, N., Mastropietro, M., Brizendine, E., Hale, D. Effect of tension-free vaginal tape procedure on urodynamic continence indices. *Obstet Gynecol.* 2001 Oct; 98: 638-45
- 10259 Arvonen, T., Fianu-Jonasson, A., Tyni-Lenne, R. Effectiveness of two conservative modes of physical therapy in women with urinary stress incontinence. *Neurourol Urodyn.* 2001; 20: 591-9
- 10260 Sakakibara, R., Shinotoh, H., Uchiyama, T., Sakuma, M., Kashiwado, M., Yoshiyama, M., Hattori, T. Questionnaire-based assessment of pelvic organ dysfunction in Parkinson's disease. *Auton Neurosci.* 2001 Sep 17; 92: 76-85
- 10261 Bidmead, J., Cardozo, L. Retropubic urethropexy (Burch colposuspension). *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 262-5



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10262 Hextall, A., Cardozo, L. The role of estrogen supplementation in lower urinary tract dysfunction. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 258-61
- 10263 Soergel, T. M., Shott, S., Heit, M. Poor surgical outcomes after fascia lata allograft slings. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 247-53
- 10264 Girao, M. J., Jarmy-Di Bella, Z. I., Sartori, M. G., Baracat, E. C., Lima, G. R. Doppler velocimetry parameters of periurethral vessels in postmenopausal incontinent women receiving estrogen replacement. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 241-6
- 10265 Fitzgerald, M. P., Jaffar, J., Brubaker, L. Risk factors for an elevated postvoid residual urine volume in women with symptoms of urinary urgency, frequency and urge incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 237-9; discussion 239-40
- 10266 Glavind, K. Conservative treatment of stress incontinence with Geisha balls. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 223-4; discussion 224-5
- 10267 Morell, J. D., Morales, A. Assessment of long-term patient satisfaction after vesical neck suspension for stress urinary incontinence. *Can J Urol.* 2001 Aug; 8: 1323-5
- 10268 von Gontard, A., Laufersweiler-Plass, C., Backes, M., Zerres, K., Rudnik-Schoneborn, S. Enuresis and urinary incontinence in children and adolescents with spinal muscular atrophy. *BJU Int.* 2001 Sep; 88: 409-13
- 10269 el-Toukhy, T. A., Davies, A. E. The efficacy of laparoscopic mesh colposuspension: results of a prospective controlled study. *BJU Int.* 2001 Sep; 88: 361-6
- 10270 Choe, J. M., Kothandapani, R., James, L., Bowling, D. Autologous, cadaveric, and synthetic materials used in sling surgery: comparative biomechanical analysis. *Urology.* 2001 Sep; 58: 482-6
- 10271 Ross, J. W. Laparoscopic Burch colposuspension and overlapping sphincteroplasty for double incontinence. *JLS.* 2001 Jul-Sep; 5: 203-9
- 10272 Brune, M. E., O'Neill, A. B., Gauvin, D. M., Katwala, S. P., Altenbach, R. J., Brioni, J. D., Hancock, A. A., Sullivan, J. P. Comparison of alpha 1-adrenoceptor agonists in canine urethral pressure profilometry and abdominal leak point pressure models. *J Urol.* 2001 Oct; 166: 1555-9
- 10273 Bent, A. E., Foote, J., Siegel, S., Faerber, G., Chao, R., Gormley, E. A. Collagen implant for treating stress urinary incontinence in women with urethral hypermobility. *J Urol.* 2001 Oct; 166: 1354-7
- 10274 Pannek, J., Brands, F. H., Senge, T. Particle migration after transurethral injection of carbon coated beads for stress urinary incontinence. *J Urol.* 2001 Oct; 166: 1350-3
- 10275 Cutner, A., Smith, A. R. Laparoscopic colposuspension. *Curr Opin Obstet Gynecol.* 2001 Oct; 13: 533-7
- 10276 Klutke, J. J., Klutke, C. G. The tension-free vaginal tape procedure: innovative surgery for incontinence. *Curr Opin Obstet Gynecol.* 2001 Oct; 13: 529-32
- 10277 Gordon, D., Groutz, A. Evaluation of female lower urinary tract symptoms: overview and update. *Curr Opin Obstet Gynecol.* 2001 Oct; 13: 521-7
- 10278 Carey, M. P., Dwyer, P. L. Genital prolapse: vaginal versus abdominal route of repair. *Curr Opin Obstet Gynecol.* 2001 Oct; 13: 499-505
- 10279 Okonkwo, J. E., Obionu, C. O., Obiechina, N. J. Factors contributing to urinary incontinence and pelvic prolapse in Nigeria. *Int J Gynaecol Obstet.* 2001 Sep; 74: 301-3
- 10280 Fultz, N. H., Herzog, A. R. Self-reported social and emotional impact of urinary incontinence. *J Am Geriatr Soc.* 2001 Jul; 49: 892-9
- 10281 Gill, E. J., Elser, D. M., Bonidie, M. J., Roberts, K. M., Hurt, W. G. The routine use of cystoscopy with the Burch procedure. *Am J Obstet Gynecol.* 2001 Aug; 185: 345-8
- 10282 Hoyte, L., Fielding, J. R., Versi, E., Mamisch, C., Kolvenbach, C., Kikinis, R. Variations in levator ani volume and geometry in women: the application of MR based 3D reconstruction in evaluating pelvic floor dysfunction. *Arch Esp Urol.* 2001 Jul-Aug; 54: 532-9

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 10283** Moore, R. D., Speights, S. E., Miklos, J. R. Laparoscopic Burch colposuspension for recurrent stress urinary incontinence. *J Am Assoc Gynecol Laparosc.* 2001 Aug; 8: 389-92
- 10284** Lee, C. L., Yen, C. F., Wang, C. J., Jain, S., Soong, Y. K. Extraperitoneal approach to laparoscopic Burch colposuspension. *J Am Assoc Gynecol Laparosc.* 2001 Aug; 8: 374-7
- 10285** Ushiroyama, T., Ikeda, A., Ueki, M. Clinical efficacy of clenbuterol and propiverine in menopausal women with urinary incontinence: improvement in quality of life. *J Med.* 2000; 31: 311-9
- 10286** Culligan, P. J., Goldberg, R. P., Blackhurst, D. W., Sasso, K., Koduri, S., Sand, P. K. Comparison of microtransducer and fiberoptic catheters for urodynamic studies. *Obstet Gynecol.* 2001 Aug; 98: 253-7
- 10287** Mason, L., Glenn, S., Walton, I., Hughes, C. Women's reluctance to seek help for stress incontinence during pregnancy and following childbirth. *Midwifery.* 2001 Sep; 17: 212-21
- 10288** Gonzalez-Argente, F. X., Jain, A., Nogueras, J. J., Davila, G. W., Weiss, E. G., Wexner, S. D. Prevalence and severity of urinary incontinence and pelvic genital prolapse in females with anal incontinence or rectal prolapse. *Dis Colon Rectum.* 2001 Jul; 44: 920-6
- 10289** Ulmsten, U. The basic understanding and clinical results of tension-free vaginal tape for stress urinary incontinence. *Urologe A.* 2001 Jul; 40: 269-73
- 10290** Oge, O. Re: Protracted urinary retention necessitating urethrolisis following tension-free vaginal tape surgery. *J Urol.* 2001 Sep; 166: 1009-10
- 10291** Choe, J. M. Tension-free vaginal tape: is it truly tension-free?. *J Urol.* 2001 Sep; 166: 1003
- 10292** Groutz, A., Chaikin, D. C., Theusen, E., Blaivas, J. G. Use of cadaveric solvent-dehydrated fascia lata for cystocele repair-- preliminary results. *Urology.* 2001 Aug; 58: 179-83
- 10293** Iskander, M. N., Kapoor, D. Pregnancy following tension-free vaginal taping. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 199-200
- 10294** Natarajan, V., Singh, G. Urinary diversion for incontinence in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 180-7
- 10295** Kowalczyk, J. J., Mulcahy, J. J. Use of the artificial urinary sphincter in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 176-9
- 10296** Demirci, F., Petri, E. Perioperative complications of Burch colposuspension. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 170-5
- 10297** Jarmy-Di Bella, Z. I., Girao, M. J., Sartori, M. F., Di Bella Junior, V., Lederman, H. M., Baracat, E. C., Lima, G. R. Power Doppler of the urethra in continent or incontinent, pre- and postmenopausal women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 148-154; discussion 154-5
- 10298** Chou, T. P., Gorton, E., Stanton, S. L., Atherton, M., Baessler, K., Rienhardt, G. Can uroflowmetry patterns in women be reliably interpreted?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 142-7
- 10299** McLennan, M. T., Melick, C. F., Bent, A. E. Leak-point pressure: clinical application of values at two different volumes. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 136-41
- 10300** Koelle, D., Stenzl, A., Koelbl, H., Marth, C. Treatment of postoperative urinary retention by elongation of tension-free vaginal tape. *Am J Obstet Gynecol.* 2001 Jul; 185: 250-1
- 10301** Graham, C. A., Mallett, V. T. Race as a predictor of urinary incontinence and pelvic organ prolapse. *Am J Obstet Gynecol.* 2001 Jul; 185: 116-20
- 10302** Viktrup, L., Lose, G. The risk of stress incontinence 5 years after first delivery. *Am J Obstet Gynecol.* 2001 Jul; 185: 82-7
- 10303** Reddy, A. P., DeLancey, J. O., Zwica, L. M., Ashton-Miller, J. A. On-screen vector-based ultrasound assessment of vesical neck movement. *Am J Obstet Gynecol.* 2001 Jul; 185: 65-70
- 10304** Kenton, K., FitzGerald, M. P., Shott, S., Brubaker, L. Role of urethral electromyography in predicting outcome of Burch retropubic urethropexy. *Am J Obstet Gynecol.* 2001 Jul; 185: 51-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10305** Young, S. B., Howard, A. E., Baker, S. P. Mersilene mesh sling: short- and long-term clinical and urodynamic outcomes. *Am J Obstet Gynecol.* 2001 Jul; 185: 32-40
- 10306** FitzGerald, M. P., Kenton, K., Shott, S., Brubaker, L. Responsiveness of quality of life measurements to change after reconstructive pelvic surgery. *Am J Obstet Gynecol.* 2001 Jul; 185: 20-4
- 10307** Hoyte, L., Schierlitz, L., Zou, K., Flesh, G., Fielding, J. R. Two- and 3-dimensional MRI comparison of levator ani structure, volume, and integrity in women with stress incontinence and prolapse. *Am J Obstet Gynecol.* 2001 Jul; 185: 11-9
- 10308** Muscatello, D. J., Rissel, C., Szonyi, G. Urinary symptoms and incontinence in an urban community: prevalence and associated factors in older men and women. *Intern Med J.* 2001 Apr; 31: 151-60
- 10309** Rane, A. A comparison of bladder neck movement and elevation after tension free vaginal tape and colposuspension. *BJOG.* 2001 Jul; 108: 776
- 10310** Koelbl, H., Stoerer, S., Seliger, G., Wolters, M. Transurethral penetration of a tension-free vaginal tape. *BJOG.* 2001 Jul; 108: 763-5
- 10311** Karram, M. M. Why surgery for incontinence and prolapse fails. *Urol Int.* 2001; 67: 12-3
- 10312** Soulie, M., Cu villier, X., Benaissa, A., Mouly, P., Larroque, J. M., Bernstein, J., Soulie, R., Tollon, C., Brucher, P., Vazzoler, N., Seguin, P., Pontonnier, F., Plante, P. The tension-free transvaginal tape procedure in the treatment of female urinary stress incontinence: a French prospective multicentre study. *Eur Urol.* 2001 Jun; 39: 709-14; discussion 715
- 10313** Peyrat, L., Boutin, J. M., Bruyere, F., Hailiot, O., Fakfak, H., Lanson, Y. Intestinal perforation as a complication of tension-free vaginal tape procedure for urinary incontinence. *Eur Urol.* 2001 May; 39: 603-5
- 10314** Azam, U., Frazer, M. I., Kozman, E. L., Ward, K., Hilton, P., Rane, A. The tension-free vaginal tape procedure in women with previous failed stress incontinence surgery. *J Urol.* 2001 Aug; 166: 554-6
- 10315** Dattilo, J. A long-term study of patient outcomes with pelvic muscle re-education for urinary incontinence. *J Wound Ostomy Continence Nurs.* 2001 Jul; 28: 199-205
- 10316** Lynch, C. M., Powers, A. K., Keating, A. B. Pregnancy complicated by a suburethral sling: a case report. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 218-9
- 10317** Lovatsis, D., Drutz, H. P. Is transabdominal repair of mild to moderate cystocele necessary for correction of prolapse during a modified Burch procedure?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 193-8
- 10318** Weber, A. M., Abrams, P., Brubaker, L., Cundiff, G., Davis, G., Dmochowski, R. R., Fischer, J., Hull, T., Nygaard, I., Weidner, A. C. The standardization of terminology for researchers in female pelvic floor disorders. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 178-86
- 10319** Dietz, H. P., Wilson, P. D., Clarke, B. The use of perineal ultrasound to quantify levator activity and teach pelvic floor muscle exercises. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 166-8; discussion 168-9
- 10320** Tegerstedt, G., Sjoberg, B., Hammarstrom, M. Clinical outcome or abdominal urethropexy-colposuspension: a long-term follow-up. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 161-5
- 10321** Wakavaichi, V. M., Girao, M. J., Sartori, M. G., Baracat, E. C., Rodrigues de Lima, G., Novo, N. F. Changes in the lower urinary tract in continent women and in women with stress urinary incontinence, according to menopausal status. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 156-60
- 10322** Rezapour, M., Ulmsten, U. Tension-Free vaginal tape (TVT) in women with recurrent stress urinary incontinence--a long-term follow up. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S9-11
- 10323** Nilsson, C. G., Kuuva, N., Falconer, C., Rezapour, M., Ulmsten, U. Long-term results of the tension-free vaginal tape (TVT) procedure for surgical treatment of female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S5-8
- 10324** Ulmsten, U. An introduction to tension-free vaginal tape (TVT)--a new surgical procedure for treatment of female urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S3-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10325** Tamussino, K., Hanzal, E., Kolle, D., Ralph, G., Riss, P. The Austrian tension-free vaginal tape registry. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S28-9
- 10326** Meschia, M., Pifarotti, P., Bernasconi, F., Guercio, E., Maffioli, M., Magatti, F., Spreafico, L. Tension-Free vaginal tape: analysis of outcomes and complications in 404 stress incontinent women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S24-27
- 10327** Falconer, C., Soderberg, M., Blomgren, B., Ulmsten, U. Influence of different sling materials on connective tissue metabolism in stress urinary incontinent women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S19-23
- 10328** Rezapour, M., Ulmsten, U. Tension-Free vaginal tape (TVT) in women with mixed urinary incontinence--a long-term follow-up. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S15-18
- 10329** Rezapour, M., Falconer, C., Ulmsten, U. Tension-Free vaginal tape (TVT) in stress incontinent women with intrinsic sphincter deficiency (ISD)--a long-term follow-up. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12 Suppl 2: S12-14
- 10330** Clark, A. D., Salloum, M. S. Vaginal retropubic urethropexy with intraoperative cystometry for treating urinary stress incontinence. *BJU Int.* 2001 Jul; 88: 49-52
- 10331** Cornacchia, M., Zenorini, A., Perobelli, S., Zanolla, L., Mastella, G., Braggion, C. Prevalence of urinary incontinence in women with cystic fibrosis. *BJU Int.* 2001 Jul; 88: 44-8
- 10332** Showalter, P. R., Zimmern, P. E., Roehrborn, C. G., Lemack, G. E. Standing cystourethrogram: an outcome measure after anti-incontinence procedures and cystocele repair in women. *Urology.* 2001 Jul; 58: 33-7
- 10333** Lightner, D., Calvosa, C., Andersen, R., Klimberg, I., Brito, C. G., Snyder, J., Gleason, D., Killion, D., Macdonald, J., Khan, A. U., Diokno, A., Sirls, L. T., Saltzstein, D. A new injectable bulking agent for treatment of stress urinary incontinence: results of a multicenter, randomized, controlled, double-blind study of Durasphere. *Urology.* 2001 Jul; 58: 12-5
- 10334** Kuo, H. C. Sonographic evaluation of anatomic results after the pubovaginal sling procedure for stress urinary incontinence. *J Ultrasound Med.* 2001 Jul; 20: 739-47
- 10335** Sievert, K. D., Emre Bakircioglu, M., Tsai, T., Dahms, S. E., Nunes, L., Lue, T. F. The effect of simulated birth trauma and/or ovariectomy on rodent continence mechanism. Part I: functional and structural change. *J Urol.* 2001 Jul; 166: 311-7
- 10336** Kuo, H. C. Anatomical and functional results of pubovaginal sling procedure using polypropylene mesh for the treatment of stress urinary incontinence. *J Urol.* 2001 Jul; 166: 152-7
- 10337** Davila, G. W., Daugherty, C. A., Sanders, S. W. A short-term, multicenter, randomized double-blind dose titration study of the efficacy and anticholinergic side effects of transdermal compared to immediate release oral oxybutynin treatment of patients with urge urinary incontinence. *J Urol.* 2001 Jul; 166: 140-5
- 10338** Liapis, A., Bakas, P., Pafiti, A., Frangos-Plemenos, M., Arnoyannaki, N., Creatsas, G. Changes of collagen type III in female patients with genuine stress incontinence and pelvic floor prolapse. *Eur J Obstet Gynecol Reprod Biol.* 2001 Jul; 97: 76-9
- 10339** Tsai, E., Yang, C., Chen, H., Wu, C., Lee, J. Bladder neck circulation by Doppler ultrasonography in postmenopausal women with urinary stress incontinence. *Obstet Gynecol.* 2001 Jul; 98: 52-6
- 10340** Herschorn, S. Current status of injectable agents for female stress urinary incontinence. *Can J Urol.* 2001 Jun; 8: 1281-9
- 10341** Pages, I. H., Jahr, S., Schaufele, M. K., Conradi, E. Comparative analysis of biofeedback and physical therapy for treatment of urinary stress incontinence in women. *Am J Phys Med Rehabil.* 2001 Jul; 80: 494-502
- 10342** Mostwin, J. L., Genadry, R., Saunders, R., Yang, A. Stress incontinence observed with real time sonography and dynamic fastscan magnetic resonance imaging--insights into pathophysiology. *Scand J Urol Nephrol Suppl.* 2001; : 94-9; discussion 106-25

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10343 Hedlund, H., Bo, K., Lilleas, F., Talseth, T., Tillung, T. The clinical value of dynamic magnetic resonance imaging in normal and incontinent women--a preliminary study on micturition. Scand J Urol Nephrol Suppl. 2001; : 87-91; discussion 106-25
- 10344 Schaer, G. The clinical value of sonographic imaging of the urethrovesical anatomy. Scand J Urol Nephrol Suppl. 2001; : 80-6; discussion 106-25
- 10345 Kulseng-Hanssen, S. The clinical value of ambulatory urethral pressure recording in women. Scand J Urol Nephrol Suppl. 2001; : 67-73; discussion 106-25
- 10346 Dahms, S. E., Lampel, D. S., Kloeppel, S., Hohenfellner, M., Melchior, S. W., Muller, S. C., Thuroff, J. W. Low urethral pressure profile--clinical implications. Scand J Urol Nephrol Suppl. 2001; : 100-5; discussion 106-25
- 10347 Ashton-Miller, J. A., Howard, D., DeLancey, J. O. The functional anatomy of the female pelvic floor and stress continence control system. Scand J Urol Nephrol Suppl. 2001; : 1-7; discussion 106-25
- 10348 Krstic, Z. D., Lukac, M., Lukac, R., Smoljanic, Z., Vukadinovic, V., Varinac, D. Surgical treatment of cloacal anomalies. Pediatr Surg Int. 2001 May; 17: 329-33
- 10349 Van Kessel, K., Reed, S., Newton, K., Meier, A., Lentz, G. The second stage of labor and stress urinary incontinence. Am J Obstet Gynecol. 2001 Jun; 184: 1571-5
- 10350 Luber, K. M., Boero, S., Choe, J. Y. The demographics of pelvic floor disorders: current observations and future projections. Am J Obstet Gynecol. 2001 Jun; 184: 1496-501; discussion 1501-3
- 10351 Demirci, F., Yucel, O., Eren, S., Alkan, A., Demirci, E., Yildirim, U. Long-term results of Burch colposuspension. Gynecol Obstet Invest. 2001; 51: 243-7
- 10352 Austin, P. F., Westney, O. L., Leng, W. W., McGuire, E. J., Ritchey, M. L. Advantages of rectus fascial slings for urinary incontinence in children with neuropathic bladders. J Urol. 2001 Jun; 165: 2369-71; discussion 2371-2
- 10353 Manning, J., Eysers, A. A., Korda, A., Benness, C., Solomon, M. J. Is there an association between fecal incontinence and lower urinary dysfunction?. Dis Colon Rectum. 2001 Jun; 44: 790-8
- 10354 Persson, J., Bergqvist, C. E., Wolner-Hanssen, P. An ultra-short perineal pad-test for evaluation of female stress urinary incontinence treatment. Neurourol Urodyn. 2001; 20: 277-85
- 10355 Romanzi, L. J., Groutz, A., Heritz, D. M., Blaivas, J. G. Involuntary detrusor contractions: correlation of urodynamic data to clinical categories. Neurourol Urodyn. 2001; 20: 249-57
- 10356 Arya, L. A., Myers, D. L., Jackson, N. D. Office screening test for intrinsic urethral sphincter deficiency: pediatric Foley catheter test. Obstet Gynecol. 2001 Jun; 97: 885-9
- 10357 Rackley, R. R., Abdelmalak, J. B., Tchetgen, M. B., Madjar, S., Jones, S., Noble, M. Tension-free vaginal tape and percutaneous vaginal tape sling procedures. Tech Urol. 2001 Jun; 7: 90-100
- 10358 Rodriguez, L. V., Berman, J., Raz, S. Polypropylene sling for treatment of stress urinary incontinence: an alternative to tension-free vaginal tape. Tech Urol. 2001 Jun; 7: 87-9
- 10359 Cespedes, R. D. Treatment options for outlet obstruction following anti-incontinence surgery in females. Tech Urol. 2001 Jun; 7: 118-25
- 10360 Dmochowski, R. R., Appell, R. A. Delivery of injectable agents for treatment of stress urinary incontinence in women: evolving techniques. Tech Urol. 2001 Jun; 7: 110-7
- 10361 Leissner, J., Allhoff, E. P., Naumann, G., Pretzsch, G., Hockel, M., Black, P., Hohenfellner, R. Inguinovaginal sling procedure for female stress incontinence: introduction of a minimally invasive technique. Tech Urol. 2001 Jun; 7: 105-9
- 10362 Goldman, H. B. In situ anterior vaginal wall sling. Tech Urol. 2001 Jun; 7: 101-4
- 10363 Mallipeddi, P. K., Steele, A. C., Kohli, N., Karram, M. M. Anatomic and functional outcome of vaginal paravaginal repair in the correction of anterior vaginal wall prolapse. Int Urogynecol J Pelvic Floor Dysfunct. 2001; 12: 83-8
- 10364 Jozwik, M., Jozwik, M. Partial denervation of the pelvic floor during term vaginal delivery. Int Urogynecol J Pelvic Floor Dysfunct. 2001; 12: 81-2



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10365** Zilbert, A. W., Farrell, S. A. External iliac artery laceration during tension-free vaginal tape procedure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 141-3
- 10366** Vierhout, M. E. Severe hemorrhage complicating tension-free vaginal tape (TVT): a case report. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 139-40
- 10367** Alnaif, B., Drutz, H. P. The prevalence of urinary and fecal incontinence in Canadian secondary school teenage girls: questionnaire study and review of the literature. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 134-137; discussion 138
- 10368** Demirci, F., Ozden, S., Alpay, Z., Demirci, E. T., Ayas, S. The effects of vaginal delivery and cesarean section on bladder neck mobility and stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 129-33
- 10369** Choe, J. M. Preventing urethral obstruction using the 6-point fixation and weight- adjusted spacing nomogram during sling surgery. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 122-8
- 10370** Maher, C., Carey, M., Dwyer, P., Moran, P. Pubovaginal or vicryl mesh rectus fascia sling in intrinsic sphincter deficiency. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 111-6
- 10371** Frankel, G. Re: Protracted urinary retention necessitating urethrolisis following tension-free vaginal tape surgery. *J Urol.* 2001 Jun; 165: 2007-8
- 10372** Petrou, S. P., Frank, I. Complications and initial continence rates after a repeat pubovaginal sling procedure for recurrent stress urinary incontinence. *J Urol.* 2001 Jun; 165: 1979-81
- 10373** Haab, F., Traxer, O., Ciofu, C. Tension-free vaginal tape: why an unusual concept is so successful. *Curr Opin Urol.* 2001 May; 11: 293-7
- 10374** Fitzpatrick, M., O'Herlihy, C. The effects of labour and delivery on the pelvic floor. *Best Pract Res Clin Obstet Gynaecol.* 2001 Feb; 15: 63-79
- 10375** Ng, C. S., Rackley, R. R., Appell, R. A. Incidence of concomitant procedures for pelvic organ prolapse and reconstruction in women who undergo surgery for stress urinary incontinence. *Urology.* 2001 May; 57: 911-3
- 10376** Ganio, E., Luc, A. R., Clerico, G., Trompetto, M. Sacral nerve stimulation for treatment of fecal incontinence: a novel approach for intractable fecal incontinence. *Dis Colon Rectum.* 2001 May; 44: 619-29; discussion 629-31
- 10377** Brenner, B. Comparing the laparoscopic Burch colposuspension and the suburethral sling. *N Z Med J.* 2001 Mar 23; 114: 146
- 10378** Podesta, M. L., Jordan, G. H. Pelvic fracture urethral injuries in girls. *J Urol.* 2001 May; 165: 1660-5
- 10379** Erickson, D. R. Female stress incontinence. *J Urol.* 2001 May; 165: 1612-3
- 10380** Carbone, J. M., Kavalier, E., Hu, J. C., Raz, S. Pubovaginal sling using cadaveric fascia and bone anchors: disappointing early results. *J Urol.* 2001 May; 165: 1605-11
- 10381** Brady, C. M., Ahmed, I., Drumm, J., Flood, H. D. A prospective evaluation of the efficiency of early postoperative bladder emptying after the Stamey procedure or pubovaginal sling for stress urinary incontinence. *J Urol.* 2001 May; 165: 1601-4
- 10382** Groutz, A., Blaivas, J. G., Hyman, M. J., Chaikin, D. C. Pubovaginal sling surgery for simple stress urinary incontinence: analysis by an outcome score. *J Urol.* 2001 May; 165: 1597-600
- 10383** Meyer, S., Hohlfeld, P., Ahtari, C., De Grandi, P. Pelvic floor education after vaginal delivery. *Obstet Gynecol.* 2001 May; 97: 673-7
- 10384** Johnson, V. Y. How the principles of exercise physiology influence pelvic floor muscle training. *J Wound Ostomy Continence Nurs.* 2001 May; 28: 150-5
- 10385** Laurikkala, J., Juhola, M., Lammi, S., Penttinen, J., Aukee, P. Analysis of the imputed female urinary incontinence data for the evaluation of expert system parameters. *Comput Biol Med.* 2001 Jul; 31: 239-57
- 10386** Lin, H. H., Yu, H. J., Sheu, B. C., Huang, S. C. Importance of urodynamic study before radical hysterectomy for cervical cancer. *Gynecol Oncol.* 2001 May; 81: 270-2



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10387** Glazener, C. M., Cooper, K. Anterior vaginal repair for urinary incontinence in women. *Cochrane Database Syst Rev.* 2001; : CD001755
- 10388** Hay-Smith, E. J., Bo Berghmans, L. C., Hendriks, H. J., de Bie, R. A., van Waalwijk van Doorn, E. S. Pelvic floor muscle training for urinary incontinence in women. *Cochrane Database Syst Rev.* 2001; : CD001407
- 10389** Mouritsen, L. Effect of vaginal devices on bladder neck mobility in stress incontinent women. *Acta Obstet Gynecol Scand.* 2001 May; 80: 428-31
- 10390** Yalcin, O. T., Yildirim, A., Hassa, H. The effects of severe cystocele on urogynecologic symptoms and findings. *Acta Obstet Gynecol Scand.* 2001 May; 80: 423-7
- 10391** Appell, R. A., Sand, P., Dmochowski, R., Anderson, R., Zinner, N., Lama, D., Roach, M., Miklos, J., Saltzstein, D., Boone, T., Staskin, D. R., Albrecht, D. Prospective randomized controlled trial of extended-release oxybutynin chloride and tolterodine tartrate in the treatment of overactive bladder: results of the OBJECT Study. *Mayo Clin Proc.* 2001 Apr; 76: 358-63
- 10392** Elliott, D. S., Lightner, D. J., Blute, M. L. Medical management of overactive bladder. *Mayo Clin Proc.* 2001 Apr; 76: 353-5
- 10393** Naik, R., Nwabinelli, J., Mayne, C., Nordin, A., de Barros Lopes, A., Monaghan, J. M., Hilton, P. Prevalence and management of (non-fistulous) urinary incontinence in women following radical hysterectomy for early stage cervical cancer. *Eur J Gynaecol Oncol.* 2001; 22: 26-30
- 10394** Kim, K., Jurnalov, C. D., Ham, S., Webb, M. J., An, K. Mechanisms of female urinary continence under stress: frequency spectrum analysis. *J Biomech.* 2001 May; 34: 687-91
- 10395** Bakas, P., Liapis, A., Karandreas, A., Creatsas, G. Pudendal nerve terminal motor latency in women with genuine stress incontinence and prolapse. *Gynecol Obstet Invest.* 2001; 51: 187-90
- 10396** Jomaa, M. Combined tension-free vaginal tape and prolapse repair under local anaesthesia in patients with symptoms of both urinary incontinence and prolapse. *Gynecol Obstet Invest.* 2001; 51: 184-6
- 10397** Radley, S. C., Chapple, C. R., Mitsogiannis, I. C., Glass, K. S. Transurethral implantation of macroplastique for the treatment of female stress urinary incontinence secondary to urethral sphincter deficiency. *Eur Urol.* 2001 Apr; 39: 383-9
- 10398** Hutchings, A., Black, N. A. Surgery for stress incontinence: a non-randomised trial of colposuspension, needle suspension and anterior colporrhaphy. *Eur Urol.* 2001 Apr; 39: 375-82
- 10399** Giberti, C. Transvaginal sacrospinous colpopexy by palpation-a new minimally invasive procedure using an anchoring system. *Urology.* 2001 Apr; 57: 666-8; discussion 668-9
- 10400** Nilsson, C. G., Kuuva, N. The tension-free vaginal tape procedure is successful in the majority of women with indications for surgical treatment of urinary stress incontinence. *BJOG.* 2001 Apr; 108: 414-9
- 10401** Bidmead, J., Cardozo, L., McLellan, A., Khullar, V., Kelleher, C. A comparison of the objective and subjective outcomes of colposuspension for stress incontinence in women. *BJOG.* 2001 Apr; 108: 408-13
- 10402** Ishiko, O., Hirai, K., Sumi, T., Tatsuta, I., Ogita, S. Hormone replacement therapy plus pelvic floor muscle exercise for postmenopausal stress incontinence. A randomized, controlled trial. *J Reprod Med.* 2001 Mar; 46: 213-20
- 10403** Gray, M., McClain, R., Peruggia, M., Patrie, J., Steers, W. D. A model for predicting motor urge urinary incontinence. *Nurs Res.* 2001 Mar-Apr; 50: 116-22
- 10404** Whitman, G. T. Patients with urinary incontinence and falls. *J Am Geriatr Soc.* 2001 Mar; 49: 336-7
- 10405** Junemann, K. P. The management of female urinary stress incontinence: II. The use of devices. *BJU Int.* 2001 Mar; 87: 449-55
- 10406** Hsieh, G. C., Klutke, J. J., Kobak, W. H. Low valsalva leak-point pressure and success of retropubic urethropexy. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 46-50
- 10407** Heit, M., Pasic, R., Levine, R. L. The clinical utility of a vaginal template designed to standardize suture placement during retropubic colposuspensions. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 42-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10408** Dietz, H. P., Clarke, B. The urethral pressure profile and ultrasound imaging of the lower urinary tract. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 38-41
- 10409** Meltomaa, S. S., Haarala, M. A., Taalikka, M. O., Kiilholma, P. J., Alanen, A., Makinen, J. I. Outcome of Burch retropubic urethropexy and the effect of concomitant abdominal hysterectomy: a prospective long-term follow-up study. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 3-8
- 10410** Nel, J. T., Diedericks, A., Joubert, G., Arndt, K. A prospective clinical and urodynamic study of bladder function during and after pregnancy. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 21-6
- 10411** Indrekvam, S., Fosse, O. A., Hunskaar, S. A Norwegian national cohort of 3198 women treated with home-managed electrical stimulation for urinary incontinence--demography and medical history. *Scand J Urol Nephrol.* 2001 Feb; 35: 26-31
- 10412** Nguyen, J. K. Current concepts in the diagnosis and surgical repair of anterior vaginal prolapse due to paravaginal defects. *Obstet Gynecol Surv.* 2001 Apr; 56: 239-46
- 10413** Peschers, U. M., Fanger, G., Schaer, G. N., Vodusek, D. B., DeLancey, J. O., Schuessler, B. Bladder neck mobility in continent nulliparous women. *BJOG.* 2001 Mar; 108: 320-4
- 10414** Wattiez, A., Canis, M., Mage, G., Pouly, J. L., Bruhat, M. A. Promontofixation for the treatment of prolapse. *Urol Clin North Am.* 2001 Feb; 28: 151-7
- 10415** McDougall, E. M. Laparoscopic management of female urinary incontinence. *Urol Clin North Am.* 2001 Feb; 28: 145-9, x
- 10416** Neal, D. E., Jr, Foster, L. Southern Illinois University (SIU) sling-bone anchored semitendinosus. *Tech Urol.* 2001 Mar; 7: 62-3
- 10417** Cosson, M., Collinet, P., Occelli, B., Narducci, F., Crepin, G. The vaginal patch plastron for vaginal cure of cystocele. Preliminary results for 47 patients. *Eur J Obstet Gynecol Reprod Biol.* 2001 Mar; 95: 73-80
- 10418** Unterweger, M., Marincek, B., Gottstein-Aalame, N., Debatin, J. F., Seifert, B., Ochsenbein-Imhof, N., Perucchini, D., Kubik-Huch, R. A. Ultrafast MR imaging of the pelvic floor. *AJR Am J Roentgenol.* 2001 Apr; 176: 959-63
- 10419** Wang, A. C., Chen, M. C. Randomized comparison of local versus epidural anesthesia for tension- free vaginal tape operation. *J Urol.* 2001 Apr; 165: 1177-80
- 10420** Costa, P., Mottet, N., Rabut, B., Thuret, R., Ben Naoum, K., Wagner, L. The use of an artificial urinary sphincter in women with type III incontinence and a negative Marshall test. *J Urol.* 2001 Apr; 165: 1172-6
- 10421** Phelan, M. W., Franks, M., Somogyi, G. T., Yokoyama, T., Fraser, M. O., Lavelle, J. P., Yoshimura, N., Chancellor, M. B. Botulinum toxin urethral sphincter injection to restore bladder emptying in men and women with voiding dysfunction. *J Urol.* 2001 Apr; 165: 1107-10
- 10422** Kim, J. I. Continence efficacy intervention program for community residing women with stress urinary incontinence in Japan. *Public Health Nurs.* 2001 Jan-Feb; 18: 64-72
- 10423** Lalos, O., Berglund, A. L., Lalos, A. Impact of urinary and climacteric symptoms on social and sexual life after surgical treatment of stress urinary incontinence in women: a long-term outcome. *J Adv Nurs.* 2001 Feb; 33: 316-27
- 10424** Martan, A., Masata, J., Halaska, M., Voigt, R. Ultrasound imaging of the lower urinary system in women after Burch colposuspension. *Ultrasound Obstet Gynecol.* 2001 Jan; 17: 58-64
- 10425** Georgiou, M., Shehata, H. A., Chaliha, C., Byrne, P. D., McWhinney, N. A., Gough, P. M. Fasciitis: a rare complication of Burch colposuspension. *BJOG.* 2001 Feb; 108: 227-9
- 10426** Slors, F. J., van Zuijlen, P. P., van Dijk, G. J. Sexual and bladder dysfunction after total mesorectal excision for benign diseases. *Scand J Gastroenterol Suppl.* 2000; : 48-51
- 10427** Metin, A., Kayigil, Ahmed, S. I. The rate of urgency symptoms in women with stress urinary incontinence and nomogram based bladder outlet obstruction. *Int Urol Nephrol.* 2000; 32: 251-3

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10428 Nakamura, T., Ishiko, O., Hirai, K., Sumi, T., Nakagawa, E., Nakai, Y., Tomoda, S., Ogita, S. Clinical evaluation of the Q-tip test in normal pregnant women. *Gynecol Obstet Invest.* 2001; 51: 92-5
- 10429 Canepa, G., Ricciotti, G., Intorini, C., Vigliercio, G., Puppo, P. Horseshoe-shaped marlex mesh for the treatment of pelvic floor prolapse. *Eur Urol.* 2001 Jan; 39 Suppl 2: 23-6; discussion 27
- 10430 Duckett, J., Connell, R. Guidelines in gynaecology: in menorrhagia and in urinary incontinence. *BJOG.* 2001 Jan; 108: 129-30
- 10431 Bidmead, J., Tooze-Hobson, P., Cardozo, L., Robinson, D., Bailey, J. Randomised comparison of Burch colposuspension versus anterior colporrhaphy for patients with stress urinary incontinence. *BJOG.* 2001 Jan; 108: 128-9
- 10432 Groutz, A., Gordon, D., Wolman, I., Jaffa, A., Kupferminc, M. J., Lessing, J. B. Persistent postpartum urinary retention in contemporary obstetric practice. Definition, prevalence and clinical implications. *J Reprod Med.* 2001 Jan; 46: 44-8
- 10433 Barker, G. K. It is possible to perform a sacrospinous colpopexy via the incision of an anterior vaginal repair alone if a posterior repair is not required. *Aust N Z J Obstet Gynaecol.* 2000 Nov; 40: 477
- 10434 Locher, J. L., Goode, P. S., Roth, D. L., Worrell, R. L., Burgio, K. L. Reliability assessment of the bladder diary for urinary incontinence in older women. *J Gerontol A Biol Sci Med Sci.* 2001 Jan; 56: M32-5
- 10435 Gauruder-Burmester, A., Tunn, R. Pregnancy and labor after TVT-plasty. *Acta Obstet Gynecol Scand.* 2001 Mar; 80: 283-4
- 10436 Mason, L., Glenn, S., Walton, I., Hughes, C. The instruction in pelvic floor exercises provided to women during pregnancy or following delivery. *Midwifery.* 2001 Mar; 17: 55-64
- 10437 Hollabaugh, R. S., Steiner, M. S., Dmochowski, R. R. Neuroanatomy of the female continence complex: clinical implications. *Urology.* 2001 Feb; 57: 382-8
- 10438 Kusuda, L. Simple release of pubovaginal sling. *Urology.* 2001 Feb; 57: 358-9
- 10439 Kubricht, W. S., 3rd, Williams, B. J., Eastham, J. A., Venable, D. D. Tensile strength of cadaveric fascia lata compared to small intestinal submucosa using suture pull through analysis. *J Urol.* 2001 Feb; 165: 486-90
- 10440 Maral, I., Ozkardes, H., Peskircioglu, L., Bumin, M. A. Prevalence of stress urinary incontinence in both sexes at or after age 15 years: a cross-sectional study. *J Urol.* 2001 Feb; 165: 408-12
- 10441 Domany, B., Bodis, J. Recent results of operations performed on patients with stress urinary incontinence in our department. *Am J Obstet Gynecol.* 2001 Jan; 184: 245
- 10442 Weidner, A. C., Myers, E. R., Visco, A. G., Cundiff, G. W., Bump, R. C. Which women with stress incontinence require urodynamic evaluation?. *Am J Obstet Gynecol.* 2001 Jan; 184: 20-7
- 10443 Richter, H. E., Varner, R. E., Sanders, E., Holley, R. L., Northen, A., Cliver, S. P. Effects of pubovaginal sling procedure on patients with urethral hypermobility and intrinsic sphincteric deficiency: would they do it again?. *Am J Obstet Gynecol.* 2001 Jan; 184: 14-9
- 10444 Fatthy, H., El Hao, M., Samaha, I., Abdallah, K. Modified Burch colposuspension: laparoscopy versus laparotomy. *J Am Assoc Gynecol Laparosc.* 2001 Feb; 8: 99-106
- 10445 Bent, A. E., Tutrone, R. T., McLennan, M. T., Lloyd, L. K., Kennelly, M. J., Badlani, G. Treatment of intrinsic sphincter deficiency using autologous ear chondrocytes as a bulking agent. *Neurourol Urodyn.* 2001; 20: 157-65
- 10446 Janssen, C. C., Lagro-Janssen, A. L., Felling, A. J. The effects of physiotherapy for female urinary incontinence: individual compared with group treatment. *BJU Int.* 2001 Feb; 87: 201-6
- 10447 Lo, T. S., Wang, A. C., Horng, S. G., Liang, C. C., Soong, Y. K. Ultrasonographic and urodynamic evaluation after tension free vagina tape procedure (TVT). *Acta Obstet Gynecol Scand.* 2001 Jan; 80: 65-70
- 10448 Petros, P. P., Skilling, P. M. Pelvic floor rehabilitation in the female according to the integral theory of female urinary incontinence. First report. *Eur J Obstet Gynecol Reprod Biol.* 2001 Feb; 94: 264-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10449 Cosson, M., Rajabally, R., Querleu, D., Crepin, G. Long term complications of vaginal hysterectomy: a case control study. *Eur J Obstet Gynecol Reprod Biol.* 2001 Feb; 94: 239-44
- 10450 Miller, J. M., Perucchini, D., Carchidi, L. T., DeLancey, J. O., Ashton-Miller, J. Pelvic floor muscle contraction during a cough and decreased vesical neck mobility. *Obstet Gynecol.* 2001 Feb; 97: 255-60
- 10451 Golomb, J., Groutz, A., Mor, Y., Leibovitch, I., Ramon, J. Management of urethral erosion caused by a pubovaginal fascial sling. *Urology.* 2001 Jan; 57: 159-60
- 10452 Sousa-Escandon, A. 'Sandwich technique' for suburethral placement of Mersilene mesh sling during pubovaginal suspension surgery: preliminary results. *Urology.* 2001 Jan; 57: 49-54
- 10453 Kim, H. L., Gerber, G. S., Patel, R. V., Hollowell, C. M., Bales, G. T. Practice patterns in the treatment of female urinary incontinence: a postal and internet survey. *Urology.* 2001 Jan; 57: 45-8
- 10454 Gallentine, M. L., Cespedes, R. D. Occult stress urinary incontinence and the effect of vaginal vault prolapse on abdominal leak point pressures. *Urology.* 2001 Jan; 57: 40-4
- 10455 Demirci, F., Ozden, S., Alpay, Z., Demirci, E. T. The effects of abdominal hysterectomy on bladder neck and urinary incontinence. *Aust N Z J Obstet Gynaecol.* 1999 May; 39: 239-42
- 10456 Kayigil, O. Our changing strategies on bladder neck suspension operations. *Int Urol Nephrol.* 1999; 31: 647-54
- 10457 Handa, V. L., Stone, A. Erosion of a fascial sling into the urethra. *Urology.* 1999 Nov; 54: 923
- 10458 Hahnfeld, L. E., Nakada, S. Y., Moon, T. D. Identification of microtacks in the bladder after laparoscopic pelvic surgery. *Urology.* 1999 Jul; 54: 162
- 10459 Tebyani, N., Patel, H., Yamaguchi, R., Abouseif, S. R. Percutaneous needle bladder neck suspension for the treatment of stress urinary incontinence in women: long-term results. *J Urol.* 2000 May; 163: 1510-2
- 10460 Fujisawa, M., Gotoh, A., Miyazaki, S., Nakamura, I., Hara, I., Okada, H., Arakawa, S., Kamidono, S. Sigmoid neobladder in women after radical cystectomy. *J Urol.* 2000 May; 163: 1505-9
- 10461 Grady, D., Brown, J. S., Vittinghoff, E., Applegate, W., Varner, E., Snyder, T. Postmenopausal hormones and incontinence: the Heart and Estrogen/Progestin Replacement Study. *Obstet Gynecol.* 2001 Jan; 97: 116-20
- 10462 Kuo, H. C. Long-term results of surgical treatment for female stress urinary incontinence. *Urol Int.* 2001; 66: 13-7
- 10463 Kovac, S. R. Laparoscopic surgery for genuine stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Dec; 11: 395
- 10464 Lazarevski, M. B. Biomechanics of urinary stress incontinence surgery--theory of the non- permanently acting suburethral supportive structure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Dec; 11: 377-85
- 10465 Dietz, H. P., Wilson, P. D. Colposuspension success and failure: a long-term objective follow-up study. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Dec; 11: 346-51
- 10466 Viktrup, L., Lose, G. Lower urinary tract symptoms 5 years after the first delivery. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Dec; 11: 336-40
- 10467 Vodusek, D. B. Clinical neurophysiological tests in urogynecology. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Dec; 11: 333-5
- 10468 Simons, A. M., Dowell, C. J., Bryant, C. M., Prashar, S., Moore, K. H. Use of the Dowell Bryant Incontinence Cost Index as a post-treatment outcome measure after non-surgical therapy. *Neurourol Urodyn.* 2001; 20: 85-93
- 10469 Radley, S. C., Chapple, C. R., Bryan, N. P., Clarke, D. E., Craig, D. A. Effect of methoxamine on maximum urethral pressure in women with genuine stress incontinence: a placebo-controlled, double-blind crossover study. *Neurourol Urodyn.* 2001; 20: 43-52
- 10470 Sapsford, R. R., Hodges, P. W., Richardson, C. A., Cooper, D. H., Markwell, S. J., Jull, G. A. Co-activation of the abdominal and pelvic floor muscles during voluntary exercises. *Neurourol Urodyn.* 2001; 20: 31-42
- 10471 FitzGerald, M. P., Brubaker, L. The etiology of urinary retention after surgery for genuine stress incontinence. *Neurourol Urodyn.* 2001; 20: 13-21

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10472 Culligan, P. J., Heit, M. Urinary incontinence in women: evaluation and management. *Am Fam Physician*. 2000 Dec 1; 62: 2433-44, 2447, 2452
- 10473 Nilsson, C. G. Effectiveness of the conven continence guard (a disposable vaginal device) in the treatment of complicated female stress incontinence. *Acta Obstet Gynecol Scand*. 2000 Dec; 79: 1052-5
- 10474 Mouritsen, L., Schiotz, H. A. Pro et contra pelvic floor exercises for female stress urinary incontinence. *Acta Obstet Gynecol Scand*. 2000 Dec; 79: 1043-5
- 10475 Jeyaseelan, S. M., Haslam, E. J., Winstanley, J., Roe, B. H., Oldham, J. A. An evaluation of a new pattern of electrical stimulation as a treatment for urinary stress incontinence: a randomized, double-blind, controlled trial. *Clin Rehabil*. 2000 Dec; 14: 631-40
- 10476 Liapis, A., Bakas, P., Pafiti, A., Hassiakos, D., Frangos-Plemenos, M., Creatsas, G. Changes in the quantity of collagen type I in women with genuine stress incontinence. *Urol Res*. 2000 Oct; 28: 323-6
- 10477 Sharp, H. T., Doucette, R. C., Norton, P. A. Dyspareunia and recurrent stress urinary incontinence after laparoscopic colposuspension with mesh and staples. A case report. *J Reprod Med*. 2000 Nov; 45: 947-9
- 10478 Myers, D. L., Peipert, J. F., Rosenblatt, P. L., Ferland, R. J., Jackson, N. D. Patient satisfaction with laparoscopic Burch retropubic urethropexy. *J Reprod Med*. 2000 Nov; 45: 939-43
- 10479 Wang, A. C. Bladder-sphincter biofeedback as treatment of detrusor instability in women who failed to respond to oxybutynin. *Changgeng Yi Xue Za Zhi*. 2000 Oct; 23: 590-9
- 10480 Yokoyama, T., Yoshimura, N., Dhir, R., Qu, Z., Fraser, M. O., Kumon, H., de Groat, W. C., Huard, J., Chancellor, M. B. Persistence and survival of autologous muscle derived cells versus bovine collagen as potential treatment of stress urinary incontinence. *J Urol*. 2001 Jan; 165: 271-6
- 10481 Kuo, H. C. Comparison of video urodynamic results after the pubovaginal sling procedure using rectus fascia and polypropylene mesh for stress urinary incontinence. *J Urol*. 2001 Jan; 165: 163-8
- 10482 Haab, F., Sananes, S., Amarenco, G., Ciofu, C., Uzan, S., Gattegno, B., Thibault, P. Results of the tension-free vaginal tape procedure for the treatment of type II stress urinary incontinence at a minimum followup of 1 year. *J Urol*. 2001 Jan; 165: 159-62
- 10483 Lee, P. E., Kung, R. C., Drutz, H. P. Periurethral autologous fat injection as treatment for female stress urinary incontinence: a randomized double-blind controlled trial. *J Urol*. 2001 Jan; 165: 153-8
- 10484 Kondo, Y., Homma, Y., Takahashi, S., Kitamura, T., Kawabe, K. Transvaginal ultrasound of urethral sphincter at the mid urethra in continent and incontinent women. *J Urol*. 2001 Jan; 165: 149-52
- 10485 Carlson, K. V., Rome, S., Nitti, V. W. Dysfunctional voiding in women. *J Urol*. 2001 Jan; 165: 143-7; discussion 147-8
- 10486 Campbell, D. J., Tennis, N., Rosamilia, A., Clements, J. A., Dwyer, P. L. Urinary levels of substance P and its metabolites are not increased in interstitial cystitis. *BJU Int*. 2001 Jan; 87: 35-8
- 10487 Weidner, A. C., Barber, M. D., Visco, A. G., Bump, R. C., Sanders, D. B. Pelvic muscle electromyography of levator ani and external anal sphincter in nulliparous women and women with pelvic floor dysfunction. *Am J Obstet Gynecol*. 2000 Dec; 183: 1390-9; discussion 1399-401
- 10488 Weber, A. M., Walters, M. D. Cost-effectiveness of urodynamic testing before surgery for women with pelvic organ prolapse and stress urinary incontinence. *Am J Obstet Gynecol*. 2000 Dec; 183: 1338-46; discussion 1346-7
- 10489 Valiquette, L., Duclos, A. J., Lapointe, S. P. FPSUND: a new clinical classification of urinary incontinence. *Can J Urol*. 2000 Jun; 7: 1038-42
- 10490 Atherton, M. J., Stanton, S. L. A comparison of bladder neck movement and elevation after tension-free vaginal tape and colposuspension. *BJOG*. 2000 Nov; 107: 1366-70
- 10491 Meyer, S., Hohlfeld, P., Ahtari, C., Russolo, A., De Grandi, P. Birth trauma: short and long term effects of forceps delivery compared with spontaneous delivery on various pelvic floor parameters. *BJOG*. 2000 Nov; 107: 1360-5



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10492 Chaliha, C., Bland, J. M., Monga, A., Stanton, S. L., Sultan, A. H. Pregnancy and delivery: a urodynamic viewpoint. BJOG. 2000 Nov; 107: 1354-9
- 10493 Grossklauss, D. J., Franke, J. J. Treatment of elderly women with urge incontinence in middle tennessee: a single institution practice-based study. Tenn Med. 2000 Dec; 93: 457-60
- 10494 Rizeq, M. A., Casey, M. Recent advances in care for the elderly. Practitioner. 2000 Nov; 244: 931-6
- 10495 Kaplan, H. J., Mamo, G. J. Pubovaginal sling technique utilizing a unique bone anchor instrumentation system. Can J Urol. 2000 Oct; 7: 1116-21
- 10496 Galloway, N. T., El-Galley, R. E., Sand, P. K., Appell, R. A., Russell, H. W., Carlin, S. J. Update on extracorporeal magnetic innervation (EXMI) therapy for stress urinary incontinence. Urology. 2000 Dec 4; 56: 82-6
- 10497 Cespedes, R. D. Anterior approach bilateral sacrospinous ligament fixation for vaginal vault prolapse. Urology. 2000 Dec 4; 56: 70-5
- 10498 Miklos, J. R., Kohli, N. Laparoscopic paravaginal repair plus burch colposuspension: review and descriptive technique. Urology. 2000 Dec 4; 56: 64-9
- 10499 Winters, J. C., Cespedes, R. D., Vanlangendonck, R. Abdominal sacral colpopexy and abdominal enterocele repair in the management of vaginal vault prolapse. Urology. 2000 Dec 4; 56: 55-63
- 10500 Dmochowski, R. R., Appell, R. A. Injectable agents in the treatment of stress urinary incontinence in women: where are we now?. Urology. 2000 Dec 4; 56: 32-40
- 10501 Carlin, B. I., Klutke, J. J., Klutke, C. G. The tension-free vaginal tape procedure for the treatment of stress incontinence in the female patient. Urology. 2000 Dec 4; 56: 28-31
- 10502 Koduri, S., Goldberg, R. P., Sand, P. K. Transvaginal therapy of genuine stress incontinence. Urology. 2000 Dec 4; 56: 23-7
- 10503 Winters, J. C., Scarpero, H. M., Appell, R. A. Use of bone anchors in female urology. Urology. 2000 Dec 4; 56: 15-22
- 10504 Kobashi, K. C., Mee, S. L., Leach, G. E. A new technique for cystocele repair and transvaginal sling: the cadaveric prolapse repair and sling (CAPS). Urology. 2000 Dec 4; 56: 9-14
- 10505 Amundsen, C. L., Visco, A. G., Ruiz, H., Webster, G. D. Outcome in 104 pubovaginal slings using freeze-dried allograft fascia lata from a single tissue bank. Urology. 2000 Dec 4; 56: 2-8
- 10506 Sureshkumar, P., Craig, J. C., Roy, L. P., Knight, J. F. Daytime urinary incontinence in primary school children: a population- based survey. J Pediatr. 2000 Dec; 137: 814-8
- 10507 Bidmead, J., Cardozo, L. Genuine stress incontinence: colpocystourethropexy versus sling procedures. Curr Opin Obstet Gynecol. 2000 Oct; 12: 421-6
- 10508 Klutke, J. J. Current status of urethral occlusive devices in management of urinary incontinence. Curr Opin Obstet Gynecol. 2000 Oct; 12: 415-9
- 10509 Bhatia, N. N. Dynamics of voiding in women. Curr Opin Obstet Gynecol. 2000 Oct; 12: 383-6
- 10510 Jarolim, L., Babjuk, M., Pecher, S. M., Grim, M., Nanka, O., Tichy, M., Hanus, T., Jansky, M. Causes and treatment of residual urine volume after orthotopic bladder replacement in women. Eur Urol. 2000 Dec; 38: 748-52
- 10511 Nigam, A. K., Otite, U., Badenoch, D. F. Endoscopic bladder neck suspension revisited: long-term results of Stamey and Gittes procedures. Eur Urol. 2000 Dec; 38: 677-80
- 10512 Hannestad, Y. S., Rortveit, G., Sandvik, H., Hunskaar, S. A community-based epidemiological survey of female urinary incontinence: the Norwegian EPINCONT study. Epidemiology of Incontinence in the County of Nord-Trondelag. J Clin Epidemiol. 2000 Nov; 53: 1150-7
- 10513 Addison, R. Assessment of stress incontinence--2. Nurs Times. 1999 Nov 17-23; 95: suppl 1-2



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10514 Newcomer, J. Vaginal pain caused by laparoscopic colposuspension with tacks. *Obstet Gynecol.* 2000 Nov; 96: 823-4
- 10515 Weber, A. M., Walters, M. D. Burch procedure compared with sling for stress urinary incontinence: a decision analysis. *Obstet Gynecol.* 2000 Dec; 96: 867-73
- 10516 Peschers, U. M., Jundt, K., Dimpfl, T. Differences between cough and Valsalva leak-point pressure in stress incontinent women. *Neurourol Urodyn.* 2000; 19: 677-81
- 10517 Groutz, A., Gordon, D., Wolman, I., Jaffa, A. J., Kupfermanc, M. J., David, M. P., Lessing, J. B. The use of prophylactic Stamey bladder neck suspension to prevent post- operative stress urinary incontinence in clinically continent women undergoing genitourinary prolapse repair. *Neurourol Urodyn.* 2000; 19: 671-6
- 10518 Elliott, D. S., Boone, T. B. Is fascia lata allograft material trustworthy for pubovaginal sling repair?. *Urology.* 2000 Nov 1; 56: 772-6
- 10519 Romanzi, L. J., Blaivas, J. G. Protracted urinary retention necessitating urethrolisis following tension-free vaginal tape surgery. *J Urol.* 2000 Dec; 164: 2022-3
- 10520 Groutz, A., Blaivas, J. G., Kesler, S. S., Weiss, J. P., Chaikin, D. C. Outcome results of transurethral collagen injection for female stress incontinence: assessment by urinary incontinence score. *J Urol.* 2000 Dec; 164: 2006-9
- 10521 Tseng, I. J., Chen, Y. T., Chen, M. T., Kou, H. Y., Tseng, S. F. Prevalence of urinary incontinence and intention to seek treatment in the elderly. *J Formos Med Assoc.* 2000 Oct; 99: 753-8
- 10522 Batislam, E., Germiyanoglu, C., Erol, D. Simplification of laparoscopic extraperitoneal colposuspension: results of two-port technique. *Int Urol Nephrol.* 2000; 32: 47-51
- 10523 Nguyen, J. K., Hall, C. D., Bhatia, N. N. Transvaginal bladder neck suspension to Cooper's ligament: a review of the literature. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 320-4
- 10524 Thompson, P. K., Duff, D. S., Thayer, P. S. Stress incontinence in women under 50: does urodynamics improve surgical outcome?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 285-9
- 10525 Wang, A. C. An assessment of the early surgical outcome and urodynamic effects of the tension-free vaginal tape (TVT). *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 282-4
- 10526 Luna, M. T., Hirakawa, T., Nakano, H. Urinary incontinence in women seen in the obstetrics and gynecology clinic. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 277-81
- 10527 Baba, T., Koizumi, M., Tanaka, R., Yamashita, S., Noda, M., Yamanaka, I., Suzuki, T., Ito, E., Kudo, R. Surgical management of genital prolapse: is chain cystourethrography useful for evaluating anatomical corrections and urinary symptoms after surgery?. *J Obstet Gynaecol Res.* 2000 Aug; 26: 289-94
- 10528 Ishiko, O., Ushiroyama, T., Saji, F., Mitsuhashi, Y., Tamura, T., Yamamoto, K., Kawamura, Y., Ogita, S. beta(2)-adrenergic agonists and pelvic floor exercises for female stress incontinence. *Int J Gynaecol Obstet.* 2000 Oct; 71: 39-44
- 10529 Sadik, S., Onoglu, A. S., Mendilcioglu, I., Sehirali, S., Sipahi, C., Taskin, O. Urinary tract injuries during advanced gynecologic laparoscopy. *J Am Assoc Gynecol Laparosc.* 2000 Nov; 7: 569-72
- 10530 FitzGerald, M. P., Mollenhauer, J., Brubaker, L. The fate of rectus fascia suburethral slings. *Am J Obstet Gynecol.* 2000 Oct; 183: 964-6
- 10531 Glazener, C., Cooper, K. Randomised comparison of Burch colposuspension versus anterior colporrhaphy in women with stress urinary incontinence and anterior vaginal wall prolapse. *BJOG.* 2000 Oct; 107: 1324-5
- 10532 Strasser, H., Tiefenthaler, M., Steinlechner, M., Eder, I., Bartsch, G., Konwalinka, G. Age dependent apoptosis and loss of rhabdosphincter cells. *J Urol.* 2000 Nov; 164: 1781-5
- 10533 Pruthi, R. S., Petrus, C. D., Bundrick, W. S., JR New onset vesicovaginal fistula after transurethral collagen injection in women who underwent cystectomy and orthotopic neobladder creation: presentation and definitive treatment. *J Urol.* 2000 Nov; 164: 1638-9

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 10534 Brown, S. L., Govier, F. E. Cadaveric versus autologous fascia lata for the pubovaginal sling: surgical outcome and patient satisfaction. J Urol. 2000 Nov; 164: 1633-7
- 10535 Yalla, S. V. Injections, slings and urodynamics. J Urol. 2000 Nov; 164: 1632
- 10536 Schrepferman, C. G., Griebing, T. L., Nygaard, I. E., Kreder, K. J. Resolution of urge symptoms following sling cystourethropepy. J Urol. 2000 Nov; 164: 1628-31
- 10537 Kaplan, S. A., Te, A. E., Young, G. P., Andrade, A., Cabelin, M. A., Ikeguchi, E. F. Prospective analysis of 373 consecutive women with stress urinary incontinence treated with a vaginal wall sling: the Columbia-Cornell University experience. J Urol. 2000 Nov; 164: 1623-7
- 10538 Barranger, E., Fritel, X., Kadoch, O., Liou, Y., Pigne, A. Results of transurethral injection of silicone micro-implants for females with intrinsic sphincter deficiency. J Urol. 2000 Nov; 164: 1619-22
- 10539 Carlson, K. V., Fiske, J., Nitti, V. W. Value of routine evaluation of the voiding phase when performing urodynamic testing in women with lower urinary tract symptoms. J Urol. 2000 Nov; 164: 1614-8
- 10540 Clemens, J. Q., DeLancey, J. O., Faerber, G. J., Westney, O. L., McGuire, E. J. Urinary tract erosions after synthetic pubovaginal slings: diagnosis and management strategy. Urology. 2000 Oct 1; 56: 589-94
- 10541 Barrington, J. W., Edwards, G. Posthysterectomy vault prolapse. Int Urogynecol J Pelvic Floor Dysfunct. 2000; 11: 241-5
- 10542 Everaert, K., De Ridder, D., Baert, L., Oosterlinck, W., Wyndaele, J. J. Patient satisfaction and complications following sacral nerve stimulation for urinary retention, urge incontinence and perineal pain: a multicenter evaluation. Int Urogynecol J Pelvic Floor Dysfunct. 2000; 11: 231-5; discussion 236
- 10543 Boyington, A. R., Dougherty, M. C. Pelvic muscle exercise effect on pelvic muscle performance in women. Int Urogynecol J Pelvic Floor Dysfunct. 2000; 11: 212-8
- 10544 Heit, M. Intraurethral ultrasonography: correlation of urethral anatomy with functional urodynamic parameters in stress incontinent women. Int Urogynecol J Pelvic Floor Dysfunct. 2000; 11: 204-11
- 10545 Bhatia, N. N. Transvaginal approach to Cooper's ligament during incontinence surgery. Int Urogynecol J Pelvic Floor Dysfunct. 2000; 11: 201-3
- 10546 Gunthorpe, W., Brown, W., Redman, S. The development and evaluation of an incontinence screening questionnaire for female primary care. Neurourol Urodyn. 2000; 19: 595-607
- 10547 FitzGerald, M. P., Blazek, B., Brubaker, L. Complex repetitive discharges during urethral sphincter EMG: clinical correlates. Neurourol Urodyn. 2000; 19: 577-83
- 10548 Addison, R. Assessment of stress incontinence--1. Nurs Times. 1999 Nov 10-17; 95: suppl 1-2
- 10549 Fujishiro, T., Enomoto, H., Ugawa, Y., Takahashi, S., Ueno, S., Kitamura, T. Magnetic stimulation of the sacral roots for the treatment of stress incontinence: an investigational study and placebo controlled trial. J Urol. 2000 Oct; 164: 1277-9
- 10550 Culligan, P. J., Rackley, R., Koduri, S., Thomson, R. B., Schwabe, L., Sand, P. K. Is it safe to reuse a syringe of glutaraldehyde cross-linked collagen? A microbiological study. J Urol. 2000 Oct; 164: 1275-6
- 10551 Samuelsson, E. C., Victor, F. T., Svardsudd, K. F. Five-year incidence and remission rates of female urinary incontinence in a Swedish population less than 65 years old. Am J Obstet Gynecol. 2000 Sep; 183: 568-74
- 10552 Dainer, M. J., Zorn, B. H. Burch-Cooper's ligament sling procedure: an augmented incontinence operation. Tech Urol. 2000 Sep; 6: 175-7
- 10553 Chartier-Kastler, E. J., Mongiat-Artus, P., Bitker, M. O., Chancellor, M. B., Richard, F., Denys, P. Long-term results of augmentation cystoplasty in spinal cord injury patients. Spinal Cord. 2000 Aug; 38: 490-4
- 10554 Gousse, A. E., Safir, M. H., Madjar, S., Ziadlourad, F., Raz, S. Life-threatening anaphylactoid reaction associated with indigo carmine intravenous injection. Urology. 2000 Sep 1; 56: 508
- 10555 Appell, R. A. In situ vaginal wall sling. Urology. 2000 Sep 1; 56: 499-503

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10556 Appell, R. A. Argument for sling surgery to replace bladder suspension for stress urinary incontinence. *Urology*. 2000 Sep 1; 56: 360-3
- 10557 Modiri, A. R., Fredrickson, M. G., Gillberg, P. G., Alberts, P. Selectivity of oxymetazoline for urethral pressure vs blood pressure in the anaesthetized female rabbit. *Scand J Urol Nephrol*. 2000 Jun; 34: 151-6
- 10558 Alling Moller, L., Lose, G., Jorgensen, T. Risk factors for lower urinary tract symptoms in women 40 to 60 years of age. *Obstet Gynecol*. 2000 Sep; 96: 446-51
- 10559 Persson, J., Wolner-Hanssen, P., Rydhstroem, H. Obstetric risk factors for stress urinary incontinence: a population- based study. *Obstet Gynecol*. 2000 Sep; 96: 440-5
- 10560 Mauroy, B., Goullet, E., Stefaniak, X., Bonnal, J. L., Amara, N. Tendinous arch of the pelvic fascia: application to the technique of paravaginal colposuspension. *Surg Radiol Anat*. 2000; 22: 73-9
- 10561 Duckett, J. R., Connell, R. Randomised comparison of Burch colposuspension versus anterior colporrhaphy in women with stress urinary incontinence and anterior vaginal wall prolapse. *BJOG*. 2000 Aug; 107: 1060
- 10562 Henalla, S. M., Hall, V., Duckett, J. R., Link, C., Usman, F., Tromans, P. M., van Veggel, L. A multicentre evaluation of a new surgical technique for urethral bulking in the treatment of genuine stress incontinence. *BJOG*. 2000 Aug; 107: 1035-9
- 10563 Lose, G., Englev, E. Oestradiol-releasing vaginal ring versus oestriol vaginal pessaries in the treatment of bothersome lower urinary tract symptoms. *BJOG*. 2000 Aug; 107: 1029-34
- 10564 Morkved, S., Bo, K. Effect of postpartum pelvic floor muscle training in prevention and treatment of urinary incontinence: a one-year follow up. *BJOG*. 2000 Aug; 107: 1022-8
- 10565 Isherwood, P. J., Rane, A. Comparative assessment of pelvic floor strength using a perineometer and digital examination. *BJOG*. 2000 Aug; 107: 1007-11
- 10566 Ilbey, O., Apaydin, E., Gursan, A., Cikili, N. Bladder leiomyoma: a rare cause of urinary stress incontinence. *Arch Ital Urol Androl*. 2000 Jun; 72: 85-7
- 10567 Morgan, J. L., O'Connell, H. E., McGuire, E. J. Is intrinsic sphincter deficiency a complication of simple hysterectomy?. *J Urol*. 2000 Sep; 164: 767-9
- 10568 Swithinbank, L. V., Donovan, J. L., Rogers, C. A., Abrams, P. Nocturnal incontinence in women: a hidden problem. *J Urol*. 2000 Sep; 164: 764-6
- 10569 Peschers, U. M., Tunn, R., Buczkowski, M., Perucchini, D. Tension-free vaginal tape for the treatment of stress urinary incontinence. *Clin Obstet Gynecol*. 2000 Sep; 43: 670-5
- 10570 Glowacki, C. A., Wall, L. L. Bone anchors in urogynecology. *Clin Obstet Gynecol*. 2000 Sep; 43: 659-69
- 10571 Buller, J. L., Cundiff, G. W. Laparoscopic surgeries for urinary incontinence. *Clin Obstet Gynecol*. 2000 Sep; 43: 604-18
- 10572 Subak, L. L., Caughey, A. B. Measuring cost-effectiveness of surgical procedures. *Clin Obstet Gynecol*. 2000 Sep; 43: 551-60
- 10573 Klutke, J. J., Bergman, J., Klutke, C. G. Transvaginal bladder neck suspension with Cooper's ligament fixation. Long-term urodynamic results. *J Reprod Med*. 2000 Jul; 45: 541-5
- 10574 Warren, M. P., Shantha, S. The female athlete. *Baillieres Best Pract Res Clin Endocrinol Metab*. 2000 Mar; 14: 37-53
- 10575 Bo, K., Talseth, T., Vinsnes, A. Randomized controlled trial on the effect of pelvic floor muscle training on quality of life and sexual problems in genuine stress incontinent women. *Acta Obstet Gynecol Scand*. 2000 Jul; 79: 598-603
- 10576 Waetjen, L. E., Jackson, R. Periurethral collagen injection for stress incontinence with and without urethral hypermobility. *Obstet Gynecol*. 2000 Jul; 96: 153
- 10577 Wyman, J. F. Management of urinary incontinence in adult ambulatory care populations. *Annu Rev Nurs Res*. 2000; 18: 171-94

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10578** Franks, M. E., Lavelle, J. P., Yokoyama, T., Chuang, Y. C., Chancellor, M. B. Metastatic osteomyelitis after pubovaginal sling using bone anchors. *Urology*. 2000 Aug 1; 56: 330-1
- 10579** Lemack, G. E., Zimmern, P. E. Sexual function after vaginal surgery for stress incontinence: results of a mailed questionnaire. *Urology*. 2000 Aug 1; 56: 223-7
- 10580** Zivkovic, F., Tamussino, K., Pieber, D., Haas, J. Body mass index and outcome of incontinence surgery. *Obstet Gynecol*. 1999 May; 93: 753-6
- 10581** Prasad, S. A., Tannenbaum, E. L., Mikelsons, C. Physiotherapy in cystic fibrosis. *J R Soc Med*. 2000; 93 Suppl 38: 27-36
- 10582** Glazener, C. M., Cooper, K. Anterior vaginal repair for urinary incontinence in women. *Cochrane Database Syst Rev*. 2000; : CD001755
- 10583** Bezerra, C. A., Bruschini, H. Suburethral sling operations for urinary incontinence in women. *Cochrane Database Syst Rev*. 2000; : CD001754
- 10584** Moran, P. A., Ward, K. L., Johnson, D., Smirni, W. E., Hilton, P., Bibby, J. Tension-free vaginal tape for primary genuine stress incontinence: a two-centre follow-up study. *BJU Int*. 2000 Jul; 86: 39-42
- 10585** Brink, D. M. Bowel injury following insertion of tension-free vaginal tape. *S Afr Med J*. 2000 May; 90: 450, 452
- 10586** Jarvis, G. J. Surgery for urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol*. 2000 Apr; 14: 315-34
- 10587** Andersson, K. E. Drug therapy for urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol*. 2000 Apr; 14: 291-313
- 10588** Moore, K. H. Conservative management for urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol*. 2000 Apr; 14: 251-89
- 10589** Keane, D. P., O'Sullivan, S. Urinary incontinence: anatomy, physiology and pathophysiology. *Baillieres Best Pract Res Clin Obstet Gynaecol*. 2000 Apr; 14: 207-26
- 10590** Smith, D. B., Boileau, M. A., Buan, L. D. A self-directed home biofeedback system for women with symptoms of stress, urge, and mixed incontinence. *J Wound Ostomy Continence Nurs*. 2000 Jul; 27: 240-6
- 10591** Sung, M. S., Hong, J. Y., Choi, Y. H., Baik, S. H., Yoon, H. FES-biofeedback versus intensive pelvic floor muscle exercise for the prevention and treatment of genuine stress incontinence. *J Korean Med Sci*. 2000 Jun; 15: 303-8
- 10592** Cornella, J. L., Magrina, J. F. An algorithm for the management of urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 221-6
- 10593** Shafik, A. Electrovesicogram in stress urinary incontinence: a preliminary study. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 203-7
- 10594** Bristow, S. E., Hasan, S. T., Neal, D. E. TENS: a treatment option for bladder dysfunction. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 185-90
- 10595** Migliari, R., De Angelis, M., Madeddu, G., Verdacchi, T. Tension-free vaginal mesh repair for anterior vaginal wall prolapse. *Eur Urol*. 2000 Aug; 38: 151-5
- 10596** Brown, J. S., Vittinghoff, E., Wyman, J. F., Stone, K. L., Nevitt, M. C., Ensrud, K. E., Grady, D. Urinary incontinence: does it increase risk for falls and fractures? Study of Osteoporotic Fractures Research Group. *J Am Geriatr Soc*. 2000 Jul; 48: 721-5
- 10597** Amundsen, C. L., Guralnick, M. L., Webster, G. D. Variations in strategy for the treatment of urethral obstruction after a pubovaginal sling procedure. *J Urol*. 2000 Aug; 164: 434-7
- 10598** Romanzi, L. J., Groutz, A., Blaivas, J. G. Urethral diverticulum in women: diverse presentations resulting in diagnostic delay and mismanagement. *J Urol*. 2000 Aug; 164: 428-33
- 10599** Shinopulos, N. M., Jacobson, J. Relationship between health promotion lifestyle profiles and patient outcomes of biofeedback therapy for urinary incontinence. *Urol Nurs*. 1999 Dec; 19: 249-53

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10600 Bash, K. L. Review of vaginal pessaries. *Obstet Gynecol Surv.* 2000 Jul; 55: 455-60
- 10601 Shehata, N. A., de Courcy-Wheeler, R. H., Sim, D. A. Ureteric kinking after colposuspension: a case report and review of the literature. *Ulster Med J.* 2000 May; 69: 74-5
- 10602 Ganz, P. A., Greendale, G. A., Petersen, L., Zibecchi, L., Kahn, B., Belin, T. R. Managing menopausal symptoms in breast cancer survivors: results of a randomized controlled trial. *J Natl Cancer Inst.* 2000 Jul 5; 92: 1054-64
- 10603 Maubon, A. J., Boncoeur-Martel, M. P., Juhan, V., Courtieu, C. R., Thurmond, A. S., Aubas, P., Mares, P., Rouanet, J. P. Static and dynamic MRI of a urinary control intra-vaginal device. *Eur Radiol.* 2000; 10: 879-84
- 10604 Bidmead, J., Cardozo, L. Short cut to continence?. *Lancet.* 2000 Jun 24; 355: 2183-4
- 10605 De Giovanni, L., Menchinelli, P., Rubino, F., Manca, A., Ronzoni, G. Valsalva leak point pressure: how to chose the best method. *Arch Ital Urol Androl.* 2000 Apr; 72: 25-7
- 10606 Fitzgerald, M. P., Mollenhauer, J., Hale, D. S., Benson, J. T., Brubaker, L. Urethral collagen morphologic characteristics among women with genuine stress incontinence. *Am J Obstet Gynecol.* 2000 Jun; 182: 1565-74
- 10607 Klutke, J. J., Ramos, S. Urodynamic outcome after surgery for severe prolapse and potential stress incontinence. *Am J Obstet Gynecol.* 2000 Jun; 182: 1378-81
- 10608 Kwok, A., Lam, A., Ford, R. Incisional hernia in a 5 mm laparoscopic port site incision. *Aust N Z J Obstet Gynaecol.* 2000 Feb; 40: 104-5
- 10609 MacGibbon, A., Brieger, G., Korda, A. Incisionless cystourethropexy--the Intac device--an initial experience. *Aust N Z J Obstet Gynaecol.* 2000 Feb; 40: 59-61
- 10610 Soygur, T., Safak, M., Yesilli, C., Arikan, N., Gogus, O. Extraperitoneal laparoscopic bladder neck suspension using hernia mesh and tacker. *Urology.* 2000 Jul; 56: 121-4
- 10611 Lee, Y. J., Chiang, Y. F., Tsai, J. C. Severe nonproductive cough and cough-induced stress urinary incontinence in diabetic postmenopausal women treated with ACE inhibitor. *Diabetes Care.* 2000 Mar; 23: 427-8
- 10612 Thakar, R., Stanton, S. L. Weakness of the pelvic floor: urological consequences. *Hosp Med.* 2000 Apr; 61: 259-66
- 10613 Ishiko, O., Sumi, T., Hirai, K., Ogita, S. Classification of female urinary incontinence by the scored incontinence questionnaire. *Int J Gynaecol Obstet.* 2000 Jun; 69: 255-60
- 10614 Winters, J. C., Chiverton, A., Scarpero, H. M., Prats, L. J., Jr Collagen injection therapy in elderly women: long-term results and patient satisfaction. *Urology.* 2000 Jun; 55: 856-61
- 10615 Frankel, G. Paravaginal repair. *Urology.* 2000 May; 55: 789
- 10616 Yalcin, O. T., Hassa, H., Ozalp, S. Effectiveness of ultrasonographic parameters for documenting the severity of anatomic stress incontinence. *Acta Obstet Gynecol Scand.* 2000 May; 79: 421-6
- 10617 Persson, J., Bossmar, T., Wolner-Hanssen, P. Laparoscopic colposuspension: a short term urodynamic follow-up and a three-year questionnaire-study. *Acta Obstet Gynecol Scand.* 2000 May; 79: 414-20
- 10618 Morita, T., Iizuka, H., Iwata, T., Kondo, S. Function and distribution of beta3-adrenoceptors in rat, rabbit and human urinary bladder and external urethral sphincter. *J Smooth Muscle Res.* 2000 Feb; 36: 21-32
- 10619 Dorschner, W., Stolzenburg, J. U., Griebenow, R., Halaska, M., Schubert, G., Murtz, G., Frank, M., Wieners, F. Efficacy and cardiac safety of propiverine in elderly patients - a double-blind, placebo-controlled clinical study. *Eur Urol.* 2000 Jun; 37: 702-8
- 10620 Viera, A. J., Larkins-Pettigrew, M. Practical use of the pessary. *Am Fam Physician.* 2000 May 1; 61: 2719-26, 2729
- 10621 Sung, M. S., Choi, Y. H., Back, S. H., Hong, J. Y., Yoon, H. The effect of pelvic floor muscle exercises on genuine stress incontinence among Korean women--focusing on its effects on the quality of life. *Yonsei Med J.* 2000 Apr; 41: 237-51



# American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 10622 Ismael, S. S., Amarenco, G., Bayle, B., Kerdraon, J. Postpartum lumbosacral plexopathy limited to autonomic and perineal manifestations: clinical and electrophysiological study of 19 patients. *J Neurol Neurosurg Psychiatry*. 2000 Jun; 68: 771-3
- 10623 Akpınar, H., Cetinel, B., Demirkesen, O., Tufek, I., Yaycioglu, O., Solok, V. Long-term results of Burch colposuspension. *Int J Urol*. 2000 Apr; 7: 119-25
- 10624 Bezerra, C. A., Sadi, M. V. Comparison of vaginal wall sling and modified vaginal wall sling for stress urinary incontinence. *Sao Paulo Med J*. 2000 May 4; 118: 63-8
- 10625 Atan, A., Basar, M. M. A multicenter study of tension-free vaginal tape (TVT) for surgical treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 130-2
- 10626 Barbic, M., Kralj, B. Effect of intra-abdominal position of the bladder neck and stability of its supporting structures on pressure transmission ratio after colposuspension. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 97-102
- 10627 Kjolhede, P., Ryden, G., Hewardt, P. Abdominal urethrocystopexy using fibrin sealant. A prospective study of long-term efficacy. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 93-6
- 10628 Haarala, M., Alanen, A., Hietarinta, M., Kiilholma, P. Lower urinary tract symptoms in patients with Sjogren's syndrome and systemic lupus erythematosus. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 84-6
- 10629 Ghoniem, G. M. Allograft sling material: is it the state of the art?. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 69-70
- 10630 Morgan, T. O., Jr, Westney, O. L., McGuire, E. J. Pubovaginal sling: 4-YEAR outcome analysis and quality of life assessment. *J Urol*. 2000 Jun; 163: 1845-8
- 10631 Loughlin, K. R. Slings-an idea whose time has come. *J Urol*. 2000 Jun; 163: 1843-4
- 10632 Herschorn, S., Glazer, A. A. Early experience with small volume periurethral polytetrafluoroethylene for female stress urinary incontinence. *J Urol*. 2000 Jun; 163: 1838-42
- 10633 Duckett, J. R., Constantine, G. Complications of silicone sling insertion for stress urinary incontinence. *J Urol*. 2000 Jun; 163: 1835-7
- 10634 Choe, J. M., Ogan, K., Battino, B. S. Antimicrobial mesh versus vaginal wall sling: a comparative outcomes analysis. *J Urol*. 2000 Jun; 163: 1829-34
- 10635 Lemack, G. E., Zimmern, P. E. Pressure flow analysis may aid in identifying women with outflow obstruction. *J Urol*. 2000 Jun; 163: 1823-8
- 10636 Burgio, K. L., Locher, J. L., Goode, P. S. Combined behavioral and drug therapy for urge incontinence in older women. *J Am Geriatr Soc*. 2000 Apr; 48: 370-4
- 10637 Chancellor, M. B., Yokoyama, T., Tirney, S., Mattes, C. E., Ozawa, H., Yoshimura, N., de Groat, W. C., Huard, J. Preliminary results of myoblast injection into the urethra and bladder wall: a possible method for the treatment of stress urinary incontinence and impaired detrusor contractility. *Neurourol Urodyn*. 2000; 19: 279-87
- 10638 Podnar, S., Lukanov, A., Vodusek, D. B. Anal sphincter electromyography after vaginal delivery: neuropathic insufficiency or normal wear and tear?. *Neurourol Urodyn*. 2000; 19: 249-57
- 10639 Herbison, P., Plevnik, S., Mantle, J. Weighted vaginal cones for urinary incontinence. *Cochrane Database Syst Rev*. 2000; : CD002114
- 10641 Pinna, C., Zanardo, R., Cignarella, A., Bolego, C., Eberini, I., Nardi, F., Zancan, V., Puglisi, L. Diabetes influences the effect of 17beta-estradiol on mechanical responses of rat urethra and detrusor strips. *Life Sci*. 2000; 66: 617-27
- 10642 Moore, K. H., Simons, A., Mukerjee, C., Lynch, W. The relative incidence of detrusor instability and bacterial cystitis detected on the urodynamic-test day. *BJU Int*. 2000 May; 85: 786-92
- 10643 Howard, D., Delancey, J. O., Tunn, R., Ashton-Miller, J. A. Racial differences in the structure and function of the stress urinary continence mechanism. *Obstet Gynecol*. 2000 May; 95: 713-7



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10644** Alhasso, A., Bryden, A. A., Neilson, D. Lithium toxicity after urinary diversion with ileal conduit. *BMJ*. 2000 Apr 15; 320: 1037
- 10645** Cammu, H., Van Nylen, M., Amy, J. J. A 10-year follow-up after Kegel pelvic floor muscle exercises for genuine stress incontinence. *BJU Int*. 2000 Apr; 85: 655-8
- 10646** Radley, S. C., Chapple, C. R., Lee, J. A. Transurethral implantation of silicone polymer for stress incontinence: evaluation of a porcine model and mechanism of action in vivo. *BJU Int*. 2000 Apr; 85: 646-50
- 10647** Colombo, M., Vitobello, D., Proietti, F., Milani, R. Randomised comparison of Burch colposuspension versus anterior colporrhaphy in women with stress urinary incontinence and anterior vaginal wall prolapse. *BJOG*. 2000 Apr; 107: 544-51
- 10648** Ueda, T., Tamaki, M., Kageyama, S., Yoshimura, N., Yoshida, O. Urinary incontinence among community-dwelling people aged 40 years or older in Japan: prevalence, risk factors, knowledge and self-perception. *Int J Urol*. 2000 Mar; 7: 95-103
- 10649** Freeman, R. M. Female urinary incontinence: aetiology and pathophysiology. *Hosp Med*. 2000 Feb; 61: 84-9
- 10650** Moller, L. A., Lose, G., Jorgensen, T. The prevalence and bothersomeness of lower urinary tract symptoms in women 40-60 years of age. *Acta Obstet Gynecol Scand*. 2000 Apr; 79: 298-305
- 10651** Dickson, M. J., Salleh, S. The effect of oestrogen supplementation on postmenopausal urinary stress incontinence: a double-blind placebo-controlled trial. *BJOG*. 2000 Mar; 107: 433-4
- 10652** Gorton, E., Stanton, S. Ambulatory urodynamics: do they help clinical management?. *BJOG*. 2000 Mar; 107: 316-9
- 10653** Cummings, J. M., Rodning, C. B. Urinary stress incontinence among obese women: review of pathophysiology therapy. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 41-4
- 10654** Nygaard, I., Holcomb, R. Reproducibility of the seven-day voiding diary in women with stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 15-7
- 10655** Haylen, B. T. Voiding difficulty in women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 1-3
- 10656** Elliott, D. S., Boone, T. B. Urethral devices for managing stress urinary incontinence. *J Endourol*. 2000 Feb; 14: 79-83
- 10657** Puneekar, S. V., Buch, D. N., Soni, A. B., Swami, G., Rao, S. R., Kinne, J. S., Karhadkar, S. S. Martius' labial fat pad interposition and its modification in complex lower urinary fistulae. *J Postgrad Med*. 1999 Jul-Sep; 45: 69-73
- 10658** Choe, J. M., Ogan, K., Bennett, S. Antibacterial mesh sling: a prospective outcome analysis. *Urology*. 2000 Apr; 55: 515-20
- 10659** Klutke, J. J., Carlin, B. I., Klutke, C. G. The tension-free vaginal tape procedure: correction of stress incontinence with minimal alteration in proximal urethral mobility. *Urology*. 2000 Apr; 55: 512-4
- 10660** Lemack, G. E., Zimmern, P. E. Identifying patients who require urodynamic testing before surgery for stress incontinence based on questionnaire information and surgical history. *Urology*. 2000 Apr; 55: 506-11
- 10661** Bignell, V. Alleviating the distress of urinary incontinence. *Community Nurse*. 1999 Oct; 5: 19-20, 22
- 10662** Howard, D., Miller, J. M., Delancey, J. O., Ashton-Miller, J. A. Differential effects of cough, valsalva, and continence status on vesical neck movement. *Obstet Gynecol*. 2000 Apr; 95: 535-40
- 10663** Gilja, I. Tansvaginal needle suspension operation: the way we do it. Clinical and urodynamic study: long-term results. *Eur Urol*. 2000 Mar; 37: 325-30
- 10664** Ishiko, O., Hirai, K., Sumi, T., Nishimura, S., Ogita, S. The urinary incontinence score in the diagnosis of female urinary incontinence. *Int J Gynaecol Obstet*. 2000 Feb; 68: 131-7
- 10665** Samuelsson, E., Victor, A., Svardsudd, K. Determinants of urinary incontinence in a population of young and middle-aged women. *Acta Obstet Gynecol Scand*. 2000 Mar; 79: 208-15

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 10666 Tincello, D. G., Adams, E. J., Bolderson, J., Richmond, D. H. A urinary control device for management of female stress incontinence. *Obstet Gynecol.* 2000 Mar; 95: 417-20
- 10667 Steele, A. C., Kohli, N., Karram, M. M. Periurethral collagen injection for stress incontinence with and without urethral hypermobility. *Obstet Gynecol.* 2000 Mar; 95: 327-31
- 10668 Lekan-Rutledge, D. Behavioral vs drug treatment for urge urinary incontinence in older women: a randomized controlled trial. *J Wound Ostomy Continence Nurs.* 1999 May; 26: 27A-28A
- 10669 Froeling, F. M., Deprest, J. A., Ankum, W. M., Mendels, E. L., Meijer, D. W., Bannenbergh, J. Controlled balloon dilatation for laparoscopic extraperitoneal bladder neck suspension in patients with previous abdominal surgery. *J Laparoendosc Adv Surg Tech A.* 2000 Feb; 10: 27-30
- 10670 Kuo, H. The relationships of urethral and pelvic floor muscles and the urethral pressure measurements in women with stress urinary incontinence. *Eur Urol.* 2000 Feb; 37: 149-55
- 10671 Mason, L., Glenn, S., Walton, I., Appleton, C. The prevalence of stress incontinence during pregnancy and following delivery. *Midwifery.* 1999 Jun; 15: 120-8
- 10672 Fielding, J. R., Dumanli, H., Schreyer, A. G., Okuda, S., Gering, D. T., Zou, K. H., Kikinis, R., Jolesz, F. A. MR-based three-dimensional modeling of the normal pelvic floor in women: quantification of muscle mass. *AJR Am J Roentgenol.* 2000 Mar; 174: 657-60
- 10673 Lalos, O., Berglund, A. L., Bjerle, P. The long-term outcome of retropubic urethrocystopexy (sutures and fibrin sealant) and pubococcygeal repair. *Acta Obstet Gynecol Scand.* 2000 Feb; 79: 135-9
- 10674 Madjar, S., Beyar, M., Nativ, O. Transvaginal bone anchored sling. *Urology.* 2000 Mar; 55: 422-6
- 10675 Bidmead, J., Cardozo, L., Khullar, V., Toozs-Hobson, P. The pubofascial anchor sling procedure for recurrent genuine urinary stress incontinence. *BJU Int.* 2000 Jan; 85: 171-2
- 10676 Serels, S. R., Rackley, R. R., Appell, R. A. Surgical treatment for stress urinary incontinence associated with valsalva induced detrusor instability. *J Urol.* 2000 Mar; 163: 884-7
- 10677 Demirci, F., Yucel, N., Ozden, S., Delikara, N., Yalti, S., Demirci, E. A retrospective review of perioperative complications in 360 patients who had Burch colposuspension. *Aust N Z J Obstet Gynaecol.* 1999 Nov; 39: 472-5
- 10678 Bidmead, J., Cardozo, L. Sling techniques in the treatment of genuine stress incontinence. *BJOG.* 2000 Feb; 107: 147-56
- 10679 Vereecken, R. L., Proesmans, W. Extensive surgery on the trigone for complete ureteral duplication does not cause incontinence or voiding problems. *Urology.* 2000 Feb; 55: 267-70; discussion 270-1
- 10680 Masson, D. B., Govier, F. E. Modified Pereyra bladder neck suspension in patients with intrinsic sphincter deficiency and bladder neck hypermobility: patient satisfaction with a mean follow-up of 4 years. *Urology.* 2000 Feb; 55: 217-21; discussion 221-2
- 10681 Chan, P. T., Fournier, C., Corcos, J. Short-term complications of pubovaginal sling procedure for genuine stress incontinence in women. *Urology.* 2000 Feb; 55: 207-11
- 10682 Benjamin, C. R., Hearon, C. M. Urinary continence in women during centrifuge exposure to high +Gz. *Aviat Space Environ Med.* 2000 Feb; 71: 131-6
- 10683 Rizk, D. E. Stress urinary incontinence: prevalence among nulliparous compared with primiparous and grand multiparous pre-menopausal women. *Neurourol Urodyn.* 2000; 19: 209-10
- 10684 Singla, A. K. The use of cadaveric fascia lata in the treatment of stress urinary incontinence in women. *BJU Int.* 2000 Feb; 85: 264-9
- 10685 Bortolotti, A., Bernardini, B., Colli, E., Di Benedetto, P., Giocoli Nacci, G., Landoni, M., Lavezzari, M., Pagliarulo, A., Salvatore, S., von Heland, M., Parazzini, F., Artibani, W. Prevalence and risk factors for urinary incontinence in Italy. *Eur Urol.* 2000 Jan; 37: 30-5
- 10686 Mason, L., Glenn, S., Walton, I., Appleton, C. The experience of stress incontinence after childbirth. *Birth.* 1999 Sep; 26: 164-71

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10687** Sand, P. K., Winkler, H., Blackhurst, D. W., Culligan, P. J. A prospective randomized study comparing modified Burch retropubic urethropexy and suburethral sling for treatment of genuine stress incontinence with low-pressure urethra. *Am J Obstet Gynecol.* 2000 Jan; 182: 30-4
- 10688** Chaikin, D. C., Groutz, A., Blaivas, J. G. Predicting the need for anti-incontinence surgery in continent women undergoing repair of severe urogenital prolapse. *J Urol.* 2000 Feb; 163: 531-4
- 10689** Yamanishi, T., Yasuda, K., Suda, S., Ishikawa, N., Sakakibara, R., Hattori, T. Effect of functional continuous magnetic stimulation for urinary incontinence. *J Urol.* 2000 Feb; 163: 456-9
- 10690** Persson, J., Wolner-Hanssen, P. Laparoscopic Burch colposuspension for stress urinary incontinence: a randomized comparison of one or two sutures on each side of the urethra. *Obstet Gynecol.* 2000 Jan; 95: 151-5
- 10691** Shinopulos, N. M., Dann, J. A., Smith, J. J., 3rd Patient selection and education for use of the CapSure (Re/Stor) continence shield. *Urol Nurs.* 1999 Jun; 19: 135-40
- 10692** Lim, P. P., Sahadevan, S., Choo, G. K., Anthony, P. Burden of caregiving in mild to moderate dementia: an Asian experience. *Int Psychogeriatr.* 1999 Dec; 11: 411-20
- 10693** Loughlin, K. R. The thimble: a useful adjunct to needle suspension procedures for female stress incontinence. *Urology.* 2000 Dec 20; 56: 1050-1
- 10694** Giberti, C., Rovidia, S. Transvaginal bone-anchored synthetic sling for the treatment of stress urinary incontinence: an outcomes analysis. *Urology.* 2000 Dec 20; 56: 956-61
- 10695** Takahashi, S., Homma, Y., Fujishiro, T., Hosaka, Y., Kitamura, T., Kawabe, K. Electromyographic study of the striated urethral sphincter in type 3 stress incontinence: evidence of myogenic-dominant damages. *Urology.* 2000 Dec 20; 56: 946-50
- 10696** Maloney, C., Cafiero, M. R. Urinary incontinence. Noninvasive treatment options. *Adv Nurse Pract.* 1999 Jun; 7: 36-42
- 10697** Woodman, P. J. In situ anterior vaginal wall sling formation with preservation of the endopelvic fascia for treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 409
- 10698** Sze, E. H., Kohli, N., Miklos, J. R., Roat, T., Karram, M. M. A retrospective comparison of abdominal sacrocolpopexy with Burch colposuspension versus sacrospinous fixation with transvaginal needle suspension for the management of vaginal vault prolapse and coexisting stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 390-3
- 10699** Maher, C. F., Dwyer, P. L., Carey, M. P., Moran, P. A. Colposuspension or sling for low urethral pressure stress incontinence?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 384-9
- 10700** Bergman, J., Elia, G. Effects of the menstrual cycle on urodynamic work-up: should we change our practice?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 375-7
- 10701** Elser, D. M., London, W., Fantl, J. A., McBride, M. A., Beck, R. P. A comparison of urethral profilometry using microtip and fiberoptic catheters. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 371-4
- 10702** James, M., Jackson, S., Shepherd, A., Abrams, P. Pure stress leakage symptomatology: is it safe to discount detrusor instability?. *Br J Obstet Gynaecol.* 1999 Dec; 106: 1255-8
- 10703** Chaliha, C., Stanton, S. L. Complications of surgery for genuine stress incontinence. *Br J Obstet Gynaecol.* 1999 Dec; 106: 1238-45
- 10704** Sampsel, C. M., Burns, P. A., Dougherty, M. C., Newman, D. K., Thomas, K. K., Wyman, J. F. Continence for women: evidence-based practice. *J Obstet Gynecol Neonatal Nurs.* 1999; 28: 25-33
- 10705** Enzler, M., Agins, H. J., Kogan, M., Kudurna, J., Sand, P., Wurtz, R., Culligan, P. Osteomyelitis of the pubis following suspension of the neck of the bladder with use of bone anchors. A report of four cases. *J Bone Joint Surg Am.* 1999 Dec; 81: 1736-40
- 10706** Butler, R. N., Maby, J. I., Montella, J. M., Young, G. P. Urinary incontinence: when to refer for procedural therapies. *Geriatrics.* 1999 Dec; 54: 49-54, 56

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10707** Klutke, J. J., Klutke, C. G., Bergman, J., Elia, G. Urodynamics changes in voiding after anti-incontinence surgery: an insight into the mechanism of cure. *Urology*. 1999 Dec; 54: 1003-7
- 10708** Tchetgen, M. B., Sanda, M. G., Montie, J. E., Faerber, G. J. Collagen injection for the treatment of incontinence after cystectomy and orthotopic neobladder reconstruction in women. *J Urol*. 2000 Jan; 163: 212-4
- 10709** Tamussino, K. F., Zivkovic, F., Pieber, D., Moser, F., Haas, J., Ralph, G. Five-year results after anti-incontinence operations. *Am J Obstet Gynecol*. 1999 Dec; 181: 1347-52
- 10710** FitzGerald, M. P., Mollenhauer, J., Bitterman, P., Brubaker, L. Functional failure of fascia lata allografts. *Am J Obstet Gynecol*. 1999 Dec; 181: 1339-44; discussion 1344-6
- 10711** Amaye-Obu, F. A., Drutz, H. P. Surgical management of recurrent stress urinary incontinence: A 12-year experience. *Am J Obstet Gynecol*. 1999 Dec; 181: 1296-307; discussion 1307-9
- 10712** Ushiroyama, T., Ikeda, A., Ueki, M. Prevalence, incidence, and awareness in the treatment of menopausal urinary incontinence. *Maturitas*. 1999 Oct 24; 33: 127-32
- 10713** Olsson, I., Kroon, U. A three-year postoperative evaluation of tension-free vaginal tape. *Gynecol Obstet Invest*. 1999; 48: 267-9
- 10714** Matanyi, S., Acs, N., Fontanyi, Z., Paulin, F. Urodynamic investigation of women operated on for genuine stress incontinence. *Gynecol Obstet Invest*. 1999; 48: 263-6
- 10715** Brink, D. M., de Jong, P. R. New thoughts in the understanding of female urinary incontinence. *S Afr Med J*. 1999 Oct; 89: 1059-60
- 10716** del Campo-Rodriguez, M., Batista-Miranda, J. E., Errando-Smet, C., Arano-Bertran, P. Outcome of colposuspension in patients with stress urinary incontinence and abnormal cystometry. *Arch Esp Urol*. 1999 Sep; 52: 810-4
- 10717** Luna, M. T., Hirakawa, T., Kamura, T., Yahata, H., Ogawa, S., Sonoda, T., Nakano, H. Comparison of the anterior colporrhaphy procedure and the Marshall- Marchetti-Krantz operation in the treatment of stress urinary incontinence among women. *J Obstet Gynaecol Res*. 1999 Aug; 25: 255-60
- 10718** Connolly, A. M., Thorp, J. M., Jr Childbirth-related perineal trauma: clinical significance and prevention. *Clin Obstet Gynecol*. 1999 Dec; 42: 820-35
- 10719** Ouslander, J. G., Cooper, E., Godley, D. Estrogen treatment for incontinence in frail older women. *J Am Geriatr Soc*. 1999 Nov; 47: 1383-4
- 10720** Gorton, E., Stanton, S., Monga, A., Wiskind, A. K., Lentz, G. M., Bland, D. R. Periurethral collagen injection: a long-term follow-up study. *BJU Int*. 1999 Dec; 84: 966-71
- 10721** Brown, K., Hilton, P. The incidence of detrusor instability before and after colposuspension: a study using conventional and ambulatory urodynamic monitoring. *BJU Int*. 1999 Dec; 84: 961-5
- 10722** Su, T. H., Huang, J. P., Wang, Y. L., Yang, J. M., Wei, H. J., Huang, C. L. Is modified in situ vaginal wall sling operation the treatment of choice for recurrent genuine stress incontinence?. *J Urol*. 1999 Dec; 162: 2073-7
- 10723** Kobashi, K. C., Dmochowski, R., Mee, S. L., Mostwin, J., Nitti, V. W., Zimmern, P. E., Leach, G. E. Erosion of woven polyester pubovaginal sling. *J Urol*. 1999 Dec; 162: 2070-2
- 10724** Jacoby, K., Rowbotham, R. K. Double balloon positive pressure urethrography is a more sensitive test than voiding cystourethrography for diagnosing urethral diverticulum in women. *J Urol*. 1999 Dec; 162: 2066-9
- 10725** Comiter, C. V., Vasavada, S. P., Raz, S. Transvaginal culdosuspension: technique and results. *Urology*. 1999 Nov; 54: 819-22
- 10726** Corcos, J., Fournier, C. Periurethral collagen injection for the treatment of female stress urinary incontinence: 4-year follow-up results. *Urology*. 1999 Nov; 54: 815-8
- 10727** Drouin, J., Tessier, J., Bertrand, P. E., Schick, E. Burch colposuspension: long-term results and review of published reports. *Urology*. 1999 Nov; 54: 808-14

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10728** Kuo, H. C. Videourodynamic results after pubovaginal sling procedure for stress urinary incontinence. *Urology*. 1999 Nov; 54: 802-6; discussion 806-7
- 10729** Kuh, D., Cardozo, L., Hardy, R. Urinary incontinence in middle aged women: childhood enuresis and other lifetime risk factors in a British prospective cohort. *J Epidemiol Community Health*. 1999 Aug; 53: 453-8
- 10730** Lightner, D. J., Itano, N. M. Treatment options for women with stress urinary incontinence. *Mayo Clin Proc*. 1999 Nov; 74: 1149-56
- 10731** Petros, P. P. Medium-term follow-up of the intravaginal slingplasty operation indicates minimal deterioration of urinary continence with time. *Aust N Z J Obstet Gynaecol*. 1999 Aug; 39: 354-6
- 10732** Shafik, A. Levator ani muscle: new physioanatomical aspects and role in the micturition mechanism. *World J Urol*. 1999 Oct; 17: 266-73
- 10733** FitzGerald, M. P., Gitelis, S., Brubaker, L. Pubic osteomyelitis and granuloma after bone anchor placement. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 346-8
- 10734** Gordon, D., Groutz, A., Sinai, T., Wiezman, A., Lessing, J. B., David, M. P., Aizenberg, D. Sexual function in women attending a urogynecology clinic. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 325-8
- 10735** Kobata, S. A., Girao, M. J., Sartori, M. G., Baracat, E. C., Rodrigues de Lima, G. Urodynamic and ultrasonographic evaluation after continence surgery. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 321-4
- 10736** Tunn, R., DeLancey, J. O., Howard, D., Thorp, J. M., Ashton-Miller, J. A., Quint, L. E. MR imaging of levator ani muscle recovery following vaginal delivery. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 300-7
- 10737** Schettini, M., Fortunato, P., Gallucci, M. Abdominal sacral colpopexy with prolene mesh. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 295-9
- 10738** Handa, V. L., Jensen, J. K., Ostergard, D. R. Stress urinary incontinence at rest. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 290-4
- 10739** Lin, L. Y., Chen, S. Y., Lee, H. S., Chung, S. L., Ying, T. H., Chen, G. D. Female bladder neck changes with position. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 277-82
- 10740** Diana, M., Schettini, M., Gallucci, M. Evaluation and management of malfunctionings following implantation of the artificial urinary sphincter. *Int Surg*. 1999 Jul-Sep; 84: 241-5
- 10741** El-Toukhy, T. A., Tolba, M. A., Davies, A. E. Assessment of a new bone anchor system for the treatment of female genuine stress incontinence. *BJU Int*. 1999 Nov; 84: 780-4
- 10742** Porru, D., Madeddu, G., Campus, G., Montisci, I., Scarpa, R. M., Usai, E. Evaluation of morbidity of multi-channel pressure-flow studies. *Neurourol Urodyn*. 1999; 18: 647-52
- 10743** Bump, R. C., Hurt, W. G., Elser, D. M., Theofrastous, J. P., Addison, W. A., Fantl, J. A., McClish, D. K. Understanding lower urinary tract function in women soon after bladder neck surgery. *Continence Program for Women Research Group. Neurourol Urodyn*. 1999; 18: 629-37
- 10744** Klutke, J. J., Klutke, C. G., Bergman, J., Elia, G. Bladder neck suspension for stress urinary incontinence: how does it work?. *Neurourol Urodyn*. 1999; 18: 623-7
- 10745** Gunnarsson, M., Mattiasson, A. Female stress, urge, and mixed urinary incontinence are associated with a chronic and progressive pelvic floor/vaginal neuromuscular disorder: An investigation of 317 healthy and incontinent women using vaginal surface electromyography. *Neurourol Urodyn*. 1999; 18: 613-21
- 10746** Siltberg, H., Larsson, G., Hallen, B., Johansson, C., Ulmsten, U. Validation of cough-induced leak point pressure measurement in the evaluation of pharmacological treatment of stress incontinence. *Neurourol Urodyn*. 1999; 18: 591-602
- 10747** Leroi, A. M., Weber, J., Menard, J. F., Touchais, J. Y., Denis, P. Prevalence of anal incontinence in 409 patients investigated for stress urinary incontinence. *Neurourol Urodyn*. 1999; 18: 579-90
- 10748** Chapron, C., Laforest, L., Ansquer, Y., Fauconnier, A., Fernandez, B., Breart, G., Dubuisson, J. B. Hysterectomy techniques used for benign pathologies: results of a French multicentre study. *Hum Reprod*. 1999 Oct; 14: 2464-70



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10749** Serels, S. R., Rackley, R. R., Appell, R. A. In situ slings with concurrent cystocele repair. *Tech Urol.* 1999 Sep; 5: 129-32
- 10750** Ulmsten, U., Falconer, C. Connective tissue in female urinary incontinence. *Curr Opin Obstet Gynecol.* 1999 Oct; 11: 509-15
- 10751** Yasuda, K., Yamanishi, T. Critical evaluation of electro-stimulation for management of female urinary incontinence. *Curr Opin Obstet Gynecol.* 1999 Oct; 11: 503-7
- 10752** Schulz, J. A., Drutz, H. P. The surgical management of recurrent stress urinary incontinence. *Curr Opin Obstet Gynecol.* 1999 Oct; 11: 489-94
- 10753** Bhatia, N. N. A vaginal approach to Burch's retropubic urethropexy. *Curr Opin Obstet Gynecol.* 1999 Oct; 11: 473-6
- 10754** Nguyen, A., Mahoney, S., Minor, L., Ghoniem, G. A simple objective method of adjusting sling tension. *J Urol.* 1999 Nov; 162: 1674-6
- 10755** Chaikin, D. C., Blaivas, J. G., Rosenthal, J. E., Weiss, J. P. Results of pubovaginal sling for stress incontinence: a prospective comparison of 4 instruments for outcome analysis. *J Urol.* 1999 Nov; 162: 1670-3
- 10756** Lin, H. H., Sheu, B. C., Lo, M. C., Huang, S. C. Comparison of treatment outcomes for imipramine for female genuine stress incontinence. *Br J Obstet Gynaecol.* 1999 Oct; 106: 1089-92
- 10757** Ozek, C., Gurler, T., Alper, M., Gundogan, H., Bilkay, U., Songur, E., Akin, Y., Cagdas, A. Modified McIndoe procedure for vaginal agenesis. *Ann Plast Surg.* 1999 Oct; 43: 393-6
- 10758** Patrick, D. L., Martin, M. L., Bushnell, D. M., Marquis, P., Andrejasich, C. M., Buesching, D. P. Cultural adaptation of a quality-of-life measure for urinary incontinence. *Eur Urol.* 1999 Nov; 36: 427-35
- 10759** Guneren, E., Eroglu, L., Kocak, I., Uysal, O. A. Urinary incontinence was improved after abdominoplasty using a very low incision. *Plast Reconstr Surg.* 1999 Oct; 104: 1582-4
- 10760** Bruce, R. G., El-Galley, R. E., Galloway, N. T. Paravaginal defect repair in the treatment of female stress urinary incontinence and cystocele. *Urology.* 1999 Oct; 54: 647-51
- 10761** Choe, J. M., Staskin, D. R. Gore-Tex patch sling: 7 years later. *Urology.* 1999 Oct; 54: 641-6
- 10762** Glazer, H. I., Romanzi, L., Polaneczky, M. Pelvic floor muscle surface electromyography. Reliability and clinical predictive validity. *J Reprod Med.* 1999 Sep; 44: 779-82
- 10763** Johnson, T. M., 2nd, Ouslander, J. G. Urinary incontinence in the older man. *Med Clin North Am.* 1999 Sep; 83: 1247-66
- 10764** Petros, P. P., Von Konsky, B. Anchoring the midurethra restores bladder-neck anatomy and continence. *Lancet.* 1999 Sep 18; 354: 997-8
- 10765** Supanich, B. Urethral barriers for stress incontinence. *J Fam Pract.* 1999 Sep; 48: 662-3
- 10766** Gunnarsson, M., Ahlmann, S., Lindstrom, S., Rosen, I., Mattiasson, A. Cortical magnetic stimulation in patients with genuine stress incontinence: correlation with results of pelvic floor exercises. *Neurourol Urodyn.* 1999; 18: 437-44; discussion 444-5
- 10767** Elser, D. M., Wyman, J. F., McClish, D. K., Robinson, D., Fantl, J. A., Bump, R. C. The effect of bladder training, pelvic floor muscle training, or combination training on urodynamic parameters in women with urinary incontinence. Continence Program for Women Research Group. *Neurourol Urodyn.* 1999; 18: 427-36
- 10768** Groutz, A., Gordon, D., Keidar, R., Lessing, J. B., Wolman, I., David, M. P., Chen, B. Stress urinary incontinence: prevalence among nulliparous compared with primiparous and grand multiparous premenopausal women. *Neurourol Urodyn.* 1999; 18: 419-25
- 10769** Kayigil, O., Iftekhar Ahmed, S., Metin, A. The coexistence of intrinsic sphincter deficiency with type II stress incontinence. *J Urol.* 1999 Oct; 162: 1365-6



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10770** McClish, D. K., Wyman, J. F., Sale, P. G., Camp, J., Earle, B. Use and costs of incontinence pads in female study volunteers. Contenance Program for Women Research Group. J Wound Ostomy Continence Nurs. 1999 Jul; 26: 207-8, 210-3
- 10771** Lemack, G. E., Zimmern, P. E. Predictability of urodynamic findings based on the Urogenital Distress Inventory-6 questionnaire. Urology. 1999 Sep; 54: 461-6
- 10772** Nishimatsu, H., Moriyama, N., Hamada, K., Ukai, Y., Yamazaki, S., Kameyama, S., Konno, N., Ishida, Y., Ishii, Y., Murayama, T., Kitamura, T. Contractile responses to alpha1-adrenoceptor agonists in isolated human male and female urethra. BJU Int. 1999 Sep; 84: 515-20
- 10773** Hawkyard, S., Poon, P., Morgan, D. R. Sertoli tumour presenting with stress incontinence in a patient with testicular feminization. BJU Int. 1999 Aug; 84: 382-3
- 10774** van Zon-Rabelink, I., Laven, J., Vleugels, M. The bacteriological changes after re-using a vaginal continence guard. Acta Obstet Gynecol Scand. 1999 Sep; 78: 722-7
- 10775** Kobashi, K. C., Leach, G. E. Stress urinary incontinence. Curr Opin Urol. 1999 Jul; 9: 285-90
- 10776** Lawton, V., Smith, A. R. Laparoscopic colposuspension. Semin Laparosc Surg. 1999 Jun; 6: 90-9
- 10777** Margossian, H., Pollard, R. R., Walters, M. D. Small bowel obstruction in a peritoneal defect after laparoscopic Burch procedure. J Am Assoc Gynecol Laparosc. 1999 Aug; 6: 343-5
- 10778** Thorp, J. M., Jr, Norton, P. A., Wall, L. L., Kuller, J. A., Eucker, B., Wells, E. Urinary incontinence in pregnancy and the puerperium: a prospective study. Am J Obstet Gynecol. 1999 Aug; 181: 266-73
- 10779** Tschopp, P. J., Wesley-James, T., Spekkens, A., Lohfeld, L. Collagen injections for urinary stress incontinence in a small urban urology practice: time to failure analysis of 99 cases. J Urol. 1999 Sep; 162: 779-82; discussion 782-3
- 10780** Hojberg, K. E., Salvig, J. D., Winslow, N. A., Lose, G., Secher, N. J. Urinary incontinence: prevalence and risk factors at 16 weeks of gestation. Br J Obstet Gynaecol. 1999 Aug; 106: 842-50
- 10781** Petrou, S. P., Wan, J. VLPP in the evaluation of the female with stress urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct. 1999; 10: 254-9
- 10782** Ballanger, P., Rischmann, P. Female urinary incontinence. An overview of a report presented to the French Urological Association. Eur Urol. 1999 Sep; 36: 165-74
- 10783** Filbeck, T., Ullrich, T., Pichlmeier, U., Kiel, H. J., Wieland, W. F., Roessler, W. Correlation of persistent stress urinary incontinence with quality of life after suspension procedures: is continence the only decisive postoperative criterion of success?. Urology. 1999 Aug; 54: 247-51
- 10784** Takeda, M., Hatano, A., Kurumada, S., Takahashi, H., Wakatsuki, S., Go, H., Watanabe, R., Tomita, Y., Takahashi, K. Bladder neck suspension using percutaneous bladder neck stabilization to the pubic bone with a bone-anchor suture fixation system: A new extraperitoneal laparoscopic approach. Urol Int. 1999; 62: 57-60
- 10785** Serel, T. A., Gungor, M. Urodynamic evaluation after endoscopic modified bladder neck suspension. Urol Int. 1999; 62: 17-20
- 10786** Athanasiou, S., Khullar, V., Boos, K., Salvatore, S., Cardozo, L. Imaging the urethral sphincter with three-dimensional ultrasound. Obstet Gynecol. 1999 Aug; 94: 295-301
- 10787** Su, T. H., Hsu, C. Y., Chen, J. C. Injection therapy for stress incontinence in women. Int Urogynecol J Pelvic Floor Dysfunct. 1999; 10: 200-6
- 10788** Kondo, A., Narushima, M., Itoh, Y., Saito, M. Vaginal nylon sling: loop length and surgical outcomes in those with urethral hypermobility and intrinsic sphincter deficiency. Int Urogynecol J Pelvic Floor Dysfunct. 1999; 10: 182-7
- 10789** Meschia, M., Bruschi, F., Amicarelli, F., Pifarotti, P., Marchini, M., Crosignani, P. G. The sacrospinous vaginal vault suspension: Critical analysis of outcomes. Int Urogynecol J Pelvic Floor Dysfunct. 1999; 10: 155-9
- 10790** Schultheiss, D., Jonas, U. Do we need bone anchors in urogynecology?. Int Urogynecol J Pelvic Floor Dysfunct. 1999; 10: 153-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 10791** Maher, C., Dwyer, P., Carey, M., Gilmour, D. The Burch colposuspension for recurrent urinary stress incontinence following retropubic continence surgery. *Br J Obstet Gynaecol.* 1999 Jul; 106: 719-24
- 10792** Jackson, S., Shepherd, A., Brookes, S., Abrams, P. The effect of oestrogen supplementation on post-menopausal urinary stress incontinence: a double-blind placebo-controlled trial. *Br J Obstet Gynaecol.* 1999 Jul; 106: 711-8
- 10793** Cervigni, M., Natale, F. Surgical treatment of stress urinary incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1999 Jul; 85: 63-70
- 10794** Margossian, H., Walters, M. D., Falcone, T. Laparoscopic management of pelvic organ prolapse. *Eur J Obstet Gynecol Reprod Biol.* 1999 Jul; 85: 57-62
- 10795** Kralj, B. Conservative treatment of female stress urinary incontinence with functional electrical stimulation. *Eur J Obstet Gynecol Reprod Biol.* 1999 Jul; 85: 53-6
- 10796** Khullar, V., Cardozo, L., McLellan, A., Bidmead, J., Kelleher, C. Impact of surgery for stress incontinence on the social lives of women. *Br J Obstet Gynaecol.* 1999 Mar; 106: 290-1
- 10797** Watson, A. J., Currie, I., Jarvis, G. J. A prospective placebo controlled double blind randomised study to investigate the use of indoramin to prevent post-operative voiding disorders after surgical treatment for genuine stress incontinence. *Br J Obstet Gynaecol.* 1999 Mar; 106: 270-2
- 10798** O'Connor, R. A. Impact of surgery for stress incontinence on the social lives of women. *Br J Obstet Gynaecol.* 1999 Jun; 106: 613-4
- 10799** Moore, K. H., Foote, A., Burton, G., King, J. An open study of the bladder neck support prosthesis in genuine stress incontinence. *Br J Obstet Gynaecol.* 1999 Jan; 106: 42-9
- 10800** Ulmsten, U., Johnson, P., Rezapour, M. A three-year follow up of tension free vaginal tape for surgical treatment of female stress urinary incontinence. *Br J Obstet Gynaecol.* 1999 Apr; 106: 345-50
- 10801** Cardozo, L., Hextall, A., Bailey, J., Boos, K. Colposuspension after previous failed incontinence surgery: a prospective observational study. *Br J Obstet Gynaecol.* 1999 Apr; 106: 340-4
- 10802** Ou, C. S., Rowbotham, R. Five-year follow-up of laparoscopic bladder neck suspension using synthetic mesh and surgical staples. *J Laparoendosc Adv Surg Tech A.* 1999 Jun; 9: 249-52
- 10803** Jongen, V. H., Brouwer, W. K. Comparison of the modified Pereyra procedure using permanent suture material and Burch urethropexy. *Eur J Obstet Gynecol Reprod Biol.* 1999 May; 84: 7-11
- 10804** Quadri, G., Magatti, F., Belloni, C., Barisani, D., Natale, N. Marshall-Marchetti-Krantz urethropexy and Burch colposuspension for stress urinary incontinence in women with low pressure and hypermobility of the urethra: early results of a prospective randomized clinical trial. *Am J Obstet Gynecol.* 1999 Jul; 181: 12-8
- 10805** Das, S. Dynamic suburethral suspension with pedicled external oblique aponeurosis in the management of female urinary incontinence. *J Urol.* 1999 Aug; 162: 469-73
- 10806** Moore, K. H., Simons, A., Dowell, C., Bryant, C., Prashar, S. Efficacy and user acceptability of the urethral occlusive device in women with urinary incontinence. *J Urol.* 1999 Aug; 162: 464-8
- 10807** Hsu, T. H., Rackley, R. R., Appell, R. A. The supine stress test: a simple method to detect intrinsic urethral sphincter dysfunction. *J Urol.* 1999 Aug; 162: 460-3
- 10808** Khullar, V., Salvatore, S., Bidmead, J., Anders, K., Cardozo, L. Conservative management of genuine stress incontinence in women. Study's flaws may be misleading. *BMJ.* 1999 Jul 17; 319: 190-1
- 10809** Perez, N., Garcier, J. M., Pin-Leveugle, J., Lhoste-Trouilloud, A., Ravel, A., McLaughlin, P., Viallet, J. F., Boyer, L. Dynamic magnetic resonance imaging of the female pelvis: radio-anatomy and pathologic applications. Preliminary results. *Surg Radiol Anat.* 1999; 21: 133-8
- 10810** Marana, H. R., Andrade, J. M., Marana, R. R., Matheus de Sala, M., Philbert, P. M., Rodrigues, R. Vaginal hysterectomy for correcting genital prolapse. Long-term evaluation. *J Reprod Med.* 1999 Jun; 44: 529-34
- 10811** Sandvik, H. Health information and interaction on the internet: a survey of female urinary incontinence. *BMJ.* 1999 Jul 3; 319: 29-32

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10812 Swift, S. E., Yoon, E. A. Test-retest reliability of the cough stress test in the evaluation of urinary incontinence. *Obstet Gynecol.* 1999 Jul; 94: 99-102
- 10813 Brown, J. S., Grady, D., Ouslander, J. G., Herzog, A. R., Varner, R. E., Posner, S. F. Prevalence of urinary incontinence and associated risk factors in postmenopausal women. Heart & Estrogen/Progestin Replacement Study (HERS) Research Group. *Obstet Gynecol.* 1999 Jul; 94: 66-70
- 10814 Chen, H. Y., Chang, W. C., Lin, W. C., Yeh, L. S., Hsu, T. Y., Tsai, H. D., Yang, K. Y. Efficacy of pelvic floor rehabilitation for treatment of genuine stress incontinence. *J Formos Med Assoc.* 1999 Apr; 98: 271-6
- 10815 Sand, P. K., Staskin, D., Miller, J., Diokno, A., Sant, G. R., Davila, G. W., Knapp, P., Rappaport, S., Tutrone, R. Effect of a urinary control insert on quality of life in incontinent women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 100-5
- 10816 Jung, S. Y., Fraser, M. O., Ozawa, H., Yokoyama, O., Yoshiyama, M., De Groat, W. C., Chancellor, M. B. Urethral afferent nerve activity affects the micturition reflex; implication for the relationship between stress incontinence and detrusor instability. *J Urol.* 1999 Jul; 162: 204-12
- 10817 Nitahara, K. S., Aboseif, S., Tanagho, E. A. Long-term results of colpocystourethropexy for persistent or recurrent stress urinary incontinence. *J Urol.* 1999 Jul; 162: 138-41
- 10818 Fulford, S. C., Flynn, R., Barrington, J., Appanna, T., Stephenson, T. P. An assessment of the surgical outcome and urodynamic effects of the pubovaginal sling for stress incontinence and the associated urge syndrome. *J Urol.* 1999 Jul; 162: 135-7
- 10819 Rosamilia, A., Clements, J. A., Dwyer, P. L., Kende, M., Campbell, D. J. Activation of the kallikrein kinin system in interstitial cystitis. *J Urol.* 1999 Jul; 162: 129-34
- 10820 Zorn, B. H., Montgomery, H., Pieper, K., Gray, M., Steers, W. D. Urinary incontinence and depression. *J Urol.* 1999 Jul; 162: 82-4
- 10821 Simeonova, Z., Milsom, I., Kullendorff, A. M., Molander, U., Bengtsson, C. The prevalence of urinary incontinence and its influence on the quality of life in women from an urban Swedish population. *Acta Obstet Gynecol Scand.* 1999 Jul; 78: 546-51
- 10822 Pantuck, A. J., Li, R. Z., Perrotti, M. Stamey needle passage of fascial pubovaginal sling after failed vesicourethropexy. *Tech Urol.* 1999 Mar; 5: 21-3
- 10823 Hudson, A., Jones, L. R., Weber, M. T. Adult survivors of childhood sexual abuse as patients: two case studies. *J Wound Ostomy Continence Nurs.* 1999 Mar; 26: 60-6
- 10824 Kane, L., Chung, T., Lawrie, H., Iskaros, J. The pubofascial anchor sling procedure for recurrent genuine urinary stress incontinence. *BJU Int.* 1999 Jun; 83: 1010-4
- 10825 Weatherall, M. Biofeedback or pelvic floor muscle exercises for female genuine stress incontinence: a meta-analysis of trials identified in a systematic review. *BJU Int.* 1999 Jun; 83: 1015-6
- 10826 Galloway, N. T., El-Galley, R. E., Sand, P. K., Appell, R. A., Russell, H. W., Carlan, S. J. Extracorporeal magnetic innervation therapy for stress urinary incontinence. *Urology.* 1999 Jun; 53: 1108-11
- 10827 Ishikawa, N., Suda, S., Sasaki, T., Yamanishi, T., Hosaka, H., Yasuda, K., Ito, H. Development of a non-invasive treatment system for urinary incontinence using a functional continuous magnetic stimulator (FCMS). *Med Biol Eng Comput.* 1998 Nov; 36: 704-10
- 10828 Davila, G. W., Neal, D., Horbach, N., Peacher, J., Doughtie, J. D., Karram, M. A bladder-neck support prosthesis for women with stress and mixed incontinence. *Obstet Gynecol.* 1999 Jun; 93: 938-42
- 10829 Payne, C. K. A transvaginal sling procedure with bone anchor fixation. *Urol Clin North Am.* 1999 May; 26: 423-30, x
- 10830 Kay, L., Stigsby, B., Brasso, K., Mortensen, S. O., Munkgaard, S. Lower urinary tract symptoms--a population survey using the Danish Prostatic Symptom Score (DAN-PSS) questionnaire. *Scand J Urol Nephrol.* 1999 Apr; 33: 94-9
- 10831 Swithinbank, L. V., James, M., Shepherd, A., Abrams, P. Role of ambulatory urodynamic monitoring in clinical urological practice. *Neurourol Urodyn.* 1999; 18: 215-22

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 10832** Gordon, D., Groutz, A., Wolman, I., Lessing, J. B., David, M. P. Development of postoperative urinary stress incontinence in clinically continent patients undergoing prophylactic Kelly plication during genitourinary prolapse repair. *Neurourol Urodyn.* 1999; 18: 193-7; discussion 197-8
- 10833** Ali-el-Dein, B., el-Sobky, E., Hohenfellner, M., Ghoneim, M. A. Orthotopic bladder substitution in women: functional evaluation. *J Urol.* 1999 Jun; 161: 1875-80
- 10834** Amundsen, C., Lau, M., English, S. F., McGuire, E. J. Do urinary symptoms correlate with urodynamic findings?. *J Urol.* 1999 Jun; 161: 1871-4
- 10835** Stenberg, A., Larsson, G., Johnson, P., Heimer, G., Ulmsten, U. DiHA Dextran Copolymer, a new biocompatible material for endoscopic treatment of stress incontinent women. Short term results. *Acta Obstet Gynecol Scand.* 1999 May; 78: 436-42
- 10836** Bodden-Heidrich, R., Beckmann, M. W., Libera, B., Rechenberger, I., Bender, H. G. Psychosomatic aspects of urinary incontinence. *Arch Gynecol Obstet.* 1999; 262: 151-8
- 10837** Winder, A. Incontinence: why women are still suffering in silence. *Community Nurse.* 1998 Oct; 4: 15-6
- 10838** Sugerman, H. J., Felton, W. L., 3rd, Sismanis, A., Kellum, J. M., DeMaria, E. J., Sugerman, E. L. Gastric surgery for pseudotumor cerebri associated with severe obesity. *Ann Surg.* 1999 May; 229: 634-40; discussion 640-2
- 10839** Dowell, C. J., Bryant, C. M., Moore, K. H., Simons, A. M. Calculating the direct costs of urinary incontinence: a new test instrument. *BJU Int.* 1999 Apr; 83: 596-606
- 10840** Groutz, A., Fait, G., Lessing, J. B., David, M. P., Wolman, I., Jaffa, A., Gordon, D. Incidence and obstetric risk factors of postpartum anal incontinence. *Scand J Gastroenterol.* 1999 Mar; 34: 315-8
- 10841** Ferland, R. D., Rosenblatt, P. Ureteral compromise after laparoscopic Burch colpopexy. *J Am Assoc Gynecol Laparosc.* 1999 May; 6: 217-9
- 10842** Blander, D. S., Carpinello, V. L., Harryhill, J. F., Malloy, T. R., Rovner, E. S. Extraperitoneal laparoscopic urethropexy with Marlex mesh. *Urology.* 1999 May; 53: 985-9
- 10843** De Ridder, D., Vermeulen, C., Ketelaer, P., Van Poppel, H., Baert, L. Pelvic floor rehabilitation in multiple sclerosis. *Acta Neurol Belg.* 1999 Mar; 99: 61-4
- 10844** Mutlu, N., Kazado, M., Culha, M., Merder, E., Baykal, M., Canbazoglu, N. Burch bladder neck colposuspension, comparison of early and late results. *Mater Med Pol.* 1997 Jan-Dec; 29: 8-10
- 10845** Mast, B. A. Alleviation of urinary incontinence after abdominoplasty. *Ann Plast Surg.* 1999 Apr; 42: 456-7
- 10846** Papa Petros, P. E., Ulmsten, U. An anatomical classification--a new paradigm for management of urinary dysfunction in the female. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 29-35
- 10847** Dwyer, P. L., Carey, M. P., Rosamilia, A. Suture injury to the urinary tract in urethral suspension procedures for stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 15-21
- 10848** Hirsch, A., Weirauch, G., Steimer, B., Bihler, K., Peschers, U., Bergauer, F., Leib, B., Dimpfl, T. Treatment of female urinary incontinence with EMG-controlled biofeedback home training. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 7-10
- 10849** Karram, M. M. What is the optimal anti-incontinence procedure in women with advanced prolapse and 'potential' stress incontinence?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 1-2
- 10850** Lagro-Janssen, T., van Weel, C. Long-term effect of treatment of female incontinence in general practice. *Br J Gen Pract.* 1998 Nov; 48: 1735-8
- 10851** Gorton, E., Stanton, S. Iontophoresis as a new method of delivering local anesthesia to the urethra: a pilot study. *Urology.* 1999 Apr; 53: 790-2
- 10852** Pelosi, M. A., 3rd, Pelosi, M. A. Pubic bone suburethral stabilization sling: laparoscopic assessment of a transvaginal operation for the treatment of stress urinary incontinence. *J Laparoendosc Adv Surg Tech A.* 1999 Feb; 9: 45-50

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10853** Weinberger, M. W., Goodman, B. M., Carnes, M. Long-term efficacy of nonsurgical urinary incontinence treatment in elderly women. *J Gerontol A Biol Sci Med Sci.* 1999 Mar; 54: M117-21
- 10854** Miller, J. M., Ashton-Miller, J. A., Carchidi, L. T., DeLancey, J. O. On the lack of correlation between self-report and urine loss measured with standing provocation test in older stress-incontinent women. *J Womens Health.* 1999 Mar; 8: 157-62
- 10855** Browne, D. S. Re: The sign of stress incontinence--should we believe what we see?. *Aust N Z J Obstet Gynaecol.* 1999 Feb; 39: 139-40
- 10856** Farnsworth, B. Re: The sign of stress incontinence--should we believe what we see?. *Aust N Z J Obstet Gynaecol.* 1999 Feb; 39: 139
- 10857** Haylen, B. T., Cerqui, A. J., Meagher, A. P. Five-layer repair of rectovaginal fistula using a vaginal approach. A case report. *Aust N Z J Obstet Gynaecol.* 1999 Feb; 39: 131-3
- 10858** Chai, T. C., Sklar, G. N. Use of the flexible cystoscope as a vaginoscope to aid in the diagnosis of artificial sling erosion. *Urology.* 1999 Mar; 53: 617-8
- 10859** Liapis, A., Papoulias, I., Chryssicopoulos, A., Creatsas, G. Results of the colposuspension operation in pre and postmenopausal incontinent women. *Maturitas.* 1998 Nov 30; 31: 69-75
- 10860** Eisenberger, C. F., Schoenberg, M., Fitter, D., Marshall, F. F. Orthotopic ileocolic neobladder reconstruction following radical cystectomy: history, technique and results of the Johns Hopkins experience, 1986-1998. *Urol Clin North Am.* 1999 Feb; 26: 149-56, ix
- 10861** Appleby, S. Stress urinary incontinence: issues and answers for women. *Ostomy Wound Manage.* 1999 Jan; 45: 44-8, 50-3
- 10862** Liu, C. Y. Laparoscopic treatment of stress urinary incontinence. *Obstet Gynecol Clin North Am.* 1999 Mar; 26: 149-67
- 10863** Cucchi, A. Sequential changes in voiding dynamics related to the development of detrusor instability in women with stress urinary incontinence. *Neurourol Urodyn.* 1999; 18: 73-80
- 10864** Petrou, S. P., Brown, J. A., Blaivas, J. G. Suprameatal transvaginal urethrolisis. *J Urol.* 1999 Apr; 161: 1268-71
- 10865** Diokno, A. C., Dimaculangan, R. R., Lim, E. U., Steinert, B. W. Office based criteria for predicting type II stress incontinence without further evaluation studies. *J Urol.* 1999 Apr; 161: 1263-7
- 10866** Migliari, R., Usai, E. Treatment results using a mixed fiber mesh in patients with grade IV cystocele. *J Urol.* 1999 Apr; 161: 1255-8
- 10867** Fink, D., Perucchini, D., Schaer, G. N., Haller, U. The role of the frequency-volume chart in the differential diagnostic of female urinary incontinence. *Acta Obstet Gynecol Scand.* 1999 Mar; 78: 254-7
- 10868** Aanestad, O., Flink, R. Urinary stress incontinence. A urodynamic and quantitative electromyographic study of the perineal muscles. *Acta Obstet Gynecol Scand.* 1999 Mar; 78: 245-53
- 10869** Schaer, G. N., Perucchini, D., Munz, E., Peschers, U., Koechli, O. R., Delancey, J. O. Sonographic evaluation of the bladder neck in continent and stress- incontinent women. *Obstet Gynecol.* 1999 Mar; 93: 412-6
- 10870** Sander, P., Thyssen, H., Lose, G., Andersen, J. T. Effect of a vaginal device on quality of life with urinary stress incontinence. *Obstet Gynecol.* 1999 Mar; 93: 407-11
- 10871** Rosenbaum, T. P., Shaw, P. J., Woodhouse, C. R. Symptomatic intermittent bladder acontractility after clam cystoplasty. *Br J Urol.* 1993 Nov; 72: 664-5
- 10872** Cucchi, A. Bladder contractility and idiopathic detrusor instability in the female. *Br J Urol.* 1993 Nov; 72: 559-65
- 10873** Casper, F. W., Linn, J. F., Black, P. Obstetrical management following incontinence surgery. *J Obstet Gynaecol Res.* 1999 Feb; 25: 51-3
- 10874** Rizvi, J. H. Genital fistulae. A continuing tragedy. *J Obstet Gynaecol Res.* 1999 Feb; 25: 1-7



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10875** Goldman, H. B., Rackley, R. R., Appell, R. A. The efficacy of urethrolisis without re-suspension for iatrogenic urethral obstruction. *J Urol.* 1999 Jan; 161: 196-8; discussion 198-9
- 10876** Shafik, A., Doss, S. Surgical anatomy of the somatic terminal innervation to the anal and urethral sphincters: role in anal and urethral surgery. *J Urol.* 1999 Jan; 161: 85-9
- 10877** Bo, K., Talseth, T., Holme, I. Single blind, randomised controlled trial of pelvic floor exercises, electrical stimulation, vaginal cones, and no treatment in management of genuine stress incontinence in women. *BMJ.* 1999 Feb 20; 318: 487-93
- 10878** Glavind, K., Mouritsen, A. L., Lose, G. Management of stress and urge urinary incontinence in women. *Acta Obstet Gynecol Scand.* 1999 Feb; 78: 75-81
- 10879** Hale, D. S., Benson, J. T., Brubaker, L., Heidkamp, M. C., Russell, B. Histologic analysis of needle biopsy of urethral sphincter from women with normal and stress incontinence with comparison of electromyographic findings. *Am J Obstet Gynecol.* 1999 Feb; 180: 342-8
- 10880** Carley, M. E., Turner, R. J., Scott, D. E., Alexander, J. M. Obstetric history in women with surgically corrected adult urinary incontinence or pelvic organ prolapse. *J Am Assoc Gynecol Laparosc.* 1999 Feb; 6: 85-9
- 10881** Jacome, E. G., Tintera, G., Mattox, F. T. Laparoscopic Burch urethropexy in a private clinical practice. *J Am Assoc Gynecol Laparosc.* 1999 Feb; 6: 39-44
- 10882** Appell, R. A. Teloscopy. *J Am Assoc Gynecol Laparosc.* 1998 Nov; 5: 445-6
- 10883** Hassouna, M. E., Ghoniem, G. M. Long-term outcome and quality of life after modified pubovaginal sling for intrinsic sphincteric deficiency. *Urology.* 1999 Feb; 53: 287-91
- 10884** Busacchi, P., De Giorgio, R., Santini, D., Bellavia, E., Perri, T., Oliverio, C., Paradisi, R., Corinaldesi, R., Flamigni, C. A histological and immunohistochemical study of neuropeptide containing somatic nerves in the levator ani muscle of women with genitourinary prolapse. *Acta Obstet Gynecol Scand.* 1999 Jan; 78: 2-5
- 10885** Bent, A. E., McLennan, M. T. Surgical management of urinary incontinence. *Obstet Gynecol Clin North Am.* 1998 Dec; 25: 883-906
- 10886** Visco, A. G., Figuers, C. Nonsurgical management of pelvic floor dysfunction. *Obstet Gynecol Clin North Am.* 1998 Dec; 25: 849-65, vii
- 10887** O'Connell, H. E., McKertich, K. M. Common urological problems in women. *Aust Fam Physician.* 1998 Dec; 27: 1098-104
- 10888** Kammerer-Doak, D. N., Dorin, M. H., Rogers, R. G., Cousin, M. O. A randomized trial of burch retropubic urethropexy and anterior colporrhaphy for stress urinary incontinence. *Obstet Gynecol.* 1999 Jan; 93: 75-8
- 10889** Safir, M. H., Gousse, A. E., Rovner, E. S., Ginsberg, D. A., Raz, S. 4-Defect repair of grade 4 cystocele. *J Urol.* 1999 Feb; 161: 587-94
- 10890** Romanzi, L. J., Chaikin, D. C., Blaivas, J. G. The effect of genital prolapse on voiding. *J Urol.* 1999 Feb; 161: 581-6
- 10891** English, S. F., Amundsen, C. L., McGuire, E. J. Bladder neck competency at rest in women with incontinence. *J Urol.* 1999 Feb; 161: 578-80
- 10892** Nesrallah, L. J., Srougi, M., Gittes, R. F. The O'Connor technique: the gold standard for supratrigonal vesicovaginal fistula repair. *J Urol.* 1999 Feb; 161: 566-8
- 10893** Shandera, K. C. Diagnosis and management of female urinary incontinence. *Hawaii Med J.* 1998 Dec; 57: 746-8
- 10894** Faerber, G. J. Urethral diverticulectomy and pubovaginal sling for simultaneous treatment of urethral diverticulum and intrinsic sphincter deficiency. *Tech Urol.* 1998 Dec; 4: 192-7
- 10895** Rovner, E. S. Primary slings for everyone with genuine stress incontinence? The argument against. *Int Urogynecol J* 1997;8:321-322. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 419
- 10896** Madjar, S., Beyar, M., Nativ, O. Pubic bone anchoring in the treatment of women with stress urinary incontinence: new applications to an old concept. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 416-8



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10897** Levin, S., Bennet, A. E., Levin, D., Danielli, L., Levin, R., Sidi, A. Minimally invasive surgical treatment of female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 405-8
- 10898** Meyer, S., Bachelard, O., De Grandi, P. Do bladder neck mobility and urethral sphincter function differ during pregnancy compared with during the non-pregnant state?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 397-404
- 10899** Tincello, D. G., Richmond, D. H. The Larsson frequency/volume chart is not a substitute for cystometry in the investigation of women with urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 391-6
- 10900** Dainer, M., Hall, C. D., Choe, J., Bhatia, N. Pregnancy following incontinence surgery. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 385-90
- 10901** Vasavada, S. P., Rackley, R. R., Appell, R. A. In situ anterior vaginal wall sling formation with preservation of the endopelvic fascia for treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 379-84
- 10902** Giacalone, P. L., Laffargue, F., Daures, J. P., Lombard, I. The Bologna bladder neck suspension procedure for treatment of stress urinary incontinence associated with cystocele. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 370-8
- 10903** Dietz, H. P., Wilson, P. D. Anatomical assessment of the bladder outlet and proximal urethra using ultrasound and videocystourethrography. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 365-9
- 10904** Brubaker, L. Vaginal delivery and the pelvic floor. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 363-4
- 10905** Dainer, M., Hall, C. D., Choe, J., Bhatia, N. N. The Burch procedure: a comprehensive review. *Obstet Gynecol Surv.* 1999 Jan; 54: 49-60
- 10906** Patrick, D. L., Martin, M. L., Bushnell, D. M., Yalcin, I., Wagner, T. H., Buesching, D. P. Quality of life of women with urinary incontinence: further development of the incontinence quality of life instrument (I-QOL). *Urology.* 1999 Jan; 53: 71-6
- 10907** King, J. K., Freeman, R. M. Is antenatal bladder neck mobility a risk factor for postpartum stress incontinence?. *Br J Obstet Gynaecol.* 1998 Dec; 105: 1300-7
- 10908** Soler, D., Borzyskowski, M. Lower urinary tract dysfunction in children with central nervous system tumours. *Arch Dis Child.* 1998 Oct; 79: 344-7
- 10909** Lee, C. L., Yen, C. F., Wang, C. J., Huang, K. G., Soong, Y. K. Extraperitoneoscopic colposuspension using CO2 distension method. *Int Surg.* 1998 Jul-Sep; 83: 262-4
- 10910** Aboseif, S. R., Borirakchanyavat, S., Lue, T. F., Carroll, P. R. Continence mechanism of the ileal neobladder in women: a urodynamics study. *World J Urol.* 1998; 16: 400-4
- 10911** Lin, H. H., Sheu, B. C., Lo, M. C., Huang, S. C. Abnormal urodynamic findings after radical hysterectomy or pelvic irradiation for cervical cancer. *Int J Gynaecol Obstet.* 1998 Nov; 63: 169-74
- 10912** Rechberger, T., Postawski, K., Jakowicki, J. A., Gunja-Smith, Z., Woessner, J. F., Jr Role of fascial collagen in stress urinary incontinence. *Am J Obstet Gynecol.* 1998 Dec; 179: 1511-4
- 10913** Scotti, R. J., Garely, A. D., Greston, W. M., Flora, R. F., Olson, T. R. Paravaginal repair of lateral vaginal wall defects by fixation to the ischial periosteum and obturator membrane. *Am J Obstet Gynecol.* 1998 Dec; 179: 1436-45
- 10914** Myers, D. L., LaSala, C. A. Conservative surgical management of Mersilene mesh suburethral sling erosion. *Am J Obstet Gynecol.* 1998 Dec; 179: 1424-8; discussion 1428-9
- 10915** Khullar, V., Damiano, R., Tooze-Hobson, P., Cardozo, L. Prevalence of faecal incontinence among women with urinary incontinence. *Br J Obstet Gynaecol.* 1998 Nov; 105: 1211-3
- 10916** Rane, A. Laparoscopic colposuspension. *Br J Obstet Gynaecol.* 1998 Nov; 105: 1237
- 10917** Siltberg, H., Larsson, G., Victor, A. Cough-induced leak-point pressure--a valid measure for assessing treatment in women with stress incontinence. *Acta Obstet Gynecol Scand.* 1998 Nov; 77: 1000-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10918** Versi, E., Harvey, M. A. Efficacy of an external urethral device in women with genuine stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 271-4
- 10919** Miller, K., Richardson, D. A., Siegel, S. W., Karram, M. M., Blackwood, N. B., Sand, P. K. Pelvic floor electrical stimulation for genuine stress incontinence: who will benefit and when?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 265-70
- 10920** Appell, R. A. Primary slings for everyone with genuine stress incontinence? The argument for... *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 249-51
- 10921** Shafik, A. Pudendal canal syndrome as a cause of vulvodynia and its treatment by pudendal nerve decompression. *Eur J Obstet Gynecol Reprod Biol.* 1998 Oct; 80: 215-20
- 10922** Fielding, J. R., Griffiths, D. J., Versi, E., Mulkern, R. V., Lee, M. L., Jolesz, F. A. MR imaging of pelvic floor continence mechanisms in the supine and sitting positions. *AJR Am J Roentgenol.* 1998 Dec; 171: 1607-10
- 10923** Harris, R. L., Cundiff, G. W., Coates, K. W., Bump, R. C. Urinary incontinence and pelvic organ prolapse in nulliparous women. *Obstet Gynecol.* 1998 Dec; 92: 951-4
- 10924** Hutchings, A., Griffiths, J., Black, N. A. Surgery for stress incontinence: factors associated with a successful outcome. *Br J Urol.* 1998 Nov; 82: 634-41
- 10925** Bump, R. C., Hurt, W. G., Addison, W. A., Fantl, J. A., McClish, D. K. Reliability and correlation of measurements during and after bladder neck surgery. The Continence Program for Women Research Group. *Br J Urol.* 1998 Nov; 82: 628-33
- 10926** Haeusler, G., Tempfer, C., Heinzl, H., Sam, C., Hefler, L., Hanzal, E., Koelbl, H. Value of urethral pressure profilometry in the female incontinent patient: a prospective trial with an 8-channel urethral catheter. *Urology.* 1998 Dec; 52: 1113-7
- 10927** Ehren, I., Lundberg, J. O., Adolfsson, J., Wiklund, N. P. Effects of L-arginine treatment on symptoms and bladder nitric oxide levels in patients with interstitial cystitis. *Urology.* 1998 Dec; 52: 1026-9
- 10928** Gallagher, M. S. Urogenital distress and the psychosocial impact of urinary incontinence on elderly women. *Rehabil Nurs.* 1998 Jul-Aug; 23: 192-7
- 10929** Tunn, R., Paris, S., Fischer, W., Hamm, B., Kuchinke, J. Static magnetic resonance imaging of the pelvic floor muscle morphology in women with stress urinary incontinence and pelvic prolapse. *Neurourol Urodyn.* 1998; 17: 579-89
- 10930** Versi, E., Lyell, D. J., Griffiths, D. J. Videourodynamic diagnosis of occult genuine stress incontinence in patients with anterior vaginal wall relaxation. *J Soc Gynecol Investig.* 1998 Nov-Dec; 5: 327-30
- 10931** Atahan, O., Kayigil, O., Metin, A. Modified four corner bladder neck suspension in anatomical stress incontinence with moderate cystocele. *Int Urol Nephrol.* 1998; 30: 439-44
- 10932** Ross, J. Laparoscopy or open Burch colposuspension?. *Curr Opin Obstet Gynecol.* 1998 Oct; 10: 405-9
- 10933** Khullar, V., Cardozo, L. Incontinence in the elderly. *Curr Opin Obstet Gynecol.* 1998 Oct; 10: 391-4
- 10934** Chaikin, D. C., Blaivas, J. G. Weakened cadaveric fascial sling: an unexpected cause of failure. *J Urol.* 1998 Dec; 160: 2151
- 10935** Abdel-Mageed, A. B., Ghoniem, G. M. Potential role of rel/nuclear factor-kappaB in the pathogenesis of interstitial cystitis. *J Urol.* 1998 Dec; 160: 2000-3
- 10936** Olson, M. E., Morck, D. W., Ceri, H., Lee, C. C., Chancellor, M. B. Evaluation of autologous fat implantation in the rat urinary bladder submucosa. *Urology.* 1998 Nov; 52: 915-9
- 10937** Jozwik, M., Jozwik, M. The physiological basis of pelvic floor exercises in the treatment of stress urinary incontinence. *Br J Obstet Gynaecol.* 1998 Oct; 105: 1046-51
- 10938** Ulmsten, U., Falconer, C., Johnson, P., Jomaa, M., Lanner, L., Nilsson, C. G., Olsson, I. A multicenter study of tension-free vaginal tape (TVT) for surgical treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 210-3

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10939** Hextall, A., Boos, K., Cardozo, L., Tooze-Hobson, P., Anders, K., Khullar, V. Videocystourethrography with a ring pessary in situ. A clinically useful preoperative investigation for continent women with urogenital prolapse?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 205-9
- 10940** Flood, C. G., Drutz, H. P., Waja, L. Anterior colporrhaphy reinforced with Marlex mesh for the treatment of cystoceles. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 200-4
- 10941** Ostrzenski, A., Osborne, N. G. Ultrasonography as a screening tool for paravaginal defects in women with stress incontinence: a pilot study. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 195-9
- 10942** Perkins, J. Vaginal weights for assessment and training of the pelvic floor. *J Wound Ostomy Continence Nurs.* 1998 Jul; 25: 206-16
- 10943** Wyman, J. F., Fantl, J. A., McClish, D. K., Bump, R. C. Comparative efficacy of behavioral interventions in the management of female urinary incontinence. Continence Program for Women Research Group. *Am J Obstet Gynecol.* 1998 Oct; 179: 999-1007
- 10944** Madjar, S., Wald, M., Halachmi, S., Issaq, E., Moskovitz, B., Beyar, M., Nativ, O. Minimally invasive pervaginal procedures for the treatment of female stress incontinence using a new pubic bone anchoring system. *Artif Organs.* 1998 Oct; 22: 879-85
- 10945** Sasso, K. C. New treatment options for stress incontinence. *RN.* 1998 Sep; 61: 36-9
- 10946** Griffiths, J. M., Black, N. A., Pope, C., Stanley, J., Bowling, A., Abel, P. D. What determines the choice of procedure in stress incontinence surgery? The use of multilevel modeling. *Int J Technol Assess Health Care.* 1998 Summer; 14: 431-45
- 10947** Weiss, J. P., Blaivas, J. G., Stember, D. S., Brooks, M. M. Nocturia in adults: etiology and classification. *Neurourol Urodyn.* 1998; 17: 467-72
- 10948** Gosalbez, R., Castellan, M. Defining the role of the bladder-neck sling in the surgical treatment of urinary incontinence in children with neurogenic incontinence. *World J Urol.* 1998; 16: 285-91
- 10949** Thuroff, J. W., Chartier-Kastler, E., Corcus, J., Humke, J., Jonas, U., Palmtag, H., Tanagho, E. A. Medical treatment and medical side effects in urinary incontinence in the elderly. *World J Urol.* 1998; 16 Suppl 1: S48-61
- 10950** Hadley, H. R., Pineda, E. B. The urethral sling and stress urinary incontinence. *West J Med.* 1998 Sep; 169: 167-8
- 10951** Saidi, M. H., Gallagher, M. S., Skop, I. P., Saidi, J. A., Sadler, R. K., Diaz, K. C. Extraperitoneal laparoscopic colposuspension: short-term cure rate, complications, and duration of hospital stay in comparison with Burch colposuspension. *Obstet Gynecol.* 1998 Oct; 92: 619-21
- 10952** Meyer, S., Schreyer, A., De Grandi, P., Hohlfeld, P. The effects of birth on urinary continence mechanisms and other pelvic-floor characteristics. *Obstet Gynecol.* 1998 Oct; 92: 613-8
- 10953** McLennan, M. T., Melick, C. F., Bent, A. E. Clinical and urodynamic predictors of delayed voiding after fascia lata suburethral sling. *Obstet Gynecol.* 1998 Oct; 92: 608-12
- 10954** Meyer, S., Kuntzer, T., De Grandi, P., Bachelard, O., Schreyer, A. Stimulated pressure profile at rest: a noninvasive method for assessing urethral sphincter function. *Urology.* 1998 Oct; 52: 679-84
- 10955** Ghoniem, G. M., Hassouna, M. E. Bladder neck prop using vaginal wall island for intrinsic sphincteric deficiency in elderly patients: a new technique. *Urology.* 1998 Oct; 52: 668-71
- 10956** Petros, P. P., Ulmsten, U. An anatomical classification--a new paradigm for management of female lower urinary tract dysfunction. *Eur J Obstet Gynecol Reprod Biol.* 1998 Sep; 80: 87-94
- 10957** Matkov, T. G., Hejna, M. J., Coogan, C. L. Osteomyelitis as a complication of vesica percutaneous bladder neck suspension. *J Urol.* 1998 Oct; 160: 1427
- 10958** Chaikin, D. C., Rosenthal, J., Blaivas, J. G. Pubovaginal fascial sling for all types of stress urinary incontinence: long-term analysis. *J Urol.* 1998 Oct; 160: 1312-6
- 10959** Leng, W. W., McGuire, E. J. Management of female urethral diverticula: a new classification. *J Urol.* 1998 Oct; 160: 1297-300

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 10960** Gofrit, O. N., Landau, E. H., Shapiro, A., Pode, D. The Stamey procedure for stress incontinence: long-term results. *Eur Urol.* 1998 Oct; 34: 339-43
- 10961** Ordóñez, E., Zivkovic, F., Moser, F., Tamussino, K. Inadvertent ureteral catheterization with a microtip catheter at cystometry. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 184-5
- 10962** Kelly, H. A., Dumm, W. M. Urinary incontinence in women, without manifest injury to the bladder. 1914. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 158-64
- 10963** Petros, P. E. The pubourethral ligaments--an anatomical and histological study in the live patient. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 154-7
- 10964** Glavind, K., Laursen, B., Jaquet, A. Efficacy of biofeedback in the treatment of urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 151-3
- 10965** Weil, E. H., Eerdmans, P. H., Dijkman, G. A., Tamussino, K., Feyereisl, J., Vierhout, M. E., Schmidbauer, C., Egarter, C., Kolle, D., Plasman, J. E., Heidler, H., Abbuhl, B. E., Wein, W. Randomized double-blind placebo-controlled multicenter evaluation of efficacy and dose finding of midodrine hydrochloride in women with mild to moderate stress urinary incontinence: a phase II study. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 145-50
- 10966** Sustersic, O., Kralj, B. The influence of obesity, constitution and physical work on the phenomenon of urinary incontinence in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 140-4
- 10967** Chilaka, V. N., Mayne, C. J. Postoperative urinary tract infections (UTIs) following single-dose intraoperative antibiotic prophylaxis in colposuspension patients. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 132-5
- 10968** Stenberg, A., Larsson, G., Heimer, G., Johnson, P., Ulmsten, U. Transurethral endoscopic treatment of urinary stress incontinence in women. Materials and results in former and present agents. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 44-6
- 10969** Fischer-Rasmussen, W. Transvaginal needle bladder neck suspension for stress urinary incontinence: practicable methods but not optimal results. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 38-43
- 10970** Nilsson, C. G. The tensionfree vaginal tape procedure (TVT) for treatment of female urinary incontinence. A minimal invasive surgical procedure. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 34-7
- 10971** Lose, G. Laparoscopic Burch colposuspension. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 29-33
- 10972** Lose, G., Kulseng-Hanssen, S., Nilsson, C. G. Aspects on the actual practice of surgical management of urinary incontinence in Norway and Finland. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 25-8
- 10973** Bratt, H., Salvesen, K. A., Eriksen, B. C., Kulseng-Hanssen, S. Long-term effects ten years after maximal electrostimulation of the pelvic floor in women with unstable detrusor and urge incontinence. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 22-4
- 10974** Fall, M. Advantages and pitfalls of functional electrical stimulation. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 16-21
- 10975** Kulseng-Hanssen, S., Kristoffersen, M., Larsen, E. Evaluation of the subjective and objective effect of maximal electrical stimulation in patients complaining of urge incontinence. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 12-5
- 10976** Bo, K. Effect of electrical stimulation on stress and urge urinary incontinence. Clinical outcome and practical recommendations based on randomized controlled trials. *Acta Obstet Gynecol Scand Suppl.* 1998; 168: 3-11
- 10977** Portera, J. C., Summitt, R. L., Jr Common operations for stress incontinence: selecting the correct operation. *Clin Obstet Gynecol.* 1998 Sep; 41: 712-8
- 10978** Drutz, H. P., Alnaif, B. Surgical management of pelvic organ prolapse and stress urinary incontinence. *Clin Obstet Gynecol.* 1998 Sep; 41: 786-93
- 10979** Brown, C. Pelvic floor rehabilitation: conservative treatment for incontinence. *Ostomy Wound Manage.* 1998 Jun; 44: 72-6
- 10980** Papa Petros, P. E. A cystocele may compensate for latent stress incontinence by stretching the vaginal hammock. *Gynecol Obstet Invest.* 1998; 46: 206-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 10981** Cespedes, R. D., Cross, C. A., McGuire, E. J. Pelvic prolapse: diagnosing and treating cystoceles, rectoceles, and enteroceles. *Medscape Womens Health*. 1998 Jul; 3: 4
- 10982** Bernier, P. A., Zimmern, P. E. Bone anchor removal after bladder neck suspension. *Br J Urol*. 1998 Aug; 82: 302-3
- 10983** Schultheiss, D., Hofner, K., Oelke, M., Grunewald, V., Jonas, U. Does bone anchor fixation improve the outcome of percutaneous bladder neck suspension in female stress urinary incontinence?. *Br J Urol*. 1998 Aug; 82: 192-5
- 10984** Berghmans, L. C., Hendriks, H. J., Bo, K., Hay-Smith, E. J., de Bie, R. A., van Waalwijk van Doorn, E. S. Conservative treatment of stress urinary incontinence in women: a systematic review of randomized clinical trials. *Br J Urol*. 1998 Aug; 82: 181-91
- 10985** Kuczyk, M. A., Klein, S., Grunewald, V., Machtens, S., Denil, J., Hofner, K., Wagner, T., Jonas, U. A questionnaire-based outcome analysis of the Stamey bladder neck suspension procedure for the treatment of urinary stress incontinence: the Hannover experience. *Br J Urol*. 1998 Aug; 82: 174-80
- 10986** Koelbl, H., Saz, V., Doerfler, D., Haeusler, G., Sam, C., Hanzal, E. Transurethral injection of silicone microimplants for intrinsic urethral sphincter deficiency. *Obstet Gynecol*. 1998 Sep; 92: 332-6
- 10987** Miannay, E., Cosson, M., Lanvin, D., Querleu, D., Crepin, G. Comparison of open retropubic and laparoscopic colposuspension for treatment of stress urinary incontinence. *Eur J Obstet Gynecol Reprod Biol*. 1998 Aug; 79: 159-66
- 10988** Labasky, R. F. Maybe we can do better for more--new insights on surgical candidates and techniques for incontinence surgery. *J Urol*. 1998 Sep; 160: 763
- 10989** Wright, E. J., Iselin, C. E., Carr, L. K., Webster, G. D. Pubovaginal sling using cadaveric allograft fascia for the treatment of intrinsic sphincter deficiency. *J Urol*. 1998 Sep; 160: 759-62
- 10990** Cummings, J. M., Boullier, J. A., Parra, R. O. Surgical correction of stress incontinence in morbidly obese women. *J Urol*. 1998 Sep; 160: 754-5
- 10991** Yamada, T., Arai, G., Masuda, H., Tsukamoto, T., Nagahama, K., Nagamatsu, H. The correction of type 2 stress incontinence with a polytetrafluoroethylene patch sling: 5-year mean followup. *J Urol*. 1998 Sep; 160: 746-9
- 10992** Khullar, V., Cardozo, L. The urethra (UPP, MUPP, instability, LPP). *Eur Urol*. 1998; 34 Suppl 1: 20-2
- 10993** Griffiths, D. Clinical aspects of detrusor instability and the value of urodynamics: a review of the evidence. *Eur Urol*. 1998; 34 Suppl 1: 13-5
- 10994** Owens, R. G., Karram, M. M. Comparative tolerability of drug therapies used to treat incontinence and enuresis. *Drug Saf*. 1998 Aug; 19: 123-39
- 10995** Versi, E., Griffiths, D. J., Harvey, M. A. A new external urethral occlusive device for female urinary incontinence. *Obstet Gynecol*. 1998 Aug; 92: 286-91
- 10996** Jozwik, M., Jr, Jozwik, M., Lotocki, W. Stress urinary incontinence in women. III. Different tissue biochemistry in patients with concomitant detrusor instability. Preliminary report. *Int Urol Nephrol*. 1998; 30: 279-82
- 10997** Lose, G., Walter, S. Impact of surgery for stress incontinence on morbidity. Pragmatic randomised trial is required. *BMJ*. 1998 Jul 11; 317: 144
- 10998** Duckett, J. R. Impact of surgery for stress incontinence on morbidity. Colposuspension has highest cure rates. *BMJ*. 1998 Jul 11; 317: 144
- 10999** Theodorou, C. h., Floratos, D., Katsifotis, C. h., Moutzouris, G., Mertziotis, N., Thermogianni, H. Transvaginal incisionless bladder neck suspension. A simplified technique for female genuine stress incontinence. *Int Urol Nephrol*. 1998; 30: 273-8
- 11000** Czaplicki, M., Dobronski, P., Torz, C., Borkowski, A. Long-term subjective results of Marshall-Marchetti-Krantz procedure. *Eur Urol*. 1998 Aug; 34: 118-23
- 11001** Yip, S. K., Leung, T. Y., Chan, C. K. Hematuria and clot retention after Burch colposuspension and Cystofix suprapubic catheterization: suprapubic cystotomy as an alternative suprapubic drainage method. *Int Urogynecol J Pelvic Floor Dysfunct*. 1998; 9: 122-4



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11002** Hilton, P., Ward, A., Molloy, M., Umana, O. Periurethral injection of autologous fat for the treatment of post-fistula repair stress incontinence: a preliminary report. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 118-21
- 11003** Papa Petros, P. E., Bush, M. B. A mathematical model for micturition gives new insights into pressure measurement and function. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 103-7
- 11004** Marinkovic, S., Mian, H., Evankovich, M., Poplawsky, D., Novi, J., Frey, C., Yap, W. Analysis of early outcome: Burch procedure versus pubovaginal sling. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 94-9
- 11005** Chiara, G., Piccioni, V., Perino, M., Ohlmeier, U., Fassino, S., Leombruni, P. Psychological investigation in female patients suffering from urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 73-7
- 11006** Meier, D. E., Foster, M. E., Guzzetta, P. C., Coln, D. Antegrade continent enema management of chronic fecal incontinence in children. *J Pediatr Surg.* 1998 Jul; 33: 1149-51; discussion 1151-2
- 11007** Rabin, J. M. Clinical use of the FemAssist device in female urinary incontinence. *J Med Syst.* 1998 Aug; 22: 257-71
- 11008** Wahle, G. Durable continence procedures for women. *J Urol.* 1998 Aug; 160: 377
- 11009** Clemens, J. Q., Stern, J. A., Bushman, W. A., Schaeffer, A. J. Long-term results of the Stamey bladder neck suspension: direct comparison with the Marshall-Marchetti-Krantz procedure. *J Urol.* 1998 Aug; 160: 372-6
- 11010** Das, S. Comparative outcome analysis of laparoscopic colposuspension, abdominal colposuspension and vaginal needle suspension for female urinary incontinence. *J Urol.* 1998 Aug; 160: 368-71
- 11011** Drake, M. J., Nixon, P. M., Crew, J. P. Drug-induced bladder and urinary disorders. Incidence, prevention and management. *Drug Saf.* 1998 Jul; 19: 45-55
- 11012** Lin, A. S., Carrier, S., Morgan, D. M., Lue, T. F. Effect of simulated birth trauma on the urinary continence mechanism in the rat. *Urology.* 1998 Jul; 52: 143-51
- 11013** Ginsberg, D. A., Rovner, E. S., Raz, S. Posthysterectomy vaginal cuff fistula: diagnosis and management of an unusual cause of 'incontinence'. *Urology.* 1998 Jul; 52: 61-4; discussion 64-5
- 11014** Miller, J. M., Ashton-Miller, J. A., DeLancey, J. O. A pelvic muscle precontraction can reduce cough-related urine loss in selected women with mild SUI. *J Am Geriatr Soc.* 1998 Jul; 46: 870-4
- 11015** Shoemaker, E. S., Wilkinson, P. D. Teloscopy after bladder neck suspension. *J Am Assoc Gynecol Laparosc.* 1998 Aug; 5: 261-3
- 11016** Saidi, M. H., Sadler, R. K., Saidi, J. A. Extraperitoneal laparoscopic colposuspension for genuine urinary stress incontinence. *J Am Assoc Gynecol Laparosc.* 1998 Aug; 5: 247-52
- 11017** Silvis, R., Gooszen, H. G., Kahraman, T., Groenendijk, A. G., Lock, M. T., Italiaander, M. V., Janssen, L. W. Novel approach to combined defaecation and micturition disorders with rectovagino-vesicopexy. *Br J Surg.* 1998 Jun; 85: 813-7
- 11018** Beco, J., Leonard, D., Leonard, F. Study of the female urethra's submucous vascular plexus by color Doppler. *World J Urol.* 1998; 16: 224-8
- 11019** O'Connor, R. A. Impact of surgery for stress incontinence on morbidity. Treatment needs to be based on objective assessment rather than on symptoms. *BMJ.* 1998 Jul 11; 317: 143-4; discussion 144
- 11020** James, M., Abrams, P., Gujral, S. Impact of surgery for stress incontinence on morbidity. Patients should be told hospital results and allowed to choose where they want surgery. *BMJ.* 1998 Jul 11; 317: 143; discussion 144
- 11021** Khullar, V., Cardozo, L., Boos, K., Bidmead, J., Kelleher, C. Impact of surgery for stress incontinence on morbidity. Effects of confounding variables on outcomes of incontinence surgery must be considered. *BMJ.* 1998 Jul 11; 317: 143; discussion 144
- 11022** Bombieri, L., Freeman, R. M. Recurrence of stress incontinence after vault suspension: can it be prevented?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 58-60
- 11023** Elsergany, R., Elgamasy, A. N., Ghoniem, G. M. Transurethral collagen injection for female stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 13-8



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11024 Cucchi, A. A possible link between stress urinary incontinence and detrusor instability in the female--urodynamic (pressure/flow) data and speculative considerations. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 3-8
- 11025 Koyama, W., Koyanagi, A., Mihara, S., Kawazu, S., Uemura, T., Nakano, H., Gotou, Y., Nishizawa, M., Noyama, A., Hasegawa, C., Nakano, M. Prevalence and conditions of urinary incontinence among the elderly. *Methods Inf Med.* 1998 Jun; 37: 151-5
- 11026 Duggan, P. M., Arnold, E. P. Assessment and management of female urinary incontinence--a survey of current practice. *Aust N Z J Obstet Gynaecol.* 1998 May; 38: 234-6
- 11027 McLennan, M. T., Bent, A. E. Fascia lata suburethral sling vs. Burch retropubic urethropexy. A comparison of morbidity. *J Reprod Med.* 1998 Jun; 43: 488-94
- 11028 Ostrzenski, A. Genuine stress urinary incontinence in women. New laparoscopic paravaginal reconstruction. *J Reprod Med.* 1998 Jun; 43: 477-82
- 11029 Leach, G. E. Stress urinary incontinence in women: guidelines for surgical treatment. *J Womens Health.* 1998 Jun; 7: 583-6
- 11030 Black, N. A., Bowling, A., Griffiths, J. M., Pope, C., Abel, P. D. Impact of surgery for stress incontinence on the social lives of women. *Br J Obstet Gynaecol.* 1998 Jun; 105: 605-12
- 11031 Pycha, A., Klingler, C. H., Haitel, A., Heinz-Peer, G., Marberger, M. Implantable microballoons: an attractive alternative in the management of intrinsic sphincter deficiency. *Eur Urol.* 1998; 33: 469-75
- 11032 Jones, T. V., Bunner, S. H. Approaches to urinary incontinence in a rural population: a comparison of physician assistants, nurse practitioners, and family physicians. *J Am Board Fam Pract.* 1998 May-Jun; 11: 207-15
- 11033 Benshushan, A., Brzezinski, A., Shoshani, O., Rojansky, N. Periurethral injection for the treatment of urinary incontinence. *Obstet Gynecol Surv.* 1998 Jun; 53: 383-8
- 11034 Laurikkala, J., Juhola, M. A genetic-based machine learning system to discover the diagnostic rules for female urinary incontinence. *Comput Methods Programs Biomed.* 1998 Mar; 55: 217-28
- 11035 Videla, F. L., Wall, L. L. Stress incontinence diagnosed without multichannel urodynamic studies. *Obstet Gynecol.* 1998 Jun; 91: 965-8
- 11036 Wainstein, M. A., Klutke, C. G. Periurethral pseudocyst following cystoscopic collagen injection. *Urology.* 1998 May; 51: 835-6
- 11037 Hom, D., Desautel, M. G., Lumerman, J. H., Feraren, R. E., Badlani, G. H. Pubovaginal sling using polypropylene mesh and Vesica bone anchors. *Urology.* 1998 May; 51: 708-13
- 11038 Bellin, P., Smith, J., Poll, W., Bogojavlensky, S., Knoll, D., Childs, S., Tuttle, J., Barada, J., Dann, J. Results of a multicenter trial of the CapSure (Re/Stor) Continence shield on women with stress urinary incontinence. *Urology.* 1998 May; 51: 697-706
- 11039 Wang, A. C., Lo, T. S. Tension-free vaginal tape. A minimally invasive solution to stress urinary incontinence in women. *J Reprod Med.* 1998 May; 43: 429-34
- 11040 Currie, I., Drutz, H. P., Deck, J., Oxorn, D. Adipose tissue and lipid droplet embolism following periurethral injection of autologous fat: case report and review of the literature. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 377-80
- 11041 Sarver, R., Govier, F. E. Pubovaginal slings: past, present and future. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 358-68
- 11042 Glavind, K. Use of a vaginal sponge during aerobic exercises in patients with stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 351-3
- 11043 Barbalias, G. A., Liatsikos, E. N., Athanasopoulos, A. Gore-Tex sling urethral suspension in type III female urinary incontinence: clinical results and urodynamic changes. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 344-50
- 11044 Noblett, K. L., Jensen, J. K., Ostergard, D. R. The relationship of body mass index to intra-abdominal pressure as measured by multichannel cystometry. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 323-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11045 Ostergard, D. R. Primary slings for everyone with genuine stress incontinence? The argument against. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 321-2
- 11046 Duckett, J. R. The use of periurethral injectables in the treatment of genuine stress incontinence. *Br J Obstet Gynaecol.* 1998 Apr; 105: 390-6
- 11047 Smith, A. R., Stanton, S. L. Laparoscopic colposuspension. *Br J Obstet Gynaecol.* 1998 Apr; 105: 383-4
- 11048 New solutions for urinary stress incontinence. *Johns Hopkins Med Lett Health After 50.* 1998 Mar; 10: 4-6
- 11049 Kjolhede, P. Genital prolapse in women treated successfully and unsuccessfully by the Burch colposuspension. *Acta Obstet Gynecol Scand.* 1998 Apr; 77: 444-50
- 11050 Awad, S. A., Al-Zahrani, H. M., Gajewski, J. B., Bourque-Kehoe, A. A. Long-term results and complications of augmentation ileocystoplasty for idiopathic urge incontinence in women. *Br J Urol.* 1998 Apr; 81: 569-73
- 11051 Hilton, P. Urodynamic findings in patients with urogenital fistulae. *Br J Urol.* 1998 Apr; 81: 539-42
- 11052 Faerber, G. J., Vashi, A. R. Variations in Valsalva leak point pressure with increasing vesical volume. *J Urol.* 1998 Jun; 159: 1909-11
- 11053 Kirschner-Hermanns, R., Scherr, P. A., Branch, L. G., Wetle, T., Resnick, N. M. Accuracy of survey questions for geriatric urinary incontinence. *J Urol.* 1998 Jun; 159: 1903-8
- 11054 Black, S. A., Goodwin, J. S., Markides, K. S. The association between chronic diseases and depressive symptomatology in older Mexican Americans. *J Gerontol A Biol Sci Med Sci.* 1998 May; 53: M188-94
- 11055 Pelosi, M. A., 3rd, Pelosi, M. A. Transvaginal needle suspension with LeFort colpocleisis for stress incontinence and advanced uterovaginal prolapse in a high-risk patient. *J Am Assoc Gynecol Laparosc.* 1998 May; 5: 207-11
- 11056 Pelosi, M. A., Papasakelariou, C., Pelosi, M. A., 3rd Laparoscopic colposuspension with a transvaginal illuminator. *J Am Assoc Gynecol Laparosc.* 1998 May; 5: 179-82
- 11057 Dougherty, M. C. Current status of research on pelvic muscle strengthening techniques. *J Wound Ostomy Continence Nurs.* 1998 Mar; 25: 75-83
- 11058 Kuo, H. C. Transrectal sonographic investigation of urethral and paraurethral structures in women with stress urinary incontinence. *J Ultrasound Med.* 1998 May; 17: 311-20
- 11059 Myers, D. L., Lasala, C. A., Hogan, J. W., Rosenblatt, P. L. The effect of posterior wall support defects on urodynamic indices in stress urinary incontinence. *Obstet Gynecol.* 1998 May; 91: 710-4
- 11060 Miller, J. M., Ashton-Miller, J. A., Delancey, J. O. Quantification of cough-related urine loss using the paper towel test. *Obstet Gynecol.* 1998 May; 91: 705-9
- 11061 Menefee, S. A., Chesson, R., Wall, L. L. Stress urinary incontinence due to prescription medications: alpha-blockers and angiotensin converting enzyme inhibitors. *Obstet Gynecol.* 1998 May; 91: 853-4
- 11062 North, B. B. A disposable adhesive patch for stress urinary incontinence. *Fam Med.* 1998 Apr; 30: 258-64
- 11063 Gilja, I., Puskar, D., Mazuran, B., Radej, M. Comparative analysis of bladder neck suspension using Raz, Burch and transvaginal Burch procedures. A 3-year randomized prospective study. *Eur Urol.* 1998; 33: 298-302
- 11064 Gorton, E., Stanton, S. Urinary incontinence in elderly women. *Eur Urol.* 1998; 33: 241-7
- 11065 Thom, D. Variation in estimates of urinary incontinence prevalence in the community: effects of differences in definition, population characteristics, and study type. *J Am Geriatr Soc.* 1998 Apr; 46: 473-80
- 11066 Petros, P. E. Re: change in urethral pressure during voluntary pelvic floor muscle contraction and vaginal stimulation. Bo K, Talseth T. *Int Urogynecol J* 1997;8:3-7. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 318
- 11067 Kato, K., Kondo, A. Clinical value of vaginal cones for the management of female stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 314-7
- 11068 Choe, J. M., Staskin, D. R. Clinical usefulness of urinary control urethral insert devices. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 307-13

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11069 Davila, G. W., Kondo, A. Introl bladder neck support prosthesis: international clinical experience. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 301-6
- 11070 Cammu, H., Van Nylen, M. Pelvic floor muscle exercises in genuine urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 297-300
- 11071 Quadri, G., Magatti, F., Belloni, C., Mattioli, G. Transabdominal repair of cystocele by wedge colpectomy during combined abdominal-vaginal surgery. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 278-83
- 11072 Petros, P. E. New ambulatory surgical methods using an anatomical classification of urinary dysfunction improve stress, urge and abnormal emptying. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 270-7
- 11073 Pace, J., Ballard, C. A., Klutke, J., Klutke, C., Kobak, W. Intraoperative transvesical cystoscopy for urogynecologic procedures. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 265-9
- 11074 Chen, H. Y., Lin, W. C., Tsai, H. D. The mechanism of successful colposuspension in genuine stress incontinence. *Zhonghua Yi Xue Za Zhi (Taipei).* 1998 Mar; 61: 146-50
- 11075 Rovner, E. S., Ginsberg, D. A., Raz, S. Re: Female Stress Urinary Incontinence Clinical Guidelines Panel summary report on surgical management of female stress urinary incontinence. *J Urol.* 1998 May; 159: 1646-7
- 11076 Stothers, L., Goldenberg, S. L. Delayed hypersensitivity and systemic arthralgia following transurethral collagen injection for stress urinary incontinence. *J Urol.* 1998 May; 159: 1507-9
- 11077 Cammu, H., Van Nylen, M. Pelvic floor exercises versus vaginal weight cones in genuine stress incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1998 Mar; 77: 89-93
- 11078 Pelosi, M. A., 3rd, Pelosi, M. A. Laparoscopic-assisted transpectineal needle suspension of the bladder neck. *J Am Assoc Gynecol Laparosc.* 1998 Feb; 5: 39-46
- 11079 Iglesia, C. B., Shott, S., Fenner, D. E., Brubaker, L. Effect of preoperative voiding mechanism on success rate of autologous rectus fascia suburethral sling procedure. *Obstet Gynecol.* 1998 Apr; 91: 577-81
- 11080 Harris, R. L., Cundiff, G. W., Coates, K. W., Addison, W. A., Bump, R. C. Urethral prolapse after collagen injection. *Am J Obstet Gynecol.* 1998 Mar; 178: 614-5
- 11081 Meltomaa, S., Haarala, M., Makinen, J., Kiilholma, P. Endoscopic colposuspension with simplified extraperitoneal approach. *Tech Urol.* 1997 Winter; 3: 216-21
- 11082 Cespedes, R. D., Cross, C. A., McGuire, E. J. Pubovaginal fascial slings. *Tech Urol.* 1997 Winter; 3: 195-201
- 11083 Gungor, T., Ekin, M., Dogan, M., Mungan, T., Ozcan, U., Gokmen, O. Influence of anterior colporrhaphy with colpoperineoplasty operations for stress incontinence and/or genital descent on sexual life. *J Pak Med Assoc.* 1997 Oct; 47: 248-50
- 11084 Sakakibara, R., Hattori, T., Kita, K., Arai, K., Yamanishi, T., Yasuda, K. Stress induced urinary incontinence in patients with spinocerebellar degeneration. *J Neurol Neurosurg Psychiatry.* 1998 Mar; 64: 389-91
- 11085 Petros, P. E. Symptoms of defective emptying and raised residual urine may arise from ligamentous laxity in the posterior vaginal fornix. *Gynecol Obstet Invest.* 1998; 45: 105-8
- 11086 Vereecken, R. L., Van Nuland, T. Detrusor pressure in ambulatory versus standard urodynamics. *Neurourol Urodyn.* 1998; 17: 129-33
- 11087 Elkabir, J. J., Mee, A. D. Long-term evaluation of the Gittes procedure for urinary stress incontinence. *J Urol.* 1998 Apr; 159: 1203-5
- 11088 Blaivas, J. G. Female urology. *J Urol.* 1998 Apr; 159: 1202
- 11089 Cross, C. A., Cespedes, R. D., English, S. F., McGuire, E. J. Transvaginal urethrolisis for urethral obstruction after anti- incontinence surgery. *J Urol.* 1998 Apr; 159: 1199-201
- 11090 Cross, C. A., Cespedes, R. D., McGuire, E. J. Our experience with pubovaginal slings in patients with stress urinary incontinence. *J Urol.* 1998 Apr; 159: 1195-8

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11091 Okada, H., Sengoku, J., Gohji, K., Arakawa, S., Kamidono, S. Clinical effect of propiverine in patients with urge or stress incontinence. Kobe University Incontinence Study Group. Hinyokika Kiyo. 1998 Jan; 44: 65-9
- 11092 Frauscher, F., Helweg, G., Strasser, H., Enna, B., Klauser, A., Knapp, R., Colleselli, K., Bartsch, G., Zur Nedden, D. Intraurethral ultrasound: diagnostic evaluation of the striated urethral sphincter in incontinent females. Eur Radiol. 1998; 8: 50-3
- 11093 Hendren, W. H. Construction of a female urethra using the vaginal wall and a buttock flap: experience with 40 cases. J Pediatr Surg. 1998 Feb; 33: 180-7
- 11094 Bjornsdottir, L. T., Geirsson, R. T., Jonsson, P. V. Urinary incontinence and urinary tract infections in octogenarian women. Acta Obstet Gynecol Scand. 1998 Jan; 77: 105-9
- 11095 Vierhout, M. E., Hol, M. Vaginal ultrasound studies before and after successful colposuspension and in continent controls. Acta Obstet Gynecol Scand. 1998 Jan; 77: 101-4
- 11096 Falconer, C., Ekman-Ordeberg, G., Blomgren, B., Johansson, O., Ulmsten, U., Westergren-Thorsson, G., Malmstrom, A. Paraurethral connective tissue in stress-incontinent women after menopause. Acta Obstet Gynecol Scand. 1998 Jan; 77: 95-100
- 11097 Falconer, C., Blomgren, B., Johansson, O., Ulmsten, U., Malmstrom, A., Westergren-Thorsson, G., Ekman-Ordeberg, G. Different organization of collagen fibrils in stress-incontinent women of fertile age. Acta Obstet Gynecol Scand. 1998 Jan; 77: 87-94
- 11098 Sampselle, C. M., Miller, J. M., Mims, B. L., Delancey, J. O., Ashton-Miller, J. A., Antonakos, C. L. Effect of pelvic muscle exercise on transient incontinence during pregnancy and after birth. Obstet Gynecol. 1998 Mar; 91: 406-12
- 11099 Salvatore, S., Khullar, V., Anders, K., Cardozo, L. D. Reducing artefacts in ambulatory urodynamics. Br J Urol. 1998 Feb; 81: 211-4
- 11100 Stothers, L., Goldenberg, S. L., Leone, E. F. Complications of periurethral collagen injection for stress urinary incontinence. J Urol. 1998 Mar; 159: 806-7
- 11101 English, S. F., Pisters, L. L., McGuire, E. J. The use of the appendix as a continent catheterizable stoma. J Urol. 1998 Mar; 159: 747-9
- 11102 Graham, J. M. A modified cystourethropexy in management of incontinence and dyspareunia. J S C Med Assoc. 1998 Jan; 94: 33
- 11103 Schaer, G. N., Siegwart, R., Perucchini, D., DeLancey, J. O. Examination of voiding in seated women using a remote-controlled ultrasound probe. Obstet Gynecol. 1998 Feb; 91: 297-301
- 11104 Robinson, D., Pearce, K. F., Preisser, J. S., Dugan, E., Suggs, P. K., Cohen, S. J. Relationship between patient reports of urinary incontinence symptoms and quality of life measures. Obstet Gynecol. 1998 Feb; 91: 224-8
- 11105 Escamilla, J. O. Uterine suspension. Am J Obstet Gynecol. 1998 Jan; 178: 194-5
- 11106 Ross, J. W. Multichannel urodynamic evaluation of laparoscopic Burch colposuspension for genuine stress incontinence. Obstet Gynecol. 1998 Jan; 91: 55-9
- 11107 Scotti, R. J., Angell, G., Flora, R., Greston, W. M. Antecedent history as a predictor of surgical cure of urgency symptoms in mixed incontinence. Obstet Gynecol. 1998 Jan; 91: 51-4
- 11108 Bogren, M. A., Hvarfwen, E., Fridlund, B. Urinary incontinence among a 65-year old Swedish population: medical history and psychosocial consequences. Vard Nord Utveckl Forsk. 1997 Winter; 17: 14-7
- 11109 GAX collagen for genuine stress incontinence. Drug Ther Bull. 1997 Nov; 35: 86-8
- 11110 Norman, D., Neu, L., Pearce, K. L. Asking patients about incontinence. Adv Nurse Pract. 1997 May; 5: 12
- 11111 Grimby, A., Svanborg, A. Morbidity and health-related quality of life among ambulant elderly citizens. Aging (Milano). 1997 Oct; 9: 356-64
- 11112 Pieber, D., Zivkovic, F., Tamussino, K. Timing of urethral pressure pulses before and after continence surgery. Neurourol Urodyn. 1998; 17: 19-23

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 11113 Petrou, S. P., Kollmorgen, T. A. Valsalva leak point pressure and bladder volume. *Neurourol Urodyn.* 1998; 17: 3-7
- 11114 McLennan, M. T., Bent, A. E. Sling incision with associated vaginal wall interposition for obstructed voiding secondary to suburethral sling procedure. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 168-72
- 11115 Cummings, J. M. Leakpoint pressures in female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 153-5
- 11116 Ross, J. W. Apical vault repair, the cornerstone or pelvic vault reconstruction. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 146-52
- 11117 Thyssen, H. H., Lose, G. Long-term efficacy and safety of a disposable vaginal device (continence guard) in the treatment of female stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 130-2; discussion 133
- 11118 Wyman, J. F., Fantl, J. A., McClish, D. K., Harkins, S. W., Uebersax, J. S., Ory, M. G. Quality of life following bladder training in older women with urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 223-9
- 11119 Shimonovitz, S., Monga, A. K., Stanton, S. L. Does the menstrual cycle influence cystometry?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 213-5; discussion 215-6
- 11120 Batra, A. K., Mathews, R., Lopresti, A. Initial experience with the modified vaginal wall sling in the treatment of female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 209-12
- 11121 Heit, M., Vogt, V., Brubaker, L. An alternative statistical approach for predicting prolonged catheterization after Burch colposuspension during reconstructive pelvic surgery. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 203-8
- 11122 Clarke, B. The role of urodynamic assessment in the diagnosis of lower urinary tract disorders. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 196-9
- 11123 Brieger, G. M., Mongelli, M., Hin, L. Y., Chung, T. K. The epidemiology of urinary dysfunction in Chinese women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 191-5
- 11124 Shafik, A. Endoscopic pudendal canal decompression for the treatment of fecal incontinence due to pudendal canal syndrome. *J Laparoendosc Adv Surg Tech A.* 1997 Aug; 7: 227-34
- 11125 Janssens, L. A., Peeters, S. Comparisons between stress incontinence in women and sphincter mechanism incompetence in the female dog. *Vet Rec.* 1997 Dec 13; 141: 620-5
- 11126 Atalan, G., Holt, P. E., Barr, F. J. Relationships between urethrovesical angles and urinary incontinence due to urethral sphincter mechanism incompetence in bitches. *J Small Anim Pract.* 1997 Dec; 38: 551-3
- 11127 Smith, R. N., Cardozo, L. Early voiding difficulty after colposuspension. *Br J Urol.* 1997 Dec; 80: 911-4
- 11128 Wilson, P. D., George, M., Imrie, J. J. Vaginal electrostimulation for the treatment of genuine stress incontinence. *Aust N Z J Obstet Gynaecol.* 1997 Nov; 37: 446-9
- 11129 Moore, K. H., Foote, A., Siva, S., King, J., Burton, G. The use of the bladder neck support prosthesis in combined genuine stress incontinence and detrusor instability. *Aust N Z J Obstet Gynaecol.* 1997 Nov; 37: 440-5
- 11130 Carey, M. P., Dwyer, P. L., Glenning, P. P. The sign of stress incontinence--should we believe what we see?. *Aust N Z J Obstet Gynaecol.* 1997 Nov; 37: 436-9
- 11131 Kim, Y. H., Kattan, M. W., Boone, T. B. Correlation of urodynamic results and urethral coaptation with success after transurethral collagen injection. *Urology.* 1997 Dec; 50: 941-8
- 11132 Siegel, S. W., Richardson, D. A., Miller, K. L., Karram, M. M., Blackwood, N. B., Sand, P. K., Staskin, D. R., Tuttle, J. P. Pelvic floor electrical stimulation for the treatment of urge and mixed urinary incontinence in women. *Urology.* 1997 Dec; 50: 934-40
- 11133 Rowland, G. F. Incontinence: first find the cause. *Practitioner.* 1997 Aug; 241: 470-3
- 11134 Jenkins, V. R., 2nd Uterosacral ligament fixation for vaginal vault suspension in uterine and vaginal vault prolapse. *Am J Obstet Gynecol.* 1997 Dec; 177: 1337-43; discussion 1343-4
-



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11135 Mouchel, J., Beco, J. Stress urinary incontinence: here we are. *Am J Obstet Gynecol.* 1997 Dec; 177: 1561
- 11136 Ferrari, A., Frigerio, L. The triangular vaginal patch sling for stress urinary incontinence and hypermobile urethra. *Am J Obstet Gynecol.* 1997 Dec; 177: 1426-31
- 11137 Harris, R. L., Cundiff, G. W., Theofrastous, J. P., Yoon, H., Bump, R. C., Addison, W. A. The value of intraoperative cystoscopy in urogynecologic and reconstructive pelvic surgery. *Am J Obstet Gynecol.* 1997 Dec; 177: 1367-9; discussion 1369-71
- 11138 Breen, J. M., Geer, B. E., May, G. E. The fascia lata suburethral sling for treating recurrent urinary stress incontinence. *Am J Obstet Gynecol.* 1997 Dec; 177: 1363-5; discussion 1365-6
- 11139 Miyazaki, F. S. The Bonney test: a reassessment. *Am J Obstet Gynecol.* 1997 Dec; 177: 1322-8; discussion 1328-9
- 11140 Veronikis, D. K., Nichols, D. H., Wakamatsu, M. M. The incidence of low-pressure urethra as a function of prolapse- reducing technique in patients with massive pelvic organ prolapse (maximum descent at all vaginal sites). *Am J Obstet Gynecol.* 1997 Dec; 177: 1305-13; discussion 1313-4
- 11141 Black, N., Griffiths, J., Pope, C., Bowling, A., Abel, P. Impact of surgery for stress incontinence on morbidity: cohort study. *BMJ.* 1997 Dec 6; 315: 1493-8
- 11142 Brenner, B. Expert system technology: a new aid for the gynaecologist in managing stress urinary incontinence. *N Z Med J.* 1997 Nov 14; 110: 425
- 11143 Pfister, C., Vallancien, G., Bougaran-Andre, J., Grise, P. Preliminary results of muscle cuff cervicoplasty in the ewe for the treatment of urinary incontinence. *Eur Urol.* 1997; 32: 448-54
- 11144 Rose, V. L. AUA releases Treatment Guidelines for Female Stress Urinary Incontinence. *Am Fam Physician.* 1997 Nov 1; 56: 1891-2
- 11145 Maloney, C. Patient with stress urinary incontinence. Answers and discussion of urinary health case study. *Lippincotts Prim Care Pract.* 1997 Nov-Dec; 1: 567-71
- 11146 Chancellor, M. B., Heesakkers, J. P., Janknegt, R. A. Gracilis muscle transposition with electrical stimulation for sphincteric incontinence: a new approach. *World J Urol.* 1997; 15: 320-8
- 11147 McGuire, E. J., English, S. F. Periurethral collagen injection for male and female sphincteric incontinence: indications, techniques, and result. *World J Urol.* 1997; 15: 306-9
- 11148 Appell, R. A. The use of bone anchoring in the surgical management of female stress urinary incontinence. *World J Urol.* 1997; 15: 300-5
- 11149 Staskin, D. R., Choe, J. M., Breslin, D. S. The Gore-tex sling procedure for female sphincteric incontinence: indications, technique, and results. *World J Urol.* 1997; 15: 295-9
- 11150 Rovner, E. S., Ginsberg, D. A., Raz, S. The UCLA surgical approach to sphincteric incontinence in women. *World J Urol.* 1997; 15: 280-94
- 11151 Stanton, S. L. Surgical treatment of sphincteric incontinence in women. *World J Urol.* 1997; 15: 275-9
- 11152 DeLancey, J. O. The pathophysiology of stress urinary incontinence in women and its implications for surgical treatment. *World J Urol.* 1997; 15: 268-74
- 11153 Valerius, A. J. Quality of life tools for assessment of urinary incontinence. *Urol Nurs.* 1997 Sep; 17: 104-5
- 11154 Valerius, A. J. The psychosocial impact of urinary incontinence on women aged 25 to 45 years. *Urol Nurs.* 1997 Sep; 17: 96-103
- 11155 Loughlin, K. R. Re: Epithelial inclusion cyst formation after free vaginal wall swing sling procedure for stress urinary incontinence. *J Urol.* 1998 Jan; 159: 208
- 11156 Klingler, H. C., Madersbacher, S., Djavan, B., Schatzl, G., Marberger, M., Schmidbauer, C. P. Morbidity of the evaluation of the lower urinary tract with transurethral multichannel pressure-flow studies. *J Urol.* 1998 Jan; 159: 191-4



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 11157 Cross, C. A., English, S. F., Cespedes, R. D., McGuire, E. J. A followup on transurethral collagen injection therapy for urinary incontinence. *J Urol.* 1998 Jan; 159: 106-8
- 11158 Swami, S., Batista, J. E., Abrams, P. Collagen for female genuine stress incontinence after a minimum 2-year follow-up. *Br J Urol.* 1997 Nov; 80: 757-61
- 11159 Tincello, D. G., Bolderson, J., Richmond, D. H. Preliminary experience with a urinary control device in the management of women with genuine stress incontinence. *Br J Urol.* 1997 Nov; 80: 752-6
- 11160 Bogren, M. A., Hvarfwen, E., Fridlund, B. Urinary incontinence among a 65-year old Swedish population: medical history and psychosocial consequences. *Vard Nord Utveckl Forsk.* 1997; 17: 21-4
- 11161 Domany, B., Bodis, J. Colposuspension and the possibility of recurrent cystocele. *Am J Obstet Gynecol.* 1997 Oct; 177: 982-3
- 11162 Yamanishi, T., Yasuda, K., Sakakibara, R., Hattori, T., Ito, H., Murakami, S. Pelvic floor electrical stimulation in the treatment of stress incontinence: an investigational study and a placebo controlled double- blind trial. *J Urol.* 1997 Dec; 158: 2127-31
- 11163 Foldspang, A., Mommsen, S. The International Continence Society (ICS) incontinence definition: is the social and hygienic aspect appropriate for etiologic research?. *J Clin Epidemiol.* 1997 Sep; 50: 1055-60
- 11164 Jolic, V., Gilja, I. Vaginal vs. transabdominal ultrasonography in the evaluation of female urinary tract anatomy, stress urinary incontinence and pelvic organs static disturbances. *Zentralbl Gynakol.* 1997; 119: 483-91
- 11165 Geirsson, G., Fall, M. Maximal functional electrical stimulation in routine practice. *Neurourol Urodyn.* 1997; 16: 559-65
- 11166 Theofrastous, J. P., Wyman, J. F., Bump, R. C., McClish, D. K., Elser, D. M., Robinson, D., Fantl, J. A. Relationship between urethral and vaginal pressures during pelvic muscle contraction. The Continence Program for Women Research Group. *Neurourol Urodyn.* 1997; 16: 553-8
- 11167 Luber, K. M., Wolde-Tsadiq, G. Efficacy of functional electrical stimulation in treating genuine stress incontinence: a randomized clinical trial. *Neurourol Urodyn.* 1997; 16: 543-51
- 11168 Zivkovic, F., Tamussino, K. Effects of vaginal surgery on the lower urinary tract. *Curr Opin Obstet Gynecol.* 1997 Oct; 9: 329-31
- 11169 Vierhout, M. E., Lose, G. Preventive vaginal and intra-urethral devices in the treatment of female urinary stress incontinence. *Curr Opin Obstet Gynecol.* 1997 Oct; 9: 325-8
- 11170 Schulman, C., Claes, H., Matthijs, J. Urinary incontinence in Belgium: a population-based epidemiological survey. *Eur Urol.* 1997; 32: 315-20
- 11171 Sheriff, M. K., Foley, S., Mcfarlane, J., Nauth-Misir, R., Shah, P. J. Endoscopic correction of intractable stress incontinence with silicone micro-implants. *Eur Urol.* 1997; 32: 284-8
- 11172 Fortunato, P., Schettini, M., Gallucci, M. Diverticula of the female urethra. *Br J Urol.* 1997 Oct; 80: 628-32
- 11173 Karram, M. M., Partoll, L., Bilotta, V., Angel, O. Factors affecting detrusor contraction strength during voiding in women. *Obstet Gynecol.* 1997 Nov; 90: 723-6
- 11174 Nygaard, I. E. Does prolonged high-impact activity contribute to later urinary incontinence? A retrospective cohort study of female Olympians. *Obstet Gynecol.* 1997 Nov; 90: 718-22
- 11175 Ostrzenski, A., Osborne, N. G., Ostrzenska, K. Method for diagnosing paravaginal defects using contrast ultrasonographic technique. *J Ultrasound Med.* 1997 Oct; 16: 673-7
- 11176 Sherman, R. A., Davis, G. D., Wong, M. F. Behavioral treatment of exercise-induced urinary incontinence among female soldiers. *Mil Med.* 1997 Oct; 162: 690-4
- 11177 Haab, F., Leach, G. E. Feasibility of outpatient percutaneous bladder neck suspension under local anesthesia. *Urology.* 1997 Oct; 50: 585-7
- 11178 McGuire, E. J., English, S. F. Ventral bladder hernia following vesica percutaneous bladder neck suspension for stress urinary incontinence. *J Urol.* 1997 Nov; 158: 1910

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11179 Nativ, O., Levine, S., Madjar, S., Issaq, E., Moskovitz, B., Beyar, M. Incisionless per vaginal bone anchor cystourethropepy for the treatment of female stress incontinence: experience with the first 50 patients. *J Urol.* 1997 Nov; 158: 1742-4
- 11180 Haab, F., Trockman, B. A., Zimmern, P. E., Leach, G. E. Results of pubovaginal sling for the treatment of intrinsic sphincteric deficiency determined by questionnaire analysis. *J Urol.* 1997 Nov; 158: 1738-41
- 11181 Goode, P. S., Burgio, K. L. Pharmacologic treatment of lower urinary tract dysfunction in geriatric patients. *Am J Med Sci.* 1997 Oct; 314: 262-7
- 11182 Burgio, K. L., Goode, P. S. Behavioral interventions for incontinence in ambulatory geriatric patients. *Am J Med Sci.* 1997 Oct; 314: 257-61
- 11183 Pandit, L., Ouslander, J. G. Postmenopausal vaginal atrophy and atrophic vaginitis. *Am J Med Sci.* 1997 Oct; 314: 228-31
- 11184 Brubaker, L., Benson, J. T., Bent, A., Clark, A., Shott, S. Transvaginal electrical stimulation for female urinary incontinence. *Am J Obstet Gynecol.* 1997 Sep; 177: 536-40
- 11185 Maloney, C. Patient with stress urinary incontinence. *Lippincotts Prim Care Pract.* 1997 Sep-Oct; 1: 448-9
- 11186 Newman, D. K., Burns, P. A. New approaches for managing stress incontinence in women. *Lippincotts Prim Care Pract.* 1997 Sep-Oct; 1: 382-7
- 11187 Keane, D. P., Sims, T. J., Abrams, P., Bailey, A. J. Analysis of collagen status in premenopausal nulliparous women with genuine stress incontinence. *Br J Obstet Gynaecol.* 1997 Sep; 104: 994-8
- 11188 Chai, T. C., Steers, W. D. Neurophysiology of micturition and continence in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 85-97
- 11189 Petros, P. E., Ulmsten, U. Role of the pelvic floor in bladder neck opening and closure I: muscle forces. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 74-80
- 11190 Papa Petros, P. E., Ulmsten, U. Role of the pelvic floor in bladder neck opening and closure II: vagina. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 69-73
- 11191 Kjolhede, P., Lindehammar, H. Pelvic floor neuropathy in relation to the outcome of Burch colposuspension. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 61-5
- 11192 Hancock, R., Bender, P., Dayhoff, N., Nyhuis, A. Factors associated with nursing interventions to reduce incontinence in hospitalized older adults. *Urol Nurs.* 1996 Sep; 16: 79-85
- 11193 Dobson, P. Continence--growing pains. *Nurs Times.* 1997 Jul 23-29; 93: 63-4
- 11194 Bump, R. C., Coates, K. W., Cundiff, G. W., Harris, R. L., Weidner, A. C. Diagnosing intrinsic sphincteric deficiency: comparing urethral closure pressure, urethral axis, and Valsalva leak point pressures. *Am J Obstet Gynecol.* 1997 Aug; 177: 303-10
- 11195 Cundiff, G. W., Harris, R. L., Coates, K. W., Bump, R. C. Clinical predictors of urinary incontinence in women. *Am J Obstet Gynecol.* 1997 Aug; 177: 262-6; discussion 266-7
- 11196 Valley, M. T. Pubic bone suburethral stabilization sling for recurrent urinary incontinence. *Obstet Gynecol.* 1997 Sep; 90: 481-2
- 11197 Leach, G. E., Dmochowski, R. R., Appell, R. A., Blaivas, J. G., Hadley, H. R., Lubner, K. M., Mostwin, J. L., O'Donnell, P. D., Roehrborn, C. G. Female Stress Urinary Incontinence Clinical Guidelines Panel summary report on surgical management of female stress urinary incontinence. The American Urological Association. *J Urol.* 1997 Sep; 158: 875-80
- 11198 Ball, T. P., Jr, Teichman, J. M., Sharkey, F. E., Rogenes, V. J., Adrian, E. K., Jr Terminal nerve distribution to the urethra and bladder neck: considerations in the management of stress urinary incontinence. *J Urol.* 1997 Sep; 158: 827-9
- 11199 Coates, K. W., Harris, R. L., Cundiff, G. W., Bump, R. C. Uroflowmetry in women with urinary incontinence and pelvic organ prolapse. *Br J Urol.* 1997 Aug; 80: 217-21

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 11200** Chancellor, M. B., Hong, R. D., Rivas, D. A., Watanabe, T., Crewalk, J. A., Bourgeois, I. Gracilis urethromyoplasty--an autologous urinary sphincter for neurologically impaired patients with stress incontinence. *Spinal Cord*. 1997 Aug; 35: 546-9
- 11201** Rovner, E. S., Ginsberg, D. A., Raz, S. A method for intraoperative adjustment of sling tension: prevention of outlet obstruction during vaginal wall sling. *Urology*. 1997 Aug; 50: 273-6
- 11202** Belair, G., Tessier, J., Bertrand, P. E., Schick, E. Retropubic cystourethropexy: is it an obstructive procedure?. *J Urol*. 1997 Aug; 158: 533-8
- 11203** Cross, C. A., Cespedes, R. D., McGuire, E. J. Treatment results using pubovaginal slings in patients with large cystoceles and stress incontinence. *J Urol*. 1997 Aug; 158: 431-4
- 11204** Haller, K. B. Coming out of the (water) closet. *J Obstet Gynecol Neonatal Nurs*. 1997 Jul-Aug; 26: 370
- 11205** Su, T. H., Wang, K. G., Hsu, C. Y., Wei, H. J., Hong, B. K. Prospective comparison of laparoscopic and traditional colposuspensions in the treatment of genuine stress incontinence. *Acta Obstet Gynecol Scand*. 1997 Jul; 76: 576-82
- 11206** Darai, E., Perdu, M., Benifla, J. L., Madelenat, P. Percutaneous needle colposuspension to Cooper's ligament for the treatment of stress incontinence in women: a report of 82 cases. *Eur J Obstet Gynecol Reprod Biol*. 1997 Jul; 74: 53-5
- 11207** Stanton, S. L. What is the right operation for stress incontinence? A gynaecological view. *Br J Urol*. 1997 Jul; 80 Suppl 1: 84-7
- 11208** Cardozo, L., Cutner, A. Lower urinary tract symptoms in pregnancy. *Br J Urol*. 1997 Jul; 80 Suppl 1: 14-23
- 11209** Sze, E. H., Kohli, N., Miklos, J. R., Roat, T. W., Karram, M. M. Comparative morbidity and charges associated with route of hysterectomy and concomitant Burch colposuspension. *Obstet Gynecol*. 1997 Jul; 90: 42-5
- 11210** Cosimo, O., Pierluigi, P., Angelo, Z. M., Santa, U., Gabriele, F., Salvatore, M. A clinical and urodynamic study of patients with varying degrees of cystocele. *Maturitas*. 1997 Jun; 27: 125-32
- 11211** Foote, A. J., Lam, A. Laparoscopic colposuspension in women with previously failed anti- incontinence surgery. *J Obstet Gynaecol Res*. 1997 Jun; 23: 313-7
- 11212** Pelosi, M. A., 3rd, Pelosi, M. A. Stress urinary incontinence. Laparoscopically assisted transvaginal needle suspension. *J Reprod Med*. 1997 Jun; 42: 319-24
- 11213** Bodis, J., Domany, B., Torok, A., Buzogany, I., Gotz, F. Modified Gittes's needle colposuspension method complemented with the laparoscopic ventrosuspension of the uterus for the treatment of stress incontinence associated with stage III or IV pelvic organ prolapse. *Am J Obstet Gynecol*. 1997 Jun; 176: 1394-5
- 11214** DeLancey, J. O., Morley, G. W. Total colpocleisis for vaginal eversion. *Am J Obstet Gynecol*. 1997 Jun; 176: 1228-32; discussion 1232-5
- 11215** Cruikshank, S. H., Kovac, S. R. The functional anatomy of the urethra: role of the pubourethral ligaments. *Am J Obstet Gynecol*. 1997 Jun; 176: 1200-3; discussion 1203-5
- 11216** Tomezsko, J. E., Sand, P. K. Pregnancy and intercurrent diseases of the urogenital tract. *Clin Perinatol*. 1997 Jun; 24: 343-68
- 11217** Ang, L. P., Tay, K. P., Lim, P. H., Chng, H. C. Endoscopic injection of collagen for the treatment of female urinary stress incontinence. *Int J Urol*. 1997 May; 4: 254-8
- 11218** Kjolhede, P., Ryden, G. Clinical and urodynamic characteristics of women with recurrent urinary incontinence after Burch colposuspension. *Acta Obstet Gynecol Scand*. 1997 May; 76: 461-7
- 11219** Fischer, W., Linde, A. Pelvic floor findings in urinary incontinence--results of conditioning using vaginal cones. *Acta Obstet Gynecol Scand*. 1997 May; 76: 455-60
- 11220** Lobel, R. W., Davis, G. D. Long-term results of laparoscopic Burch urethropexy. *J Am Assoc Gynecol Laparosc*. 1997 May; 4: 341-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11221 von Theobald, P., Barjot, P., Levy, G. Feasibility of and interest in laparoscopic assessment in recurrent urinary stress incontinence after Burch procedure performed by laparotomy. *Surg Endosc.* 1997 May; 11: 468-71
- 11222 Nativ, O., Moskovitz, B., Issaq, E., Condrea, A., Kastin, A., Halachmi, S., Burbara, J., Madjar, S., Beyar, M. Bladder neck suspension using bone anchors for the treatment of female stress incontinence. *ASAIO J.* 1997 May-Jun; 43: 204-8
- 11223 Chen, G. D., Su, T. H., Lin, L. Y. Applicability of perineal sonography in anatomical evaluation of bladder neck in women with and without genuine stress incontinence. *J Clin Ultrasound.* 1997 May; 25: 189-94
- 11224 Conrad, S., Pieper, A., De la Maza, S. F., Busch, R., Huland, H. Long-term results of the Stamey bladder neck suspension procedure: a patient questionnaire based outcome analysis. *J Urol.* 1997 May; 157: 1672-7
- 11225 Seim, A., Hermstad, R., Hunskaar, S. Management in general practice significantly reduced psychosocial consequences of female urinary incontinence. *Qual Life Res.* 1997 Apr; 6: 257-64
- 11226 Rasmussen, K. L., Krue, S., Johansson, L. E., Knudsen, H. J., Agger, A. O. Obesity as a predictor of postpartum urinary symptoms. *Acta Obstet Gynecol Scand.* 1997 Apr; 76: 359-62
- 11227 Falconer, C., Ekman-Ordeberg, G., Hilliges, M., Johansson, O. Decreased innervation of the paraurethral epithelium in stress urinary incontinent women. *Eur J Obstet Gynecol Reprod Biol.* 1997 Apr; 72: 195-8
- 11228 Chapron, C., Dubuisson, J. B., Ansquer, Y., Capella-Allouc, S. Hysterectomy with adnexectomy. Can operative laparoscopy offer advantages?. *J Reprod Med.* 1997 Apr; 42: 201-6
- 11229 Lowe, E. M., Anand, P., Terenghi, G., Williams-Chestnut, R. E., Sinicropi, D. V., Osborne, J. L. Increased nerve growth factor levels in the urinary bladder of women with idiopathic sensory urgency and interstitial cystitis. *Br J Urol.* 1997 Apr; 79: 572-7
- 11230 Hendren, W. H. The genetic male with absent penis and urethrorectal communication: experience with 5 patients. *J Urol.* 1997 Apr; 157: 1469-74
- 11231 Haab, F., Zimmern, P. E., Leach, G. E. Urinary stress incontinence due to intrinsic sphincteric deficiency: experience with fat and collagen periurethral injections. *J Urol.* 1997 Apr; 157: 1283-6
- 11232 Litwiller, S. E., Nelson, R. S., Fone, P. D., Kim, K. B., Stone, A. R. Vaginal wall sling: long-term outcome analysis of factors contributing to patients satisfaction and surgical success. *J Urol.* 1997 Apr; 157: 1279-82
- 11233 Kovac, S. R., Cruikshank, S. H. Pubic bone suburethral stabilization sling for recurrent urinary incontinence. *Obstet Gynecol.* 1997 Apr; 89: 624-7
- 11234 Palmer, M. H. Pelvic muscle rehabilitation: where do we go from here?. *J Wound Ostomy Continence Nurs.* 1997 Mar; 24: 98-105
- 11235 Gerard, L. Group learning behavior modification and exercise for women with urinary incontinence. *Urol Nurs.* 1997 Mar; 17: 17-22
- 11236 Kjolhede, P., Hallbook, O., Ryden, G., Sjodahl, R. Anorectal manometry in women with urinary stress incontinence. *Acta Obstet Gynecol Scand.* 1997 Mar; 76: 266-70
- 11237 Siegelman, E. S., Banner, M. P., Ramchandani, P., Schnall, M. D. Multicoil MR imaging of symptomatic female urethral and periurethral disease. *Radiographics.* 1997 Mar-Apr; 17: 349-65
- 11238 Baldwin, D. D., Hadley, H. R. Epithelial inclusion cyst formation after free vaginal wall swing sling procedure for stress urinary incontinence. *J Urol.* 1997 Mar; 157: 952
- 11239 Kondo, A., Yokoyama, E., Koshiba, K., Fukui, J., Gotoh, M., Yoshikawa, Y., Yamada, T., Takei, M. Bladder neck support prosthesis: a nonoperative treatment for stress or mixed urinary incontinence. *J Urol.* 1997 Mar; 157: 824-7
- 11240 Cummings, J. M., Boullier, J. A., Parra, R. O., Wozniak-Petrofsky, J. Leak point pressures in women with urinary stress incontinence: correlation with patient history. *J Urol.* 1997 Mar; 157: 818-20
- 11241 Fokaefs, E. D., Lampel, A., Hohenfellner, M., Lazica, M., Thuroff, J. W. Experimental evaluation of free versus pedicled fascial flaps for sling surgery of urinary stress incontinence. *J Urol.* 1997 Mar; 157: 1039-43

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11242 Aslan, P., Woo, H. H. Ureteric injury following laparoscopic colposuspension. *Br J Obstet Gynaecol.* 1997 Feb; 104: 266-8
- 11243 Monga, A. K., Stanton, S. L. Urodynamics: prediction, outcome and analysis of mechanism for cure of stress incontinence by periurethral collagen. *Br J Obstet Gynaecol.* 1997 Feb; 104: 158-62
- 11244 Stanton, S. L., Monga, A. K. Incontinence in elderly women: is periurethral collagen an advance?. *Br J Obstet Gynaecol.* 1997 Feb; 104: 154-7
- 11245 Colombo, M., Maggioni, A., Scalabrino, S., Vitobello, D., Milani, R. Surgery for genitourinary prolapse and stress incontinence: a randomized trial of posterior pubourethral ligament plication and Pereyra suspension. *Am J Obstet Gynecol.* 1997 Feb; 176: 337-43
- 11246 Berglund, A. L., Eisemann, M., Lalos, A., Lalos, O. Predictive factors of the outcome of primary surgical treatment of stress incontinence in women. *Scand J Urol Nephrol.* 1997 Feb; 31: 49-55
- 11247 Papasakelariou, C., Papasakelariou, B. Laparoscopic bladder neck suspension. *J Am Assoc Gynecol Laparosc.* 1997 Feb; 4: 185-9
- 11248 Ross, J. W. Techniques of laparoscopic repair of total vault eversion after hysterectomy. *J Am Assoc Gynecol Laparosc.* 1997 Feb; 4: 173-83
- 11249 Palma, P. C., Riccetto, C. L., Herrmann, V., Netto, N. R., Jr Repeated lipoinjections for stress urinary incontinence. *J Endourol.* 1997 Feb; 11: 67-70
- 11250 Matthews, K., Govier, F. E. Osteitis pubis after periurethral collagen injection. *Urology.* 1997 Feb; 49: 237-8
- 11251 Stamey, T. A. Re: Editorial comment: should Stamey colposuspension be our primary surgery for stress incontinence?. *J Urol.* 1997 Feb; 157: 627-8
- 11252 Golomb, J., Shenfeld, O., Shelhav, A., Ramon, J. Suspended pubovaginal fascial sling for the correction of complicated stress urinary incontinence. *Eur Urol.* 1997; 32: 170-4
- 11253 Heit, M. Infectious peritonitis complicating suprapubic catheter removal. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 47-9
- 11254 Herschorn, S., Radomski, S. B. Collagen injections for genuine stress urinary incontinence: patient selection and durability. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 18-24
- 11255 Montella, J. M., Ewing, S., Cater, J. Visual assessment of urethrovesical junction mobility. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 13-7
- 11256 Bo, K., Talseth, T. Change in urethral pressure during voluntary pelvic floor muscle contraction and vaginal electrical stimulation. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 3-6; discussion 6-7
- 11257 Mouritsen, L., Lose, G., Ulmsten, U., Ludviksson, K., Siltberg, H., Kulseng-Hanssen, S., Kujansuu, E. Consensus of basic assessment of female incontinence. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 59-60
- 11258 Mouritsen, L. Techniques for imaging bladder support. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 48-9
- 11259 Lose, G. Uroflowmetry and pressure/flow study of voiding in women. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 43-7
- 11260 Lose, G. Urethral pressure measurement. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 39-42
- 11261 Kulseng-Hanssen, S. Reliability and validity of stationary cystometry, stationary cysto- urethrometry and ambulatory cysto-urethro-vaginometry. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 33-8
- 11262 Siltberg, H., Victor, A., Larsson, G. Pad weighing tests: the best way to quantify urine loss in patients with incontinence. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 28-32
- 11263 Siltberg, H., Larsson, G., Victor, A. Frequency/volume chart: the basic tool for investigating urinary symptoms. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 24-7
- 11264 Ludviksson, K. The value of clinical examination of the female incontinent patient. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 19-23



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 11265 Kujansuu, E. Patient history in the diagnosis of urinary incontinence and determining the quality of life. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 15-8
- 11266 Ulmsten, U. Some reflections and hypotheses on the pathophysiology of female urinary incontinence. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 3-8
- 11267 Costa, P., Mottet, N. Assessing the impact of urinary incontinence in a female population. *Eur Urol.* 1997; 32 Suppl 2: 25-7
- 11268 Jackson, S. Female urinary incontinence--symptom evaluation and diagnosis. *Eur Urol.* 1997; 32 Suppl 2: 20-4
- 11269 Meyer, S., de Grandi, P., Caccia, G., Gerber, S. Pressure transmission ratio: is it a reliable parameter in increased urethro-vesical junction mobility?. *Neurourol Urodyn.* 1997; 16: 277-84
- 11270 Bernstein, I. T. The pelvic floor muscles: muscle thickness in healthy and urinary- incontinent women measured by perineal ultrasonography with reference to the effect of pelvic floor training. *Estrogen receptor studies. Neurourol Urodyn.* 1997; 16: 237-75
- 11271 Gallo, M. L., Hancock, R., Davila, G. W. Clinical experience with a balloon-tipped urethral insert for stress urinary incontinence. *J Wound Ostomy Continence Nurs.* 1997 Jan; 24: 51-7
- 11272 Kuo, H. C. Clinical outcome and quality of life after enterocystoplasty for contracted bladders. *Urol Int.* 1997; 58: 160-5
- 11273 Barbalias, G., Liatsikos, E., Barbalias, D. Use of slings made of indigenous and allogenic material (Goretex) in type III urinary incontinence and comparison between them. *Eur Urol.* 1997; 31: 394-400
- 11274 Krue, S., Jensen, H., Agger, A. O., Rasmussen, K. L. The influence of infant birth weight on post partum stress incontinence in obese women. *Arch Gynecol Obstet.* 1997; 259: 143-5
- 11275 Iqbal, P., Castleden, C. M. Management of urinary incontinence in the elderly. *Gerontology.* 1997; 43: 151-7
- 11276 Gallo, M. L., Staskin, D. R. Cues to action: pelvic floor muscle exercise compliance in women with stress urinary incontinence. *Neurourol Urodyn.* 1997; 16: 167-77
- 11277 Cundiff, G. W., Harris, R. L., Theofrastous, J. P., Bump, R. C. Pressure transmission ratio reproducibility in stress continent and stress incontinent women. *Neurourol Urodyn.* 1997; 16: 161-6
- 11278 Jarolim, L., Babjuk, M., Hanus, T., Jansky, M., Skrivanova, V. Female urethra-sparing cystectomy and orthotopic bladder replacement. *Eur Urol.* 1997; 31: 173-7
- 11279 Sugerman, H., Windsor, A., Bessos, M., Wolfe, L. Intra-abdominal pressure, sagittal abdominal diameter and obesity comorbidity. *J Intern Med.* 1997 Jan; 241: 71-9
- 11280 Miklos, J. R., Saye, W. B. A randomized comparison of Burch colposuspension and abdominal paravaginal defect repair. *Am J Obstet Gynecol.* 1997 Jan; 176: 255-6
- 11281 Dmochowski, R. R., Zimmern, P. E., Ganabathi, K., Sirls, L., Leach, G. E. Role of the four-corner bladder neck suspension to correct stress incontinence with a mild to moderate cystocele. *Urology.* 1997 Jan; 49: 35-40
- 11282 Sze, E. H., Miklos, J. R., Partoll, L., Roat, T. W., Karram, M. M. Sacrospinous ligament fixation with transvaginal needle suspension for advanced pelvic organ prolapse and stress incontinence. *Obstet Gynecol.* 1997 Jan; 89: 94-6
- 11283 Khullar, V., Cardozo, L. D., Abbott, D., Anders, K. GAX collagen in the treatment of urinary incontinence in elderly women: a two year follow up. *Br J Obstet Gynaecol.* 1997 Jan; 104: 96-9
- 11284 Zimmern, P. E., Hadley, R. Re: The endoscopic fascial sling for treatment of female urinary stress incontinence. *J Urol.* 1997 Jan; 157: 268
- 11285 Carr, L. K., Walsh, P. J., Abraham, V. E., Webster, G. D. Favorable outcome of pubovaginal slings for geriatric women with stress incontinence. *J Urol.* 1997 Jan; 157: 125-8
- 11286 Berman, C. J., Kreder, K. J. Comparative cost analysis of collagen injection and fascia lata sling cystourethropepy for the treatment of type III incontinence in women. *J Urol.* 1997 Jan; 157: 122-4



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11287 Kim, K. J., Ashton-Miller, J. A., Strohbehn, K., DeLancey, J. O., Schultz, A. B. The vesico-urethral pressuregram analysis of urethral function under stress. *J Biomech.* 1997 Jan; 30: 19-25
- 11288 Philippe, H. J., Perdu, M., Dompeyre, P., Wahid, A., Dien, D. T. Transvaginal colpo-urethropey with fibrin sealant: 4 years-follow up in 23 cases. *Eur J Obstet Gynecol Reprod Biol.* 1996 Dec 27; 70: 157-8
- 11289 Laurikkala, J., Juhola, M., Penttinen, J., Aukee, P. Parameter evaluation of the differential diagnosis of female urinary incontinence for the construction of an expert system. *Stud Health Technol Inform.* 1997; 43 Pt B: 671-5
- 11290 Fournier, C., Corcos, J. Collagen injections in difficult cases of stress urinary incontinence: study results. *Urol Nurs.* 1996 Dec; 16: 123-6
- 11291 Black, N. A., Griffiths, J. M., Pope, C., Stanley, J., Bowling, A., Abel, P. D. Sociodemographic and symptomatic characteristics of women undergoing stress incontinence surgery in the UK. *Br J Urol.* 1996 Dec; 78: 847-55
- 11292 Seim, A., Eriksen, B. C., Hunskaar, S. A study of female urinary incontinence in general practice. Demography, medical history, and clinical findings. *Scand J Urol Nephrol.* 1996 Dec; 30: 465-71
- 11293 Pannek, J., Haupt, G., Sommerfeld, H. J., Schulze, H., Senge, T. Urodynamic and rectomanometric findings in urinary incontinence. *Scand J Urol Nephrol.* 1996 Dec; 30: 457-60
- 11294 Ho, A. M., Roth, P., Cowan, W. D. Gaseous distention of the urinary bag indicating bladder perforation during laparoscopic pelvic procedures. *Int J Gynaecol Obstet.* 1996 Dec; 55: 297-8
- 11295 Wall, L. L., Copas, P., Galloway, N. T. Use of a pedicled rectus abdominis muscle flap sling in the treatment of complicated stress urinary incontinence. *Am J Obstet Gynecol.* 1996 Dec; 175: 1460-4; discussion 1464-6
- 11296 Mason, R. C., Roach, M. Modified pubovaginal sling for treatment of intrinsic sphincteric deficiency. *J Urol.* 1996 Dec; 156: 1991-4
- 11297 Handa, V. L., Jensen, J. K., Germain, M. M., Ostergard, D. R. Banked human fascia lata for the suburethral sling procedure: a preliminary report. *Obstet Gynecol.* 1996 Dec; 88: 1045-9
- 11298 Brieger, G. M., Yip, S. K., Hin, L. Y., Chung, T. K. The prevalence of urinary dysfunction in Hong Kong Chinese women. *Obstet Gynecol.* 1996 Dec; 88: 1041-4
- 11299 Kreder, K. J., Austin, J. C. Treatment of stress urinary incontinence in women with urethral hypermobility and intrinsic sphincter deficiency. *J Urol.* 1996 Dec; 156: 1995-8
- 11300 Wagg, A. S., Lieu, P. K., Ding, Y. Y., Malone-Lee, J. G. A urodynamic analysis of age associated changes in urethral function in women with lower urinary tract symptoms. *J Urol.* 1996 Dec; 156: 1984-8
- 11301 Hannah, S. L., Chin, A. Laparoscopic retropubic urethropey. *J Am Assoc Gynecol Laparosc.* 1996 Nov; 4: 47-52
- 11302 Petros, P. P. The intravaginal slingplasty operation, a minimally invasive technique for cure of urinary incontinence in the female. *Aust N Z J Obstet Gynaecol.* 1996 Nov; 36: 453-61
- 11303 Klovning, A., Hunskaar, S., Eriksen, B. C. Validity of a scored urological history in detecting detrusor instability in female urinary incontinence. *Acta Obstet Gynecol Scand.* 1996 Nov; 75: 941-5
- 11304 Harriss, D. R., Iacovou, J. W., Lemberger, R. J. Peri-urethral silicone microimplants (Macroplastique) for the treatment of genuine stress incontinence. *Br J Urol.* 1996 Nov; 78: 722-5; discussion 726-8
- 11305 Kondo, A., Yamada, Y., Morishige, R., Nijima, R. An intensive programme for pelvic floor muscle exercises: short- and long-term effects on those with stress urinary incontinence. *Hinyokika Kiyo.* 1996 Nov; 42: 853-9
- 11306 Fielding, J. R., Versi, E., Mulkern, R. V., Lerner, M. H., Griffiths, D. J., Jolesz, F. A. MR imaging of the female pelvic floor in the supine and upright positions. *J Magn Reson Imaging.* 1996 Nov-Dec; 6: 961-3
- 11307 Halligan, S., Spence-Jones, C., Kamm, M. A., Bartram, C. I. Dynamic cystoproctography and physiological testing in women with urinary stress incontinence and urogenital prolapse. *Clin Radiol.* 1996 Nov; 51: 785-90
- 11308 Erickson, D. R., Olt, G. J. Urethral obstruction after anterior colporrhaphy: correction by simple vaginoplasty. *Urology.* 1996 Nov; 48: 805-8

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 11309 Sand, P. K. Pelvic floor stimulation in the treatment of mixed incontinence complicated by a low-pressure urethra. *Obstet Gynecol.* 1996 Nov; 88: 757-60
- 11310 Strohbehn, K., Quint, L. E., Prince, M. R., Wojno, K. J., Delancey, J. O. Magnetic resonance imaging anatomy of the female urethra: a direct histologic comparison. *Obstet Gynecol.* 1996 Nov; 88: 750-6
- 11311 Fantl, J. A., Bump, R. C., Robinson, D., McClish, D. K., Wyman, J. F. Efficacy of estrogen supplementation in the treatment of urinary incontinence. The Continence Program for Women Research Group. *Obstet Gynecol.* 1996 Nov; 88: 745-9
- 11312 Klutke, C. G. Female stress incontinence in the 1990s--changing concepts. *J Urol.* 1996 Nov; 156: 1626-7
- 11313 Benizri, E. J., Volpe, P., Pushkar, D., Chevallier, D., Amiel, J., Sanian, H., Toubol, J. A new vaginal procedure for cystocele repair and treatment of stress urinary incontinence. *J Urol.* 1996 Nov; 156: 1623-5
- 11314 Zaragoza, M. R. Expanded indications for the pubovaginal sling: treatment of type 2 or 3 stress incontinence. *J Urol.* 1996 Nov; 156: 1620-2
- 11315 Manhes, H. Laparoscopic Retzio-plasty. A new surgical approach to stress incontinence. *Int Surg.* 1996 Oct-Dec; 81: 371-3
- 11316 Dmochowski, R. R., Appell, R. A. Percutaneous bladder neck suspension: technique and results. *Tech Urol.* 1996 Fall; 2: 147-53
- 11317 Black, N. A., Downs, S. H. The effectiveness of surgery for stress incontinence in women: a systematic review. *Br J Urol.* 1996 Oct; 78: 497-510
- 11318 Kjolhede, P., Noren, B., Ryden, G. Prediction of genital prolapse after Burch colposuspension. *Acta Obstet Gynecol Scand.* 1996 Oct; 75: 849-54
- 11319 Marshall, H. J., Beevers, D. G. Alpha-adrenoceptor blocking drugs and female urinary incontinence: prevalence and reversibility. *Br J Clin Pharmacol.* 1996 Oct; 42: 507-9
- 11320 Korn, A. P., Learman, L. A. Operations for stress urinary incontinence in the United States, 1988- 1992. *Urology.* 1996 Oct; 48: 609-12
- 11321 Tooze-Hobson, P., Gleeson, C., Perdu, M., Cardozo, L. The Burch colposuspension for women with and without detrusor overactivity. *Br J Obstet Gynaecol.* 1996 Oct; 103: 1050-1
- 11322 Sze, E. H., Miklos, J. R., Karram, M. M. Voiding after Burch colposuspension and effects of concomitant pelvic surgery: correlation with preoperative voiding mechanism. *Obstet Gynecol.* 1996 Oct; 88: 564-7
- 11323 Kelvin, F. M., Maglinte, D. D., Hale, D., Benson, J. T. Voiding cystourethrography in female stress incontinence. *AJR Am J Roentgenol.* 1996 Oct; 167: 1065-6
- 11324 Takahashi, S., Moriyama, N., Yamazaki, R., Kawabe, K. Urodynamic analysis of age-related changes of alpha 1-adrenoceptor responsiveness in female beagle dogs. *J Urol.* 1996 Oct; 156: 1485-8
- 11325 Mak, V., Radomski, S. B. Value of magnetic resonance imaging of the lumbosacral spinal cord in patients with voiding dysfunction. *J Urol.* 1996 Oct; 156: 1421-3
- 11326 Herschorn, S., Steele, D. J., Radomski, S. B. Followup of intraurethral collagen for female stress urinary incontinence. *J Urol.* 1996 Oct; 156: 1305-9
- 11327 Dovey, S., McNaughton, T., Tilyard, M., Gurr, E., Jolleys, J., Wilson, D. General practitioners' opinions of continence care training. *N Z Med J.* 1996 Sep 13; 109: 340-3
- 11328 Jensen, L. M., Aabech, J., Lundvall, F., Iversen, H. G. Female urethral diverticulum. Clinical aspects and a presentation of 15 cases. *Acta Obstet Gynecol Scand.* 1996 Sep; 75: 748-52
- 11329 el Hemaly, A. K., Mousa, L. A. Stress urinary incontinence, a new concept. *Eur J Obstet Gynecol Reprod Biol.* 1996 Sep; 68: 129-35
- 11330 Hardiman, P. J., Drutz, H. P. Sacrospinous vault suspension and abdominal colposacropexy: success rates and complications. *Am J Obstet Gynecol.* 1996 Sep; 175: 612-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 11331 Bhattacharya, S., Mollison, J., Pinion, S., Parkin, D. E., Abramovich, D. R., Terry, P., Kitchener, H. C. A comparison of bladder and ovarian function two years following hysterectomy or endometrial ablation. *Br J Obstet Gynaecol.* 1996 Sep; 103: 898-903
- 11332 Nygaard, I. E., Lemke, J. H. Urinary incontinence in rural older women: prevalence, incidence and remission. *J Am Geriatr Soc.* 1996 Sep; 44: 1049-54
- 11333 Handa, V. L., Harris, T. A., Ostergard, D. R. Protecting the pelvic floor: obstetric management to prevent incontinence and pelvic organ prolapse. *Obstet Gynecol.* 1996 Sep; 88: 470-8
- 11334 Flax, S. The gasless laparoscopic Burch bladder neck suspension: early experience. *J Urol.* 1996 Sep; 156: 1105-7
- 11335 Pelosi, M. A., 3rd, Pelosi, M. A. Laparoscopic-assisted pubovaginal sling procedure for the treatment of stress urinary incontinence. *J Am Assoc Gynecol Laparosc.* 1996 Aug; 3: 593-600
- 11336 Kung, R. C., Lie, K., Lee, P., Drutz, H. P. The cost-effectiveness of laparoscopic versus abdominal Burch procedures in women with urinary stress incontinence. *J Am Assoc Gynecol Laparosc.* 1996 Aug; 3: 537-44
- 11337 Rosen, D. M., Korda, A. R., Waugh, R. C. Ureteric injury at Burch colposuspension. 4 case reports and literature review. *Aust N Z J Obstet Gynaecol.* 1996 Aug; 36: 354-8
- 11338 Adams, J. B., 2nd, Micali, S., Moore, R. G., Babayan, R. K., Kavoussi, L. R. Complications of extraperitoneal balloon dilation. *J Endourol.* 1996 Aug; 10: 375-8
- 11339 Milsom, I. Rational prescribing for postmenopausal urogenital complaints. *Drugs Aging.* 1996 Aug; 9: 78-86
- 11340 Hogston, P. Treatment of urinary stress incontinence. *Am J Obstet Gynecol.* 1996 Aug; 175: 514-5
- 11341 Bump, R. C., Hurt, W. G., Theofrastous, J. P., Addison, W. A., Fantl, J. A., Wyman, J. F., McClish, D. K. Randomized prospective comparison of needle colposuspension versus endopelvic fascia plication for potential stress incontinence prophylaxis in women undergoing vaginal reconstruction for stage III or IV pelvic organ prolapse. The Continence Program for W. *Am J Obstet Gynecol.* 1996 Aug; 175: 326-33; discussion 333-5
- 11342 DeLancey, J. O. Stress urinary incontinence: where are we now, where should we go?. *Am J Obstet Gynecol.* 1996 Aug; 175: 311-9
- 11343 McDowell, B. J., Engberg, S. J., Rodriguez, E., Engberg, R., Sereika, S. Characteristics of urinary incontinence in homebound older adults. *J Am Geriatr Soc.* 1996 Aug; 44: 963-8
- 11344 Mold, J. W. Pharmacotherapy of urinary incontinence. *Am Fam Physician.* 1996 Aug; 54: 673-80, 683-5
- 11345 Leach, G. E., Appell, R. Percutaneous bladder neck suspension. *Urol Clin North Am.* 1996 Aug; 23: 511-6
- 11346 Dupont, M. C., Albo, M. E., Raz, S. Diagnosis of stress urinary incontinence. An overview. *Urol Clin North Am.* 1996 Aug; 23: 407-15
- 11347 Klutke, J. J., Bergman, A., Pace, J., Klutke, C. G. Transvaginal bladder neck suspension to Cooper's ligament: a modified Pereyra procedure. *Obstet Gynecol.* 1996 Aug; 88: 294-7
- 11348 Enzelsberger, H., Helmer, H., Schatten, C. Comparison of Burch and Iyodura sling procedures for repair of unsuccessful incontinence surgery. *Obstet Gynecol.* 1996 Aug; 88: 251-6
- 11349 Perez, L. M., Smith, E. A., Broecker, B. H., Massad, C. A., Parrott, T. S., Woodard, J. R. Outcome of sling cystourethropexy in the pediatric population: a critical review. *J Urol.* 1996 Aug; 156: 642-6
- 11350 Perez, L. M., Smith, E. A., Parrott, T. S., Broecker, B. H., Massad, C. A., Woodard, J. R. Submucosal bladder neck injection of bovine dermal collagen for stress urinary incontinence in the pediatric population. *J Urol.* 1996 Aug; 156: 633-6
- 11351 Johnson, V. Y., Hubbard, D., Vordermark, J. S. Urologic manifestations of postpolio syndrome. *J Wound Ostomy Continence Nurs.* 1996 Jul; 23: 218-23
- 11352 Tay, K. P., Lim, P. H., Ravintharan, T. Laparoscopic bladder-neck suspension for urinary stress incontinence in women: our first twenty patients. *Int J Urol.* 1996 Jul; 3: 278-81

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 11353** Wang, A. C. Burch colposuspension vs. Stamey bladder neck suspension. A comparison of complications with special emphasis on detrusor instability and voiding dysfunction. *J Reprod Med.* 1996 Jul; 41: 529-33
- 11354** Bartholomew, B., Grimaldi, T. Collagen injection therapy for type III stress urinary incontinence. *AORN J.* 1996 Jul; 64: 75-83, 85-6
- 11355** Colombo, M., Milani, R., Vitobello, D., Maggioni, A. A randomized comparison of Burch colposuspension and abdominal paravaginal defect repair for female stress urinary incontinence. *Am J Obstet Gynecol.* 1996 Jul; 175: 78-84
- 11356** Richardson, D. A., Miller, K. L., Siegel, S. W., Karram, M. M., Blackwood, N. B., Staskin, D. R. Pelvic floor electrical stimulation: a comparison of daily and every- other-day therapy for genuine stress incontinence. *Urology.* 1996 Jul; 48: 110-8
- 11357** Lobel, R. W., Sand, P. K. The empty supine stress test as a predictor of intrinsic urethral sphincter dysfunction. *Obstet Gynecol.* 1996 Jul; 88: 128-32
- 11358** Haab, F., Zimmern, P. E., Leach, G. E. Female stress urinary incontinence due to intrinsic sphincteric deficiency: recognition and management. *J Urol.* 1996 Jul; 156: 3-17
- 11359** Berglund, A. L., Fugl-Meyer, K. S. Some sexological characteristics of stress incontinent women. *Scand J Urol Nephrol.* 1996 Jun; 30: 207-12
- 11360** Berglund, A. L., Eisemann, M., Lalos, A., Lalos, O. Social adjustment and spouse relationships among women with stress incontinence before and after surgical treatment. *Soc Sci Med.* 1996 Jun; 42: 1537-44
- 11361** Davila, G. W. Introl bladder neck support prosthesis: a nonsurgical urethropexy. *J Endourol.* 1996 Jun; 10: 293-6
- 11362** Miller, J. L., Bavendam, T. Treatment with the Reliance urinary control insert: one-year experience. *J Endourol.* 1996 Jun; 10: 287-92
- 11363** Darson, M. F., Malizia, A. A., Barrett, D. M. Periurethral injection of the genitourinary spheroidal membrane. *J Endourol.* 1996 Jun; 10: 283-6
- 11364** Burney, T. L., Badlani, G. H. Rationale and treatment results with bioinjectables. *J Endourol.* 1996 Jun; 10: 273-7
- 11365** Kreder, K. J., Winfield, H. N. Laparoscopic urethral sling for treatment of intrinsic sphincter deficiency. *J Endourol.* 1996 Jun; 10: 255-7
- 11366** Breda, G., Silvestre, P., Gherardi, L., Xausa, D., Tamai, A., Giunta, A. Correction of stress urinary incontinence: laparoscopy combined with vaginal suturing. *J Endourol.* 1996 Jun; 10: 251-3
- 11367** McDougall, E. M. Correction of stress urinary incontinence: retropubic approach. *J Endourol.* 1996 Jun; 10: 247-50
- 11368** Cadeddu, J. A., Kavoussi, L. R. Correction of stress urinary incontinence: transperitoneal approach. *J Endourol.* 1996 Jun; 10: 241-5
- 11369** Norris, J. P., Breslin, D. S., Staskin, D. R. Use of synthetic material in sling surgery: a minimally invasive approach. *J Endourol.* 1996 Jun; 10: 227-30
- 11370** Appell, R. A., Rackley, R. R., Dmochowski, R. R. Vesica percutaneous bladder neck stabilization. *J Endourol.* 1996 Jun; 10: 221-5
- 11371** Trockman, B. A., Leach, G. E. Needle suspension procedures: past, present, and future. *J Endourol.* 1996 Jun; 10: 217-20
- 11372** Mostwin, J. L., Genadry, R., Sanders, R., Yang, A. Anatomic goals in the correction of female stress urinary incontinence. *J Endourol.* 1996 Jun; 10: 207-12
- 11373** McGuire, E. J., Cespedes, R. D. Proper diagnosis: a must before surgery for stress incontinence. *J Endourol.* 1996 Jun; 10: 201-5
- 11374** Austin, P., Spyropoulos, E., Lotenfoe, R., Helal, M., Hoffman, M., Lockhart, J. L. Urethral obstruction after anti-incontinence surgery in women: evaluation, methodology, and surgical results. *Urology.* 1996 Jun; 47: 890-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 11375 Kaplan, S. A., Santarosa, R. P., Te, A. E. Comparison of fascial and vaginal wall slings in the management of intrinsic sphincter deficiency. *Urology*. 1996 Jun; 47: 885-9
- 11376 Nygaard, I. E., Glowacki, C., Saltzman, C. L. Relationship between foot flexibility and urinary incontinence in nulliparous varsity athletes. *Obstet Gynecol*. 1996 Jun; 87: 1049-51
- 11377 McClelland, M., Delustro, F. Evaluation of antibody class in response to bovine collagen treatment in patients with urinary incontinence. *J Urol*. 1996 Jun; 155: 2068-73
- 11378 Nezhat, C. H., Nezhat, F., Seidman, D. S., Nasserbakht, F., Nezhat, C., Roemisch, M. A new method for laparoscopic access to the space of Retzius during retropubic cystourethropey. *J Urol*. 1996 Jun; 155: 1916-8
- 11379 Ross, J. Two techniques of laparoscopic Burch repair for stress incontinence: a prospective, randomized study. *J Am Assoc Gynecol Laparosc*. 1996 May; 3: 351-7
- 11380 Stenberg, A., Heimer, G., Ulmsten, U., Cnattingius, S. Prevalence of genitourinary and other climacteric symptoms in 61-year- old women. *Maturitas*. 1996 May; 24: 31-6
- 11381 Kuo, H. C. Transrectal sonography of the female urethra in incontinence and frequency-urgency syndrome. *J Ultrasound Med*. 1996 May; 15: 363-70
- 11382 Hoffman, M. S., Harris, M. S., Bouis, P. J. Sacrospinous colpopexy in the management of uterovaginal prolapse. *J Reprod Med*. 1996 May; 41: 299-303
- 11383 Hahn, I., Milsom, I. Treatment of female stress urinary incontinence with a new anatomically shaped vaginal device (Conveen Continence Guard). *Br J Urol*. 1996 May; 77: 711-5
- 11384 Theofrastous, J. P., Cundiff, G. W., Harris, R. L., Bump, R. C. The effect of vesical volume on Valsalva leak-point pressures in women with genuine stress urinary incontinence. *Obstet Gynecol*. 1996 May; 87: 711-4
- 11385 McGuire, E. J., Cespedes, R. D., O'Connell, H. E. Leak-point pressures. *Urol Clin North Am*. 1996 May; 23: 253-62
- 11386 Staskin, D., Bavendam, T., Miller, J., Davila, G. W., Diokno, A., Knapp, P., Rappaport, S., Sand, P., Sant, G., Tutrone, R. Effectiveness of a urinary control insert in the management of stress urinary incontinence: early results of a multicenter study. *Urology*. 1996 May; 47: 629-36
- 11387 Ghoniem, G. M. Modified rectus fascial suburethral sling. *Tech Urol*. 1996 Spring; 2: 16-21
- 11388 Eckford, S. D., Jackson, S. R., Lewis, P. A., Abrams, P. The continence control pad--a new external urethral occlusion device in the management of stress incontinence. *Br J Urol*. 1996 Apr; 77: 538-40
- 11389 Rigby, D. Promoting continence with electrostimulation. *Prof Nurse*. 1996 Apr; 11: 431-434
- 11390 Loughlin, K. R. The endoscopic fascial sling for treatment of female urinary stress incontinence. *J Urol*. 1996 Apr; 155: 1265-7
- 11391 Carr, L. K., Herschorn, S., Leonhardt, C. Magnetic resonance imaging after intraurethral collagen injected for stress urinary incontinence. *J Urol*. 1996 Apr; 155: 1253-5
- 11392 Wells, M. Continence following childbirth. *Br J Nurs*. 1996 Mar 28-Apr 10; 5: 353-4, 356, 358, passim
- 11393 Brenner, B. Colposuspension: a comparison of Stamey and laparoscopic Burch procedures. *N Z Med J*. 1996 Mar 8; 109: 84
- 11394 McGuire, E. J. Stress incontinence: new alternatives. *Int J Fertil Menopausal Stud*. 1996 Mar-Apr; 41: 142-7
- 11395 Beizer, J. L. Urinary incontinence in women: a review for the pharmacist. *J Am Pharm Assoc (Wash)*. 1996 Mar; NS36: 196-202
- 11396 Hall, J., Napier-Hemy, R., O'Reilly, P. H. Osteomyelitis complicating Burch colposuspension. *Br J Urol*. 1996 Mar; 77: 470-1
- 11397 Wall, L. L., Hewitt, J. K. Voiding function after Burch colposuspension for stress incontinence. *J Reprod Med*. 1996 Mar; 41: 161-5



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 11398** Homma, Y., Kawabe, K., Kageyama, S., Koiso, K., Akaza, H., Kakizoe, T., Koshiba, K., Yokoyama, E., Aso, Y. Injection of glutaraldehyde cross-linked collagen for urinary incontinence: two-year efficacy by self-assessment. *Int J Urol.* 1996 Mar; 3: 124-7
- 11399** Berglund, A. L., Lalos, O. The pre- and postsurgical nursing of women with stress incontinence. *J Adv Nurs.* 1996 Mar; 23: 502-11
- 11400** Schaer, G. N., Koechli, O. R., Schuessler, B., Haller, U. Usefulness of ultrasound contrast medium in perineal sonography for visualization of bladder neck funneling--first observations. *Urology.* 1996 Mar; 47: 452-3
- 11401** Colombo, M., Zanetta, G., Vitobello, D., Milani, R. The Burch colposuspension for women with and without detrusor overactivity. *Br J Obstet Gynaecol.* 1996 Mar; 103: 255-60
- 11402** Pelsang, R. E., Bonney, W. W. Voiding cystourethrography in female stress incontinence. *AJR Am J Roentgenol.* 1996 Mar; 166: 561-5
- 11403** Carr, L. K., Herschorn, S. Periurethral collagen injection and pregnancy. *J Urol.* 1996 Mar; 155: 1037
- 11404** Blaivas, J. G., Heritz, D. M. Vaginal flap reconstruction of the urethra and vesical neck in women: a report of 49 cases. *J Urol.* 1996 Mar; 155: 1014-7
- 11405** Karabacak, O., Taner, M. Z., Tiras, M. B., Kaya, A., Guner, H., Yildirim, M. An extraperitoneal burch procedure: a case report. *J Laparoendosc Surg.* 1996 Feb; 6: 65-8
- 11406** ACOG criterial set. Surgery for genuine stress incontinence due to urethral hypermobility. American College of Obstetricians and Gynecologists Committee on Quality Assessment. *Int J Gynaecol Obstet.* 1996 Feb; 52: 211-2
- 11407** Eckford, S. D., Finney, R., Jackson, S. R., Abrams, P. Detection of urinary incontinence during ambulatory monitoring of bladder function by a temperature-sensitive device. *Br J Urol.* 1996 Feb; 77: 194-7
- 11408** Brieger, G. M., Yip, S. K., Fung, Y. M., Chung, T. Genital prolapse: a legacy of the West?. *Aust N Z J Obstet Gynaecol.* 1996 Feb; 36: 52-4
- 11409** Cooper, M. J., Cario, G., Lam, A., Carlton, M. A review of results in a series of 113 laparoscopic colposuspensions. *Aust N Z J Obstet Gynaecol.* 1996 Feb; 36: 44-8
- 11410** Mattox, T. F., Bhatia, N. N. The prevalence of urinary incontinence or prolapse among white and Hispanic women. *Am J Obstet Gynecol.* 1996 Feb; 174: 646-8
- 11411** Mushkat, Y., Bukovsky, I., Langer, R. Female urinary stress incontinence--does it have familial prevalence?. *Am J Obstet Gynecol.* 1996 Feb; 174: 617-9
- 11412** Thyssen, H., Lose, G. New disposable vaginal device (continence guard) in the treatment of female stress incontinence. Design, efficacy and short term safety. *Acta Obstet Gynecol Scand.* 1996 Feb; 75: 170-3
- 11413** Colombo, M., Maggioni, A., Zanetta, G., Vignali, M., Milani, R. Prevention of postoperative urinary stress incontinence after surgery for genitourinary prolapse. *Obstet Gynecol.* 1996 Feb; 87: 266-71
- 11414** Bo, K., Talseth, T. Long-term effect of pelvic floor muscle exercise 5 years after cessation of organized training. *Obstet Gynecol.* 1996 Feb; 87: 261-5
- 11415** Zivkovic, F., Tamussino, K., Ralph, G., Schied, G., Auer-Grumbach, M. Long-term effects of vaginal dissection on the innervation of the striated urethral sphincter. *Obstet Gynecol.* 1996 Feb; 87: 257-60
- 11416** Bomalaski, M. D., Bloom, D. A., McGuire, E. J., Panzl, A. Glutaraldehyde cross-linked collagen in the treatment of urinary incontinence in children. *J Urol.* 1996 Feb; 155: 699-702
- 11417** Palma, P. C., Riccetto, C. L., Netto Junior, N. R. Urethral pseudolipoma: a complication of periurethral lipo-injection for stress urinary incontinence in a woman. *J Urol.* 1996 Feb; 155: 646
- 11418** Chancellor, M. B., Shenot, P. J., Rivas, D. A., Mandel, S., Schwartzman, R. J. Urological symptomatology in patients with reflex sympathetic dystrophy. *J Urol.* 1996 Feb; 155: 634-7
- 11419** Radomski, S. B., Herschorn, S. Laparoscopic Burch bladder neck suspension: early results. *J Urol.* 1996 Feb; 155: 515-8



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 11420 Faerber, G. J. Endoscopic collagen injection therapy in elderly women with type I stress urinary incontinence. *J Urol.* 1996 Feb; 155: 512-4
- 11421 Glavind, K., Nohr, S. B., Walter, S. Biofeedback and physiotherapy versus physiotherapy alone in the treatment of genuine stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 339-43
- 11422 Elia, G., Bergman, A. Periurethral collagen implant: ultrasound assessment and prediction of outcome. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 335-8
- 11423 Chohan, H. J., Stevenson, K. R. Sling transection of urethra: a rare complication. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 331-4
- 11424 Swift, S. E., Rust, P. F., Ostergard, D. R. Intrasubject variability of the pressure-transmission ratio in patients with genuine stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 312-6
- 11425 Cundiff, G. W., Bent, A. E. The contribution of urethrocystoscopy to evaluation of lower urinary tract dysfunction in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 307-11
- 11426 Stanton, S. L. Minimally invasive surgery: competent and continent?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 305-6
- 11427 Briggs, T. P., Shah, P. J., Rickards, D. Newer surgical techniques in urology. *Chir Ital.* 1996; 48: 5-6
- 11428 Beco, J. Functional sonography of the lower urinary tract. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 270-3
- 11429 Ramsay, I. N., Ali, H. M., Hunter, M., Stark, D., McKenzie, S., Donaldson, K., Major, K. A prospective, randomized controlled trial of inpatient versus outpatient continence programs in the treatment of urinary incontinence in the female. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 260-3
- 11430 Heit, M., Brubaker, L. Clinical correlates in patients not completing a voiding diary. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 256-9
- 11431 Samodai, L., Zamori, A., Kelemen, I., Kovacs, L. Continent urinary diversion after radical cystectomy: 3 years' experience. *Int Urol Nephrol.* 1996; 28: 511-6
- 11432 Jozwik, M., Jr, Lotocki, W., Jozwik, M. Stress urinary incontinence in women. II. Abnormalities of glycogenolysis in tissues related to the lower urinary tract. *Int Urol Nephrol.* 1996; 28: 485-94
- 11433 Magrina, J. F. Primary surgery for stage IB-IIA cervical cancer, including short-term and long-term morbidity and treatment in pregnancy. *J Natl Cancer Inst Monogr.* 1996; : 53-9
- 11434 Black, N., Griffiths, J., Pope, C. Development of a symptom severity index and a symptom impact index for stress incontinence in women. *Neurourol Urodyn.* 1996; 15: 630-40
- 11435 Resnick, N. M., Brandeis, G. H., Baumann, M. M., DuBeau, C. E., Yalla, S. V. Misdiagnosis of urinary incontinence in nursing home women: prevalence and a proposed solution. *Neurourol Urodyn.* 1996; 15: 599-613; discussion 613-8
- 11436 Meyer, S., De Grandi, P., Schreyer, A., Caccia, G. The assessment of bladder neck position and mobility in continent nullipara, multipara, forceps-delivered and incontinent women using perineal ultrasound: a future office procedure?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 138-46
- 11437 Falconer, C., Ekman-Ordeberg, G., Malmstrom, A., Ulmsten, U. Clinical outcome and changes in connective tissue metabolism after intravaginal slingplasty in stress incontinent women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 133-7
- 11438 Demirci, F., Fine, P. M. Ultrasonography in stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 125-32
- 11439 Iosif, C. S. Laparoscopic surgery for stress urinary incontinence. *Urol Int.* 1996; 57: 180-4
- 11440 Jensen, D., Stien, R. The importance of complex repetitive discharges in the striated female urethral sphincter and the male bulbocavernosus muscle. *Scand J Urol Nephrol Suppl.* 1996; 179: 69-73
- 11441 Bo, K., Maanum, M. Does vaginal electrical stimulation cause pelvic floor muscle contraction? A pilot study. *Scand J Urol Nephrol Suppl.* 1996; 179: 39-45

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11442 Kulseng-Hanssen, S., Klevmark, B. Ambulatory urodynamic monitoring of women. *Scand J Urol Nephrol Suppl.* 1996; 179: 27-37
- 11443 Athanassopoulos, A., Barbalias, G. Burch colposuspension versus stamey endoscopic bladder neck suspension: a urodynamic appraisal. *Urol Int.* 1996; 56: 23-7
- 11444 de Aloysio, D., Altieri, P., Penacchioni, P., Mauloni, M., Bottiglioni, F. Premenopause-dependent changes. *Gynecol Obstet Invest.* 1996; 42: 120-7
- 11445 Demirci, F., Kuyumcuoglu, U., Uludogan, M., Gorgen, H., Sahinoglu, Z., Delikara, M. N. Evaluation of urethrovaginal junction mobility by perineal ultrasonography in stress urinary incontinence. *J Pak Med Assoc.* 1996 Jan; 46: 2-5
- 11446 Liapis, A., Pyrgiotis, E., Kontoravdis, A., Louridas, C., Zourlas, P. A. Genuine stress incontinence: prospective randomized comparison of two operative methods. *Eur J Obstet Gynecol Reprod Biol.* 1996 Jan; 64: 69-72
- 11447 Schiotz, H. A. Comparison of 1 and 3 days' transurethral Foley catheterization after retropubic incontinence surgery. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 98-101
- 11448 Thorp, J. M., Jones, L. H., Wells, E., Ananth, C. V. Assessment of pelvic floor function: a series of simple tests in nulliparous women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 94-7
- 11449 Farrell, S. A., Tynski, G. The effect of urethral pressure variation on detrusor activity in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 87-93
- 11450 Ulmsten, U., Henriksson, L., Johnson, P., Varhos, G. An ambulatory surgical procedure under local anesthesia for treatment of female urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 81-5; discussion 85-6
- 11451 Burgio, K. L., Locher, J. L., Zyczynski, H., Hardin, J. M., Singh, K. Urinary incontinence during pregnancy in a racially mixed sample: characteristics and predisposing factors. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 69-73
- 11452 Colakoglu, M., Capar, M., Kilic, M., Colakoglu, U., Kaya, H., Acar, A. A new needle suspension procedure for genuine stress incontinence and anterior vaginal wall prolapse. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 64-7; discussion 67-8
- 11453 Barlas, P., Hatzipapas, J., Bias, A., Athanasopoulos, A. Transvaginal colposuspension for the treatment of genuine stress incontinence combined with vaginal hysterectomy: a preliminary report. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 20-3
- 11454 Siltberg, H., Larsson, G., Victor, A. Reproducibility of a new method to determine cough-induced leak-point pressure in women with stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 13-9
- 11455 Morley, R., Cumming, J., Weller, R. Morphology and neuropathology of the pelvic floor in patients with stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 3-12
- 11456 Hahn, I., Milsom, I., Ohlsson, B. L., Ekelund, P., Uhlemann, C., Fall, M. Comparative assessment of pelvic floor function using vaginal cones, vaginal digital palpation and vaginal pressure measurements. *Gynecol Obstet Invest.* 1996; 41: 269-74
- 11457 Errando, C., Batista, J. E., Arano, P. Polytetrafluoroethylene sling for failure in female stress incontinence surgery. *World J Urol.* 1996; 14 Suppl 1: S48-50
- 11458 Primus, G., Kramer, G. Maximal external electrical stimulation for treatment of neurogenic or non-neurogenic urgency and/or urge incontinence. *Neurourol Urodyn.* 1996; 15: 187-94
- 11459 Meyer, S., Kuntzer, T., Newsom, N., de Grandi, P. Stress urinary incontinence due to a low-pressure urethra: a socially invalidizing disease. *Neurourol Urodyn.* 1996; 15: 177-86
- 11460 Cosiski Marana, H. R., Moreira de Andrade, J., Matheus de Sala, M., Duarte, G., Fonzar Marana, R. R. Evaluation of long-term results of surgical correction of stress urinary incontinence. *Gynecol Obstet Invest.* 1996; 41: 214-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11461 Berghmans, L. C., Frederiks, C. M., de Bie, R. A., Weil, E. H., Smeets, L. W., van Waalwijk van Doorn, E. S., Janknegt, R. A. Efficacy of biofeedback, when included with pelvic floor muscle exercise treatment, for genuine stress incontinence. *Neurourol Urodyn.* 1996; 15: 37-52
- 11462 Thind, P., Bagi, P., Mieszcza, C., Lose, G. Influence of pudendal nerve blockade on stress relaxation in the female urethra. *Neurourol Urodyn.* 1996; 15: 31-6
- 11463 Helt, M., Benson, J. T., Russell, B., Brubaker, L. Levator ani muscle in women with genitourinary prolapse: indirect assessment by muscle histopathology. *Neurourol Urodyn.* 1996; 15: 17-29
- 11464 Mills, R., Persad, R., Handley Ashken, M. Long-term follow-up results with the Stamey operation for stress incontinence of urine. *Br J Urol.* 1996 Jan; 77: 86-8
- 11465 Jolic, V. Should Burch colposuspension be replaced by fibrin glue colpopexiation in women with urinary stress incontinence?. *Zentralbl Gynakol.* 1996; 118: 236-8
- 11466 Cancrini, A., De Carli, P., Pompeo, V., Fattahi, H., Lamanna, L., Giuseppe, C., Cantiani, R., Mainiero, G., von Heland, M. Lower urinary tract reconstruction following cystectomy: experience and results in 96 patients using the orthotopic ileal bladder substitution of Studer et al. *Eur Urol.* 1996; 29: 204-9
- 11467 Nygaard, I. E., Kreder, K. J., Lepic, M. M., Fountain, K. A., Rhomberg, A. T. Efficacy of pelvic floor muscle exercises in women with stress, urge, and mixed urinary incontinence. *Am J Obstet Gynecol.* 1996 Jan; 174: 120-5
- 11468 Weinberger, M. W., Ostergard, D. R. Postoperative catheterization, urinary retention, and permanent voiding dysfunction after polytetrafluoroethylene suburethral sling placement. *Obstet Gynecol.* 1996 Jan; 87: 50-4
- 11469 Hautmann, R. E., Paiss, T., de Petriconi, R. The ileal neobladder in women: 9 years of experience with 18 patients. *J Urol.* 1996 Jan; 155: 76-81
- 11470 Kurzrock, E. A., Lowe, P., Hardy, B. E. Bladder wall pedicle wraparound sling for neurogenic urinary incontinence in children. *J Urol.* 1996 Jan; 155: 305-8
- 11471 Bavendam, T. G. Incontinence--lower urinary tract dysfunction and urodynamic evaluations. *J Urol.* 1996 Jan; 155: 286-7
- 11472 Nitti, V. W., Combs, A. J. Correlation of Valsalva leak point pressure with subjective degree of stress urinary incontinence in women. *J Urol.* 1996 Jan; 155: 281-5
- 11473 Bennett, C. J. The evolving importance of neurourology and urodynamics. *J Urol.* 1996 Jan; 155: 275-6
- 11474 Zorzos, I., Paterson, P. J. Quality of life after a Marshall-Marchetti-Krantz procedure for stress urinary incontinence. *J Urol.* 1996 Jan; 155: 259-62
- 11475 Smith, J. J., 3rd Intravaginal stimulation randomized trial. *J Urol.* 1996 Jan; 155: 127-30
- 11476 Nixon, E. Continence. Easing the social stress. *Nurs Times.* 1995 Dec 13-19; 91: 60
- 11477 Lenderking, W. R., Nackley, J. F., Anderson, R. B., Testa, M. A. A review of the quality-of-life aspects of urinary urge incontinence. *Pharmacoeconomics.* 1996 Jan; 9: 11-23
- 11478 Bennett, J. K., Green, B. G., Foote, J. E., Gray, M. Collagen injections for intrinsic sphincter deficiency in the neuropathic urethra. *Paraplegia.* 1995 Dec; 33: 697-700
- 11479 Yang, S. C., Park, D. S., Lee, J. M., Graham, R. W. Laparoscopic extraperitoneal bladder neck suspension (LEBNS) for stress urinary incontinence. *J Korean Med Sci.* 1995 Dec; 10: 426-30
- 11480 Smith, A. R. Laparoscopic and needle colposuspension. *Baillieres Clin Obstet Gynaecol.* 1995 Dec; 9: 757-67
- 11481 Tay, K. P., Lim, P. H., Chng, H. C. Surgical management of stress urinary incontinence: Burch colposuspension, modified Pereyra and Stamey bladder neck suspension, and collagen injection--Toa Payoh Hospital experience. *Singapore Med J.* 1995 Dec; 36: 651-5
- 11482 Ng, K. W. Which is the most appropriate operation for genuine stress incontinence (GSI)?. *Singapore Med J.* 1995 Dec; 36: 590-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 11483** Bachmann, G. The estradiol vaginal ring--a study of existing clinical data. *Maturitas*. 1995 Dec; 22 Suppl: S21-9
- 11484** Venus, J. T., Calhoun, B. C. Urinary incontinence procedures performed at a military teaching hospital. *Mil Med*. 1995 Dec; 160: 613-4
- 11485** Kinn, A. C. Burch colposuspension for stress urinary incontinence. 5-year results in 153 women. *Scand J Urol Nephrol*. 1995 Dec; 29: 449-55
- 11486** Young, S. B., Rosenblatt, P. L., Pingeton, D. M., Howard, A. E., Baker, S. P. The Mersilene mesh suburethral sling: a clinical and urodynamic evaluation. *Am J Obstet Gynecol*. 1995 Dec; 173: 1719-25; discussion 1725-6
- 11487** Aronson, M. P., Bates, S. M., Jacoby, A. F., Chelmow, D., Sant, G. R. Periurethral and paravaginal anatomy: an endovaginal magnetic resonance imaging study. *Am J Obstet Gynecol*. 1995 Dec; 173: 1702-8; discussion 1708-10
- 11488** Brubaker, L. Sacrocolpopexy and the anterior compartment: support and function. *Am J Obstet Gynecol*. 1995 Dec; 173: 1690-5; discussion 1695-6
- 11489** Varner, R. E., Plessala, K. J., Richter, H. Effects of sacrocolposuspension on the lower urinary tract. *Am J Obstet Gynecol*. 1995 Dec; 173: 1684-8; discussion 1688-9
- 11490** Harris, R. L., Yancey, C. A., Wiser, W. L., Morrison, J. C., Meeks, G. R. Comparison of anterior colporrhaphy and retropubic urethropexy for patients with genuine stress urinary incontinence. *Am J Obstet Gynecol*. 1995 Dec; 173: 1671-4; discussion 1674-5
- 11491** Debaere, C., Rigauts, H., Steyaert, L., Pattyn, G., Ampe, J. MR imaging of a diverticulum in a female urethra. *J Belge Radiol*. 1995 Dec; 78: 345-6
- 11492** Dumoulin, C., Seaborne, D. E., Quirion-DeGirardi, C., Sullivan, S. J. Pelvic-floor rehabilitation, Part 2: Pelvic-floor reeducation with interferential currents and exercise in the treatment of genuine stress incontinence in postpartum women--a cohort study. *Phys Ther*. 1995 Dec; 75: 1075-81
- 11493** Dumoulin, C., Seaborne, D. E., Quirion-DeGirardi, C., Sullivan, S. J. Pelvic-floor rehabilitation, Part 1: Comparison of two surface electrode placements during stimulation of the pelvic-floor musculature in women who are continent using bipolar interferential currents. *Phys Ther*. 1995 Dec; 75: 1067-74
- 11494** Schaer, G. N., Koechli, O. R., Schuessler, B., Haller, U. Improvement of perineal sonographic bladder neck imaging with ultrasound contrast medium. *Obstet Gynecol*. 1995 Dec; 86: 950-4
- 11495** Makinen, J. I., Pitkanen, Y. A., Salmi, T. A., Gronroos, M., Rinne, R., Paakkari, I. Transdermal estrogen for female stress urinary incontinence in postmenopause. *Maturitas*. 1995 Nov; 22: 233-8
- 11496** Tampakoudis, P., Tantanassis, T., Grimbizis, G., Papaletsos, M., Mantalenakis, S. Cigarette smoking and urinary incontinence in women--a new calculative method of estimating the exposure to smoke. *Eur J Obstet Gynecol Reprod Biol*. 1995 Nov; 63: 27-30
- 11497** von Theobald, P., Guillaumin, D., Levy, G. Laparoscopic preperitoneal colposuspension for stress incontinence in women. Technique and results of 37 procedures. *Surg Endosc*. 1995 Nov; 9: 1189-92
- 11498** Lee, P. S., Reid, D. W., Saltmarche, A., Linton, L. Measuring the psychosocial impact of urinary incontinence: the York Incontinence Perceptions Scale (YIPS). *J Am Geriatr Soc*. 1995 Nov; 43: 1275-8
- 11499** Sultana, C. J. Urethral closure pressure and leak-point pressure in incontinent women. *Obstet Gynecol*. 1995 Nov; 86: 839-42
- 11500** Trockman, B. A., Leach, G. E., Hamilton, J., Sakamoto, M., Santiago, L., Zimmern, P. E. Modified Pereyra bladder neck suspension: 10-year mean followup using outcomes analysis in 125 patients. *J Urol*. 1995 Nov; 154: 1841-7
- 11501** Sirls, L. T., Keoleian, C. M., Korman, H. J., Kirkemo, A. K. The effect of study methodology on reported success rates of the modified Pereyra bladder neck suspension. *J Urol*. 1995 Nov; 154: 1732-5
- 11502** Rush, C. B., Entman, S. S. Pelvic organ prolapse and stress urinary incontinence. *Med Clin North Am*. 1995 Nov; 79: 1473-9
- 11503** Torrance, C., Jordan, S. Bionursing: assessment of stress incontinence. *Nurs Stand*. 1995 Oct 18-24; 10: 29-31

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 11504 Juma, S. Anterior vaginal suspension for vaginal vault prolapse. *Tech Urol.* 1995 Fall; 1: 150-6
- 11505 Petrou, S. P. Use of the Cobb-Ragde needle in pubovaginal sling surgery. *Tech Urol.* 1995 Fall; 1: 136-40
- 11506 Lim, F. K., Razvi, K., Tham, K. F., Ratnam, S. S. Current approach to the management of urinary stress incontinence. *Singapore Med J.* 1995 Oct; 36: 532-7
- 11507 Dellas, A., Drewe, J. Conservative therapy of female genuine stress incontinence with vaginal cones. *Eur J Obstet Gynecol Reprod Biol.* 1995 Oct; 62: 213-5
- 11508 Nataluk, E. A., Assimos, D. G., Kroovand, R. L. Collagen injections for treatment of urinary incontinence secondary to intrinsic sphincter deficiency. *J Endourol.* 1995 Oct; 9: 403-6
- 11509 Woodtli, A. Mixed incontinence: a new nursing diagnosis?. *Nurs Diagn.* 1995 Oct-Dec; 6: 135-42
- 11510 Langer, R., Tal, Z., Schneider, D., Avrech, O., Bukovsky, I., Caspi, E. Continence mechanism after colpo-needle suspension for stress urinary incontinence. *J Reprod Med.* 1995 Oct; 40: 699-702
- 11511 Neale, R. Complications of urogynaecological surgery. *Curr Opin Obstet Gynecol.* 1995 Oct; 7: 400-3
- 11512 Smith, A. R. Laparoscopic surgery for incontinence and genitourinary prolapse. *Curr Opin Obstet Gynecol.* 1995 Oct; 7: 397-9
- 11513 Appell, R. A. Injectables in the treatment of female stress incontinence. *Curr Opin Obstet Gynecol.* 1995 Oct; 7: 393-6
- 11514 Wilson, D., Herbison, P. Conservative management of incontinence. *Curr Opin Obstet Gynecol.* 1995 Oct; 7: 386-92
- 11515 Brubaker, L. Suburethral sling release. *Obstet Gynecol.* 1995 Oct; 86: 686-8
- 11516 Kondo, A., Yamada, Y., Nijima, R. Treatment of stress incontinence by vaginal cones: short- and long-term results and predictive parameters. *Br J Urol.* 1995 Oct; 76: 464-6
- 11517 Mazur, D., Wehnert, J., Dorschner, W., Schubert, G., Herfurth, G., Alken, R. G. Clinical and urodynamic effects of propiverine in patients suffering from urgency and urge incontinence. A multicentre dose-optimizing study. *Scand J Urol Nephrol.* 1995 Sep; 29: 289-94
- 11518 Weerasekera, D. S., Gunawardena, K. K. The Stamy procedure: a retrospective analysis of clinical outcome in stress incontinence. *Ceylon Med J.* 1995 Sep; 40: 101-2
- 11519 Sugerman, H. J., Felton, W. L., 3rd, Salvant, J. B., Jr, Sismanis, A., Kellum, J. M. Effects of surgically induced weight loss on idiopathic intracranial hypertension in morbid obesity. *Neurology.* 1995 Sep; 45: 1655-9
- 11520 Haeusler, G., Hanzal, E., Joura, E., Sam, C., Koelbl, H. Differential diagnosis of detrusor instability and stress-incontinence by patient history: the Gaudenz-Incontinence-Questionnaire revisited. *Acta Obstet Gynecol Scand.* 1995 Sep; 74: 635-7
- 11521 Richardson, T. D., Kennelly, M. J., Faerber, G. J. Endoscopic injection of glutaraldehyde cross-linked collagen for the treatment of intrinsic sphincter deficiency in women. *Urology.* 1995 Sep; 46: 378-81
- 11522 Miklos, J. R., Sze, E. H., Karram, M. M. A critical appraisal of the methods of measuring leak-point pressures in women with stress incontinence. *Obstet Gynecol.* 1995 Sep; 86: 349-52
- 11523 Das, S., Palmer, J. K. Laparoscopic colpo-suspension. *J Urol.* 1995 Sep; 154: 1119-21
- 11524 Morgan, J. E., Heritz, D. M., Stewart, F. E., Connolly, J. C., Farrow, G. A. The polypropylene pubovaginal sling for the treatment of recurrent stress urinary incontinence. *J Urol.* 1995 Sep; 154: 1013-4; discussion 1015-6
- 11525 Sauer, H. A., Klutke, C. G. Transvaginal sacrospinous ligament fixation for treatment of vaginal prolapse. *J Urol.* 1995 Sep; 154: 1008-12
- 11526 Alcalay, M., Monga, A., Stanton, S. L. Burch colposuspension: a 10-20 year follow up. *Br J Obstet Gynaecol.* 1995 Sep; 102: 740-5
- 11527 Schurmans, J. R., Weerman, P. C., Bosch, J. L., van der Leij, E. M., Schroder, F. H. Quality of life assessment in heterotopic and orthotopic neobladder reconstruction: a comparison. *Acta Urol Belg.* 1995 Sep; 63: 55-8



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 11528 van Gool, J. D. Dysfunctional voiding: a complex of bladder/sphincter dysfunction, urinary tract infections and vesicoureteral reflux. *Acta Urol Belg.* 1995 Sep; 63: 27-33
- 11529 Henley, C. The Henley staple-suture technique for laparoscopic Burch colposuspension. *J Am Assoc Gynecol Laparosc.* 1995 Aug; 2: 441-4
- 11530 Su, T. H., Yang, J. M., Chen, C. P., Wei, H. J., Hwu, Y. M., Yang, Y. C. Mini-catheter used for bladder drainage following stress-incontinence surgery and the factors relating to drainage failure. *J Obstet Gynaecol.* 1995 Aug; 21: 319-24
- 11531 Neuman, M., Lavie, O., Gdansk, E., Diamant, Y. Z., Beller, U. Early uterine prolapse following colponeedle suspension. *Aust N Z J Obstet Gynaecol.* 1995 Aug; 35: 339-40
- 11532 Monga, A. K., Robinson, D., Stanton, S. L. Periurethral collagen injections for genuine stress incontinence: a 2-year follow-up. *Br J Urol.* 1995 Aug; 76: 156-60
- 11533 Kennedy, K. L., Steidle, C. P., Letizia, T. M. Urinary incontinence: the basics. *Ostomy Wound Manage.* 1995 Aug; 41: 16-8, 20, 22 passim; quiz 33-4
- 11534 Bump, R. C., Elser, D. M., Theofrastous, J. P., McClish, D. K. Valsalva leak point pressures in women with genuine stress incontinence: reproducibility, effect of catheter caliber, and correlations with other measures of urethral resistance. *Continence Program for Women Research Group. Am J Obstet Gynecol.* 1995 Aug; 173: 551-7
- 11535 Theofrastous, J. P., Bump, R. C., Elser, D. M., Wyman, J. F., McClish, D. K. Correlation of urodynamic measures of urethral resistance with clinical measures of incontinence severity in women with pure genuine stress incontinence. *The Continence Program for Women Research Group. Am J Obstet Gynecol.* 1995 Aug; 173: 407-12; discussion 412-4
- 11536 McGuire, E. J., O'Connell, H. E. Surgical treatment of intrinsic urethral dysfunction. *Slings. Urol Clin North Am.* 1995 Aug; 22: 657-64
- 11537 Stothers, L., Chopra, A., Raz, S. Vaginal reconstructive surgery for female incontinence and anterior vaginal-wall prolapse. *Urol Clin North Am.* 1995 Aug; 22: 641-55
- 11538 Klutke, J. J., Bergman, A. Hormonal influence on the urinary tract. *Urol Clin North Am.* 1995 Aug; 22: 629-39
- 11539 Bourcier, A. P., Juras, J. C. Nonsurgical therapy for stress incontinence. *Urol Clin North Am.* 1995 Aug; 22: 613-27
- 11540 Mostwin, J. L., Yang, A., Sanders, R., Genadry, R. Radiography, sonography, and magnetic resonance imaging for stress incontinence. Contributions, uses, and limitations. *Urol Clin North Am.* 1995 Aug; 22: 539-49
- 11541 Handa, V. L., Jensen, J. K., Ostergard, D. R. The effect of patient position on proximal urethral mobility. *Obstet Gynecol.* 1995 Aug; 86: 273-6
- 11542 Wattiez, A., Boughizane, S., Alexandre, F., Canis, M., Mage, G., Pouly, J. L., Bruhat, M. A. Laparoscopic procedures for stress incontinence and prolapse. *Curr Opin Obstet Gynecol.* 1995 Aug; 7: 317-21
- 11543 Resnick, N. M. Urinary incontinence. *Lancet.* 1995 Jul 8; 346: 94-9
- 11544 Kiilholma, P., Haarala, M., Polvi, H., Makinen, J., Chancellor, M. B. Sutureless endoscopic colposuspension with fibrin sealant. *Tech Urol.* 1995 Summer; 1: 81-3
- 11545 Narepalem, N., Kreder, K. J., Winfield, H. N. Laparoscopic urethral sling for the treatment of intrinsic urethral weakness (type III stress urinary incontinence). *Tech Urol.* 1995 Summer; 1: 102-5
- 11546 Weinberger, M. W., Ostergard, D. R. Long-term clinical and urodynamic evaluation of the polytetrafluoroethylene suburethral sling for treatment of genuine stress incontinence. *Obstet Gynecol.* 1995 Jul; 86: 92-6
- 11547 Swift, S. E., Ostergard, D. R. Evaluation of current urodynamic testing methods in the diagnosis of genuine stress incontinence. *Obstet Gynecol.* 1995 Jul; 86: 85-91
- 11548 Lepor, H., Theune, C. Randomized double-blind study comparing the efficacy of terazosin versus placebo in women with prostatism-like symptoms. *J Urol.* 1995 Jul; 154: 116-8



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 11549 Petros, P. E., Ulmsten, U. Urethral and bladder neck closure mechanisms. *Am J Obstet Gynecol.* 1995 Jul; 173: 346-8
- 11550 Woodtli, A. Stress incontinence: clinical identification and validation of defining characteristics. *Nurs Diagn.* 1995 Jul-Sep; 6: 115-22
- 11551 Woo, H. H., Rosario, D. J., Chapple, C. R. Stone formation on permanent suture material used previously in colposuspension. *Br J Urol.* 1995 Jul; 76: 139-40
- 11552 Sand, P. K., Richardson, D. A., Staskin, D. R., Swift, S. E., Appell, R. A., Whitmore, K. E., Ostergard, D. R. Pelvic floor electrical stimulation in the treatment of genuine stress incontinence: a multicenter, placebo-controlled trial. *Am J Obstet Gynecol.* 1995 Jul; 173: 72-9
- 11553 Bergman, A., Elia, G. Three surgical procedures for genuine stress incontinence: five-year follow-up of a prospective randomized study. *Am J Obstet Gynecol.* 1995 Jul; 173: 66-71
- 11554 Song, J. T., Rozanski, T. A., Belville, W. D. Stress leak point pressure: a simple and reproducible method utilizing a fiberoptic microtransducer. *Urology.* 1995 Jul; 46: 81-4
- 11555 Ostergard, D. R. Urogynecology and pelvic reconstructive surgery: office preoperative evaluation of the incontinent female. *Int J Gynaecol Obstet.* 1995 Jul; 49 Suppl: S43-7
- 11556 Elia, G., Bergman, A. Genuine stress urinary incontinence with low urethral pressure. Five- year follow-up after the Ball-Burch procedure. *J Reprod Med.* 1995 Jul; 40: 503-6
- 11557 Peters, W. A., 3rd, Christenson, M. L. Fixation of the vaginal apex to the coccygeus fascia during repair of vaginal vault eversion with enterocele. *Am J Obstet Gynecol.* 1995 Jun; 172: 1894-900; discussion 1900-2
- 11558 Huddleston, H. T., Dunnihoo, D. R., Huddleston, P. M., 3rd, Meyers, P. C., Sr Magnetic resonance imaging of defects in DeLancey's vaginal support levels I, II, and III. *Am J Obstet Gynecol.* 1995 Jun; 172: 1778-82; discussion 1782-4
- 11559 Lyons, T. L. Minimally invasive treatment of urinary stress incontinence and laparoscopically directed repair of pelvic floor defects. *Clin Obstet Gynecol.* 1995 Jun; 38: 380-91
- 11560 Leonhardt, C., Krysl, J., Arenson, A. M., Herschorn, S. Periurethral injection of collagen in the treatment of urinary stress incontinence: ultrasonographic appearance. *Can Assoc Radiol J.* 1995 Jun; 46: 189-93
- 11561 Wasserman, G. A. Correction of a vault suspension graft complication. *J Am Assoc Gynecol Laparosc.* 1995 May; 2: 359-61
- 11562 Everaert, K., Van Laecke, E., De Sy, W. A. Colpopromontoriopexy. *Acta Urol Belg.* 1995 May; 63: 47-50
- 11563 Costa, P., Mottet, N., el Sandid, M., Sahwi, A., Navratil, H. The artificial urinary sphincter AMS 800: our experience in women with or without uterine prolapse. *Acta Urol Belg.* 1995 May; 63: 45-6
- 11564 Stanton, S. L. Indications and operative treatment of stress urinary incontinence. *Acta Urol Belg.* 1995 May; 63: 41-3
- 11565 Janknegt, R. A. Minimal prerequisites to operate a stress-incontinent woman. *Acta Urol Belg.* 1995 May; 63: 37-8
- 11566 Opsomer, R. J. Female urinary incontinence: imaging by or for the urologist. *Acta Urol Belg.* 1995 May; 63: 31-4
- 11567 Rosenthal, A. J., McMurtry, C. T. Urinary incontinence in the elderly. Often simple to treat when properly evaluated. *Postgrad Med.* 1995 May; 97: 109-16, 121
- 11568 Holley, R. L., Varner, R. E., Kerns, D. J., Mestecky, P. J. Long-term failure of pelvic floor musculature exercises in treatment of genuine stress incontinence. *South Med J.* 1995 May; 88: 547-9
- 11569 Swift, S. E., Ostergard, D. R. A comparison of stress leak-point pressure and maximal urethral closure pressure in patients with genuine stress incontinence. *Obstet Gynecol.* 1995 May; 85: 704-8
- 11570 Labasky, R. F. Neurogenic bladder. *J Urol.* 1995 May; 153: 1467-8

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 11571 Susset, J., Galea, G., Manbeck, K., Susset, A. A predictive score index for the outcome of associated biofeedback and vaginal electrical stimulation in the treatment of female incontinence. J Urol. 1995 May; 153: 1461-6
- 11572 Gilja, I., Sarac, S., Radej, M. A modified Raz bladder neck suspension operation (transvaginal Burch). J Urol. 1995 May; 153: 1455-7
- 11573 Gallagher, P. V., Mellon, J. K., Ramsden, P. D., Neal, D. E. Tanagho bladder neck reconstruction in the treatment of adult incontinence. J Urol. 1995 May; 153: 1451-4
- 11574 Sartori, M. G., Baracat, E. C., Girao, M. J., Goncalves, W. J., Sartori, J. P., de Lima, G. R. Menopausal genuine stress urinary incontinence treated with conjugated estrogens plus progestogens. Int J Gynaecol Obstet. 1995 May; 49: 165-9
- 11575 Kisack, G. Stress incontinence in women with asthma. N Z Med J. 1995 Apr 26; 108: 156
- 11576 Teichman, J. M. Laparoscopic Burch colposuspension. Tech Urol. 1995 Spring; 1: 19-24
- 11577 O'Sullivan, D. C., Chilton, C. P., Munson, K. W. Should Stamey colposuspension be our primary surgery for stress incontinence?. Br J Urol. 1995 Apr; 75: 457-60
- 11578 Ames, D., Hastie, I. R. Urinary incontinence. Postgrad Med J. 1995 Apr; 71: 195-7
- 11579 Polascik, T. J., Moore, R. G., Rosenberg, M. T., Kavoussi, L. R. Comparison of laparoscopic and open retropubic urethropexy for treatment of stress urinary incontinence. Urology. 1995 Apr; 45: 647-52
- 11580 McDougall, E. M., Klutke, C. G., Cornell, T. Comparison of transvaginal versus laparoscopic bladder neck suspension for stress urinary incontinence. Urology. 1995 Apr; 45: 641-6
- 11581 Ulmsten, U. On urogenital ageing. Maturitas. 1995 Apr; 21: 163-9
- 11582 McGuire, E. J. Diagnosis and treatment of intrinsic sphincter deficiency. Int J Urol. 1995 Apr; 2 Suppl 1: 7-10; discussion 16-8
- 11583 Stricker, P. D. Proper patient selection for Contigen Bard Collagen implant. Int J Urol. 1995 Apr; 2 Suppl 1: 2-6; discussion 16-8
- 11584 Yokoyama, E. Contigen Bard Collagen implant: the Japanese experience. Int J Urol. 1995 Apr; 2 Suppl 1: 11-5; discussion 16-8
- 11585 Liem, N. T., Hau, B. D., Thu, N. X. The long-term follow-up result of Swenson's operation in the treatment of Hirschsprung's disease in Vietnamese children. Eur J Pediatr Surg. 1995 Apr; 5: 110-2
- 11586 Carter, J. E. Laparoscopic bladder neck suspension. Endosc Surg Allied Technol. 1995 Apr-Jun; 3: 81-7
- 11587 Wallwiener, D., Grischke, E. M., Rimbach, S., Maleika, A., Bastert, G. Endoscopic retropubic colposuspension: 'Retziusscopy' versus laparoscopy--a reasonable enlargement of the operative spectrum in the management of recurrent stress incontinence?. Endosc Surg Allied Technol. 1995 Apr-Jun; 3: 115-8
- 11588 Unsworth, J. Stress incontinence: treatment using pelvic floor re-education. Br J Nurs. 1995 Mar 23-Apr 12; 4: 323-4, 326-7
- 11589 Frazer, M. I. Ambulatory surgery for urinary stress incontinence and vaginal prolapse. Med J Aust. 1995 Mar 6; 162: 279
- 11590 Sandvik, H., Hunskaar, S., Vanvik, A., Bratt, H., Seim, A., Hermstad, R. Diagnostic classification of female urinary incontinence: an epidemiological survey corrected for validity. J Clin Epidemiol. 1995 Mar; 48: 339-43
- 11591 Erickson, D. R. Glomerulations in women with urethral sphincter deficiency: report of 2 cases. J Urol. 1995 Mar; 153: 728-9
- 11592 Stein, M., Discippio, W., Davia, M., Taub, H. Biofeedback for the treatment of stress and urge incontinence. J Urol. 1995 Mar; 153: 641-3
- 11593 Cardozo, L. D., Kelleher, C. J. Sex hormones, the menopause and urinary problems. Gynecol Endocrinol. 1995 Mar; 9: 75-84

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11594 Bernier, F., Harris, L. Treating stress incontinence with the bladder neck support prosthesis. *Urol Nurs*. 1995 Mar; 15: 5-9
- 11595 Hoffman, M. S., Arango, H. Transvestibular retropubic bladder neck suspension. A pilot study. *J Reprod Med*. 1995 Mar; 40: 181-4
- 11596 Moore, K. N., Chetner, M. P., Metcalfe, J. B., Griffiths, D. J. Periurethral implantation of glutaraldehyde cross-linked collagen (Contigen) in women with type I or III stress incontinence: quantitative outcome measures. *Br J Urol*. 1995 Mar; 75: 359-63
- 11597 Ulmsten, U., Petros, P. Intravaginal slingplasty (IVS): an ambulatory surgical procedure for treatment of female urinary incontinence. *Scand J Urol Nephrol*. 1995 Mar; 29: 75-82
- 11598 Weinberger, M. W. Conservative treatment of urinary incontinence. *Clin Obstet Gynecol*. 1995 Mar; 38: 175-88
- 11599 Brenner, B. Is the Stamey colposuspension feasible as a day stay procedure?. *N Z Med J*. 1995 Feb 8; 108: 43
- 11600 Lyons, T. L., Winer, W. K. Clinical outcomes with laparoscopic approaches and open Burch procedures for urinary stress incontinence. *J Am Assoc Gynecol Laparosc*. 1995 Feb; 2: 193-8
- 11601 Bo, K. Vaginal weight cones. Theoretical framework, effect on pelvic floor muscle strength and female stress urinary incontinence. *Acta Obstet Gynecol Scand*. 1995 Feb; 74: 87-92
- 11602 Langebrekke, A., Dahlstrom, B., Eraker, R., Urnes, A. The laparoscopic Burch procedure. A preliminary report. *Acta Obstet Gynecol Scand*. 1995 Feb; 74: 153-5
- 11603 Bo, K. Adherence to pelvic floor muscle exercise and long-term effect on stress urinary incontinence. A five-year follow-up study. *Scand J Med Sci Sports*. 1995 Feb; 5: 36-9
- 11604 Barrington, J. W., Roberts, A. Burch colposuspension facilitated by means of the Ferguson speculum. *Br J Urol*. 1995 Feb; 75: 242-3
- 11605 Schaer, G. N., Koechli, O. R., Schuessler, B., Haller, U. Perineal ultrasound for evaluating the bladder neck in urinary stress incontinence. *Obstet Gynecol*. 1995 Feb; 85: 220-4
- 11606 Brieger, G., Ditton, J., Korda, A. Insertion of a permanent electrode for intractable detrusor instability. *Aust N Z J Obstet Gynaecol*. 1995 Feb; 35: 107-8
- 11607 Chin, Y. K., Stanton, S. L. A follow up of silastic sling for genuine stress incontinence. *Br J Obstet Gynaecol*. 1995 Feb; 102: 143-7
- 11608 Thorpe, A. C., Roberts, J. P., Williams, N. S., Blandy, J. P., Badenoch, D. F. Pelvic floor physiology in women with faecal incontinence and urinary symptoms. *Br J Surg*. 1995 Feb; 82: 173-6
- 11609 Lam, A. M., Jenkins, G. J., Hyslop, R. S. Laparoscopic Burch colposuspension for stress incontinence: preliminary results. *Med J Aust*. 1995 Jan 2; 162: 18-21
- 11610 Cisternino, A., Passerini-Glazel, G. Bladder dysfunction in children. *Scand J Urol Nephrol Suppl*. 1995; 173: 25-8; discussion 29
- 11611 Partain-DeLisle, N. The use of laparoscopic surgery in the treatment of urinary stress incontinence. *Minim Invasive Surg Nurs*. 1995 Fall; 9: 118-22
- 11612 Mikkelsen, A. L., Felding, C., Clausen, H. V. Clinical effects of preoperative oestradiol treatment before vaginal repair operation. A double-blind, randomized trial. *Gynecol Obstet Invest*. 1995; 40: 125-8
- 11613 Genadry, R. R. Evaluation and conservative management of women with stress urinary incontinence. *Md Med J*. 1995 Jan; 44: 31-5
- 11614 Knapp, T. R., Nickel, J. T. Re: 'Factors associated with risk of stress urinary incontinence in women'. *Nurs Res*. 1995 Jan-Feb; 44: 58
- 11615 Hol, M., van Bolhuis, C., Vierhout, M. E. Vaginal ultrasound studies of bladder neck mobility. *Br J Obstet Gynaecol*. 1995 Jan; 102: 47-53

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 11616 Cammu, H., Van Nylen, M. Pelvic floor muscle exercises: 5 years later. *Urology*. 1995 Jan; 45: 113-7; discussion 118
- 11617 Chingewundoh, F. I., Nayeem, N. Outcome of Burch colposuspension in a district general hospital. *Br J Clin Pract*. 1995 Jan-Feb; 49: 41-2
- 11618 Whiting, M. A., Smith, N. I., Agar, J. W. Vaginal peritoneal dialysate leakage per fallopian tubes. *Perit Dial Int*. 1995; 15: 85
- 11619 Fedorkow, D. M., Sand, P. K., Retzky, S. S., Johnson, D. C. The cotton swab test. Receiver-operating characteristic curves. *J Reprod Med*. 1995 Jan; 40: 42-6
- 11620 Rayome, R. G., King, C., King, T. Patient with nocturnal enuresis and stress incontinence after previous hysterectomy and radiation therapy for cervical cancer. *J Wound Ostomy Continence Nurs*. 1995 Jan; 22: 64-7
- 11621 Canning, D. A., Seibold, J., Saito, M., Zderic, S. A., Snyder, H. M., Duckett, J. W., Levin, R. M. Use of injectable fat to obstruct the urethra in rabbits. *Neurourol Urodyn*. 1995; 14: 259-67
- 11622 Ho, Y. H., Goh, H. S. The neurophysiological significance of perineal descent. *Int J Colorectal Dis*. 1995; 10: 107-11
- 11623 Athanassopoulos, A., Perimenis, P., Markou, S., Melekos, M., Barbalias, G. Prognostic factors for the operative correction of stress urinary incontinence. *Int Urol Nephrol*. 1995; 27: 43-9
- 11624 Demirci, F., Kuyumcuoglu, U., Kekovali, M., Ergenekon, E., Eren, S., Uludogan, M., Sofuoglu, K. Perineal ultrasonography in postoperative assessment of two different surgical procedures for stress urinary incontinence. *Int Urol Nephrol*. 1995; 27: 279-87
- 11625 Falconer, C., Larsson, B. New and simplified vaginal approach for correction of urinary stress incontinence in women. *Neurourol Urodyn*. 1995; 14: 365-70
- 11626 Petros, P. E., Ulmsten, U. Urethral pressure increase on effort originates from within the urethra, and continence from musculovaginal closure. *Neurourol Urodyn*. 1995; 14: 337-46; discussion 346-50
- 11627 Bo, K., Stien, R., Kulseng-Hanssen, S., Kristofferson, M. Clinical and urodynamic assessment of nulliparous young women with and without stress incontinence symptoms: a case-control study. *Obstet Gynecol*. 1994 Dec; 84: 1028-32
- 11628 Nanninga, J. B. Some aspects of striated urethral sphincter structure and function. *J Urol*. 1994 Dec; 152: 2321-3
- 11629 Benderev, T. V. A modified percutaneous outpatient bladder neck suspension system. *J Urol*. 1994 Dec; 152: 2316-20
- 11630 Liu, C. Y. Laparoscopic treatment for genuine urinary stress incontinence. *Baillieres Clin Obstet Gynaecol*. 1994 Dec; 8: 789-98
- 11631 Moore, K. N. Electrical stimulation for the treatment of urinary incontinence: do we know enough to accept it as part of our practice?. *J Adv Nurs*. 1994 Dec; 20: 1018-22
- 11632 Querleu, D., Debodinance, P., Crepin, G. Adverse tissue reaction after surgical management of stress incontinence with expanded polytetrafluoroethylene. *Am J Obstet Gynecol*. 1994 Dec; 171: 1674
- 11633 Colombo, M., Scalabrino, S., Maggioni, A., Milani, R. Burch colposuspension versus modified Marshall-Marchetti-Krantz urethropexy for primary genuine stress urinary incontinence: a prospective, randomized clinical trial. *Am J Obstet Gynecol*. 1994 Dec; 171: 1573-9
- 11634 Wall, L. L., Wiskind, A. K., Taylor, P. A. Simple bladder filling with a cough stress test compared with subtracted cystometry for the diagnosis of urinary incontinence. *Am J Obstet Gynecol*. 1994 Dec; 171: 1472-7; discussion 1477-9
- 11635 Peacock, L. M., Wiskind, A. K., Wall, L. L. Clinical features of urinary incontinence and urogenital prolapse in a black inner-city population. *Am J Obstet Gynecol*. 1994 Dec; 171: 1464-9; discussion 1469-71
- 11636 Byck, D. B., Varner, R. E., Clough, C. Urinary complaints after modified Burch urethropexy: an analysis. *Am J Obstet Gynecol*. 1994 Dec; 171: 1460-2; discussion 1462-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11637 Sultana, C. J., Walters, M. D. Estrogen and urinary incontinence in women. *Maturitas*. 1994 Dec; 20: 129-38
- 11638 Stanley, K. E., Kreder, K. J., Winfield, H. N., Cohen, M. B. Laparoscopic approaches to the treatment of intrinsic urethral weakness (type III stress urinary incontinence). *J Endourol*. 1994 Dec; 8: 439-43
- 11639 Swash, M. The pelvic floor and incontinence. *Lancet*. 1994 Nov 5; 344: 1301
- 11640 Gunn, G. C., Cooper, R. P., Gordon, N. S., Gagnon, L. Use of a new device for endoscopic suturing in the laparoscopic Burch procedure. *J Am Assoc Gynecol Laparosc*. 1994 Nov; 2: 65-70
- 11641 Norton, P. A., Baker, J. E. Postural changes can reduce leakage in women with stress urinary incontinence. *Obstet Gynecol*. 1994 Nov; 84: 770-4
- 11642 Raz, S. Fistulas, diverticula and incontinence. *J Urol*. 1994 Nov; 152: 1458-9
- 11643 Korman, H. J., Sirls, L. T., Kirkemo, A. K. Success rate of modified Pereyra bladder neck suspension determined by outcomes analysis. *J Urol*. 1994 Nov; 152: 1453-7
- 11644 Ganabathi, K., Leach, G. E., Zimmern, P. E., Dmochowski, R. Experience with the management of urethral diverticulum in 63 women. *J Urol*. 1994 Nov; 152: 1445-52
- 11645 Falconer, C., Ekman, G., Malmstrom, A., Ulmsten, U. Decreased collagen synthesis in stress-incontinent women. *Obstet Gynecol*. 1994 Oct; 84: 583-6
- 11646 Papa Petros, P. E. Tissue reaction to implanted foreign materials for cure of stress incontinence. *Am J Obstet Gynecol*. 1994 Oct; 171: 1159
- 11647 Shumaker, S. A., Wyman, J. F., Uebersax, J. S., McClish, D., Fantl, J. A. Health-related quality of life measures for women with urinary incontinence: the Incontinence Impact Questionnaire and the Urogenital Distress Inventory. Continence Program in Women (CPW) Research Group. *Qual Life Res*. 1994 Oct; 3: 291-306
- 11648 Virtanen, H. S., Makinen, J. I. Vesicocervical fistula--a rare cause of urinary incontinence. *Eur J Obstet Gynecol Reprod Biol*. 1994 Oct; 57: 54-5
- 11649 Ramoso-Jalbuena, J. Climacteric Filipino women: a preliminary survey in the Philippines. *Maturitas*. 1994 Oct; 19: 183-90
- 11650 Boulet, M. J., Oddens, B. J., Lehert, P., Vemer, H. M., Visser, A. Climacteric and menopause in seven South-east Asian countries. *Maturitas*. 1994 Oct; 19: 157-76
- 11651 Lara, C., Nacey, J. Ethnic differences between Maori, Pacific Island and European New Zealand women in prevalence and attitudes to urinary incontinence. *N Z Med J*. 1994 Sep 28; 107: 374-6
- 11652 Feyereisl, J., Dreher, E., Haenggi, W., Zikmund, J., Schneider, H. Long-term results after Burch colposuspension. *Am J Obstet Gynecol*. 1994 Sep; 171: 647-52
- 11653 Monga, M., Ghoniem, G. M. Ilioinguinal nerve entrapment following needle bladder suspension procedures. *Urology*. 1994 Sep; 44: 447-50
- 11654 Wall, L. L., Hewitt, J. K. Urodynamic characteristics of women with complete posthysterectomy vaginal vault prolapse. *Urology*. 1994 Sep; 44: 336-41; discussion 341-2
- 11655 Ghoniem, G. M., Walters, F., Lewis, V. The value of the vaginal pack test in large cystoceles. *J Urol*. 1994 Sep; 152: 931-4
- 11656 Berglund, A. L., Eisemann, M., Losos, O. Personality characteristics of stress incontinent women: a pilot study. *J Psychosom Obstet Gynaecol*. 1994 Sep; 15: 165-70
- 11657 Kirschner-Hermanns, R., Klein, H. M., Muller, U., Schafer, W., Jakse, G. Intra-urethral ultrasound in women with stress incontinence. *Br J Urol*. 1994 Sep; 74: 315-8
- 11658 Kjolhede, P., Ryden, G. Prognostic factors and long-term results of the Burch colposuspension. A retrospective study. *Acta Obstet Gynecol Scand*. 1994 Sep; 73: 642-7
- 11659 Skoner, M. M., Thompson, W. D., Caron, V. A. Factors associated with risk of stress urinary incontinence in women. *Nurs Res*. 1994 Sep-Oct; 43: 301-6



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 11660 Thind, P., Lose, G. The effect of bilateral pudendal blockade on the adjunctive urethral closure forces in healthy females. *Scand J Urol Nephrol*. 1994 Sep; 28: 249-55
- 11661 Nezhat, C. H., Nezhat, F., Nezhat, C. R., Rottenberg, H. Laparoscopic retropubic cystourethropey. *J Am Assoc Gynecol Laparosc*. 1994 Aug; 1: 339-49
- 11662 Murphy, K. P., Kliever, E. M., Moore, M. J. The voiding alert system: a new application in the treatment of incontinence. *Arch Phys Med Rehabil*. 1994 Aug; 75: 924-7
- 11663 Horbach, N. S., Ostergard, D. R. Predicting intrinsic urethral sphincter dysfunction in women with stress urinary incontinence. *Obstet Gynecol*. 1994 Aug; 84: 188-92
- 11664 Nygaard, I. E., Thompson, F. L., Svengalis, S. L., Albright, J. P. Urinary incontinence in elite nulliparous athletes. *Obstet Gynecol*. 1994 Aug; 84: 183-7
- 11665 Kelvin, F. M., Maglinte, D. D., Benson, J. T., Brubaker, L. P., Smith, C. Dynamic cystoproctography: a technique for assessing disorders of the pelvic floor in women. *AJR Am J Roentgenol*. 1994 Aug; 163: 368-70
- 11666 Ordorica, R. C. Surgical repair of stress urinary incontinence. *R I Med*. 1994 Aug; 77: 275-7
- 11667 Ordorica, R., Stein, B. Incontinence: defining the problem. *R I Med*. 1994 Aug; 77: 262-3
- 11668 Brown, J. B., Copas, P. R., McDonald, T. W. Urodynamic studies before and after radical hysterectomy. *J Tenn Med Assoc*. 1994 Aug; 87: 332-4
- 11669 German, K. A., Kynaston, H., Weight, S., Stephenson, T. P. A prospective randomized trial comparing a modified needle suspension procedure with the vagina/obturator shelf procedure for genuine stress incontinence. *Br J Urol*. 1994 Aug; 74: 188-90
- 11670 Haadem, K. The effects of parturition on female pelvic floor anatomy and function. *Curr Opin Obstet Gynecol*. 1994 Aug; 6: 326-30
- 11671 Smith, A. R. Role of connective tissue and muscle in pelvic floor dysfunction. *Curr Opin Obstet Gynecol*. 1994 Aug; 6: 317-9
- 11672 Papa Petros, P. E. Ambulatory surgery for urinary incontinence and vaginal prolapse. *Med J Aust*. 1994 Jul 18; 161: 171-2
- 11673 Nitti, V. W., Raz, S. Obstruction following anti-incontinence procedures: diagnosis and treatment with transvaginal urethrolisis. *J Urol*. 1994 Jul; 152: 93-8
- 11674 Foldspang, A., Mommsen, S. Adult female urinary incontinence and childhood bedwetting. *J Urol*. 1994 Jul; 152: 85-8
- 11675 Appell, R. A. Urinary incontinence. *J Urol*. 1994 Jul; 152: 103-4
- 11676 McFarlane, H. J. Anaesthesia and the new generation monoamine oxidase inhibitors. *Anaesthesia*. 1994 Jul; 49: 597-9
- 11677 Davila, G. W., Ostermann, K. V. The bladder neck support prosthesis: a nonsurgical approach to stress incontinence in adult women. *Am J Obstet Gynecol*. 1994 Jul; 171: 206-11
- 11678 DeLancey, J. O. Structural support of the urethra as it relates to stress urinary incontinence: the hammock hypothesis. *Am J Obstet Gynecol*. 1994 Jun; 170: 1713-20; discussion 1720-3
- 11679 Summitt, R. L., Jr, Sipes, D. R., 2nd, Bent, A. E., Ostergard, D. R. Evaluation of pressure transmission ratios in women with genuine stress incontinence and low urethral pressure: a comparative study. *Obstet Gynecol*. 1994 Jun; 83: 984-8
- 11680 Wheeler, J. S., Jr Osteomyelitis of the pubis: complication of a Stamey urethropey. *J Urol*. 1994 Jun; 151: 1638-40
- 11681 Abu-Heija, A. T. Long-term results of colposuspension operation for genuine stress incontinence. *Asia Oceania J Obstet Gynaecol*. 1994 Jun; 20: 179-81



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 11682** Dorsey, J. H., Cundiff, G. Laparoscopic procedures for incontinence and prolapse. *Curr Opin Obstet Gynecol.* 1994 Jun; 6: 223-30
- 11683** Hosker, G. L., Mallet, V. T. Denervation and re-innervation of the urethral sphincter in the aetiology of genuine stress incontinence and a comparison of bioelectrical and mechanical activity of the female urethra. *Br J Obstet Gynaecol.* 1994 Jun; 101: 559-60
- 11684** Valaitis, S. R., Stanton, S. L. Sacrocolpopexy: a retrospective study of a clinician's experience. *Br J Obstet Gynaecol.* 1994 Jun; 101: 518-22
- 11685** Wall, L. L., Helms, M., Peattie, A. B., Pearce, M., Stanton, S. L. Bladder neck mobility and the outcome of surgery for genuine stress urinary incontinence. A logistic regression analysis of lateral bead- chain cystourethrograms. *J Reprod Med.* 1994 Jun; 39: 429-35
- 11686** Adams, C., Lorish, C., Cushing, C., Willis, E., Jackson, J., Walter, J. Anatomical urinary stress incontinence in women with rheumatoid arthritis: its frequency and coping strategies. *Arthritis Care Res.* 1994 Jun; 7: 97-103
- 11687** Stanton, S. L. Indications and operative treatment of stress urinary incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1994 May 31; 55: 45-6
- 11688** Lam, A. M., Hyslop, R. Laparoscopic surgery for stress incontinence. *Med J Aust.* 1994 May 2; 160: 590-1
- 11689** Jensen, J. K., Nielsen, F. R., Jr, Ostergard, D. R. The role of patient history in the diagnosis of urinary incontinence. *Obstet Gynecol.* 1994 May; 83: 904-10
- 11690** Beck, R. O., Betts, C. D., Fowler, C. J. Genitourinary dysfunction in multiple system atrophy: clinical features and treatment in 62 cases. *J Urol.* 1994 May; 151: 1336-41
- 11691** Jarvis, G. J. Surgery for genuine stress incontinence. *Br J Obstet Gynaecol.* 1994 May; 101: 371-4
- 11692** Flynn, L., Cell, P., Luisi, E. Effectiveness of pelvic muscle exercises in reducing urge incontinence among community residing elders. *J Gerontol Nurs.* 1994 May; 20: 23-7
- 11693** Watson, R. Continence. Anxious moments. *Nurs Times.* 1994 Apr 13-19; 90: 82
- 11694** Haggard, V. Continence. Cultural challenge. *Nurs Times.* 1994 Apr 13-19; 90: 71-2
- 11695** Whittington, R., Faulds, D. Hormone replacement therapy: I. A pharmacoeconomic appraisal of its therapeutic use in menopausal symptoms and urogenital estrogen deficiency. *Pharmacoeconomics.* 1994 May; 5: 419-45
- 11696** Pidutti, R. W., George, S. W., Morales, A. Correction of recurrent stress urinary incontinence by needle urethropexy with a vaginal wall sling. *Br J Urol.* 1994 Apr; 73: 418-22
- 11697** Deindl, F. M., Vodusek, D. B., Hesse, U., Schussler, B. Pelvic floor activity patterns: comparison of nulliparous continent and parous urinary stress incontinent women. A kinesiological EMG study. *Br J Urol.* 1994 Apr; 73: 413-7
- 11698** Harrison, G. L., Memel, D. S. Urinary incontinence in women: its prevalence and its management in a health promotion clinic. *Br J Gen Pract.* 1994 Apr; 44: 149-52
- 11699** Mouritsen, L., Strandberg, C. Vaginal ultrasonography versus colpo-cysto-urethrography in the evaluation of female urinary incontinence. *Acta Obstet Gynecol Scand.* 1994 Apr; 73: 338-42
- 11700** Wahle, G. R., Young, G. P., Raz, S. Vaginal surgery for stress urinary incontinence. *Urology.* 1994 Apr; 43: 416-9
- 11701** Holschneider, C. H., Solh, S., Lebherz, T. B., Montz, F. J. The modified Pereyra procedure in recurrent stress urinary incontinence: a 15-year review. *Obstet Gynecol.* 1994 Apr; 83: 573-8
- 11702** Rowe, S. J., Thomas, A. J., Jr, Goldfarb, D. A., Klein, E. A., Montague, D. K., Streem, S. B., Novick, A. C. Safety of transurethral surgery in the early postoperative period following an open cardiac procedure. *J Urol.* 1994 Apr; 151: 902-4
- 11703** Turner, T. Continence. Muscle control. *Nurs Times.* 1994 Mar 9-15; 90: 64-9
- 11704** Liapis, A. H., Kalovidoyris, A., Logis, C. D., Hassiakos, D. K., Zourlas, P. A. Transvaginal sonography in the postoperative evaluation of colposuspension. *J Gynecol Surg.* 1993 Fall; 9: 155-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11705 Santarosa, R. P., Blaivas, J. G. Periurethral injection of autologous fat for the treatment of sphincteric incontinence. *J Urol.* 1994 Mar; 151: 607-11
- 11706 Lekan-Rutledge, D. Soft sculpture model for teaching pelvic muscle exercises. *Urol Nurs.* 1994 Mar; 14: 26-7
- 11707 Virtanen, H., Hirvonen, T., Makinen, J., Kiilholma, P. Outcome of thirty patients who underwent repair of posthysterectomy prolapse of the vaginal vault with abdominal sacral colpopexy. *J Am Coll Surg.* 1994 Mar; 178: 283-7
- 11708 Jones, K. R. Ambulatory bio-feedback for stress incontinence exercise regimes: a novel development of the perineometer. *J Adv Nurs.* 1994 Mar; 19: 509-12
- 11709 Bo, K. Reproducibility of instruments designed to measure subjective evaluation of female stress urinary incontinence. *Scand J Urol Nephrol.* 1994 Mar; 28: 97-100
- 11710 Cummings, J. M., Houston, K. The treatment of urinary incontinence. *Hosp Pract (Off Ed).* 1994 Feb 15; 29: 97-9, 103, 107
- 11711 Spence-Jones, C., Kamm, M. A., Henry, M. M., Hudson, C. N. Bowel dysfunction: a pathogenic factor in uterovaginal prolapse and urinary stress incontinence. *Br J Obstet Gynaecol.* 1994 Feb; 101: 147-52
- 11712 Mark, S. D., McRae, C. U., Arnold, E. P., Gowland, S. P. Clam cystoplasty for the overactive bladder: a review of 23 cases. *Aust N Z J Surg.* 1994 Feb; 64: 88-90
- 11713 Resnick, N. M., Beckett, L. A., Branch, L. G., Scherr, P. A., Wetle, T. Short-term variability of self report of incontinence in older persons. *J Am Geriatr Soc.* 1994 Feb; 42: 202-7
- 11714 Bump, R. C., McClish, D. M. Cigarette smoking and pure genuine stress incontinence of urine: a comparison of risk factors and determinants between smokers and nonsmokers. *Am J Obstet Gynecol.* 1994 Feb; 170: 579-82
- 11715 Couillard, D. R., Deckard-Janatpour, K. A., Stone, A. R. The vaginal wall sling: a compressive suspension procedure for recurrent incontinence in elderly patients. *Urology.* 1994 Feb; 43: 203-8
- 11716 Dwyer, P. L., Desmedt, E. Impaired bladder emptying in women. *Aust N Z J Obstet Gynaecol.* 1994 Feb; 34: 73-8
- 11717 Haylen, B. T. Laparoscopic surgery for urinary incontinence. *Med J Aust.* 1994 Jan 3; 160: 42-3
- 11718 Taylor, J. D., Tsokos, N. A retroperitoneal approach to surgery for stress incontinence using the laparoscope. *Med J Aust.* 1994 Jan 3; 160: 42
- 11719 Seman, E., O'Shea, R. T. Laparoscopic Burch colposuspension--a new approach for stress incontinence. *Med J Aust.* 1994 Jan 3; 160: 42
- 11720 Golomb, J., Goldwasser, B., Mashiach, S. Raz bladder neck suspension in women younger than sixty-five years compared with elderly women: three years' experience. *Urology.* 1994 Jan; 43: 40-3
- 11721 Fantl, J. A., Cardozo, L., McClish, D. K. Estrogen therapy in the management of urinary incontinence in postmenopausal women: a meta-analysis. First report of the Hormones and Urogenital Therapy Committee. *Obstet Gynecol.* 1994 Jan; 83: 12-8
- 11722 Wiskind, A. K., Miller, K. F., Wall, L. L. One hundred unstable bladders. *Obstet Gynecol.* 1994 Jan; 83: 108-12
- 11723 Grunberger, W., Grunberger, V., Wierrani, F. Pelvic promontory fixation of the vaginal vault in sixty-two patients with prolapse after hysterectomy. *J Am Coll Surg.* 1994 Jan; 178: 69-72
- 11724 Schick, E. Regarding 'Reproducibility of pressure transmission ratios in stress incontinent women'. *Neurourol Urodyn.* 1994; 13: 81-3
- 11725 Schiotz, H. A. One month maximal electrostimulation for genuine stress incontinence in women. *Neurourol Urodyn.* 1994; 13: 43-50
- 11726 Guner, H., Yildiz, A., Erdem, A., Erdem, M., Tiftik, Z., Yildirim, M. Surgical treatment of urinary stress incontinence by a suburethral sling procedure using a Mersilene mesh graft. *Gynecol Obstet Invest.* 1994; 37: 52-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 11727 Bergman, A., Elia, G., Cheung, D., Perelman, N., Nimni, M. E. Biochemical composition of collagen in continent and stress urinary incontinent women. *Gynecol Obstet Invest.* 1994; 37: 48-51
- 11728 Caffrey, R. Continence. A personal plan. *Nurs Times.* 1994 Jan 26-Feb 1; 90: 84-6
- 11729 Kiilholma, P. J., Makinen, J. I., Pitkanen, Y. A., Varpula, M. J. Perineal ultrasound: an alternative for radiography for evaluating stress urinary incontinence in females. *Ann Chir Gynaecol Suppl.* 1994; 208: 43-5
- 11730 Dorschner, W., Stolzenburg, J. U. A new theory of micturition and urinary continence based on histomorphological studies. 3. The two parts of the musculus sphincter urethrae: physiological importance for continence in rest and stress. *Urol Int.* 1994; 52: 185-8
- 11731 De Jong, P. R., Pontin, A., Pillay, G. Where is the bladder neck following needle suspension operations?. *Clin Exp Obstet Gynecol.* 1994; 21: 10-3
- 11732 Athanassopoulos, A., Melekos, M. D., Speakman, M., Perimenis, P., Markou, S., Barbalias, G. A. Stamey endoscopic vesical neck suspension in female urinary stress incontinence: results and changes in various urodynamic parameters. *Int Urol Nephrol.* 1994; 26: 293-9
- 11733 Bercovich, E., Manferrari, F., Fiore, F. A new device for self-adjustment of colposuspension. *Eur Urol.* 1994; 26: 189-92
- 11734 Ulmsten, U., Johnson, P., Petros, P. Intravaginal slingplasty. *Zentralbl Gynakol.* 1994; 116: 398-404
- 11735 Gunnarsson, M., Mattiasson, A. Circumvaginal surface electromyography in women with urinary incontinence and in healthy volunteers. *Scand J Urol Nephrol Suppl.* 1994; 157: 89-95
- 11736 Kuo, H. C., Chang, S. C., Hsu, T. Application of transrectal sonography in the diagnosis and treatment of female stress urinary incontinence. *Eur Urol.* 1994; 26: 77-84
- 11737 Porru, D., Usai, E. Standard and extramural ambulatory urodynamic investigation for the diagnosis of detrusor instability-correlated incontinence and micturition disorders. *Neurourol Urodyn.* 1994; 13: 237-42
- 11738 Mayer, R., Wells, T. J., Brink, C. A., Clark, P. Correlations between dynamic urethral profilometry and perivaginal pelvic muscle activity. *Neurourol Urodyn.* 1994; 13: 227-35
- 11739 Stanley, K. E., Winfield, H. N., Donovan, J. F. Urologic laparoscopy. *Surg Annu.* 1994; 26: 67-88
- 11740 Wedenberg, K., Ronquist, G., Waldenstrom, A., Ulmsten, U. Low energy charge and high adenosine content in smooth muscle of human bladder in comparison with striated muscle. *Int J Clin Lab Res.* 1994; 24: 230-2
- 11741 Beco, J., Leonard, D., Lambotte, R. Study of the artefacts induced by linear array transvaginal ultrasound scanning in urodynamics. *World J Urol.* 1994; 12: 329-32
- 11742 Mommsen, S., Foldspang, A. Body mass index and adult female urinary incontinence. *World J Urol.* 1994; 12: 319-22
- 11743 Erol, A., Sargin, S. Y., Dalva, I., Gunes, Z. E., Akbay, E., Yazicioglu, A. H. Endoscopic transvaginal bladder neck suspension for stress urinary incontinence. *Int Urol Nephrol.* 1994; 26: 513-8
- 11744 Kondo, A., Kapoor, R., Ohmura, M., Saito, M. Functional obstruction of the female urethra: relevance to refractory bed wetting and recurrent urinary tract infection. *Neurourol Urodyn.* 1994; 13: 541-6
- 11745 Kondo, A., Narushima, M., Yoshikawa, Y., Hayashi, H. Pelvic fascia strength in women with stress urinary incontinence in comparison with those who are continent. *Neurourol Urodyn.* 1994; 13: 507-13
- 11746 Langer, R., Schneider, D., Ariely, S., Bukovsky, I., Caspi, E. A new colpo-needle suspension for the surgical treatment of stress incontinence: a 2-year follow-up. *Eur Urol.* 1994; 26: 258-61
- 11747 Lampel, A., Fokaefs, E., Hohenfellner, M., Lazica, M., Thuroff, J. W. Free versus pedicled fascial flaps--a chronic animal study. *Investig Urol (Berl).* 1994; 5: 165-70
- 11748 Mouritsen, L., Bach, P. Ultrasonic evaluation of bladder neck position and mobility: the influence of urethral catheter, bladder volume, and body position. *Neurourol Urodyn.* 1994; 13: 637-46

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11749** Hanzal, E., Joura, E. M., Haeusler, G., Koelbl, H. Influence of catheterisation on the results of sonographic urethrocytography in patients with genuine stress incontinence. *Arch Gynecol Obstet.* 1994; 255: 189-93
- 11750** Athanassopoulos, A., Melekos, M., Perimenis, P., Markou, S., Speakman, M., Barbalias, G. Evaluation of urodynamic parameters following Burch colposuspension. *Urol Int.* 1994; 53: 150-4
- 11751** Taylor, J. D., Tsokos, N. Retroperitoneal laparoscopic surgery for stress incontinence. *Lancet.* 1993 Dec 18-25; 342: 1564-5
- 11752** Boemers, T. M., van Gool, J. D., de Jong, T. P. Displacement of incontinence device into the bladder. *Br J Urol.* 1993 Dec; 72: 985
- 11753** Virtanen, H., Makinen, J., Tenho, T., Kiilholma, P., Pitkanen, Y., Hirvonen, T. Effects of abdominal hysterectomy on urinary and sexual symptoms. *Br J Urol.* 1993 Dec; 72: 868-72
- 11754** Wall, L. L. The muscles of the pelvic floor. *Clin Obstet Gynecol.* 1993 Dec; 36: 910-25
- 11755** Klutke, C. G., Moore, S., Shea, L., Lindquist, S., Davis, K. A., Craven, C. L. Stress urinary incontinence in women: surgical treatment. *Urol Nurs.* 1993 Dec; 13: 116-9
- 11756** Viktrup, L., Lose, G. Epidural anesthesia during labor and stress incontinence after delivery. *Obstet Gynecol.* 1993 Dec; 82: 984-6
- 11757** Ou, C. S., Presthus, J., Beadle, E. Laparoscopic bladder neck suspension using hernia mesh and surgical staples. *J Laparoendosc Surg.* 1993 Dec; 3: 563-6
- 11758** Bortel, D. T. Candida osteomyelitis pubis following a Marshall-Marchetti procedure. *Orthopedics.* 1993 Dec; 16: 1353-5
- 11759** Chalmers, C. Continence. A psychological approach. *Nurs Times.* 1993 Nov 24-30; 89: 68-74
- 11760** Liu, C. Y., Paek, W. Laparoscopic retropubic colposuspension (Burch procedure). *J Am Assoc Gynecol Laparosc.* 1993 Nov; 1: 31-5
- 11761** McGuire, E. J., Fitzpatrick, C. C., Wan, J., Bloom, D., Sanvordenker, J., Ritchey, M., Gormley, E. A. Clinical assessment of urethral sphincter function. *J Urol.* 1993 Nov; 150: 1452-4
- 11762** Foster, H. E., McGuire, E. J. Management of urethral obstruction with transvaginal urethrolisis. *J Urol.* 1993 Nov; 150: 1448-51
- 11763** Kadakia, S. C. Urinary incontinence associated with dysphagia. *Gastrointest Endosc.* 1993 Nov-Dec; 39: 860-1
- 11764** Kirschner-Hermanns, R., Wein, B., Niehaus, S., Schaefer, W., Jakse, G. The contribution of magnetic resonance imaging of the pelvic floor to the understanding of urinary incontinence. *Br J Urol.* 1993 Nov; 72: 715-8
- 11765** Iliev, V. N., Jelovsek, F. R. Urodynamics in female incontinence: basic testing. *J Tenn Med Assoc.* 1993 Nov; 86: 487-90
- 11766** Petros, P. E., Ulmsten, U. Tests for 'detrusor instability' in women. These mainly measure the urethral resistance created by pelvic floor contraction acting against a premature activation of the micturition reflex. *Acta Obstet Gynecol Scand.* 1993 Nov; 72: 661-7
- 11767** Fonda, D., Brimage, P. J., D'Astoli, M. Simple screening for urinary incontinence in the elderly: comparison of simple and multichannel cystometry. *Urology.* 1993 Nov; 42: 536-40
- 11768** Bagi, P., Thind, P., Colstrup, H. In vivo evaluation of visco-elasticity in a biological tube. Part 1. Stress relaxation in the female urethra studied by cross-sectional area and pressure measurements. *Med Biol Eng Comput.* 1993 Nov; 31: 576-9
- 11769** Vierhout, M. E., Gianotten, W. L. Mechanisms of urine loss during sexual activity. *Eur J Obstet Gynecol Reprod Biol.* 1993 Nov; 52: 45-7
- 11770** Debodinance, P., Querleu, D. Comparison of the Bologna and Ingelman-Sundberg procedures for stress incontinence associated with genital prolapse: prospective randomized study. *Eur J Obstet Gynecol Reprod Biol.* 1993 Nov; 52: 35-40

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 11771 Richmond, D. The incontinent woman: 1. Br J Hosp Med. 1993 Oct 6-19; 50: 418-23
- 11772 Richmond, D. The incontinent woman: 2. Br J Hosp Med. 1993 Oct 20-Nov 2; 50: 490-2
- 11773 Ekstrom, J., Iosif, C. S., Malmberg, L. Effects of long-term treatment with estrogen and progesterone on in vitro muscle responses of the female rabbit urinary bladder and urethra to autonomic drugs and nerve stimulation. J Urol. 1993 Oct; 150: 1284-8
- 11774 Sexton, D. J., Heskestad, L., Lambeth, W. R., McCallum, R., Levin, L. S., Corey, G. R. Postoperative pubic osteomyelitis misdiagnosed as osteitis pubis: report of four cases and review. Clin Infect Dis. 1993 Oct; 17: 695-700
- 11775 McIntosh, L. J., Mallett, V. T., Richardson, D. A. Complications from permanent suture in surgery for stress urinary incontinence. A report of two cases. J Reprod Med. 1993 Oct; 38: 823-5
- 11776 Karram, M. M., Rosenzweig, B. A., Bhatia, N. N. Artificial urinary sphincter for recurrent/severe stress incontinence in women. Urogynecologic perspective. J Reprod Med. 1993 Oct; 38: 791-4
- 11777 Srinivasan, V., Blackford, H. N. Genuine stress incontinence induced by prazosin. Br J Urol. 1993 Oct; 72: 510
- 11778 Nielsen, K. K., Walter, S., Maegaard, E., Kromann-Andersen, B. The urethral plug II: an alternative treatment in women with genuine urinary stress incontinence. Br J Urol. 1993 Oct; 72: 428-32
- 11779 Hahn, I., Milsom, I., Fall, M., Ekelund, P. Long-term results of pelvic floor training in female stress urinary incontinence. Br J Urol. 1993 Oct; 72: 421-7
- 11780 O'Dowd, T. C. Management of urinary incontinence in women. Br J Gen Pract. 1993 Oct; 43: 426-9
- 11781 Ceresoli, A., Zanetti, G., Seveso, M., Bustros, J., Montanari, E., Guarneri, A., Tzoumas, S. Perineal biofeedback versus pelvic floor training in the treatment of urinary incontinence. Arch Ital Urol Androl. 1993 Oct; 65: 559-60
- 11782 Raboy, A., Hakim, L. S., Ferzli, G., Antario, J. M., Albert, P. S. Extraperitoneal endoscopic vesicourethral suspension. J Laparoendosc Surg. 1993 Oct; 3: 505-8
- 11783 Fitzpatrick, C., Swierzewski, S. J., 3rd, McGuire, E. J. Periurethral collagen for urinary incontinence after gender reassignment surgery. Urology. 1993 Oct; 42: 458-60
- 11784 Wyman, J. F., Elswick, R. K., Jr, Ory, M. G., Wilson, M. S., Fantl, J. A. Influence of functional, urological, and environmental characteristics on urinary incontinence in community-dwelling older women. Nurs Res. 1993 Sep-Oct; 42: 270-5
- 11785 Lopez, A. E., Padron, O. F., Patsias, G., Politano, V. A. Transurethral polytetrafluoroethylene injection in female patients with urinary continence. J Urol. 1993 Sep; 150: 856-8
- 11786 Dougherty, M., Bishop, K., Mooney, R., Gimotty, P., Williams, B. Graded pelvic muscle exercise. Effect on stress urinary incontinence. J Reprod Med. 1993 Sep; 38: 684-91
- 11787 Caputo, R. M., Benson, J. T., McClellan, E. Intravaginal maximal electrical stimulation in the treatment of urinary incontinence. J Reprod Med. 1993 Sep; 38: 667-71
- 11788 McIntosh, L. J., Frahm, J. D., Mallett, V. T., Richardson, D. A. Pelvic floor rehabilitation in the treatment of incontinence. J Reprod Med. 1993 Sep; 38: 662-6
- 11789 Urogynecology. Curr Opin Obstet Gynecol. 1993 Aug; 5: 535-8
- 11790 Elser, D. M., Fantl, J. A. Pelvic relaxation of the anterior compartment. Curr Opin Obstet Gynecol. 1993 Aug; 5: 446-51
- 11791 Wall, L. L. Medical management of pelvic relaxation. Curr Opin Obstet Gynecol. 1993 Aug; 5: 440-5
- 11792 Barnick, C. G., Cardozo, L. D. A comparison of bioelectrical and mechanical activity of the female urethra. Br J Obstet Gynaecol. 1993 Aug; 100: 754-7
- 11793 Barnick, C. G., Cardozo, L. D. Denervation and re-innervation of the urethral sphincter in the aetiology of genuine stress incontinence: an electromyographic study. Br J Obstet Gynaecol. 1993 Aug; 100: 750-3
- 11794 McConnell, E. A. Teaching a patient to perform Kegel exercises. Nursing. 1993 Aug; 23: 90



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11795 Churchill, B. M., Aliabadi, H., Landau, E. H., McLorie, G. A., Steckler, R. E., McKenna, P. H., Khoury, A. E. Ureteral bladder augmentation. *J Urol.* 1993 Aug; 150: 716-20
- 11796 Wan, J., McGuire, E. J., Bloom, D. A., Ritchey, M. L. Stress leak point pressure: a diagnostic tool for incontinent children. *J Urol.* 1993 Aug; 150: 700-2
- 11797 Jolleys, J. Urinary incontinence. *Practitioner.* 1993 Aug; 237: 630-3
- 11798 Harewood, L. M. Laparoscopic needle colposuspension for genuine stress incontinence. *J Endourol.* 1993 Aug; 7: 319-22
- 11799 Virtanen, H. S., Makinen, J. I. Retrospective analysis of 711 patients operated on for pelvic relaxation in 1983-1989. *Int J Gynaecol Obstet.* 1993 Aug; 42: 109-15
- 11800 Liu, C. Y. Laparoscopic retropubic colposuspension (Burch procedure). A review of 58 cases. *J Reprod Med.* 1993 Jul; 38: 526-30
- 11801 Elia, G., Bergman, A. Estrogen effects on the urethra: beneficial effects in women with genuine stress incontinence. *Obstet Gynecol Surv.* 1993 Jul; 48: 509-17
- 11802 Moore, K., Griffiths, D., Latimer, G., Merke, R. Twenty four-hour monitoring of incontinence and bladder function in a community hospital. *J ET Nurs.* 1993 Jul-Aug; 20: 163-8
- 11803 Burns, P. A., Pranikoff, K., Nochajski, T. H., Hadley, E. C., Levy, K. J., Ory, M. G. A comparison of effectiveness of biofeedback and pelvic muscle exercise treatment of stress incontinence in older community-dwelling women. *J Gerontol.* 1993 Jul; 48: M167-74
- 11804 Mommsen, S., Foldspang, A., Elving, L., Lam, G. W. Association between urinary incontinence in women and a previous history of surgery. *Br J Urol.* 1993 Jul; 72: 30-7
- 11805 Wise, B. G., Cardozo, L. D., Cutner, A., Benness, C. J., Burton, G. Prevalence and significance of urethral instability in women with detrusor instability. *Br J Urol.* 1993 Jul; 72: 26-9
- 11806 Jozwik, M. Stress urinary incontinence in women--an overuse syndrome. *Med Hypotheses.* 1993 Jun; 40: 381-2
- 11807 Geirsson, G., Fall, M., Lindstrom, S. The ice-water test--a simple and valuable supplement to routine cystometry. *Br J Urol.* 1993 Jun; 71: 681-5
- 11808 Gray, M., King, C. J. Urodynamic evaluation of the intrinsically incompetent sphincter. *Urol Nurs.* 1993 Jun; 13: 67-9
- 11809 Nghiem Toan, N. Simplified urethrocystovaginal suspension as treatment for stress urinary incontinence. *Am J Obstet Gynecol.* 1993 May; 168: 1642
- 11810 Swierzewski, S. J., 3rd, McGuire, E. J. Pubovaginal sling for treatment of female stress urinary incontinence complicated by urethral diverticulum. *J Urol.* 1993 May; 149: 1012-4
- 11811 Rechberger, T., Donica, H., Baranowski, W., Jakowicki, J. Female urinary stress incontinence in terms of connective tissue biochemistry. *Eur J Obstet Gynecol Reprod Biol.* 1993 May; 49: 187-91
- 11812 Wyman, J. F. Managing urinary incontinence with bladder training: a case study. *J ET Nurs.* 1993 May-Jun; 20: 121-6
- 11813 Herbertsson, G., Iosif, C. S. Surgical results and urodynamic studies 10 years after retropubic colpourethrocystopexy. *Acta Obstet Gynecol Scand.* 1993 May; 72: 298-301
- 11814 Kvale, J. N., Kvale, J. K. Common gynecologic problems after age 75. *Postgrad Med.* 1993 Apr; 93: 263-8, 271-2
- 11815 Nitti, V. W., Bregg, K. J., Sussman, E. M., Raz, S. The Raz bladder neck suspension in patients 65 years old and older. *J Urol.* 1993 Apr; 149: 802-7
- 11816 Raz, S., Nitti, V. W., Bregg, K. J. Transvaginal repair of enterocele. *J Urol.* 1993 Apr; 149: 724-30
- 11817 Mouritsen, L., Strandberg, C., Jensen, A. R., Berget, A., Frimodt-Moller, C., Folke, K. Inter- and intra-observer variation of colpo-cysto-urethrography diagnoses. *Acta Obstet Gynecol Scand.* 1993 Apr; 72: 200-4



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11818 Ng, R. K., Murray, A. Can we afford to take short cuts in the management of stress urinary incontinence?. Singapore Med J. 1993 Apr; 34: 121-4
- 11819 Bohm-Velez, M., Mendelson, E. B. Transperineal ultrasound assists in GU diagnoses. Diagn Imaging (San Franc). 1993 Apr; Suppl: 48-53, 64
- 11820 Tokunaka, S., Fujii, H., Hashimoto, H., Yachiku, S. Proportions of fiber types in the external urethral sphincter of young nulliparous and old multiparous rabbits. Urol Res. 1993 Mar; 21: 121-4
- 11821 Grimby, A., Milsom, I., Molander, U., Wiklund, I., Ekelund, P. The influence of urinary incontinence on the quality of life of elderly women. Age Ageing. 1993 Mar; 22: 82-9
- 11822 Scotti, R. J., Myers, D. L. A comparison of the cough stress test and single-channel cystometry with multichannel urodynamic evaluation in genuine stress incontinence. Obstet Gynecol. 1993 Mar; 81: 430-3
- 11823 Hanzal, E., Berger, E., Koelbl, H. Levator ani muscle morphology and recurrent genuine stress incontinence. Obstet Gynecol. 1993 Mar; 81: 426-9
- 11824 Bump, R. C. Racial comparisons and contrasts in urinary incontinence and pelvic organ prolapse. Obstet Gynecol. 1993 Mar; 81: 421-5
- 11825 Lalos, O., Berglund, A. L., Bjerle, P. Urodynamics in women with stress incontinence before and after surgery. Eur J Obstet Gynecol Reprod Biol. 1993 Mar; 48: 197-205
- 11826 Gregory, S. P., Holt, P. E. Comparison of stressed simultaneous urethral pressure profiles between anesthetized continent and incontinent bitches with urethral sphincter mechanism incompetence. Am J Vet Res. 1993 Feb; 54: 216-22
- 11827 Lotenfoe, R., O'Kelly, J. K., Helal, M., Lockhart, J. L. Periurethral polytetrafluoroethylene paste injection in incontinent female subjects: surgical indications and improved surgical technique. J Urol. 1993 Feb; 149: 279-82
- 11828 Elia, G., Bergman, A. Pelvic muscle exercises: when do they work?. Obstet Gynecol. 1993 Feb; 81: 283-6
- 11829 Kiilholma, P., Makinen, J., Chancellor, M. B., Pitkanen, Y., Hirvonen, T. Modified Burch colposuspension for stress urinary incontinence in females. Surg Gynecol Obstet. 1993 Feb; 176: 111-5
- 11830 Stricker, P., Haylen, B. Injectable collagen for type 3 female stress incontinence: the first 50 Australian patients. Med J Aust. 1993 Jan 18; 158: 89-91
- 11831 Sandvik, H., Kveine, E., Hunskaar, S. Female urinary incontinence--psychosocial impact, self care, and consultations. Scand J Caring Sci. 1993; 7: 53-6
- 11832 Ramsay, I. N., Hilton, P., Cox, T. F. Time-series analysis of urethral electrical conductance measurements in the assessment of unstable urethral pressure: results in normal patients and in those with genuine stress incontinence. Neurourol Urodyn. 1993; 12: 23-31
- 11833 Griffiths, D. J., McCracken, P. N., Harrison, G. M., Gormley, E. A. Relationship of fluid intake to voluntary micturition and urinary incontinence in geriatric patients. Neurourol Urodyn. 1993; 12: 1-7
- 11834 Hubner, W. A., Trigo-Rocha, F., Plas, E. G., Tanagho, E. A. Urethral function after cystectomy: a canine in vivo experiment. Urol Res. 1993 Jan; 21: 45-8
- 11835 Gambino, J., Cohen, A. J., Friedenber, R. M. The direction of bladder displacement by adnexal masses. Clin Imaging. 1993 Jan-Mar; 17: 8-11
- 11836 Harrison, S. C., Brown, C., O'Boyle, P. J. Periurethral Teflon for stress urinary incontinence: medium-term results. Br J Urol. 1993 Jan; 71: 25-7
- 11837 Dewan, P. A., Byard, R. W. Re: Transurethral Polytef injection for post-prostatectomy urinary incontinence and Long-term follow-up of women treated with periurethral Teflon injections for stress incontinence. Br J Urol. 1993 Jan; 71: 112
- 11838 Dewan, P. A., Byard, R. W. Re: Long-term follow-up of women treated with perurethral teflon injections for stress incontinence. Br J Urol. 1993 Jan; 71: 112

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 11839 Thorpe, A. C., Williams, N. S., Badenoch, D. F., Blandy, J. P., Grahn, M. F. Simultaneous dynamic electromyographic proctography and cystometrography. *Br J Surg.* 1993 Jan; 80: 115-20
- 11840 Lindell, L. Suburethral sling--an old procedure revisited. *Iowa Med.* 1993 Jan; 83: 25-6
- 11841 Molander, U. Urinary incontinence and related urogenital symptoms in elderly women. *Acta Obstet Gynecol Scand Suppl.* 1993; 158: 1-22
- 11842 Woodtli, M. A. Assessing urge incontinence in elderly women. *Geriatr Nurs.* 1993 Jan-Feb; 14: 19-22
- 11843 Bosman, G., Vierhout, M. E., Huikeshoven, F. J. A modified Raz bladder neck suspension operation. Results of a one to three years follow-up investigation. *Acta Obstet Gynecol Scand.* 1993 Jan; 72: 47-9
- 11844 Weil, E. H., van Waalwijk van Doorn, E. S., Heesakkers, J. P., Meguid, T., Janknegt, R. A. Transvaginal ultrasonography: a study with healthy volunteers and women with genuine stress incontinence. *Eur Urol.* 1993; 24: 226-30
- 11845 Petros, P. E., Ulmsten, U. Natural volume handwashing urethrocystometry: a physiological technique for the objective diagnosis of the unstable detrusor. *Gynecol Obstet Invest.* 1993; 36: 42-6
- 11846 Walter, J. S., Wheeler, J. S., Morgan, C., Zaszczurynski, P., Plishka, M. Measurement of total urethral compliance in females with stress incontinence. *Neurourol Urodyn.* 1993; 12: 273-6
- 11847 Petros, P. E., Ulmsten, U. Bladder instability in women: a premature activation of the micturition reflex. *Neurourol Urodyn.* 1993; 12: 235-9
- 11848 Nochajski, T. H., Burns, P. A., Pranikoff, K., Dittmar, S. S. Dimensions of urine loss among older women with genuine stress incontinence. *Neurourol Urodyn.* 1993; 12: 223-33
- 11849 Leach, G. E., Sirls, L. T., Ganabathi, K., Zimmern, P. E. L N S C3: a proposed classification system for female urethral diverticula. *Neurourol Urodyn.* 1993; 12: 523-31
- 11850 Contreras Ortiz, O., Lombardo, R. J., Pellicari, A. Non-invasive diagnosis of bladder instability using the Bladder Instability Discriminant Index (BIDI). *Zentralbl Gynakol.* 1993; 115: 446-9
- 11851 Meyer, S., de Grandi, P., Kuntzer, T., Hurlimann, P., Schmidt, N. Birth trauma: its effect on the urine continence mechanisms. *Gynakol Geburtshilfliche Rundsch.* 1993; 33: 236-42
- 11852 Petros, P. E., Ulmsten, U. I. An integral theory and its method for the diagnosis and management of female urinary incontinence. *Scand J Urol Nephrol Suppl.* 1993; 153: 1-93
- 11853 Kiilholma, P. J., Chancellor, M. B., Makinen, J., Hirsch, I. H., Klemi, P. J. Complications of Teflon injection for stress urinary incontinence. *Neurourol Urodyn.* 1993; 12: 131-7
- 11854 Richardson, D. A., Ramahi, A. Reproducibility of pressure transmission ratios in stress incontinent women. *Neurourol Urodyn.* 1993; 12: 123-30
- 11855 Hopkins, M. P., Morley, G. W. Pelvic exenteration for the treatment of vulvar cancer. *Cancer.* 1992 Dec 15; 70: 2835-8
- 11856 Foldspang, A., Mommsen, S., Lam, G. W., Elving, L. Parity as a correlate of adult female urinary incontinence prevalence. *J Epidemiol Community Health.* 1992 Dec; 46: 595-600
- 11857 Lam, G. W., Foldspang, A., Elving, L. B., Mommsen, S. Social context, social abstention, and problem recognition correlated with adult female urinary incontinence. *Dan Med Bull.* 1992 Dec; 39: 565-70
- 11858 Borenstein, R., Elchalal, U., Goldchmit, R., Rosenman, D., Ben-Hur, H., Katz, Z. The importance of the endopelvic fascia repair during vaginal hysterectomy. *Surg Gynecol Obstet.* 1992 Dec; 175: 551-4
- 11859 Phillips, T. H., Zeidman, E. J., Thompson, I. M. The fate of buried vaginal epithelium. *J Urol.* 1992 Dec; 148: 1941-3
- 11860 Langer, R., Golan, A., Arad, D., Pansky, M., Bukovsky, I., Caspi, E. Effects of induced menopause on Burch colposuspension for urinary stress incontinence. *J Reprod Med.* 1992 Dec; 37: 956-8

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Procite Number

- 11861 Albala, D. M., Schuessler, W. W., Vancaillie, T. G. Laparoscopic bladder suspension for the treatment of stress incontinence. *Semin Urol.* 1992 Nov; 10: 222-6
- 11862 Lagro-Janssen, A. L., Debruyne, F. M., Van Weel, C. Psychological aspects of female urinary incontinence in general practice. *Br J Urol.* 1992 Nov; 70: 499-502
- 11863 Bump, R. C., McClish, D. K. Cigarette smoking and urinary incontinence in women. *Am J Obstet Gynecol.* 1992 Nov; 167: 1213-8
- 11864 Benderev, T. V. Anchor fixation and other modifications of endoscopic bladder neck suspension. *Urology.* 1992 Nov; 40: 409-18
- 11865 Chan, K. M., Lim, P. H., Chee, Y. C., Jayaratnam, F. J. Urinary symptoms and urodynamic diagnosis of patients in one geriatric department. *Ann Acad Med Singapore.* 1992 Nov; 21: 813-7
- 11866 Resnick, N. M. Urinary incontinence in older adults. *Hosp Pract (Off Ed).* 1992 Oct 15; 27: 139-42, 147, 150 passim
- 11867 Fowler, C. J., Betts, C. D., Christmas, T. J., Swash, M., Fowler, C. G. Botulinum toxin in the treatment of chronic urinary retention in women. *Br J Urol.* 1992 Oct; 70: 387-9
- 11868 Papa Petros, P. E., Ulmsten, U. An analysis of rapid pad testing and the history for the diagnosis of stress incontinence. *Acta Obstet Gynecol Scand.* 1992 Oct; 71: 529-36
- 11869 Non-surgical treatment of stress incontinence. *Lancet.* 1992 Sep 12; 340: 643-4
- 11870 Keane, D. P., Eckford, S. D. Surgical treatment of urinary stress incontinence. *Br J Hosp Med.* 1992 Sep 16-Oct 6; 48: 308-13
- 11871 Smith, N. Application of urodynamics to incontinence. *Br J Hosp Med.* 1992 Sep 16-Oct 6; 48: 289-90
- 11872 Barrows, B., Bavendam, T., Leach, G. E. Ectopically draining dysplastic kidney associated with genuine stress urinary incontinence: unusual combined cause of incontinence. *Urology.* 1992 Sep; 40: 283-5
- 11873 Kursh, E. D. Factors influencing the outcome of a no incision endoscopic urethropexy. *Surg Gynecol Obstet.* 1992 Sep; 175: 254-8
- 11874 Brodak, P. P., Juma, S., Raz, S. Levator hernia. *J Urol.* 1992 Sep; 148: 872-3
- 11875 Raz, S., Sussman, E. M., Erickson, D. B., Bregg, K. J., Nitti, V. W. The Raz bladder neck suspension: results in 206 patients. *J Urol.* 1992 Sep; 148: 845-50
- 11876 Lagro-Janssen, A. L., Debruyne, F. M., Smits, A. J., van Weel, C. The effects of treatment of urinary incontinence in general practice. *Fam Pract.* 1992 Sep; 9: 284-9
- 11877 Lagro-Janssen, T., Smits, A., Van Weel, C. Urinary incontinence in women and the effects on their lives. *Scand J Prim Health Care.* 1992 Sep; 10: 211-6
- 11878 Ogundipe, A., Rosenzweig, B. A., Karram, M. M., Blumenfeld, D., Bhatia, N. N. Modified suburethral sling procedure for treatment of recurrent or severe stress urinary incontinence. *Surg Gynecol Obstet.* 1992 Aug; 175: 173-6
- 11879 Miyazaki, F., Shook, G. Ilioinguinal nerve entrapment during needle suspension for stress incontinence. *Obstet Gynecol.* 1992 Aug; 80: 246-8
- 11880 Keane, D. P., Eckford, S. D., Abrams, P. Surgical treatment and complications of urinary incontinence. *Curr Opin Obstet Gynecol.* 1992 Aug; 4: 559-64
- 11881 Bump, R. C., Sugerman, H. J., Fantl, J. A., McClish, D. K. Obesity and lower urinary tract function in women: effect of surgically induced weight loss. *Am J Obstet Gynecol.* 1992 Aug; 167: 392-7; discussion 397-9
- 11882 Karram, M. M., Angel, O., Koonings, P., Tabor, B., Bergman, A., Bhatia, N. The modified Pereyra procedure: a clinical and urodynamic review. *Br J Obstet Gynaecol.* 1992 Aug; 99: 655-8
- 11883 Walters, M. D., Realini, J. P., Dougherty, M. Nonsurgical treatment of urinary incontinence. *Curr Opin Obstet Gynecol.* 1992 Aug; 4: 554-8

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 11884 Vierhout, M. E., Mulder, A. F. De novo detrusor instability after Burch colposuspension. *Acta Obstet Gynecol Scand.* 1992 Aug; 71: 414-6
- 11885 Wise, B. G., Burton, G., Cutner, A., Cardozo, L. D. Effect of vaginal ultrasound probe on lower urinary tract function. *Br J Urol.* 1992 Jul; 70: 12-6
- 11886 Klein, L., Pollack, H. M. Computed tomography and magnetic resonance imaging of the female lower urinary tract. *Radiol Clin North Am.* 1992 Jul; 30: 843-60
- 11887 Thind, P., Lose, G., Colstrup, H. Pressure response to rapid dilation of resting urethra in healthy women. *Urology.* 1992 Jul; 40: 44-9
- 11888 Summitt, R. L., Jr, Stovall, T. G., Bent, A. E., Ostergard, D. R. Urinary incontinence: correlation of history and brief office evaluation with multichannel urodynamic testing. *Am J Obstet Gynecol.* 1992 Jun; 166: 1835-40; discussion 1840-4
- 11889 Goodno, J. A., Jr, Powers, T. W. Modified retropubic cystourethropexy. II. *Am J Obstet Gynecol.* 1992 Jun; 166: 1678-81; discussion 1681-2
- 11890 Walker, G. T., Texter, J. H., Jr Success and patient satisfaction following the Stamey procedure for stress urinary incontinence. *J Urol.* 1992 Jun; 147: 1521-3
- 11891 Meyer, S., Dhenin, T., Schmidt, N., De Grandi, P. Subjective and objective effects of intravaginal electrical myostimulation and biofeedback in patients with genuine stress urinary incontinence. *Br J Urol.* 1992 Jun; 69: 584-8
- 11892 Beckingham, I. J., Wemyss-Holden, G., Lawrence, W. T. Long-term follow-up of women treated with perurethral Teflon injections for stress incontinence. *Br J Urol.* 1992 Jun; 69: 580-3
- 11893 Rachagan, S. P., Mathews, A. Urinary incontinence caused by prazosin. *Singapore Med J.* 1992 Jun; 33: 308-9
- 11894 Sampselle, C. M. What is the role of pelvic muscle exercise (PME) in the prevention and treatment of stress urinary incontinence (SUI)? *NAACOG Newsl.* 1992 Jun; 19: 11
- 11895 Ulmsten, U., Petros, P. Surgery for female urinary incontinence. *Curr Opin Obstet Gynecol.* 1992 Jun; 4: 456-62
- 11896 Webster, G. D., Perez, L. M., Khoury, J. M., Timmons, S. L. Management of type III stress urinary incontinence using artificial urinary sphincter. *Urology.* 1992 Jun; 39: 499-503
- 11897 Gillon, G., Engelstein, D., Servadio, C. Risk factors and their effect on the results of Burch colposuspension for urinary stress incontinence. *Isr J Med Sci.* 1992 Jun; 28: 354-6
- 11898 Viktrup, L., Lose, G., Rolff, M., Barfoed, K. The symptom of stress incontinence caused by pregnancy or delivery in primiparas. *Obstet Gynecol.* 1992 Jun; 79: 945-9
- 11899 Weiss, R. E., Cohen, E. Erosion of buttress following bladder neck suspension. *Br J Urol.* 1992 Jun; 69: 656-7
- 11900 De Muylder, X., Claes, H., Neven, P., De Jaegher, K. Usefulness of urodynamic investigations in female incontinence. *Eur J Obstet Gynecol Reprod Biol.* 1992 May 13; 44: 205-8
- 11901 Cardozo, L., Brindley, G. S. Endoscopically guided bladder neck suspension for continence in paraplegic women with implant driven micturition. *Paraplegia.* 1992 May; 30: 336-8
- 11902 Juma, S., Little, N. A., Raz, S. Vaginal wall sling: four years later. *Urology.* 1992 May; 39: 424-8
- 11903 Wall, L. L., Davidson, T. G. The role of muscular re-education by physical therapy in the treatment of genuine stress urinary incontinence. *Obstet Gynecol Surv.* 1992 May; 47: 322-31
- 11904 van Waalwijk van Doorn, E. S., Remmers, A., Janknegt, R. A. Conventional and extramural ambulatory urodynamic testing of the lower urinary tract in female volunteers. *J Urol.* 1992 May; 147: 1319-25; discussion 1326
- 11905 Kelly, J. Vesico-vaginal and recto-vaginal fistulae. *J R Soc Med.* 1992 May; 85: 257-8
- 11906 Petros, P. E., Ulmsten, U. Stress incontinence following vaginal repair. *Acta Obstet Gynecol Scand.* 1992 May; 71: 323

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 11907 Phua, S. M., Low, J. J., Chew, S. Y. The role of urodynamics in evaluating incontinent females. Singapore Med J. 1992 Apr; 33: 139-42
- 11908 Bonney, W. Voiding dysfunction and incontinence. Iowa Med. 1992 Apr; 82: 173-5
- 11909 Baker, K. R., Drutz, H. P. Age as a risk factor in major genitourinary surgery. Can J Surg. 1992 Apr; 35: 188-91
- 11910 Awad, S. A., Gajewski, J. B., Katz, N. O., Acker-Roy, K. Final diagnosis and therapeutic implications of mixed symptoms of urinary incontinence in women. Urology. 1992 Apr; 39: 352-7
- 11911 Rosenzweig, B. A., Pushkin, S., Blumenfeld, D., Bhatia, N. N. Prevalence of abnormal urodynamic test results in continent women with severe genitourinary prolapse. Obstet Gynecol. 1992 Apr; 79: 539-42
- 11912 O'Brien, J. Measuring and treating urinary incontinence. Nurs Times. 1992 Apr 1-7; 88: 51-2
- 11913 Niecestro, R. M., Wheeler, J. S., Jr, Nanninga, J., Einhorn, C., Goggin, C. Use of stresscath for diagnosing stress incontinence. Urology. 1992 Mar; 39: 266-9
- 11914 Fawdry, R. Symptoms analysis for the diagnosis of genuine stress incontinence. Br J Obstet Gynaecol. 1992 Mar; 99: 271
- 11915 Sampsel, C. M., DeLancey, J. O. The Urine Stream Interruption Test and pelvic muscle function. Nurs Res. 1992 Mar-Apr; 41: 73-7
- 11916 Colling, J., Ouslander, J., Hadley, B. J., Eisch, J., Campbell, E. The effects of patterned urge-response toileting (PURT) on urinary incontinence among nursing home residents. J Am Geriatr Soc. 1992 Feb; 40: 135-41
- 11917 Johnson, J. D., Lamensdorf, H., Hollander, I. N., Thurman, A. E. Use of transvaginal endosonography in the evaluation of women with stress urinary incontinence. J Urol. 1992 Feb; 147: 421-5
- 11918 Brieger, G., Korda, A. The effect of obesity on the outcome of successful surgery for genuine stress incontinence. Aust N Z J Obstet Gynaecol. 1992 Feb; 32: 71-2
- 11919 Duncan, H. J., Nurse, D. E., Mundy, A. R. Role of the artificial urinary sphincter in the treatment of stress incontinence in women. Br J Urol. 1992 Feb; 69: 141-3
- 11920 Thind, P., Lose, G., Colstrup, H. Initial urethral pressure increase during stress episodes in genuine stress incontinent women. Br J Urol. 1992 Feb; 69: 137-40
- 11921 Dimpfl, T., Hesse, U., Schussler, B. Incidence and cause of postpartum urinary stress incontinence. Eur J Obstet Gynecol Reprod Biol. 1992 Jan 9; 43: 29-33
- 11922 Thind, P., Lose, G. Urethral stress relaxation phenomenon in healthy and stress incontinent women. Br J Urol. 1992 Jan; 69: 75-8
- 11923 O'Flynn, K. J., Murphy, R., Thomas, D. G. Neurogenic bladder dysfunction in lumbar intervertebral disc prolapse. Br J Urol. 1992 Jan; 69: 38-40
- 11924 Ganabathi, K., Abrams, P., Mundy, A. R., Dwyer, P. L., Glenning, P. P. Stamey-Martius procedure for severe genuine stress incontinence. Br J Urol. 1992 Jan; 69: 34-7
- 11925 Kieswetter, H., Fischer, M., Wober, L., Flamm, J. Endoscopic implantation of collagen (GAX) for the treatment of urinary incontinence. Br J Urol. 1992 Jan; 69: 22-5
- 11926 Dwyer, P. L., Teele, J. S. Prazosin: a neglected cause of genuine stress incontinence. Obstet Gynecol. 1992 Jan; 79: 117-21
- 11927 Iosif, C. S. Effects of protracted administration of estriol on the lower genito urinary tract in postmenopausal women. Arch Gynecol Obstet. 1992; 251: 115-20
- 11928 Wijma, J., Tinga, D. J., Visser, G. H. Compensatory mechanisms which prevent urinary incontinence in aging women. Gynecol Obstet Invest. 1992; 33: 102-4
- 11929 O'Donnell, P. D. Combined Raz urethral suspension and McGuire pubovaginal sling for treatment of complicated stress urinary incontinence. J Ark Med Soc. 1992 Jan; 88: 389-92



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11930 Lopez Lopez, J. A., Valdivia Uria, J. G., Ucar Terren, A. Percutaneous endoscopic urethrocervicopexy. *Eur Urol.* 1992; 22: 167-70
- 11931 Klutke, C. G. Advances in therapy of female stress incontinence. *Henry Ford Hosp Med J.* 1992; 40: 118-21
- 11932 Cardozo, L. Urinary incontinence in women: have we anything new to offer?. *BMJ.* 1991 Dec 7; 303: 1453-7
- 11933 Beck, R. P., McCormick, S., Nordstrom, L. A 25-year experience with 519 anterior colporrhaphy procedures. *Obstet Gynecol.* 1991 Dec; 78: 1011-8
- 11934 Wein, A. J. Oral and intravaginal estrogens alone and in combination with alpha- adrenergic stimulation in genuine stress incontinence. *J Urol.* 1991 Dec; 146: 1670-1
- 11935 Yamada, T., Mizuo, T., Kawakami, S., Watanabe, T., Negishi, T., Oshima, H. Application of transrectal ultrasonography in modified Stamey procedure for stress urinary incontinence. *J Urol.* 1991 Dec; 146: 1555-8
- 11936 MacArthur, C., Lewis, M., Knox, E. G. Health after childbirth. *Br J Obstet Gynaecol.* 1991 Dec; 98: 1193-5
- 11937 Rosenzweig, B. A., Hischke, D., Thomas, S., Nelson, A. L., Bhatia, N. N. Stress incontinence in women. Psychological status before and after treatment. *J Reprod Med.* 1991 Dec; 36: 835-8
- 11938 Robertson, A. S., Davies, J. B., Webb, R. J., Neal, D. E. Bladder augmentation and replacement. Urodynamic and clinical review of 25 patients. *Br J Urol.* 1991 Dec; 68: 590-7
- 11939 Eckford, S. D., Abrams, P. Para-urethral collagen implantation for female stress incontinence. *Br J Urol.* 1991 Dec; 68: 586-9
- 11940 Ramon, J., Mekras, J., Webster, G. D. Transvaginal needle suspension procedures for recurrent stress incontinence. *Urology.* 1991 Dec; 38: 519-22
- 11941 Burgio, K. L., Matthews, K. A., Engel, B. T. Prevalence, incidence and correlates of urinary incontinence in healthy, middle-aged women. *J Urol.* 1991 Nov; 146: 1255-9
- 11942 Fossaluzza, V., Di Benedetto, P., Zampa, A., De Vita, S. Misoprostol-induced urinary incontinence. *J Intern Med.* 1991 Nov; 230: 463-4
- 11943 Lagro-Janssen, T. L., Debruyne, F. M., Smits, A. J., van Weel, C. Controlled trial of pelvic floor exercises in the treatment of urinary stress incontinence in general practice. *Br J Gen Pract.* 1991 Nov; 41: 445-9
- 11944 Lee, K. S., Chan, C. J., Merriman, A., Tan, E. C., Osborn, V. Clinical profile of elderly urinary incontinence in Singapore: a community-based study. *Ann Acad Med Singapore.* 1991 Nov; 20: 736-9
- 11945 Caspi, E., Langer, R. Colpo-needle suspension for the treatment of urinary stress incontinence--a new surgical technique. *Br J Obstet Gynaecol.* 1991 Nov; 98: 1183-4
- 11946 Cutner, A., Cardozo, L. D., Wise, B. G. The effects of pregnancy on previous incontinence surgery. Case report. *Br J Obstet Gynaecol.* 1991 Nov; 98: 1181-3
- 11947 Hilton, P., Mayne, C. J. The Stamey endoscopic bladder neck suspension: a clinical and urodynamic investigation, including actuarial follow-up over four years. *Br J Obstet Gynaecol.* 1991 Nov; 98: 1141-9
- 11948 Poole, M. D., Postma, D. S. Characterization of cough associated with angiotensin-converting enzyme inhibitors. *Otolaryngol Head Neck Surg.* 1991 Nov; 105: 714-6
- 11949 de Jong, P. Easier needle bladder-neck suspension procedure. *S Afr Med J.* 1991 Oct 5; 80: 360
- 11950 Hanzal, E., Berger, E., Koelbl, H. Reliability of the urethral closure pressure profile during stress in the diagnosis of genuine stress incontinence. *Br J Urol.* 1991 Oct; 68: 369-71
- 11951 Varner, R. E., Sparks, J. M. Surgery for stress urinary incontinence. *Surg Clin North Am.* 1991 Oct; 71: 1111-34
- 11952 Raz, S., Little, N. A., Juma, S., Sussman, E. M. Repair of severe anterior vaginal wall prolapse (grade IV cystourethrocele). *J Urol.* 1991 Oct; 146: 988-92
- 11953 Cammu, H., Van Nylen, M., Derde, M. P., DeBruyne, R., Amy, J. J. Pelvic physiotherapy in genuine stress incontinence. *Urology.* 1991 Oct; 38: 332-7



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 11954 Versi, E., Cardozo, L., Cooper, D. J. Urethral pressures: analysis of transmission pressure ratios. *Br J Urol.* 1991 Sep; 68: 266-70
- 11955 Marshall, S. Conservative management of stress urinary incontinence. *Urology.* 1991 Sep; 38: 294
- 11956 Smart, R. F. Polytef paste for urinary incontinence. *Aust N Z J Surg.* 1991 Sep; 61: 663-6
- 11957 Wells, T. J., Brink, C. A., Diokno, A. C., Wolfe, R., Gillis, G. L. Pelvic muscle exercise for stress urinary incontinence in elderly women. *J Am Geriatr Soc.* 1991 Aug; 39: 785-91
- 11958 Huddleston, H. T., Dunnihoo, D. R., Otterson, W. O. Digital augmentation during repair for a paravaginal defect. *Surg Gynecol Obstet.* 1991 Aug; 173: 157
- 11959 Versi, E., Cardozo, L., Anand, D., Cooper, D. Symptoms analysis for the diagnosis of genuine stress incontinence. *Br J Obstet Gynaecol.* 1991 Aug; 98: 815-9
- 11960 Shull, B. L. Urologic surgical techniques. *Curr Opin Obstet Gynecol.* 1991 Aug; 3: 534-40
- 11961 Webb, R. J., Ramsden, P. D., Neal, D. E. Ambulatory monitoring and electronic measurement of urinary leakage in the diagnosis of detrusor instability and incontinence. *Br J Urol.* 1991 Aug; 68: 148-52
- 11962 Gynecologic urology. *Curr Opin Obstet Gynecol.* 1991 Aug; 3: 610-3
- 11963 Timmons, M. C., Addison, W. A. Choice of operation for genuine stress incontinence. *Curr Opin Obstet Gynecol.* 1991 Aug; 3: 528-33
- 11964 Wise, B., Cardozo, L. Urge incontinence and stress incontinence. *Curr Opin Obstet Gynecol.* 1991 Aug; 3: 520-7
- 11965 Richardson, D. A. Investigative procedures in urogynecology. *Curr Opin Obstet Gynecol.* 1991 Aug; 3: 513-9
- 11966 Meyer, S., DeGrandi, P., Schmidt, N. Effect of occluding the urethra while recording urethral stress profile. *Urology.* 1991 Aug; 38: 157-60
- 11967 Stein, M., Weinberg, J. J. Polytetrafluoroethylene vs. polypropylene suture for endoscopic bladder neck suspension. *Urology.* 1991 Aug; 38: 119-22
- 11968 Carey, M. P., Dwyer, P. L. Position and mobility of the urethrovesical junction in continent and in stress incontinent women before and after successful surgery. *Aust N Z J Obstet Gynaecol.* 1991 Aug; 31: 279-84
- 11969 Kuo, H. C., Chang, S. C., Hsu, T. A new classification of female stress urinary incontinence--based on transrectal sonographic cystourethrography. *J Formos Med Assoc.* 1991 Aug; 90: 769-75
- 11970 Kil, P. J., Hoekstra, J. W., van der Meijden, A. P., Smans, A. J., Theeuwes, A. G., Schreinemachers, L. M. Transvaginal ultrasonography and urodynamic evaluation after suspension operations: comparison among the Gittes, Stamey and Burch suspensions. *J Urol.* 1991 Jul; 146: 132-6
- 11971 van Waalwijk van Doorn, E. S., Remmers, A., Janknegt, R. A. Extramural ambulatory urodynamic monitoring during natural filling and normal daily activities: evaluation of 100 patients. *J Urol.* 1991 Jul; 146: 124-31
- 11972 Stanton, S. L. Female stress incontinence. Treatment options and indications. *Urologe A.* 1991 Jul; 30: 239-43
- 11973 Versi, E. The significance of an open bladder neck in women. *Br J Urol.* 1991 Jul; 68: 42-3
- 11974 Mouritsen, L., Frimodt-Moller, C., Moller, M. Long-term effect of pelvic floor exercises on female urinary incontinence. *Br J Urol.* 1991 Jul; 68: 32-7
- 11975 Lose, G. Urethral pressure and power generation during coughing and voluntary contraction of the pelvic floor in females with genuine stress incontinence. *Br J Urol.* 1991 Jun; 67: 580-5
- 11976 Lagro-Janssen, A. L., Debruyne, F. M., van Weel, C. Value of the patient's case history in diagnosing urinary incontinence in general practice. *Br J Urol.* 1991 Jun; 67: 569-72
- 11977 Nghiem Toan, N. Simplified urethrocystovaginal suspension for stress urinary incontinence. *Am J Obstet Gynecol.* 1991 Jun; 164: 1689-90
- 11978 Blaivas, J. G., Jacobs, B. Z. Pubovaginal fascial sling for the treatment of complicated stress urinary incontinence. *J Urol.* 1991 Jun; 145: 1214-8

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Procite Number

- 11979 Gardy, M., Kozminski, M., DeLancey, J., Elkins, T., McGuire, E. J. Stress incontinence and cystoceles. J Urol. 1991 Jun; 145: 1211-3
- 11980 Kohorn, E. I. Surgery for stress urinary incontinence. Curr Opin Obstet Gynecol. 1991 Jun; 3: 394-7
- 11981 Byrne, P., Morris, J., Mordey, S., Condie, R. Physiotherapy for stress incontinence of urine. BMJ. 1991 May 4; 302: 1084
- 11982 Kursh, E. D., Angell, A. H., Resnick, M. I. Evolution of endoscopic urethropexy: seven-year experience with various techniques. Urology. 1991 May; 37: 428-31
- 11983 Kelly, M. J., Zimmern, P. E., Leach, G. E. Complications of bladder neck suspension procedures. Urol Clin North Am. 1991 May; 18: 339-8
- 11984 Lam, T. C., Hadley, H. R. Surgical procedures for uncomplicated ('routine') female stress incontinence. Urol Clin North Am. 1991 May; 18: 327-37
- 11985 DuBeau, C. E., Resnick, N. M. Evaluation of the causes and severity of geriatric incontinence. A critical appraisal. Urol Clin North Am. 1991 May; 18: 243-56
- 11986 Mostwin, J. L. Current concepts of female pelvic anatomy and physiology. Urol Clin North Am. 1991 May; 18: 175-95
- 11987 Bass, J. S., Leach, G. E. Surgical treatment of concomitant urethral diverticulum and stress incontinence. Urol Clin North Am. 1991 May; 18: 365-73
- 11988 Thind, P., Colstrup, H., Lose, G., Kristensen, J. K. Method for evaluation of the urethral closure mechanism in women during standardised changes of cross-sectional area. Clin Phys Physiol Meas. 1991 May; 12: 163-70
- 11989 Scheve, A. A., Engel, B. T., McCormick, K. A., Leahy, E. G. Exercise in continence. Geriatr Nurs. 1991 May-Jun; 12: 124
- 11990 Hunskaar, S., Vinsnes, A. The quality of life in women with urinary incontinence as measured by the sickness impact profile. J Am Geriatr Soc. 1991 Apr; 39: 378-82
- 11991 Rosenzweig, B. A., Bhatia, N. N., Nelson, A. L. Dynamic urethral pressure profilometry pressure transmission ratio: what do the numbers really mean?. Obstet Gynecol. 1991 Apr; 77: 586-90
- 11992 Mantle, J., Versi, E. Physiotherapy for stress urinary incontinence: a national survey. BMJ. 1991 Mar 30; 302: 753-5
- 11993 Griffith-Jones, M. D., Jarvis, G. J., McNamara, H. M. Adverse urinary symptoms after total abdominal hysterectomy--fact or fiction?. Br J Urol. 1991 Mar; 67: 295-7
- 11994 Sethia, K. K., Webb, R. J., Neal, D. E. Urodynamic study of ileocystoplasty in the treatment of idiopathic detrusor instability. Br J Urol. 1991 Mar; 67: 286-90
- 11995 McInerney, P. D., Vanner, T. F., Harris, S. A., Stephenson, T. P. Ambulatory urodynamics. Br J Urol. 1991 Mar; 67: 272-4
- 11996 Kelly, M. J., Knielsen, K., Bruskewitz, R., Roskamp, D., Leach, G. E. Symptom analysis of patients undergoing modified Pereyra bladder neck suspension for stress urinary incontinence. Pre- and postoperative findings. Urology. 1991 Mar; 37: 213-9
- 11997 Craggs, M. D., Chaffey, N. J., Mundy, A. R. A preliminary report on a new hydraulic sphincter for controlling urinary incontinence. J Med Eng Technol. 1991 Mar-Apr; 15: 58-62
- 11998 Dennis, P. J., Rohner, T. J., Jr, Hu, T. W., Igou, J. F., Yu, L. C., Kaltreider, D. L. Simple urodynamic evaluation of incontinent elderly female nursing home patients. A descriptive analysis. Urology. 1991 Feb; 37: 173-9
- 11999 Cutner, A., Cardozo, L. Treatment of incontinence. Practitioner. 1991 Feb; 235: 98, 100, 102-4
- 12000 Bergman, A., Koonings, P. P., Ballard, C. A. The Ball-Burch procedure for stress incontinence with low urethral pressure. J Reprod Med. 1991 Feb; 36: 137-40

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 12001 Anderson, P. A., Rickwood, A. M. Detrusor hyper-reflexia as a factor in spontaneous perforation of augmentation cystoplasty for neuropathic bladder. *Br J Urol.* 1991 Feb; 67: 210-2
- 12002 O'Flynn, K. J., Thomas, D. G. Artificial urinary sphincter insertion in congenital neuropathic bladder. *Br J Urol.* 1991 Feb; 67: 155-7
- 12003 Weston, P. M., Morgan, J. D., Hussain, J., Stephenson, T. P. Artificial urinary sphincters around intestinal segments--are they safe?. *Br J Urol.* 1991 Feb; 67: 150-4
- 12004 Suarez, G. M., Baum, N. H., Jacobs, J. Use of standard contraceptive diaphragm in management of stress urinary incontinence. *Urology.* 1991 Feb; 37: 119-22
- 12005 Fiorelli, C., Menghetti, I., Trippitelli, A., Saltutti, C., Mottola, A. Simplified endoscopic suspension for stress incontinence through pervaginal route. *Arch Esp Urol.* 1991 Jan-Feb; 44: 101-4
- 12006 Jorgensen, L., Lose, G., Alexander, N. Acute effect of norfenefrine on the urethral pressure profile in females with genuine stress incontinence. *Urol Int.* 1991; 46: 176-9
- 12007 Richardson, D. A., Ramahi, A., Chalas, E. Surgical management of stress incontinence in patients with low urethral pressure. *Gynecol Obstet Invest.* 1991; 31: 106-9
- 12008 Macaulay, A. J., Stern, R. S., Stanton, S. L. Psychological aspects of 211 female patients attending a urodynamic unit. *J Psychosom Res.* 1991; 35: 1-10
- 12009 Vinsnes, A. G., Hunskar, S. Distress associated with urinary incontinence, as measured by a visual analogue scale. *Scand J Caring Sci.* 1991; 5: 57-61
- 12010 Grischke, E. M., Anton, H., Stolz, W., von Fournier, D., Bastert, G. Urodynamic assessment and lateral urethrocystography. A comparison of two diagnostic procedures for female urinary incontinence. *Acta Obstet Gynecol Scand.* 1991; 70: 225-9
- 12011 Molander, U., Milsom, I., Ekelund, P., Arvidsson, L., Eriksson, O. A health care program for the investigation and treatment of elderly women with urinary incontinence and related urogenital symptoms. *Acta Obstet Gynecol Scand.* 1991; 70: 137-42
- 12012 Esa, A., Kiwamoto, H., Sugiyama, T., Park, Y. C., Kaneko, S., Kurita, T. Functional electrical stimulation in the management of incontinence: studies of urodynamics. *Int Urol Nephrol.* 1991; 23: 135-41
- 12013 Saxton, H. M. Urodynamics in the investigation of women with frequency, urgency, and incontinence, and voiding difficulties. *Urol Radiol.* 1991; 13: 48-57
- 12014 Borstad, E., Skrede, M., Rud, T. Failure to predict and attempts to explain urinary stress incontinence following vaginal repair in continent women by using a modified lateral urethrocystography. *Acta Obstet Gynecol Scand.* 1991; 70: 501-6
- 12015 Kiilholma, P., Makinen, J. Disappointing effect of endoscopic Teflon injection for female stress incontinence. *Eur Urol.* 1991; 20: 197-9
- 12016 Shafik, A. Dilatation and closing anal reflexes. Description and clinical significance of new reflexes: preliminary report. *Acta Anat (Basel).* 1991; 142: 293-8
- 12017 Freeman, S. B. Management of perimenopausal symptoms. *NAACOGS Clin Issu Perinat Womens Health Nurs.* 1991; 2: 429-39
- 12018 Wijma, J., Tinga, D. J., Visser, G. H. Perineal ultrasonography in women with stress incontinence and controls: the role of the pelvic floor muscles. *Gynecol Obstet Invest.* 1991; 32: 176-9
- 12019 Simeonova, Z., Bengtsson, C. Prevalence of urinary incontinence among women at a Swedish primary health care centre. *Scand J Prim Health Care.* 1990 Dec; 8: 203-6
- 12020 Snooks, S. J., Swash, M., Mathers, S. E., Henry, M. M. Effect of vaginal delivery on the pelvic floor: a 5-year follow-up. *Br J Surg.* 1990 Dec; 77: 1358-60
- 12021 Wells, M. Stress incontinence and pelvic floor exercises. *Prof Nurse.* 1990 Dec; 6: 151, 154-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 12022** Cornella, J. L., Ostergard, D. R. Needle suspension procedures for urinary stress incontinence: a review and historical perspective. *Obstet Gynecol Surv.* 1990 Dec; 45: 805-16
- 12023** Parra, R. O., Shaker, L. Experience with a simplified technique for the treatment of female stress urinary incontinence. *Br J Urol.* 1990 Dec; 66: 615-7
- 12024** Cabrera, J. A., Szekely, Z., Ospitia, J. A. Suprapubic or vaginal procedure. *Am J Obstet Gynecol.* 1990 Dec; 163: 2025-6
- 12025** Chang, H. C., Chang, S. C., Kuo, H. C., Tsai, T. C. Transrectal sonographic cystourethrography: studies in stress urinary incontinence. *Urology.* 1990 Dec; 36: 488-92
- 12026** Winter, C. C. Re: Review of an 8-year experience with modifications of endoscopic suspension of the bladder neck for female stress urinary incontinence. *J Urol.* 1990 Dec; 144: 1481-2
- 12027** Le Coutour, X., Jung-Faerber, S., Klein, P., Renaud, R. Female urinary incontinence: comparative value of history and urodynamic investigations. *Eur J Obstet Gynecol Reprod Biol.* 1990 Dec; 37: 279-86
- 12028** Fischer-Rasmussen, W. Treatment of stress urinary incontinence. *Ann Med.* 1990 Dec; 22: 455-65
- 12029** Cutner, A., Cardozo, L. Urinary incontinence: clinical features. *Practitioner.* 1990 Dec; 234: 1018-24
- 12030** Graham, J. M., Stresing, H. A. A modified cystourethropey in the management of incontinence and dyspareunia. *J S C Med Assoc.* 1990 Nov; 86: 578-82
- 12031** Diokno, A. C., Normolle, D. P., Brown, M. B., Herzog, A. R. Urodynamic tests for female geriatric urinary incontinence. *Urology.* 1990 Nov; 36: 431-9
- 12032** Lose, G., Colstrup, H. Mechanical properties of the urethra in healthy and stress incontinent females: dynamic measurements in the resting urethra. *J Urol.* 1990 Nov; 144: 1258-62
- 12033** Nielsen, K. K., Kromann-Andersen, B., Jacobsen, H., Nielsen, E. M., Nordling, J., Holm, H. H., Larsen, J. F. The urethral plug: a new treatment modality for genuine urinary stress incontinence in women. *J Urol.* 1990 Nov; 144: 1199-202
- 12034** Browne, D. S., Frazer, M. I. Abdominoperineal urethral suspension: a report of 20 cases. *Aust N Z J Obstet Gynaecol.* 1990 Nov; 30: 366-9
- 12035** Thiede, H. A., Thiede, F. K. A glance at the urodynamic database. *J Reprod Med.* 1990 Oct; 35: 925-31
- 12036** Langer, R., Golan, A., Neuman, M., Schneider, D., Bukovsky, I., Caspi, E. The effect of large uterine fibroids on urinary bladder function and symptoms. *Am J Obstet Gynecol.* 1990 Oct; 163: 1139-41
- 12037** Sand, P. K., Bowen, L. W., Ostergard, D. R. The prognostic significance of augmentation of urethral closure pressure and functional length. *Int J Gynaecol Obstet.* 1990 Oct; 33: 135-9
- 12038** Holmes, P. Cones for continence. *Nurs Times.* 1990 Sep 5-11; 86: 20-1
- 12039** Koonings, P. P., Bergman, A., Ballard, C. A. Low urethral pressure and stress urinary incontinence in women: risk factor for failed retropubic surgical procedure. *Urology.* 1990 Sep; 36: 245-8
- 12040** Cervigni, M., Sbiroli, C. Transvaginal bladder neck suspension: a safer method. *Urology.* 1990 Sep; 36: 219-21
- 12041** Webster, G. D., Kreder, K. J. Voiding dysfunction following cystourethropey: its evaluation and management. *J Urol.* 1990 Sep; 144: 670-3
- 12042** Allen, R. E., Hosker, G. L., Smith, A. R., Warrell, D. W. Pelvic floor damage and childbirth: a neurophysiological study. *Br J Obstet Gynaecol.* 1990 Sep; 97: 770-9
- 12043** Summitt, R. L., Jr, Bent, A. E., Ostergard, D. R., Harris, T. A. Stress incontinence and low urethral closure pressure. Correlation of preoperative urethral hypermobility with successful suburethral sling procedures. *J Reprod Med.* 1990 Sep; 35: 877-80
- 12044** Sampsel, C. M. Changes in pelvic muscle strength and stress urinary incontinence associated with childbirth. *J Obstet Gynecol Neonatal Nurs.* 1990 Sep-Oct; 19: 371-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 12045** Frazer, M. I., Haylen, B. T., Sissons, M. Do women with idiopathic sensory urgency have early interstitial cystitis?. *Br J Urol.* 1990 Sep; 66: 274-8
- 12046** Norton, K. R., Bhat, A. V., Stanton, S. L. Psychiatric aspects of urinary incontinence in women attending an outpatient urodynamic clinic. *BMJ.* 1990 Aug 4; 301: 271-2
- 12047** Harris, T. A., Bent, A. E. Genital prolapse with and without urinary incontinence. *J Reprod Med.* 1990 Aug; 35: 792-8
- 12048** Walters, M. D., Jackson, G. M. Urethral mobility and its relationship to stress incontinence in women. *J Reprod Med.* 1990 Aug; 35: 777-84
- 12049** Scotti, R. J., Ostergard, D. R., Guillaume, A. A., Kohatsu, K. E. Predictive value of urethroscopy as compared to urodynamics in the diagnosis of genuine stress incontinence. *J Reprod Med.* 1990 Aug; 35: 772-6
- 12050** Horbach, N. S. Problems in the clinical diagnosis of stress incontinence. *J Reprod Med.* 1990 Aug; 35: 751-7
- 12051** Varner, R. E. Retropubic long-needle suspension procedures for stress urinary incontinence. *Am J Obstet Gynecol.* 1990 Aug; 163: 551-7
- 12052** Araki, T., Takamoto, H., Hara, T., Fujimoto, H., Yoshida, M., Katayama, Y. The loop-loosening procedure for urination difficulties after Stamey suspension of the vesical neck. *J Urol.* 1990 Aug; 144: 319-22; discussion 322-3
- 12053** Dwyer, P. L., Glenning, P. P. Anatomy and neurology of the lower urinary tract. *Curr Opin Obstet Gynecol.* 1990 Aug; 2: 573-9
- 12054** Sand, P. K., Brubaker, L. T. Advances in nonoperative treatment of genuine stress incontinence. *Curr Opin Obstet Gynecol.* 1990 Aug; 2: 599-604
- 12055** Sommer, P., Bauer, T., Nielsen, K. K., Kristensen, E. S., Hermann, G. G., Steven, K., Nordling, J. Voiding patterns and prevalence of incontinence in women. A questionnaire survey. *Br J Urol.* 1990 Jul; 66: 12-5
- 12056** Ramon, J., Mekras, J. A., Webster, G. D. The outcome of transvaginal cystourethropey in patients with anatomical stress urinary incontinence and outlet weakness. *J Urol.* 1990 Jul; 144: 106-8; discussion 108-9
- 12057** Wall, L. L., Wang, K., Robson, I., Stanton, S. L. The Pyridium pad test for diagnosing urinary incontinence. A comparative study of asymptomatic and incontinent women. *J Reprod Med.* 1990 Jul; 35: 682-4
- 12058** Langer, R., Golan, A., Ron-El, R., Neuman, M., Pansky, M., Bukovsky, I., Caspi, E. Colposuspension for urinary stress incontinence in premenopausal and postmenopausal women. *Surg Gynecol Obstet.* 1990 Jul; 171: 13-6
- 12059** Bergman, A., Bader, K. Reliability of the patient's history in the diagnosis of urinary incontinence. *Int J Gynaecol Obstet.* 1990 Jul; 32: 255-9
- 12060** Dixon, P. J., Christmas, T. J., Chapple, C. R. Stress incontinence due to pelvic floor muscle involvement in limb-girdle muscular dystrophy. *Br J Urol.* 1990 Jun; 65: 653-4
- 12061** Casanova, J. E. Incontinence after use of enalapril. *J Urol.* 1990 Jun; 143: 1237-8
- 12062** Susset, J. G., Galea, G., Read, L. Biofeedback therapy for female incontinence due to low urethral resistance. *J Urol.* 1990 Jun; 143: 1205-8
- 12063** Lim, P. H., Brown, A. D., Chisholm, G. D. The Burch Colposuspension operation for stress urinary incontinence. *Singapore Med J.* 1990 Jun; 31: 242-6
- 12064** Wall, L. L. The management of detrusor instability. *Clin Obstet Gynecol.* 1990 Jun; 33: 367-77
- 12065** Bent, A. E. Management of recurrent genuine stress incontinence. *Clin Obstet Gynecol.* 1990 Jun; 33: 358-66
- 12066** DeLancey, J. O. Anatomy and physiology of urinary continence. *Clin Obstet Gynecol.* 1990 Jun; 33: 298-307
- 12067** McGuire, E. J. Identifying and managing stress incontinence in the elderly. *Geriatrics.* 1990 Jun; 45: 44-6, 51-2
- 12068** Michiels, E., Knockaert, D. C., Vanneste, S. B. Infectious osteitis pubis. *Neth J Med.* 1990 Jun; 36: 297-300
- 12069** Wilson, P. D., Borland, M. Vaginal cones for the treatment of genuine stress incontinence. *Aust N Z J Obstet Gynaecol.* 1990 May; 30: 157-60



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 12070** Donovan, J. M., Gleason, D. M. Identifying types of female incontinence with retrograde urethrocytography. *Urology*. 1990 May; 35: 458-63
- 12071** Reid, G. C., DeLancey, J. O., Hopkins, M. P., Roberts, J. A., Morley, G. W. Urinary incontinence following radical vulvectomy. *Obstet Gynecol*. 1990 May; 75: 852-8
- 12072** Nygaard, I., DeLancey, J. O., Arnsdorf, L., Murphy, E. Exercise and incontinence. *Obstet Gynecol*. 1990 May; 75: 848-51
- 12073** Benson, J. T., Agosta, A., McClellan, E. Evaluation of a minimal-incision pubovaginal suspension as an adjunct to other pelvic-floor surgery. *Obstet Gynecol*. 1990 May; 75: 844-7
- 12074** Koelbl, H., Bernaschek, G., Deutinger, J. Assessment of female urinary incontinence by introital sonography. *J Clin Ultrasound*. 1990 May; 18: 370-4
- 12075** Realini, J. P., Walters, M. D. Vaginal diaphragm rings in the treatment of stress urinary incontinence. *J Am Board Fam Pract*. 1990 Apr-Jun; 3: 99-103
- 12076** Molander, U., Milsom, I., Ekelund, P., Mellstrom, D. An epidemiological study of urinary incontinence and related urogenital symptoms in elderly women. *Maturitas*. 1990 Apr; 12: 51-60
- 12077** Ferguson, K. L., McKey, P. L., Bishop, K. R., Kloen, P., Verheul, J. B., Dougherty, M. C. Stress urinary incontinence: effect of pelvic muscle exercise. *Obstet Gynecol*. 1990 Apr; 75: 671-5
- 12078** Leach, G. E. Urethral resistance after surgery for stress incontinence. *Urology*. 1990 Apr; 35: 373-4
- 12079** Yu, L. C., Rohner, T. J., Kaltreider, D. L., Hu, T. W., Igou, J. F., Dennis, P. J. Profile of urinary incontinent elderly in long-term care institutions. *J Am Geriatr Soc*. 1990 Apr; 38: 433-9
- 12080** Lockhart, J. L., Ellis, G. F., Helal, M., Pow-Sang, J. M. Combined cystourethropexy for the treatment of type 3 and complicated female urinary incontinence. *J Urol*. 1990 Apr; 143: 722-5
- 12081** Versi, E. Discriminant analysis of urethral pressure profilometry data for the diagnosis of genuine stress incontinence. *Br J Obstet Gynaecol*. 1990 Mar; 97: 251-9
- 12082** Bavendam, T. G. Stress urinary incontinence in women. *J Enterostomal Ther*. 1990 Mar-Apr; 17: 57-66
- 12083** Raz, S. Vaginal surgery for stress incontinence. *J Am Geriatr Soc*. 1990 Mar; 38: 345-7
- 12084** Wall, L. L., Addison, W. A. Prazosin-induced stress incontinence. *Obstet Gynecol*. 1990 Mar; 75: 558-60
- 12085** Karram, M. M., Bhatia, N. N. Patch procedure: modified transvaginal fascia lata sling for recurrent or severe stress urinary incontinence. *Obstet Gynecol*. 1990 Mar; 75: 461-3
- 12086** Klutke, C., Golomb, J., Barbaric, Z., Raz, S. The anatomy of stress incontinence: magnetic resonance imaging of the female bladder neck and urethra. *J Urol*. 1990 Mar; 143: 563-6
- 12087** Wenderoth, U. K., Bachor, R., Egghart, G., Frohneberg, D., Miller, K., Hautmann, R. E. The ileal neobladder: experience and results of more than 100 consecutive cases. *J Urol*. 1990 Mar; 143: 492-6; discussion 496-7
- 12088** Bihle, W., 3rd, Tarantino, A. F. Complications of retropubic bladder neck suspension. *Urology*. 1990 Mar; 35: 213-4
- 12089** Stanton, S. L. Suprapubic approaches for stress incontinence in women. *J Am Geriatr Soc*. 1990 Mar; 38: 348-51
- 12090** Burns, P. A., Pranikoff, K., Nochajski, T., Desotelle, P., Harwood, M. K. Treatment of stress incontinence with pelvic floor exercises and biofeedback. *J Am Geriatr Soc*. 1990 Mar; 38: 341-4
- 12091** Resnick, N. M. Initial evaluation of the incontinent patient. *J Am Geriatr Soc*. 1990 Mar; 38: 311-6
- 12092** Griffith-Jones, M. D., Abrams, P. H. The Stamey endoscopic bladder neck suspension in the elderly. *Br J Urol*. 1990 Feb; 65: 170-2
- 12093** Ashken, M. H. Follow-up results with the Stamey operation for stress incontinence of urine. *Br J Urol*. 1990 Feb; 65: 168-9



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 12094 Battcock, T. M., Castleden, C. M. Pharmacological treatment of urinary incontinence. *Br Med Bull.* 1990 Jan; 46: 147-55
- 12095 van Waalwijk van Doorn, E. S., Zwiers, W. Ambulant monitoring to assess the efficacy of oxybutynin chloride in patients with mixed incontinence. *Eur Urol.* 1990; 18: 49-51
- 12096 Ferriani, R. A., Silva de Sa, M. F., Dias de Moura, M., Charaffedine, M. N., Hockgreb de Freitas Junior, A. Ureteral blockage as a complication of Burch colposuspension: report of 6 cases. *Gynecol Obstet Invest.* 1990; 29: 239-40
- 12097 Bergman, A., Karram, M. M., Bhatia, N. N. Changes in urethral cytology following estrogen administration. *Gynecol Obstet Invest.* 1990; 29: 211-3
- 12098 Thunedborg, P., Fischer-Rasmussen, W., Jensen, S. B. Stress urinary incontinence and posterior bladder suspension defects. Results of vaginal repair versus Burch colposuspension. *Acta Obstet Gynecol Scand.* 1990; 69: 55-9
- 12099 Enzelsberger, H., Schatten, C., Kurz, C., Fitzal, P. Urodynamic and radiologic parameters before and after loop surgery for recurrent urinary stress incontinence. *Acta Obstet Gynecol Scand.* 1990; 69: 51-4
- 12100 Eriksen, B. C., Hagen, B., Eik-Nes, S. H., Molne, K., Mjølnerod, O. K., Romslo, I. Long-term effectiveness of the Burch colposuspension in female urinary stress incontinence. *Acta Obstet Gynecol Scand.* 1990; 69: 45-50
- 12101 Katlowitz, N. M., Karwa, G., Lautin, E. Stress incontinence secondary to a vesicourethral fistula: case report. *Urol Radiol.* 1990; 12: 37-8
- 12102 Parys, B. T., Woolfenden, K. A., Parsons, K. F. Bladder dysfunction after simple hysterectomy: urodynamic and neurological evaluation. *Eur Urol.* 1990; 17: 129-33
- 12103 Cucchi, A. Acceleration of flow rate as a screening test for detrusor instability in women with stress incontinence. *Br J Urol.* 1990 Jan; 65: 17-9
- 12104 Olah, K. S., Bridges, N., Denning, J., Farrar, D. J. The conservative management of patients with symptoms of stress incontinence: a randomized, prospective study comparing weighted vaginal cones and interferential therapy. *Am J Obstet Gynecol.* 1990 Jan; 162: 87-92
- 12105 Kohorn, E. I. Negative Q-tip test as a risk factor for failed incontinence surgery in women. *J Reprod Med.* 1990 Jan; 35: 68
- 12106 Koonings, P. P., Bergman, A., Ballard, C. A. Prostaglandins for enhancing detrusor function after surgery for stress incontinence in women. *J Reprod Med.* 1990 Jan; 35: 1-5
- 12107 Walters, M. D., Taylor, S., Schoenfeld, L. S. Psychosexual study of women with detrusor instability. *Obstet Gynecol.* 1990 Jan; 75: 22-6
- 12108 Loughlin, K. R., Whitmore, W. F., 3rd, Gittes, R. F., Richie, J. P. Review of an 8-year experience with modifications of endoscopic suspension of the bladder neck for female stress urinary incontinence. *J Urol.* 1990 Jan; 143: 44-5
- 12109 Rockner, G. Urinary incontinence after perineal trauma at childbirth. *Scand J Caring Sci.* 1990; 4: 169-72
- 12110 Eriksen, B. C., Sandvik, H., Hunskaar, S. Management of urinary incontinence in gynecological practice in Norway. *Acta Obstet Gynecol Scand.* 1990; 69: 515-9
- 12111 Jonasson, A., Larsson, B., Pschera, H., Nylund, L. Short-term maximal electrical stimulation--a conservative treatment of urinary incontinence. *Gynecol Obstet Invest.* 1990; 30: 120-3
- 12112 Ahlstrom, K., Sandahl, B., Sjöberg, B., Ulmsten, U., Stormby, N., Lindskog, M. Effect of combined treatment with phenylpropanolamine and estriol, compared with estriol treatment alone, in postmenopausal women with stress urinary incontinence. *Gynecol Obstet Invest.* 1990; 30: 37-43
- 12113 Burgio, K. L. Behavioral training for stress and urge incontinence in the community. *Gerontology.* 1990; 36 Suppl 2: 27-34
- 12114 Benassayag, E. Simple surgical procedure for urinary stress incontinence. *Eur Urol.* 1990; 18: 68-70

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 12115 Poryazov, K. Once more on G. Marion's operation in the treatment of urinary stress incontinence (in memoriam--70 years after its introduction). *Folia Med (Plovdiv)*. 1990; 32: 20-2
- 12116 Poryazov, K. The therapeutic effect of treatment of urinary stress incontinence with estriol. *Folia Med (Plovdiv)*. 1990; 32: 16-9
- 12117 Poryazov, K. Modified Marshall-Marchetti-Krantz method by Joseph A. Riggs in urinary stress incontinence (our experience--a preliminary report). *Folia Med (Plovdiv)*. 1990; 32: 26-9
- 12118 Porjazov, K. A ten-year follow-up of postoperative results of the treatment of urinary incontinence. *Folia Med (Plovdiv)*. 1990; 32: 26-8
- 12119 Penttinen, J. Female genuine stress incontinence. A study with single cough urethrocystometry using a six-microtransducer catheter. *Acta Obstet Gynecol Scand*. 1990; 69: 673
- 12120 Petros, P. E., Ulmsten, U. I. Pregnancy effects on the intravaginal sling operation. *Acta Obstet Gynecol Scand Suppl*. 1990; 153: 77-8
- 12121 Petros, P. E., Ulmsten, U. I. Cure of stress incontinence by repair of external anal sphincter. Two case reports. *Acta Obstet Gynecol Scand Suppl*. 1990; 153: 75
- 12122 Petros, P. E., Ulmsten, U. I. The role of a lax posterior vaginal fornix in the causation of stress and urgency symptoms: a preliminary report. *Acta Obstet Gynecol Scand Suppl*. 1990; 153: 71-3
- 12123 Petros, P. E., Ulmsten, U. I. An integral theory of female urinary incontinence. Experimental and clinical considerations. *Acta Obstet Gynecol Scand Suppl*. 1990; 153: 7-31
- 12124 Petros, P. E., Ulmsten, U. I. Non stress non urge female urinary incontinence--diagnosis and cure: a preliminary report. *Acta Obstet Gynecol Scand Suppl*. 1990; 153: 69-70
- 12125 Petros, P. E., Ulmsten, U. I. The tethered vagina syndrome, post surgical incontinence and I-plasty operation for cure. *Acta Obstet Gynecol Scand Suppl*. 1990; 153: 63-7
- 12126 Petros, P. E., Ulmsten, U. I. Cure of urge incontinence by the combined intravaginal sling and tuck operation. *Acta Obstet Gynecol Scand Suppl*. 1990; 153: 61-2
- 12127 Petros, P. E., Ulmsten, U. I. The combined intravaginal sling and tuck operation. An ambulatory procedure for cure of stress and urge incontinence. *Acta Obstet Gynecol Scand Suppl*. 1990; 153: 53-9
- 12128 Petros, P. E., Ulmsten, U. I., Papadimitriou, J. The autogenic ligament procedure: a technique for planned formation of an artificial neo-ligament. *Acta Obstet Gynecol Scand Suppl*. 1990; 153: 43-51
- 12129 Petros, P. E., Ulmsten, U. I. The tuck procedure: a simplified vaginal repair for treatment of female urinary incontinence. *Acta Obstet Gynecol Scand Suppl*. 1990; 153: 41-2
- 12130 Petros, P. E., Ulmsten, U. I. Cough transmission ratio: an indicator of suburethral vaginal wall tension rather than urethral closure?. *Acta Obstet Gynecol Scand Suppl*. 1990; 153: 37-9
- 12131 Petros, P. E., Ulmsten, U. I. Pinch test for diagnosis of stress urinary incontinence. *Acta Obstet Gynecol Scand Suppl*. 1990; 153: 33-5
- 30112 Al-Hadithi, H., Tincello, D. G., Vince, G. S., Richmond, D. H. Leukocyte populations in interstitial cystitis and idiopathic reduced bladder storage. *Urology*. 2002 Jun; 59: 851-5
- 30220 Larsson, U. E., Mattsson, E. Perceived disability and observed functional limitations in obese women. *Int J Obes Relat Metab Disord*. 2001 Nov; 25: 1705-12
- 30223 Fernandez, H. H., Tabamo, R. E., David, R. R., Friedman, J. H. Predictors of depressive symptoms among spouse caregivers in Parkinson's disease. *Mov Disord*. 2001 Nov; 16: 1123-5
- 30322 Shimizu, I., Ishii, D., Kawashima, K., Oka, M., Hosoki, K. Pharmacological effect of amezinium on urethra and bladder of rabbits. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 170-7
- 30344 Maher, C. F., Murray, C. J., Carey, M. P., Dwyer, P. L., Ugoni, A. M. Iliococcygeus or sacrospinous fixation for vaginal vault prolapse. *Obstet Gynecol*. 2001 Jul; 98: 40-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 30345** Rosenblum, N., Nitti, V. W. Post-urethral suspension obstruction. *Curr Opin Urol.* 2001 Jul; 11: 411-6
  - 30428** Kochakarn, W., Ratana-Olarn, K., Viseshsindh, V., Leenanupunth, C., Muangman, V. Urethral diverticulum in females: 25 years experience at Ramathibodi Hospital. *J Med Assoc Thai.* 2000 Dec; 83: 1437-41
  - 30442** Johanson, R., Rigby, C., Jones, P. Democratic prioritization of maternity care: a rational basis for planning a clinical effectiveness programme. *J Public Health Med.* 2000 Dec; 22: 486-91
  - 30453** Bo, K., Lilleas, F., Talseth, T., Hedland, H. Dynamic MRI of the pelvic floor muscles in an upright sitting position. *Neurourol Urodyn.* 2001; 20: 167-74
  - 30495** Rompel, R., Mischke, A. L., Langner, C., Happle, R. Linear atrophoderma of Moulin. *Eur J Dermatol.* 2000 Dec; 10: 611-3
  - 30500** Ewies, A. A., Olah, K. S. Subtotal abdominal hysterectomy: a surgical advance or a backward step?. *BJOG.* 2000 Nov; 107: 1376-9
  - 30501** Fox, S. D., Stanton, S. L. Vault prolapse and rectocele: assessment of repair using sacrocolpopexy with mesh interposition. *BJOG.* 2000 Nov; 107: 1371-5
  - 30656** Tamer, S. K. The pediatric non-epileptic seizure. *Indian J Pediatr.* 1997 Sep-Oct; 64: 671-6
  - 30670** Siskin, G. P., Stainken, B. F., Dowling, K., Meo, P., Ahn, J., Dolen, E. G. Outpatient uterine artery embolization for symptomatic uterine fibroids: experience in 49 patients. *J Vasc Interv Radiol.* 2000 Mar; 11: 305-11
  - 30732** Hale, D. S., Rogers, R. M., Jr Abdominal sacrospinous ligament colposuspension. *Obstet Gynecol.* 1999 Dec; 94: 1039-41
  - 30740** Kumar, A., Mandhani, A., Gogoi, S., Srivastava, A. Management of functional bladder neck obstruction in women: use of alpha-blockers and pediatric resectoscope for bladder neck incision. *J Urol.* 1999 Dec; 162: 2061-5
  - 30848** Gordon, D., Groutz, A., Goldman, G., Avni, A., Wolf, Y., Lessing, J. B., David, M. P. Anal incontinence: prevalence among female patients attending a urogynecologic clinic. *Neurourol Urodyn.* 1999; 18: 199-204
  - 30933** Ozcan, U., Gungor, T., Ekin, M., Eken, S. Sacrospinous fixation for the prolapsed vaginal vault. *Gynecol Obstet Invest.* 1999; 47: 65-8
  - 30974** Hewson, A. D. Transvaginal sacrospinous colpopexy for posthysterectomy vault prolapse. *Aust N Z J Obstet Gynaecol.* 1998 Aug; 38: 318-24
  - 31051** Hassink, E. A., Brugman-Boezeman, A. T., Robbroeckx, L. M., Rieu, P. N., van Kuyk, E. M., Wels, P. M., Festen, C. Parenting children with anorectal malformations: implications and experiences. *Pediatr Surg Int.* 1998 Jul; 13: 377-83
  - 31178** Wu, V., Farrell, S. A., Baskett, T. F., Flowerdew, G. A simplified protocol for pessary management. *Obstet Gynecol.* 1997 Dec; 90: 990-4
  - 31196** Strinic, T., Eterovic, D., Dujic, Z., Markovic, V., Tocilj, J. Spirometric disorders in women with genital descensus. *Acta Obstet Gynecol Scand.* 1997 Oct; 76: 879-83
  - 31232** Chan, F. Y., Chau, M. T., Pun, T. C., Lam, C., Leong, L. Transperineal versus transvaginal color Doppler imaging of the uterine circulation. *J Clin Ultrasound.* 1997 Jul-Aug; 25: 293-9
  - 31249** Heok, K. E., Li, T. S. Stress of caregivers of dementia patients in the Singapore Chinese family. *Int J Geriatr Psychiatry.* 1997 Apr; 12: 466-9
  - 31266** Knight, R. G., Devereux, R. C., Godfrey, H. P. Psychosocial consequences of caring for a spouse with multiple sclerosis. *J Clin Exp Neuropsychol.* 1997 Feb; 19: 7-19
  - 31300** von Gontard, A., Hollmann, E., Eiberg, H., Benden, B., Rittig, S., Lehmkuhl, G. Clinical enuresis phenotypes in familial nocturnal enuresis. *Scand J Urol Nephrol Suppl.* 1997; 183: 11-6
  - 31315** Taniguchi, N., Hamada, K., Ogasawara, T., Ukai, Y., Yoshikuni, Y., Kimura, K. NS-49, an alpha 1A-adrenoceptor agonist, selectively increases intraurethral pressure in dogs. *Eur J Pharmacol.* 1996 Dec 27; 318: 117-22
-

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 31322** Kohli, N., Sze, E. H., Roat, T. W., Karram, M. M. Incidence of recurrent cystocele after anterior colporrhaphy with and without concomitant transvaginal needle suspension. *Am J Obstet Gynecol.* 1996 Dec; 175: 1476-80; discussion 1480-2
- 31358** Arrowsmith, S., Hamlin, E. C., Wall, L. L. Obstructed labor injury complex: obstetric fistula formation and the multifaceted morbidity of maternal birth trauma in the developing world. *Obstet Gynecol Surv.* 1996 Sep; 51: 568-74
- 31572** Noyes, W. R., Bastin, K., Edwards, S. A., Buchler, D. A., Stitt, J. A., Thomadsen, B. R., Fowler, J. F., Kinsella, T. J. Postoperative vaginal cuff irradiation using high dose rate remote afterloading: a phase II clinical protocol. *Int J Radiat Oncol Biol Phys.* 1995 Jul 30; 32: 1439-43
- 31585** Silverman, M., Musa, D., Martin, D. C., Lave, J. R., Adams, J., Ricci, E. M. Evaluation of outpatient geriatric assessment: a randomized multi-site trial. *J Am Geriatr Soc.* 1995 Jul; 43: 733-40
- 31608** Blaivas, J. G., Heritz, D. M., Romanzi, L. J. Early versus late repair of vesicovaginal fistulas: vaginal and abdominal approaches. *J Urol.* 1995 Apr; 153: 1110-2; discussion 1112-3
- 31637** Norton, P. A., Baker, J. E., Sharp, H. C., Warenski, J. C. Genitourinary prolapse and joint hypermobility in women. *Obstet Gynecol.* 1995 Feb; 85: 225-8
- 31717** Carey, M. P., Slack, M. C. Transvaginal sacrospinous colpopexy for vault and marked uterovaginal prolapse. *Br J Obstet Gynaecol.* 1994 Jun; 101: 536-40
- 31721** Watson, V. The duration of the second stage of labour. *Mod Midwife.* 1994 Jun; 4: 21-2
- 31724** Hill, J., Corson, R. J., Brandon, H., Redford, J., Faragher, E. B., Kiff, E. S. History and examination in the assessment of patients with idiopathic fecal incontinence. *Dis Colon Rectum.* 1994 May; 37: 473-7
- 31797** Elbadawi, A., Yalla, S. V., Resnick, N. M. Structural basis of geriatric voiding dysfunction. II. Aging detrusor: normal versus impaired contractility. *J Urol.* 1993 Nov; 150: 1657-67
- 31822** Longstreth, G. F. Bowel patterns and anxiety. Demographic factors. *J Clin Gastroenterol.* 1993 Sep; 17: 128-32
- 31823** Longstreth, G. F., Wolde-Tsadik, G. Irritable bowel-type symptoms in HMO examinees. Prevalence, demographics, and clinical correlates. *Dig Dis Sci.* 1993 Sep; 38: 1581-9
- 31900** Backer, M. H., Jr Success with sacrospinous suspension of the prolapsed vaginal vault. *Surg Gynecol Obstet.* 1992 Nov; 175: 419-20
- 31907** Summitt, R. L., Jr, Stovall, T. G. Urethral diverticula: evaluation by urethral pressure profilometry, cystourethroscopy, and the voiding cystourethrogram. *Obstet Gynecol.* 1992 Oct; 80: 695-9
- 31955** Elkins, T. E., Ghosh, T. S., Tagoe, G. A., Stocker, R. Transvaginal mobilization and utilization of the anterior bladder wall to repair vesicovaginal fistulas involving the urethra. *Obstet Gynecol.* 1992 Mar; 79: 455-60
- 32052** Major, O., Sipos, L., Czirjak, S., Benoist, G., Horvath, M., Pasztor, E. Spontaneous spinal epidural haematomas. *Acta Neurochir (Wien).* 1991; 111: 40-2
- 32062** Rosing, U., Fianu, S., Larsson, B. A new surgical technique for repairing cystocele in hysterectomized women. *J Gynecol Surg.* 1990 Winter; 6: 281-5
- 32138** Redman, J. F. Female urologic diagnostic techniques. *Urol Clin North Am.* 1990 Feb; 17: 5-8
- 32163** Holschneider, A. M. Secondary sagittal posterior anorectoplasty. *Prog Pediatr Surg.* 1990; 25: 103-17
- 40000** Rollins, G. Behavior management improves urinary incontinence in older women living at home. *Rep Med Guidel Outcomes Res.* 2002 Mar 8; 13: 7-9
- 40001** Burgio, K. L., Goode, P. S., Locher, J. L., Umlauf, M. G., Roth, D. L., Richter, H. E., Varner, R. E., Lloyd, L. K. Behavioral training with and without biofeedback in the treatment of urge incontinence in older women: a randomized controlled trial. *JAMA.* 2002 Nov 13; 288: 2293-9
- 40002** Maloney, C. M., Cafiero, M. Achieving bladder control. Treatment in the primary care setting. *Adv Nurse Pract.* 2002 May; 10: 73-8

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 40003 Hsieh, C. L., Sheu, C. F., Hsueh, I. P., Wang, C. H. Trunk control as an early predictor of comprehensive activities of daily living function in stroke patients. *Stroke*. 2002 Nov; 33: 2626-30
- 40007 McGuire, E. J. Editorial: Sling procedures for incontinence. *J Urol*. 2002 Nov; 168: 2069
- 40010 Graham, C. W., Dmochowski, R. R., Faerber, G. J., Clemens, J. Q., Westney, O. L. Pubic osteomyelitis following bladder neck surgery using bone anchors: a report of 9 cases. *J Urol*. 2002 Nov; 168: 2055-7; discussion 2057-8
- 40011 Scheepens, W. A., de Bie, R. A., Weil, E. H., van Kerrebroeck, P. E. Unilateral versus bilateral sacral neuromodulation in patients with chronic voiding dysfunction. *J Urol*. 2002 Nov; 168: 2046-50
- 40012 Yoshimura, N., Chancellor, M. B. Current and future pharmacological treatment for overactive bladder. *J Urol*. 2002 Nov; 168: 1897-913
- 40013 Etus, V., Akansel, G., Ilbay, K., Koc, K., Ceylan, S. Multiple sclerosis and coexisting intradural extramedullary spinal cord tumour: a case report. *Neurol Sci*. 2002 Sep; 23: 119-22
- 40014 O'Boyle, A. L., Davis, G. D., Calhoun, B. C. Informed consent and birth: protecting the pelvic floor and ourselves. *Am J Obstet Gynecol*. 2002 Oct; 187: 981-3
- 40015 Bump, R. C. Advising prospective mothers about the maternal morbidity of vaginal childbirth. *Am J Obstet Gynecol*. 2002 Oct; 187: 823
- 40020 Meschia, M., Buonaguidi, A., Pifarotti, P., Somigliana, E., Spennacchio, M., Amicarelli, F. Prevalence of anal incontinence in women with symptoms of urinary incontinence and genital prolapse. *Obstet Gynecol*. 2002 Oct; 100: 719-23
- 40022 Clark, T., Pope, J. C., 4th, Adams, C., Wells, N., Brock, J. W., 3rd Factors that influence outcomes of the Mitrofanoff and Malone antegrade continence enema reconstructive procedures in children. *J Urol*. 2002 Oct; 168: 1537-40; discussion 1540
- 40026 Colvert, J. R., 3rd, Kropp, B. P., Cheng, E. Y., Pope, J. C., 4th, Brock, J. W., 3rd, Adams, M. C., Austin, P., Furness, P. D., 3rd, Koyle, M. A. The use of small intestinal submucosa as an off-the-shelf urethral sling material for pediatric urinary incontinence. *J Urol*. 2002 Oct; 168: 1872-5; discussion 1875-6
- 40027 Caione, P., Capozza, N. Endoscopic treatment of urinary incontinence in pediatric patients: 2- year experience with dextranomer/hyaluronic acid copolymer. *J Urol*. 2002 Oct; 168: 1868-71
- 40028 Lottmann, H. B., Margaryan, M., Bernuy, M., Rouffet, M. J., Bau, M. O., El-Ghoneimi, A., Aigrain, Y., Stenberg, A., Lackgren, G. The effect of endoscopic injections of dextranomer based implants on continence and bladder capacity: a prospective study of 31 patients. *J Urol*. 2002 Oct; 168: 1863-7; discussion 1867
- 40029 Medel, R., Ruarte, A. C., Herrera, M., Castera, R., Podesta, M. L. Urinary continence outcome after augmentation ileocystoplasty as a single surgical procedure in patients with myelodysplasia. *J Urol*. 2002 Oct; 168: 1849-52
- 40030 Capozza, N., Lais, A., Matarazzo, E., Nappo, S., Patricolo, M., Caione, P. Influence of voiding dysfunction on the outcome of endoscopic treatment for vesicoureteral reflux. *J Urol*. 2002 Oct; 168: 1695-8
- 40034 Palmer, M. H., Baumgarten, M., Langenberg, P., Carson, J. L. Risk factors for hospital-acquired incontinence in elderly female hip fracture patients. *J Gerontol A Biol Sci Med Sci*. 2002 Oct; 57: M672-7
- 40036 Goldstein, S. R., Nanavati, N. Adverse events that are associated with the selective estrogen receptor modulator levormeloxifene in an aborted phase III osteoporosis treatment study. *Am J Obstet Gynecol*. 2002 Sep; 187: 521-7
- 40037 Papais-Alvarenga, R. M., Miranda-Santos, C. M., Puccioni-Sohler, M., de Almeida, A. M., Oliveira, S., Basilio De Oliveira, C. A., Alvarenga, H., Poser, C. M. Optic neuromyelitis syndrome in Brazilian patients. *J Neurol Neurosurg Psychiatry*. 2002 Oct; 73: 429-35
- 40039 Rabah, D. M., Spiess, P. E., Begin, L. R., Corcos, J. Tissue reaction of the rabbit urinary bladder to tension-free vaginal tape and porcine small intestinal submucosa. *BJU Int*. 2002 Oct; 90: 601-6
- 40040 Van der Werf, B. A., Creed, K. E. Mechanical properties and innervation of the smooth muscle layers of the urethra of greyhounds. *BJU Int*. 2002 Oct; 90: 588-95



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 40044 Torres, C., Ciocon, J. O., Galindo, D., Ciocon, D. G. Clinical approach to urinary incontinence: a comparison between internists and geriatricians. *Int Urol Nephrol*. 2001; 33: 549-52
- 40047 Simpler solutions for incontinence. *Health News*. 2002 Sep; 8: 9
- 40049 Wilson, T. S., Zimmern, P. E. Urinary incontinence in elderly women. *Contemp Longterm Care*. 2002 Aug; 25: 18-20
- 40050 Kim, H. H., Kang, J., Kwak, C., Byun, S. S., Oh, S. J., Choi, H. Laparoscopy for definite localization and simultaneous treatment of ectopic ureter draining a dysplastic kidney in children. *J Endourol*. 2002 Aug; 16: 363-6
- 40052 Pomfret, I. Developing a multidisciplinary continence service. *Nurs Times*. 2002 Jan 24-30; 98: 48
- 40053 Coyne, K., Revicki, D., Hunt, T., Corey, R., Stewart, W., Bentkover, J., Kurth, H., Abrams, P. Psychometric validation of an overactive bladder symptom and health-related quality of life questionnaire: the OAB-q. *Qual Life Res*. 2002 Sep; 11: 563-74
- 40055 Simeonsson, R. J., McMillen, J. S., Huntington, G. S. Secondary conditions in children with disabilities: spina bifida as a case example. *Ment Retard Dev Disabil Res Rev*. 2002; 8: 198-205
- 40056 Harris, P. F. Medical issues and hormone replacement therapy. *Curr Womens Health Rep*. 2002 Oct; 2: 373-81
- 40058 Thomas, S. Continence in older people: a priority for primary care. *Nurs Stand*. 2001 Mar 7-13; 15: 45-50; quiz 52, 55
- 40059 Woodman, P. J., Graney, D. O. Anatomy and physiology of the female perineal body with relevance to obstetrical injury and repair. *Clin Anat*. 2002 Aug; 15: 321-34
- 40062 De Paepe, H., Renson, C., Hoebeke, P., Raes, A., Van Laecke, E., Vande Walle, J. The role of pelvic-floor therapy in the treatment of lower urinary tract dysfunctions in children. *Scand J Urol Nephrol*. 2002; 36: 260-7
- 40063 Gupta, G., Aronow, W. S. Hormone replacement therapy. An analysis of efficacy based on evidence. *Geriatrics*. 2002 Aug; 57: 18-20, 23-4
- 40064 Endo, J. O., Chen, S., Potter, J. F., Ranno, A. E., Asadullah, S., Lahiri, P. Vitamin B(12) deficiency and incontinence: is there an association?. *J Gerontol A Biol Sci Med Sci*. 2002 Sep; 57: M583-7
- 40072 Haderer, J. M., Pannu, H. K., Genadry, R., Hutchins, G. M. Controversies in female urethral anatomy and their significance for understanding urinary continence: observations and literature review. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 236-52
- 40076 Fleischmann, N., Christ, G., Sclafani, T., Melman, A. The effect of ovariectomy and long-term estrogen replacement on bladder structure and function in the rat. *J Urol*. 2002 Sep; 168: 1265-8
- 40078 Taskinen, S., Valanne, L., Rintala, R. Effect of spinal cord abnormalities on the function of the lower urinary tract in patients with anorectal abnormalities. *J Urol*. 2002 Sep; 168: 1147-9
- 40081 Fujishiro, T., Takahashi, S., Enomoto, H., Ugawa, Y., Ueno, S., Kitamura, T. Magnetic stimulation of the sacral roots for the treatment of urinary frequency and urge incontinence: an investigational study and placebo controlled trial. *J Urol*. 2002 Sep; 168: 1036-9
- 40082 Michel, M. C., Schneider, T., Kregge, S., Goepel, M. Does gender or age affect the efficacy and safety of tolterodine?. *J Urol*. 2002 Sep; 168: 1027-31
- 40083 Corcos, J., Beaulieu, S., Donovan, J., Naughton, M., Gotto, M. Quality of life assessment in men and women with urinary incontinence. *J Urol*. 2002 Sep; 168: 896-905
- 40084 Klotz, R., Joseph, P. A., Ravaud, J. F., Wiart, L., Barat, M. The Tetrafigap Survey on the long-term outcome of tetraplegic spinal cord injured persons: Part III. Medical complications and associated factors. *Spinal Cord*. 2002 Sep; 40: 457-67
- 40085 Chartier-Kastler, E. J., Mozer, P., Denys, P., Bitker, M. O., Haertig, A., Richard, F. Neurogenic bladder management and cutaneous non-continent ileal conduit. *Spinal Cord*. 2002 Sep; 40: 443-8



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 40086 Braverman, A. S., Tallarida, R. J., Ruggieri, M. R., Sr Interaction between muscarinic receptor subtype signal transduction pathways mediating bladder contraction. *Am J Physiol Regul Integr Comp Physiol*. 2002 Sep; 283: R663-8
- 40090 Soulie, M., Seguin, P., Martel, P., Vazzoler, N., Mouly, P., Plante, P. A modified intussuscepted nipple in the Kock pouch urinary diversion: assessment of perioperative complications and functional results. *BJU Int*. 2002 Sep; 90: 397-402
- 40091 Leung, H. Y., Yip, S. K., Cheon, C., Liu, Y. S., Lau, J., Wong, H. K., Chung, K. H. A randomized controlled trial of tolterodine and oxybutynin on tolerability and clinical efficacy for treating Chinese women with an overactive bladder. *BJU Int*. 2002 Sep; 90: 375-80
- 40094 Wu, W. J., Chiang, P. H., Huang, C. H. Retroperitoneal laparoscopic nephrectomy in the treatment of incontinence from ectopic ureter with renal hypoplasia in the child--a case report. *Kaohsiung J Med Sci*. 2001 Dec; 17: 626-9
- 40095 Nixon, G. M., Glazner, J. A., Martin, J. M., Sawyer, S. M. Urinary incontinence in female adolescents with cystic fibrosis. *Pediatrics*. 2002 Aug; 110: e22
- 40096 Girman, C. J., Chandler, J. M., Zimmerman, S. I., Martin, A. R., Hawkes, W., Hebel, J. R., Sloane, P. D., Magaziner, J. Prediction of fracture in nursing home residents. *J Am Geriatr Soc*. 2002 Aug; 50: 1341-7
- 40097 Zannolli, R., Gilman, S., Rossi, S., Volpi, N., Bernini, A., Galluzzi, P., Galimberti, D., Pucci, L., D'Ambrosio, A., Morgese, G., Giannini, F. Hereditary neuronal intranuclear inclusion disease with autonomic failure and cerebellar degeneration. *Arch Neurol*. 2002 Aug; 59: 1319-26
- 40098 Milne, J. The impact of information on health behaviors of older adults with urinary incontinence. *Clin Nurs Res*. 2000 May; 9: 161-76
- 40101 Keil, K. Urogenital atrophy: diagnosis, sequelae, and management. *Curr Womens Health Rep*. 2002 Aug; 2: 305-11
- 40103 Rahman, M., Gafur, M. A., Sarwar, J., Rahman, M. M. Urinary incontinence due to duplication of ureter--a case report. *Mymensingh Med J*. 2002 Jan; 11: 29-31
- 40104 Locher, J. L., Burgio, K. L., Goode, P. S., Roth, D. L., Rodriguez, E. Effects of age and causal attribution to aging on health-related behaviors associated with urinary incontinence in older women. *Gerontologist*. 2002 Aug; 42: 515-21
- 40105 Marret, E., Pruszkowski, O., Deleuze, A., Bonnet, F. Accelerated idioventricular rhythm associated with desflurane administration. *Anesth Analg*. 2002 Aug; 95: 319-21, table of contents
- 40106 Bibliography. Current world literature. Voiding dysfunction and female urology. *Curr Opin Urol*. 2002 Jul; 12: 363-9
- 40111 Soroka, D., Drutz, H. P., Glazener, C. M., Hay-Smith, E. J., Ross, S. Perineal pad test in evaluating outcome of treatments for female incontinence: a systematic review. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 165-75
- 40112 Walter, A. J., Buller, J. L., Davis, G. Variability of reported techniques for performance of the pubovaginal sling procedure. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 160-4; discussion 164
- 40113 Dietz, H. P., Jarvis, S. K., Vancaillie, T. G. The assessment of levator muscle strength: a validation of three ultrasound techniques. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 156-9; discussion 159
- 40115 Choi, I. S. Parkinsonism after carbon monoxide poisoning. *Eur Neurol*. 2002; 48: 30-3
- 40116 Wraige, E., Borzyskowski, M. Investigation of daytime wetting: when is spinal cord imaging indicated?. *Arch Dis Child*. 2002 Aug; 87: 151-5
- 40117 Glazener, C. M., Lapitan, M. C. Urodynamic investigations for management of urinary incontinence in adults. *Cochrane Database Syst Rev*. 2002; : CD003195
- 40120 Anderson, R. C., Grant, J. J., de la Paz, R., Frucht, S., Goodman, R. R. Volumetric measurements in the detection of reduced ventricular volume in patients with normal-pressure hydrocephalus whose clinical condition improved after ventriculoperitoneal shunt placement. *J Neurosurg*. 2002 Jul; 97: 73-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 40121** De Ganck, J., Everaert, K., Van Laecke, E., Oosterlinck, W., Hoebeke, P. A high easy-to-treat complication rate is the price for a continent stoma. *BJU Int.* 2002 Aug; 90: 240-3
- 40123** Shaw, C., Matthews, R. J., Perry, S. I., Assassa, R. P., Williams, K., McGrother, C., Dallosso, H., Jagger, C., Mayne, C., Clarke, M. Validity and reliability of an interviewer-administered questionnaire to measure the severity of lower urinary tract symptoms of storage abnormality: the Leicester Urinary Symptom Questionnaire. *BJU Int.* 2002 Aug; 90: 205-15
- 40124** Holmes, N. M., Coplen, D. E., Strand, W., Husmann, D., Baskin, L. S. Is bladder dysfunction and incontinence associated with ureterocele congenital or acquired?. *J Urol.* 2002 Aug; 168: 718-9
- 40126** Dmochowski, R. R., Davila, G. W., Zinner, N. R., Gittelman, M. C., Saltzstein, D. R., Lyttle, S., Sanders, S. W. Efficacy and safety of transdermal oxybutynin in patients with urge and mixed urinary incontinence. *J Urol.* 2002 Aug; 168: 580-6
- 40127** Silva, C., Ribeiro, M. J., Cruz, F. The effect of intravesical resiniferatoxin in patients with idiopathic detrusor instability suggests that involuntary detrusor contractions are triggered by C-fiber input. *J Urol.* 2002 Aug; 168: 575-9
- 40128** Kalita, J., Shah, S., Kapoor, R., Misra, U. K. Bladder dysfunction in acute transverse myelitis: magnetic resonance imaging and neurophysiological and urodynamic correlations. *J Neurol Neurosurg Psychiatry.* 2002 Aug; 73: 154-9
- 40139** Hullfish, K. L., Bovbjerg, V. E., Gibson, J., Steers, W. D. Patient-centered goals for pelvic floor dysfunction surgery: what is success, and is it achieved?. *Am J Obstet Gynecol.* 2002 Jul; 187: 88-92
- 40141** Elia, G., Bergman, J., Dye, T. D. Familial incidence of urinary incontinence. *Am J Obstet Gynecol.* 2002 Jul; 187: 53-5
- 40145** Pursley, H. G., Kwolek, D. S. A women's health track for internal medicine residents using evidence-based medicine. *Acad Med.* 2002 Jul; 77: 743-4
- 40146** Donato, D. M., Waller-Smith, S. The vaginal-psoas suspension repair of uterovaginal prolapse. *J Am Coll Surg.* 2002 Jul; 195: 51-4
- 40147** Heit, M., Mudd, K., Culligan, P. Prevention of childbirth injuries to the pelvic floor. *Curr Womens Health Rep.* 2001 Aug; 1: 72-80
- 40150** Valente, E. M., Brancati, F., Caputo, V., Bertini, E., Patrono, C., Costanti, D., Dallapiccola, B. Novel locus for autosomal dominant pure hereditary spastic paraplegia (SPG19) maps to chromosome 9q33-q34. *Ann Neurol.* 2002 Jun; 51: 681-5
- 40151** Savolainen, S., Hurskainen, H., Paljarvi, L., Alafuzoff, I., Vapalahti, M. Five-year outcome of normal pressure hydrocephalus with or without a shunt: predictive value of the clinical signs, neuropsychological evaluation and infusion test. *Acta Neurochir (Wien).* 2002 Jun; 144: 515-23; discussion 523
- 40153** Baskerville, J. R., McAninch, S. A. Focal lingual dystonia, urinary incontinence, and sensory deficits secondary to low voltage electrocution: case report and literature review. *Emerg Med J.* 2002 Jul; 19: 368-71
- 40157** Warshaw, E., Nix, D., Kula, J., Markon, C. E. Clinical and cost effectiveness of a cleanser protectant lotion for treatment of perineal skin breakdown in low-risk patients with incontinence. *Ostomy Wound Manage.* 2002 Jun; 48: 44-51
- 40166** Hay-Smith, J., Herbison, P., Morkved, S. Physical therapies for prevention of urinary and faecal incontinence in adults. *Cochrane Database Syst Rev.* 2002; : CD003191
- 40169** Kreder, K., Mayne, C., Jonas, U. Long-term safety, tolerability and efficacy of extended-release tolterodine in the treatment of overactive bladder. *Eur Urol.* 2002 Jun; 41: 588-95
- 40170** Berghmans, B., van Waalwijk van Doorn, E., Nieman, F., de Bie, R., van den Brandt, P., Van Kerrebroeck, P. Efficacy of physical therapeutic modalities in women with proven bladder overactivity. *Eur Urol.* 2002 Jun; 41: 581-7
- 40174** Cooper, P., Gray, D. Comparison of two skin care regimes for incontinence. *Br J Nurs.* 2001 Mar; 10: S6, S8, S10 passim

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 40175 Singer, M. A., Cintron, J. R., Fleshman, J. W., Chaudhry, V., Birnbaum, E. H., Read, T. E., Spitz, J. S., Abcarian, H. Early experience with stapled hemorrhoidectomy in the United States. *Dis Colon Rectum*. 2002 Mar; 45: 360-7; discussion 367-9
- 40176 Armstrong, D. N., Frankum, C., Schertzer, M. E., Ambroze, W. L., Orangio, G. R. Harmonic scalpel hemorrhoidectomy: five hundred consecutive cases. *Dis Colon Rectum*. 2002 Mar; 45: 354-9
- 40179 Brennan, M. L., Evans, A. Why catheterize?: audit findings on the use of urinary catheters. *Br J Nurs*. 2001 May 10-23; 10: 580-90
- 40180 Dixon, G. R., Friedman, J. A., Luetmer, P. H., Quast, L. M., McClelland, R. L., Petersen, R. C., Maher, C. O., Ebersold, M. J. Use of cerebrospinal fluid flow rates measured by phase-contrast MR to predict outcome of ventriculoperitoneal shunting for idiopathic normal- pressure hydrocephalus. *Mayo Clin Proc*. 2002 Jun; 77: 509-14
- 40181 Sander, P., Mouritsen, L., Andersen, J. T., Fischer-Rasmussen, W. Should measurement of maximum urinary flow rate and residual urine volume be a part of a 'minimal care' assessment programme in female incontinence?. *Scand J Urol Nephrol*. 2002; 36: 124-7
- 40182 Eastwood, S., Kralik, D., Koch, T. Compromising and containing: self-management strategies used by men and women who live with multiple sclerosis and urinary incontinence. *Aust J Holist Nurs*. 2002 Apr; 9: 33-43
- 40184 Tincello, D. G., Alfirevic, Z. Important clinical outcomes in urogynecology: views of patients, nurses and medical staff. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 96-8; discussion 98
- 40187 Mortensen, S., Lose, G., Thyssen, H. Repeatability of cystometry and pressure-flow parameters in female patients. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002; 13: 72-5
- 40195 Thompson, J. F., Roberts, C. L., Currie, M., Ellwood, D. A. Prevalence and persistence of health problems after childbirth: associations with parity and method of birth. *Birth*. 2002 Jun; 29: 83-94
- 40199 Dowd, T., Kolcaba, K., Steiner, R. Correlations among measures of bladder function and comfort. *J Nurs Meas*. 2002 Spring-Summer; 10: 27-38
- 40201 Borrie, M. J., Bawden, M., Speechley, M., Kloseck, M. Interventions led by nurse continence advisers in the management of urinary incontinence: a randomized controlled trial. *CMAJ*. 2002 May 14; 166: 1267-73
- 40202 Brown, J. S. Epidemiology and changing demographics of overactive bladder: a focus on the postmenopausal woman. *Geriatrics*. 2002 May; 57 Suppl 1: 6-12
- 40203 Dmochowski, R. R. Management of postoperative overactive bladder complications. *Geriatrics*. 2002 May; 57 Suppl 1: 18-23
- 40204 DuBeau, C. E. The continuum of urinary incontinence in an aging population. *Geriatrics*. 2002 May; 57 Suppl 1: 12-7
- 40208 Specht, J. K., Lyons, S. S., Maas, M. L. Patterns and treatments of Urinary incontinence on special care units. *J Gerontol Nurs*. 2002 May; 28: 13-21
- 40209 Lake, D. Catheter care. *Nurs Stand*. 2000 Oct 18-24; 15: 26
- 40210 Ho, N. C., Hadley, D. W., Jain, P. K., Francomano, C. A. Case 47: dural ectasia associated with Marfan syndrome. *Radiology*. 2002 Jun; 223: 767-71
- 40211 Ng, S. C., Chen, Y. C., Lin, L. Y., Chen, G. D. Anorectal dysfunction in women with urinary incontinence or lower urinary tract symptoms. *Int J Gynaecol Obstet*. 2002 May; 77: 139-45
- 40213 Baseman, A. G., Baseman, J. G., Zimmern, P. E., Lemack, G. E. Effect of 6F urethral catheterization on urinary flow rates during repeated pressure-flow studies in healthy female volunteers. *Urology*. 2002 Jun; 59: 843-6
- 40215 Chiarelli, P., Cockburn, J. Promoting urinary continence in women after delivery: randomised controlled trial. *BMJ*. 2002 May 25; 324: 1241
- 40216 Brubaker, L. Postpartum urinary incontinence. *BMJ*. 2002 May 25; 324: 1227-8

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 40218 Wang, P. S., Levin, R., Zhao, S. Z., Avorn, J. Urinary antispasmodic use and the risks of ventricular arrhythmia and sudden death in older patients. *J Am Geriatr Soc.* 2002 Jan; 50: 117-24
- 40220 Zinner, N. R., Mattiasson, A., Stanton, S. L. Efficacy, safety, and tolerability of extended-release once-daily tolterodine treatment for overactive bladder in older versus younger patients. *J Am Geriatr Soc.* 2002 May; 50: 799-807
- 40221 Saltvedt, I., Mo, E. S., Fayers, P., Kaasa, S., Sletvold, O. Reduced mortality in treating acutely sick, frail older patients in a geriatric evaluation and management unit. A prospective randomized trial. *J Am Geriatr Soc.* 2002 May; 50: 792-8
- 40223 Perez, M. A., Skinner, E. C., Meyerowitz, B. E. Sexuality and intimacy following radical prostatectomy: patient and partner perspectives. *Health Psychol.* 2002 May; 21: 288-93
- 40225 Kirkman, S. The midwife and pelvic floor dysfunction. *Pract Midwife.* 2000 Sep; 3: 20-2
- 40229 Barthet, M., Bellon, P., Abou, E., Portier, F., Berdah, S., Lesavre, N., Orsoni, P., Bouvier, M., Grimaud, J. C. Anal endosonography for assessment of anal incontinence with a linear probe: relationships with clinical and manometric features. *Int J Colorectal Dis.* 2002 Mar; 17: 123-8
- 40234 Leighton, B. L., Halpern, S. H. The effects of epidural analgesia on labor, maternal, and neonatal outcomes: a systematic review. *Am J Obstet Gynecol.* 2002 May; 186: S69-77
- 40236 Kato, H., Igawa, Y., Komiyama, I., Nishizawa, O. Continent urinary reservoir formation with transverse colon for patients with pelvic irradiation. *Int J Urol.* 2002 Apr; 9: 200-3
- 40237 Potter, J. M., Duffy, P. G., Gordon, E. M., Malone, P. R. Detrusor myotomy: a 5-year review in unstable and non-compliant bladders. *BJU Int.* 2002 Jun; 89: 932-5
- 40238 Marte, A., Di Meglio, D., Cotrufo, A. M., Di Iorio, G., De Pasquale, M., Vessella, A. A long-term follow-up of autoaugmentation in myelodysplastic children. *BJU Int.* 2002 Jun; 89: 928-31
- 40239 Pohl, H. G., Bauer, S. B., Borer, J. G., Diamond, D. A., Kelly, M. D., Grant, R., Briscoe, C. J., Doonan, G., Retik, A. B. The outcome of voiding dysfunction managed with clean intermittent catheterization in neurologically and anatomically normal children. *BJU Int.* 2002 Jun; 89: 923-7
- 40241 Ong, L. C., Lim, Y. N., Sofiah, A. Malaysian children with spina bifida: relationship between functional outcome and level of lesion. *Singapore Med J.* 2002 Jan; 43: 012-7
- 40242 Ammini, A. C., Gupta, R., Kapoor, A., Karak, A., Kriplani, A., Gupta, D. K., Kucheria, K. Etiology, clinical profile, gender identity and long-term follow up of patients with ambiguous genitalia in India. *J Pediatr Endocrinol Metab.* 2002 Apr; 15: 423-30
- 40243 Vickerman, J. The role of the occupational therapist in continence care. *Nurs Times.* 2002 Apr 23-29; 98: 52
- 40244 Leighton, B. L., Halpern, S. H. Epidural analgesia: effects on labor progress and maternal and neonatal outcome. *Semin Perinatol.* 2002 Apr; 26: 122-35
- 40245 Lehtoranta, K., Tainio, H., Lukkari-Lax, E., Hakonen, T., Tammela, T. L. Pharmacokinetics, efficacy, and safety of intravesical formulation of oxybutynin in patients with detrusor overactivity. *Scand J Urol Nephrol.* 2002 Feb; 36: 18-24
- 40247 Rovner, E. S., Wein, A. J. Once-daily, extended-release formulations of antimuscarinic agents in the treatment of overactive bladder: a review. *Eur Urol.* 2002 Jan; 41: 6-14
- 40251 Subak, L. L., Johnson, C., Whitcomb, E., Boban, D., Saxton, J., Brown, J. S. Does weight loss improve incontinence in moderately obese women?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 40-3
- 40254 Thyssen, H. H., Clevin, L., Olesen, S., Lose, G. Urinary incontinence in elite female athletes and dancers. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002; 13: 15-7
- 40255 Bush, T. A., Castellucci, D. T., Phillips, C. Exploring women's beliefs regarding urinary incontinence. *Urol Nurs.* 2001 Jun; 21: 211-8
- 40256 Market research on urinary incontinence offers insightful findings. *Urol Nurs.* 2001 Dec; 21: 413

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Procite Number

- 40257 Meade-D'Alisera, P., Merriweather, T., Wentland, M. Impact of commercial marketing on patient demand. Urol Nurs. 2001 Dec; 21: 406-7, 410
- 40258 Abdelghany, S., Hughes, J., Lammers, J., Wellbrock, B., Buffington, P. J., Shank, R. A., 3rd Biofeedback and electrical stimulation therapy for treating urinary incontinence and voiding dysfunction: one center's experience. Urol Nurs. 2001 Dec; 21: 401-5, 410
- 40260 Broome, B. A. Psychometric analysis of the Broome Pelvic Muscle Self-Efficacy Scale in African-American women with incontinence. Urol Nurs. 2001 Aug; 21: 289-97
- 40261 Reilly, N. A matter of life or death. Urol Nurs. 2001 Apr; 21: 68
- 40264 Hayn, M. A., Greco, S. J., Capuano, K., Byrnes, A. Compliance with pelvic floor exercise program: maintaining bladder symptom relief. Urol Nurs. 2000 Apr; 20: 129-31
- 40265 Kincade, J. E., Peckous, B. K., Busby-Whitehead, J. A pilot study to determine predictors of behavioral treatment completion for urinary incontinence. Urol Nurs. 2001 Feb; 21: 39-44
- 40266 Newton, M., Kosier, J. H., Smith, D. Treatments for overactive bladder. Urol Nurs. 2000 Aug; 20: 267-8
- 40267 Butler, L., Downe-Wamboldt, B., Marsh, S., Bell, D., Jarvi, K. Behind the scenes: partners' perceptions of quality of life post radical prostatectomy. Urol Nurs. 2000 Aug; 20: 254-8
- 40270 Heuser, M., Zoller, G., Seseke, F., Zappel, H., Ringert, R. H. Bladder dysfunction in children with bilateral single ectopic ureters. J Pediatr Surg. 2002 May; 37: E15
- 40272 Langa, K. M., Fultz, N. H., Saint, S., Kabeto, M. U., Herzog, A. R. Informal caregiving time and costs for urinary incontinence in older individuals in the United States. J Am Geriatr Soc. 2002 Apr; 50: 733-7
- 40273 Patel, M. D., Coshall, C., Rudd, A. G., Wolfe, C. D. Cognitive impairment after stroke: clinical determinants and its associations with long-term stroke outcomes. J Am Geriatr Soc. 2002 Apr; 50: 700-6
- 40274 Bryant, C. M., Dowell, C. J., Fairbrother, G. Caffeine reduction education to improve urinary symptoms. Br J Nurs. 2002 Apr 25-May 8; 11: 560-5
- 40276 Schlienger, R. G., Keller, M. J., Krahenbuhl, S. Tolterodine-associated acute mixed liver injury. Ann Pharmacother. 2002 May; 36: 817-9
- 40278 Evans, R. W., Nasir, N., Jr Case report: Dr. Lecter's convulsive syncope. MedGenMed. 2001 Oct 1; 3: 7
- 40279 Starr, C. H. Eroding the quality of life. Bus Health. 2002 Spring; Spec No: 8-10, 14, 23-4
- 40280 Starr, C. H. The numbers lie. Bus Health. 2002 Spring; Spec No: 4-7, 23
- 40281 Starr, C. H. Getting the word out. Bus Health. 2002 Spring; Spec No: 20-2, 24
- 40282 Starr, C. H. Treatment can lead to a long dry spell. Bus Health. 2002 Spring; Spec No: 15-9, 24
- 40284 Wilcox, D. T. The management of urinary incontinence in the exstrophy complex, posterior urethral valves, and infraspincteric ureters. Semin Pediatr Surg. 2002 May; 11: 128-33
- 40285 van Gool, J. D. Enuresis and incontinence in children. Semin Pediatr Surg. 2002 May; 11: 100-7
- 40286 Boemers, T. M. Urinary incontinence and vesicourethral dysfunction in pediatric surgical conditions. Semin Pediatr Surg. 2002 May; 11: 91-9
- 40289 Brown, J. S., Waetjen, L. E., Subak, L. L., Thom, D. H., Van den Eeden, S., Vittinghoff, E. Pelvic organ prolapse surgery in the United States, 1997. Am J Obstet Gynecol. 2002 Apr; 186: 712-6
- 40290 Sanders, C., Driver, C. P., Rickwood, A. M. The anocutaneous reflex and urinary continence in children with myelomeningocele. BJU Int. 2002 May; 89: 720-1
- 40293 Wilkins, K. Medications and fall-related fractures in the elderly. Health Rep. 1999 Summer; 11: 45-53(Eng); 49-58(Fre)
- 40295 Vernon, T. Managing excoriation. Nurs Times. 2000 Jul 20; 96: 12



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 40296 Dallosso, H. Lower urinary tract symptoms: why incidence rates are vital. *Nurs Times*. 2001 May 17-23; 97: 72
- 40297 Rigby, D., Whelan, L. Parkinson's disease and the nurse's role in continence assessment. *Nurs Times*. 2001 May 17-23; 97: 64-5
- 40298 White, H., Holland, D. Looking good and feeling good: clothes to help promote continence. *Nurs Times*. 2001 May 17-23; 97: 60-1
- 40300 Rigby, D., Whelan, L. Parkinson's disease--continence management. *Nurs Times*. 2001 Jul 26-Aug 1; 97: 65-6
- 40301 Mueller, C., Cain, H. Comprehensive management of urinary incontinence through quality improvement efforts. *Geriatr Nurs*. 2002 Mar-Apr; 23: 82-7
- 40302 Mather, K. F., Bakas, T. Nursing assistants' perceptions of their ability to provide continence care. *Geriatr Nurs*. 2002 Mar-Apr; 23: 76-81
- 40303 Petrou, S. P., Jones, J., Parra, R. O. Martius flap harvest site: patient self-perception. *J Urol*. 2002 May; 167: 2098-9
- 40305 Kjerulff, K. H., Langenberg, P. W., Greenaway, L., Uman, J., Harvey, L. A. Urinary incontinence and hysterectomy in a large prospective cohort study in American women. *J Urol*. 2002 May; 167: 2088-92
- 40307 Costa, J. A., Kreder, K. J., Howe, J. R. Combined urinary and fecal diversion using a no bowel anastomosis technique. *J Urol*. 2002 May; 167: 2063-5
- 40308 Addison, R., Roberts, J. Female devices: are your patients missing out?. *Nurs Times*. 2001 Feb 8-14; 97: III-V
- 40310 Todd, L. T., Jr, Yaszemski, M. J., Currier, B. L., Fuchs, B., Kim, C. W., Sim, F. H. Bowel and bladder function after major sacral resection. *Clin Orthop*. 2002 Apr; : 36-9
- 40311 Jayne, D. G., Botterill, I., Ambrose, N. S., Brennan, T. G., Guillou, P. J., O'Riordain, D. S. Randomized clinical trial of Ligasure versus conventional diathermy for day-case haemorrhoidectomy. *Br J Surg*. 2002 Apr; 89: 428-32
- 40312 Hvidman, L., Foldspang, A., Mommsen, S., Bugge Nielsen, J. Does urinary incontinence occurrence depend on the menstrual cycle phase?. *Acta Obstet Gynecol Scand*. 2002 Apr; 81: 347-50
- 40314 Montoya, A., Weiss, A. P., Price, B. H., Cassem, E. H., Dougherty, D. D., Nierenberg, A. A., Rauch, S. L., Cosgrove, G. R. Magnetic resonance imaging-guided stereotactic limbic leukotomy for treatment of intractable psychiatric disease. *Neurosurgery*. 2002 May; 50: 1043-9; discussion 1049-52
- 40318 Ishizuka, O., Gu, B., Igawa, Y., Nishizawa, O., Pehrson, R., Andersson, K. E. Role of supraspinal serotonin receptors for micturition in normal conscious rats. *Neurourol Urodyn*. 2002; 21: 225-30
- 40320 Corcos, J., Behloul, H., Beaulieu, S. Identifying cut-off scores with neural networks for interpretation of the incontinence impact questionnaire. *Neurourol Urodyn*. 2002; 21: 198-203
- 40321 Bogner, H. R., Gallo, J. J., Sammel, M. D., Ford, D. E., Armenian, H. K., Eaton, W. W. Urinary incontinence and psychological distress in community-dwelling older adults. *J Am Geriatr Soc*. 2002 Mar; 50: 489-95
- 40324 Fitzgerald, S. T., Palmer, M. H., Kirkland, V. L., Robinson, L. The impact of urinary incontinence in working women: a study in a production facility. *Women Health*. 2002; 35: 1-16
- 40325 Hannah, M. E., Hannah, W. J., Hodnett, E. D., Chalmers, B., Kung, R., Willan, A., Amankwah, K., Cheng, M., Helewa, M., Hewson, S., Saigal, S., Whyte, H., Gafni, A. Outcomes at 3 months after planned cesarean vs planned vaginal delivery for breech presentation at term: the international randomized Term Breech Trial. *JAMA*. 2002 Apr 10; 287: 1822-31
- 40326 Henningsohn, L., Wijkstrom, H., Dickman, P. W., Bergmark, K., Steineck, G. Distressful symptoms after radical radiotherapy for urinary bladder cancer. *Radiother Oncol*. 2002 Feb; 62: 215-25
- 40328 Miller, J. A. Urinary incontinence: a classification system and treatment protocols for the primary care provider. *J Am Acad Nurse Pract*. 2000 Sep; 12: 374-9
- 40330 Murphy, M. L., Pichichero, M. E. Prospective identification and treatment of children with pediatric autoimmune neuropsychiatric disorder associated with group A streptococcal infection (PANDAS). *Arch Pediatr Adolesc Med*. 2002 Apr; 156: 356-61



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 40332** Hsu, T. H., Rackley, R. R., Abdelmalak, J. B., Madjar, S., Vasavada, S. P. Novel technique for combined repair of postirradiation vesicovaginal fistula and augmentation ileocystoplasty. *Urology*. 2002 Apr; 59: 597-9
- 40334** Joshi, H. B., Okeke, A., Newns, N., Keeley, F. X., Jr, Timoney, A. G. Characterization of urinary symptoms in patients with ureteral stents. *Urology*. 2002 Apr; 59: 511-6
- 40338** Xu, Y. M., Qiao, Y., Sa, Y. L., Zhang, J., Li, T., Zhang, X. R., Chen, Z. Study of efferent tube suspension as a continent diversion mechanism. an experimental study in dogs. *Urol Int*. 2002; 68: 193-6
- 40340** Ferrara, P., D'Aleo, C., Ruggiero, A., Paoletti, F. P., Chiozza, M. L., Plebani, M., Caione, P., Del Gado, R., Salvaggio, E. Plasma antidiuretic hormone levels in children with spina bifida. *Urol Int*. 2002; 68: 144-7
- 40341** Kumar, R., Bansal, K. K., Chhabra, D. K. Occurrence of split cord malformation in meningomyelocele: complex spina bifida. *Pediatr Neurosurg*. 2002 Mar; 36: 119-27
- 40343** Giannantoni, A., Di Stasi, S. M., Stephen, R. L., Navarra, P., Scivoletto, G., Mearini, E., Porena, M. Intravesical capsaicin versus resiniferatoxin in patients with detrusor hyperreflexia: a prospective randomized study. *J Urol*. 2002 Apr; 167: 1710-4
- 40344** Pettersen, R., Dahl, T., Wyller, T. B. Prediction of long-term functional outcome after stroke rehabilitation. *Clin Rehabil*. 2002 Mar; 16: 149-59
- 40346** Rawlings, C. A. Colposuspension as a treatment for urinary incontinence in spayed dogs. *J Am Anim Hosp Assoc*. 2002 Mar-Apr; 38: 107-10
- 40347** Brown, W. J., Miller, Y. D. Too wet to exercise? Leaking urine as a barrier to physical activity in women. *J Sci Med Sport*. 2001 Dec; 4: 373-8
- 40351** Bayliss, V., Cherry, M., Locke, R., Salter, L. Pathways for continence care: background and audit. *Br J Nurs*. 2000 May 11-24; 9: 590-2, 594, 596
- 40353** Topsakal, C., Kaplan, M., Erol, F., Cetin, H., Ozercan, I. Unusual arachnoid cyst of the quadrigeminal cistern in an adult presenting with apneic spells and normal pressure hydrocephalus--case report. *Neurol Med Chir (Tokyo)*. 2002 Jan; 42: 44-50
- 40354** Muller, N. Promoting urinary health. *Provider*. 2002 Mar; 28: 51-3
- 40355** Koch, T., Kelly, S. Understanding what is important for women who live with multiple sclerosis. *Aust J Holist Nurs*. 1999 Apr; 6: 14-24
- 40357** Sloane, K. Continence promotion during pregnancy. *Aust Nurs J*. 2000 Aug; 8: 32
- 40358** Leaver, R., Pressland, D. Intermittent self-catheterisation in urinary tract reconstruction. *Br J Community Nurs*. 2001 May; 6: 253-8
- 40362** Blanes, L., Pinto Rde, C., Santos, V. L. Urinary incontinence knowledge and attitudes in Sao Paulo. *Ostomy Wound Manage*. 2001 Dec; 47: 43-51
- 40363** Schulz, J. A. Assessing and treating pelvic organ prolapse. *Ostomy Wound Manage*. 2001 May; 47: 54-9
- 40364** Capewell, A. Target treatment of female urinary dysfunction. *Lancet*. 2002 Mar 2; 359: 801
- 40365** Molloy, W. B. Target treatment of female urinary dysfunction. *Lancet*. 2002 Mar 2; 359: 800-1
- 40367** Robinson, J. P. Phases of the qualitative research interview with institutionalized elderly individuals. *J Gerontol Nurs*. 2000 Nov; 26: 17-23
- 40370** Golliot, F., Astagneau, P., Cassou, B., Okra, N., Rothan-Tondeur, M., Brucker, G. Nosocomial infections in geriatric long-term-care and rehabilitation facilities: exploration in the development of a risk index for epidemiological surveillance. *Infect Control Hosp Epidemiol*. 2001 Dec; 22: 746-53
- 40372** Nuotio, M., Jylha, M., Luukkaala, T., Tammela, T. L. Urgency, urge incontinence and voiding symptoms in men and women aged 70 years and over. *BJU Int*. 2002 Mar; 89: 350-5
- 40375** Tsuji, T., Matsuyama, Y., Sato, K., Iwata, H. Infantile spinal cord tumor: diagnostic difficulties. A case report. *J Pediatr Orthop B*. 2002 Jan; 11: 1-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 40376** Senior, J. Clean intermittent self-catheterisation and children. *Br J Community Nurs.* 2001 Aug; 6: 381-6
- 40377** Cogan, S. L., Weber, A. M., Hammel, J. P. Is urethral mobility really being assessed by the pelvic organ prolapse quantification (POP-Q) system?. *Obstet Gynecol.* 2002 Mar; 99: 473-6
- 40378** Piloni, V. Dynamic imaging of pelvic floor with transperineal sonography. *Tech Coloproctol.* 2001 Aug; 5: 103-5
- 40379** Griffiths, D. J., McCracken, P. N., Harrison, G. M., Gormley, E. A., Moore, K. N. Urge incontinence and impaired detrusor contractility in the elderly. *Neurourol Urodyn.* 2002; 21: 126-31
- 40381** Eke, N. Urological complications of coitus. *BJU Int.* 2002 Feb; 89: 273-7
- 40383** Finkelstein, M. M. Medical conditions, medications, and urinary incontinence. Analysis of a population-based survey. *Can Fam Physician.* 2002 Jan; 48: 96-101
- 40384** Swanson, J. G., Skelly, J., Hutchison, B., Kaczorowski, J. Urinary incontinence in Canada. National survey of family physicians' knowledge, attitudes, and practices. *Can Fam Physician.* 2002 Jan; 48: 86-92
- 40385** Borrie, M. J., Valiquette, L. Managing adults with urinary incontinence. Clinical practice guidelines. *Can Fam Physician.* 2002 Jan; 48: 114-6
- 40387** Beer-Gabel, M., Teshler, M., Barzilai, N., Lurie, Y., Malnick, S., Bass, D., Zbar, A. Dynamic transperineal ultrasound in the diagnosis of pelvic floor disorders: pilot study. *Dis Colon Rectum.* 2002 Feb; 45: 239-45; discussion 245-8
- 40389** Skeil, D., Thorpe, A. C. Transcutaneous electrical nerve stimulation in the treatment of neurological patients with urinary symptoms. *BJU Int.* 2001 Dec; 88: 899-908
- 40390** Samuelsson, E., Mansson, L., Milsom, I. Incontinence aids in Sweden: users and costs. *BJU Int.* 2001 Dec; 88: 893-8
- 40395** Sugerman, H. J. Bariatric surgery for severe obesity. *J Assoc Acad Minor Phys.* 2001 Jul; 12: 129-36
- 40396** Hafez, A. T., McLorie, G., Bagli, D., Khoury, A. A single-centre long-term outcome analysis of artificial urinary sphincter placement in children. *BJU Int.* 2002 Jan; 89: 82-5
- 40398** Dhar, H. L. Gender, aging, health and society. *J Assoc Physicians India.* 2001 Oct; 49: 1012-20
- 40399** Jirovec, M. M., Jenkins, J., Isenberg, M., Baiardi, J. Urine control theory derived from Roy's conceptual framework. *Nurs Sci Q.* 1999 Jul; 12: 251-5
- 40401** Merkelj, I. Basic assessment of urinary incontinence. *South Med J.* 2002 Feb; 95: 178-82
- 40403** Clarke-O'Neill, S., Pettersson, L., Fader, M., Dean, G., Brooks, R., Cottenden, A. A multicentre comparative evaluation: washable pants with an integral pad for light incontinence. *J Clin Nurs.* 2002 Jan; 11: 79-89
- 40404** Telford, C. Understanding the problem of urinary incontinence. *JAAPA.* 2002 Jan; 15: 45-50
- 40405** Prayson, R. A., Chowdhary, S., Woodhouse, S., Hanson, M., Nair, S. Collision of a syncytial meningioma and malignant astrocytoma. *Ann Diagn Pathol.* 2002 Feb; 6: 44-8
- 40406** Controlling urinary incontinence. *Aust Fam Physician.* 2002 Jan; 31: 88-93
- 40407** Sexuality and reproductive issues. *Aust Fam Physician.* 2002 Jan; 31: 102-5
- 40410** Agut, A., Fernandez del Palacio, M. J., Laredo, F. G., Murciano, J., Bayon, A., Soler, M. Unilateral renal agenesis associated with additional congenital abnormalities of the urinary tract in a Pekinese bitch. *J Small Anim Pract.* 2002 Jan; 43: 32-5
- 40411** Kerschman-Schindl, K., Uher, E., Wiesinger, G., Kaider, A., Ebenbichler, G., Nicolakis, P., Kollmitzer, J., Preisinger, E., Fialka-Moser, V. Reliability of pelvic floor muscle strength measurement in elderly incontinent women. *Neurourol Urodyn.* 2002; 21: 42-7
- 40415** Gomes, C. M., Trigo-Rocha, F., Arap, M. A., Gabriel, A. J., Alaor de Figueiredo, J., Arap, S. Schistosomal myelopathy: urologic manifestations and urodynamic findings. *Urology.* 2002 Feb; 59: 195-200

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 40417** Barton, D. L., Loprinzi, C., Gostout, B. Current management of menopausal symptoms in cancer patients. *Oncology (Huntingt)*. 2002 Jan; 16: 67-72, 74; discussion 75-6, 79-80
- 40418** Melton, L. Targeted treatment for incontinence beckons. *Lancet*. 2002 Jan 26; 359: 326
- 40419** DiSaia, P. J., Brewster, W. R. Hormone replacement therapy for survivors of breast and endometrial cancer. *Curr Oncol Rep*. 2002 Mar; 4: 152-8
- 40420** Nomura, S., Ishido, T., Tanaka, K., Komiya, A. Augmentation ileocystoplasty in patients with neurogenic bladder due to spinal cord injury or spina bifida. *Spinal Cord*. 2002 Jan; 40: 30-3
- 40421** Hicken, B. L., Putzke, J. D., Richards, J. S. Bladder management and quality of life after spinal cord injury. *Am J Phys Med Rehabil*. 2001 Dec; 80: 916-22
- 40423** Shaw, C. A review of the psychosocial predictors of help-seeking behaviour and impact on quality of life in people with urinary incontinence. *J Clin Nurs*. 2001 Jan; 10: 15-24
- 40426** Nelson, R., Furner, S., Jesudason, V. Urinary incontinence in Wisconsin skilled nursing facilities: prevalence and associations in common with fecal incontinence. *J Aging Health*. 2001 Nov; 13: 539-47
- 40427** Cochrane, D. D., Irwin, B., Chambers, K. Clinical outcomes that fetal surgery for myelomeningocele needs to achieve. *Eur J Pediatr Surg*. 2001 Dec; 11 Suppl 1: S18-20
- 40428** Koch, T., Kralik, D., Eastwood, S., Schofield, A. Breaking the silence: women living with multiple sclerosis and urinary incontinence. *Int J Nurs Pract*. 2001 Feb; 7: 16-23
- 40429** Brazzelli, M., Shirran, E., Vale, L. Absorbent products for containing urinary and/or fecal incontinence in adults. *J Wound Ostomy Continence Nurs*. 2002 Jan; 29: 45-54
- 40430** Thompson, D. L. The national coverage decision for reimbursement for biofeedback and pelvic floor electrical stimulation for treatment of urinary incontinence. *J Wound Ostomy Continence Nurs*. 2002 Jan; 29: 11-9
- 40431** Palmer, M. H. Urinary incontinence in nursing homes. *J Wound Ostomy Continence Nurs*. 2002 Jan; 29: 4-5
- 40432** Mandigers, R. J., Nell, T. Treatment of bitches with acquired urinary incontinence with oestriol. *Vet Rec*. 2001 Dec 22-29; 149: 764-7
- 40433** Dougherty, M. C., Dwyer, J. W., Pendergast, J. F., Boyington, A. R., Tomlinson, B. U., Coward, R. T., Duncan, R. P., Vogel, B., Rooks, L. G. A randomized trial of behavioral management for continence with older rural women. *Res Nurs Health*. 2002 Feb; 25: 3-13
- 40434** Rizk, D. E. Epidemiology consequences and natural history of urinary incontinence in non-caucasian women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 413
- 40435** Madjar, S., Gousse, A. Postirradiation vesicovaginal fistula completely resolved with conservative treatment. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 405-6
- 40440** Elia, G., Dye, T. D., Scariati, P. D. Body mass index and urinary symptoms in women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 366-9
- 40441** Rogers, G. R., Villarreal, A., Kammerer-Doak, D., Qualls, C. Sexual function in women with and without urinary incontinence and/or pelvic organ prolapse. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001; 12: 361-5
- 40442** Gerharz, E. W., Kohl, U. N., Melekos, M. D., Bonfig, R., Weingartner, K., Riedmiller, H. Ten years' experience with the submucosally embedded in situ appendix in continent cutaneous diversion. *Eur Urol*. 2001 Dec; 40: 625-31
- 40443** Hammel, S. P., Bjorling, D. E. Results of vulvoplasty for treatment of recessed vulva in dogs. *J Am Anim Hosp Assoc*. 2002 Jan-Feb; 38: 79-83
- 40444** Lautzenhiser, S. J., Bjorling, D. E. Urinary incontinence in a dog with an ectopic ureterocele. *J Am Anim Hosp Assoc*. 2002 Jan-Feb; 38: 29-32
- 40446** Tincello, D. G., Adams, E. J., Richmond, D. H. Antenatal screening for postpartum urinary incontinence in nulliparous women: a pilot study. *Eur J Obstet Gynecol Reprod Biol*. 2002 Feb 10; 101: 70-3

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 40447** Gividen, J., Van Savage, J. G. Improvement in neurogenic bladder after the antegrade continence enema procedure. *Urology*. 2002 Jan; 59: 137
- 40452** Naglie, G., Radomski, S. B., Brymer, C., Mathiasen, K., O'Rourke, K., Tomlinson, G. A randomized, double-blind, placebo controlled crossover trial of nimodipine in older persons with detrusor instability and urge incontinence. *J Urol*. 2002 Feb; 167: 586-90
- 40453** Miller, K. L., DuBeau, C. E., Bergmann, M., Griffiths, D. J., Resnick, N. M. Quest for a detrusor overactivity index. *J Urol*. 2002 Feb; 167: 578-84; discussion 584-5
- 40454** Lev, N., Maimon, S., Rappaport, Z. H., Melamed, E. Spinal dural arteriovenous fistulae--a diagnostic challenge. *Isr Med Assoc J*. 2001 Jul; 3: 492-6
- 40455** Singh, I., Nabi, G., Kumar, R., Hemal, A. K. Endourologic management of obstetrical ureterouterine fistula: case report and review of literature. *J Endourol*. 2001 Dec; 15: 985-8
- 40457** Stocklin-Gautschi, N. M., Hassig, M., Reichler, I. M., Hubler, M., Arnold, S. The relationship of urinary incontinence to early spaying in bitches. *J Reprod Fertil Suppl*. 2001; 57: 233-6
- 40458** Olson, P. N., Kustritz, M. V., Johnston, S. D. Early-age neutering of dogs and cats in the United States (a review). *J Reprod Fertil Suppl*. 2001; 57: 223-32
- 40459** Goer, H. The case against elective cesarean section. *J Perinat Neonatal Nurs*. 2001 Dec; 15: 23-38; quiz 89
- 40460** McNagny, S. E., Wenger, N. K. Postmenopausal hormone-replacement therapy. *N Engl J Med*. 2002 Jan 3; 346: 63-5
- 40462** Major, H., Culligan, P., Heit, M. Urethral sphincter morphology in women with detrusor instability. *Obstet Gynecol*. 2002 Jan; 99: 63-8
- 40463** Ganz, P. A., Desmond, K. A., Leedham, B., Rowland, J. H., Meyerowitz, B. E., Belin, T. R. Quality of life in long-term, disease-free survivors of breast cancer: a follow-up study. *J Natl Cancer Inst*. 2002 Jan 2; 94: 39-49
- 40466** Mori, K. Management of idiopathic normal-pressure hydrocephalus: a multiinstitutional study conducted in Japan. *J Neurosurg*. 2001 Dec; 95: 970-3
- 40468** Hextall, A., Bidmead, J., Cardozo, L., Hooper, R. The impact of the menstrual cycle on urinary symptoms and the results of urodynamic investigation. *BJOG*. 2001 Nov; 108: 1193-6
- 40471** Shobeiri, S. A., Chesson, R. R., Echols, K. T. Cystoscopic fistulography: a new technique for the diagnosis of vesicocervical fistula. *Obstet Gynecol*. 2001 Dec; 98: 1124-6
- 40472** Brown, J. S., Vittinghoff, E., Kanaya, A. M., Agarwal, S. K., Hulley, S., Foxman, B. Urinary tract infections in postmenopausal women: effect of hormone therapy and risk factors. *Obstet Gynecol*. 2001 Dec; 98: 1045-52
- 40475** Riedmiller, H., Androulakakis, P., Beurton, D., Kocvara, R., Gerharz, E. EAU guidelines on paediatric urology. *Eur Urol*. 2001 Nov; 40: 589-99
- 40478** Perez-Abadia, G., Van Aalst, V. C., Palacio, M. M., Werker, P. M., Ren, X., Van Savage, J., Fernandez, A. G., Kon, M., Barker, J. H. Gracilis muscle neosphincter for treating urinary incontinence. *Microsurgery*. 2001; 21: 271-80
- 40479** Sakakibara, R., Hattori, T., Uchiyama, T., Yamanishi, T. Urinary dysfunction in Brown-Sequard syndrome. *Neurourol Urodyn*. 2001; 20: 661-7
- 40480** McLennan, M. T., Melick, C., Bent, A. E. Urethral instability: clinical and urodynamic characteristics. *Neurourol Urodyn*. 2001; 20: 653-60
- 40481** Barber, M. D., Kuchibhatla, M. N., Pieper, C. F., Bump, R. C. Psychometric evaluation of 2 comprehensive condition-specific quality of life instruments for women with pelvic floor disorders. *Am J Obstet Gynecol*. 2001 Dec; 185: 1388-95
- 40482** Jabs, C. F., Drutz, H. P. The role of intraoperative cystoscopy in prolapse and incontinence surgery. *Am J Obstet Gynecol*. 2001 Dec; 185: 1368-71; discussion 1372-3

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 40483** Ellerkmann, R. M., Cundiff, G. W., Melick, C. F., Nihira, M. A., Leffler, K., Bent, A. E. Correlation of symptoms with location and severity of pelvic organ prolapse. *Am J Obstet Gynecol.* 2001 Dec; 185: 1332-7; discussion 1337-8
- 40484** Arya, L. A., Jackson, N. D., Myers, D. L., Verma, A. Risk of new-onset urinary incontinence after forceps and vacuum delivery in primiparous women. *Am J Obstet Gynecol.* 2001 Dec; 185: 1318-23; discussion 1323-4
- 40489** Wiseman, O. J., v, d., Hombergh U, Koldewijn, E. L., Spinelli, M., Siegel, S. W., Fowler, C. J. Sacral neuromodulation and pregnancy. *J Urol.* 2002 Jan; 167: 165-8
- 40490** O'Reilly, B. A., Kosaka, A. H., Knight, G. F., Chang, T. K., Ford, A. P., Rymer, J. M., Popert, R., Burnstock, G., McMahon, S. B. P2X receptors and their role in female idiopathic detrusor instability. *J Urol.* 2002 Jan; 167: 157-64
- 40492** Edwards, N. I., Jones, D. The prevalence of faecal incontinence in older people living at home. *Age Ageing.* 2001 Nov; 30: 503-7
- 40494** Rizk, D. E., Hassan, M. Y., Shaheen, H., Cherian, J. V., Micallef, R., Dunn, E. The prevalence and determinants of health care-seeking behavior for fecal incontinence in multiparous United Arab Emirates females. *Dis Colon Rectum.* 2001 Dec; 44: 1850-6
- 40495** Tilling, K., Sterne, J. A., Rudd, A. G., Glass, T. A., Wityk, R. J., Wolfe, C. D. A new method for predicting recovery after stroke. *Stroke.* 2001 Dec 1; 32: 2867-73
- 40497** Chung, C. C., Ha, J. P., Tsang, W. W., Li, M. K. Laparoscopic-assisted total mesorectal excision and colonic J pouch reconstruction in the treatment of rectal cancer. *Surg Endosc.* 2001 Oct; 15: 1098-101
- 40498** Spellacy, E. Urinary incontinence in pregnancy and the puerperium. *J Obstet Gynecol Neonatal Nurs.* 2001 Nov-Dec; 30: 634-41
- 40499** Goldberg, R. P., Sand, P. K., Beck, H. Early-stage ovarian carcinoma presenting with irritative voiding symptoms and urge incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 342-4
- 40501** Woodman, P. J., Misko, C. A., Fischer, J. R. The use of short-form quality of life questionnaires to measure the impact of imipramine on women with urge incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 312-5; discussion 315-6
- 40504** Davila, G. W. Informed consent for obstetrics management: a urogynecologic perspective. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 289-91
- 40507** Kaufman, H. S., Buller, J. L., Thompson, J. R., Pannu, H. K., DeMeester, S. L., Genadry, R. R., Bluemke, D. A., Jones, B., Rychcik, J. L., Cundiff, G. W. Dynamic pelvic magnetic resonance imaging and cystocolpoproctography alter surgical management of pelvic floor disorders. *Dis Colon Rectum.* 2001 Nov; 44: 1575-83; discussion 1583-4
- 40508** Johanson, R., Newburn, M. Promoting normality in childbirth. *BMJ.* 2001 Nov 17; 323: 1142-3
- 40512** Tanaka, N., Tamai, T., Mukaiyama, H., Hirabayashi, A., Muranaka, H., Ishikawa, T., Akahane, S., Akahane, M. Beta(3)-adrenoceptor agonists for the treatment of frequent urination and urinary incontinence: 2-[4-(2-[(1S,2R)-2-hydroxy-2-(4-hydroxyphenyl)-1-methylethyl]amino]ethyl)phenoxy]-2-methylpropionic acid. *Bioorg Med Chem.* 2001 Dec; 9: 3265-71
- 40514** Roe, B., Moore, K. N. Utilization of incontinence clinical practice guidelines. *J Wound Ostomy Continence Nurs.* 2001 Nov; 28: 297-304
- 40521** Lose, G., Fantl, J. A., Victor, A., Walter, S., Wells, T. L., Wyman, J., Mattiasson, A. Outcome measures for research in adult women with symptoms of lower urinary tract dysfunction. Standardization Committee of the International Continence Society. *Acta Obstet Gynecol Scand.* 2001 Nov; 80: 981-5
- 40522** Lose, G. Proper outcome assessment is pivotal for the reader of a paper to be able to compare results from different studies and relate them to one's own practice. *Acta Obstet Gynecol Scand.* 2001 Nov; 80: 979-80
- 40523** Bug, G. J., Kiff, E. S., Hosker, G. A new condition-specific health-related quality of life questionnaire for the assessment of women with anal incontinence. *BJOG.* 2001 Oct; 108: 1057-67
- 40524** Merkelj, I. Urinary incontinence in the elderly. *South Med J.* 2001 Oct; 94: 952-7



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 40526** Neveus, T. Oxybutynin, desmopressin and enuresis. *J Urol.* 2001 Dec; 166: 2459-62
- 40527** von Gontard, A., Schaumburg, H., Hollmann, E., Eiberg, H., Rittig, S. The genetics of enuresis: a review. *J Urol.* 2001 Dec; 166: 2438-43
- 40528** Schulman, S. L., Von Zuben, F. C., Plachter, N., Kodman-Jones, C. Biofeedback methodology: does it matter how we teach children how to relax the pelvic floor during voiding?. *J Urol.* 2001 Dec; 166: 2423-6
- 40529** Bower, W. F., Moore, K. H., Adams, R. D. A pilot study of the home application of transcutaneous neuromodulation in children with urgency or urge incontinence. *J Urol.* 2001 Dec; 166: 2420-2
- 40530** Hoebeke, P., Van Laecke, E., Everaert, K., Renson, C., De Paepe, H., Raes, A., Vande Walle, J. Transcutaneous neuromodulation for the urge syndrome in children: a pilot study. *J Urol.* 2001 Dec; 166: 2416-9
- 40531** Kirchlechner, V., Hoffmann-Ehrhart, B., Kovacs, J., Waldhauser, F. Melatonin production is similar in children with monosymptomatic nocturnal enuresis or other forms of enuresis/incontinence and in controls. *J Urol.* 2001 Dec; 166: 2407-10
- 40532** Eiberg, H., Schaumburg, H. L., Von Gontard, A., Rittig, S. Linkage study of a large Danish 4-generation family with urge incontinence and nocturnal enuresis. *J Urol.* 2001 Dec; 166: 2401-3
- 40533** Kodman-Jones, C., Hawkins, L., Schulman, S. L. Behavioral characteristics of children with daytime wetting. *J Urol.* 2001 Dec; 166: 2392-5
- 40535** Cappellano, F., Bertapelle, P., Spinelli, M., Catanzaro, F., Carone, R., Zanollo, A., De Seta, F., Giardiello, G. Quality of life assessment in patients who undergo sacral neuromodulation implantation for urge incontinence: an additional tool for evaluating outcome. *J Urol.* 2001 Dec; 166: 2277-80
- 40536** Nguyen, J. K., Bhatia, N. N. Resolution of motor urge incontinence after surgical repair of pelvic organ prolapse. *J Urol.* 2001 Dec; 166: 2263-6
- 40539** Faure, J. P., Hauet, T., Scepi, M., Chansigaud, J. P., Kamina, P., Richer, J. P. The pectineal ligament: anatomical study and surgical applications. *Surg Radiol Anat.* 2001; 23: 237-42
- 40541** White, R. N. Urethropexy for the management of urethral sphincter mechanism incompetence in the bitch. *J Small Anim Pract.* 2001 Oct; 42: 481-6
- 40543** Maurer, C. A., Z'Graggen, K., Renzulli, P., Schilling, M. K., Netzer, P., Buchler, M. W. Total mesorectal excision preserves male genital function compared with conventional rectal cancer surgery. *Br J Surg.* 2001 Nov; 88: 1501-5
- 40544** Loera, J. A., Black, S. A., Markides, K. S., Espino, D. V., Goodwin, J. S. The use of herbal medicine by older Mexican Americans. *J Gerontol A Biol Sci Med Sci.* 2001 Nov; 56: M714-8
- 40545** Giles, L. G., Yamada, S. An unusual cause of incontinence. *Aust Fam Physician.* 2001 Aug; 30: 767-9
- 40546** Ritchie, J., Kuchel, G. A. A prospective evaluation of the pathogenesis of detrusor instability in women, using electron microscopy and immunohistochemistry. *BJU Int.* 2001 Oct; 88: 645-6
- 40547** Bulmer, P. J., James, M., Ellis-Jones, J., Smith, D., Timoney, A. G., Donovan, J. A randomized trial comparing the effectiveness and preference of a touch-screen computer system with a leaflet for providing women with information on urinary symptoms suggestive of detrusor instability. *BJU Int.* 2001 Oct; 88: 532-5
- 40548** Greenwell, T. J., Venn, S. N., Mundy, A. R. Augmentation cystoplasty. *BJU Int.* 2001 Oct; 88: 511-25
- 40549** Shah, M., Moogerfeld, M. S., Ahmed, J., Mughal, M., Aziz, K. Metastatic cervical cancer with unusual presentation: a case report. *Conn Med.* 2001 Sep; 65: 523-5
- 40550** MacKay, K., Hemmett, L. Needs assessment of women with urinary incontinence in a district health authority. *Br J Gen Pract.* 2001 Oct; 51: 801-4
- 40551** Rizk, D. E., Raaschou, T., Mason, N., Berg, B. Evidence of progesterone receptors in the mucosa of the urinary bladder. *Scand J Urol Nephrol.* 2001 Sep; 35: 305-9



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 40552 Tullberg, M., Jensen, C., Ekholm, S., Wikkelso, C. Normal pressure hydrocephalus: vascular white matter changes on MR images must not exclude patients from shunt surgery. *AJNR Am J Neuroradiol.* 2001 Oct; 22: 1665-73
- 40553 Vapnek, J. M. Urinary incontinence. Screening and treatment of urinary dysfunction. *Geriatrics.* 2001 Oct; 56: 25-9; quiz 32
- 40554 Christ, G. J., Day, N. S., Day, M., Santizo, C., Zhao, W., Sclafani, T., Zinman, J., Hsieh, K., Venkateswarlu, K., Valcic, M., Melman, A. Bladder injection of 'naked' hSlo/pcDNA3 ameliorates detrusor hyperactivity in obstructed rats in vivo. *Am J Physiol Regul Integr Comp Physiol.* 2001 Nov; 281: R1699-709
- 40555 Sakakibara, R., Hattori, T., Uchiyama, T., Yamanishi, T. Videourodynamic and sphincter motor unit potential analyses in Parkinson's disease and multiple system atrophy. *J Neurol Neurosurg Psychiatry.* 2001 Nov; 71: 600-6
- 40557 Halverson, A. L., Hull, T. L., Paraiso, M. F., Floruta, C. Outcome of sphincteroplasty combined with surgery for urinary incontinence and pelvic organ prolapse. *Dis Colon Rectum.* 2001 Oct; 44: 1421-6
- 40559 Hirai, K., Ishiko, O., Sumi, T., Hyun, Y., Nakagawa, E., Ogita, S. Indifference and resignation of Japanese women toward urinary incontinence. *Int J Gynaecol Obstet.* 2001 Oct; 75: 89-91
- 40561 Sommerfeld, D. K., von Arbin, M. H. Disability test 10 days after acute stroke to predict early discharge home in patients 65 years and older. *Clin Rehabil.* 2001 Oct; 15: 528-34
- 40562 Metitieri, T., Zanetti, O., Geroldi, C., Frisoni, G. B., De Leo, D., Dello Buono, M., Bianchetti, A., Trabucchi, M. Reality orientation therapy to delay outcomes of progression in patients with dementia. A retrospective study. *Clin Rehabil.* 2001 Oct; 15: 471-8
- 40563 Dietz, H. P., Clarke, B. Is the irritable bladder associated with anterior compartment relaxation? A critical look at the 'integral theory of pelvic floor dysfunction'. *Aust N Z J Obstet Gynaecol.* 2001 Aug; 41: 317-9
- 40564 Land, R., Parry, E., Rane, A., Wilson, D. Personal preferences of obstetricians towards childbirth. *Aust N Z J Obstet Gynaecol.* 2001 Aug; 41: 249-52
- 40565 Sarioglu, A., Tanyel, F. C., Senocak, M. E., Buyukpamukcu, N., Hicsonmez, A. Complications of the two major operations of Hirschsprung's disease: a single center experience. *Turk J Pediatr.* 2001 Jul-Sep; 43: 219-22
- 40566 Swithinbank, L., Abrams, P. Lower urinary tract symptoms in community-dwelling women: defining diurnal and nocturnal frequency and 'the incontinence case'. *BJU Int.* 2001 Sep; 88 Suppl 2: 18-22; discussion 49-50
- 40568 Dwyer, P. L. Female pelvic floor dysfunction and estrogen therapy. *Climacteric.* 2001 Sep; 4: 179-80
- 40569 van Kuijk, A. A., van der Linde, H., van Limbeek, J. Urinary incontinence in stroke patients after admission to a postacute inpatient rehabilitation program. *Arch Phys Med Rehabil.* 2001 Oct; 82: 1407-11
- 40570 Nikolaev, V. V. Treatment of incontinence in children with bladder exstrophy after rectal urinary diversion: the anal sling procedure. *J Urol.* 2001 Nov; 166: 1904-5
- 40571 Gousse, A. E., Madjar, S., Lambert, M. M., Fishman, I. J. Artificial urinary sphincter for post-radical prostatectomy urinary incontinence: long-term subjective results. *J Urol.* 2001 Nov; 166: 1755-8
- 40572 Lyon, R. P. Re: the treatment of post-urethrotomy incontinence in pediatric and adolescent females. *J Urol.* 2001 Nov; 166: 1838
- 40574 Bayraktar, Z., Sevin, G., Gurbuz, G., Tasci, A. I. Ileal orthotopic neobladder in women: the first experiences from Turkey and our modifications. *Int Urol Nephrol.* 2001; 32: 371-5
- 40576 Messinger-Rapport, B. J., Thacker, H. L. Prevention for the older woman. A practical guide to hormone replacement therapy and urogynecologic health. *Geriatrics.* 2001 Sep; 56: 32-4, 37-8, 40-2
- 40580 Subak, L. L., Waetjen, L. E., van den Eeden, S., Thom, D. H., Vittinghoff, E., Brown, J. S. Cost of pelvic organ prolapse surgery in the United States. *Obstet Gynecol.* 2001 Oct; 98: 646-51
- 40582 Sherburn, M., Guthrie, J. R., Dudley, E. C., O'Connell, H. E., Dennerstein, L. Is incontinence associated with menopause?. *Obstet Gynecol.* 2001 Oct; 98: 628-33

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 40583** Davis, N. S., Bavendam, T. G. Use of a urethral occlusion device for treatment of incontinence in a patient with heterotopic urinary diversion. *Tech Urol.* 2001 Sep; 7: 246-8
- 40584** Beck, S. D., Koch, M. O. Spiral ileal neobladder substitution with orthotopic ureteral reimplantation: early results. *Tech Urol.* 2001 Sep; 7: 223-8
- 40585** Vinker, S., Kaplan, B., Nakar, S., Samuels, G., Shapira, G., Kitai, E. Urinary incontinence in women: prevalence, characteristics and effect on quality of life. A primary care clinic study. *Isr Med Assoc J.* 2001 Sep; 3: 663-6
- 40587** Simon, H. B. On call. My wife's problem with urinary leakage has improved with Kegel exercises. I've had dribbling since my TURP operation last month. Can these exercises help me, too?. *Harv Mens Health Watch.* 2001 Sep; 6: 8
- 40589** Robinson, D., Khullar, V., Cardozo, L. Pharmacological management of detrusor instability. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 271-8
- 40590** McLellan, A., Cardozo, L. Urodynamic techniques. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 266-70
- 40596** Dietz, H. P., Wilson, P. D., Clarke, B., Haylen, B. T. Irritative symptoms after colposuspension: are they due to distortion or overelevation of the anterior vaginal wall and trigone?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 232-5; discussion 235-6
- 40598** Washington, J. L. A pilgrim's progress: my urogynecological quest. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 221-2
- 40601** Dave, S., Grover, V. P., Agarwala, S., Mitra, D. K., Bhatnagar, V. Cystometric evaluation of reconstructed classical bladder exstrophy. *BJU Int.* 2001 Sep; 88: 403-8
- 40603** Silva, C., Avelino, A., Souto-Moura, C., Cruz, F. A light- and electron-microscopic histopathological study of human bladder mucosa after intravesical resiniferatoxin application. *BJU Int.* 2001 Sep; 88: 355-60
- 40604** Engberg, S., Sereika, S., Weber, E., Engberg, R., McDowell, B. J., Reynolds, C. F. Prevalence and recognition of depressive symptoms among homebound older adults with urinary incontinence. *J Geriatr Psychiatry Neurol.* 2001 Fall; 14: 130-9
- 40605** Rawlings, C., Barsanti, J. A., Mahaffey, M. B., Bement, S. Evaluation of colposuspension for treatment of incontinence in spayed female dogs. *J Am Vet Med Assoc.* 2001 Sep 15; 219: 770-5
- 40606** Chesterman, J., Bauld, L., Judge, K. Satisfaction with the care-managed support of older people: an empirical analysis. *Health Soc Care Community.* 2001 Jan; 9: 31-42
- 40607** Rannestad, T., Eikeland, O. J., Helland, H., Qvarnstrom, U. Are the physiologically and psychosocially based symptoms in women suffering from gynecological disorders alleviated by means of hysterectomy?. *J Womens Health Gend Based Med.* 2001 Jul-Aug; 10: 579-87
- 40608** Kirkland, V. L., Palmer, M. H., Fitzgerald, S. T. Incontinence in a manufacturing setting: women's perceptions and responses. *Public Health Nurs.* 2001 Sep-Oct; 18: 312-7
- 40609** Patel, M., Coshall, C., Lawrence, E., Rudd, A. G., Wolfe, C. D. Recovery from poststroke urinary incontinence: associated factors and impact on outcome. *J Am Geriatr Soc.* 2001 Sep; 49: 1229-33
- 40610** Ricci, J. A., Baggish, J. S., Hunt, T. L., Stewart, W. F., Wein, A., Herzog, A. R., Diokno, A. C. Coping strategies and health care-seeking behavior in a US national sample of adults with symptoms suggestive of overactive bladder. *Clin Ther.* 2001 Aug; 23: 1245-59
- 40611** Liem, N. T., Hau, B. D. Long-term follow-up results of the treatment of high and intermediate anorectal malformations using a modified technique of posterior sagittal anorectoplasty. *Eur J Pediatr Surg.* 2001 Aug; 11: 242-5
- 40612** Glazener, C. M., Herbison, G. P., Wilson, P. D., MacArthur, C., Lang, G. D., Gee, H., Grant, A. M. Conservative management of persistent postnatal urinary and faecal incontinence: randomised controlled trial. *BMJ.* 2001 Sep 15; 323: 593-6
- 40613** Sheikh, M. A., Khan, M. S., Khatoon, A., Arain, G. M. Incidence of urinary tract infection during pregnancy. *East Mediterr Health J.* 2000 Mar-May; 6: 265-71

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 40614 Koch, T., Kralik, D. Chronic illness: reflections on a community-based action research programme. *J Adv Nurs*. 2001 Oct; 36: 23-31
- 40615 Curtis, L. A., Dolan, T. S., Cespedes, R. D. Acute urinary retention and urinary incontinence. *Emerg Med Clin North Am*. 2001 Aug; 19: 591-619
- 40616 Dreitlein, D. A., Suner, S., Basler, J. Genitourinary trauma. *Emerg Med Clin North Am*. 2001 Aug; 19: 569-90
- 40618 De Risio, L., Sharp, N. J., Olby, N. J., Munana, K. R., Thomas, W. B. Predictors of outcome after dorsal decompressive laminectomy for degenerative lumbosacral stenosis in dogs: 69 cases (1987-1997). *J Am Vet Med Assoc*. 2001 Sep 1; 219: 624-8
- 40621 Ali-El-Dein, B., Ghoneim, M. A. Effects of selective autonomic and pudendal denervation on the urethral function and development of retention in female dogs. *J Urol*. 2001 Oct; 166: 1549-54
- 40622 Chin-Peuckert, L., Salle, J. L. A modified biofeedback program for children with detrusor-sphincter dyssynergia: 5-year experience. *J Urol*. 2001 Oct; 166: 1470-5
- 40623 Stec, A. A., Pannu, H. K., Tadros, Y. E., Sponseller, P. D., Fishman, E. K., Gearhart, J. P. Pelvic floor anatomy in classic bladder exstrophy using 3-dimensional computerized tomography: initial insights. *J Urol*. 2001 Oct; 166: 1444-9
- 40631 Bergamaschi, R., Berzuini, C., Romani, A., Cosi, V. Predicting secondary progression in relapsing-remitting multiple sclerosis: a Bayesian analysis. *J Neurol Sci*. 2001 Aug 15; 189: 13-21
- 40632 De Leeuw, J. W., Vierhout, M. E., Struijk, P. C., Hop, W. C., Wallenburg, H. C. Anal sphincter damage after vaginal delivery: functional outcome and risk factors for fecal incontinence. *Acta Obstet Gynecol Scand*. 2001 Sep; 80: 830-4
- 40633 Wilson, L., Brown, J. S., Shin, G. P., Luc, K. O., Subak, L. L. Annual direct cost of urinary incontinence. *Obstet Gynecol*. 2001 Sep; 98: 398-406
- 40634 Johnson, T. M., 2nd, Ouslander, J. G. The shifting impact of UI. *J Am Geriatr Soc*. 2001 Jul; 49: 998-9
- 40636 Rosen, H. R., Urbarz, C., Holzer, B., Novi, G., Schiessel, R. Sacral nerve stimulation as a treatment for fecal incontinence. *Gastroenterology*. 2001 Sep; 121: 536-41
- 40637 Layton, D., Pearce, G. L., Shakir, S. A. Safety profile of tolterodine as used in general practice in England: results of prescription-event monitoring. *Drug Saf*. 2001; 24: 703-13
- 40639 Hall, J. A., Nelson, M. A., Meyer, J. W., Williamson, T., Wagner, S. Costs and resources associated with the treatment of overactive bladder using retrospective medical care claims data. *Manag Care Interface*. 2001 Aug; 14: 69-75
- 40640 Jacquetin, B., Wyndaele, J. Tolterodine reduces the number of urge incontinence episodes in patients with an overactive bladder. *Eur J Obstet Gynecol Reprod Biol*. 2001 Sep; 98: 97-102
- 40641 Tsuchiya, K., Ikeda, K., Haga, C., Kobayashi, T., Morimatsu, Y., Nakano, I., Matsushita, M. Atypical amyotrophic lateral sclerosis with dementia mimicking frontal Pick's disease: a report of an autopsy case with a clinical course of 15 years. *Acta Neuropathol (Berl)*. 2001 Jun; 101: 625-30
- 40642 Kim, N. K., Lim, D. J., Yun, S. H., Sohn, S. K., Min, J. S. Ultralow anterior resection and coloanal anastomosis for distal rectal cancer: functional and oncological results. *Int J Colorectal Dis*. 2001 Aug; 16: 234-7
- 40646 Cannon, T. W., Damaser, M. S. Effects of anesthesia on cystometry and leak point pressure of the female rat. *Life Sci*. 2001 Jul 27; 69: 1193-202
- 40649 Fultz, N. H., Herzog, A. R. Prevalence of urinary incontinence in middle-aged and older women: a survey-based methodological experiment. *J Aging Health*. 2000 Nov; 12: 459-69
- 40651 Rovner, E. S., Wein, A. J. Modern pharmacotherapy of urge urinary incontinence in the USA: tolterodine and oxybutynin. *BJU Int*. 2000 Oct; 86 Suppl 2: 44-53; discussion 53-4
- 40652 Krumholz, H. M., Chen, J., Chen, Y. T., Wang, Y., Radford, M. J. Predicting one-year mortality among elderly survivors of hospitalization for an acute myocardial infarction: results from the Cooperative Cardiovascular Project. *J Am Coll Cardiol*. 2001 Aug; 38: 453-9

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 40653 Wood, B. C., Rossmeisl, J. H., Jr, Rohleder, J. J. What is your diagnosis? Pronounced ventral deviation of the colon by an irregular soft tissue opacity in the retroperitoneal area. *J Am Vet Med Assoc.* 2001 Aug 1; 219: 305-6
- 40654 Ganio, E., Ratto, C., Masin, A., Luc, A. R., Doglietto, G. B., Dodi, G., Ripetti, V., Arullani, A., Frascio, M., BertiRiboli, E., Landolfi, V., DelGenio, A., Altomare, D. F., Memeo, V., Bertapelle, P., Carone, R., Spinelli, M., Zanollo, A Neuromodulation for fecal incontinence: outcome in 16 patients with definitive implant. The initial Italian Sacral Neurostimulation Group (GINS) experience. *Dis Colon Rectum.* 2001 Jul; 44: 965-70
- 40656 Sapsford, R. R., Hodges, P. W. Contraction of the pelvic floor muscles during abdominal maneuvers. *Arch Phys Med Rehabil.* 2001 Aug; 82: 1081-8
- 40658 Barroso, U., Jr, Jednak, R., Barthold, J. S., Gonzalez, R. Outcome of ureteral reimplantation in children with the urge syndrome. *J Urol.* 2001 Sep; 166: 1031-5
- 40660 Wyczolkowski, M., Klima, W., Piasecki, Z. Reoperation after complicated tension-free vaginal tape procedures. *J Urol.* 2001 Sep; 166: 1004-5
- 40662 van Balken, M. R., Vandoninck, V., Gisolf, K. W., Vergunst, H., Kiemeney, L. A., Debruyne, F. M., Bemelmans, B. L. Posterior tibial nerve stimulation as neuromodulative treatment of lower urinary tract dysfunction. *J Urol.* 2001 Sep; 166: 914-8
- 40663 Wadley, J., Harkness, W., Thompson, D., Hayward, R. Urinary incontinence and ventriculoperitoneal shunts. *Pediatr Neurosurg.* 2001 Jul; 35: 52
- 40664 Patel, P. M., Stock, J. A., Hanna, M. K., Lutzker, L. Ureteral triplication with ectopic upper pole moiety. *Urology.* 2001 Aug; 58: 279-80
- 40665 van Melick, H. H., Gisolf, K. W., Eckhardt, M. D., van Venrooij, G. E., Boon, T. A. One 24-hour frequency-volume chart in a woman with objective urinary motor urge incontinence is sufficient. *Urology.* 2001 Aug; 58: 188-92
- 40667 Foley, S. J., Adamson, A. S. Minimally invasive harvesting of fascia lata for use in the pubovaginal sling procedure. *BJU Int.* 2001 Aug; 88: 293-4
- 40668 Ayan, S., Gokce, G., Kilcarslan, H., Kaya, K., Gultekin, E. Y. An unusual cause of incontinence: urethral coitus. *Scand J Urol Nephrol.* 2001 Jun; 35: 254
- 40669 Mteta, K. A., Mbwapbo, J. S., Eshleman, J. L., Aboud, M. M., Oyieko, W. Urinary diversion in children with mainly exstrophy and epispadias: alternative to primary bladder closure. *Cent Afr J Med.* 2000 Dec; 46: 318-20
- 40670 Hartnett, N. M., Saver, B. G. Is extended-release oxybutynin (Ditropan XL) or tolterodine (Detrol) more effective in the treatment of an overactive bladder?. *J Fam Pract.* 2001 Jul; 50: 571
- 40671 English, B. A., Still, D. J., Harper, J., Saklad, S. R. Failure of tolterodine to treat clozapine-induced nocturnal enuresis. *Ann Pharmacother.* 2001 Jul-Aug; 35: 867-9
- 40673 Leron, E., Stanton, S. L. Vaginal leiomyoma--an imitator of prolapse. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 196-8
- 40674 Vereecken, R. L. A critical view on the value of urodynamics in non-neurogenic incontinence in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 188-95
- 40678 Niknejad, K. G., Atala, A. Bladder augmentation techniques in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Jun; 11: 156-69
- 40686 Steele, A. C., Walsh, P., Bentley, M., Neff, J., Karram, M. A randomized, double-blind placebo-controlled trial of the effects of the 5-hydroxytryptamine(4) agonist cisapride on the female urinary bladder. *Am J Obstet Gynecol.* 2001 Jul; 185: 62-4
- 40687 Harvey, M. A., Baker, K., Wells, G. A. Tolterodine versus oxybutynin in the treatment of urge urinary incontinence: a meta-analysis. *Am J Obstet Gynecol.* 2001 Jul; 185: 56-61
- 40690 Harvey, M. A., Kristjansson, B., Griffith, D., Versi, E. The Incontinence Impact Questionnaire and the Urogenital Distress Inventory: a revisit of their validity in women without a urodynamic diagnosis. *Am J Obstet Gynecol.* 2001 Jul; 185: 25-31

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 40694** Sakakibara, R., Hattori, T., Uchiyama, T., Yamanishi, T. Micturitional disturbance in subacute myelo-optico-neuropathy (SMON). *Auton Neurosci.* 2001 Mar 23; 87: 282-5
- 40695** Maliski, S. L., Heilemann, M. V., McCorkle, R. Mastery of postprostatectomy incontinence and impotence: his work, her work, our work. *Oncol Nurs Forum.* 2001 Jul; 28: 985-92
- 40696** Buchanan, R. J., Wang, S., Huang, C., Graber, D. Profiles of nursing home residents with multiple sclerosis using the minimum data set. *Mult Scler.* 2001 Jun; 7: 189-200
- 40697** Tromp, A. M., Pluijm, S. M., Smit, J. H., Deeg, D. J., Bouter, L. M., Lips, P. Fall-risk screening test: a prospective study on predictors for falls in community-dwelling elderly. *J Clin Epidemiol.* 2001 Aug; 54: 837-44
- 40698** Wang, Y., Lim, L. L., Levi, C., Heller, R. F., Fischer, J. A prognostic index for 30-day mortality after stroke. *J Clin Epidemiol.* 2001 Aug; 54: 766-73
- 40701** Brolmann, H. A., Vervest, H. A., Heineman, M. J. Declining trend in major gynaecological surgery in The Netherlands during 1991-1998. Is there an impact on surgical skills and innovative ability?. *BJOG.* 2001 Jul; 108: 743-8
- 40702** Wijma, J., Weis Potters, A. E., de Wolf, B. T., Tinga, D. J., Aarnoudse, J. G. Anatomical and functional changes in the lower urinary tract during pregnancy. *BJOG.* 2001 Jul; 108: 726-32
- 40706** Nuininga, J. E., Feitz, W. F., van Dael, K. C., de Gier, R. P., Cornelissen, E. A. Urological complications in pediatric renal transplantation. *Eur Urol.* 2001 May; 39: 598-602
- 40707** Schmidbauer, J., Temml, C., Schatzl, G., Haidinger, G., Madersbacher, S. Risk factors for urinary incontinence in both sexes. Analysis of a health screening project. *Eur Urol.* 2001 May; 39: 565-70
- 40708** Stoddart, H., Donovan, J., Whitley, E., Sharp, D., Harvey, I. Urinary incontinence in older people in the community: a neglected problem?. *Br J Gen Pract.* 2001 Jul; 51: 548-52
- 40709** Sugerman, H. J., Sugerman, E. L., Wolfe, L., Kellum, J. M., Jr, Schweitzer, M. A., DeMaria, E. J. Risks and benefits of gastric bypass in morbidly obese patients with severe venous stasis disease. *Ann Surg.* 2001 Jul; 234: 41-6
- 40710** Van Savage, J. G., Yepuri, J. N. Transverse retubularized sigmoidovesicostomy continent urinary diversion to the umbilicus. *J Urol.* 2001 Aug; 166: 644-7
- 40711** Clemens, J. Q., Bushman, W. Urethral diverticulum following transurethral collagen injection. *J Urol.* 2001 Aug; 166: 626
- 40713** Spinelli, M., Bertapelle, P., Cappellano, F., Zanollo, A., Carone, R., Catanzaro, F., Giardiello, G., De Seta, F. Chronic sacral neuromodulation in patients with lower urinary tract symptoms: results from a national register. *J Urol.* 2001 Aug; 166: 541-5
- 40714** Ouslander, J. G., Greendale, G. A., Uman, G., Lee, C., Paul, W., Schnelle, J. Effects of oral estrogen and progestin on the lower urinary tract among female nursing home residents. *J Am Geriatr Soc.* 2001 Jun; 49: 803-7
- 40715** Johnson, T. M., Ouslander, J. G., Uman, G. C., Schnelle, J. F. Urinary incontinence treatment preferences in long-term care. *J Am Geriatr Soc.* 2001 Jun; 49: 710-8
- 40716** Ouslander, J. G., Ai-Samarrai, N., Schnelle, J. F. Prompted voiding for nighttime incontinence in nursing homes: is it effective?. *J Am Geriatr Soc.* 2001 Jun; 49: 706-9
- 40717** Malone-Lee, J. G., Walsh, J. B., Maugourd, M. F. Tolterodine: a safe and effective treatment for older patients with overactive bladder. *J Am Geriatr Soc.* 2001 Jun; 49: 700-5
- 40719** Miklos, J. R., Kohli, N., Moore, R. D. Laparoscopic management of urinary incontinence, ureteric and bladder injuries. *Curr Opin Obstet Gynecol.* 2001 Aug; 13: 411-7
- 40734** Ade-Ajayi, N., Wilcox, D. T., Duffy, P. G., Ransley, P. G. Upper pole heminephrectomy: is complete ureterectomy necessary?. *BJU Int.* 2001 Jul; 88: 77-9
- 40737** Pycha, A., Klingler, C. H., Reiter, W. J., Schroth, B., Haitel, A., Latal, D. Von Recklinghausen neurofibromatosis with urinary bladder involvement. *Urology.* 2001 Jul; 58: 106



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 40738** Hakenberg, O. W., Ebermayer, J., Manseck, A., Wirth, M. P. Application of the Mitrofanoff principle for intermittent self- catheterization in quadriplegic patients. *Urology*. 2001 Jul; 58: 38-42
- 40740** Hohenfellner, M., Pannek, J., Botel, U., Dahms, S., Pfizenmaier, J., Fichtner, J., Hutschenreiter, G., Thuroff, J. W. Sacral bladder denervation for treatment of detrusor hyperreflexia and autonomic dysreflexia. *Urology*. 2001 Jul; 58: 28-32
- 40743** Sakakibara, R., Shinotoh, H., Uchiyama, T., Yoshiyama, M., Hattori, T., Yamanishi, T. SPECT imaging of the dopamine transporter with. *J Neurol Sci*. 2001 Jun 15; 187: 55-9
- 40744** Tanaka, R., Hoshi, K., Yamane, Y. Partial bladder resection in a bitch with urinary retention following surgical excision of a vaginal leiomyoma. *J Small Anim Pract*. 2001 Jun; 42: 301-3
- 40745** Vachvanichsanong, P., Malagon, M., Moore, E. S. Recurrent abdominal and flank pain in children with idiopathic hypercalciuria. *Acta Paediatr*. 2001 Jun; 90: 643-8
- 40746** 24th annual meeting of the International Urogynecological Association (IUGA). A joint meeting with the International Continence Society (ICS) and the International Children's Continence Society (ICCS). August 23-26, 1999, Denver, Colorado, USA. Abstracts. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999 Aug; 10 Suppl 1: S1-194
- 40747** Wyndaele, J. J., Madersbacher, H., Kovindha, A. Conservative treatment of the neuropathic bladder in spinal cord injured patients. *Spinal Cord*. 2001 Jun; 39: 294-300
- 40748** Foxman, B., Somsel, P., Tallman, P., Gillespie, B., Raz, R., Colodner, R., Kandula, D., Sobel, J. D. Urinary tract infection among women aged 40 to 65: behavioral and sexual risk factors. *J Clin Epidemiol*. 2001 Jul; 54: 710-8
- 40751** Nitti, V. W. Improving conservative treatment of overactive bladder and urge incontinence--1 small step at a time. *J Urol*. 2001 Jul; 166: 150-1
- 40753** Choe, J. M., Bell, T. Genetic material is present in cadaveric dermis and cadaveric fascia lata. *J Urol*. 2001 Jul; 166: 122-4
- 40756** Govier, F. E., Kobashi, K. Pubovaginal slings: a review of the technical variables. *Curr Opin Urol*. 2001 Jul; 11: 405-10
- 40759** Orr, A., McVean, R. J., Webb, A. K., Dodd, M. E. Questionnaire survey of urinary incontinence in women with cystic fibrosis. *BMJ*. 2001 Jun 23; 322: 1521
- 40760** Nicholson, J. H., Morton, R. E., Attfield, S., Rennie, D. Assessment of upper-limb function and movement in children with cerebral palsy wearing lycra garments. *Dev Med Child Neurol*. 2001 Jun; 43: 384-91
- 40764** Versi, E. The clinical value of video-urethrography. *Scand J Urol Nephrol Suppl*. 2001; : 74-9; discussion 106-25
- 40769** Kato, H., Kiyokawa, H., Igawa, Y., Nishizawa, O. The serous-lined tunnel principle for urinary reconstruction: a more rational method. *BJU Int*. 2001 Jun; 87: 783-8
- 40770** Milsom, I., Abrams, P., Cardozo, L., Roberts, R. G., Thuroff, J., Wein, A. J. How widespread are the symptoms of an overactive bladder and how are they managed? A population-based prevalence study. *BJU Int*. 2001 Jun; 87: 760-6
- 40771** Vachvanichsanong, P., Malagon, M., Moore, E. S. Urinary tract infection in children associated with idiopathic hypercalciuria. *Scand J Urol Nephrol*. 2001 Apr; 35: 112-6
- 40775** Shaw, C., McColl, E., Bond, S. Functional abilities and continence: the use of proxy respondents in research involving older people. *Qual Life Res*. 2000; 9: 1117-26
- 40777** Chancellor, M. B., Appell, R. A., Sathyan, G., Gupta, S. K. A comparison of the effects on saliva output of oxybutynin chloride and tolterodine tartrate. *Clin Ther*. 2001 May; 23: 753-60
- 40778** Pernice, L. M., Bartalucci, B., Bencini, L., Borri, A., Catarzi, S., Kroning, K. Early and late (ten years) experience with circular stapler hemorrhoidectomy. *Dis Colon Rectum*. 2001 Jun; 44: 836-41
- 40779** Mannaerts, G. H., Rutten, H. J., Martijn, H., Groen, G. J., Hanssens, P. E., Wiggers, T. Abdominosacral resection for primary irresectable and locally recurrent rectal cancer. *Dis Colon Rectum*. 2001 Jun; 44: 806-14



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 40781** Leroi, A. M., Michot, F., Grise, P., Denis, P. Effect of sacral nerve stimulation in patients with fecal and urinary incontinence. *Dis Colon Rectum*. 2001 Jun; 44: 779-89
- 40782** Duker, P. C., Averink, M., Melein, L. Response restriction as a method to establish diurnal bladder control. *Am J Ment Retard*. 2001 May; 106: 209-15
- 40783** Paolucci, S., Antonucci, G., Grasso, M. G., Pizzamiglio, L. The role of unilateral spatial neglect in rehabilitation of right brain- damaged ischemic stroke patients: a matched comparison. *Arch Phys Med Rehabil*. 2001 Jun; 82: 743-9
- 40784** Lawrence, E. S., Coshall, C., Dundas, R., Stewart, J., Rudd, A. G., Howard, R., Wolfe, C. D. Estimates of the prevalence of acute stroke impairments and disability in a multiethnic population. *Stroke*. 2001 Jun; 32: 1279-84
- 40785** Doran, C. M., Chiarelli, P., Cockburn, J. Economic costs of urinary incontinence in community-dwelling Australian women. *Med J Aust*. 2001 May 7; 174: 456-8
- 40786** Moore, K. H. The costs of urinary incontinence. *Med J Aust*. 2001 May 7; 174: 436-7
- 40792** Wright, E. J. Current status of fascia lata allograft slings treating urinary incontinence: effective or ephemeral?. *Tech Urol*. 2001 Jun; 7: 81-6
- 40793** Dohke, M., Mitchell, D. G., Vasavada, S. P. Fast magnetic resonance imaging of pelvic organ prolapse. *Tech Urol*. 2001 Jun; 7: 133-8
- 40794** Westney, O. L., McGuire, E. J. Surgical procedures for the treatment of urge incontinence. *Tech Urol*. 2001 Jun; 7: 126-32
- 40799** Law, P. A., Danin, J. C., Lamb, G. M., Regan, L., Darzi, A., Gedroyc, W. M. Dynamic imaging of the pelvic floor using an open-configuration magnetic resonance scanner. *J Magn Reson Imaging*. 2001 Jun; 13: 923-9
- 40800** Chun, Y. S., Kim, W. K., Park, K. W., Lee, S. C., Jung, S. E. Lipoblastoma. *J Pediatr Surg*. 2001 Jun; 36: 905-7
- 40801** Caraballo, R., Bologna, R. A., Lukban, J., Whitmore, K. E. Sacral nerve stimulation as a treatment for urge incontinence and associated pelvic floor disorders at a pelvic floor center: a follow-up study. *Urology*. 2001 Jun; 57: 121
- 40802** Liberman, J. N., Hunt, T. L., Stewart, W. F., Wein, A., Zhou, Z., Herzog, A. R., Lipton, R. B., Diokno, A. C. Health-related quality of life among adults with symptoms of overactive bladder: results from a U.S. community-based survey. *Urology*. 2001 Jun; 57: 1044-50
- 40803** Fourie, T., Ramphal, S. Aerosol caps and vesicovaginal fistulas. *Int J Gynaecol Obstet*. 2001 Jun; 73: 275-6
- 40804** Stamp, G., Kruzins, G., Crowther, C. Perineal massage in labour and prevention of perineal trauma: randomised controlled trial. *BMJ*. 2001 May 26; 322: 1277-80
- 40813** Surer, I., Baker, L. A., Jeffs, R. D., Gearhart, J. P. Modified Young-Dees-Leadbetter bladder neck reconstruction in patients with successful primary bladder closure elsewhere: a single institution experience. *J Urol*. 2001 Jun; 165: 2438-40
- 40814** Hafez, A. T., Elsherbiny, M. T., Ghoneim, M. A. Complete repair of bladder exstrophy: preliminary experience with neonates and children with failed initial closure. *J Urol*. 2001 Jun; 165: 2428-30
- 40815** Capolicchio, G., McLorie, G. A., Farhat, W., Merguerian, P. A., Bagli, D. J., Khoury, A. E. A population based analysis of continence outcomes and bladder exstrophy. *J Urol*. 2001 Jun; 165: 2418-21
- 40816** Bau, M. O., Younes, S., Aupy, A., Bernuy, M., Rouffet, M. J., Yepremian, D., Lottmann, H. B. The Malone antegrade colonic enema isolated or associated with urological incontinence procedures: evaluation from patient point of view. *J Urol*. 2001 Jun; 165: 2399-403
- 40817** Liard, A., Segulier-Lipszyc, E., Mathiot, A., Mitrofanoff, P. The Mitrofanoff procedure: 20 years later. *J Urol*. 2001 Jun; 165: 2394-8
- 40818** Wedderburn, A., Lee, R. S., Denny, A., Steinbrecher, H. A., Koyle, M. A., Malone, P. S. Synchronous bladder reconstruction and antegrade continence enema. *J Urol*. 2001 Jun; 165: 2392-3

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 40819 Guys, J. M., Fakhro, A., Louis-Borrione, C., Prost, J., Hautier, A. Endoscopic treatment of urinary incontinence: long-term evaluation of the results. *J Urol.* 2001 Jun; 165: 2389-91
- 40820 Kryger, J. V., Levenson, G., Gonzalez, R. Long-term results of artificial urinary sphincters in children are independent of age at implantation. *J Urol.* 2001 Jun; 165: 2377-9
- 40821 Castera, R., Podesta, M. L., Ruarte, A., Herrera, M., Medel, R. 10-Year experience with artificial urinary sphincter in children and adolescents. *J Urol.* 2001 Jun; 165: 2373-6
- 40822 De Badiola, F., Ruiz, E., Puigdevall, J., Lobos, P., Moldes, J., Lopez Raffo, M., Gallo, A. Sigmoid cystoplasty with argon beam without mucosa. *J Urol.* 2001 Jun; 165: 2253-5
- 40823 Surer, I., Baker, L. A., Jeffs, R. D., Gearhart, J. P. Combined bladder neck reconstruction and epispadias repair for exstrophy-epispadias complex. *J Urol.* 2001 Jun; 165: 2425-7
- 40830 Beyersdorff, D., Schiemann, T., Taupitz, M., Kooijman, H., Hamm, B., Nicolas, V. Sectional depiction of the pelvic floor by CT, MR imaging and sheet plastination: computer-aided correlation and 3D model. *Eur Radiol.* 2001; 11: 659-64
- 40831 Chow, M., Clarke, D. B., Maloney, W. J., Sangalang, V. Meningeal melanocytoma of the planum sphenoidale. Case report and review of the literature. *J Neurosurg.* 2001 May; 94: 841-5
- 40832 Easton, B. T. Is hormone replacement therapy (estrogen plus progestin) effective for the treatment of urinary incontinence in postmenopausal women?. *J Fam Pract.* 2001 May; 50: 470
- 40833 Dugan, E., Roberts, C. P., Cohen, S. J., Preisser, J. S., Davis, C. C., Bland, D. R., Albertson, E. Why older community-dwelling adults do not discuss urinary incontinence with their primary care physicians. *J Am Geriatr Soc.* 2001 Apr; 49: 462-5
- 40835 Alewijnse, D., Mesters, I., Metsemakers, J., Adriaans, J., van den Borne, B. Predictors of intention to adhere to physiotherapy among women with urinary incontinence. *Health Educ Res.* 2001 Apr; 16: 173-86
- 40836 Lekcharoensuk, C., Osborne, C. A., Lulich, J. P. Epidemiologic study of risk factors for lower urinary tract diseases in cats. *J Am Vet Med Assoc.* 2001 May 1; 218: 1429-35
- 40837 Kassouf, W., Capolicchio, G., Berardinucci, G., Corcos, J. Collagen injection for treatment of urinary incontinence in children. *J Urol.* 2001 May; 165: 1666-8
- 40843 Malone-Lee, J., Shaffu, B., Anand, C., Powell, C. Tolterodine: superior tolerability than and comparable efficacy to oxybutynin in individuals 50 years old or older with overactive bladder: a randomized controlled trial. *J Urol.* 2001 May; 165: 1452-6
- 40844 Cavina, E. Total anorectal reconstruction after abdominoperineal resection. *Int J Surg Investig.* 1999; 1: 262-3
- 40846 Aylett, V., Lynch, O. Catheterisation in elderly women is no 'easy' option. *BMJ.* 2001 Apr 21; 322: 997
- 40848 Hanley, J., Capewell, A., Hagen, S. Validity study of the severity index, a simple measure of urinary incontinence in women. *BMJ.* 2001 May 5; 322: 1096-7
- 40851 Eldar, R., Ring, H., Tshuwa, M., Dynia, A., Ronen, R. Quality of care for urinary incontinence in a rehabilitation setting for patients with stroke. Simultaneous monitoring of process and outcome. *Int J Qual Health Care.* 2001 Feb; 13: 57-61
- 40854 Bass, J., Rubin, S. Z., Walton, J. M., Cada, M. Combined posterior sagittal and three-flap anoplasty in the repair of anorectal anomalies. *J Pediatr Surg.* 2001 May; 36: 711-4
- 40857 Lantzsich, T., Goepel, C., Wolters, M., Koelbl, H., Methfessel, H. D. Sacrospinous ligament fixation for vaginal vault prolapse. *Arch Gynecol Obstet.* 2001 Mar; 265: 21-5
- 40858 Georgiou, A., Potter, J., Brocklehurst, J. C., Lowe, D., Pearson, M. Measuring the quality of urinary continence care in long-term care facilities: an analysis of outcome indicators. *Age Ageing.* 2001 Jan; 30: 63-6
- 40861 El-Lamie, I. K. Preliminary experience with Mainz type II pouch in gynecologic oncology patients. *Eur J Gynaecol Oncol.* 2001; 22: 77-80

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 40863** Buttar, A., Blaum, C., Fries, B. Clinical characteristics and six-month outcomes of nursing home residents with low activities of daily living dependency. *J Gerontol A Biol Sci Med Sci.* 2001 May; 56: M292-7
- 40864** Preisser, J. S., Qaqish, B. F. Robust regression for clustered data with application to binary responses. *Biometrics.* 1999 Jun; 55: 574-9
- 40865** Valk, M., Post, M. W., Cools, H. J., Schrijvers, G. A. Measuring disability in nursing home residents: validity and reliability of a newly developed instrument. *J Gerontol B Psychol Sci Soc Sci.* 2001 May; 56: P187-91
- 40867** Tanaka, N., Tamai, T., Mukaiyama, H., Hirabayashi, A., Muranaka, H., Akahane, S., Miyata, H., Akahane, M. Discovery of novel N-phenylglycine derivatives as potent and selective beta(3)-adrenoceptor agonists for the treatment of frequent urination and urinary incontinence. *J Med Chem.* 2001 Apr 26; 44: 1436-45
- 40868** Lionis, C., Vlachonikolis, L., Bathianaki, M., Daskalopoulos, G., Anifantaki, S., Cranidis, A. Urinary incontinence, the hidden health problem of Cretan women: report from a primary care survey in Greece. *Women Health.* 2000; 31: 59-66
- 40869** Knight, J. Positive thinking. *Nurs Stand.* 2000 Feb 16-22; 14: 18-9
- 40874** Chan, D. Y., Jeffs, R. D., Gearhart, J. P. Determinants of continence in the bladder exstrophy population: predictors of success?. *Urology.* 2001 Apr; 57: 774-7
- 40880** Azam, U., Castleden, M., Turner, D. Economics of lower urinary tract symptoms (LUTS) in older people. *Drugs Aging.* 2001; 18: 213-23
- 40882** Al-Qutob, R. Menopause-associated problems: types and magnitude. A study in the Ain Al-Basha area, Jordan. *J Adv Nurs.* 2001 Mar; 33: 613-20
- 40883** Hoebeke, P., Van Laecke, E., Van Camp, C., Raes, A., Van De Walle, J. One thousand video-urodynamic studies in children with non-neurogenic bladder sphincter dysfunction. *BJU Int.* 2001 Apr; 87: 575-80
- 40884** Hjalmas, K., Hellstrom, A. L., Mogren, K., Lackgren, G., Stenberg, A. The overactive bladder in children: a potential future indication for tolterodine. *BJU Int.* 2001 Apr; 87: 569-74
- 40886** Jabs, C. F., Stanton, S. L. Urge incontinence and detrusor instability. *Int Urogynecol J Pelvic Floor Dysfunct.* 2001; 12: 58-68
- 40892** Indrekvam, S., Sandvik, H., Hunskaar, S. A Norwegian national cohort of 3198 women treated with home-managed electrical stimulation for urinary incontinence--effectiveness and treatment results. *Scand J Urol Nephrol.* 2001 Feb; 35: 32-9
- 40894** Matsuoka, N., Moriya, Y., Akasu, T., Fujita, S. Long-term outcome of urinary function after extended lymphadenectomy in patients with distal rectal cancer. *Eur J Surg Oncol.* 2001 Mar; 27: 165-9
- 40895** Jervis, L. L. The pollution of incontinence and the dirty work of caregiving in a U.S. nursing home. *Med Anthropol Q.* 2001 Mar; 15: 84-99
- 40897** Abu, J., Wong, M. Y., Foo, K. T., Yu, S. L. A case report on vesico-uterine fistula: a very rare complication of the lower caesarean section. *Singapore Med J.* 2000 Nov; 41: 554-6
- 40899** Simons, A. M., Yoong, W. C., Buckland, S., Moore, K. H. Inadequate repeatability of the one-hour pad test: the need for a new incontinence outcome measure. *BJOG.* 2001 Mar; 108: 315-9
- 40900** Romanzi, L. J. Urinary incontinence: a family affair. *J Gend Specif Med.* 1998 Oct-Nov; 1: 52-3
- 40901** Page for patients. *Menopause. Prev Med.* 2001 Mar; 32: 207-8
- 40904** Gaur, C., Mathur, A., Agarwal, A., Verma, K., Jain, R., Swaroop, A. Diabetic autonomic neuropathy causing gall bladder dysfunction. *J Assoc Physicians India.* 2000 Jun; 48: 603-5
- 40905** Lekan-Rutledge, D. Diffusion of innovation. A model for implementation of prompted voiding in long-term care settings. *J Gerontol Nurs.* 2000 Apr; 26: 25-33
- 40907** Khoury, J. M. Urinary incontinence. No need to be wet and upset. *N C Med J.* 2001 Mar-Apr; 62: 74-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 40908** Kuchel, G. A., Tannenbaum, C., Greenspan, S. L., Resnick, N. M. Can variability in the hormonal status of elderly women assist in the decision to administer estrogens?. *J Womens Health Gend Based Med.* 2001 Mar; 10: 109-16
- 40910** Emiroglu, R., Karakayall, H., Sevmis, S., Akkoc, H., Bilgin, N., Haberal, M. Urologic complications in 1275 consecutive renal transplantations. *Transplant Proc.* 2001 Feb-Mar; 33: 2016-7
- 40912** What is urinary incontinence?. *Health News.* 2001 Mar; 7: 3
- 40913** Rogers, R. G., Kammerer-Doak, D., Villarreal, A., Coates, K., Qualls, C. A new instrument to measure sexual function in women with urinary incontinence or pelvic organ prolapse. *Am J Obstet Gynecol.* 2001 Mar; 184: 552-8
- 40914** McGhan, W. F. Cost effectiveness and quality of life considerations in the treatment of patients with overactive bladder. *Am J Manag Care.* 2001 Mar; 7: S62-75
- 40915** Lemack, G. E. Overactive bladder: optimizing quality of care. *Am J Manag Care.* 2001 Mar; 7: S46-61
- 40916** Optimizing quality of care and cost effectiveness in the treatment of overactive bladder. *Am J Manag Care.* 2001 Mar; 7: S43-5
- 40917** Shaw, C., Williams, K. S., Assassa, R. P. Patients' views of a new nurse-led continence service. *J Clin Nurs.* 2000 Jul; 9: 574-82
- 40918** Williams, K. S., Assassa, R. P., Smith, N. K., Jagger, C., Perry, S., Shaw, C., Dallosso, H., McGrother, C., Clarke, M., Brittain, K. R., Castleden, C. M., Mayne, C. Development, implementation and evaluation of a new nurse-led continence service: a pilot study. *J Clin Nurs.* 2000 Jul; 9: 566-73
- 40919** Jirovec, M. M., Templin, T. Predicting success using individualized scheduled toileting for memory- impaired elders at home. *Res Nurs Health.* 2001 Feb; 24: 1-8
- 40922** Hemal, A. K., Kumar, R., Nabi, G. Post-cesarean cervicovesical fistula: technique of laparoscopic repair. *J Urol.* 2001 Apr; 165: 1167-8
- 40924** Greendale, G. A., Petersen, L., Zibecchi, L., Ganz, P. A. Factors related to sexual function in postmenopausal women with a history of breast cancer. *Menopause.* 2001 Summer; 8: 111-9
- 40927** Gladh, G., Mattsson, S., Lindstrom, S. Anogenital electrical stimulation as treatment of urge incontinence in children. *BJU Int.* 2001 Mar; 87: 366-71
- 40928** Marinkovic, S. P., Badlani, G. H. Imaging of the lower urinary tract in adults. *J Endourol.* 2001 Feb; 15: 75-86
- 40929** Van Kerrebroeck, P., Kreder, K., Jonas, U., Zinner, N., Wein, A. Tolterodine once-daily: superior efficacy and tolerability in the treatment of the overactive bladder. *Urology.* 2001 Mar; 57: 414-21
- 40931** Thomas, V. S. Excess functional disability among demented subjects? Findings from the Canadian Study of Health and Aging. *Dement Geriatr Cogn Disord.* 2001 May-Jun; 12: 206-10
- 40932** Farrell, S. A., Allen, V. M., Baskett, T. F. Parturition and urinary incontinence in primiparas. *Obstet Gynecol.* 2001 Mar; 97: 350-6
- 40933** Del Ser, T., Hachinski, V., Merskey, H., Munoz, D. G. Clinical and pathologic features of two groups of patients with dementia with Lewy bodies: effect of coexisting Alzheimer-type lesion load. *Alzheimer Dis Assoc Disord.* 2001 Jan-Mar; 15: 31-44
- 40935** Patten, J. A case study in evidence-based wound management. *Br J Nurs.* 2000 Jun suppl; 9: S38-40, S42, S44 passim
- 40937** Stoker, J., Halligan, S., Bartram, C. I. Pelvic floor imaging. *Radiology.* 2001 Mar; 218: 621-41
- 40939** Roijen, L. E., Postema, K., Limbeek, V. J., Kuppevelt, V. H. Development of bladder control in children and adolescents with cerebral palsy. *Dev Med Child Neurol.* 2001 Feb; 43: 103-7
- 40940** Burkhart, K. S. Urinary incontinence in women: assessment and management in the primary care setting. *Nurse Pract Forum.* 2000 Dec; 11: 192-204

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 40943** Sponseller, P. D., Jani, M. M., Jeffs, R. D., Gearhart, J. P. Anterior innominate osteotomy in repair of bladder exstrophy. *J Bone Joint Surg Am.* 2001 Feb; 83-A: 184-93
- 40944** Suguita, M., Giraio, M. J., Simoes, M. J., Sartori, M. G., Baracat, E. C., Rodrigues de Lima, G. R. A morphologic and morphometric study of the vesical mucosa and urethra of castrated female rats following estrogen and/or progestogen replacement. *Clin Exp Obstet Gynecol.* 2000; 27: 176-8
- 40945** MacKinnon, A. E., Roberts, J. P., Searles, J. Day-care ultrasound avoids urodynamics. *Eur J Pediatr Surg.* 2000 Dec; 10 Suppl 1: 24-5
- 40949** Truss, M. C., Stief, C. G., Uckert, S., Becker, A. J., Schultheiss, D., Machtens, S., Jonas, U. Initial clinical experience with the selective phosphodiesterase-I isoenzyme inhibitor vinpocetine in the treatment of urge incontinence and low compliance bladder. *World J Urol.* 2000 Dec; 18: 439-43
- 40950** Freeman, E. W., Grisso, J. A., Berlin, J., Sammel, M., Garcia-Espana, B., Hollander, L. Symptom reports from a cohort of African American and white women in the late reproductive years. *Menopause.* 2001 Jan-Feb; 8: 33-42
- 40951** Edlund, C., Hellstrom, M., Peeker, R., Fall, M. First Scandinavian experience of electrical sacral nerve stimulation in the treatment of the overactive bladder. *Scand J Urol Nephrol.* 2000 Dec; 34: 366-76
- 40954** Diokno, A. C. Epidemiology of urinary incontinence. *J Gerontol A Biol Sci Med Sci.* 2001 Jan; 56: M3-4
- 40955** Miles, T. P., Palmer, R. F., Espino, D. V., Mouton, C. P., Lichtenstein, M. J., Markides, K. S. New-onset incontinence and markers of frailty: data from the Hispanic Established Populations for Epidemiologic Studies of the Elderly. *J Gerontol A Biol Sci Med Sci.* 2001 Jan; 56: M19-24
- 40956** Maggi, S., Minicuci, N., Langlois, J., Pavan, M., Enzi, G., Crepaldi, G. Prevalence rate of urinary incontinence in community-dwelling elderly individuals: the Veneto study. *J Gerontol A Biol Sci Med Sci.* 2001 Jan; 56: M14-8
- 40957** Burgio, K. L., Locher, J. L., Roth, D. L., Goode, P. S. Psychological improvements associated with behavioral and drug treatment of urge incontinence in older women. *J Gerontol B Psychol Sci Soc Sci.* 2001 Jan; 56: P46-51
- 40958** MacLennan, A. H., Taylor, A. W., Wilson, D. H., Wilson, D. The prevalence of pelvic floor disorders and their relationship to gender, age, parity and mode of delivery. *BJOG.* 2000 Dec; 107: 1460-70
- 40959** Bignell, V. Using charts to assess urinary incontinence. *Community Nurse.* 1999 Dec; 5: 23-4
- 40960** O'Connell-Gifford, E. Contact dermatitis complicated by environment. *Ostomy Wound Manage.* 2000 Sep; 46: 16-7
- 40961** Ouslander, J. G., Shih, Y. T., Malone-Lee, J., Luber, K. Overactive bladder: special considerations in the geriatric population. *Am J Manag Care.* 2000 Jul; 6: S599-606
- 40962** Abrams, P., Kelleher, C. J., Kerr, L. A., Rogers, R. G. Overactive bladder significantly affects quality of life. *Am J Manag Care.* 2000 Jul; 6: S580-90
- 40963** Brown, J. S., McGhan, W. F., Chokroverty, S. Comorbidities associated with overactive bladder. *Am J Manag Care.* 2000 Jul; 6: S574-9
- 40964** Milsom, I., Stewart, W., Thuroff, J. The prevalence of overactive bladder. *Am J Manag Care.* 2000 Jul; 6: S565-73
- 40965** Wein, A. J. Overactive bladder: defining the disease. *Am J Manag Care.* 2000 Jul; 6: S559-64; discussion S607-19
- 40970** de, JONG TP, Van Gool, J. D., Dik, P., Klijn, A. J., Vijverberg, M. A. The treatment of post-urethrotomy incontinence in pediatric and adolescent females. *J Urol.* 2001 Mar; 165: 929-33
- 40971** Munding, M., Wessells, H., Thornberry, B., Riden, D. Use of tolterodine in children with dysfunctional voiding: an initial report. *J Urol.* 2001 Mar; 165: 926-8
- 40972** Husmann, O. A., Cain, M. P. Fecal and urinary continence after ileal cecal cystoplasty for the neurogenic bladder. *J Urol.* 2001 Mar; 165: 922-5
- 40973** Sureshkumar, P., Craig, J. C., Roy, L. P., Knight, J. F. A reproducible pediatric daytime urinary incontinence questionnaire. *J Urol.* 2001 Feb; 165: 569-73



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 40976** Marinkovic, S., Badlani, G. Voiding and sexual dysfunction after cerebrovascular accidents. *J Urol.* 2001 Feb; 165: 359-70
- 40977** Yavuzer, G., Gok, H., Tuncer, S., Soygur, T., Arikan, N., Arasil, T. Compliance with bladder management in spinal cord injury patients. *Spinal Cord.* 2000 Dec; 38: 762-5
- 40981** Janknegt, R. A., Hassouna, M. M., Siegel, S. W., Schmidt, R. A., Gajewski, J. B., Rivas, D. A., Elhilali, M. M., Milam, D. C., van Kerrebroeck, P. E., Dijkema, H. E., Lycklama, a., Nyeholt AA, Fall, M., Jonas, U., Catanzaro, F., Fowler, C. J Long-term effectiveness of sacral nerve stimulation for refractory urge incontinence. *Eur Urol.* 2001 Jan; 39: 101-6
- 40982** Nobili, F., Copello, F., Buffoni, F., Vitali, P., Girtler, N., Bordoni, C., Safaie-Semnani, E., Mariani, G., Rodriguez, G. Regional cerebral blood flow and prognostic evaluation in Alzheimer's disease. *Dement Geriatr Cogn Disord.* 2001 Mar-Apr; 12: 89-97
- 40983** Hannah, S. L., Roland, B., Gengenbacher, P. M. Extraperitoneal retropubic laparoscopic urethropexy. *J Am Assoc Gynecol Laparosc.* 2001 Feb; 8: 107-10
- 40986** Edlund, C., Peeker, R., Fall, M. Lidocaine cystometry in the diagnosis of bladder overactivity. *Neurourol Urodyn.* 2001; 20: 147-55
- 40991** Geomini, P. M., Brolmann, H. A., van Binsbergen, N. J., Mol, B. W. Vaginal vault suspension by abdominal sacral colpopexy for prolapse: a follow up study of 40 patients. *Eur J Obstet Gynecol Reprod Biol.* 2001 Feb; 94: 234-8
- 40993** VanderHorst, V. G., Meijer, E., Holstege, G. Estrogen receptor-alpha immunoreactivity in parasympathetic preganglionic neurons innervating the bladder in the adult ovariectomized cat. *Neurosci Lett.* 2001 Feb 9; 298: 147-50
- 40999** Weckermann, D., Wawroschek, F., Schipp, J., Krawczak, G., Harzmann, R. Metabolic changes and urodynamic findings after continent urinary diversion. *Int Urol Nephrol.* 1999; 31: 665-74
- 41001** Pannek, J. Vesicostomy in adult meningomyelocele patients. Reappraisal of an old technique. *Int Urol Nephrol.* 1999; 31: 643-5
- 41002** Cetinel, B., Demirkesen, O., Talat, Z., Yaycioglu, O., Solok, V. Application of continent retubularized ileal stoma (Monti procedure) to an ileocecal pouch. *Urology.* 2000 Feb; 55: 286
- 41003** Rovner, E. S., Gomes, C. M., Banner, M. P., Wein, A. J. Ventral hernia of the urinary bladder with mixed urinary incontinence: treatment with herniorrhaphy and allograft fascial sling. *Urology.* 2000 Jan; 55: 145
- 41005** Cain, M. P., Rink, R. C. Vaginal stenosis and hydrometrocolpos: late complication of inadvertent perivaginal placement of an artificial urinary sphincter in prepubertal girls(1). *Urology.* 1999 Nov; 54: 923
- 41010** Hruby, G., Choo, R., Lehman, M., Herschorn, S., Kapusta, L. Female clear cell adenocarcinoma arising within a urethral diverticulum. *Can J Urol.* 2000 Dec; 7: 1160-3
- 41012** Zvosec, D. L., Smith, S. W., McCutcheon, J. R., Spillane, J., Hall, B. J., Peacock, E. A. Adverse events, including death, associated with the use of 1,4- butanediol. *N Engl J Med.* 2001 Jan 11; 344: 87-94
- 41013** Dinh, D. H., Tompkins, J., Clark, S. B. Transcostovertebral approach for thoracic disc herniations. *J Neurosurg.* 2001 Jan; 94: 38-44
- 41015** Nabi, G., Hemal, A. K., Kumar, M., Ansari, M. S., Dorairajan, L. N. Diagnosis and management of post-cesarean ureterouterine fistulae. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Dec; 11: 389-91
- 41016** Votolato, N. A., Stern, S., Caputo, R. M. Serotonergic antidepressants and urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Dec; 11: 386-8
- 41018** Benson, J. T. Sacral nerve stimulation results may be improved by electrodiagnostic techniques. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000 Dec; 11: 352-7
- 41022** Faundes, A., Guarisi, T., Pinto-Neto, A. M. The risk of urinary incontinence of parous women who delivered only by cesarean section. *Int J Gynaecol Obstet.* 2001 Jan; 72: 41-6



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 41023 Shaw, C., Tansey, R., Jackson, C., Hyde, C., Allan, R. Barriers to help seeking in people with urinary symptoms. *Fam Pract.* 2001 Feb; 18: 48-52
- 41024 Doherty, W. Urinary sheaths and drainage bags available from Manfred Sauer. *Br J Nurs.* 2000 Apr 27-May 10; 9: 514-7
- 41025 Roe, B., Wilson, K., Doll, H. Public awareness and health education: findings from an evaluation of health services for incontinence in England. *Int J Nurs Stud.* 2001 Feb; 38: 79-89
- 41026 Pena, A., Hong, A. Advances in the management of anorectal malformations. *Am J Surg.* 2000 Nov; 180: 370-6
- 41027 Patel, M., Coshall, C., Rudd, A. G., Wolfe, C. D. Natural history and effects on 2-year outcomes of urinary incontinence after stroke. *Stroke.* 2001 Jan; 32: 122-7
- 41029 Walsh, I. K., Thompson, T., Loughridge, W. G., Johnston, S. R., Keane, P. F., Stone, A. R. Non-invasive antidiromic neurostimulation: a simple effective method for improving bladder storage. *Neurourol Urodyn.* 2001; 20: 73-84
- 41032 FitzGerald, M. P., Manaves, V., Martin, A. F., Shott, S., Brubaker, L. Myosin isoforms in female human detrusor. *Neurourol Urodyn.* 2001; 20: 23-9
- 41034 Madjar, S., Evans, D., Duncan, R. C., Gousse, A. E. Collaboration and practice patterns among urologists and gynecologists in the treatment of urinary incontinence and pelvic floor prolapse: a survey of the International Continence Society members. *Neurourol Urodyn.* 2001; 20: 3-11
- 41035 Caruso, J. M., Tung, G. A., Brown, W. D. Central nervous system and renal vasculitis associated with primary varicella infection in a child. *Pediatrics.* 2001 Jan; 107: E9
- 41036 Swift, B. J. Early neutering of dogs. *Vet Rec.* 2000 Dec 2; 147: 667
- 41037 Ryden, M. B., Snyder, M., Gross, C. R., Savik, K., Pearson, V., Krichbaum, K., Mueller, C. Value-added outcomes: the use of advanced practice nurses in long-term care facilities. *Gerontologist.* 2000 Dec; 40: 654-62
- 41038 Roovers, J. P., van der Vaart, C. H., van der Bom, J. G., Heintz, A. P. Urinary incontinence after hysterectomy. *Lancet.* 2000 Dec 9; 356: 2012-3
- 41040 Milsom, I. The prevalence of urinary incontinence. *Acta Obstet Gynecol Scand.* 2000 Dec; 79: 1056-9
- 41042 Seim, A., Hunskaar, S. Female urinary incontinence--the role of the general practitioner. *Acta Obstet Gynecol Scand.* 2000 Dec; 79: 1046-51
- 41044 Kataria, R., Bajpai, M., Lall, A., Gupta, D. K., Grover, V. P., Mitra, D. K. Neurogenic bladder: urodynamic and surgical aspects. *Indian J Pediatr.* 1997 Nov-Dec; 64: 68-76
- 41045 Koie, H., Yamaya, Y., Sakai, T. Four cases of lowered urethral pressure in canine ectopic ureter. *J Vet Med Sci.* 2000 Nov; 62: 1221-2
- 41052 Groen, J., van Mastrigt, R., Bosch, J. L. Computerized assessment of detrusor instability in patients treated with sacral neuromodulation. *J Urol.* 2001 Jan; 165: 169-73
- 41060 Mattox, T. F., Lucente, V., McIntyre, P., Miklos, J. R., Tomezsko, J. Abnormal spinal curvature and its relationship to pelvic organ prolapse. *Am J Obstet Gynecol.* 2000 Dec; 183: 1381-4; discussion 1384
- 41061 Alcalay, M., Thompson, P. K., Boone, T. B. Ball urethroplasty combined with Marshall-Marchetti-Krantz urethropexy versus suburethral sling in patients with intrinsic sphincter deficiency and urethral hypermobility. *Am J Obstet Gynecol.* 2000 Dec; 183: 1348-53; discussion 1353-4
- 41063 Carey, M. P., De Jong, S., Friedhuber, A., Moran, P. A., Dwyer, P. L., Scurry, J. A prospective evaluation of the pathogenesis of detrusor instability in women, using electron microscopy and immunohistochemistry. *BJU Int.* 2000 Dec; 86: 970-6
- 41068 Tinnion, E., Jowitt, F. The active urine collection device: a novel continence management system focusing particularly on the needs of disabled women. *Disabil Rehabil.* 2000 Nov 10; 22: 745-8
- 41071 Shimanouchi, S., Kamei, T., Hayashi, M. Home care for the frail elderly based on urinary incontinence level. *Public Health Nurs.* 2000 Nov-Dec; 17: 468-73

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 41073** Siegel, S. W., Catanzaro, F., Dijkema, H. E., Elhilali, M. M., Fowler, C. J., Gajewski, J. B., Hassouna, M. M., Janknegt, R. A., Jonas, U., van Kerrebroeck, P. E., Lycklama, a., Nijeholt AA, Oleson, K. A., Schmidt, R. A. Long-term results of a multicenter study on sacral nerve stimulation for treatment of urinary urge incontinence, urgency-frequency, and retention. *Urology*. 2000 Dec 4; 56: 87-91
- 41078** Dmochowski, R. R., Appell, R. A. Advancements in pharmacologic management of the overactive bladder. *Urology*. 2000 Dec 4; 56: 41-9
- 41086** Honjo, H., Naya, Y., Ukimura, O., Kojima, M., Miki, T. Acupuncture on clinical symptoms and urodynamic measurements in spinal- cord-injured patients with detrusor hyperreflexia. *Urol Int*. 2000; 65: 190-5
- 41087** Pannu, H. K., Kaufman, H. S., Cundiff, G. W., Genadry, R., Bluemke, D. A., Fishman, E. K. Dynamic MR imaging of pelvic organ prolapse: spectrum of abnormalities. *Radiographics*. 2000 Nov-Dec; 20: 1567-82
- 41090** Weatherall, M. Biofeedback in urinary incontinence: past, present and future. *Curr Opin Obstet Gynecol*. 2000 Oct; 12: 411-3
- 41091** Shafik, A. Neuronal innervation of urethral and anal sphincters: surgical anatomy and clinical implications. *Curr Opin Obstet Gynecol*. 2000 Oct; 12: 387-98
- 41093** Roe, B., Doll, H. Prevalence of urinary incontinence and its relationship with health status. *J Clin Nurs*. 2000 Mar; 9: 178-87
- 41094** Talic, R. F. Paramedian extraperitoneal approach for combined nephrectomy and augmentation ureterocystoplasty in children with neurovesical dysfunction. *Eur Urol*. 2000 Dec; 38: 762-5
- 41096** Kilciler, M., Tan, O., Tahmaz, L., Dayanc, M., Harmankaya, C. Ureterocystoplasty in bilaterally functional kidneys. *Eur Urol*. 2000 Dec; 38: 742-7
- 41098** Garcia, A., Smith, M., Freedman, M. Vitamin B12 deficiency and incontinence in older people. *Can J Urol*. 2000 Aug; 7: 1077-80
- 41099** Rawlings, C. A., Mahaffey, M. B., Chernosky, A., Huzella, L. Immediate urodynamic and anatomic response to colposuspension in female Beagles. *Am J Vet Res*. 2000 Nov; 61: 1353-7
- 41101** Kolcaba, K., Dowd, T., Winslow, E. H., Jacobson, A. F. Kegel exercises. Strengthening the weak pelvic floor muscles that cause urinary incontinence. *Am J Nurs*. 2000 Nov; 100: 59
- 41102** Abrams, P., Wein, A. Recent advances: urology. *BMJ*. 2000 Dec 2; 321: 1393-6
- 41103** Addison, R., Lavender, R. Vaginal examination--2 and teaching pelvic muscle exercises. *Nurs Times*. 1999 Dec 1-7; 95: suppl 1-2
- 41105** Skelly, J., Boblin-Cummings, S. Promoting seniors' health--confronting the issue of incontinence. *Can J Nurs Leadersh*. 1999 Sep-Oct; 12: 13-7
- 41107** Thakar, R., Stanton, S. Regular review: management of urinary incontinence in women. *BMJ*. 2000 Nov 25; 321: 1326-31
- 41108** Maas, C. P., Moriya, Y., Steup, W. H., Klein Kranenbarg, E., van de Velde, C. J. A prospective study on radical and nerve-preserving surgery for rectal cancer in the Netherlands. *Eur J Surg Oncol*. 2000 Dec; 26: 751-7
- 41110** Nakamura, S., Hirano, T., Tsujimae, K., Aoyama, M., Kondo, K., Yamamura, Y., Mori, T., Tominaga, M. Antidiuretic effects of a nonpeptide vasopressin V(2)-receptor agonist, OPC-51803, administered orally to rats. *J Pharmacol Exp Ther*. 2000 Dec; 295: 1005-11
- 41111** Kim, N. K., Park, J. S., Park, J. K., Sohn, S. K., Min, J. S. Restorative proctocolectomy: operative safety and functional outcomes. *Yonsei Med J*. 2000 Oct; 41: 634-41
- 41112** Perry, S., Shaw, C., Assassa, P., Dallosso, H., Williams, K., Brittain, K. R., Mensah, F., Smith, N., Clarke, M., Jagger, C., Mayne, C., Castleden, C. M., Jones, J., McGrother, C. An epidemiological study to establish the prevalence of urinary symptoms and felt need in the community: the Leicestershire MRC Incontinence Study. Leicestershire MRC Incontinence Study Team. *J Public Health Med*. 2000 Sep; 22: 427-34
- 41113** Goldberg, R. P., Sand, P. K. Electromagnetic pelvic floor stimulation: applications for the gynecologist. *Obstet Gynecol Surv*. 2000 Nov; 55: 715-20

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 41114 Petros, P. Influence of hysterectomy on pelvic-floor dysfunction. *Lancet*. 2000 Oct 7; 356: 1275
- 41115 McDonough, C. M., Swift, G., Managan, B., Sheehan, J. D. Neuroleptic malignant syndrome: a diagnosis easily missed. *Ir Med J*. 2000 Jul-Aug; 93: 152-4
- 41118 Ferrara, P., Rigante, D., Lambert-Gardini, S., Salvaggio, E., Ricci, R., Chiozza, M. L., Antuzzi, D. Urinary excretion of glycosaminoglycans in patients with isolated nocturnal enuresis or combined with diurnal incontinence. *BJU Int*. 2000 Nov; 86: 824-5
- 41119 Yono, M., Yoshida, M., Takahashi, W., Inadome, A., Ueda, S. Comparison of the effects of novel antimuscarinic drugs on human detrusor smooth muscle. *BJU Int*. 2000 Oct; 86: 719-25
- 41120 Leissner, J., Black, P., Fisch, M., Hockel, M., Hohenfellner, R. Colon pouch (Mainz pouch III) for continent urinary diversion after pelvic irradiation. *Urology*. 2000 Nov 1; 56: 798-802
- 41121 Yamanishi, T., Sakakibara, R., Uchiyama, T., Suda, S., Hattori, T., Ito, H., Yasuda, K. Comparative study of the effects of magnetic versus electrical stimulation on inhibition of detrusor overactivity. *Urology*. 2000 Nov 1; 56: 777-81
- 41123 Klingler, H. C., Pycha, A., Schmidbauer, J., Marberger, M. Use of peripheral neuromodulation of the S3 region for treatment of detrusor overactivity: a urodynamic-based study. *Urology*. 2000 Nov 1; 56: 766-71
- 41124 McFall, S. L., Yerkes, A. M., Cowan, L. D. Outcomes of a small group educational intervention for urinary incontinence: health-related quality of life. *J Aging Health*. 2000 Aug; 12: 301-17
- 41125 Sacral nerve stimulation for the treatment of urinary urgency/frequency. *Tecnologica MAP Suppl*. 2000 Jun; : 12-5
- 41126 Roe, B. Effective and ineffective management of incontinence: issues around illness trajectory and health care. *Qual Health Res*. 2000 Sep; 10: 677-90
- 41127 Shehu, B. B., Ameh, E. A., Ismail, N. J. Spina bifida cystica: selective management in Zaria, Nigeria. *Ann Trop Paediatr*. 2000 Sep; 20: 239-42
- 41128 de Jong, T. P., Dik, P., Klijn, A. J., Uiterwaal, C. S., van Gool, J. D. Ectopic ureterocele: results of open surgical therapy in 40 patients. *J Urol*. 2000 Dec; 164: 2040-3; discussion 2043-4
- 41132 Meeks, G. R. Advanced laparoscopic gynecologic surgery. *Surg Clin North Am*. 2000 Oct; 80: 1443-64
- 41133 Sutaria, P. M., Staskin, D. R. Hydronephrosis and renal deterioration in the elderly due to abnormalities of the lower urinary tract and ureterovesical junction. *Int Urol Nephrol*. 2000; 32: 119-26
- 41135 Celayir, S., Ilce, Z., Danismend, N. Effects of male sex hormones on urodynamics in childhood: intersex patients are a natural model. *Pediatr Surg Int*. 2000; 16: 502-4
- 41136 Yoshiyama, M., Yamamoto, T., de Groat, W. C. Role of spinal alpha(1)-adrenergic mechanisms in the control of lower urinary tract in the rat. *Brain Res*. 2000 Nov 3; 882: 36-44
- 41137 Walter, A., Magtibay, P., Cornella, J. L. Percutaneous bone anchor sling using synthetic mesh associated with urethral overcorrection and erosion. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 328-9
- 41139 Hunskaar, S., Arnold, E. P., Burgio, K., Diokno, A. C., Herzog, A. R., Mallett, V. T. Epidemiology and natural history of urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 301-19
- 41140 Goode, P. S., Locher, J. L., Bryant, R. L., Roth, D. L., Burgio, K. L. Measurement of postvoid residual urine with portable transabdominal bladder ultrasound scanner and urethral catheterization. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 296-300
- 41144 Davies, J. A., Hosker, G., Lord, J., Smith, A. R. An evaluation of the efficacy of in-patient bladder retraining. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 271-5; discussion 275-6
- 41145 Hollabaugh, R. S., Jr, Steiner, M. S., Sellers, K. D., Samm, B. J., Dmochowski, R. R. Neuroanatomy of the pelvis: implications for colonic and rectal resection. *Dis Colon Rectum*. 2000 Oct; 43: 1390-7
- 41146 Takano, M., Hamada, A. Evaluation of pelvic descent disorders by dynamic contrast roentgenography. *Dis Colon Rectum*. 2000 Oct; 43: S6-11

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 41147 Marrie, T. J. Community-acquired pneumonia in the elderly. Clin Infect Dis. 2000 Oct; 31: 1066-78
- 41149 Isozaki, E., Matsubara, S., Hayashida, T., Oda, M., Hirai, S. Morphometric study of nucleus ambiguus in multiple system atrophy presenting with vocal cord abductor paralysis. Clin Neuropathol. 2000 Sep-Oct; 19: 213-20
- 41152 Speights, S. E., Moore, R. D., Miklos, J. R. Frequency of lower urinary tract injury at laparoscopic burch and paravaginal repair. J Am Assoc Gynecol Laparosc. 2000 Nov; 7: 515-8
- 41153 Johnson, J. C., Jayadevappa, R., Baccash, P. D., Taylor, L. Nonspecific presentation of pneumonia in hospitalized older people: age effect or dementia?. J Am Geriatr Soc. 2000 Oct; 48: 1316-20
- 41154 Silverblatt, F. J., Tibert, C., Mikolich, D., Blazek-D'Arezzo, J., Alves, J., Tack, M., Agatiello, P. Preventing the spread of vancomycin-resistant enterococci in a long- term care facility. J Am Geriatr Soc. 2000 Oct; 48: 1211-5
- 41157 Brown, S., Lumley, J. Physical health problems after childbirth and maternal depression at six to seven months postpartum. BJOG. 2000 Oct; 107: 1194-201
- 41159 Yamanishi, T., Yasuda, K., Murayama, N., Sakakibara, R., Uchiyama, T., Ito, H. Biofeedback training for detrusor overactivity in children. J Urol. 2000 Nov; 164: 1686-90
- 41167 Chartier-Kastler, E. J., Ruud Bosch, J. L., Perrigot, M., Chancellor, M. B., Richard, F., Denys, P. Long-term results of sacral nerve stimulation (S3) for the treatment of neurogenic refractory urge incontinence related to detrusor hyperreflexia. J Urol. 2000 Nov; 164: 1476-80
- 41168 Hoebeke, P., De Kuyper, P., Goeminne, H., Van Laecke, E., Everaert, K. Bladder neck closure for treating pediatric incontinence. Eur Urol. 2000 Oct; 38: 453-6
- 41169 Silva, C., Rio, M. E., Cruz, F. Desensitization of bladder sensory fibers by intravesical resiniferatoxin, a capsaicin analog: long-term results for the treatment of detrusor hyperreflexia. Eur Urol. 2000 Oct; 38: 444-52
- 41170 Mitsui, T., Minami, K., Furuno, T., Morita, H., Koyanagi, T. Is suprapubic cystostomy an optimal urinary management in high quadriplegics?. A comparative study of suprapubic cystostomy and clean intermittent catheterization. Eur Urol. 2000 Oct; 38: 434-8
- 41171 Sakakibara, R., Hattori, T., Boku, K., Uchiyama, T., Yamanishi, T. Micturitional disturbance in neuro-Behcet's syndrome. Auton Neurosci. 2000 Sep 1; 83: 86-9
- 41172 Ozawa, H., Noma, S., Yoshida, Y., Sekine, H., Hashimoto, T. Acute disseminated encephalomyelitis associated with poliomyelitis vaccine. Pediatr Neurol. 2000 Aug; 23: 177-9
- 41174 Mowzoon, N., Bradley, W. G. Successful immunosuppressant therapy of severe progressive cerebellar degeneration and sensory neuropathy: a case report. J Neurol Sci. 2000 Sep 1; 178: 63-5
- 41175 Nicolle, L. E. Urinary tract infection in long-term-care facility residents. Clin Infect Dis. 2000 Sep; 31: 757-61
- 41176 McFall, S. L., Yerkes, A. M., Cowan, L. D. Outcomes of a small group educational intervention for urinary incontinence: episodes of incontinence and other urinary symptoms. J Aging Health. 2000 May; 12: 250-67
- 41177 Pelvic floor electrical stimulation in the treatment of adult urinary incontinence. Tecnologica MAP Suppl. 2000 Apr; : 15-7
- 41178 Cochran, A. Don't ask, don't tell: the incontinence conspiracy. Manag Care Q. 2000 Winter; 8: 44-52
- 41179 Hextall, A. Oestrogens and lower urinary tract function. Maturitas. 2000 Aug 31; 36: 83-92
- 41180 Everaert, K., Van Laecke, E., De Mynck, M., Peeters, H., Hoebeke, P. Urodynamic assessment of voiding dysfunction and dysfunctional voiding in girls and women. Int Urogynecol J Pelvic Floor Dysfunct. 2000; 11: 254-64
- 41183 Hautmann, R. E., de Petriconi, R., Kleinschmidt, K., Gottfried, H. W., Gschwend, J. E. Orthotopic ileal neobladder in females: impact of the urethral resection line on functional results. Int Urogynecol J Pelvic Floor Dysfunct. 2000; 11: 224-9; discussion 230
- 41187 Bibliography. Current world literature. Voiding dysfunction and female urology. Curr Opin Urol. 2000 Sep; 10: 499-508

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 41188 Hohlbrugger, G., Riedl, C. Non-bacterial cystitis. *Curr Opin Urol.* 2000 Sep; 10: 371-80
- 41191 Blaivas, J. G., Groutz, A. Bladder outlet obstruction nomogram for women with lower urinary tract symptomatology. *Neurourol Urodyn.* 2000; 19: 553-64
- 41192 Wall, L. L. Cost-effectiveness of elective cesarean delivery after one prior low transverse cesarean. *Obstet Gynecol.* 2000 Sep; 96: 482
- 41194 Katsuragi, S., Teraoka, K., Ikegami, K., Amano, K., Yamashita, K., Ishizuka, K., Miyakawa, T. Late onset X-linked hydrocephalus with normal cerebrospinal fluid pressure. *Psychiatry Clin Neurosci.* 2000 Aug; 54: 487-92
- 41195 Nakazato, I., Kinjo, T., Sirirungsi, W., Tsuhako, K., Miyagi, J., Higa, M., Iwamasa, T. Experimental myelitis in BALB/cN and C57BL/6N mice caused by herpes simplex virus type 1 compared with herpes simplex virus type 2. *Pathol Res Pract.* 2000; 196: 635-45
- 41196 Falls and incontinence: a missing link?. *Health News.* 2000 Sep; 6: 6
- 41197 Bayles, K. A., Tomoeda, C. K., Cruz, R. F., Mahendra, N. Communication abilities of individuals with late-stage Alzheimer disease. *Alzheimer Dis Assoc Disord.* 2000 Jul-Sep; 14: 176-81
- 41198 O'Leary, M. P., Gee, W. F., Holtgrewe, H. L., Blute, M. L., Cooper, T. P., Miles, B. J., Nellans, R. E., Thomas, R., Painter, M. R., Meyer, J. J., Naslund, M. J., Gormley, E. A., Blizzard, R., Fenninger, R. B. 1999 American Urological Association Gallup Survey: changes in physician practice patterns, treatment of incontinence and bladder cancer, and impact of managed care. *J Urol.* 2000 Oct; 164: 1311-6
- 41199 Ismael, S. S., Epstein, T., Bayle, B., Denys, P., Amarenco, G. Bladder cooling reflex in patients with multiple sclerosis. *J Urol.* 2000 Oct; 164: 1280-4
- 41202 Neulander, E. Z., Rivera, I., Eisenbrown, N., Wajzman, Z. Simple cystectomy in patients requiring urinary diversion. *J Urol.* 2000 Oct; 164: 1169-72
- 41204 Newey, M. L., Sen, P. K., Fraser, R. D. The long-term outcome after central cord syndrome: a study of the natural history. *J Bone Joint Surg Br.* 2000 Aug; 82: 851-5
- 41205 Rangnekar, N. P., Imdad Ali, N., Kaul, S. A., Pathak, H. R. Role of the martius procedure in the management of urinary-vaginal fistulas. *J Am Coll Surg.* 2000 Sep; 191: 259-63
- 41206 Garcia-Porrua, C., Gonzalez-Gay, M. A., Picallo, J. A. Rapid response to intravenous corticosteroids in osteitis pubis after Marshall-Marchetti-Krantz urethropexy. *Rheumatology (Oxford).* 2000 Sep; 39: 1048-9
- 41207 Harrington, C., Zimmerman, D., Karon, S. L., Robinson, J., Beutel, P. Nursing home staffing and its relationship to deficiencies. *J Gerontol B Psychol Sci Soc Sci.* 2000 Sep; 55: S278-87
- 41208 Cunha, D. F., Frota, R. B., Arruda, M. S., Cunha, S. F., Teixeira, V. P. Pressure sores among malnourished necropsied adults--preliminary data. *Rev Hosp Clin Fac Med Sao Paulo.* 2000 May-Jun; 55: 79-82
- 41209 Ng, W. T., Kwok, K. W., Hwang, J. Laparoscopy as the investigation and treatment of choice for urinary incontinence caused by small 'invisible' dysplastic kidneys with infrasphincteric ureteric ectopia. *BJU Int.* 2000 Jul; 86: 145-6
- 41210 Hirono, N., Kitagaki, H., Kazui, H., Hashimoto, M., Mori, E. Impact of white matter changes on clinical manifestation of Alzheimer's disease: A quantitative study. *Stroke.* 2000 Sep; 31: 2182-8
- 41211 Hankey, G. J., Jamrozik, K., Broadhurst, R. J., Forbes, S., Burvill, P. W., Anderson, C. S., Stewart-Wynne, E. G. Five-year survival after first-ever stroke and related prognostic factors in the Perth Community Stroke Study. *Stroke.* 2000 Sep; 31: 2080-6
- 41212 Rosario, D. J., Radley, S. C., Chapple, C. R. The pressure-flow plot in the evaluation of female incontinence. *BJU Int.* 2000 Sep; 86: 564-5
- 41213 Choi, H., Oh, S. J. The management of children with complete ureteric duplication: selective use of uretero-ureterostomy as a primary and salvage procedure. *BJU Int.* 2000 Sep; 86: 508-12
- 41214 Johnson, T. M., 2nd, Kincade, J. E., Bernard, S. L., Busby-Whitehead, J., DeFries, G. H. Self-care practices used by older men and women to manage urinary incontinence: results from the national follow-up survey on self-care and aging. *J Am Geriatr Soc.* 2000 Aug; 48: 894-902



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 41215 Razak, M., Sappani, K. Neurological recovery following posterior decompression of spinal secondaries. *Med J Malaysia*. 1998 Sep; 53 Suppl A: 6-11
- 41216 Jozwik, M., Jozwik, M. Clinical classification of vesicouterine fistula. *Int J Gynaecol Obstet*. 2000 Sep; 70: 353-7
- 41218 Ginsberg, D., Rovner, E., Raz, S. Continence mechanism based on a modified ileocecal valve. *Tech Urol*. 2000 Sep; 6: 167-71
- 41223 Petrou, S. P., Elliott, D. S., Barrett, D. M. Artificial urethral sphincter for incontinence. *Urology*. 2000 Sep 1; 56: 353-9
- 41224 Hurley, R. M., Harris, D., Shepherd, R. R. Incontinence in myelodysplasia: imipramine hydrochloride revisited. *Clin Pediatr (Phila)*. 2000 Aug; 39: 489-91
- 41225 Holtedahl, K., Verelst, M., Schiefloe, A., Hunskaar, S. Usefulness of urodynamic examination in female urinary incontinence-- lessons from a population-based, randomized, controlled study of conservative treatment. *Scand J Urol Nephrol*. 2000 Jun; 34: 169-74
- 41230 Van Savage, J. G., Yohannes, P. Laparoscopic antegrade continence enema in situ appendix procedure for refractory constipation and overflow fecal incontinence in children with spina bifida. *J Urol*. 2000 Sep; 164: 1084-7
- 41231 Farhat, W., Bagli, D. J., Capolicchio, G., O'Reilly, S., Merguerian, P. A., Khoury, A., McLorie, G. A. The dysfunctional voiding scoring system: quantitative standardization of dysfunctional voiding symptoms in children. *J Urol*. 2000 Sep; 164: 1011-5
- 41232 Perez, L. M., Wilbanks, J. T., Joseph, D. B., Oakes, W. J. Urological outcome of patients with cervical and upper thoracic myelomeningocele. *J Urol*. 2000 Sep; 164: 962-4
- 41233 Diamond, D. A., Bauer, S. B., Retik, A. B., Atala, A. Initial experience with the transurethral self-detachable balloon system for urinary incontinence in pediatric patients. *J Urol*. 2000 Sep; 164: 942-5; discussion 945-6
- 41234 Atkinson, M. Decisions on euthanasia. *Vet Rec*. 2000 Jul 15; 147: 82
- 41241 Malm, J., Kristensen, B., Stegmayr, B., Fagerlund, M., Koskinen, L. O. Three-year survival and functional outcome of patients with idiopathic adult hydrocephalus syndrome. *Neurology*. 2000 Aug 22; 55: 576-8
- 41242 Wiener, J. S., Scales, M. T., Hampton, J., King, L. R., Surwit, R., Edwards, C. L. Long-term efficacy of simple behavioral therapy for daytime wetting in children. *J Urol*. 2000 Sep; 164: 786-90
- 41245 Venn, S. N., Greenwell, T. J., Mundy, A. R. The long-term outcome of artificial urinary sphincters. *J Urol*. 2000 Sep; 164: 702-6; discussion 706-7
- 41246 Groutz, A., Blaivas, J. G., Chaikin, D. C., Resnick, N. M., Engleman, K., Anzalone, D., Bryzinski, B., Wein, A. J. Noninvasive outcome measures of urinary incontinence and lower urinary tract symptoms: a multicenter study of micturition diary and pad tests. *J Urol*. 2000 Sep; 164: 698-701
- 41247 Schurch, B., Stohrer, M., Kramer, G., Schmid, D. M., Gaul, G., Hauri, D. Botulinum-A toxin for treating detrusor hyperreflexia in spinal cord injured patients: a new alternative to anticholinergic drugs? Preliminary results. *J Urol*. 2000 Sep; 164: 692-7
- 41248 Hashimoto, M., Imamura, T., Tanimukai, S., Kazui, H., Mori, E. Urinary incontinence: an unrecognised adverse effect with donepezil. *Lancet*. 2000 Aug 12; 356: 568
- 41249 Brown, J. S., Sawaya, G., Thom, D. H., Grady, D. Hysterectomy and urinary incontinence: a systematic review. *Lancet*. 2000 Aug 12; 356: 535-9
- 41255 Day, P. L. Findings of a three-year retrospective study to investigate prevalence and incidence of urinary incontinence and overactive bladder in a typical managed care setting. *Pharm Pract Manag Q*. 2000 Apr; 20: 1-11
- 41256 Volkmer, B. G., Kuefer, R., Nesslauer, T., Loeffler, M., Gottfried, H. W. Colour Doppler ultrasound in vesicovaginal fistulas. *Ultrasound Med Biol*. 2000 Jun; 26: 771-5
- 41257 Hsu, J. W., Wang, Y. C., Lin, C. C., Bai, Y. M., Chen, J. Y., Chiu, H. J., Tsai, S. J., Hong, C. J. No evidence for association of alpha 1a adrenoceptor gene polymorphism and clozapine-induced urinary incontinence. *Neuropsychobiology*. 2000; 42: 62-5

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Procite Number

- 41259 Reports from the Swedish Council on Technology Assessment in Health Care (SBU). Urinary incontinence. *Int J Technol Assess Health Care*. 2000 Spring; 16: 722-6
- 41261 Chen, B. H., Lee, C. P., Chao, M. C. Coexistent insulin dependent diabetes mellitus and hyperthyroidism in a patient with Down's syndrome. *Kaohsiung J Med Sci*. 2000 Apr; 16: 210-3
- 41262 Husain, A., Curtin, J., Brown, C., Chi, D., Hoskins, W., Poynor, E., Alektiar, K., Barakat, R. Continent urinary diversion and low-rectal anastomosis in patients undergoing exenterative procedures for recurrent gynecologic malignancies. *Gynecol Oncol*. 2000 Aug; 78: 208-11
- 41264 Banerjee, N., Deka, D., Roy, K. K., Takkar, D. Vesicocervical fistula: an unusual presentation. *Aust N Z J Obstet Gynaecol*. 2000 May; 40: 219-20
- 41265 Donaldson, S. K. Breakthroughs in scientific research: the discipline of nursing, 1960- 1999. *Annu Rev Nurs Res*. 2000; 18: 247-311
- 41267 Mummaneni, P. V., Pitts, L. H., McCormack, B. M., Corroo, J. M., Weinstein, P. R. Microsurgical treatment of symptomatic sacral Tarlov cysts. *Neurosurgery*. 2000 Jul; 47: 74-8; discussion 78-9
- 41268 Li, L., Yan-Xia, W., Xia-Na, W., Jin-Zhe, Z. Posterior sagittal approach: megasigmoid resection and anal reconstruction for severe constipation and fecal incontinence after anoplasty. *J Pediatr Surg*. 2000 Jul; 35: 1058-62
- 41270 Aggazzotti, G., Pesce, F., Grassi, D., Fantuzzi, G., Righi, E., De Vita, D., Santacroce, S., Artibani, W. Prevalence of urinary incontinence among institutionalized patients: a cross-sectional epidemiologic study in a midsized city in northern Italy. *Urology*. 2000 Aug 1; 56: 245-9
- 41272 Dannecker, C., Anthuber, C. The effects of childbirth on the pelvic-floor. *J Perinat Med*. 2000; 28: 175-84
- 41277 Fisher, R., Frank, D. Detrusor instability; day and night time wetting, urinary tract infections. *Arch Dis Child*. 2000 Aug; 83: 135-7
- 41279 Blakeman, P. J., Hilton, P., Bulmer, J. N. Oestrogen and progesterone receptor expression in the female lower urinary tract, with reference to oestrogen status. *BJU Int*. 2000 Jul; 86: 32-8
- 41280 Assessment and treatment of urinary incontinence. Scientific Committee of the First International Consultation on Incontinence. *Lancet*. 2000 Jun 17; 355: 2153-8
- 41282 Kelleher, C. Quality of life and urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol*. 2000 Apr; 14: 363-79
- 41283 Anders, K. Coping strategies for women with urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol*. 2000 Apr; 14: 355-61
- 41284 Wells, M. The role of the nurse in urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol*. 2000 Apr; 14: 335-54
- 41288 Bristow, S. E., Hilton, P. Assessment and investigations for urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol*. 2000 Apr; 14: 227-49
- 41290 Cheater, F. M., Castleden, C. M. Epidemiology and classification of urinary incontinence. *Baillieres Best Pract Res Clin Obstet Gynaecol*. 2000 Apr; 14: 183-205
- 41292 Sze, K. H., Wong, E., Or, K. H., Lum, C. M., Woo, J. Factors predicting stroke disability at discharge: a study of 793 Chinese. *Arch Phys Med Rehabil*. 2000 Jul; 81: 876-80
- 41293 Kim, M. S., Kim, K. J., Chung, C. K., Kim, H. J. Intradural extramedullary tuberculoma of the spinal cord: a case report. *J Korean Med Sci*. 2000 Jun; 15: 368-70
- 41295 Swift, S. E., Utrie, J. W. The need for standardization of the valsalva leak-point pressure. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 227-30
- 41297 Fischer, W., Baessler, K. Postpartum pelvic floor conditioning using vaginal cones: not only for prophylaxis against urinary incontinence and descensus. *Int Urogynecol J Pelvic Floor Dysfunct*. 1996; 7: 208-14

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 41300** Gosling, J. A. The structure of the bladder neck, urethra and pelvic floor in relation to female urinary continence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 177-8
- 41301** Yoshimura, T., Nagata, Y., Matsuura, K., Okamura, H. Primary vaginal stone in an 11-year-old recumbent girl. *Gynecol Obstet Invest.* 2000; 50: 64-6
- 41302** Bosch, J. L., Klijn, A. J., Schroder, F. H., Hop, W. C. The artificial urinary sphincter in 86 patients with intrinsic sphincter deficiency: satisfactory actuarial adequate function rates. *Eur Urol.* 2000 Aug; 38: 156-60
- 41304** Wolf, S. L., Riolo, L., Ouslander, J. G. Urge incontinence and the risk of falling in older women. *J Am Geriatr Soc.* 2000 Jul; 48: 847-8
- 41308** Menopause and beyond. Advances in medicine, understanding, shift focus from an ending to a beginning. *Mayo Clin Health Lett.* 1999 Oct; Suppl: 1-8
- 41309** Broome, B. A. Development and testing of a scale to measure self-efficacy for pelvic muscle exercises in women with urinary incontinence. *Urol Nurs.* 1999 Dec; 19: 258-68
- 41311** Dowse, J., Fordham, S., Mackender, J. Back to basics continence. *Nurs Times Nurs Homes.* 1999 Nov-Dec; 1: 23-5, 27
- 41313** Barnes, T. R., McPhillips, M. A. Critical analysis and comparison of the side-effect and safety profiles of the new antipsychotics. *Br J Psychiatry Suppl.* 1999; : 34-43
- 41314** De Serres, G., Shadmani, R., Duval, B., Boulianne, N., Dery, P., Douville Fradet, M., Rochette, L., Halperin, S. A. Morbidity of pertussis in adolescents and adults. *J Infect Dis.* 2000 Jul; 182: 174-9
- 41319** Bassili, A., Zaki, A., Zaher, S. R., El-Sawy, I. H., Ahmed, M. H., Omar, M., Omar, T., Bedwani, R. N., Davies, C., Tognoni, G. Quality of care of children with chronic diseases in Alexandria, Egypt: the models of asthma, type I diabetes, epilepsy, and rheumatic heart disease. Egyptian-Italian Collaborative Group on Pediatric Chronic Diseases. *Pediatrics.* 2000 Jul; 106: E12
- 41321** Weber, A. M., Walters, M. D., Piedmonte, M. R. Sexual function and vaginal anatomy in women before and after surgery for pelvic organ prolapse and urinary incontinence. *Am J Obstet Gynecol.* 2000 Jun; 182: 1610-5
- 41326** Kuo, H. C. Videourodynamic study for diagnosis of bladder outlet obstruction in women. *J Formos Med Assoc.* 2000 May; 99: 386-92
- 41328** Schatzl, G., Temml, C., Schmidbauer, J., Dolezal, B., Haidinger, G., Madersbacher, S. Cross-sectional study of nocturia in both sexes: analysis of a voluntary health screening project. *Urology.* 2000 Jul; 56: 71-5
- 41329** Adams, D., Samuel, D., Goulon-Goeau, C., Nakazato, M., Costa, P. M., Feray, C., Plante, V., Ducot, B., Ichai, P., Lacroix, C., Metral, S., Bismuth, H., Said, G. The course and prognostic factors of familial amyloid polyneuropathy after liver transplantation. *Brain.* 2000 Jul; 123 ( Pt 7): 1495-504
- 41331** Roe, B., Doll, H. Lifestyle factors and continence status: comparison of self-report data from a postal survey in England. *J Wound Ostomy Continence Nurs.* 1999 Nov; 26: 312-3, 315-9
- 41332** Gufler, H., DeGregorio, G., Allmann, K. H., Kundt, G., Dohnicht, S. Comparison of cystourethrography and dynamic MRI in bladder neck descent. *J Comput Assist Tomogr.* 2000 May-Jun; 24: 382-8
- 41333** Arya, L. A., Myers, D. L., Jackson, N. D. Dietary caffeine intake and the risk for detrusor instability: a case-control study. *Obstet Gynecol.* 2000 Jul; 96: 85-9
- 41334** Odejinmi, F. Advances in women's health. *Practitioner.* 2000 Mar; 244: 214-6, 219-20, 222-3
- 41335** Ghoniem, G. M. Surgical management of intrinsic sphincter deficiency in women. *Curr Opin Urol.* 2000 May; 10: 245-50
- 41336** Bosch, J. L. The contemporary role of the artificial urinary sphincter. *Curr Opin Urol.* 2000 May; 10: 219-23
- 41338** Chiang, L., Ouslander, J., Schnelle, J., Reuben, D. B. Dually incontinent nursing home residents: clinical characteristics and treatment differences. *J Am Geriatr Soc.* 2000 Jun; 48: 673-6
- 41340** Madersbacher, S. Prevalence of lower urinary tract symptoms and urinary incontinence in the elderly: recent data from Austria. *Wien Klin Wochenschr.* 2000 May 5; 112: 379-80

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 41341 Johnson, T. M., 2nd, Bernard, S. L., Kincade, J. E., Defriese, G. H. Urinary incontinence and risk of death among community-living elderly people: results from the National Survey on Self-Care and Aging. *J Aging Health*. 2000 Feb; 12: 25-46
- 41342 Fitzgerald, S. T., Palmer, M. H., Berry, S. J., Hart, K. Urinary incontinence. Impact on working women. *AAOHN J*. 2000 Mar; 48: 112-8
- 41344 Women's health literaturewatch. *J Womens Health Gend Based Med*. 1999 May; 8: 559-68
- 41345 Greenberger, P. Public education for women's health. *J Womens Health Gend Based Med*. 1999 Jun; 8: 583-5
- 41346 Oi, S., Shimoda, M., Shibata, M., Honda, Y., Togo, K., Shinoda, M., Tsugane, R., Sato, O. Pathophysiology of long-standing overt ventriculomegaly in adults. *J Neurosurg*. 2000 Jun; 92: 933-40
- 41348 Sakashita, N., Ando, Y., Obayashi, K., Terazaki, H., Yamashita, T., Takei, M., Kinjo, M., Takahashi, K. Familial amyloidotic polyneuropathy (ATTR Ser50Ile): the first autopsy case report. *Virchows Arch*. 2000 Apr; 436: 345-50
- 41349 Yokoyama, O., Yoshiyama, M., Namiki, M., de Groat, W. C. Role of the forebrain in bladder overactivity following cerebral infarction in the rat. *Exp Neurol*. 2000 Jun; 163: 469-76
- 41350 Gu, B. J., Ishizuka, O., Igawa, Y., Nishizawa, O., Andersson, K. E. Role of supraspinal tachykinins for micturition in conscious rats with and without bladder outlet obstruction. *Naunyn Schmiedebergs Arch Pharmacol*. 2000 May; 361: 543-8
- 41351 Tulikangas, P. K., Weber, A. M., Larive, A. B., Walters, M. D. Intraoperative cystoscopy in conjunction with anti-incontinence surgery. *Obstet Gynecol*. 2000 Jun; 95: 794-6
- 41352 Asanuma, H., Nakai, H., Shishido, S., Tajima, E., Kawamura, T., Kawamura, T. Congenital vesicovaginal fistula. *Int J Urol*. 2000 May; 7: 195-8
- 41356 Bemelmans, B. L., Kiemeny, L. A., Debruyne, F. M. Low-dose oxybutynin for the treatment of urge incontinence: good efficacy and few side effects. *Eur Urol*. 2000 Jun; 37: 709-13
- 41358 Parazzini, F., Colli, E., Origgi, G., Surace, M., Bianchi, M., Benzi, G., Artibani, W. Risk factors for urinary incontinence in women. *Eur Urol*. 2000 Jun; 37: 637-43
- 41359 Moller, L. A., Lose, G., Jorgensen, T. Incidence and remission rates of lower urinary tract symptoms at one year in women aged 40-60: longitudinal study. *BMJ*. 2000 May 27; 320: 1429-32
- 41360 Hunskaar, S. Fluctuations in lower urinary tract symptoms in women. Reassurance and watchful waiting can prevent overtreatment. *BMJ*. 2000 May 27; 320: 1418-9
- 41361 Stamm, W. E., Raz, R. Factors contributing to susceptibility of postmenopausal women to recurrent urinary tract infections. *Clin Infect Dis*. 1999 Apr; 28: 723-5
- 41362 Haferkamp, A., Staehler, G., Gerner, H. J., Dorsam, J. Dosage escalation of intravesical oxybutynin in the treatment of neurogenic bladder patients. *Spinal Cord*. 2000 Apr; 38: 250-4
- 41364 Carley, M. E., Schaffer, J. Urinary incontinence and pelvic organ prolapse in women with Marfan or Ehlers Danlos syndrome. *Am J Obstet Gynecol*. 2000 May; 182: 1021-3
- 41365 Swithinbank, L. V., Donovan, J. L., du Heaume, J. C., Rogers, C. A., James, M. C., Yang, Q., Abrams, P. Urinary symptoms and incontinence in women: relationships between occurrence, age, and perceived impact. *Br J Gen Pract*. 1999 Nov; 49: 897-900
- 41366 Agarwal, V. Urinary incontinence with risperidone. *J Clin Psychiatry*. 2000 Mar; 61: 219
- 41368 Farouk, R., Pemberton, J. H., Wolff, B. G., Dozois, R. R., Browning, S., Larson, D. Functional outcomes after ileal pouch-anal anastomosis for chronic ulcerative colitis. *Ann Surg*. 2000 Jun; 231: 919-26
- 41369 Cruccetti, A., Kiely, E. M., Spitz, L., Drake, D. P., Pritchard, J., Pierro, A. Pelvic neuroblastoma: low mortality and high morbidity. *J Pediatr Surg*. 2000 May; 35: 724-8
- 41370 Sampsel, C. M. Behavioral intervention for urinary incontinence in women: evidence for practice. *J Midwifery Womens Health*. 2000 Mar-Apr; 45: 94-103

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 41372 Holt, P. E., Jones, A. In vitro study of the significance of bladder neck position in incontinent bitches. *Vet Rec.* 2000 Apr 8; 146: 437-9
- 41373 Gavira Iglesias, F. J., Caridad, y., Ocerin JM, Perez del Molino Martin, J., Valderrama Gama, E., Lopez Perez, M., Romero Lopez, M., Pavon Aranguren, M. V., Guerrero Munoz, J. B. Prevalence and psychosocial impact of urinary incontinence in older people of a Spanish rural population. *J Gerontol A Biol Sci Med Sci.* 2000 Apr; 55: M207-14
- 41376 Ross, J. W. Numerous indications for office flexible minihysteroscopy. *J Am Assoc Gynecol Laparosc.* 2000 May; 7: 221-6
- 41378 Woodman, P. J., Davis, G. D. The relationship of the in-situ advancing vaginal wall sling to vaginal epithelial inclusion cyst. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 124-6
- 41379 Wen, J. G., Yeung, C. K., Djurhuus, J. C. Cystometry techniques in female infants and children. *Int Urogynecol J Pelvic Floor Dysfunct.* 2000; 11: 103-12
- 41384 Selcuki, M., Unlu, A., Ugur, H. C., Soygur, T., Arikan, N., Selcuki, D. Patients with urinary incontinence often benefit from surgical detethering of tight filum terminale. *Childs Nerv Syst.* 2000 Mar; 16: 150-4; discussion 155
- 41385 Kudo, T., Mima, T., Hashimoto, R., Nakao, K., Morihara, T., Tanimukai, H., Tsujio, I., Koike, Y., Tagami, S., Mori, H., Nakamura, Y., Tanaka, T., Mori, K., Takeda, M. Tau protein is a potential biological marker for normal pressure hydrocephalus. *Psychiatry Clin Neurosci.* 2000 Apr; 54: 199-202
- 41386 Harris, C. F., Cooper, C. S., Hutcheson, J. C., Snyder, H. M., 3rd Appendicovesicostomy: the mitrofanoff procedure-a 15-year perspective. *J Urol.* 2000 Jun; 163: 1922-6
- 41393 Westney, O. L., Amundsen, C. L., McGuire, E. J. Bladder endometriosis: conservative management. *J Urol.* 2000 Jun; 163: 1814-7
- 41394 Ordorica, R. C., Masel, J., Seigne, J., Persky, L., Lockhart, J. L. Evaluation and management of mechanical dysfunction in continent colonic urinary reservoirs. *J Urol.* 2000 Jun; 163: 1679-84
- 41395 Carlan, S. J., Russell, H., Shelnutt, J., Peppy, T., Griggs, B. Extracorporeal magnetic innervation (EXMI) therapy in the treatment of urinary incontinence in women: results from a single center. *J Am Geriatr Soc.* 2000 Apr; 48: 456
- 41396 Dugan, E., Cohen, S. J., Bland, D. R., Preisser, J. S., Davis, C. C., Suggs, P. K., McGann, P. The association of depressive symptoms and urinary incontinence among older adults. *J Am Geriatr Soc.* 2000 Apr; 48: 413-6
- 41398 Sloss, E. M., Solomon, D. H., Shekelle, P. G., Young, R. T., Saliba, D., MacLean, C. H., Rubenstein, L. Z., Schnelle, J. F., Kamberg, C. J., Wenger, N. S. Selecting target conditions for quality of care improvement in vulnerable older adults. *J Am Geriatr Soc.* 2000 Apr; 48: 363-9
- 41399 Sakamoto, K., Smith, G. M., Storer, P. D., Jones, K. J., Damaser, M. S. Neuroregeneration and voiding behavior patterns after pudendal nerve crush in female rats. *Neurourol Urodyn.* 2000; 19: 311-21
- 41401 Temml, C., Haidinger, G., Schmidbauer, J., Schatzl, G., Madersbacher, S. Urinary incontinence in both sexes: prevalence rates and impact on quality of life and sexual life. *Neurourol Urodyn.* 2000; 19: 259-71
- 41403 Groutz, A., Blaivas, J. G., Chaikin, D. C. Bladder outlet obstruction in women: definition and characteristics. *Neurourol Urodyn.* 2000; 19: 213-20
- 41406 Carroli, G., Belizan, J. Episiotomy for vaginal birth. *Cochrane Database Syst Rev.* 2000; : CD000081
- 41407 Smith, L., Smith, P., Lee, S. K. Behavioural treatment of urinary incontinence and encopresis in children with learning disabilities: transfer of stimulus control. *Dev Med Child Neurol.* 2000 Apr; 42: 276-9
- 41408 Wells, J. A., Ouslander, J. G., Meadows, E., Johnson, V. Y. Urinary incontinence in a geriatric patient with a complex neurologic history. *J Wound Ostomy Continence Nurs.* 1999 Sep; 26: 270-4; discussion 274-5
- 41409 Remsburg, R. E., Palmer, M. H., Langford, A. M., Mendelson, G. F. Staff compliance with and ratings of effectiveness of a prompted voiding program in a long-term care facility. *J Wound Ostomy Continence Nurs.* 1999 Sep; 26: 261-9



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 41411 De Paepe, H., Renson, C., Van Laecke, E., Raes, A., Vande Walle, J., Hoebeke, P. Pelvic-floor therapy and toilet training in young children with dysfunctional voiding and obstipation. *BJU Int.* 2000 May; 85: 889-93
- 41412 Oge, O., Tekgul, S., Ergen, A., Kendi, S. Urothelium-preserving augmentation cystoplasty covered with a peritoneal flap. *BJU Int.* 2000 May; 85: 802-5
- 41414 Muneuchi, J., Tokunaga, Y., Kira, R., Gondo, K., Hara, T. Acute disseminated encephalomyelitis in a female with hereditary neuropathy with susceptibility to pressure palsy. *Pediatr Neurol.* 2000 Apr; 22: 302-4
- 41415 Scott, D. Continence. Bangladeshi venture. *Nurs Times.* 1999 Oct 20-26; 95: 76-9
- 41416 Koch, T., Kelly, S. Identifying strategies for managing urinary incontinence with women who have multiple sclerosis. *J Clin Nurs.* 1999 Sep; 8: 550-9
- 41417 Janknegt, R. A. Urinary incontinence: pathophysiology, diagnosis and treatment in clinical (neuro-)urological practice of patients with Chronic Impairment of Voiding and Continence Activities (CIVCA). *Arch Physiol Biochem.* 1999 Jul; 107: 189-94
- 41418 Rigby, M. Lost continence. *Nurs Stand.* 1999 Sep 29-Oct 5; 14: 14-5
- 41419 Swithinbank, L. V., Abrams, P. A detailed description, by age, of lower urinary tract symptoms in a group of community-dwelling women. *BJU Int.* 2000 Apr; 85 Suppl 2: 19-24
- 41420 Schwartz, B. F., Stoller, M. L. The vesical calculus. *Urol Clin North Am.* 2000 May; 27: 333-46
- 41421 Versi, E., Appell, R., Mobley, D., Patton, W., Saltzstein, D. Dry mouth with conventional and controlled-release oxybutynin in urinary incontinence. The Ditropan XL Study Group. *Obstet Gynecol.* 2000 May; 95: 718-21
- 41423 Diana, M., Zoppe, C., Mastrangeli, B. Treatment of vaginal vault prolapse with abdominal sacral colpopexy using prolene mesh. *Am J Surg.* 2000 Feb; 179: 126-8
- 41424 Friday, P. A., Scarratt, W. K., Elvinger, F., Timoney, P. J., Bonda, A. Ataxia and paresis with equine herpesvirus type 1 infection in a herd of riding school horses. *J Vet Intern Med.* 2000 Mar-Apr; 14: 197-201
- 41425 Lawrence, M., Guay, D. R., Benson, S. R., Anderson, M. J. Immediate-release oxybutynin versus tolterodine in detrusor overactivity: a population analysis. *Pharmacotherapy.* 2000 Apr; 20: 470-5
- 41426 Brubaker, L. Electrical stimulation in overactive bladder. *Urology.* 2000 May; 55: 17-23; discussion 31-2
- 41427 Bo, K., Berghmans, L. C. Nonpharmacologic treatments for overactive bladder-pelvic floor exercises. *Urology.* 2000 May; 55: 7-11; discussion 14-6
- 41428 Overactive Bladder and Its Treatments Consensus Conference. London, United Kingdom, July 4, 1999. *Urology.* 2000 May; 55: 1-84
- 41429 Brook, I., Frazier, E. H. Aerobic and anaerobic microbiology of wound infection following spinal fusion in children. *Pediatr Neurosurg.* 2000 Jan; 32: 20-3
- 41430 FitzGerald, M. P., Russell, B., Hale, D., Benson, J. T., Brubaker, L. Ultrastructure of detrusor and urethral smooth muscle in women with urinary incontinence. *Am J Obstet Gynecol.* 2000 Apr; 182: 879-84
- 41431 Bump, R. C. The urethrodetrusor facilitative reflex in women: results of urethral perfusion studies. *Am J Obstet Gynecol.* 2000 Apr; 182: 794-802; discussion 802-4
- 41433 Kowalczyk, J. J. Office evaluation of the patient with an overactive urinary bladder. *J Am Osteopath Assoc.* 2000 Mar; 100: S1-4
- 41434 Siracusano, S., Trombetta, C., Liguori, G., De Giorgi, G., d'Aloia, G., Di Benedetto, P., Belgrano, E. Laparoscopic bladder auto-augmentation in an incomplete traumatic spinal cord injury. *Spinal Cord.* 2000 Jan; 38: 59-61
- 41435 Chang, S., Chern, I., Bown, S. G. Photodynamic therapy of rat bladder and urethra: evaluation of urinary and reproductive function after inducing protoporphyrin IX with 5- aminolaevulinic acid. *BJU Int.* 2000 Apr; 85: 747-53
- 41439 Chadha, Y., Mollison, J., Howie, F., Grimshaw, J., Hall, M., Russell, I. Guidelines in gynaecology: evaluation in menorrhagia and in urinary incontinence. *BJOG.* 2000 Apr; 107: 535-43

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 41440** Lachowsky, M. Urinary problems around the menopause; emotional and psychological consequences; can we help our patients to cope with them?. *Maturitas*. 2000 Jan; 34 Suppl 1: S25-27
- 41441** Galizia, G., Lieto, E., Castellano, P., Pelosio, L., Imperatore, V., Pigantelli, C. Lateral internal sphincterotomy together with haemorrhoidectomy for treatment of haemorrhoids: a randomised prospective study. *Eur J Surg*. 2000 Mar; 166: 223-8
- 41444** Tediosi, F., Parazzini, F., Bortolotti, A., Garattini, L. The cost of urinary incontinence in Italian women. A cross-sectional study. Gruppo di Studio Incontinenza. *Pharmacoeconomics*. 2000 Jan; 17: 71-6
- 41446** Chan, K. M., Pang, W. S., Ee, C. H., Ding, Y. Y., Choo, P. Functional status of the elderly in Singapore. *Singapore Med J*. 1999 Oct; 40: 635-8
- 41447** Miszko, T. A., Cress, M. E. A lifetime of fitness. Exercise in the perimenopausal and postmenopausal woman. *Clin Sports Med*. 2000 Apr; 19: 215-32
- 41448** Bhandarkar, A. D., Raju, A. M., Rao, M. S. Single unilateral ectopic bifid ureter with contralateral orthotopic quadrifid ureter--a rare combination. *J Postgrad Med*. 1997 Oct-Dec; 43: 104-5
- 41452** Brandt, F. T., Albuquerque, C. D., Lorenzato, F. R., Amaral, F. J. Perineal assessment of urethrovesical junction mobility in young continent females. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 18-22
- 41454** van Geelen, J. M., van de Weijer, P. H., Arnolds, H. T. Urogenital symptoms and resulting discomfort in non-institutionalized Dutch women aged 50-75 years. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 9-14
- 41455** Prashar, S., Simons, A., Bryant, C., Dowell, C., Moore, K. H. Attitudes to vaginal/urethral touching and device placement in women with urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000; 11: 4-8
- 41457** Gilbert, A. M., Antane, M. M., Argentieri, T. M., Butera, J. A., Francisco, G. D., Freeden, C., Gundersen, E. G., Graceffa, R. F., Herbst, D., Hirth, B. H., Lennox, J. R., McFarlane, G., Norton, N. W., Quagliato, D., Sheldon, J. H., Waga, Design and SAR of novel potassium channel openers targeted for urge urinary incontinence. 2. Selective and potent benzylamino cyclobutenediones. *J Med Chem*. 2000 Mar 23; 43: 1203-14
- 41458** Butera, J. A., Antane, M. M., Antane, S. A., Argentieri, T. M., Freeden, C., Graceffa, R. F., Hirth, B. H., Jenkins, D., Lennox, J. R., Matelan, E., Norton, N. W., Quagliato, D., Sheldon, J. H., Spinelli, W., Waga, D., Wojdan, A., Woods, Design and SAR of novel potassium channel openers targeted for urge urinary incontinence. 1. N-Cyanoguanidine bioisosteres possessing in vivo bladder selectivity. *J Med Chem*. 2000 Mar 23; 43: 1187-202
- 41459** Chartier-Kastler, E. Re: Dynamic suburethral suspension with pedicled external oblique aponeurosis in the management of female urinary incontinence. *J Urol*. 2000 Apr; 163: 1259
- 41460** Krishna, N. S., Glen, E. S. Re: A remote controlled intraurethral insert for artificial voiding: a new concept for treating women with voiding dysfunction. *J Urol*. 2000 Apr; 163: 1258
- 41461** Bosch, J. L., Groen, J. Sacral nerve neuromodulation in the treatment of patients with refractory motor urge incontinence: long-term results of a prospective longitudinal study. *J Urol*. 2000 Apr; 163: 1219-22
- 41462** Fielding, J. R., Lee, J. H., Dubeau, C. E., Zou, K. H., Resnick, N. M. Voiding cystourethrography findings in elderly women with urge incontinence. *J Urol*. 2000 Apr; 163: 1216-8
- 41463** Martin, S. Child with incontinence. *J Pediatr Health Care*. 2000 Mar-Apr; 14: 76; quiz 89-90
- 41470** Zulkowski, K., Kindsfater, D. Examination of care-planning needs for elderly newly admitted to an acute care setting. *Ostomy Wound Manage*. 2000 Jan; 46: 32-8
- 41471** Sumi, T., Ishiko, O., Hirai, K., Yoshida, H., Ogita, S. Is measuring the posterior urethrovesical angle of clinical value for controlling pelvic organ Prolapse?. Retrospective analysis of 107 postoperative cases. *Gynecol Obstet Invest*. 2000; 49: 183-6
- 41472** Araki, I., Kuno, S. Assessment of voiding dysfunction in Parkinson's disease by the international prostate symptom score. *J Neurol Neurosurg Psychiatry*. 2000 Apr; 68: 429-33
- 41473** Carson, C. C. Reconstructive surgery using urological prostheses. *Curr Opin Urol*. 1999 May; 9: 233-9
- 41476** Ueda, T., Yoshimura, N., Yoshida, O. Prognostic factors for long-term maintenance of urinary continence in patients with incontinence managed by diapers or indwelling catheters. *Eur Urol*. 2000 Mar; 37: 318-24

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 41479 Buccimazza, S., Molteno, C., Dunne, T. Pre-school follow-up of a cohort of children with myelomeningocele in Cape Town, South Africa. *Ann Trop Paediatr.* 1999 Sep; 19: 245-52
- 41480 von Holst, T., Salbach, B. Efficacy and tolerability of a new 7-day transdermal estradiol patch versus placebo in hysterectomized women with postmenopausal complaints. *Maturitas.* 2000 Feb 15; 34: 143-53
- 41481 Molander, U., Arvidsson, L., Milsom, I., Sandberg, T. A longitudinal cohort study of elderly women with urinary tract infections. *Maturitas.* 2000 Feb 15; 34: 127-31
- 41482 Min, J. K., Byun, J. Y., Lee, S. H., Hong, Y. S., Park, S. H., Cho, C. S., Kim, H. Y. Urinary bladder involvement in patients with systemic lupus erythematosus: with review of the literature. *Korean J Intern Med.* 2000 Jan; 15: 42-50
- 41485 Kjerulff, K. H., Langenberg, P. W., Rhodes, J. C., Harvey, L. A., Guzinski, G. M., Stolley, P. D. Effectiveness of hysterectomy. *Obstet Gynecol.* 2000 Mar; 95: 319-26
- 41486 Addison, R. Catheter valves: a special focus on the Bard Flip-Flo catheter. *Br J Nurs.* 1999 May 13-26; 8: 576-80
- 41487 Parker, L. J. Urinary catheter management: minimizing the risk of infection. *Br J Nurs.* 1999 May 13-26; 8: 563-6, 568, 570 passim
- 41488 Prevalent urinary incontinence as a correlate of pregnancy, vaginal childbirth and obstetric techniques. *J Wound Ostomy Continence Nurs.* 1999 May; 26: 28A-29A
- 41490 Van Savage, J. G., Chancellor, M. B., Slauchenhaupt, B. Transverse retubularized ileovesicostomy continent urinary diversion to the umbilicus. *Tech Urol.* 2000 Mar; 6: 29-33
- 41492 Sheu, J. J., Yuan, R. Y., Lu, J. J., Chung, C. L., Hsu, C. Y. Tuberculous meningitis in a Filipino maid. *J Formos Med Assoc.* 1999 Nov; 98: 783-6
- 41493 Vakar-Lopez, F., Abrams, J. Basaloid squamous cell carcinoma occurring in the urinary bladder. *Arch Pathol Lab Med.* 2000 Mar; 124: 455-9
- 41494 Weil, E. H., Ruiz-Cerda, J. L., Eerdmans, P. H., Janknegt, R. A., Bemelmans, B. L., van Kerrebroeck, P. E. Sacral root neuromodulation in the treatment of refractory urinary urge incontinence: a prospective randomized clinical trial. *Eur Urol.* 2000 Feb; 37: 161-71
- 41497 Smith, D. B. Urinary continence issues in oncology. *Clin J Oncol Nurs.* 1999 Oct; 3: 161-7
- 41499 Bergstrom, K., Carlsson, C. P., Lindholm, C., Widengren, R. Improvement of urge- and mixed-type incontinence after acupuncture treatment among elderly women - a pilot study. *J Auton Nerv Syst.* 2000 Mar 15; 79: 173-80
- 41502 Yamanishi, T., Yasuda, K., Sakakibara, R., Hattori, T., Suda, S. Randomized, double-blind study of electrical stimulation for urinary incontinence due to detrusor overactivity. *Urology.* 2000 Mar; 55: 353-7
- 41503 Das, S. Laparoscopic surgery for female urinary incontinence: prudence shall prevail. *JSLs.* 1999 Oct-Dec; 3: 273-7
- 41504 Thomas, S. Investing in continence. *Nurs Stand.* 1999 Sep 15-21; 13: 38
- 41505 Mathews, R., Sponseller, P. D., Jeffs, R. D., Gearhart, J. P. Bladder neck reconstruction in classic bladder exstrophy: the role of osteotomy in the development of continence. *BJU Int.* 2000 Mar; 85: 498-500
- 41506 Tincello, D. G., Adams, E. J., Sutherst, J. R., Richmond, D. H. Oxybutynin for detrusor instability with adjuvant salivary stimulant pastilles to improve compliance: results of a multicentre, randomized controlled trial. *BJU Int.* 2000 Mar; 85: 416-20
- 41507 Ana, J. N., Gana, B. M. Extra-urethral urinary incontinence after incompetent vaginal obstetrics. *BJU Int.* 2000 Jan; 85: 172-3
- 41511 Wooldridge, L. S. Toileting assistance based on bladder volume. *Ostomy Wound Manage.* 1999 Dec; 45: 50
- 41517 Johnson, S. T. From incontinence to confidence. *Am J Nurs.* 2000 Feb; 100: 69-74, 76
- 41519 Sandvik, H., Seim, A., Vanvik, A., Hunskaar, S. A severity index for epidemiological surveys of female urinary incontinence: comparison with 48-hour pad-weighting tests. *Neurourol Urodyn.* 2000; 19: 137-45

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 41520 Groutz, A., Blaivas, J. G., Rosenthal, J. E. A simplified urinary incontinence score for the evaluation of treatment outcomes. *Neurourol Urodyn.* 2000; 19: 127-35
- 41521 Nesbakken, A., Nygaard, K., Bull-Njaa, T., Carlsen, E., Eri, L. M. Bladder and sexual dysfunction after mesorectal excision for rectal cancer. *Br J Surg.* 2000 Feb; 87: 206-10
- 41522 Werkstrom, V., Lam, D. S., Farnsworth, R. H., Awad, N., Burcher, E., Moore, K. H. In vitro contractile responses of detrusor to carbachol and neurokinin A, in children with recurrent urinary tract infection or day wetting. *BJU Int.* 2000 Feb; 85: 319-25
- 41524 Berghmans, L. C., Hendriks, H. J., De Bie, R. A., van Waalwijk van Doorn, E. S., Bo, K., van Kerrebroeck, P. E. Conservative treatment of urge urinary incontinence in women: a systematic review of randomized clinical trials. *BJU Int.* 2000 Feb; 85: 254-63
- 41526 Talic, R. F. Augmentation ureterocystoplasty with ipsilateral renal preservation in the management of patients with compromised renal function secondary to dysfunctional voiding. *Int Urol Nephrol.* 1999; 31: 463-70
- 41527 Sakakibara, R., Hattori, T., Uchiyama, T., Asahina, M., Yamanishi, T. Micturitional disturbance in pure autonomic failure. *Neurology.* 2000 Jan 25; 54: 499-501
- 41528 Fuchs, O., Booss, D. Rehbein's procedure for Hirschsprung's disease. An appraisal of 45 years. *Eur J Pediatr Surg.* 1999 Dec; 9: 389-91
- 41529 Kumar, H., Cauchi, J., MacKinnon, A. E. Periurethral Goretex sling in lower urinary reconstruction. *Eur J Pediatr Surg.* 1999 Dec; 9 Suppl 1: 33-4
- 41530 Jawaheer, G., Rangecroft, L. The Pippi Salle procedure for neurogenic urinary incontinence in childhood: a three-year experience. *Eur J Pediatr Surg.* 1999 Dec; 9 Suppl 1: 9-11
- 41531 Palacios, S. Current perspectives on the benefits of HRT in menopausal women. *Maturitas.* 1999 Nov; 33 Suppl 1: S1-13
- 41532 Sampsel, C. M., Wyman, J. F., Thomas, K. K., Newman, D. K., Gray, M., Dougherty, M., Burns, P. A. Continence for women: a test of AWHONN's evidence-based protocol in clinical practice. Association of Women's Health Obstetric and Neonatal Nurses. *J Obstet Gynecol Neonatal Nurs.* 2000 Jan-Feb; 29: 18-26
- 41533 Sampsel, C. M., Wyman, J. F., Thomas, K. K., Newman, D. K., Gray, M., Dougherty, M., Burns, P. A. Continence for women: evaluation of AWHONN's third research utilization project. Association of Women's Health Obstetric and Neonatal Nurses. *J Obstet Gynecol Neonatal Nurs.* 2000 Jan-Feb; 29: 9-17
- 41534 Bingol, A., Yucemen, N., Meco, O. Medically treated intraspinal 'Brucella' granuloma. *Surg Neurol.* 1999 Dec; 52: 570-6
- 41535 Watson, A. J., Currie, I., Curran, S., Jarvis, G. J. A prospective study examining the association between the symptoms of anxiety and depression and severity of urinary incontinence. *Eur J Obstet Gynecol Reprod Biol.* 2000 Jan; 88: 7-9
- 41536 Al-Waili, N. S. Carbamazepine to treat primary nocturnal enuresis: double-blind study. *Eur J Med Res.* 2000 Jan 26; 5: 40-4
- 41537 Stenberg, A., Heimer, G., Holmberg, L., Ulmsten, U. Prevalence of postmenopausal symptoms in two age groups of elderly women in relation to oestrogen replacement therapy. *Maturitas.* 1999 Dec 15; 33: 229-37
- 41539 Labrecque, M., Eason, E., Marcoux, S. Randomized trial of perineal massage during pregnancy: perineal symptoms three months after delivery. *Am J Obstet Gynecol.* 2000 Jan; 182: 76-80
- 41541 Reznicek, S. B. Common urologic problems in the elderly. Prostate cancer, outlet obstruction, and incontinence require special management. *Postgrad Med.* 2000 Jan; 107: 163-4, 167-70, 177-8
- 41542 Vroomen, P. C., de Krom, M. C., Knottnerus, J. A. Consistency of history taking and physical examination in patients with suspected lumbar nerve root involvement. *Spine.* 2000 Jan; 25: 91-6; discussion 97
- 41543 Mills, I. W., Greenland, J. E., McMurray, G., McCoy, R., Ho, K. M., Noble, J. G., Brading, A. F. Studies of the pathophysiology of idiopathic detrusor instability: the physiological properties of the detrusor smooth muscle and its pattern of innervation. *J Urol.* 2000 Feb; 163: 646-51

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 41544** Sheldon, C. A., Minevich, E., Wacksman, J. Modified technique of antegrade continence enema using a stapling device. *J Urol.* 2000 Feb; 163: 589-91
- 41545** Vereecken, R. L., Proesmans, W. Urethral instability as an important element of dysfunctional voiding. *J Urol.* 2000 Feb; 163: 585-8
- 41546** Curran, M. J., Kaefer, M., Peters, C., Logigian, E., Bauer, S. B. The overactive bladder in childhood: long-term results with conservative management. *J Urol.* 2000 Feb; 163: 574-7
- 41547** Stein, R., Fisch, M., Ermert, A., Schwarz, M., Black, P., Filipas, D., Hohenfellner, R. Urinary diversion and orthotopic bladder substitution in children and young adults with neurogenic bladder: a safe option for treatment?. *J Urol.* 2000 Feb; 163: 568-73
- 41550** Opeksin, K., Clarke, I., Berkovic, S. F. Prolactin levels in sudden unexpected death in epilepsy. *Epilepsia.* 2000 Jan; 41: 48-51
- 41551** Gross, J. C. Urinary incontinence and stroke outcomes. *Arch Phys Med Rehabil.* 2000 Jan; 81: 22-7
- 41554** Henderson, J. S., Kashka, M. S. Development and testing of the Urinary Incontinence Scales. *Urol Nurs.* 1999 Jun; 19: 109-19
- 41555** Desai, M. M., Zhang, P., Hennessy, C. H. Surveillance for morbidity and mortality among older adults--United States, 1995-1996. *MMWR CDC Surveill Summ.* 1999 Dec 17; 48: 7-25
- 41556** Robinson, J. P. Managing urinary incontinence in the nursing home: residents' perspectives. *J Adv Nurs.* 2000 Jan; 31: 68-77
- 41558** Schmidt, B., Haberlik, A., Uray, E., Ratschek, M., Lackner, H., Hollwarth, M. E. Sacrococcygeal teratoma: clinical course and prognosis with a special view to long-term functional results. *Pediatr Surg Int.* 1999; 15: 573-6
- 41559** Hennessey, A., Robertson, N. P., Swingle, R., Compston, D. A. Urinary, faecal and sexual dysfunction in patients with multiple sclerosis. *J Neurol.* 1999 Nov; 246: 1027-32
- 41560** Schroder, A., Levin, R. M., Kogan, B. A., Das, A. K., Kay, F., Mahashabde, A. Absorption of oxybutynin from vaginal inserts: drug blood levels and the response of the rabbit bladder. *Urology.* 2000 Dec 20; 56: 1063-7
- 41562** Cetinel, B., Demirkesen, O., Onder, A. U., Yaycioglu, O., Ismailoglu, V., Solok, V. Reconstructive surgery in voiding dysfunction: experience with 69 patients. *Urology.* 2000 Dec 20; 56: 962-6
- 41566** Ali-El-Dein, B., El-Demerdash, R., Kock, N. G., Ghoneim, M. A. A magnetic device for increasing the urethral resistance to flow: an experimental study in female dogs. *BJU Int.* 2000 Jan; 85: 150-4
- 41567** Raz, R., Gennesin, Y., Wasser, J., Stoler, Z., Rosenfeld, S., Rottensterich, E., Stamm, W. E. Recurrent urinary tract infections in postmenopausal women. *Clin Infect Dis.* 2000 Jan; 30: 152-6
- 41569** Morkved, S., Bo, K. Prevalence of urinary incontinence during pregnancy and postpartum. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 394-8
- 41574** Papa Petros, P. E. Cure of urinary and fecal incontinence by pelvic ligament reconstruction suggests a connective tissue etiology for both. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 356-60
- 41575** Jones, S. Promoting continence in older people. *Elder Care.* 1999 Nov; 11: 34-8; quiz 39
- 41576** Billington, A. Incontinence in older women. *Elder Care.* 1999 Nov; 11: 32-3
- 41579** Boyington, A. R., Tomlinson, B. U., Dougherty, M. C. Using a relational database to support nursing research. *Comput Nurs.* 1999 Nov-Dec; 17: 269-74; quiz 275-7
- 41582** Maloney, C., Cafiero, M. Implementing an incontinence program in long-term care settings. A multidisciplinary approach. *J Gerontol Nurs.* 1999 Jun; 25: 47-52
- 41586** Groutz, A., Blaivas, J. G., Fait, G., Sassone, A. M., Chaikin, D. C., Gordon, D. The significance of the American Urological Association symptom index score in the evaluation of women with bladder outlet obstruction. *J Urol.* 2000 Jan; 163: 207-11



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 41587** Kerns, J. M., Damaser, M. S., Kane, J. M., Sakamoto, K., Benson, J. T., Shott, S., Brubaker, L. Effects of pudendal nerve injury in the female rat. *Neurourol Urodyn.* 2000; 19: 53-69
- 41588** Sugaya, K., Nishizawa, O., Satoh, T., Hatano, T., Ogawa, Y. Bladder-pumping therapy for the treatment of low-capacity or low- compliance bladders. *Neurourol Urodyn.* 2000; 19: 19-28
- 41589** Sander, P., Mouritsen, L., Andersen, J. T., Fischer-Rasmussen, W. Evaluation of a simple, non-surgical concept for management of urinary incontinence (minimal care) in an open-access, interdisciplinary incontinence clinic. *Neurourol Urodyn.* 2000; 19: 9-17
- 41590** Visco, A. G., Weidner, A. C., Cundiff, G. W., Bump, R. C. Observed patient compliance with a structured outpatient bladder retraining program. *Am J Obstet Gynecol.* 1999 Dec; 181: 1392-4
- 41593** Bland, D. R., Earle, B. B., Vitolins, M. Z., Burke, G. Use of the Pelvic Organ Prolapse staging system of the International Continence Society, American Urogynecologic Society, and Society of Gynecologic Surgeons in perimenopausal women. *Am J Obstet Gynecol.* 1999 Dec; 181: 1324-7; discussion 1327-8
- 41595** Nobili, F., Copello, F., Vitali, P., Prastaro, T., Carozzo, S., Perego, G., Rodriguez, G. Timing of disease progression by quantitative EEG in Alzheimer' s patients. *J Clin Neurophysiol.* 1999 Nov; 16: 566-73
- 41597** Komatsu, K., Niikura, S., Maeda, Y., Ishiura, Y., Yokoyama, O., Namiki, M. Single ectopic vaginal ureter diagnosed by computed tomography. *Urol Int.* 1999; 63: 147-50
- 41600** Wang, K., Yamataka, A., Morioka, A., Lane, G. J., Iwashita, K., Miyano, T. Complications after sigmoidocolocystoplasty: review of 100 cases at one institution. *J Pediatr Surg.* 1999 Nov; 34: 1672-7
- 41601** Ouslander, J., Johnson, T., Nasr, S., Schnelle, J., Miller, M. Atrial natriuretic peptide levels in geriatric patients with nocturia and nursing home residents with nighttime incontinence. *J Am Geriatr Soc.* 1999 Dec; 47: 1439-44
- 41602** Schonherr, M. C., Groothoff, J. W., Mulder, G. A., Eisma, W. H. Functional outcome of patients with spinal cord injury: rehabilitation outcome study. *Clin Rehabil.* 1999 Dec; 13: 457-63
- 41603** Hyman, N. Endoanal advancement flap repair for complex anorectal fistulas. *Am J Surg.* 1999 Oct; 178: 337-40
- 41604** Sibbald, B. Unique health needs of elderly women being ignored, symposium told. *CMAJ.* 1999 Nov 16; 161: 1309-10
- 41606** Lemack, G. E. Reversing the tide: emerging options for treating overactive bladder symptoms in women. *Tex Med.* 1999 Nov; 95: 78-81
- 41609** Diana, M., Schettini, M. Treatment of vaginal vault prolapse with abdominal sacral colpopexy using prolene mesh. *Minerva Ginecol.* 1999 Sep; 51: 349-53
- 41611** Robson, W. L. Enuresis treatment in the US. *Scand J Urol Nephrol Suppl.* 1999; 202: 56-60
- 41613** Callsen-Cencic, P., Mense, S. Control of the unstable urinary bladder by graded thermoelectric cooling of the spinal cord. *BJU Int.* 1999 Dec; 84: 1084-92
- 41614** Arena, F., Romeo, C., Cruccetti, A., Antonuccio, P., Basile, M., Romeo, G. The neonatal management and surgical correction of urinary hydrometrocolpos caused by a persistent urogenital sinus. *BJU Int.* 1999 Dec; 84: 1063-8
- 41615** Pfister, C., Dacher, J. N., Gaucher, S., Liard-Zmuda, A., Grise, P., Mitrofanoff, P. The usefulness of a minimal urodynamic evaluation and pelvic floor biofeedback in children with chronic voiding dysfunction. *BJU Int.* 1999 Dec; 84: 1054-7
- 41618** Vowles, J. E., Wagg, A. S. The pressure-flow plot in the evaluation of female incontinence. *BJU Int.* 1999 Dec; 84: 948-52
- 41619** Butler, R. N., Maby, J. I., Montella, J. M., Young, G. P. Urinary incontinence: primary care therapies for the older woman. *Geriatrics.* 1999 Nov; 54: 31-4, 39-40, 43-4
- 41620** Guys, J. M., Simeoni-Alias, J., Fakhro, A., Delarue, A. Use of polydimethylsiloxane for endoscopic treatment of neurogenic urinary incontinence in children. *J Urol.* 1999 Dec; 162: 2133-5

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 41624 Jackson, A. B., Wadley, V. A multicenter study of women's self-reported reproductive health after spinal cord injury. *Arch Phys Med Rehabil.* 1999 Nov; 80: 1420-8
- 41625 O'Meara, B. Continence. Hidden dangers. *Nurs Times.* 1999 Aug 4-10; 95: 70, 73
- 41626 Willis, J. Sex, relationships and continence. *Nurs Times.* 1999 Aug 4-10; 95: 62, 65
- 41627 Rigby, D. Persistence the key for patient who resists change. *Nurs Times.* 1999 Aug 4-10; 95: 61
- 41634 Ong, N. C., Dwyer, P. L. Labial fusion causing voiding difficulty and urinary incontinence. *Aust N Z J Obstet Gynaecol.* 1999 Aug; 39: 391-3
- 41637 Meier, U., Zeilinger, F. S., Kintzel, D. Signs, symptoms and course of normal pressure hydrocephalus in comparison with cerebral atrophy. *Acta Neurochir (Wien).* 1999; 141: 1039-48
- 41638 Bugg, G., Hosker, G., Kiff, E. Prevalence of faecal incontinence among women with urinary incontinence. *Br J Obstet Gynaecol.* 1999 Nov; 106: 1233-4
- 41639 Hodges, A. M. Vesico-vaginal fistula associated with uterine prolapse. *Br J Obstet Gynaecol.* 1999 Nov; 106: 1227-8
- 41640 Di Carlo, A., Lamassa, M., Pracucci, G., Basile, A. M., Trefoloni, G., Vanni, P., Wolfe, C. D., Tilling, K., Ebrahim, S., Inzitari, D. Stroke in the very old : clinical presentation and determinants of 3- month functional outcome: A European perspective. *European BIOMED Study of Stroke Care Group. Stroke.* 1999 Nov; 30: 2313-9
- 41641 Chaliha, C., Kalia, V., Stanton, S. L., Monga, A., Sultan, A. H. Antenatal prediction of postpartum urinary and fecal incontinence. *Obstet Gynecol.* 1999 Nov; 94: 689-94
- 41642 Thomas, S. Investing in continence. *Elder Care.* 1999 Feb-Mar; 11: 32
- 41644 Clark, M. H., Benson, J. T. Fecal incontinence and the menstrual cycle: a case report. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 344-5
- 41645 Shaker, H., Hassouna, M. M. Sacral root neuromodulation in the treatment of various voiding and storage problems. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 336-43
- 41646 Okada, N., Igawa, Y., Nishizawa, O. Functional electrical stimulation for detrusor instability. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 329-35
- 41649 Aygen, E. M., Ekmekcioglu, O., Basbug, M. The menopause and bladder weight. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 316-20
- 41653 Drutz, H. P., Appell, R. A., Gleason, D., Klimberg, I., Radomski, S. Clinical efficacy and safety of tolterodine compared to oxybutynin and placebo in patients with overactive bladder. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 283-9
- 41655 Butler, R. N., Maby, J. I., Montella, J. M., Young, G. P. Urinary incontinence: keys to diagnosis of the older woman.1. *Geriatrics.* 1999 Oct; 54: 22-6, 29-30
- 41656 Fleishman, R., Heilbrun, G., Mandelson, J., Shirazi, V. Improving the quality of institutional care of urinary incontinence among the elderly: a challenge for governmental regulation. *Int J Health Care Qual Assur Inc Leadersh Health Serv.* 1999; 12: 105-19
- 41657 Overactive bladder. *Harv Womens Health Watch.* 1999 Oct; 7: 6
- 41658 Hagglund, D., Olsson, H., Leppert, J. Urinary incontinence: an unexpected large problem among young females. Results from a population-based study. *Fam Pract.* 1999 Oct; 16: 506-9
- 41660 Schurch, B., Suter, S., Dubs, M. Intraurethral sphincter prosthesis to treat hyporeflexic bladders in women: does it work?. *BJU Int.* 1999 Nov; 84: 789-94
- 41662 Gill, M. A., Schutze, G. E. *Citrobacter* urinary tract infections in children. *Pediatr Infect Dis J.* 1999 Oct; 18: 889-92
- 41667 Romanzi, L. J., Polaneczky, M., Glazer, H. I. Simple test of pelvic muscle contraction during pelvic examination: correlation to surface electromyography. *Neurourol Urodyn.* 1999; 18: 603-12

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 41670** Chiarelli, P., Brown, W., McElduff, P. Leaking urine: prevalence and associated factors in Australian women. *Neurourol Urodyn.* 1999; 18: 567-77
- 41677** Cain, M. P., Casale, A. J., King, S. J., Rink, R. C. Appendicovesicostomy and newer alternatives for the Mitrofanoff procedure: results in the last 100 patients at Riley Children's Hospital. *J Urol.* 1999 Nov; 162: 1749-52
- 41678** Khoury, A. E., Agarwal, S. K., Bagli, D., Merguerian, P., McLorie, G. A. Concomitant modified bladder neck closure and Mitrofanoff urinary diversion. *J Urol.* 1999 Nov; 162: 1746-8
- 41681** Braun, P. M., Boschert, J., Bross, S., Scheepe, J. R., Alken, P., Juenemann, P. Tailored laminectomy: a new technique for neuromodulator implantation. *J Urol.* 1999 Nov; 162: 1607-9
- 41682** Dandy, D. Assessment tool promotes continence after childbirth. *Nurs Times.* 1999 Jul 14-20; 95: 42-3
- 41683** Park, T., Lee, S. Y. Simple pattern-mixture models for longitudinal data with missing observations: analysis of urinary incontinence data. *Stat Med.* 1999 Nov 15; 18: 2933-41
- 41684** Sakakibara, R., Hattori, T., Uchiyama, T., Yamanishi, T. Urinary function in elderly people with and without leukoaraiosis: relation to cognitive and gait function. *J Neurol Neurosurg Psychiatry.* 1999 Nov; 67: 658-60
- 41685** Wenning, G. K., Scherfler, C., Granata, R., Bosch, S., Verny, M., Chaudhuri, K. R., Jellinger, K., Poewe, W., Litvan, I. Time course of symptomatic orthostatic hypotension and urinary incontinence in patients with postmortem confirmed parkinsonian syndromes: a clinicopathological study. *J Neurol Neurosurg Psychiatry.* 1999 Nov; 67: 620-3
- 41687** Sirls, L. T., Rashid, T. Geriatric urinary incontinence. *Geriatr Nephrol Urol.* 1999; 9: 87-99
- 41689** Damani, N., Wilson, S. R. Nongynecologic applications of transvaginal US. *Radiographics.* 1999 Oct; 19 Spec No: S179-200; quiz S265-6
- 41690** Eterovic, D., Strinic, T., Dujic, Z., Boban, M. Blood gases and sex hormones in women with and without genital descensus. *Respiration.* 1999; 66: 400-6
- 41691** Abd-el-Gawad, G., Abrahamsson, K., Hanson, E., Norlen, L., Sillen, U., Stokland, E., Hjalmas, K. Kock urinary reservoir maturation in children and adolescents: consequences for kidney and upper urinary tract. *Eur Urol.* 1999 Nov; 36: 443-9
- 41694** Fischer, J. R., Berg, P. H. Urinary incontinence in United States Air Force female aircrew. *Obstet Gynecol.* 1999 Oct; 94: 532-6
- 41697** Atan, A., Konety, B. R., Nangia, A., Chancellor, M. B. Advantages and risks of ileovesicostomy for the management of neuropathic bladder. *Urology.* 1999 Oct; 54: 636-40
- 41698** Wedderburn, A. W., Adamson, A. S. Management of the incompetent urethra in the chronically debilitated female patient: an alternative to urethral closure. *BJU Int.* 1999 Oct; 84: 727-8
- 41699** Hayes, M. C., Bulusu, A., Terry, T., Mouriquand, P. D., Malone, P. S. The Pippi Salle urethral lengthening procedure; experience and outcome from three United Kingdom centres. *BJU Int.* 1999 Oct; 84: 701-5
- 41700** Madersbacher, H., Halaska, M., Voigt, R., Alloussi, S., Hofner, K. A placebo-controlled, multicentre study comparing the tolerability and efficacy of propiverine and oxybutynin in patients with urgency and urge incontinence. *BJU Int.* 1999 Oct; 84: 646-51
- 41701** Peake, S., Manderson, L., Potts, H. 'Part and parcel of being a woman': female urinary incontinence and constructions of control. *Med Anthropol Q.* 1999 Sep; 13: 267-85
- 41703** Freeman, L. Continence care: home and dry. *Nurs Times.* 1999 Jun 30-Jul 6; 95: 44-5
- 41706** Roe, B., May, C. Incontinence and sexuality: findings from a qualitative perspective. *J Adv Nurs.* 1999 Sep; 30: 573-9
- 41707** Jawad, S. H., Ward, A. B., Jones, P. Study of the relationship between premorbid urinary incontinence and stroke functional outcome. *Clin Rehabil.* 1999 Oct; 13: 447-52
- 41709** Cook, E. Assessing continence needs in children. *Nurs Stand.* 1999 Jun 9-15; 13: 48-52; quiz 54

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 41710 Yamanishi, T., Yasuda, K., Sakakibara, R., Suda, S., Ishikawa, N., Hattori, T., Hosaka, H. Induction of urethral closure and inhibition of bladder contraction by continuous magnetic stimulation. *Neurourol Urodyn.* 1999; 18: 505-10
- 41714 Levi, A. D. Treatment of a retroperitoneal lymphocele after lumbar fusion surgery with intralesional povidone iodine: technical case report. *Neurosurgery.* 1999 Sep; 45: 658-60; discussion 660-1
- 41715 Dietz, H. P., McNoulty, L., Clarke, B. Translabial color Doppler for imaging in urogynecology: a preliminary report. *Ultrasound Obstet Gynecol.* 1999 Aug; 14: 144-7
- 41717 Strasser, H., Tiefenthaler, M., Steinlechner, M., Bartsch, G., Konwalinka, G. Urinary incontinence in the elderly and age-dependent apoptosis of rhabdosphincter cells. *Lancet.* 1999 Sep 11; 354: 918-9
- 41718 Weber, A. M., Walters, M. D., Schover, L. R., Church, J. M., Piedmonte, M. R. Functional outcomes and satisfaction after abdominal hysterectomy. *Am J Obstet Gynecol.* 1999 Sep; 181: 530-5
- 41719 Hemingway-Eltomey, J. M., Lerner, A. J. Adverse effects of donepezil in treating Alzheimer's disease associated with Down's syndrome. *Am J Psychiatry.* 1999 Sep; 156: 1470
- 41720 Kelleher, C., Braude, P. Recent advances. *Gynaecology.* *BMJ.* 1999 Sep 11; 319: 689-92
- 41721 Lin, C. C., Bai, Y. M., Chen, J. Y., Lin, C. Y., Lan, T. H. A retrospective study of clozapine and urinary incontinence in Chinese in-patients. *Acta Psychiatr Scand.* 1999 Aug; 100: 158-61
- 41722 Al-Shammari, S. A., Al-Subaie, A. Prevalence and correlates of depression among Saudi elderly. *Int J Geriatr Psychiatry.* 1999 Sep; 14: 739-47
- 41724 Nakanishi, N., Tatara, K., Shinsho, F., Murakami, S., Takatorige, T., Fukuda, H., Nakajima, K., Naramura, H. Mortality in relation to urinary and faecal incontinence in elderly people living at home. *Age Ageing.* 1999 May; 28: 301-6
- 41726 Gleason, D. M., Susset, J., White, C., Munoz, D. R., Sand, P. K. Evaluation of a new once-daily formulation of oxybutynin for the treatment of urinary urge incontinence. *Ditropan XL Study Group. Urology.* 1999 Sep; 54: 420-3
- 41727 Cheng, E. Y., Ozerdemoglu, R. A., Transfeldt, E. E., Thompson, R. C., Jr Lumbosacral chordoma. Prognostic factors and treatment. *Spine.* 1999 Aug 15; 24: 1639-45
- 41728 Lubeck, D. P., Prebil, L. A., Peeples, P., Brown, J. S. A health related quality of life measure for use in patients with urge urinary incontinence: a validation study. *Qual Life Res.* 1999 Jun; 8: 337-44
- 41730 Hodges, A. M. The Mitrofanoff urinary diversion for complex vesicovaginal fistulae: experience from Uganda. *BJU Int.* 1999 Sep; 84: 436-9
- 41732 Caione, P., Nappo, S., De Castro, R., Prestipino, M., Capozza, N. Low-dose desmopressin in the treatment of nocturnal urinary incontinence in the exstrophy-epispadias complex. *BJU Int.* 1999 Aug; 84: 329-34
- 41733 Yeung, C. K., Liu, K. W., Ng, W. T., Tan, H. L., Tam, Y. H., Lee, K. H. Laparoscopy as the investigation and treatment of choice for urinary incontinence caused by small 'invisible' dysplastic kidneys with infrasphincteric ureteric ectopia. *BJU Int.* 1999 Aug; 84: 324-8
- 41735 Palmer, M. H., Fitzgerald, S., Berry, S. J., Hart, K. Urinary incontinence in working women: an exploratory study. *Women Health.* 1999; 29: 67-82
- 41736 Kitamura, H., Miyao, N., Yanase, M., Masumori, N., Matsukawa, M., Takahashi, A., Itoh, N., Tsukamoto, T. Quality of life in patients having an ileal conduit, continent reservoir or orthotopic neobladder after cystectomy for bladder carcinoma. *Int J Urol.* 1999 Aug; 6: 393-9
- 41737 Ganz, P. A., Greendale, G. A., Kahn, B., O'Leary, J. F., Desmond, K. A. Are older breast carcinoma survivors willing to take hormone replacement therapy?. *Cancer.* 1999 Sep 1; 86: 814-20
- 41738 Gofrit, O. N., Pode, D., Landau, E. H. Vesicocolonic fistula four years after augmentation colocolocystoplasty. *Urol Int.* 1999; 62: 117-8
- 41739 Swithinbank, L. V., Abrams, P. The impact of urinary incontinence on the quality of life of women. *World J Urol.* 1999 Aug; 17: 225-9

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 41741 Thuroff, J. W. Epidemiology of bladder control problems. *Curr Opin Urol.* 1999 Jul; 9: 283-4
- 41745 Atan, A., Konety, B. R., Erickson, J. R., Yokoyama, T., Kim, D. Y., Chancellor, M. B. Tolterodine for overactive bladder: time to onset of action, preferred dosage, and 9-month follow-up. *Tech Urol.* 1999 Jun; 5: 67-70
- 41746 Kaefer, M., Andler, R., Bauer, S. B., Hendren, W. H., Diamond, D. A., Retik, A. B. Urodynamic findings in children with isolated epispadias. *J Urol.* 1999 Sep; 162: 1172-5
- 41747 Pattaras, J. G., Rushton, H. G., Majd, M. The role of 99mtechnetium dimercapto-succinic acid renal scans in the evaluation of occult ectopic ureters in girls with paradoxical incontinence. *J Urol.* 1999 Sep; 162: 821-5
- 41749 Phadke, S. R., Pahi, J., Pandey, A., Agarwal, S. S. Oral-facial-digital syndrome with acromelic short stature: a new variant--overlap with Ellis Van Creveld syndrome. *Clin Dysmorphol.* 1999 Jul; 8: 185-8
- 41750 Visco, A. G., Yamauchi, M. Collagen cross-linking in patients with urinary incontinence. *Am J Obstet Gynecol.* 1999 Aug; 181: 509-10
- 41752 Nickel, R. F., Vink-Noteboom, M., van den Brom, W. E. Clinical and radiographic findings compared with urodynamic findings in neutered female dogs with refractory urinary incontinence. *Vet Rec.* 1999 Jul 3; 145: 11-5
- 41753 Abd-el-Gawad, G., Abrahamsson, K., Hanson, E., Norlen, L., Sillen, U., Sixt, R., Hjalmas, K. Evaluation of Kock urinary reservoir function in children and adolescents at 3-10 years' follow-up. *Scand J Urol Nephrol.* 1999 Jun; 33: 149-55
- 41754 Butler, R. N., August, P., Ferdinand, K. C., Phillips, R. A., Roccella, E. J. Hypertension: how comorbid disease influences the choice of therapy. Part 4 of a roundtable discussion. *Geriatrics.* 1999 Aug; 54: 34, 39-44
- 41755 Petri, E., Koelbl, H., Schaer, G. What is the place of ultrasound in urogynecology? A written panel. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 262-73
- 41757 Thyssen, H., Sander, P., Lose, G. A vaginal device (continence guard) in the management of urge incontinence in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 219-22
- 41758 Venn, S. N., Mundy, A. R. Continent urinary diversion using the Mainz-type ureterosigmoidostomy-- a valuable salvage procedure. *Eur Urol.* 1999 Sep; 36: 247-51
- 41760 Neveus, T., Hetta, J., Cnattingius, S., Tuvemo, T., Lackgren, G., Olsson, U., Stenberg, A. Depth of sleep and sleep habits among enuretic and incontinent children. *Acta Paediatr.* 1999 Jul; 88: 748-52
- 41761 Mattelaer, J. J., Williams, G. Extra-urethral urinary incontinence after incompetent vaginal obstetrics. *BJU Int.* 1999 Jul; 84: 10-3
- 41762 Burgio, K., Ouslander, J. G. Effects of urge urinary incontinence on quality of life in older people. *J Am Geriatr Soc.* 1999 Aug; 47: 1032-3
- 41763 DuBeau, C. E., Kiely, D. K., Resnick, N. M. Quality of life impact of urge incontinence in older persons: a new measure and conceptual structure. *J Am Geriatr Soc.* 1999 Aug; 47: 989-94
- 41764 Brown, J. S., Posner, S. F., Stewart, A. L. Urge incontinence: new health-related quality of life measures. *J Am Geriatr Soc.* 1999 Aug; 47: 980-8
- 41766 Aghaji, A. E., Odoemene, C. Ureteric injuries in Enugu, Nigeria. *East Afr Med J.* 1999 Apr; 76: 184-8
- 41767 Hurley, R. A., Bradley, W. G., Jr, Latifi, H. T., Taber, K. H. Normal pressure hydrocephalus: significance of MRI in a potentially treatable dementia. *J Neuropsychiatry Clin Neurosci.* 1999 Summer; 11: 297-300
- 41768 Gupta, A. Pruritus in the elderly. *Practitioner.* 1999 Mar; 243: 203-7
- 41771 von Gontard, A., Benden, B., Mauer-Mucke, K., Lehmkuhl, G. Somatic correlates of functional enuresis. *Eur Child Adolesc Psychiatry.* 1999 Jun; 8: 117-25
- 41773 Laurikkala, J., Juhola, M., Lammi, S., Viikki, K. Comparison of genetic algorithms and other classification methods in the diagnosis of female urinary incontinence. *Methods Inf Med.* 1999 Jun; 38: 125-31
- 41775 Myers, D. L., Arya, L. A., Friedman, J. H. Is urinary incontinence different in women with Parkinson's disease?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 188-91



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 41777** Chaliha, C., Stanton, S. L. The ethnic cultural and social aspects of incontinence--a pilot study. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 166-70
- 41778** Rizk, D. E., Shaheen, H., Thomas, L., Dunn, E., Hassan, M. Y. The prevalence and determinants of health care-seeking behavior for urinary incontinence in United Arab Emirates women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 160-5
- 41786** Chiarelli, P., Brown, W. J. Leaking urine in Australian women: prevalence and associated conditions. *Women Health.* 1999; 29: 1-13
- 41790** Johanson, R. B., Heycock, E., Carter, J., Sultan, A. H., Walklate, K., Jones, P. W. Maternal and child health after assisted vaginal delivery: five-year follow up of a randomised controlled study comparing forceps and ventouse. *Br J Obstet Gynaecol.* 1999 Jun; 106: 544-9
- 41794** Arikan, N., Soygur, T., Selcuki, M., Erden, I., Gogus, O. Role of magnetic resonance imaging in children with voiding dysfunction: retrospective analysis of 81 patients. *Urology.* 1999 Jul; 54: 157-60; discussion 160-1
- 41795** Arai, Y., Okubo, K., Konami, T., Kin, S., Kanba, T., Okabe, T., Hamaguchi, A., Okada, Y. Voiding function of orthotopic ileal neobladder in women. *Urology.* 1999 Jul; 54: 44-9
- 41798** Harris, A. Impact of urinary incontinence on the quality of life of women. *Br J Nurs.* 1999 Mar 25-Apr 7; 8: 375-80
- 41800** Miura, T., Tanaka, H., Makino, Y., Okamoto, K., Iida, T., Komura, K., Fukawa, E., Hirano, F., Makino, I. Human T cell leukemia virus type I-associated myelopathy in a patient with systemic lupus erythematosus. *Intern Med.* 1999 Jun; 38: 512-5
- 41804** Schmidt, R. A., Jonas, U., Oleson, K. A., Janknegt, R. A., Hassouna, M. M., Siegel, S. W., van Kerrebroeck, P. E. Sacral nerve stimulation for treatment of refractory urinary urge incontinence. *Sacral Nerve Stimulation Study Group. J Urol.* 1999 Aug; 162: 352-7
- 41805** Fultz, N. H., Herzog, A. R., Raghunathan, T. E., Wallace, R. B., Diokno, A. C. Prevalence and severity of urinary incontinence in older African American and Caucasian women. *J Gerontol A Biol Sci Med Sci.* 1999 Jun; 54: M299-303
- 41807** Roberts, R. O., Jacobsen, S. J., Reilly, W. T., Pemberton, J. H., Lieber, M. M., Talley, N. J. Prevalence of combined fecal and urinary incontinence: a community- based study. *J Am Geriatr Soc.* 1999 Jul; 47: 837-41
- 41808** Alessi, C. A., Yoon, E. J., Schnelle, J. F., Al-Samarrai, N. R., Cruise, P. A. A randomized trial of a combined physical activity and environmental intervention in nursing home residents: do sleep and agitation improve?. *J Am Geriatr Soc.* 1999 Jul; 47: 784-91
- 41809** Coleman, E. A., Grothaus, L. C., Sandhu, N., Wagner, E. H. Chronic care clinics: a randomized controlled trial of a new model of primary care for frail older adults. *J Am Geriatr Soc.* 1999 Jul; 47: 775-83
- 41810** Baines, S. J., Speakman, A. J., Williams, J. M., Cheeseman, M. T. Genitourinary dysplasia in a cat. *J Small Anim Pract.* 1999 Jun; 40: 286-90
- 41811** Roe, B., Doll, H., Wilson, K. Help seeking behaviour and health and social services utilisation by people suffering from urinary incontinence. *Int J Nurs Stud.* 1999 Jun; 36: 245-53
- 41812** Christiansen, J., Rasmussen, O. O., Lindorff-Larsen, K. Long-term results of artificial anal sphincter implantation for severe anal incontinence. *Ann Surg.* 1999 Jul; 230: 45-8
- 41813** Rane, A. Incontinence in women. Don't suffer it. *Aust Fam Physician.* 1999 Jun; 28: 584-6
- 41815** Samsioe, G., Heraib, F., Lidfeldt, J., Nerbrand, C., Lindholm, L., Agardh, C., Schersten, B. Urogenital symptoms in women aged 50-59 years. Women's Health in Lund Area (WHILSA) Study Group. *Gynecol Endocrinol.* 1999 Apr; 13: 113-7
- 41817** Chu, L. W., Pei, C. K. Risk factors for early emergency hospital readmission in elderly medical patients. *Gerontology.* 1999 Jul-Aug; 45: 220-6
- 41818** Gupta, S. K., Sathyan, G., Lindemulder, E. A., Ho, P. L., Sheiner, L. B., Aarons, L. Quantitative characterization of therapeutic index: application of mixed-effects modeling to evaluate oxybutynin dose-efficacy and dose- side effect relationships. *Clin Pharmacol Ther.* 1999 Jun; 65: 672-84

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 41823 Dmochowski, R. R. Female voiding dysfunction and movement disorders. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 144-51
- 41824 Nitti, V. W. Evaluation of the female with neurogenic voiding dysfunction. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 119-29
- 41825 Ryhammer, A. M., Djurhuus, J. C., Laurberg, S. Pad testing in incontinent women: a review. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 111-5
- 41826 Steele, A. C., Kohli, N., Mallipeddi, P., Karram, M. Pharmacologic causes of female incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 106-10
- 41828 Fehrmann-Zumpe, P., Karbe, K., Blessman, G. Using flavoxate as primary medication for patients suffering from urge symptomatology. *Int Urogynecol J Pelvic Floor Dysfunct.* 1999; 10: 91-5
- 41829 Laurikkala, J., Juhola, M. Population size and quality in genetics-based rule learning from medical data. *Medinfo.* 1998; 9 Pt 1: 389-93
- 41831 Erdogru, T., Kocak, T., Serdaroglu, P., Kadioglu, A., Tellaloglu, S. Evaluation and therapeutic approaches of voiding and erectile dysfunction in neurological Behcet's syndrome. *J Urol.* 1999 Jul; 162: 147-53
- 41838 Asbury, N. Mines of information. *Nurs Times.* 1999 May 5-11; 95: 85-6
- 41839 Skelton, N. Meeting the challenge. *Nurs Times.* 1999 May 5-11; 95: 82
- 41840 Johnson, C. Accentuate the positive. *Nurs Times.* 1999 May 5-11; 95: 81
- 41841 Peters, N. Eliminate the negative. *Nurs Times.* 1999 May 5-11; 95: 78
- 41842 Malone-Lee, J. Know how. Managing incontinence. *Nurs Times.* 1999 May 5-11; 95: 74-5
- 41843 White, H. Designer gear. *Nurs Times.* 1999 May 5-11; 95: 69-70, 73, 76
- 41844 Page, A. Twelve years of hell. *Nurs Times.* 1999 May 5-11; 95: 65-6, 69
- 41846 Young, S. B., Pingeton, D. M. Office assessment of female urinary incontinence. *Clin Obstet Gynecol.* 1999 Jun; 42: 249-66
- 41847 Bhatnagar, V., Lal, R., Agarwala, S., Mitra, D. K. Bladder-neck repair in urinary bladder exstrophy. *Pediatr Surg Int.* 1999; 15: 290-3
- 41848 Gambassi, G., Landi, F., Lapane, K. L., Sgadari, A., Mor, V., Bernabei, R. Predictors of mortality in patients with Alzheimer's disease living in nursing homes. *J Neurol Neurosurg Psychiatry.* 1999 Jul; 67: 59-65
- 41849 Kenton, K., Sadowski, D., Shott, S., Brubaker, L. A comparison of women with primary and recurrent pelvic prolapse. *Am J Obstet Gynecol.* 1999 Jun; 180: 1415-8
- 41851 Lilas, L. A., Andrews, S. J., Hanbury, D. C. Point of technique. The tunnelled suprapubic catheter. *BJU Int.* 1999 Jun; 83: 1060-2
- 41852 Kryger, J. V., Spencer Barthold, J., Fleming, P., Gonzalez, R. The outcome of artificial urinary sphincter placement after a mean 15- year follow-up in a paediatric population. *BJU Int.* 1999 Jun; 83: 1026-31
- 41854 Dolan, L. M., Casson, K., McDonald, P., Ashe, R. G. Urinary incontinence in Northern Ireland: a prevalence study. *BJU Int.* 1999 May; 83: 760-6
- 41857 Berlowitz, D. R., Brand, H. K., Perkins, C. Geriatric syndromes as outcome measures of hospital care: can administrative data be used?. *J Am Geriatr Soc.* 1999 Jun; 47: 692-6
- 41858 Pannek, J., Muller, M., Haupt, G. An unexpected complication of the remote-controlled intraurethral valve pump for urinary incontinence. *Urol Int.* 1998; 61: 235-6
- 41859 Pfister, S. M. Bladder diaries and voiding patterns in older adults. *J Gerontol Nurs.* 1999 Mar; 25: 36-41
- 41860 Thomas, K. K., Sampsel, C., Gray, M., Newman, D., Sailer, S., d'Entremont, P., Wheeler, L. Getting into nursing research: dropping in on AWHONN's Continence for Women researchers. *AWHONN Lifelines.* 1999 Feb-Mar; 3: 24-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 41863** Tfayli, A., Hentschel, P., Madajewicz, S., Manzione, J., Chowhan, N., Davis, R., Roche, P., Iliya, A., Roque, C., Meek, A., Shady, M. Toxicities related to intraarterial infusion of cisplatin and etoposide in patients with brain tumors. *J Neurooncol.* 1999 Mar; 42: 73-7
- 41864** Petersen, T., Nielsen, J. B., Schroder, H. D. Intravesical capsaicin in patients with detrusor hyper-reflexia--a placebo-controlled cross-over study. *Scand J Urol Nephrol.* 1999 Apr; 33: 104-10
- 41866** Loughrey, L. Taking a sensitive approach to urinary incontinence. *Nursing.* 1999 May; 29: 60-1
- 41867** Hart, K. J., Palmer, M. H., Fitzgerald, S. Perceived causes of urinary incontinence and reporting: a study with working women. *Clin Nurs Res.* 1999 Feb; 8: 84-92
- 41868** Pakiam, A. S., Bergeron, C., Lang, A. E. Diffuse Lewy body disease presenting as multiple system atrophy. *Can J Neurol Sci.* 1999 May; 26: 127-31
- 41869** Thommessen, B., Bautz-Holter, E., Laake, K. Predictors of outcome of rehabilitation of elderly stroke patients in a geriatric ward. *Clin Rehabil.* 1999 Apr; 13: 123-8
- 41870** Scardillo, J., Aronovitch, S. A. Successfully managing incontinence-related irritant dermatitis across the lifespan. *Ostomy Wound Manage.* 1999 Apr; 45: 36-40, 42-4
- 41871** Correa, R. J., Jr Informing patients about urinary incontinence. *JAMA.* 1999 May 19; 281: 1795
- 41872** Sahadevan, S., Lim, P. P., Choo, P. W. Dementia in the hospitalized elderly--a study of 100 consecutive cases in Singapore. *Int J Geriatr Psychiatry.* 1999 Apr; 14: 266-71
- 41873** Gregory, S. P., Holt, P. E., Parkinson, T. J., Wathes, C. M. Vaginal position and length in the bitch: relationship to spaying and urinary incontinence. *J Small Anim Pract.* 1999 Apr; 40: 180-4
- 41876** Madersbacher, S., Pycha, A., Klingler, C. H., Schatzl, G., Marberger, M. The International Prostate Symptom score in both sexes: a urodynamics- based comparison. *Neurourol Urodyn.* 1999; 18: 173-82
- 41877** Wein, A. J., Rovner, E. S. The overactive bladder: an overview for primary care health providers. *Int J Fertil Womens Med.* 1999 Mar-Apr; 44: 56-66
- 41878** Yoshino, M., Yoshimi, Y., Taniguchi, M., Nakamura, S., Ikeda, T. Syndrome of inappropriate secretion of antidiuretic hormone associated with idiopathic normal pressure hydrocephalus. *Intern Med.* 1999 Mar; 38: 290-2
- 41879** Stein, R., Fisch, M., Black, P., Hohenfellner, R. Strategies for reconstruction after unsuccessful or unsatisfactory primary treatment of patients with bladder exstrophy or incontinent epispadias. *J Urol.* 1999 Jun; 161: 1934-41
- 41880** Donnahoo, K. K., Rink, R. C., Cain, M. P., Casale, A. J. The Young-Dees-Leadbetter bladder neck repair for neurogenic incontinence. *J Urol.* 1999 Jun; 161: 1946-9
- 41883** Anderson, R. U., Mobley, D., Blank, B., Saltzstein, D., Susset, J., Brown, J. S. Once daily controlled versus immediate release oxybutynin chloride for urge urinary incontinence. OROS Oxybutynin Study Group. *J Urol.* 1999 Jun; 161: 1809-12
- 41884** Leng, W. W., Faerber, G., Del Terzo, M., McGuire, E. J. Long-term outcome of incontinent ileovesicostomy management of severe lower urinary tract dysfunction. *J Urol.* 1999 Jun; 161: 1803-6
- 41885** Wise, T. N. Psychosocial side effects of sildenafil therapy for erectile dysfunction. *J Sex Marital Ther.* 1999 Apr-Jun; 25: 145-50
- 41891** Kobelt, G., Kirchberger, I., Malone-Lee, J. Review. Quality-of-life aspects of the overactive bladder and the effect of treatment with tolterodine. *BJU Int.* 1999 Apr; 83: 583-90
- 41892** Hoebeke, P., Van Laecke, E., Raes, A., Van Gool, J. D., Vande Walle, J. Anomalies of the external urethral meatus in girls with non-neurogenic bladder sphincter dysfunction. *BJU Int.* 1999 Feb; 83: 294-8
- 41893** Abd-El-Gawad, G., Abrahamsson, K., Hanson, E., Norlen, L., Sillen, U., Sixt, R., Hjalmas, K. Early and late metabolic alterations in children and adolescents with a kock urinary reservoir. *BJU Int.* 1999 Feb; 83: 285-9
- 41895** Marshman, L. A., Hardwidge, C., Ford-Dunn, S. C., Olney, J. S. Idiopathic spinal cord herniation: case report and review of the literature. *Neurosurgery.* 1999 May; 44: 1129-33

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 41896** Bartholomew, J. District nursing. What they really, really want. *Nurs Times*. 1999 Mar 24-30; 95: 30-1
- 41897** Hobgood, E. Midlife women and urinary incontinence: causes, lifestyles, and treatments. *Medsurg Nurs*. 1999 Feb; 8: 19-24
- 41898** Chassagne, P., Landrin, I., Neveu, C., Czernichow, P., Bouaniche, M., Doucet, J., Denis, P., Bercoff, E. Fecal incontinence in the institutionalized elderly: incidence, risk factors, and prognosis. *Am J Med*. 1999 Feb; 106: 185-90
- 41899** Kok, A. L., Burger, C. W., van de Weijer, P. H., Voetberg, G. A., Peters-Muller, E. R., Kenemans, P. Micturition complaints in postmenopausal women treated with continuously combined hormone replacement therapy: a prospective study. *Maturitas*. 1999 Jan 4; 31: 143-9
- 41900** Maeda, H., Shichiri, Y., Kinoshita, H., Okubo, K., Okada, T., Aoki, Y., Maekawa, S., Arai, Y. Urinary undiversion for pelvic actinomycosis: a long-term follow up. *Int J Urol*. 1999 Feb; 6: 111-3
- 41901** Wisser, J., Schar, G., Kurmanavicius, J., Huch, R., Huch, A. Use of 3D ultrasound as a new approach to assess obstetrical trauma to the pelvic floor. *Ultraschall Med*. 1999 Feb; 20: 15-8
- 41903** Loo, C. C., Irestedt, L. Cauda equina syndrome after spinal anaesthesia with hyperbaric 5% lignocaine: a review of six cases of cauda equina syndrome reported to the Swedish Pharmaceutical Insurance 1993-1997. *Acta Anaesthesiol Scand*. 1999 Apr; 43: 371-9
- 41904** Lee, K. S., Cheang, C. M., Lieu, A. S., Howng, S. L. Multiple spinal meningiomas--a case report. *Kaohsiung J Med Sci*. 1999 Mar; 15: 182-6
- 41907** Yeruham, I., Elad, D., Perl, S., Avidar, Y., Israeli, B., Shlosberg, A. Isolation of *Corynebacterium pilosum* and *Actinomyces pyogenes* from cystitis and vulvovaginitis infection in a 2-month-old female calf. *Zentralbl Veterinarmed [B]*. 1999 Mar; 46: 127-30
- 41910** Plancke, H. R., Delaere, K. P., Pons, C. Indiana pouch in female patients with spinal cord injury. *Spinal Cord*. 1999 Mar; 37: 208-10
- 41911** Hampel, C., Wienhold, D., Dahms, S. E., Thuroff, J. W. Heterogeneity in epidemiological investigations of bladder control problems: a problem of definition. *BJU Int*. 1999 Mar; 83 Suppl 2: 10-5
- 41912** Husmann, D. A., Vandersteen, D. R., McLorie, G. A., Churchill, B. M. Urinary continence after staged bladder reconstruction for cloacal exstrophy: the effect of coexisting neurological abnormalities on urinary continence. *J Urol*. 1999 May; 161: 1598-602
- 41913** Millard, R., Tuttle, J., Moore, K., Susset, J., Clarke, B., Dwyer, P., Davis, B. E. Clinical efficacy and safety of tolterodine compared to placebo in detrusor overactivity. *J Urol*. 1999 May; 161: 1551-5
- 41914** Choe, J. M., Gallo, M. L., Staskin, D. R. A provocative maneuver to elicit cystometric instability: measuring instability at maximum infusion. *J Urol*. 1999 May; 161: 1541-4
- 41915** Mouton, C. P., Espino, D. V. Health screening in older women. *Am Fam Physician*. 1999 Apr 1; 59: 1835-42
- 41916** Freeman, R. M. Psychological investigation in female patients suffering from urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 49
- 41917** Elia, G., Stewart, S., Makhuli, Z. N., Krenzer, B. E., Mathur, S., Simon, H. M., Mehdi, S. Metastatic breast cancer diagnosed during a work-up for urinary incontinence: a case report. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 39-42
- 41918** Bellina, J., Kelly, R., Sartin, B. A unique cause of unconscious urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 36-8
- 41920** Tomlinson, B. U., Dougherty, M. C., Pendergast, J. F., Boyington, A. R., Coffman, M. A., Pickens, S. M. Dietary caffeine, fluid intake and urinary incontinence in older rural women. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 22-8
- 41923** Dietz, H. P., Wilson, P. D. The influence of bladder volume on the position and mobility of the urethrovesical junction. *Int Urogynecol J Pelvic Floor Dysfunct*. 1999; 10: 3-6
- 41925** Anders, K. Bladder retraining. *Prof Nurse*. 1999 Feb; 14: 334-6

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 41926 Gurel, H., Gurel, S. A. Pelvic relaxation and associated risk factors: the results of logistic regression analysis. *Acta Obstet Gynecol Scand.* 1999 Apr; 78: 290-3
- 41927 Sloane, P. D., Davidson, S., Knight, N., Tangen, C., Mitchell, C. M. Severe disruptive vocalizers. *J Am Geriatr Soc.* 1999 Apr; 47: 439-45
- 41928 Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 11-1999. A 60-year-old woman with epidural and paraspinal masses. *N Engl J Med.* 1999 Apr 15; 340: 1188-96
- 41929 Urinary incontinence. Putting an end to the embarrassment. *Harv Health Lett.* 1999 May; 24: 6-7
- 41931 Seim, A., Hermstad, R., Hunskaar, S. Female urinary incontinence: long-term follow-up after treatment in general practice. *Br J Gen Pract.* 1998 Nov; 48: 1731-4
- 41932 Hollywood, B., O'Dowd, T. C. Female urinary incontinence: another common chronic illness. *Br J Gen Pract.* 1998 Nov; 48: 1727-8
- 41934 Guffler, H., Laubenberger, J., DeGregorio, G., Dohnicht, S., Langer, M. Pelvic floor descent: dynamic MR imaging using a half-Fourier RARE sequence. *J Magn Reson Imaging.* 1999 Mar; 9: 378-83
- 41936 Yono, M., Yoshida, M., Wada, Y., Kikukawa, H., Takahashi, W., Inadome, A., Seshita, H., Ueda, S. Pharmacological effects of tolterodine on human isolated urinary bladder. *Eur J Pharmacol.* 1999 Mar 5; 368: 223-30
- 41938 Palmer, M. H., Bennett, R. G., Marks, J., McCormick, K. A., Engel, B. T. Urinary incontinence: a program that works. *J Long Term Care Adm.* 1994 Summer; 22: 19-25
- 41939 Clementson Kockum, C., Helin, I., Malmberg, L., Malmfors, G. Pediatric urinary tract reconstruction using intestine. *Scand J Urol Nephrol.* 1999 Feb; 33: 53-6
- 41941 Wall, L. L. Birth trauma and the pelvic floor: lessons from the developing world. *J Womens Health.* 1999 Mar; 8: 149-55
- 41945 Pierce, J. T. A 14-year-old victim of sexual assault with an imperforate hymen and urethral meatus tear. *J Emerg Nurs.* 1999 Apr; 25: 153-4
- 41947 Gregory, H. Continence. Case study: time well spent. *Nurs Times.* 1999 Feb 10-16; 95: 72
- 41948 Nazarko, L. Continence. Assess all areas. *Nurs Times.* 1999 Feb 10-16; 95: 68, 71-2
- 41949 Davis, G., Sherman, R., Wong, M. F., McClure, G., Perez, R., Hibbert, M. Urinary incontinence among female soldiers. *Mil Med.* 1999 Mar; 164: 182-7
- 41951 Khullar, V., Tooze-Hobson, P., Boos, K., Hextall, A., Cardozo, L. Re: 'The pelvic floor muscles: muscle thickness in healthy and urinary- incontinent women measured by perineal ultrasonography with reference to the effect of pelvic floor training. Estrogen receptor studies.' *Neurourol. Urodynam.* 1997;16:237-275. *Neurourol Urodyn.* 1999; 18: 69-70
- 41952 Velez, J. B. Behavior therapy for urge incontinence in older women. *J Fam Pract.* 1999 Mar; 48: 168-9
- 41953 Atala, A. Future perspectives in reconstructive surgery using tissue engineering. *Urol Clin North Am.* 1999 Feb; 26: 157-65, ix-x
- 41955 Kershen, R. T., Atala, A. New advances in injectable therapies for the treatment of incontinence and vesicoureteral reflux. *Urol Clin North Am.* 1999 Feb; 26: 81-94, viii
- 41956 Leng, W. W., McGuire, E. J. Reconstructive surgery for urinary incontinence. *Urol Clin North Am.* 1999 Feb; 26: 61-80, viii
- 41958 Jacquot, J. M., Finiels, H., Fardjad, S., Belhassen, S., Leroux, J. L., Pelissier, J. Neurological complications in insufficiency fractures of the sacrum. Three case-reports. *Rev Rhum Engl Ed.* 1999 Feb; 66: 109-14
- 41960 Papa Petros, P. E. Detrusor instability and low compliance may represent different levels of disturbance in peripheral feedback control of the micturition reflex. *Neurourol Urodyn.* 1999; 18: 81-91



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 41965** Giddens, J. L., Radomski, S. B., Hirshberg, E. D., Hassouna, M., Fehlings, M. Urodynamic findings in adults with the tethered cord syndrome. *J Urol.* 1999 Apr; 161: 1249-54
- 41966** McDowell, B. J., Engberg, S., Sereika, S., Donovan, N., Jubeck, M. E., Weber, E., Engberg, R. Effectiveness of behavioral therapy to treat incontinence in homebound older adults. *J Am Geriatr Soc.* 1999 Mar; 47: 309-18
- 41967** Reuben, D. B., Frank, J. C., Hirsch, S. H., McGuigan, K. A., Maly, R. C. A randomized clinical trial of outpatient comprehensive geriatric assessment coupled with an intervention to increase adherence to recommendations. *J Am Geriatr Soc.* 1999 Mar; 47: 269-76
- 41970** Caplan, G. A., Ward, J. A., Brennan, N. J., Coconis, J., Board, N., Brown, A. Hospital in the home: a randomised controlled trial. *Med J Aust.* 1999 Feb 15; 170: 156-60
- 41971** Shaw, M., Galloway, S. To be or not to be: the challenge of urinary continence in older adults. *Perspectives.* 1998 Winter; 22: 18-22
- 41974** Gupta, S. K., Sathyan, G. Pharmacokinetics of an oral once-a-day controlled-release oxybutynin formulation compared with immediate-release oxybutynin. *J Clin Pharmacol.* 1999 Mar; 39: 289-96
- 41976** Duncan, H. J., McInerney, P. D., Mundy, A. R. Late erosion. A new complication of artificial urinary sphincters. *Br J Urol.* 1993 Nov; 72: 597-8
- 41978** Abrams, P. Urodynamics and the International Continence Society come of age. *Br J Urol.* 1993 Nov; 72: 527-33
- 41979** Hocking, J. Continence problems: how to tackle reticence of patients. *Nurs Times.* 1999 Jan 6-12; 95: 56-8
- 41982** Schulman, S. L., Quinn, C. K., Plachter, N., Kodman-Jones, C. Comprehensive management of dysfunctional voiding. *Pediatrics.* 1999 Mar; 103: E31
- 41983** Barroso, U., Jr, Duel, B., Barthold, J. S., Gonzalez, R. Orthotopic urethral substitution in female patients using the mitrofanoff principle. *J Urol.* 1999 Jan; 161: 251-3
- 41984** Koo, H. P., Bunchman, T. E., Flynn, J. T., Punch, J. D., Schwartz, A. C., Bloom, D. A. Renal transplantation in children with severe lower urinary tract dysfunction. *J Urol.* 1999 Jan; 161: 240-5
- 41986** Sweat, S. D., Lightner, D. J. Complications of sterile abscess formation and pulmonary embolism following periurethral bulking agents. *J Urol.* 1999 Jan; 161: 93-6
- 41988** Towards continence. *Nurs Stand.* 1998 Dec 9-15; 13: 33-4
- 41989** Keller, S. L. Urinary incontinence: occurrence, knowledge, and attitudes among women aged 55 and older in a rural Midwestern setting. *J Wound Ostomy Continence Nurs.* 1999 Jan; 26: 30-8
- 41990** Greendale, G. A., Lee, N. P., Arriola, E. R. The menopause. *Lancet.* 1999 Feb 13; 353: 571-80
- 41991** Iselin, C. E., Webster, G. D. Office management of female urinary incontinence. *Urol Clin North Am.* 1998 Nov; 25: 625-45, ix
- 41992** Cohen, S. J., Robinson, D., Dugan, E., Howard, G., Suggs, P. K., Pearce, K. F., Carroll, D. D., McGann, P., Preisser, J. Communication between older adults and their physicians about urinary incontinence. *J Gerontol A Biol Sci Med Sci.* 1999 Jan; 54: M34-7
- 41994** Morris, K. Tackling the taboo of urinary incontinence. *Lancet.* 1999 Jan 9; 353: 128
- 41996** Wein, A. J. Clinical usefulness of urinary control urethral insert devices. *J Urol.* 1999 Mar; 161: 1043-4
- 41997** Tanaka, H., Kakizaki, H., Kobayashi, S., Shibata, T., Ameda, K., Koyanagi, T. The relevance of urethral resistance in children with myelodysplasia: its impact on upper urinary tract deterioration and the outcome of conservative management. *J Urol.* 1999 Mar; 161: 929-32
- 41998** Litwiller, S. E., Frohman, E. M., Zimmern, P. E. Multiple sclerosis and the urologist. *J Urol.* 1999 Mar; 161: 743-57
- 42002** Laubach, J. The problem of urinary incontinence in the elderly. *N C Med J.* 1999 Jan-Feb; 60: 42-5
- 42003** Duru, S., Ceylan, S., Ceylan, S. Optic chiasm diastasis in a pituitary tumor. Case illustration. *J Neurosurg.* 1999 Feb; 90: 363

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 42004** Foldspang, A., Mommsen, S., Djurhuus, J. C. Prevalent urinary incontinence as a correlate of pregnancy, vaginal childbirth, and obstetric techniques. *Am J Public Health*. 1999 Feb; 89: 209-12
- 42005** Khorsandi, M., Ginsberg, P. C., Harkaway, R. C. Reassessing the role of urodynamics after cerebrovascular accident. Males versus females. *Urol Int*. 1998; 61: 142-6
- 42007** Willis, J. Continence: a case for home delivery services. *Nurs Times*. 1998 Nov 25-Dec 1; 94: 64-6
- 42009** Biofeedback, exercise for urge incontinence. *Health News*. 1999 Jan 5; 5: 7
- 42010** Maglinte, D. D., Kelvin, F. M., Fitzgerald, K., Hale, D. S., Benson, J. T. Association of compartment defects in pelvic floor dysfunction. *AJR Am J Roentgenol*. 1999 Feb; 172: 439-44
- 42011** Brown, J. S., Subak, L. L., Gras, J., Brown, B. A., Kuppermann, M., Posner, S. F. Urge incontinence: the patient's perspective. *J Womens Health*. 1998 Dec; 7: 1263-9
- 42013** Ring, H., Tshuva, M., Ronen, R., Dynia, A., Eldar, R. Quality of care on a stroke rehabilitation ward: the use of urinary incontinence as tracer. *Int J Rehabil Res*. 1998 Jun; 21: 241-5
- 42014** Vinson, J., Proch, J. Inhibition of moisture penetration to the skin by a novel incontinence barrier product. *J Wound Ostomy Continence Nurs*. 1998 Sep; 25: 256-60
- 42015** Blair, K. A., White, N. Are older women offered adequate health care?. *J Gerontol Nurs*. 1998 Oct; 24: 39-44
- 42018** Coates, K. W. Physiologic evaluation of the pelvic floor. *Obstet Gynecol Clin North Am*. 1998 Dec; 25: 805-24
- 42019** Robinson, D. Pathophysiology of female lower urinary tract dysfunction. *Obstet Gynecol Clin North Am*. 1998 Dec; 25: 747-56, vi
- 42020** Bump, R. C., Norton, P. A. Epidemiology and natural history of pelvic floor dysfunction. *Obstet Gynecol Clin North Am*. 1998 Dec; 25: 723-46
- 42021** Strohbehn, K. Normal pelvic floor anatomy. *Obstet Gynecol Clin North Am*. 1998 Dec; 25: 683-705
- 42022** Carranza-Lira, S., Murillo-Urbe, A., Martinez-Trejo, N., Santos-Gonzalez, J. Changes in symptoms, blood pressure, glucose, hormones, and lipid levels according to weight and body fat distribution in climacteric women. *Int J Fertil Womens Med*. 1998 Nov-Dec; 43: 306-11
- 42023** Hejazi, N., Thaper, P. Y., Hassler, W. Nine cases of nontraumatic spinal epidural hematoma. *Neurol Med Chir (Tokyo)*. 1998 Nov; 38: 718-23; discussion 723-4
- 42025** Whishaw, M. Urinary incontinence in the elderly. Managing for maximum outcomes. *Aust Fam Physician*. 1998 Dec; 27: 1091-4
- 42026** Whishaw, M. Urinary incontinence in the elderly. Establishing a cause may allow a cure. *Aust Fam Physician*. 1998 Dec; 27: 1087-90
- 42027** Lau, K. O., Cheng, C. A case report--delayed vesicocutaneous fistula after radiation therapy for advanced vulvar cancer. *Ann Acad Med Singapore*. 1998 Sep; 27: 705-6
- 42028** Cochran, A. Response to urinary incontinence by older persons living in the community. *J Wound Ostomy Continence Nurs*. 1998 Nov; 25: 296-303
- 42034** Roberts, M. M., Park, T. A. Pelvic floor function/dysfunction and electrodiagnostic evaluation. *Phys Med Rehabil Clin N Am*. 1998 Nov; 9: 831-51, vii
- 42039** Elliott, D. S., Barrett, D. M. The artificial urinary sphincter in the female: indications for use, surgical approach and results. *Int Urogynecol J Pelvic Floor Dysfunct*. 1998; 9: 409-15
- 42049** Thrusfield, M. V., Holt, P. E., Muirhead, R. H. Acquired urinary incontinence in bitches: its incidence and relationship to neutering practices. *J Small Anim Pract*. 1998 Dec; 39: 559-66
- 42050** Phillips, W. Data collection in continence care. *Nurs Times*. 1998 Oct 28-Nov 3; 94: 59-60
- 42051** Nazarko, L. Back to the future. *Nurs Times*. 1998 Oct 21-27; 94: 79-80, 83-4

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 42054** Wagg, A., Malone-Lee, J. The management of urinary incontinence in the elderly. *Br J Urol.* 1998 Dec; 82 Suppl 1: 11-7
- 42055** Fonda, D., Resnick, N. M., Kirschner-Hermanns, R. Prevention of urinary incontinence in older people. *Br J Urol.* 1998 Dec; 82 Suppl 1: 5-10
- 42056** Amark, P., Eksborg, S., Juneskans, O., Bussman, G., Palm, C. Pharmacokinetics and effects of intravesical oxybutynin on the paediatric neurogenic bladder. *Br J Urol.* 1998 Dec; 82: 859-64
- 42057** Andrews, H. O., Shah, P. J. Surgical management of urethral damage in neurologically impaired female patients with chronic indwelling catheters. *Br J Urol.* 1998 Dec; 82: 820-4
- 42058** Carrico, C., Lebowitz, R. L. Incontinence due to an infrasphincteric ectopic ureter: why the delay in diagnosis and what the radiologist can do about it. *Pediatr Radiol.* 1998 Dec; 28: 942-9
- 42059** Augsburger, H. R., Cruz-Orive, L. M. Influence of ovariectomy on the canine striated external urethral sphincter (M. urethralis): a stereological analysis of slow and fast twitch fibres. *Urol Res.* 1998; 26: 417-22
- 42061** Rondorf-Klym, L. M., Colling, J., Simonson, W. Medication use by community-dwelling elderly with urinary incontinence. *Urol Nurs.* 1998 Sep; 18: 201-6
- 42062** Dierich, M. A retrospective review of outcomes in one clinic's treatment of urinary incontinence. *Urol Nurs.* 1998 Dec; 18: 283-7
- 42064** Schettini, M., Diana, M., Gallucci, M. Treatment of urinary incontinence with AMS 800 artificial urinary sphincter. *Int Surg.* 1998 Jul-Sep; 83: 257-61
- 42066** Jackson, S. L., Hull, T. L. Fecal incontinence in women. *Obstet Gynecol Surv.* 1998 Dec; 53: 741-7; quiz 748-51
- 42067** Chadburn, S., Haggard, V., Gooch, S. Developing a continence care programme. *Prof Nurse.* 1998 Oct; 14: 31-3
- 42068** Davis, G., McClure, G., Sherman, R., Hibbert, M., Wong, M., Perez, R. Ambulatory urodynamics of female soldiers. *Mil Med.* 1998 Dec; 163: 808-12
- 42069** Michielsen, D. P., Wyndaele, J. J., Batchvarov, Y. A. Vesico-uterine fistula secondary to cesarean section. *Acta Urol Belg.* 1998 Oct; 66: 21-3
- 42070** Burgio, K. L., Locher, J. L., Goode, P. S., Hardin, J. M., McDowell, B. J., Dombrowski, M., Candib, D. Behavioral vs drug treatment for urge urinary incontinence in older women: a randomized controlled trial. *JAMA.* 1998 Dec 16; 280: 1995-2000
- 42071** Jones, S. E., Ogura, T., Shuba, L. M., McDonald, T. F. Inhibition of the rapid component of the delayed-rectifier K<sup>+</sup> current by therapeutic concentrations of the antispasmodic agent terodiline. *Br J Pharmacol.* 1998 Nov; 125: 1138-43
- 42072** Jones, F. The accuracy of predicting functional recovery in patients following a stroke, by physiotherapists and patients. *Physiother Res Int.* 1998; 3: 244-56
- 42074** Beheshti, P., Fonteyn, M. Role of the advanced practice nurse in continence care in the home. *AACN Clin Issues.* 1998 Aug; 9: 389-95
- 42081** Biyani, C. S., Upsdell, S. M. An unusual foreign body in the bladder 7 years after a Stamey endoscopic bladder neck suspension. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 303-4
- 42084** Wilson, P. D., Herbison, G. P. A randomized controlled trial of pelvic floor muscle exercises to treat postnatal urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 257-64
- 42086** Jay, J., Staskin, D. Urinary Incontinence in Women. *Adv Nurse Pract.* 1998 Oct; 6: 32-7
- 42087** Pronsati, M. P. Breaking the silence. *Adv Nurse Pract.* 1998 Oct; 6: 9
- 42089** Trieman, N., Hughes, J., Leff, J. The TAPS Project 42: the last to leave hospital--a profile of residual long-stay populations and plans for their resettlement. Team for the Assessment of Psychiatric Services. *Acta Psychiatr Scand.* 1998 Nov; 98: 354-9

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 42090 Tromp, A. M., Smit, J. H., Deeg, D. J., Bouter, L. M., Lips, P. Predictors for falls and fractures in the Longitudinal Aging Study Amsterdam. *J Bone Miner Res.* 1998 Dec; 13: 1932-9
- 42093 Silveri, M., Capitanucci, M. L., Mosiello, G., Broggi, G., De Gennaro, M. Endoscopic treatment for urinary incontinence in children with a congenital neuropathic bladder. *Br J Urol.* 1998 Nov; 82: 694-7
- 42096 Virgili, A., Corazza, M., Califano, A. Diaper dermatitis in an adult. A case of erythema papuloerosive of Sevestre and Jacquet. *J Reprod Med.* 1998 Nov; 43: 949-51
- 42097 Kolligian, M. E., Palmer, L. S., Cheng, E. Y., Firlit, C. F. Myofascial wrap to treat intractable urinary incontinence in children. *Urology.* 1998 Dec; 52: 1122-7
- 42100 Klutke, J. J., Bullock, A., Klutke, C. G. Comparison of anchors used in anti-incontinence surgery. *Urology.* 1998 Dec; 52: 979-81
- 42101 Egon, G., Barat, M., Colombel, P., Visentin, C., Isambert, J. L., Guerin, J. Implantation of anterior sacral root stimulators combined with posterior sacral rhizotomy in spinal injury patients. *World J Urol.* 1998; 16: 342-9
- 42102 Weil, E. H., Ruiz-Cerda, J. L., Eerdmans, P. H., Janknegt, R. A., Van Kerrebroeck, P. E. Clinical results of sacral neuromodulation for chronic voiding dysfunction using unilateral sacral foramen electrodes. *World J Urol.* 1998; 16: 313-21
- 42103 Schultz-Lampel, D., Jiang, C., Lindstrom, S., Thuroff, J. W. Experimental results on mechanisms of action of electrical neuromodulation in chronic urinary retention. *World J Urol.* 1998; 16: 301-4
- 42105 Peusch-Dreyer, D., Dreyer, K. H., Muller, C. D., Carl, U. Management of postoperative radiation injury of the urinary bladder by hyperbaric oxygen (HBO). *Strahlenther Onkol.* 1998 Nov; 174 Suppl 3: 99-100
- 42108 Gerharz, E. W., Kohl, U. N., Weingartner, K., Kleinhans, B. J., Melekos, M. D., Riedmiller, H. Experience with the Mainz modification of ureterosigmoidostomy. *Br J Surg.* 1998 Nov; 85: 1512-6
- 42109 Schultz, I., Mellgren, A., Nilsson, B. Y., Dolk, A., Holmstrom, B. Preoperative electrophysiologic assessment cannot predict continence after rectopexy. *Dis Colon Rectum.* 1998 Nov; 41: 1392-8
- 42110 Rosenow, F., Wyllie, E., Kotagal, P., Mascha, E., Wolgamuth, B. R., Hamer, H. Staring spells in children: descriptive features distinguishing epileptic and nonepileptic events. *J Pediatr.* 1998 Nov; 133: 660-3
- 42112 Dichgans, M., Mayer, M., Uttner, I., Bruning, R., Muller-Hocker, J., Rungger, G., Ebke, M., Klockgether, T., Gasser, T. The phenotypic spectrum of CADASIL: clinical findings in 102 cases. *Ann Neurol.* 1998 Nov; 44: 731-9
- 42114 Hasan, S. T., Neal, D. E. Neuromodulation in bladder dysfunction. *Curr Opin Obstet Gynecol.* 1998 Oct; 10: 395-9
- 42116 Selcuki, M., Coskun, K. Management of tight filum terminale syndrome with special emphasis on normal level conus medullaris (NLCM). *Surg Neurol.* 1998 Oct; 50: 318-22; discussion 322
- 42118 Bower, W. F., Moore, K. H., Adams, R. D., Shepherd, R. A urodynamic study of surface neuromodulation versus sham in detrusor instability and sensory urgency. *J Urol.* 1998 Dec; 160: 2133-6
- 42120 Jensen, L. N., Gerstenberg, T., Kallestrup, E. B., Koefoed, P., Nordling, J., Nielsen, J. E. Urodynamic evaluation of patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p21-p24. *J Neurol Neurosurg Psychiatry.* 1998 Nov; 65: 693-6
- 42121 Rai, G. S. Impact of urinary incontinence on quality of life. *J Am Geriatr Soc.* 1998 Nov; 46: 1480-1
- 42122 Thom, D. H., Brown, J. S. Reproductive and hormonal risk factors for urinary incontinence in later life: a review of the clinical and epidemiologic literature. *J Am Geriatr Soc.* 1998 Nov; 46: 1411-7
- 42123 Kelly, J. D., Keane, P. F. Long-term results and complications of augmentation ileocystoplasty for idiopathic urge incontinence in women. *Br J Urol.* 1998 Oct; 82: 609-10
- 42124 Wagg, A., Bayliss, M., Ingham, N. J., Arnold, K., Malone-Lee, J. Urodynamic variables cannot be used to classify the severity of detrusor instability. *Br J Urol.* 1998 Oct; 82: 499-502

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 42125 Dougherty, M. C., Dwyer, J. W., Pendergast, J. F., Tomlinson, B. U., Boyington, A. R., Vogel, W. B., Duncan, R. P., Coward, R. T., Cox, C. L. Community-based nursing: continence care for older rural women. *Nurs Outlook*. 1998 Sep-Oct; 46: 233-44
- 42126 Kim, K. J., Jurnalov, C. D., Lightner, D. J., Webb, M. J., Lee, R. A., An, K. N. Principles of urodynamics pressure measurement and its implication to female continence function. *J Biomech*. 1998 Sep; 31: 861-5
- 42129 Baskin, L. S. Case no. 2. Right-sided single system ureterocele. *Tech Urol*. 1998 Sep; 4: 152-3
- 42130 Klutke, J. J., Klutke, C. G., Hsieh, G. Bladder injury during the Burch retropubic urethropexy: is routine cystoscopy necessary?. *Tech Urol*. 1998 Sep; 4: 145-7
- 42131 Faerber, G. J., Belville, W. D., Ohl, D. A., Plata, A. Comparison of transurethral versus periurethral collagen injection in women with intrinsic sphincter deficiency. *Tech Urol*. 1998 Sep; 4: 124-7
- 42132 You, H. Y., Wang, S. R. Normal pressure hydrocephalus in a patient with systemic lupus erythematosus: a case report. *Zhonghua Yi Xue Za Zhi (Taipei)*. 1998 Sep; 61: 551-5
- 42133 Cruz, F. Desensitization of bladder sensory fibers by intravesical capsaicin or capsaicin analogs. A new strategy for treatment of urge incontinence in patients with spinal detrusor hyperreflexia or bladder hypersensitivity disorders. *Int Urogynecol J Pelvic Floor Dysfunct*. 1998; 9: 214-20
- 42138 Chan, K. M., Pang, W. S., Ee, C. H., Ding, Y. Y., Choo, P. Self-perception of health among elderly community dwellers in Singapore. *Ann Acad Med Singapore*. 1998 Jul; 27: 461-7
- 42140 RU3: making a difference for women. AWHONN's continence research reveals preliminary findings. *AWHONN Lifelines*. 1998 Aug; 2: 55-6
- 42141 Tao, Y. X., Heit, M., Lei, Z. M., Rao, C. V. The urinary bladder of a woman is a novel site of luteinizing hormone-human chorionic gonadotropin receptor gene expression. *Am J Obstet Gynecol*. 1998 Oct; 179: 1026-31
- 42144 Nelson, R., Furner, S., Jesudason, V. Fecal incontinence in Wisconsin nursing homes: prevalence and associations. *Dis Colon Rectum*. 1998 Oct; 41: 1226-9
- 42145 Palacio, M. M., Van Aalst, V. C., Perez Abadia, G. A., Stremel, R. W., Werker, P. M., Ren, X., Petty, G. D., Heilman, S. J., Van Savage, J. G., Garcia Fernandez, A., Kon, M., Tobin, G. R., Barker, J. H. Muscular urinary sphincter: electrically stimulated myoplasty for functional sphincter reconstruction. *J Urol*. 1998 Nov; 160: 1867-71
- 42148 Perneger, T. V., Gaspoz, J. M., Rae, A. C., Borst, F., Heliot, C. Contribution of individual items to the performance of the Norton pressure ulcer prediction scale. *J Am Geriatr Soc*. 1998 Oct; 46: 1282-6
- 42149 Ouslander, J. G., Nasr, S. Z., Miller, M., Withington, W., Lee, C. S., Wiltshire-Clement, M., Cruise, P., Schnelle, J. F. Arginine vasopressin levels in nursing home residents with nighttime urinary incontinence. *J Am Geriatr Soc*. 1998 Oct; 46: 1274-9
- 42150 Olsen, A. L., Benson, J. T., McClellan, E. Urethral sphincter needle electromyography in women: comparison of periurethral and transvaginal approaches. *Neurourol Urodyn*. 1998; 17: 531-5
- 42151 Van Kerrebroeck, P. E., Amarenco, G., Thuroff, J. W., Madersbacher, H. G., Lock, M. T., Messelink, E. J., Soler, J. M. Dose-ranging study of tolterodine in patients with detrusor hyperreflexia. *Neurourol Urodyn*. 1998; 17: 499-512
- 42154 Salle, J. L., McLorie, G. A., Bagli, D. J., Khoury, A. E. Modifications of and extended indications for the Pippi Salle procedure. *World J Urol*. 1998; 16: 279-84
- 42155 Melchior, H., Kumar, V., Muller, N., van Maanen, H., Norton, C. National public health policies for prevention and care in urinary incontinence in the elderly. *World J Urol*. 1998; 16 Suppl 1: S71-3
- 42156 Fusgen, I., Bienstein, C., Bohmer, F., Busch, B., Cottenden, A., Heidler, H., Scherr, A., Pullen, R. Interdisciplinary care of urinary incontinence in the elderly. *World J Urol*. 1998; 16 Suppl 1: S62-70
- 42158 Stanton, S. L. Consensus report on pelvic floor weakness of the elderly female. *World J Urol*. 1998; 16 Suppl 1: S44-7
- 42159 Madersbacher, H., Awad, S., Fall, M., Janknegt, R. A., Stohrer, M., Weisner, B. Urge incontinence in the elderly--supraspinal reflex incontinence. *World J Urol*. 1998; 16 Suppl 1: S35-43



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 42160** Elbadawi, A., Diokno, A. C., Millard, R. J. The aging bladder: morphology and urodynamics. *World J Urol.* 1998; 16 Suppl 1: S10-34
- 42161** McGrother, C., Resnick, M., Yalla, S. V., Kirschner-Hermanns, R., Broseta, E., Muller, C., Welz-Barth, A., Fischer, G. C., Mattelaer, J., McGuire, E. J. Epidemiology and etiology of urinary incontinence in the elderly. *World J Urol.* 1998; 16 Suppl 1: S3-9
- 42162** Statements of the committees of the WHO consensus conference, 20 August 1997. 1st International Conference on Urinary Incontinence in the Elderly. Bonn, Germany, 20-21 August 1997. *World J Urol.* 1998; 16 Suppl 1: S1-73
- 42164** McLennan, M. T., Bent, A. E. Suburethral abscess: a complication of periurethral collagen injection therapy. *Obstet Gynecol.* 1998 Oct; 92: 650-2
- 42168** Bruce, R. G., McRoberts, J. W. Cecoappendicovesicostomy: conduit-lengthening technique for use in continent urinary reconstruction. *Urology.* 1998 Oct; 52: 702-4
- 42170** Herschorn, S., Hewitt, R. J. Patient perspective of long-term outcome of augmentation cystoplasty for neurogenic bladder. *Urology.* 1998 Oct; 52: 672-8
- 42172** Hankins, G. D. Lower thoracic spinal cord injury--a severe complication of shoulder dystocia. *Am J Perinatol.* 1998 Jul; 15: 443-4
- 42174** Higley, P. With nature's help. *Nurs Times.* 1998 Aug 12-18; 94: 79-80
- 42178** Teichman, J. M., Harris, J. M., Currie, D. M., Barber, D. B. Malone antegrade continence enema for adults with neurogenic bowel disease. *J Urol.* 1998 Oct; 160: 1278-81
- 42179** Voelker, R. International group seeks to dispel incontinence 'taboo'. *JAMA.* 1998 Sep 16; 280: 951-3
- 42180** Yamanishi, T., Yasuda, K., Sakakibara, R., Murayama, N., Hattori, T., Ito, H. Detrusor overactivity and penile erection in patients with lower lumbar spine lesions. *Eur Urol.* 1998 Oct; 34: 360-4
- 42182** Damian, J., Martin-Moreno, J. M., Lobo, F., Bonache, J., Cervino, J., Redondo-Marquez, L., Martinez-Agullo, E. Prevalence of urinary incontinence among Spanish older people living at home. *Eur Urol.* 1998 Oct; 34: 333-8
- 42183** Duckett, J. R., Hall, S. A new questionnaire to assess the quality of life of urinary incontinent women. *Br J Obstet Gynaecol.* 1998 Aug; 105: 931
- 42185** Griebeling, T. L., Berman, C. J., Kreder, K. J. Fascia lata sling cystourethropexy for the management of female urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 165-73
- 42192** Wagner, T. H., Hu, T. W. Economic costs of urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 127-8
- 42203** Hendren, W. H. Cloaca, the most severe degree of imperforate anus: experience with 195 cases. *Ann Surg.* 1998 Sep; 228: 331-46
- 42205** Grody, M. H. Urinary incontinence and concomitant prolapse. *Clin Obstet Gynecol.* 1998 Sep; 41: 777-85
- 42206** Young, S. B., Becker, J. Postoperative urinary drainage. *Clin Obstet Gynecol.* 1998 Sep; 41: 735-43
- 42207** Rovner, E. S., Ginsberg, D. A., Raz, S. Why anti-incontinence surgery succeeds or fails. *Clin Obstet Gynecol.* 1998 Sep; 41: 719-34
- 42208** Amuzu, B. J. Nonsurgical therapies for urinary incontinence. *Clin Obstet Gynecol.* 1998 Sep; 41: 702-11
- 42209** Portera, S. G., Lipscomb, G. H. Pharmacologic therapy for urinary incontinence and voiding dysfunctions. *Clin Obstet Gynecol.* 1998 Sep; 41: 691-701
- 42210** Kohli, N., Karram, M. M. Urodynamic evaluation for female urinary incontinence. *Clin Obstet Gynecol.* 1998 Sep; 41: 672-90
- 42211** Julian, T. M. Physical examination and pretreatment testing of the incontinent woman. *Clin Obstet Gynecol.* 1998 Sep; 41: 663-71
-

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 42213 Lovatsis, D., Drutz, H. P. The role of estrogen in female urinary incontinence and urogenital aging: a review. *Ostomy Wound Manage.* 1998 Jun; 44: 48-53
- 42215 Herbert, J. Overcoming the pelvic flaw: exercises for continence. *Prof Care Mother Child.* 1998; 8: 39-41
- 42216 Naito, R., Takeuchi, M., Morihira, K., Hayakawa, M., Ikeda, K., Shibamura, T., Isomura, Y. Selective muscarinic antagonists. I. Synthesis and antimuscarinic properties of 4-piperidyl benzhydrylcarbamate derivatives. *Chem Pharm Bull (Tokyo).* 1998 Aug; 46: 1274-85
- 42217 Mace, J. C., Cure, J., Bailey, B. N., Storrs, B. B. Untethered filum terminale presenting as cauda equina lesion. *Pediatr Neurosurg.* 1998 Apr; 28: 191-4
- 42219 Clayton, J., Smith, K., Qureshi, H., Ferguson, B. Collecting patients' views and perceptions of continence services: the development of research instruments. *J Adv Nurs.* 1998 Aug; 28: 353-61
- 42221 Keshtgar, A. S., Rickwood, A. M. Urological consequences of incomplete cord lesions in patients with myelomeningocele. *Br J Urol.* 1998 Aug; 82: 258-60
- 42222 Wakhlu, A., Dalela, D., Tandon, R. K., Chandra, H., Wakhlu, A. K. The single ectopic ureter. *Br J Urol.* 1998 Aug; 82: 246-51
- 42228 Hohenfellner, M., Schultz-Lampel, D., Dahms, S., Matzel, K., Thuroff, J. W. Bilateral chronic sacral neuromodulation for treatment of lower urinary tract dysfunction. *J Urol.* 1998 Sep; 160: 821-4
- 42233 Nicita, G. A new operation for genitourinary prolapse. *J Urol.* 1998 Sep; 160: 741-5
- 42234 Elabbady, A. A., Elabbasy, W. I., Arafa, A. F., Atta, M. A., Abdel-Rahman, M. A simple technique for urinary diversion: the dismembered detubularized rectosigmoid bladder with distal colectomy. *J Urol.* 1998 Sep; 160: 714-7
- 42235 Kronner, K. M., Rink, R. C., Simmons, G., Kropp, B. P., Casale, A. J., Cain, M. P. Artificial urinary sphincter in the treatment of urinary incontinence: preoperative urodynamics do not predict the need for future bladder augmentation. *J Urol.* 1998 Sep; 160: 1093-5; discussion 1103
- 42236 Pippi Salle, J. L., Capolicchio, G., Houle, A. M., Vernet, O., Jednak, R., O'Gorman, A. M., Montes, J. L., Farmer, J. P. Magnetic resonance imaging in children with voiding dysfunction: is it indicated?. *J Urol.* 1998 Sep; 160: 1080-3
- 42237 Your article on incontinence did not mention collagen injections. Can you tell me something about them?. *Johns Hopkins Med Lett Health After 50.* 1998 Sep; 10: 8
- 42238 Klatka, L. A., Depper, M. H., Marini, A. M. Infarction in the territory of the anterior cerebral artery. *Neurology.* 1998 Aug; 51: 620-2
- 42239 Van Kerrebroeck, P. E. The role of electrical stimulation in voiding dysfunction. *Eur Urol.* 1998; 34 Suppl 1: 27-30
- 42240 Schmidt, R. A., Doggweiler, R. Neurostimulation and neuromodulation: a guide to selecting the right urologic patient. *Eur Urol.* 1998; 34 Suppl 1: 23-6
- 42242 Zinner, N. R. Clinical aspects of detrusor instability and the value of urodynamics. *Eur Urol.* 1998; 34 Suppl 1: 16-9
- 42245 Finsterer, J., Grass, R., Stollberger, C., Mamoli, B. Immunoglobulins in acute, parainfectious, disseminated encephalo- myelitis. *Clin Neuropharmacol.* 1998 Jul-Aug; 21: 258-61
- 42247 Gross, J. C. A comparison of the characteristics of incontinent and continent stroke patients in a rehabilitation program. *Rehabil Nurs.* 1998 May-Jun; 23: 132-40
- 42252 Amark, P., Bussman, G., Eksborg, S. Follow-up of long-time treatment with intravesical oxybutynin for neurogenic bladder in children. *Eur Urol.* 1998 Aug; 34: 148-53
- 42254 Costantini, E., Lombi, R., Micheli, C., Parziani, S., Porena, M. Colposacropexy with Gore-tex mesh in marked vaginal and uterovaginal prolapse. *Eur Urol.* 1998 Aug; 34: 111-7
- 42258 Winkler, H. A., Sand, P. K. Treatment of detrusor instability with oxybutynin rectal suppositories. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 100-2

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 42260 Heidkamp, M. C., Leong, F. C., Brubaker, L., Russell, B. Pudendal denervation affects the structure and function of the striated, urethral sphincter in female rats. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 88-93
- 42261 Kinn, A. C., Zaar, A. Quality of life and urinary incontinence pad use in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 83-7
- 42262 Yoon, E., Swift, S. A comparison of maximum cystometric bladder capacity with maximum environmental voided volumes. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 78-82
- 42266 Lindgren, A. M., Svardsudd, K., Tibblin, G. Are health surveys among elderly people worthwhile? The Albertina Project. *Scand J Prim Health Care.* 1998 Jun; 16: 101-6
- 42267 Wilbur, J., Miller, A. M., Montgomery, A., Chandler, P. Sociodemographic characteristics, biological factors, and symptom reporting in midlife women. *Menopause.* 1998 Spring; 5: 43-51
- 42268 Holtedahl, K., Verelst, M., Schiefloe, A. A population based, randomized, controlled trial of conservative treatment for urinary incontinence in women. *Acta Obstet Gynecol Scand.* 1998 Jul; 77: 671-7
- 42269 Schnelle, J. F., Cruise, P. A., Alessi, C. A., Al-Samarrai, N., Ouslander, J. G. Individualizing nighttime incontinence care in nursing home residents. *Nurs Res.* 1998 Jul-Aug; 47: 197-204
- 42270 Torres, S. A., Holley, J. A., Ando, J., DeVera, J., Harris, P., Giles, A. Maximizing care outcomes of a patient with impaired bladder function: a PI project in a rehabilitation unit. *J Nurs Care Qual.* 1998 Aug; 12: 64-9
- 42271 Pandita, R. K., Nylen, A., Andersson, K. E. Oxytocin-induced stimulation and inhibition of bladder activity in normal, conscious rats--influence of nitric oxide synthase inhibition. *Neuroscience.* 1998 Aug; 85: 1113-9
- 42272 Gousse, A. E., Safir, M. H., Cortina, G., Safman, K., Raz, S. Tubulovillous adenoma in the cecal segment after cecocystoplasty. *J Urol.* 1998 Aug; 160: 490-1
- 42276 Kuo, H. C. Quality of life after active urological management of chronic spinal cord injury in eastern Taiwan. *Eur Urol.* 1998; 34: 37-46
- 42277 Christiansen, J. Modern surgical treatment of anal incontinence. *Ann Med.* 1998 Jun; 30: 273-7
- 42278 Jitapunkul, S., Hanvivadhanakul, P. Outcomes and predicting factors of mortality among newly admitted female medical inpatients. *J Med Assoc Thai.* 1998 Jul; 81: 491-6
- 42280 Vaizey, C. J., Kamm, M. A., Gold, D. M., Bartram, C. I., Halligan, S., Nicholls, R. J. Clinical, physiological, and radiological study of a new purpose- designed artificial bowel sphincter. *Lancet.* 1998 Jul 11; 352: 105-9
- 42283 Gillberg, P. G., Sundquist, S., Nilvebrant, L. Comparison of the in vitro and in vivo profiles of tolterodine with those of subtype-selective muscarinic receptor antagonists. *Eur J Pharmacol.* 1998 May 22; 349: 285-92
- 42284 Rana, S., D'Amico, F., Merenstein, J. H. Relationship of vitamin B12 deficiency with incontinence in older people. *J Am Geriatr Soc.* 1998 Jul; 46: 931-2
- 42289 Batista, J. E., Caffaratti, J., Arano, P., Regalado, R., Garat, J. M. The reliability of cysto-urethrographic signs in the diagnosis of detrusor instability in children. *Br J Urol.* 1998 Jun; 81: 900-4
- 42290 Denewer, A. A low-pressure rectosigmoid pouch created by side-to-side anastomosis with a stapling technique and sigmoid colon intussusception as an antireflux procedure. *Br J Urol.* 1998 Jun; 81: 856-61
- 42292 Zaragoza, M. R. The unspoken affliction. *Del Med J.* 1998 Jun; 70: 301-2
- 42297 Gupta, N. P., Dorairajan, L. N., Chahal, R. Total genitourinary reconstruction in adult female epispadias: a report of 2 cases and literature review. *Int Urogynecol J Pelvic Floor Dysfunct.* 1998; 9: 55-7
- 42301 van Aalst, V. C., Werker, P. M., Stremel, R. W., Perez Abadia, G. A., Petty, G. D., Heilman, S. J., Palacio, M. M., Kon, M., Tobin, G. R., Barker, J. H. Electrically stimulated free-flap graciloplasty for urinary sphincter reconstruction: a new surgical procedure. *Plast Reconstr Surg.* 1998 Jul; 102: 84-91
- 42305 Nickel, R. F. Studies on the function of the urethra and bladder in continent and incontinent female dogs. *Vet Q.* 1998; 20 Suppl 1: S102-3

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 42307 Galejs, L. E., Diokno, A. C. Frequency urgency syndrome following urinary bladder suspension. *Geriatr Nephrol Urol.* 1998; 8: 25-8
- 42308 Penalver, M. A., Angioli, R., Mirhashemi, R., Malik, R. Management of early and late complications of ileocolonic continent urinary reservoir (Miami pouch). *Gynecol Oncol.* 1998 Jun; 69: 185-91
- 42309 Cosin, J. A., Carson, L. F. Multidisciplinary management of urinary pouch complications: a better way. *Gynecol Oncol.* 1998 Jun; 69: 183-4
- 42310 Vaidyanathan, S., Soni, B. M., Brown, E., Sett, P., Krishnan, K. R., Bingley, J., Markey, S. Effect of intermittent urethral catheterization and oxybutynin bladder instillation on urinary continence status and quality of life in a selected group of spinal cord injury patients with neuropathic bladder dysfunction. *Spinal Cord.* 1998 Jun; 36: 409-14
- 42311 Gordon, D., Groutz, A., Ascher-Landsberg, J., Lessing, J. B., David, M. P., Razz, O. Double-blind, placebo-controlled study of magnesium hydroxide for treatment of sensory urgency and detrusor instability: preliminary results. *Br J Obstet Gynaecol.* 1998 Jun; 105: 667-9
- 42313 Halverson, A. L., Orkin, B. A. Which physiologic tests are useful in patients with constipation?. *Dis Colon Rectum.* 1998 Jun; 41: 735-9
- 42315 Nakayama, Y., Tanaka, A., Ohshiro, S., Yoshinaga, S. Extensive edema in the thalamus caused by thrombosed basilar artery aneurysm. *Neurol Med Chir (Tokyo).* 1998 May; 38: 274-7
- 42316 Griffiths, D. Clinical studies of cerebral and urinary tract function in elderly people with urinary incontinence. *Behav Brain Res.* 1998 May; 92: 151-5
- 42317 Bosch, J. L., Groen, J. Neuromodulation: urodynamic effects of sacral (S3) spinal nerve stimulation in patients with detrusor instability or detrusor hyperflexia. *Behav Brain Res.* 1998 May; 92: 141-50
- 42318 Lehur, P. A., Glemain, P., Bruley des Varannes, S., Buzelin, J. M., Leborgne, J. Outcome of patients with an implanted artificial anal sphincter for severe faecal incontinence. A single institution report. *Int J Colorectal Dis.* 1998; 13: 88-92
- 42319 Lamb, C. R., Gregory, S. P. Ultrasonographic findings in 14 dogs with ectopic ureter. *Vet Radiol Ultrasound.* 1998 May-Jun; 39: 218-23
- 42320 Sullivan, L. D., Chow, V. D., Ko, D. S., Wright, J. E., McLoughlin, M. G. An evaluation of quality of life in patients with continent urinary diversions after cystectomy. *Br J Urol.* 1998 May; 81: 699-704
- 42321 De Paepe, H., Hoebeke, P., Renson, C., Van Laecke, E., Raes, A., Van Hoecke, E., Van Daele, J., Vande Walle, J. Pelvic-floor therapy in girls with recurrent urinary tract infections and dysfunctional voiding. *Br J Urol.* 1998 May; 81 Suppl 3: 109-13
- 42322 von Gontard, A., Lettgen, B., Olbing, H., Heiken-Lowenau, C., Gaebel, E., Schmitz, I. Behavioural problems in children with urge incontinence and voiding postponement: a comparison of a paediatric and child psychiatric sample. *Br J Urol.* 1998 May; 81 Suppl 3: 100-6
- 42323 Medel, R., Ruarte, A. C., Castera, R., Podesta, M. L. Primary enuresis: a urodynamic evaluation. *Br J Urol.* 1998 May; 81 Suppl 3: 50-2
- 42324 Moser, R. H. Standing up for aspartame. *AWHONN Lifelines.* 1998 Apr; 2: 10
- 42325 Hensle, T. W., Reiley, E. A., Chang, D. T. The Malone antegrade continence enema procedure in the management of patients with spina bifida. *J Am Coll Surg.* 1998 Jun; 186: 669-74
- 42326 Callsen-Cencic, P., Mense, S. Abolition of cystitis-induced bladder instability by local spinal cord cooling. *J Urol.* 1998 Jul; 160: 236-41
- 42327 Barbalias, G. A., Nikiforidis, G., Liatsikos, E. N. Vesicourethral dysfunction associated with multiple sclerosis: clinical and urodynamic perspectives. *J Urol.* 1998 Jul; 160: 106-11
- 42328 Chai, T. C., Gray, M. L., Steers, W. D. The incidence of a positive ice water test in bladder outlet obstructed patients: evidence for bladder neural plasticity. *J Urol.* 1998 Jul; 160: 34-8

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Procite Number

- 42329 Bochner, B. H., Figueroa, A. J., Skinner, E. C., Lieskovsky, G., Petrovich, Z., Boyd, S. D., Skinner, D. G. Salvage radical cystoprostatectomy and orthotopic urinary diversion following radiation failure. *J Urol.* 1998 Jul; 160: 29-33
- 42330 Stude, D. E., Bergmann, T. F., Finer, B. A. A conservative approach for a patient with traumatically induced urinary incontinence. *J Manipulative Physiol Ther.* 1998 Jun; 21: 363-7
- 42331 Flynn, P., Franiek, J., Janssen, P., Hannah, W. J., Klein, M. C. How can second-stage management prevent perineal trauma? Critical review. *Can Fam Physician.* 1997 Jan; 43: 73-84
- 42332 Andersson, S. H., Lindgren, A., Postlind, H. Biotransformation of tolterodine, a new muscarinic receptor antagonist, in mice, rats, and dogs. *Drug Metab Dispos.* 1998 Jun; 26: 528-35
- 42333 Johnson, T. M., 2nd, Kincade, J. E., Bernard, S. L., Busby-Whitehead, J., Hertz-Picciotto, I., DeFries, G. H. The association of urinary incontinence with poor self-rated health. *J Am Geriatr Soc.* 1998 Jun; 46: 693-9
- 42335 Wyman, J. F. Quality of life of older adults with urinary incontinence. *J Am Geriatr Soc.* 1998 Jun; 46: 778-9
- 42336 DuBeau, C. E., Levy, B., Mangione, C. M., Resnick, N. M. The impact of urge urinary incontinence on quality of life: importance of patients' perspective and explanatory style. *J Am Geriatr Soc.* 1998 Jun; 46: 683-92
- 42337 Cho, C. Y., Alessi, C. A., Cho, M., Aronow, H. U., Stuck, A. E., Rubenstein, L. Z., Beck, J. C. The association between chronic illness and functional change among participants in a comprehensive geriatric assessment program. *J Am Geriatr Soc.* 1998 Jun; 46: 677-82
- 42338 Grealish, M., O'Dowd, T. C. General practitioners and women with urinary incontinence. *Br J Gen Pract.* 1998 Feb; 48: 975-7
- 42339 Jitapunkul, S., Khovidhunkit, W. Urinary incontinence in Thai elderly living in Klong Toey slum. *J Med Assoc Thai.* 1998 Mar; 81: 160-8
- 42340 Atalan, G., Holt, P. E., Barr, F. J. Ultrasonographic assessment of bladder neck mobility in continent bitches and bitches with urinary incontinence attributable to urethral sphincter mechanism incompetence. *Am J Vet Res.* 1998 Jun; 59: 673-9
- 42341 Blute, M. L., Gburek, B. M. Continent orthotopic urinary diversion in female patients: early Mayo Clinic experience. *Mayo Clin Proc.* 1998 Jun; 73: 501-7
- 42343 Brylewski, J. E., Wiggs, L. A questionnaire survey of sleep and night-time behaviour in a community- based sample of adults with intellectual disability. *J Intellect Disabil Res.* 1998 Apr; 42 ( Pt 2): 154-62
- 42345 Newman, D. American perspectives on continence. *Nurs Times.* 1998 Apr 15-21; 94: 67-8
- 42346 Carlisle, D. Silent suffering. *Nurs Times.* 1998 Apr 15-21; 94: 63-4, 67
- 42347 Willis, J. Promoting continence control. *Nurs Times.* 1998 Apr 15-21; 94: 59-60
- 42348 Jackson, S. L. Prevalence and natural history of female incontinence. *J Womens Health.* 1998 May; 7: 472-3
- 42349 Newman, D. K. Bladder control requires active management. *J Womens Health.* 1998 May; 7: 425-6
- 42350 Resnick, N., Fenner, D. Toward optimal health: the experts respond to urinary incontinence. *J Womens Health.* 1998 May; 7: 419-24
- 42351 Snyder, M., Pearson, V., Hanscom, J., Hoyman, K., Hagans, E., Lee, H., Liao, W., Ryden, M. Barriers to progress in urinary incontinence: achieving quality assessments. *Geriatr Nurs.* 1998 Mar-Apr; 19: 77-80
- 42352 Luft, J., Vriheas-Nichols, A. A. Identifying the risk factors for developing incontinence: can we modify individual risk?. *Geriatr Nurs.* 1998 Mar-Apr; 19: 66-70; quiz 70-2
- 42353 Ebersole, P. R. Unmentionables. *Geriatr Nurs.* 1998 Mar-Apr; 19: 62-3
- 42358 Hulbert, W. C., Rabinowitz, R. Prenatal diagnosis of duplex system hydronephrosis: effect on renal salvage. *Urology.* 1998 May; 51: 23-6
- 42360 Dugan, E., Cohen, S. J., Robinson, D., Anderson, R., Preisser, J., Suggs, P., Pearce, K., Poehling, U., McGann, P. The quality of life of older adults with urinary incontinence: determining generic and condition-specific predictors. *Qual Life Res.* 1998 May; 7: 337-44



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 42361 Kohn, I. J., Balsara, R. K., Rabinovitch, H. Placement of a bladder neck purse-string cuff for the management of incontinence in children with myelodysplasia. *Urology*. 1998 Jun; 51: 1027-30
- 42362 Doren, M. Urogenital aging--creation of improved awareness. *Am J Obstet Gynecol*. 1998 May; 178: S254-6
- 42363 Samsioe, G. Urogenital aging--a hidden problem. *Am J Obstet Gynecol*. 1998 May; 178: S245-9
- 42365 Brown, K., Hilton, P. Ambulatory monitoring. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 369-76
- 42369 Nygaard, I., Linder, M. Thirst at work--an occupational hazard?. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 340-3
- 42370 Ma, S. S. The prevalence of adult female urinary incontinence in Hong Kong Chinese. *Int Urogynecol J Pelvic Floor Dysfunct*. 1997; 8: 327-31
- 42373 Brownlee, R. D., Clark, A. W., Sevic, R. J., Myles, S. T. Symptomatic hamartoma of the spinal cord associated with neurofibromatosis type 1. Case report. *J Neurosurg*. 1998 Jun; 88: 1099-103
- 42374 Iskandar, B. J., Fulmer, B. B., Hadley, M. N., Oakes, W. J. Congenital tethered spinal cord syndrome in adults. *J Neurosurg*. 1998 Jun; 88: 958-61
- 42375 Marshall, K., Thompson, K. A., Walsh, D. M., Baxter, G. D. Incidence of urinary incontinence and constipation during pregnancy and postpartum: survey of current findings at the Rotunda Lying-In Hospital. *Br J Obstet Gynaecol*. 1998 Apr; 105: 400-2
- 42376 Tomlinson, A. J., Thornton, J. G. A randomised controlled trial of antibiotic prophylaxis for vesico- vaginal fistula repair. *Br J Obstet Gynaecol*. 1998 Apr; 105: 397-9
- 42379 Nasr, S. Z., Ouslander, J. G. Urinary incontinence in the elderly. Causes and treatment options. *Drugs Aging*. 1998 May; 12: 349-60
- 42380 Cooper, S. A. Clinical study of the effects of age on the physical health of adults with mental retardation. *Am J Ment Retard*. 1998 May; 102: 582-9
- 42381 Fourcroy, J. L. Urogynecology update: incontinence. *Hosp Pract (Off Ed)*. 1998 May 15; 33: 63-70, 81
- 42382 Grignaffini, A., Bazzani, F., Bertoli, P., Petrelli, M., Vadora, E. Intravesicular prostaglandin E2 for the prophylaxis of urinary retention after colpohysterectomy. *J Int Med Res*. 1998 Mar-Apr; 26: 87-92
- 42383 Hjalmas, K. Nocturnal enuresis: basic facts and new horizons. *Eur Urol*. 1998; 33 Suppl 3: 53-7
- 42384 Hagglof, B., Andren, O., Bergstrom, E., Marklund, L., Wendelius, M. Self-esteem in children with nocturnal enuresis and urinary incontinence: improvement of self-esteem after treatment. *Eur Urol*. 1998; 33 Suppl 3: 16-9
- 42386 von Gontard, A. Annotation: day and night wetting in children--a paediatric and child psychiatric perspective. *J Child Psychol Psychiatry*. 1998 May; 39: 439-51
- 42388 Mouritsen, L., Lose, G., Glavind, K. Assessment of women with urinary incontinence. *Acta Obstet Gynecol Scand*. 1998 Apr; 77: 361-71
- 42389 Arango, O. The use of salivary stimulant pastilles to improve compliance in women taking oxybutinin hydrochloride for detrusor instability. *Br J Urol*. 1998 Apr; 81: 652
- 42390 Sung, V. C., Corridan, P. G. Acute-angle closure glaucoma as a side-effect of oxybutynin. *Br J Urol*. 1998 Apr; 81: 634-5
- 42392 Okada, N., Igawa, Y., Ogawa, A., Nishizawa, O. Transcutaneous electrical stimulation of thigh muscles in the treatment of detrusor overactivity. *Br J Urol*. 1998 Apr; 81: 560-4
- 42396 van der Hurk, P. R., Middelkoop, H. A., van Waalwijk-van Doorn, E. S., Roos, R. A., Cools, H. J. Long-term ambulatory monitoring of urine leakage in the elderly: an evaluation of the validity and clinical applicability of thermistor signalling. *J Med Eng Technol*. 1998 Mar-Apr; 22: 91-3
- 42398 Lentz, S. S., Homesley, H. D. Gynecologic problems in older women. *Clin Geriatr Med*. 1998 May; 14: 297-315
- 42399 Busby-Whitehead, J. M., Johnson, T. M. Urinary incontinence. *Clin Geriatr Med*. 1998 May; 14: 285-96

# American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 42403 Sampsel, C. M., DeLancey, J. O. Anatomy of female continence. *J Wound Ostomy Continence Nurs.* 1998 Mar; 25: 63-70, 72-4
- 42404 Bennett, R. G., Baran, P. J., DeVone, L. V., Bacetti, H., Kristo, B., Tayback, M., Greenough, W. B., 3rd Low airloss hydrotherapy versus standard care for incontinent hospitalized patients. *J Am Geriatr Soc.* 1998 May; 46: 569-76
- 42406 Park, J. M., Montie, J. E. Mechanisms of incontinence and retention after orthotopic neobladder diversion. *Urology.* 1998 Apr; 51: 601-9
- 42407 Jacobs, M., Wyman, J. F., Rowell, P., Smith, D. A. Continence nurses: a survey of who they are and what they do. *Urol Nurs.* 1998 Mar; 18: 13-20
- 42408 Pena, A., Kessler, O. Posterior cloaca: a unique defect. *J Pediatr Surg.* 1998 Mar; 33: 407-12
- 42412 Holtedahl, K., Hunskaar, S. Prevalence, 1-year incidence and factors associated with urinary incontinence: a population based study of women 50-74 years of age in primary care. *Maturitas.* 1998 Jan 12; 28: 205-11
- 42413 Da Ros, C. T., Teloken, C., Busatto, W. F., Jr, Sogari, P. R., Lisboa, J. F., Vargas Souto, C. A. Endoscopic suspension of the prolapsed vaginal dome. *Tech Urol.* 1998 Mar; 4: 25-8
- 42414 Kayigil, O., Atahan, O., Metin, A. Experiences with clam ileocystoplasty. *Int Urol Nephrol.* 1998; 30: 45-8
- 42416 Ahmed, S., Sen, S. The Mitrofanoff procedure in paediatric urinary tract reconstruction. *Aust N Z J Surg.* 1998 Mar; 68: 199-202
- 42417 Kutta, A., Haupt, G. Rotundovaginopexy in orthotopic ileal neobladder following radical cystectomy in women. *Eur Urol.* 1998; 33: 308-11
- 42421 Roberts, R. O., Jacobsen, S. J., Rhodes, T., Reilly, W. T., Girman, C. J., Talley, N. J., Lieber, M. M. Urinary incontinence in a community-based cohort: prevalence and healthcare-seeking. *J Am Geriatr Soc.* 1998 Apr; 46: 467-72
- 42422 Ouslander, J. G., Buxton, W. G., Al-Samarrai, N. R., Cruise, P. A., Alessi, C., Schnelle, J. F. Nighttime urinary incontinence and sleep disruption among nursing home residents. *J Am Geriatr Soc.* 1998 Apr; 46: 463-6
- 42428 van Loenen, N. T., Vierhout, M. E. Augmentation of urethral pressure profile by voluntary pelvic floor contraction. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 284-7
- 42433 Diseth, T. H., Bjordal, R., Schultz, A., Stange, M., Emblem, R. Somatic function, mental health and psychosocial functioning in 22 adolescents with bladder exstrophy and epispadias. *J Urol.* 1998 May; 159: 1684-9; discussion 1689-90
- 42435 Shaker, H. S., Hassouna, M. Sacral nerve root neuromodulation: an effective treatment for refractory urge incontinence. *J Urol.* 1998 May; 159: 1516-9
- 42436 Schaeffer, A. J., Clemens, J. Q., Ferrari, M., Stamey, T. A. The male bulbourethral sling procedure for post-radical prostatectomy incontinence. *J Urol.* 1998 May; 159: 1510-5
- 42438 N'Dow, J., Leung, H. Y., Marshall, C., Neal, D. E. Bowel dysfunction after bladder reconstruction. *J Urol.* 1998 May; 159: 1470-4; discussion 1474-5
- 42439 Sheriff, M. K., Foley, S., McFarlane, J., Nauth-Misir, R., Craggs, M., Shah, P. J. Long-term suprapubic catheterisation: clinical outcome and satisfaction survey. *Spinal Cord.* 1998 Mar; 36: 171-6
- 42440 More ways to stay dry. *Harv Womens Health Watch.* 1998 Mar; 5: 2-3
- 42441 Takano, K., Yamaguchi, T., Minematsu, K., Sawada, T., Omae, T. Differences in clinical features and computed tomographic findings between embolic and non-embolic acute ischemic stroke: a quantitative differential diagnosis. *Intern Med.* 1998 Feb; 37: 141-8
- 42446 Ozawa, H., Kumon, H., Ichikawa, T., Nagai, A., Ohmori, H. Urodynamic changes after endoscopic correction of vesicoureteral reflux. *Int J Urol.* 1998 Jan; 5: 103-5
- 42450 Shaw, F. Continence--it's never too late. *Nurs Times.* 1998 Feb 11-17; 94: 68-70, 72

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 42452 Wikander, B., Ekelund, P., Milsom, I. An evaluation of multidisciplinary intervention governed by functional independence measure (FIMSM) in incontinent stroke patients. *Scand J Rehabil Med.* 1998 Mar; 30: 15-21
- 42453 Nickel, R. F., Wiegand, U., van den Brom, W. E. Evaluation of a transpelvic sling procedure with and without colposuspension for treatment of female dogs with refractory urethral sphincter mechanism incompetence. *Vet Surg.* 1998 Mar-Apr; 27: 94-104
- 42454 Gallien, P., Robineau, S., Nicolas, B., Le Bot, M. P., Brissot, R., Verin, M. Vesicourethral dysfunction and urodynamic findings in multiple sclerosis: a study of 149 cases. *Arch Phys Med Rehabil.* 1998 Mar; 79: 255-7
- 42455 Borer, J. G., Bauer, S. B., Peters, C. A., Diamond, D. A., Decter, R. M., Shapiro, E. A single-system ectopic ureter draining an ectopic dysplastic kidney: delayed diagnosis in the young female with continuous urinary incontinence. *Br J Urol.* 1998 Mar; 81: 474-8
- 42456 Larson, B., Collins, A., Landgren, B. M. Urogenital and vasomotor symptoms in relation to menopausal status and the use of hormone replacement therapy (HRT) in healthy women during transition to menopause. *Maturitas.* 1997 Dec 15; 28: 99-105
- 42457 Moran, P. A., Carey, M. P., Dwyer, P. L. Urethral diverticula in pregnancy. *Aust N Z J Obstet Gynaecol.* 1998 Feb; 38: 102-6
- 42458 Pannek, J., Sommerfeld, H. J. Ovarian cystoid causing Kock pouch incontinence. *Urol Int.* 1998; 60: 59-61
- 42460 Kinjo, T., Tshako, K., Sirirungsi, W., Sunagawa, K., Nakazato, I., Iwamasa, T. Experimental myelitis caused by herpes simplex virus type 2 in C57BL/6N and BALB/cN mice. *Int J Exp Pathol.* 1997 Dec; 78: 401-9
- 42461 Incontinence. Ways to help you stay dry. *Mayo Clin Health Lett.* 1998 Jan; 16: 1-3
- 42462 Button, D., Roe, B., Webb, C., Frith, T., Colin-Thome, D., Gardner, L. Consensus guidelines for the promotion and management of continence by primary health care teams: development, implementation and evaluation. NHS Executive Nursing Directorate. *J Adv Nurs.* 1998 Jan; 27: 91-9
- 42464 Haeusler, G., Sam, C., Dorfler, D., Tempfer, C., Hanzal, E., Kolbl, H. Present state of diagnostics and therapy in female urinary incontinence. *Acta Obstet Gynecol Scand.* 1998 Feb; 77: 222-7
- 42465 Lewey, J., Billington, A., O'Hara, L. Conservative treatment of urinary continence. *Elder Care.* 1997 Dec-1998 Jan; 9: 9-11
- 42466 Roy, S. The cost of continence. *Elder Care.* 1997 Dec-1998 Jan; 9: 3-4
- 42467 Elliott, D. S., Barrett, D. M. Mayo Clinic long-term analysis of the functional durability of the AMS 800 artificial urinary sphincter: a review of 323 cases. *J Urol.* 1998 Apr; 159: 1206-8
- 42472 Heinzlef, O., Paternotte, C., Mahieux, F., Prud'homme, J. F., Dien, J., Madigand, M., Pouget, J., Weissenbach, J., Roullet, E., Hazan, J. Mapping of a complicated familial spastic paraplegia to locus SPG4 on chromosome 2p. *J Med Genet.* 1998 Feb; 35: 89-93
- 42474 Brown, S., Lumley, J. Maternal health after childbirth: results of an Australian population based survey. *Br J Obstet Gynaecol.* 1998 Feb; 105: 156-61
- 42476 David, G., Durr, A., Stevanin, G., Cancel, G., Abbas, N., Benomar, A., Belal, S., Lebre, A. S., Abada-Bendib, M., Grid, D., Holmberg, M., Yahyaoui, M., Hentati, F., Chkili, T., Agid, Y., Brice, A. Molecular and clinical correlations in autosomal dominant cerebellar ataxia with progressive macular dystrophy (SCA7). *Hum Mol Genet.* 1998 Feb; 7: 165-70
- 42477 Castleden, C. M. The Marjory Warren Lecture. Incontinence--still a geriatric giant?. *Age Ageing.* 1997 Dec; 26 Suppl 4: 47-52
- 42479 Buffa, P., Di Rovasenda, E., Scarsi, P. L., Granata, C., Podesta, E., Ciardi, M. R., Cama, A. Vesico sphincteric function in spinal lipomas. Review of 80 cases. *Eur J Pediatr Surg.* 1997 Dec; 7 Suppl 1: 59-60
- 42480 Marshall, D. F., Boston, V. E. Altered bladder and bowel function following cutaneous electrical field stimulation in children with spina bifida--interim results of a randomized double-blind placebo-controlled trial. *Eur J Pediatr Surg.* 1997 Dec; 7 Suppl 1: 41-3

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Procite Number

- 42481 Lewis, M. A., Shaw, J., Sattar, T. M., Bannister, C. M. The spectrum of spinal cord dysraphism and bladder neuropathy in children. *Eur J Pediatr Surg.* 1997 Dec; 7 Suppl 1: 35-7
- 42482 Fantl, J. A. Behavioral intervention for community-dwelling individuals with urinary incontinence. *Urology.* 1998 Feb; 51: 30-4
- 42483 O'Donnell, P. D. Special considerations in elderly individuals with urinary incontinence. *Urology.* 1998 Feb; 51: 20-3
- 42484 Blaivas, J. G. Outcome measures for urinary incontinence. *Urology.* 1998 Feb; 51: 11-9
- 42485 Payne, C. K. Epidemiology, pathophysiology, and evaluation of urinary incontinence and overactive bladder. *Urology.* 1998 Feb; 51: 3-10
- 42486 Roberts, R. O., Jacobsen, S. J., Jacobson, D. J., Reilly, W. T., Talley, N. J., Lieber, M. M. Natural history of prostatism: high American Urological Association Symptom scores among community-dwelling men and women with urinary incontinence. *Urology.* 1998 Feb; 51: 213-9
- 42487 Madersbacher, S., Pycha, A., Schatzl, G., Mian, C., Klingler, C. H., Marberger, M. The aging lower urinary tract: a comparative urodynamic study of men and women. *Urology.* 1998 Feb; 51: 206-12
- 42488 Schuur, P. M., Kasteren, M. E., Sabbe, L., Vos, M. C., Janssens, M. M., Buiting, A. G. Urinary tract infections with *Aerococcus urinae* in the south of The Netherlands. *Eur J Clin Microbiol Infect Dis.* 1997 Dec; 16: 871-5
- 42489 Picchio, G. L., Hallous, H., Franceschetti, G. P., Marandola, P., Orlando, G. Correction of complete urogenital prolapse with infibulation. *Arch Esp Urol.* 1997 Dec; 50: 1137-9
- 42490 Di Benedetto, V., Monfort, G. How prenatal ultrasound can change the treatment of ectopic ureterocele in neonates?. *Eur J Pediatr Surg.* 1997 Dec; 7: 338-40
- 42496 Wong, E. Y. Uterine didelphys and occult spinal dysraphism: an unusual case. *Dev Med Child Neurol.* 1998 Feb; 40: 124-5
- 42497 Ishigooka, M., Suzuki, Y., Hashimoto, T., Sasagawa, I., Nakada, T., Handa, Y. A new technique for sacral nerve stimulation: a percutaneous method for urinary incontinence caused by spinal cord injury. *Br J Urol.* 1998 Feb; 81: 315-8
- 42498 Woodhouse, C. R., Christofides, M. Modified ureterosigmoidostomy (Mainz II)--technique and early results. *Br J Urol.* 1998 Feb; 81: 247-52
- 42500 Bahnson, R. R. *Urology.* *J Am Coll Surg.* 1998 Feb; 186: 241-6
- 42501 Yordan, E. L. Obstetrics and gynecology. *J Am Coll Surg.* 1998 Feb; 186: 182-8
- 42502 Schlenk, E. A., Erlen, J. A., Dunbar-Jacob, J., McDowell, J., Engberg, S., Sereika, S. M., Rohay, J. M., Bernier, M. J. Health-related quality of life in chronic disorders: a comparison across studies using the MOS SF-36. *Qual Life Res.* 1998 Jan; 7: 57-65
- 42504 Ryhammer, A. M., Laurberg, S., Djurhuus, J. C., Hermann, A. P. No relationship between subjective assessment of urinary incontinence and pad test weight gain in a random population sample of menopausal women. *J Urol.* 1998 Mar; 159: 800-3
- 42507 Mahony, C. The impact of continence problems on self-esteem. *Nurs Times.* 1997 Dec 24-Jan 6; 93: 58, 60
- 42510 Rentzhog, L., Stanton, S. L., Cardozo, L., Nelson, E., Fall, M., Abrams, P. Efficacy and safety of tolterodine in patients with detrusor instability: a dose-ranging study. *Br J Urol.* 1998 Jan; 81: 42-8
- 42514 Sgadari, A., Topinkova, E., Bjornson, J., Bernabei, R. Urinary incontinence in nursing home residents: a cross-national comparison. *Age Ageing.* 1997 Sep; 26 Suppl 2: 49-54
- 42517 Maas, C. P., Moriya, Y., Steup, W. H., Kiebert, G. M., Kranenbarg, W. M., van de Velde, C. J. Radical and nerve-preserving surgery for rectal cancer in The Netherlands: a prospective study on morbidity and functional outcome. *Br J Surg.* 1998 Jan; 85: 92-7
- 42518 Newman, D. K. Research utilization: the continence for women project. *Ostomy Wound Manage.* 1997 Nov-Dec; 43: 54-6

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 42519 Linkletter, D. No more surgery--biofeedback for continence. *Ostomy Wound Manage.* 1997 Nov-Dec; 43: 50-2
- 42520 Messick, G. M., Powe, C. E. Applying behavioral research to incontinence. *Ostomy Wound Manage.* 1997 Nov-Dec; 43: 40-6, 48
- 42521 Engberg, S., McDowell, B. J., Donovan, N., Brodak, I., Weber, E. Treatment of urinary incontinence in homebound older adults: interface between research and practice. *Ostomy Wound Manage.* 1997 Nov-Dec; 43: 18-22, 24-6
- 42522 Peters, S. Don't ask, don't tell. Breaking the silence surrounding female urinary incontinence. *Adv Nurse Pract.* 1997 May; 5: 41-4
- 42524 Hollins, S., Attard, M. T., von Fraunhofer, N., McGuigan, S., Sedgwick, P. Mortality in people with learning disability: risks, causes, and death certification findings in London. *Dev Med Child Neurol.* 1998 Jan; 40: 50-6
- 42526 Engberg, S., McDowell, B. J., Weber, E., Brodak, I., Donovan, N., Engberg, R. Assessment and management of urinary incontinence among homebound older adults: a clinical trial protocol. *Adv Pract Nurs Q.* 1997 Fall; 3: 48-56
- 42527 Leroi, A. M., Ducrotte, P., Bouaniche, M., Touchais, J. Y., Weber, J., Denis, P. Assessment of the reliability of cerebral potentials evoked by electrical stimulation of the anal canal. *Int J Colorectal Dis.* 1997; 12: 335-9
- 42528 Cobbs, E. L., Ralapati, A. N. Health of older women. *Med Clin North Am.* 1998 Jan; 82: 127-44
- 42529 Serels, S., Stein, M. Prospective study comparing hyoscyamine, doxazosin, and combination therapy for the treatment of urgency and frequency in women. *Neurourol Urodyn.* 1998; 17: 31-6
- 42532 Blaivas, J. G. 'If you build it, they will come'. *Neurourol Urodyn.* 1998; 17: 1-2
- 42533 Gallo, M. L., Gillette, B., Hancock, R., Pelkey, A., Rawlings, L., Sasso, K. Quality of life improvement and the reliance urinary control insert. *Urol Nurs.* 1997 Dec; 17: 146-53
- 42534 Godfrey, K. Incontinence in ethnic groups. *Community Nurse.* 1997 Jun; 3: 42
- 42535 Nager, C., Stanton, S. Can HRT help incontinence?. *Community Nurse.* 1997 May; 3: 32-3
- 42541 Morkved, S., Bo, K. The effect of postpartum pelvic floor muscle exercise in the prevention and treatment of urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 217-22
- 42549 Cravello, L., de Montgolfier, R., D'Ercole, C., Roger, V., Blanc, B. Endoscopic surgery. The end of classic surgery?. *Eur J Obstet Gynecol Reprod Biol.* 1997 Dec; 75: 103-6
- 42550 Gibbons, G. Assessing and managing incontinence in women. *Community Nurse.* 1996 Jun; 2: 34-6
- 42551 Sen, S., Ahmed, S., Borghol, M. Surgical management of complete ureteric duplication abnormalities. *Pediatr Surg Int.* 1998 Jan; 13: 61-4
- 42552 Pohjasvaara, T., Erkinjuntti, T., Ylikoski, R., Hietanen, M., Vataja, R., Kaste, M. Clinical determinants of poststroke dementia. *Stroke.* 1998 Jan; 29: 75-81
- 42554 Bozorgi, F., Connolly, L. P., Bauer, S. B., Neish, A. S., Tan, P. E., Schofield, D., Treves, S. T. Hypoplastic dysplastic kidney with a vaginal ectopic ureter identified by technetium-99m-DMSA scintigraphy. *J Nucl Med.* 1998 Jan; 39: 113-5
- 42555 Feldman, E. L., Jaffe, A., Galambos, N., Robbins, A., Kelly, R. B., From, J. Clinical practice guidelines on depression: awareness, attitudes, and content knowledge among family physicians in New York. *Arch Fam Med.* 1998 Jan-Feb; 7: 58-62
- 42557 Winson, L. Catheterization: a need for improved patient management. *Br J Nurs.* 1997 Nov 27-Dec 10; 6: 1229-32, 1234, 1251-2
- 42558 Richardson, P. Re: The intravaginal slingplasty operation, a minimally invasive technique for cure of urinary incontinence in the female (1). *Aust N Z J Obstet Gynaecol.* 1997 Nov; 37: 485
- 42562 Yoshimura, N., Nagahama, Y., Ueda, T., Yoshida, O. Paroxysmal urinary incontinence associated with multiple sclerosis. *Urol Int.* 1997; 59: 197-9



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 42563** Hope, T., Keene, J., Gedling, K., Cooper, S., Fairburn, C., Jacoby, R. Behaviour changes in dementia. 1: Point of entry data of a prospective study. *Int J Geriatr Psychiatry*. 1997 Nov; 12: 1062-73
- 42564** Kobelt, G. Economic considerations and outcome measurement in urge incontinence. *Urology*. 1997 Dec; 50: 100-7; discussion 108-10
- 42565** Appell, R. A. Clinical efficacy and safety of tolterodine in the treatment of overactive bladder: a pooled analysis. *Urology*. 1997 Dec; 50: 90-6; discussion 97-9
- 42566** Jackson, S. The patient with an overactive bladder--symptoms and quality-of-life issues. *Urology*. 1997 Dec; 50: 18-22; discussion 23-4
- 42567** Hampel, C., Wienhold, D., Benken, N., Eggersmann, C., Thuroff, J. W. Definition of overactive bladder and epidemiology of urinary incontinence. *Urology*. 1997 Dec; 50: 4-14; discussion 15-7
- 42572** Sargent, R. P. P. Primum non nocere?. *Am J Obstet Gynecol*. 1997 Dec; 177: 1564-5
- 42577** Chapin, D. S. Teaching sacrospinous colpopexy. *Am J Obstet Gynecol*. 1997 Dec; 177: 1330-6
- 42580** Cook, E. Assessing continence needs in children. *Paediatr Nurs*. 1997 Nov; 9: 29-34; quiz 35-6
- 42581** Lurie, S. N., Hosmer, C. Oxybutynin and intranasal desmopressin for clozapine-induced urinary incontinence. *J Clin Psychiatry*. 1997 Sep; 58: 404
- 42582** Kelleher, C. J., Cardozo, L. D., Khullar, V., Salvatore, S. A new questionnaire to assess the quality of life of urinary incontinent women. *Br J Obstet Gynaecol*. 1997 Dec; 104: 1374-9
- 42583** Messelink, E. J., Dobbe, I., Kools, C., Dabhoiwala, N. F., Dijkhuizen, T., Schneider, P., Lettinga, K. P., Kurth, K. Technical features of the system used to perform multichannel urethral pressure profilometry. *Tech Urol*. 1997 Fall; 3: 158-63
- 42584** McIntosh, L. J., Mallett, V. T., Frahm, J. D., Richardson, D. A., Evans, M. I. Gynecologic disorders in women with Ehlers-Danlos syndrome. *J Soc Gynecol Investig*. 1995 May-Jun; 2: 559-64
- 42587** Lewey, J., Billington, A., O'Hara, L. Conservative treatment of urinary incontinence. *Nurs Stand*. 1997 Nov 12-18; 12: 45-7
- 42588** Sakakibara, R., Hattori, T., Kuwabara, S., Yamanishi, T., Yasuda, K. Micturitional disturbance in patients with Guillain-Barre syndrome. *J Neurol Neurosurg Psychiatry*. 1997 Nov; 63: 649-53
- 42589** Webb, S., Patterson, V., Hutchinson, M. Two families with autosomal recessive spastic paraplegia, pigmented maculopathy, and dementia. *J Neurol Neurosurg Psychiatry*. 1997 Nov; 63: 628-32
- 42590** Publicover, C., Bear, M. The effect of bladder training on urinary incontinence in community- dwelling older women. *J Wound Ostomy Continence Nurs*. 1997 Nov; 24: 319-24
- 42591** Nager, C. W., Kumar, D., Kahn, M. A., Stanton, S. L. Management of pelvic floor dysfunction. *Lancet*. 1997 Dec 13; 350: 1751
- 42596** Leibovich, B. C., Barrett, D. M. Use of the artificial urinary sphincter in men and women. *World J Urol*. 1997; 15: 316-9
- 42605** Bernier, F., Jenkins, P. The role of vaginal estrogen in the treatment of urogenital dysfunction in postmenopausal women. *Urol Nurs*. 1997 Sep; 17: 92-5
- 42606** Maloney, C. Estrogen in urinary incontinence treatment: an anatomic and physiologic approach. *Urol Nurs*. 1997 Sep; 17: 88-91
- 42607** Gerharz, E. W., Vik, V., Webb, G., Leaver, R., Shah, P. J., Woodhouse, C. R. The value of the MACE (Malone antegrade colonic enema) procedure in adult patients. *J Am Coll Surg*. 1997 Dec; 185: 544-7
- 42608** Okkens, A. C., Kooistra, H. S., Nickel, R. F. Comparison of long-term effects of ovariectomy versus ovari hysterectomy in bitches. *J Reprod Fertil Suppl*. 1997; 51: 227-31
- 42609** Steiner, J. F., Kramer, A. M., Eilertsen, T. B., Kowalsky, J. C. Development and validation of a clinical prediction rule for prolonged nursing home residence after hip fracture. *J Am Geriatr Soc*. 1997 Dec; 45: 1510-4

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 42613 Thom, D. H., van den Eeden, S. K., Brown, J. S. Evaluation of parturition and other reproductive variables as risk factors for urinary incontinence in later life. *Obstet Gynecol.* 1997 Dec; 90: 983-9
- 42614 Carlin, B. I., Rutchik, S. D., Resnick, M. I. Comparison of the ileal conduit to the continent cutaneous diversion and orthotopic neobladder in patients undergoing cystectomy: a critical analysis and review of the literature. *Semin Urol Oncol.* 1997 Aug; 15: 189-92
- 42615 Glazier, D. B., Cummings, K. B., Barone, J. G. Urodynamic evaluation of profound microcephaly in children. *Br J Urol.* 1997 Nov; 80: 825-6
- 42616 Glazier, D. B., Murphy, D. P., Fleisher, M. H., Cummings, K. B., Barone, J. G. Evaluation of the utility of video-urodynamics in children with urinary tract infection and voiding dysfunction. *Br J Urol.* 1997 Nov; 80: 806-8
- 42619 de Kort, L. M., Nesselaar, C. H., van Gool, J. D., de Jong, T. P. The influence of colonic enema irrigation on urodynamic findings in patients with neurogenic bladder dysfunction. *Br J Urol.* 1997 Nov; 80: 731-3
- 42621 Hautmann, R. E. The ileal neobladder to the female urethra. *Urol Clin North Am.* 1997 Nov; 24: 827-35
- 42622 Bihrlé, R. The Indiana pouch continent urinary reservoir. *Urol Clin North Am.* 1997 Nov; 24: 773-9
- 42623 Vernarec, E. The high costs of hidden conditions. *Bus Health.* 1998 Jan; 16: 19-23
- 42624 Van Hoogmoed, L., Snyder, J. R., Roberts, G., Harmon, F. A. Unilateral nephrectomy in a juvenile llama. *Vet Surg.* 1997 Nov-Dec; 26: 497-501
- 42625 Nazarko, L. Educating Elsie. *Nurs Times.* 1997 Oct 22-28; 93: 68, 71
- 42628 De Ridder, D., Chandiramani, V., Dasgupta, P., Van Poppel, H., Baert, L., Fowler, C. J. Intravesical capsaicin as a treatment for refractory detrusor hyperreflexia: a dual center study with long-term followup. *J Urol.* 1997 Dec; 158: 2087-92
- 42629 Braverman, D. L., Lachmann, E. A., Tunkel, R., Nagler, W. Multiple sclerosis presenting as a spinal cord tumor. *Arch Phys Med Rehabil.* 1997 Nov; 78: 1274-6
- 42630 Bird, M. R., Hii, S., McCrory, P. R., Donnan, G. A. Urinary incontinence in elderly patients with acute stroke and hip fracture. *Med J Aust.* 1997 Oct 20; 167: 415
- 42632 Vernon, S., Bleakley, S. A successful bladder retraining program. *Nurs Times.* 1997 Sep 17-23; 93: 50-1
- 42634 Nagib, M. G., O'Fallon, M. T. Myxopapillary ependymoma of the conus medullaris and filum terminale in the pediatric age group. *Pediatr Neurosurg.* 1997 Jan; 26: 2-7
- 42638 Nilsson, C. G., Lukkari, E., Haarala, M., Kivela, A., Hakonen, T., Kiilholma, P. Comparison of a 10-mg controlled release oxybutynin tablet with a 5-mg oxybutynin tablet in urge incontinent patients. *Neurourol Urodyn.* 1997; 16: 533-42
- 42641 Kirschner-Hermanns, R., Fielding, J. R., Versi, E., Resnick, N. M. Magnetic resonance imaging of the lower urinary tract. *Curr Opin Obstet Gynecol.* 1997 Oct; 9: 317-9
- 42642 Schaer, G. N. Ultrasonography of the lower urinary tract. *Curr Opin Obstet Gynecol.* 1997 Oct; 9: 313-6
- 42643 Strohhahn, K. Urogynecology. *Curr Opin Obstet Gynecol.* 1997 Oct; 9: 307-8
- 42644 Robinson, D. Urinary incontinence in the elderly: a growing problem that needs attention. *Curr Opin Obstet Gynecol.* 1997 Oct; 9: 285-8
- 42645 Mort, J. Medications exacerbating urinary incontinence in the elderly. *S D J Med.* 1997 Oct; 50: 361-2
- 42646 Vahtera, T., Haaranen, M., Viramo-Koskela, A. L., Ruutiainen, J. Pelvic floor rehabilitation is effective in patients with multiple sclerosis. *Clin Rehabil.* 1997 Aug; 11: 211-9
- 42649 Wootton, J. C. Search on urinary incontinence in elderly females. *J Womens Health.* 1997 Oct; 6: 583-6
- 42650 McGhee, M., O'Neill, K., Major, K., Twaddle, S. Evaluation of a nurse-led continence service in the south-west of Glasgow, Scotland. *J Adv Nurs.* 1997 Oct; 26: 723-8

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 42651** Bower, W. F., Moore, K. H., Adams, R. D., Shepherd, R. B. Frequency-volume chart data from incontinent children. *Br J Urol.* 1997 Oct; 80: 658-62
- 42653** Johannesson, M., O'Connor, R. M., Kobelt-Nguyen, G., Mattiasson, A. Willingness to pay for reduced incontinence symptoms. *Br J Urol.* 1997 Oct; 80: 557-62
- 42656** Thom, D. H., Haan, M. N., Van Den Eeden, S. K. Medically recognized urinary incontinence and risks of hospitalization, nursing home admission and mortality. *Age Ageing.* 1997 Sep; 26: 367-74
- 42657** Hodges, C. Continence care: choosing carefully. *Nurs Times.* 1997 Aug 27-Sep 2; 93: 48-50, 52
- 42658** Hogan, D. B. Revisiting the O complex: urinary incontinence, delirium and polypharmacy in elderly patients. *CMAJ.* 1997 Oct 15; 157: 1071-7
- 42659** Schnelle, J. F., Adamson, G. M., Cruise, P. A., al-Samarrai, N., Sarbaugh, F. C., Uman, G., Ouslander, J. G. Skin disorders and moisture in incontinent nursing home residents: intervention implications. *J Am Geriatr Soc.* 1997 Oct; 45: 1182-8
- 42661** Palace, J., Chandiramani, V. A., Fowler, C. J. Value of sphincter electromyography in the diagnosis of multiple system atrophy. *Muscle Nerve.* 1997 Nov; 20: 1396-403
- 42663** Bernier, P. A., Zimmern, P. E., Saboorian, M. H., Chassagne, S. Female outlet obstruction after repeated collagen injections. *Urology.* 1997 Oct; 50: 618-21
- 42665** Callahan, E. H., Paris, B. Midlife periodic health exam in the primary care practice. *Geriatrics.* 1997 Oct; 52: 60-1, 65-6, 69-71 passim; quiz 79
- 42666** Johnson, T. M., 2nd, Busby-Whitehead, J. Diagnostic assessment of geriatric urinary incontinence. *Am J Med Sci.* 1997 Oct; 314: 250-6
- 42667** Jayanthi, V. R., Churchill, B. M., Khoury, A. E., McLorie, G. A. Bilateral single ureteral ectopia: difficulty attaining continence using standard bladder neck repair. *J Urol.* 1997 Nov; 158: 1933-6
- 42671** Chen, G. D., Lin, L. Y., Gardner, J. D. The results of laparoscopic adhesiolysis for intractable urinary frequency. *J Urol.* 1997 Nov; 158: 1714-6
- 42672** Austin, P. F., DeLeary, G., Homsy, Y. L., Persky, L., Lockhart, J. L. Long-term metabolic advantages of a gastrointestinal composite urinary reservoir. *J Urol.* 1997 Nov; 158: 1704-7; discussion 1707-8
- 42673** Galloway, N. T. Surgical treatment of urinary incontinence in geriatric women. *Am J Med Sci.* 1997 Oct; 314: 268-72
- 42677** Naughton, M. J., Wyman, J. F. Quality of life in geriatric patients with lower urinary tract dysfunction. *Am J Med Sci.* 1997 Oct; 314: 219-27
- 42678** Ouslander, J. G. Aging and the lower urinary tract. *Am J Med Sci.* 1997 Oct; 314: 214-8
- 42680** Waaldijk, K. Immediate indwelling bladder catheterization at postpartum urine leakage--personal experience of 1200 patients. *Trop Doct.* 1997 Oct; 27: 227-8
- 42681** Lima, S. V., Araujo, L. A., Vilar, F. O. Further experience with the periurethral expander: a new type of artificial sphincter. *Br J Urol.* 1997 Sep; 80: 460-2
- 42682** Hooper, P., Tincello, D. G., Richmond, D. H. The use of salivary stimulant pastilles to improve compliance in women taking oxybutynin hydrochloride for detrusor instability: a pilot study. *Br J Urol.* 1997 Sep; 80: 414-6
- 42686** Kelleher, C. J., Cardozo, L. D., Khullar, V., Salvatore, S. A medium-term analysis of the subjective efficacy of treatment for women with detrusor instability and low bladder compliance. *Br J Obstet Gynaecol.* 1997 Sep; 104: 988-93
- 42687** Prosser, S., Dobbs, F. Case-finding incontinence in the over-75s. *Br J Gen Pract.* 1997 Aug; 47: 498-500
- 42688** Elder, J. S. Bladder rehabilitation, the effect of a cognitive training programme on urge incontinence. *J Urol.* 1997 Oct; 158: 1642

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 42689 Lippert, M. C., Theodorescu, D. The Hautmann neobladder with a chimney: a versatile modification. *J Urol.* 1997 Oct; 158: 1510-2
- 42690 deVries, C. R., Kaplan, G. W. An unusual case of urinary incontinence, ataxia-telangiectasia, and metastatic dysgerminoma: case report and review of the literature. *Urology.* 1997 Sep; 50: 453-5
- 42691 Malone, P. S. The management of urinary incontinence. *Arch Dis Child.* 1997 Aug; 77: 175-8
- 42692 Alvi, T., Reza, H. Neuroleptic induced incontinence--case report. *J Pak Med Assoc.* 1997 Jul; 47: 195-6
- 42693 Sumiya, T., Kawamura, K., Tokuhira, A., Takechi, H., Ogata, H. A survey of wheelchair use by paraplegic individuals in Japan. Part 2: Prevalence of pressure sores. *Spinal Cord.* 1997 Sep; 35: 595-8
- 42694 Crankson, S. J., Ahmed, S. Female bladder exstrophy. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8: 98-104
- 42700 Willis, J. Continence--holiday plans. *Nurs Times.* 1997 Jul 23-29; 93: 73-4
- 42702 Hodder, J. Shy Drager syndrome. *Axone.* 1997 Jun; 18: 75-9
- 42703 Goodwin, T. M., Banks, E., Millar, L. K., Phelan, J. P. Catastrophic shoulder dystocia and emergency symphysiotomy. *Am J Obstet Gynecol.* 1997 Aug; 177: 463-4
- 42706 Christensen, H., Laybourn, C., Eickhoff, J. H., Frimodt-Moller, C. Long-term results of the Stamey Bladder-neck suspension procedure and of the Burch colposuspension. *Scand J Urol Nephrol.* 1997 Aug; 31: 349-53
- 42707 Silverman, M., McDowell, B. J., Musa, D., Rodriguez, E., Martin, D. To treat or not to treat: issues in decisions not to treat older persons with cognitive impairment, depression, and incontinence. *J Am Geriatr Soc.* 1997 Sep; 45: 1094-101
- 42709 Balcom, A. H., Wiatrak, M., Biefeld, T., Rauen, K., Langenstroer, P. Initial experience with home therapeutic electrical stimulation for continence in the myelomeningocele population. *J Urol.* 1997 Sep; 158: 1272-6
- 42710 Kaefer, M., Rosen, A., Darbey, M., Kelly, M., Bauer, S. B. Pressure at residual volume: a useful adjunct to standard fill cystometry. *J Urol.* 1997 Sep; 158: 1268-71
- 42711 Plaire, J. C., Pope, J. C., 4th, Kropp, B. P., Adams, M. C., Keating, M. A., Rink, R. C., Casale, A. J. Management of ectopic ureters: experience with the upper tract approach. *J Urol.* 1997 Sep; 158: 1245-7
- 42712 Waters, P. R., Chehade, N. C., Kropp, K. A. Urethral lengthening and reimplantation: incidence and management of catheterization problems. *J Urol.* 1997 Sep; 158: 1053-6
- 42713 Snodgrass, W. A simplified Kropp procedure for incontinence. *J Urol.* 1997 Sep; 158: 1049-52
- 42714 Yoo, J. J., Magliochetti, M., Atala, A. Detachable self-sealing membrane system for the endoscopic treatment of incontinence. *J Urol.* 1997 Sep; 158: 1045-8
- 42715 Lottmann, H. B., Melin, Y., Cendron, M., Lombrail, P., Beze-Beyrie, P., Cendron, J. Bladder exstrophy: evaluation of factors leading to continence with spontaneous voiding after staged reconstruction. *J Urol.* 1997 Sep; 158: 1041-4
- 42718 Park, T., Lee, S. Y. A test of missing completely at random for longitudinal data with missing observations. *Stat Med.* 1997 Aug 30; 16: 1859-71
- 42719 Daley, J., Delbanco, T. L., Hartman, E. E. An 89-year-old woman with urinary incontinence, 1 year later. *JAMA.* 1997 Aug 27; 278: 679
- 42721 Palmer, M. H. Response to Moore's commentary on 'Urinary continence changes after hip fracture repair'. *Clin Nurs Res.* 1997 Aug; 6: 300-1
- 42723 Vancaille, T. G. Laparoscopic colposuspension and pelvic floor repair. *Curr Opin Obstet Gynecol.* 1997 Aug; 9: 244-6
- 42725 Loening-Baucke, V. Urinary incontinence and urinary tract infection and their resolution with treatment of chronic constipation of childhood. *Pediatrics.* 1997 Aug; 100: 228-32
- 42726 Salle, J. L., McLorie, G. A., Bagli, D. J., Khoury, A. E. Urethral lengthening with anterior bladder wall flap (Pippi Salle procedure): modifications and extended indications of the technique. *J Urol.* 1997 Aug; 158: 585-90

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 42727** Naseer, S. R., Steinhardt, G. F. New renal scars in children with urinary tract infections, vesicoureteral reflux and voiding dysfunction: a prospective evaluation. *J Urol.* 1997 Aug; 158: 566-8
- 42730** Stein, J. P., Grossfeld, G. D., Freeman, J. A., Esrig, D., Ginsberg, D. A., Cote, R. J., Skinner, E. C., Boyd, S. D., Lieskovsky, G., Skinner, D. G. Orthotopic lower urinary tract reconstruction in women using the Kock ileal neobladder: updated experience in 34 patients. *J Urol.* 1997 Aug; 158: 400-5
- 42731** Nacmias, B., Tedde, A., Guarnieri, B. M., Petruzzi, C., Ortenzi, L., Serio, A., Amaducci, L., Sorbi, S. Analysis of apolipoprotein E, alpha1-antichymotrypsin and presenilin-1 genes polymorphisms in dementia caused by normal pressure hydrocephalus in man. *Neurosci Lett.* 1997 Jul 4; 229: 177-80
- 42732** Gallo, M., Staskin, D. R. Patient satisfaction with a reusable undergarment for urinary incontinence. *J Wound Ostomy Continence Nurs.* 1997 Jul; 24: 226-36
- 42733** Thornburn, P., Fader, M., Dean, G., Brooks, R., Cottenden, A. Improving the performance of small incontinence pads: a study of 'wet comfort'. *J Wound Ostomy Continence Nurs.* 1997 Jul; 24: 219-25
- 42734** Bigio, E. H., Weiner, M. F., Bonte, F. J., White, C. L. Familial dementia due to adult polyglucosan body disease. *Clin Neuropathol.* 1997 Jul-Aug; 16: 227-34
- 42735** Kato, H. Incorrect positioning of an indwelling urethral catheter in the ureter. *Int J Urol.* 1997 Jul; 4: 417-8
- 42736** Sampsel, C. M., Burns, P. A., Dougherty, M. C., Newman, D. K., Thomas, K. K., Wyman, J. F. Continence for women: evidence-based practice. *J Obstet Gynecol Neonatal Nurs.* 1997 Jul-Aug; 26: 375-85
- 42741** N'Dow, J., Neal, D. E. Female adult reconstructive urology. *Br J Urol.* 1997 Jul; 80 Suppl 1: 69-78
- 42742** Heslington, K. Ambulatory bladder monitoring: is it an advance?. *Br J Urol.* 1997 Jul; 80 Suppl 1: 49-53
- 42744** Chandiramani, V. A., Palace, J., Fowler, C. J. How to recognize patients with parkinsonism who should not have urological surgery. *Br J Urol.* 1997 Jul; 80: 100-4
- 42745** Ghali, W. A., Freund, K. M., Boss, R. D., Ryan, C. A., Moskowitz, M. A. Menopausal hormone therapy: physician awareness of patient attitudes. *Am J Med.* 1997 Jul; 103: 3-10
- 42746** Nickel, R. F., van den Brom, W. Simultaneous diuresis cysto-urethrometry and multi-channel urethral pressure profilometry in female dogs with refractory urinary incontinence. *Am J Vet Res.* 1997 Jul; 58: 691-6
- 42748** Mor, Y., Quinn, F. M., Carr, B., Mouriquand, P. D., Duffy, P. G., Ransley, P. G. Combined Mitrofanoff and antegrade continence enema procedures for urinary and fecal incontinence. *J Urol.* 1997 Jul; 158: 192-5
- 42749** Bonney, W. W., Gupta, S., Hunter, D. R., Arndt, S. Bladder dysfunction in schizophrenia. *Schizophr Res.* 1997 Jun 20; 25: 243-9
- 42752** Char, D., Krasnokutsky, S., Frischer, Z., Shah, S. M., Bayshtok, J., Khan, S. A. Surgically correcting a vesicouterine fistula with a myouterine flap. A case report. *J Reprod Med.* 1997 Jun; 42: 372-4
- 42758** Ishizuka, O., Pandita, R. K., Mattiasson, A., Steers, W. D., Andersson, K. E. Stimulation of bladder activity by volume, L-dopa and capsaicin in normal conscious rats--effects of spinal alpha 1-adrenoceptor blockade. *Naunyn Schmiedebergs Arch Pharmacol.* 1997 Jun; 355: 787-93
- 42759** Christmas, T. J., Smith, G. L., Rickards, D. Diagnosis and management of high-pressure peristaltic contractions in cystoplasties. *Br J Urol.* 1997 Jun; 79: 879-82
- 42760** Cukier, J. M., Cortina-Borja, M., Brading, A. F. A case-control study to examine any association between idiopathic detrusor instability and gastrointestinal tract disorder, and between irritable bowel syndrome and urinary tract disorder. *Br J Urol.* 1997 Jun; 79: 865-78
- 42761** Rintala, R. J., Lindahl, H. G., Rasanen, M. Do children with repaired low anorectal malformations have normal bowel function?. *J Pediatr Surg.* 1997 Jun; 32: 823-6
- 42762** Van Savage, J., Slaughenhaupt, B. L. Advances in the management of urinary incontinence in children. *J Ky Med Assoc.* 1997 Jun; 95: 226-34
- 42763** Sultan, A. H., Monga, A. K. Anal and urinary incontinence in women with obstetric anal sphincter rupture. *Br J Obstet Gynaecol.* 1997 Jun; 104: 754-5



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 42764 Malik, A., Fenning, N., O'Donnell, E. Anal and urinary incontinence in women with obstetric anal sphincter rupture. *Br J Obstet Gynaecol.* 1997 Jun; 104: 753-4
- 42765 Griebeling, T. L., Nygaard, I. E. The role of estrogen replacement therapy in the management of urinary incontinence and urinary tract infection in postmenopausal women. *Endocrinol Metab Clin North Am.* 1997 Jun; 26: 347-60
- 42766 Caro, F. G., Glickman, L. L., Ingegneri, D., Porell, F., Stern, A. L., Verma, K. The impact of the closing of three Massachusetts public chronic disease hospitals: a multidimensional perspective. *J Community Health.* 1997 Jun; 22: 155-74
- 42767 Watanabe, T., Perkas, I., Constantinou, C. E. Modulation of detrusor contraction strength and micturition characteristics by intrathecal baclofen in anesthetized rats. *J Urol.* 1997 Jun; 157: 2361-5
- 42768 Sundaram, C. P., Reinberg, Y., Aliabadi, H. A. Failure to obtain durable results with collagen implantation in children with urinary incontinence. *J Urol.* 1997 Jun; 157: 2306-7
- 42769 Chernoff, A., Horowitz, M., Combs, A., Libretti, D., Nitti, V., Glassberg, K. I. Periurethral collagen injection for the treatment of urinary incontinence in children. *J Urol.* 1997 Jun; 157: 2303-5
- 42770 Nilvebrant, L., Andersson, K. E., Gillberg, P. G., Stahl, M., Sparf, B. Tolterodine--a new bladder-selective antimuscarinic agent. *Eur J Pharmacol.* 1997 May 30; 327: 195-207
- 42771 Sekido, N., Kawai, K., Akaza, H. Lower urinary tract dysfunction as persistent complication of radical hysterectomy. *Int J Urol.* 1997 May; 4: 259-64
- 42773 Bear, M., Dwyer, J. W., Benveniste, D., Jett, K., Dougherty, M. Home-based management of urinary incontinence: a pilot study with both frail and independent elders. *J Wound Ostomy Continence Nurs.* 1997 May; 24: 163-71
- 42774 Maly, R. C., Hirsch, S. H., Reuben, D. B. The performance of simple instruments in detecting geriatric conditions and selecting community-dwelling older people for geriatric assessment. *Age Ageing.* 1997 May; 26: 223-31
- 42777 Lobel, R. W., Sand, P. K. Incisional hernia after suprapubic catheterization. *Obstet Gynecol.* 1997 May; 89: 844-6
- 42778 Swift, S. E. The reliability of performing a screening cystometrogram using a fetal monitoring device for the detection of detrusor instability. *Obstet Gynecol.* 1997 May; 89: 708-12
- 42779 Giladi, N., Kao, R., Fahn, S. Freezing phenomenon in patients with parkinsonian syndromes. *Mov Disord.* 1997 May; 12: 302-5
- 42780 Fulford, S. C., Sutton, C., Bales, G., Hickling, M., Stephenson, T. P. The fate of the 'modern' artificial urinary sphincter with a follow-up of more than 10 years. *Br J Urol.* 1997 May; 79: 713-6
- 42782 Gil-Nagel, A., Gapany, S., Blesi, K., Villanueva, N., Bergen, D. Incontinence during treatment with gabapentin. *Neurology.* 1997 May; 48: 1467-8
- 42784 Farrell, T. A., Wallace, M., Hicks, M. E. Long-term results of transrenal ureteral occlusion with use of Gianturco coils and gelatin sponge pledgets. *J Vasc Interv Radiol.* 1997 May-Jun; 8: 449-52
- 42786 Nativ, O., Moskowitz, B., Issaq, E., Condrea, A., Kastin, A., Halachmi, S., Burbara, J., Madjar, S., Beyar, M. A new intraurethral sphincter prosthesis with a self contained urinary pump. *ASAIO J.* 1997 May-Jun; 43: 197-203
- 42787 Goepel, M., Sperling, H., Stohrer, M., Otto, T., Rubben, H. Management of neurogenic fecal incontinence in myelodysplastic children by a modified continent appendiceal stoma and antegrade colonic enema. *Urology.* 1997 May; 49: 758-61
- 42789 Theus, R., Arnold, S., Hubler, M., Wiestner, T., Binder, H., Ruesch, P. Effect of intra-abdominally induced pressure on the urethral pressure profiles of healthy and incontinent bitches. *Am J Vet Res.* 1997 May; 58: 555-9
- 42790 Elbadawi, A., Hailemariam, S., Yalla, S. V., Resnick, N. M. Structural basis of geriatric voiding dysfunction. VII. Prospective ultrastructural/urodynamic evaluation of its natural evolution. *J Urol.* 1997 May; 157: 1814-22
- 42791 Elbadawi, A., Hailemariam, S., Yalla, S. V., Resnick, N. M. Structural basis of geriatric voiding dysfunction. VI. Validation and update of diagnostic criteria in 71 detrusor biopsies. *J Urol.* 1997 May; 157: 1802-13

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 42793 Austin, P., Spyropoulos, E., Arango, H., Fiorica, J., Homsy, Y., Lockhart, J. The failed anti-incontinence mechanism: a flap valve or cecal wrap for surgical reconstruction. *J Urol.* 1997 May; 157: 1638-41
- 42794 Helal, M., Austin, P., Spyropoulos, E., Pow-Sang, J., Persky, L., Lockhart, J. Evaluation and management of parastomal hernia in association with continent urinary diversion. *J Urol.* 1997 May; 157: 1630-2
- 42795 Goessl, C., Knispel, H. H., Miller, K. Is detrusor instability a premature variant of normal micturition reflex?. *Lancet.* 1997 Apr 26; 349: 1255-6
- 42796 Haggard, V. Foreign policy. *Nurs Times.* 1997 Apr 9-15; 93: 78
- 42797 Dowse, J. Finding the flaw. *Nurs Times.* 1997 Apr 9-15; 93: 76
- 42798 Willis, J. Use it or lose it. *Nurs Times.* 1997 Apr 9-15; 93: 70, 73
- 42799 Haslam, J. Floor plan. *Nurs Times.* 1997 Apr 9-15; 93: 67-70
- 42801 Moore, A. A., Siu, A., Partridge, J. M., Hays, R. D., Adams, J. A randomized trial of office-based screening for common problems in older persons. *Am J Med.* 1997 Apr; 102: 371-8
- 42802 Czarapata, B. J., McKillips, K. J. Silent suffering. Helping women find the path to continence. *AWHONN Lifelines.* 1997 Apr; 1: 28-34
- 42804 Tetzschner, T., Sorensen, M., Jonsson, L., Lose, G., Christiansen, J. Delivery and pudendal nerve function. *Acta Obstet Gynecol Scand.* 1997 Apr; 76: 324-31
- 42805 Hatch, R. C., Regan, K. S., Ishibashi, S., Nakazawa, M., Iwakura, K., Sumi, N. Two-year dietary carcinogenicity study of (+/-)-4-diethylamino-1, 1- dimethylbut-2-yn-1-yl 2-cyclohexyl-2-hydroxy-2-phenylacetate monohydrochloride monohydrate (NS-21), a novel drug for urinary frequency and incontinence, in rats. *J Toxicol Sci.* 1997 Apr; 22 Suppl 1: 289-306
- 42806 Hatch, R. C., Regan, K. S., Ishibashi, S., Nakazawa, M., Iwakura, K., Sumi, N. Seventy-eight-week dietary carcinogenicity study of (+/-)-4- diethylamino-1,1-dimethylbut-2-yn-1-yl 2-cyclohexyl-2-hydroxy-2- phenylacetate monohydrochloride monohydrate (NS-21), a novel drug for urinary frequency and incontinence, in mice. *J Toxicol Sci.* 1997 Apr; 22 Suppl 1: 275-87
- 42807 Shetty, S. D., Kirkemo, A. K. Bilateral bone anchor vaginal vault suspension: an initial report of a new technique. *Tech Urol.* 1997 Spring; 3: 1-5
- 42808 Thomas, D. F. Surgical treatment of urinary incontinence. *Arch Dis Child.* 1997 Apr; 76: 377-80
- 42809 Pleym, H., Spigset, O. Peripheral neurologic deficits in relation to subarachnoid or epidural administration of local anesthetics for surgery. A survey of 21 cases. *Acta Anaesthesiol Scand.* 1997 Apr; 41: 453-60
- 42812 Moores, D., Cohen, R., Hayden, L. Laparoscopic excision of pelvic kidney with single vaginal ectopic ureter. *J Pediatr Surg.* 1997 Apr; 32: 634-5
- 42815 Tillem, S. M., Kessler, O. J., Hanna, M. K. Long-term results of lower urinary tract reconstruction with the ceco-appendiceal unit. *J Urol.* 1997 Apr; 157: 1429-33
- 42818 Smith, D. N., Appell, R. A., Winters, J. C., Rackley, R. R. Collagen injection therapy for female intrinsic sphincteric deficiency. *J Urol.* 1997 Apr; 157: 1275-8
- 42819 Bennett, J. K., Foote, J. E., King, T. L. Treating urinary incontinence in the elderly population: accepting the challenge. *J Med Assoc Ga.* 1997 Apr; 86: 97-100
- 42820 Wilson, W. D. Equine herpesvirus 1 myeloencephalopathy. *Vet Clin North Am Equine Pract.* 1997 Apr; 13: 53-72
- 42821 Adkins, V. K., Mathews, R. M. Prompted voiding to reduce incontinence in community-dwelling older adults. *J Appl Behav Anal.* 1997 Spring; 30: 153-6
- 42822 Scura, K. W., Whipple, B. How to provide better care for the postmenopausal woman. *Am J Nurs.* 1997 Apr; 97: 36-43

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 42823 Shah, P. N., Maly, R. C., Frank, J. C., Hirsch, S. H., Reuben, D. B. Managing geriatric syndromes: what geriatric assessment teams recommend, what primary care physicians implement, what patients adhere to. *J Am Geriatr Soc.* 1997 Apr; 45: 413-9
- 42824 Nyberg, L., Gustafson, Y. Fall prediction index for patients in stroke rehabilitation. *Stroke.* 1997 Apr; 28: 716-21
- 42825 Bartels, R. H., van Overbeeke, J. J. Lumbar cerebrospinal fluid drainage for symptomatic sacral nerve root cysts: an adjuvant diagnostic procedure and/or alternative treatment? Technical case report. *Neurosurgery.* 1997 Apr; 40: 861-4; discussion 864-5
- 42827 Olsen, A. L., Smith, V. J., Bergstrom, J. O., Colling, J. C., Clark, A. L. Epidemiology of surgically managed pelvic organ prolapse and urinary incontinence. *Obstet Gynecol.* 1997 Apr; 89: 501-6
- 42828 Colley, W. Know how male catheterisation. *Nurs Times.* 1997 Mar 12-18; 93: 32-3
- 42829 Bladder control. *J Pract Nurs.* 1997 Mar; 47: 9-11
- 42830 Moore, K. N., Paul, P. A historical review of selected nursing and medical literature on urinary incontinence between 1850 and 1976. *J Wound Ostomy Continence Nurs.* 1997 Mar; 24: 106-22
- 42832 Taguchi, K., Hirose, T., Ito, N., Kumamoto, Y., Tsukamoto, T. Functional outcome and late complications in patients with continent urinary reservoirs. *Int J Urol.* 1997 Mar; 4: 134-8
- 42833 Fakhoury, W. K., McCarthy, M., Addington-Hall, J. The effects of the clinical characteristics of dying cancer patients on informal caregivers' satisfaction with palliative care. *Palliat Med.* 1997 Mar; 11: 107-15
- 42834 McCarthy, M., Addington-Hall, J., Altmann, D. The experience of dying with dementia: a retrospective study. *Int J Geriatr Psychiatry.* 1997 Mar; 12: 404-9
- 42835 Willis, J. Consumer choice in continence products. *Nurs Times.* 1997 Mar 26-Apr 1; 93: 64-6
- 42836 Chow, S. H., LaSalle, M. D., Rosenberg, G. S. Urinary incontinence secondary to a vaginal pessary. *Urology.* 1997 Mar; 49: 458-9
- 42837 Janknegt, R. A., Weil, E. H., Eerdmans, P. H. Improving neuromodulation technique for refractory voiding dysfunctions: two-stage implant. *Urology.* 1997 Mar; 49: 358-62
- 42838 Stein, R., Fisch, M., Beetz, R., Matani, Y., Doi, Y., Hohenfellner, K., Burger, R. A., Abol-Enein, H., Hohenfellner, R. Urinary diversion in children and young adults using the Mainz Pouch I technique. *Br J Urol.* 1997 Mar; 79: 354-61
- 42839 Schultz, A., Dickey, G., Skoner, M. Self-report of incontinence in acute care. *Urol Nurs.* 1997 Mar; 17: 23-8
- 42841 Vecchioli Scaldazza, C. Rehabilitative treatment of non-neurogenic female urinary incontinence. Clinical and urodynamic evaluation. *Minerva Urol Nefrol.* 1997 Mar; 49: 5-8
- 42842 Levitt, M. A., Patel, M., Rodriguez, G., Gaylin, D. S., Pena, A. The tethered spinal cord in patients with anorectal malformations. *J Pediatr Surg.* 1997 Mar; 32: 462-8
- 42845 McFall, S., Yerkes, A. M., Bernard, M., LeRud, T. Evaluation and treatment of urinary incontinence. Report of a physician survey. *Arch Fam Med.* 1997 Mar-Apr; 6: 114-9
- 42847 Bavendam, T. G. Female incontinence. *J Urol.* 1997 Mar; 157: 828-9
- 42849 Carr, L. K., Webster, G. D. Voiding dysfunction following incontinence surgery: diagnosis and treatment with retropubic or vaginal urethrolisis. *J Urol.* 1997 Mar; 157: 821-3
- 42852 Beguin, A. M., Combes, T., Lutzler, P., Laffond, G., Belmin, J. Health education improves older subjects' attitudes toward urinary incontinence and access to care: a randomized study in sheltered accommodation centers for the aged. *J Am Geriatr Soc.* 1997 Mar; 45: 391-2
- 42853 Bardoux, N., Leroi, A. M., Touchais, J. Y., Weber, J., Denis, P. Difficult defaecation and/or faecal incontinence as a presenting feature of neurologic disorders in four patients. *Neurogastroenterol Motil.* 1997 Mar; 9: 13-8
- 42854 Jackson, S. L., Weber, A. M., Hull, T. L., Mitchinson, A. R., Walters, M. D. Fecal incontinence in women with urinary incontinence and pelvic organ prolapse. *Obstet Gynecol.* 1997 Mar; 89: 423-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 42855 Palmer, M. H., Myers, A. H., Fedenko, K. M. Urinary continence changes after hip-fracture repair. *Clin Nurs Res.* 1997 Feb; 6: 8-21; discussion 21-4
- 42856 Silveri, M., Capitanucci, M. L., Capozza, N., Mosiello, G., Silvano, A., Gennaro, M. D. Occult spinal dysraphism: neurogenic voiding dysfunction and long-term urologic follow-up. *Pediatr Surg Int.* 1997 Feb; 12: 148-50
- 42857 Evenhuis, H. M. Medical aspects of ageing in a population with intellectual disability: III. Mobility, internal conditions and cancer. *J Intellect Disabil Res.* 1997 Feb; 41 ( Pt 1): 8-18
- 42858 Mollard, P., Gauriau, L., Bonnet, J. P., Mure, P. Y. Continent cystostomy (Mitrofanoff's procedure) for neurogenic bladder in children and adolescent (56 cases: long-term results). *Eur J Pediatr Surg.* 1997 Feb; 7: 34-7
- 42859 Chiarelli, P., Campbell, E. Incontinence during pregnancy. Prevalence and opportunities for continence promotion. *Aust N Z J Obstet Gynaecol.* 1997 Feb; 37: 66-73
- 42863 Sultana, C. J., Campbell, J. W., Pisanelli, W. S., Sivinski, L., Rimm, A. A. Morbidity and mortality of incontinence surgery in elderly women: an analysis of Medicare data. *Am J Obstet Gynecol.* 1997 Feb; 176: 344-8
- 42865 Belmin, J. Urine sampling methods in the elderly. *Drugs Aging.* 1997 Feb; 10: 167
- 42867 Gallo, M. L., Fallon, P. J., Staskin, D. R. Urinary incontinence: steps to evaluation, diagnosis, and treatment. *Nurse Pract.* 1997 Feb; 22: 21-4, 26, 28 passim
- 42871 Rackley, R. R., Appell, R. A. Evaluation and medical management of female urinary incontinence. *Cleve Clin J Med.* 1997 Feb; 64: 83-92
- 42872 Caputo, L. A., Cusimano, M. D. Schwannoma of the cauda equina. *J Manipulative Physiol Ther.* 1997 Feb; 20: 124-9
- 42873 Smith, E. A., Woodard, J. R., Broecker, B. H., Gosalbez, R., Jr, Ricketts, R. R. Current urologic management of cloacal exstrophy: experience with 11 patients. *J Pediatr Surg.* 1997 Feb; 32: 256-61; discussion 261-2
- 42874 Murphy, E. L., Fridey, J., Smith, J. W., Engstrom, J., Sacher, R. A., Miller, K., Gible, J., Stevens, J., Thomson, R., Hansma, D., Kaplan, J., Khabbaz, R., Nemo, G. HTLV-associated myelopathy in a cohort of HTLV-I and HTLV-II-infected blood donors. The REDS investigators. *Neurology.* 1997 Feb; 48: 315-20
- 42875 Tutuarima, J. A., van der Meulen, J. H., de Haan, R. J., van Straten, A., Limburg, M. Risk factors for falls of hospitalized stroke patients. *Stroke.* 1997 Feb; 28: 297-301
- 42877 Nakanishi, N., Tatara, K., Naramura, H., Fujiwara, H., Takashima, Y., Fukuda, H. Urinary and fecal incontinence in a community-residing older population in Japan. *J Am Geriatr Soc.* 1997 Feb; 45: 215-9
- 42878 Brandeis, G. H., Baumann, M. M., Hossain, M., Morris, J. N., Resnick, N. M. The prevalence of potentially remediable urinary incontinence in frail older people: a study using the Minimum Data Set. *J Am Geriatr Soc.* 1997 Feb; 45: 179-84
- 42879 Weber, A. M., Walters, M. D. Anterior vaginal prolapse: review of anatomy and techniques of surgical repair. *Obstet Gynecol.* 1997 Feb; 89: 311-8
- 42881 van Waalwijk van Doorn, E. S., Ambergen, A. W., Janknegt, R. A. Detrusor activity index: quantification of detrusor overactivity by ambulatory monitoring. *J Urol.* 1997 Feb; 157: 596-9
- 42882 Eyett-Burton, C. Urinary incontinence in cats. *Vet Rec.* 1997 Jan 25; 140: 104
- 42883 Peecker, R., Damber, J. E., Hjalmas, K., Sjodin, J. G., von Zweigbergk, M. The urological fate of young adults with myelomeningocele: a three decade follow-up study. *Eur Urol.* 1997; 32: 213-7
- 42885 ter Meulen, P. H., Heesakkers, J. P., Janknegt, R. A. A study on the feasibility of vesicomatomy in patients with motor urge incontinence. *Eur Urol.* 1997; 32: 166-9
- 42886 The Scandinavian opinion on assessment of female urinary incontinence. Proceedings of a meeting. Copenhagen, Denmark, 1995. *Acta Obstet Gynecol Scand Suppl.* 1997; 166: 1-60
- 42901 Fonda, D. Promoting continence as a health issue. *Eur Urol.* 1997; 32 Suppl 2: 28-32
- 42904 Wyman, J. F. The 'costs' of urinary incontinence. *Eur Urol.* 1997; 32 Suppl 2: 13-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 42905** Hampel, C., Wienhold, D., Benken, N., Eggersmann, C., Thuroff, J. W. Prevalence and natural history of female incontinence. *Eur Urol.* 1997; 32 Suppl 2: 3-12
- 42906** Abrams, P. Identifying and evaluating urinary incontinence in a female population. *Eur Urol.* 1997; 32 Suppl 2: 1-2
- 42907** Basar, H., Aydoganli, L., Yuksel, M., Basar, M., Akdemir, G., Kaptanoglu, E. The outcome of urological findings in operated tethered cord patients. *Int Urol Nephrol.* 1997; 29: 167-71
- 42908** Kattan, S. A. Maternal urological injuries associated with vaginal deliveries: change of pattern. *Int Urol Nephrol.* 1997; 29: 155-61
- 42912** Giannakopoulos, X., Grammeniatas, E., Chambilomatis, P., Baltogiannis, D. Massive haemorrhage of inoperable bladder carcinomas: treatment by intravesical formalin solution. *Int Urol Nephrol.* 1997; 29: 33-8
- 42914** Wielink, G., Essink-Bot, M. L., van Kerrebroeck, P. E., Rutten, F. F. Sacral rhizotomies and electrical bladder stimulation in spinal cord injury. 2. Cost-effectiveness and quality of life analysis. Dutch Study Group on Sacral Anterior Root Stimulation. *Eur Urol.* 1997; 31: 441-6
- 42915** Cimic, J., Meuleman, E. J., Oosterhof, G. O., Hoitsma, A. J. Urological complications in renal transplantation. A comparison between living-related and cadaveric grafts. *Eur Urol.* 1997; 31: 433-5
- 42918** Hagglof, B., Andren, O., Bergstrom, E., Marklund, L., Wendelius, M. Self-esteem before and after treatment in children with nocturnal enuresis and urinary incontinence. *Scand J Urol Nephrol Suppl.* 1997; 183: 79-82
- 42919** Jonas, U., Hofner, K., Madersbacher, H., Holmdahl, T. H. Efficacy and safety of two doses of tolterodine versus placebo in patients with detrusor overactivity and symptoms of frequency, urge incontinence, and urgency: urodynamic evaluation. The International Study Group. *World J Urol.* 1997; 15: 144-51
- 42923** Blaivas, J. G., Appell, R. A., Fantl, J. A., Leach, G., McGuire, E. J., Resnick, N. M., Raz, S., Wein, A. J. Standards of efficacy for evaluation of treatment outcomes in urinary incontinence: recommendations of the Urodynamic Society. *Neurourol Urodyn.* 1997; 16: 145-7
- 42924** Van Kerrebroeck, E. V., van der Aa, H. E., Bosch, J. L., Koldewijn, E. L., Vorsteveld, J. H., Debruyne, F. M. Sacral rhizotomies and electrical bladder stimulation in spinal cord injury. Part I: Clinical and urodynamic analysis. Dutch Study Group on Sacral Anterior Root Stimulation. *Eur Urol.* 1997; 31: 263-71
- 42925** Gregory, S. P., Trower, N. D. Surgical treatment of urinary incontinence resulting from a complex congenital abnormality in two dogs. *J Small Anim Pract.* 1997 Jan; 38: 25-8
- 42926** Niewijk, A. H., Weijs, W. B. Effects of a multi-media course on urinary incontinence. *Patient Educ Couns.* 1997 Jan; 30: 95-103
- 42927** Franssen, E. H., Souren, L. E., Torossian, C. L., Reisberg, B. Utility of developmental reflexes in the differential diagnosis and prognosis of incontinence in Alzheimer's disease. *J Geriatr Psychiatry Neurol.* 1997 Jan; 10: 22-8
- 42928** Ishigooka, M., Hashimoto, T., Hayami, S., Suzuki, Y., Izumi, T., Nakada, T. Ice water test in patients with overactive bladder due to cerebrovascular accidents and bladder outlet obstruction. *Urol Int.* 1997; 58: 84-7
- 42929** Frahm, J. The role of the PT in incontinence: innovation and communication to improve patient care. *Ostomy Wound Manage.* 1997 Jan-Feb; 43: 42-6, 48-50, 52-3
- 42930** Newman, D. K. How much society pays for urinary incontinence. *Ostomy Wound Manage.* 1997 Jan-Feb; 43: 18-20, 22, 24-5
- 42931** Stein, R., Hohenfellner, K., Fisch, M., Stockle, M., Beetz, R., Hohenfellner, R. Management of bladder exstrophy and incontinent epispadias: 25 years of experience with urinary diversion. *Arch Esp Urol.* 1997 Jan-Feb; 50: 91-102; discussion 102-4
- 42933** Devarajan, R., Bishop, M. C., Sands, K. A. Hepatic abscess: a tertiary complication of Mitrofanoff continent urinary diversion. *Br J Urol.* 1997 Jan; 79: 137-8
- 42934** Sakakibara, R., Hattori, T., Yasuda, K., Yamanishi, T., Tojo, M., Mori, M. Micturitional disturbance in Wernicke's encephalopathy. *Neurourol Urodyn.* 1997; 16: 111-5



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 42936** Samuelsson, E., Victor, A., Tibblin, G. A population study of urinary incontinence and nocturia among women aged 20-59 years. Prevalence, well-being and wish for treatment. *Acta Obstet Gynecol Scand.* 1997 Jan; 76: 74-80
- 42937** Gelet, A., Meunier, P., Platet, R. L., AbdelRahim, A. F., Friaa, S., Lopez, J. G., Manzan, K., Dubernard, J. M. Treatment of dual urinary and fecal incontinence by implantation of two AMS 800 artificial sphincters. Case report. *Eur Urol.* 1997; 31: 115-7; discussion 117-8
- 42938** Vijverberg, M. A., Elzinga-Plomp, A., Messer, A. P., van Gool, J. D., de Jong, T. P. Bladder rehabilitation, the effect of a cognitive training programme on urge incontinence. *Eur Urol.* 1997; 31: 68-72
- 42940** Schaer, G. N., Koechli, O. R., Schuessler, B., Haller, U. Can simultaneous perineal sonography and urethrocystometry help explain urethral pressure variations?. *Neurourol Urodyn.* 1997; 16: 31-8
- 42941** Quattrocchio, G., Leombruni, S., Vaula, G., Bergui, M., Riva, A., Bradac, G. B., Bergamini, L. Autosomal dominant late-onset leukoencephalopathy. Clinical report of a new Italian family. *Eur Neurol.* 1997; 37: 53-61
- 42942** Curtis, M. R., Gormley, E. A., Latini, J. M., Halsted, A. C., Heaney, J. A. Prospective development of a cost-efficient program for the pubovaginal sling. *Urology.* 1997 Jan; 49: 41-5
- 42944** Nakayama, H., Jorgensen, H. S., Pedersen, P. M., Raaschou, H. O., Olsen, T. S. Prevalence and risk factors of incontinence after stroke. The Copenhagen Stroke Study. *Stroke.* 1997 Jan; 28: 58-62
- 42946** Krauss, J. K., Regel, J. P., Droste, D. W., Orszagh, M., Borremans, J. J., Vach, W. Movement disorders in adult hydrocephalus. *Mov Disord.* 1997 Jan; 12: 53-60
- 42948** Chancellor, M. B., Strup, S., Rivas, D. A., Watanabe, T., Gomella, L. G. Rectus urethromyoplasty of radical prostatectomy anastomosis decreases postoperative incontinence and anastomotic stricture; technique and preliminary results. *J Urol.* 1997 Jan; 157: 371-5
- 42949** Di Benedetto, V., Gioviale, M., Bagnara, V., Cacciaguerra, S., Di Benedetto, A. The anterior sagittal transanorectal approach: a modified approach to 1- stage clitoral vaginoplasty in severely masculinized female pseudohermaphrodites--preliminary results. *J Urol.* 1997 Jan; 157: 330-2
- 42953** Govier, F. E., Gibbons, R. P., Correa, R. J., Weissman, R. M., Pritchett, T. R., Hefty, T. R. Pubovaginal slings using fascia lata for the treatment of intrinsic sphincter deficiency. *J Urol.* 1997 Jan; 157: 117-21
- 42954** Duldulao, K. E., Diokno, A. C., Mitchell, B. Value of urinary cytology in women presenting with urge incontinence and/or irritative voiding symptoms. *J Urol.* 1997 Jan; 157: 113-6
- 42955** Fontaine, E., Bendaya, S., Desert, J. F., Fakacs, C., Le Mouel, M. A., Beurton, D. Combined modified rectus fascial sling and augmentation ileocystoplasty for neurogenic incontinence in women. *J Urol.* 1997 Jan; 157: 109-12
- 42956** Close, C. E., Mitchell, M. E. Continent gastric tube: new techniques and long-term followup. *J Urol.* 1997 Jan; 157: 51-5
- 42957** Sylora, J. A., Gonzalez, R., Vaughn, M., Reinberg, Y. Intermittent self-catheterization by quadriplegic patients via a catheterizable Mitrofanoff channel. *J Urol.* 1997 Jan; 157: 48-50
- 42960** Hayes, S. Nurses take the lead. *Nurs Times.* 1996 Dec 11-17; 92: 53-4
- 42961** Resnick, N. M. An 89-year-old woman with urinary incontinence. *JAMA.* 1996 Dec 11; 276: 1832-40
- 42963** Choe, J. M., Staskin, D. R. Artificial urinary sphincter: evolution and development. *J Long Term Eff Med Implants.* 1997; 7: 75-100
- 42964** Sasso, K. C., Gallo, M. Patient selection criteria for treatment of urinary incontinence with pelvic floor stimulation. *Urol Nurs.* 1996 Dec; 16: 135-9
- 42965** Elgamasy, A. N., Lewis, V., Hassouna, M. E., Ghoniem, G. M. Effect of transvaginal stimulation in the treatment of detrusor instability. *Urol Nurs.* 1996 Dec; 16: 127-30
- 42968** Capitanucci, M. L., Iacobelli, B. D., Silveri, M., Mosiello, G., De Gennaro, M. Long-term urological follow-up of occult spinal dysraphism in children. *Eur J Pediatr Surg.* 1996 Dec; 6 Suppl 1: 25-6

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 42972** Millard, R. J., Wang, Y. Early clinical experience with continent urinary diversion. *Aust N Z J Surg.* 1996 Dec; 66: 826-9
- 42973** Hall, A. F., Theofrastous, J. P., Cundiff, G. W., Harris, R. L., Hamilton, L. F., Swift, S. E., Bump, R. C. Interobserver and intraobserver reliability of the proposed International Continence Society, Society of Gynecologic Surgeons, and American Urogynecologic Society pelvic organ prolapse classification system. *Am J Obstet Gynecol.* 1996 Dec; 175: 1467-70; discussion 1470-1
- 42975** Benson, J. T., Lucente, V., McClellan, E. Vaginal versus abdominal reconstructive surgery for the treatment of pelvic support defects: a prospective randomized study with long-term outcome evaluation. *Am J Obstet Gynecol.* 1996 Dec; 175: 1418-21; discussion 1421-2
- 42976** Hoebeke, P., Vande Walle, J., Theunis, M., De Paepe, H., Oosterlinck, W., Renson, C. Outpatient pelvic-floor therapy in girls with daytime incontinence and dysfunctional voiding. *Urology.* 1996 Dec; 48: 923-7
- 42977** Brenner, H. Measures of differential diagnostic value of diagnostic procedures. *J Clin Epidemiol.* 1996 Dec; 49: 1435-39
- 42978** Ferro, J. M., Falcao, I., Rodrigues, G., Canhao, P., Melo, T. P., Oliveira, V., Pinto, A. N., Crespo, M., Salgado, A. V. Diagnosis of transient ischemic attack by the nonneurologist. A validation study. *Stroke.* 1996 Dec; 27: 2225-9
- 42979** Lehur, P. A., Michot, F., Denis, P., Grise, P., Leborgne, J., Teniere, P., Buzelin, J. M. Results of artificial sphincter in severe anal incontinence. Report of 14 consecutive implantations. *Dis Colon Rectum.* 1996 Dec; 39: 1352-5
- 42981** Kyles, A. E., Vaden, S., Hardie, E. M., Stone, E. A. Vestibulovaginal stenosis in dogs: 18 cases (1987-1995). *J Am Vet Med Assoc.* 1996 Dec 1; 209: 1889-93
- 42984** Miller, K. L. Hormone replacement therapy in the elderly. *Clin Obstet Gynecol.* 1996 Dec; 39: 912-32
- 42985** Nazir, T., Khan, Z., Barber, H. R. Urinary incontinence. *Clin Obstet Gynecol.* 1996 Dec; 39: 906-11
- 42987** Muskat, Y., Bukovsky, I., Schneider, D., Langer, R. The use of scopolamine in the treatment of detrusor instability. *J Urol.* 1996 Dec; 156: 1989-90
- 42990** Newman, D. K. What's new: the AHCPR guideline update on urinary incontinence. *Ostomy Wound Manage.* 1996 Nov-Dec; 42: 46-50, 52-4, 56 passim
- 42991** Newman, D. K., Wallace, J., Blackwood, N., Spencer, C. Promoting healthy bladder habits for seniors. *Ostomy Wound Manage.* 1996 Nov-Dec; 42: 18-22, 24-5, 28
- 42994** Sakakibara, R., Hattori, T., Yasuda, K., Yamanishi, T. Micturitional disturbance in syringomyelia. *J Neurol Sci.* 1996 Nov; 143: 100-6
- 42997** Fuller, M. A., Borovicka, M. C., Jaskiw, G. E., Simon, M. R., Kwon, K., Konicki, P. E. Clozapine-induced urinary incontinence: incidence and treatment with ephedrine. *J Clin Psychiatry.* 1996 Nov; 57: 514-8
- 42999** Bartels, R. H., de Vries, J. Hemi-cauda equina syndrome from herniated lumbar disc: a neurosurgical emergency?. *Can J Neurol Sci.* 1996 Nov; 23: 296-9
- 43000** Rabin, J. M., McNett, J., Badlani, G. H. A computerized voiding diary. *J Reprod Med.* 1996 Nov; 41: 801-6
- 43001** Samandari, T., Smith, B. D., Morgan, H. J. Progressive somnolence and confusion in a patient with hereditary hemorrhagic telangiectasias. *Tenn Med.* 1996 Nov; 89: 417-8
- 43003** White, R. N., Davies, J. V., Gregory, S. P. Vaginourethroplasty for treatment of urethral obstruction in the bitch. *Vet Surg.* 1996 Nov-Dec; 25: 503-10
- 43008** Van Savage, J. G., Khoury, A. E., McLorie, G. A., Churchill, B. M. Outcome analysis of Mitrofanoff principle applications using appendix and ureter to umbilical and lower quadrant stomal sites. *J Urol.* 1996 Nov; 156: 1794-7
- 43009** Gee, W. F., Holtgrewe, H. L., Albertsen, P. C., Litwin, M. S., Manyak, M. J., O'Leary, M. P., Painter, M. R., Blizzard, R. T., Fenninger, R. B., Emmons, L. Practice trends of American urologists in the treatment of impotence, incontinence and infertility. *J Urol.* 1996 Nov; 156: 1778-80

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 43010** Perlash, I. Vesicourethral dysfunction--neurogenic and nonneurogenic considerations. *J Urol.* 1996 Nov; 156: 1751-2
- 43011** Cespedes, R. D., Cross, C. A., McGuire, E. J. Modified Ingelman-Sundberg bladder denervation procedure for intractable urge incontinence. *J Urol.* 1996 Nov; 156: 1744-7
- 43012** Flood, H. D., Alevizatos, C., Liu, J. L. Sex differences in the determination of abdominal leak point pressure in patients with intrinsic sphincter deficiency. *J Urol.* 1996 Nov; 156: 1737-40
- 43016** Rigby, D. Continence. Face to face support. *Nurs Times.* 1996 Oct 9-15; 92: 84
- 43017** Rogers, J. Continence. Single-minded action. *Nurs Times.* 1996 Oct 9-15; 92: 78-80
- 43018** McLean, C. Continence. The wraps come off. Interview by Jenine Willis. *Nurs Times.* 1996 Oct 9-15; 92: 72-5
- 43019** Kisanga, R. E., Aboud, M. M., Yongolo, C. M. Ureterosigmoidostomy: a useful procedure of internal urinary diversion in selected patients. *Cent Afr J Med.* 1996 Oct; 42: 288-90
- 43022** McCarthy, J. M., Mullan, E. The elderly with a learning disability (mental retardation): an overview. *Int Psychogeriatr.* 1996 Fall; 8: 489-501
- 43023** Valvanne, J., Juva, K., Erkinjuntti, T., Tilvis, R. Major depression in the elderly: a population study in Helsinki. *Int Psychogeriatr.* 1996 Fall; 8: 437-43
- 43024** Nasu, K., Yoshimatsu, J., Miyakawa, I., Nakagawa, M., Nomura, Y. Absence of vagina and hypoplasia of the urethra and ectopia of the ureter. *J Obstet Gynaecol Res.* 1996 Oct; 22: 451-4
- 43025** Hutchinson, S., Leger-Krall, S., Skodol Wilson, H. Toileting: a biobehavioral challenge in Alzheimer's dementia care. *J Gerontol Nurs.* 1996 Oct; 22: 18-27
- 43027** Griffiths, D. J., Versi, E. Urethral function. *Curr Opin Obstet Gynecol.* 1996 Oct; 8: 372-5
- 43028** Monga, A. Fascia--defects and repair. *Curr Opin Obstet Gynecol.* 1996 Oct; 8: 366-71
- 43029** Blakeman, P., Hilton, P. Cellular and molecular biology in urogynaecology. *Curr Opin Obstet Gynecol.* 1996 Oct; 8: 357-60
- 43030** Nygaard, I. E. Nonoperative management of urinary incontinence. *Curr Opin Obstet Gynecol.* 1996 Oct; 8: 347-50
- 43031** Stevenson, K. R. Voiding dysfunction in women. *Curr Opin Obstet Gynecol.* 1996 Oct; 8: 343-6
- 43032** Helweg-Larsen, S. Clinical outcome in metastatic spinal cord compression. A prospective study of 153 patients. *Acta Neurol Scand.* 1996 Oct; 94: 269-75
- 43034** Catanzaro, J. Managing incontinence: an update. *RN.* 1996 Oct; 59: 38-9, 41-4; quiz 45
- 43035** Nevo, Y., Pestronk, A., Lopate, G., Carroll, S. L. Neuropathy of metachromatic leukodystrophy: improvement with immunomodulation. *Pediatr Neurol.* 1996 Oct; 15: 237-9
- 43037** Segreti, E. M., Morris, M., Levenback, C., Lucas, K. R., Gershenson, D. M., Burke, T. W. Transverse colon urinary diversion in gynecologic oncology. *Gynecol Oncol.* 1996 Oct; 63: 66-70
- 43040** Tetzschner, T., Sorensen, M., Lose, G., Christiansen, J. Anal and urinary incontinence in women with obstetric anal sphincter rupture. *Br J Obstet Gynaecol.* 1996 Oct; 103: 1034-40
- 43041** Schiff, D., O'Neill, B. P. Intramedullary spinal cord metastases: clinical features and treatment outcome. *Neurology.* 1996 Oct; 47: 906-12
- 43047** Duckett, J. R. Women with urinary incontinence should be referred to a specialist. *BMJ.* 1996 Sep 21; 313: 754
- 43048** Ruud Bosch, J. L., Groen, J. Treatment of refractory urge urinary incontinence with sacral spinal nerve stimulation in multiple sclerosis patients. *Lancet.* 1996 Sep 14; 348: 717-9
- 43050** Sakakibara, R., Hattori, T., Yasuda, K., Yamanishi, T. Micturitional disturbance in acute disseminated encephalomyelitis (ADEM). *J Auton Nerv Syst.* 1996 Sep 12; 60: 200-5

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 43051 Chiverton, P. A., Wells, T. J., Brink, C. A., Mayer, R. Psychological factors associated with urinary incontinence. *Clin Nurse Spec.* 1996 Sep; 10: 229-33
- 43052 Schaffer, J., Fantl, J. A. Urogenital effects of the menopause. *Baillieres Clin Obstet Gynaecol.* 1996 Sep; 10: 401-17
- 43053 McLaughlin, A., Sciuto, D. Catheter patrols: a unique way to reduce the use of convenience urinary catheters. *Geriatr Nurs.* 1996 Sep-Oct; 17: 240-3; quiz 243-4
- 43055 Diokno, A. C., Atassi, O. Urinary incontinence. *Compr Ther.* 1996 Sep; 22: 592-7
- 43056 Rackley, R., Kursh, E. D. Evaluation and medical management of female urinary incontinence. *Compr Ther.* 1996 Sep; 22: 547-53
- 43057 Saltzman, D. A., Telander, M. J., Brennom, W. S., Telander, R. L. Transanal mucosectomy: a modification of the Soave procedure for Hirschsprung's disease. *J Pediatr Surg.* 1996 Sep; 31: 1272-5
- 43058 Okada, Y., Shichiri, Y., Terai, A., Kakehi, Y., Terachi, T., Arai, Y., Yoshida, O. Management of late complications of continent urinary diversion using the Kock pouch and the Indiana pouch procedures. *Int J Urol.* 1996 Sep; 3: 334-9
- 43060 Okur, H., Kucikaydin, M., Kazez, A., Turan, C., Bozkurt, A. Genitourinary tract injuries in girls. *Br J Urol.* 1996 Sep; 78: 446-9
- 43063 Schulman, S. L., Zderic, S., Kaplan, P. Increased prevalence of urinary symptoms and voiding dysfunction in Williams syndrome. *J Pediatr.* 1996 Sep; 129: 466-9
- 43064 Ween, J. E., Alexander, M. P., D'Esposito, M., Roberts, M. Incontinence after stroke in a rehabilitation setting: outcome associations and predictive factors. *Neurology.* 1996 Sep; 47: 659-63
- 43067 Smith, A. Y., Borden, T. Excisional plication of the ileocecal valve: a useful adjunct for the construction of continent urinary diversions. *J Urol.* 1996 Sep; 156: 1118-9
- 43069 Woodward, S. Impact of neurological problems on urinary continence. *Br J Nurs.* 1996 Aug 8-Sep 11; 5: 906-13
- 43070 Nazarko, L. In search of relief. *Nurs Times.* 1996 Aug 7-13; 92: 68, 70
- 43071 Nazarko, L. A matter of urgency. *Nurs Times.* 1996 Aug 7-13; 92: 63-4, 66, 68
- 43072 Mantle, F. Eliminate the problem. *Nurs Times.* 1996 Aug 7-13; 92: 50-1
- 43073 Dolman, M., Chase, J. Comparison between the Health Belief Model and Subjective Expected Utility Theory: predicting incontinence prevention behaviour in post- partum women. *J Eval Clin Pract.* 1996 Aug; 2: 217-22
- 43076 Ding, Y. Y., Sahadevan, S., Pang, W. S., Choo, P. W. Clinical utility of a portable ultrasound scanner in the measurement of residual urine volume. *Singapore Med J.* 1996 Aug; 37: 365-8
- 43077 Tsuboniwa, N., Kuroda, M., Hanafusa, T., Maeda, O., Saiki, S., Kinouchi, T., Miki, T., Usami, M., Kotake, T. Giant hydronephrosis of bilateral duplex systems associated with ureteral ectopia: a case report. *Hinyokika Kiyo.* 1996 Aug; 42: 587-90
- 43078 Johansson, C., Hellstrom, L., Ekelund, P., Milsom, I. Urinary incontinence: a minor risk factor for hip fractures in elderly women. *Maturitas.* 1996 Aug; 25: 21-8
- 43080 Fuchs, J., Gluer, S., Mildenberger, H. One-stage reconstruction of bladder exstrophy. *Eur J Pediatr Surg.* 1996 Aug; 6: 212-5
- 43081 Kockum, C. C., Hansson, E., Stenberg, A., Svensson, J., Malmfors, G. Bladder exstrophy in Sweden--a long-term follow-up study. *Eur J Pediatr Surg.* 1996 Aug; 6: 208-11
- 43082 Strohbehn, K. Managed care in reconstructive pelvic surgery and urogynecology. *Curr Opin Obstet Gynecol.* 1996 Aug; 8: 319-24
- 43084 Hunskaar, S., Seim, A., Freeman, T. The journey of incontinent women from community to university clinic; implications for selection bias, gatekeeper function, and primary care. *Fam Pract.* 1996 Aug; 13: 363-8

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 43085** Sakakibara, R., Hattori, T., Yasuda, K., Yamanishi, T. Micturition disturbance in acute transverse myelitis. *Spinal Cord*. 1996 Aug; 34: 481-5
- 43086** Nickel, R. F., van den Brom, W. E. Simultaneous diuresis cysto-urethrometry and multichannel urethral pressure profilometry in continent female dogs. *Am J Vet Res*. 1996 Aug; 57: 1131-6
- 43087** Krauss, J. K., Droste, D. W., Vach, W., Regel, J. P., Orszagh, M., Borremans, J. J., Tietz, A., Seeger, W. Cerebrospinal fluid shunting in idiopathic normal-pressure hydrocephalus of the elderly: effect of periventricular and deep white matter lesions. *Neurosurgery*. 1996 Aug; 39: 292-9; discussion 299-300
- 43088** Lose, G., Ulmsten, U., Nilsson, C. G., Kulseng-Hanssen, S., Ludviksson, K. Scandinavian urogynecology. Current status and visions for the future. *Acta Obstet Gynecol Scand*. 1996 Aug; 75: 603-4
- 43090** Simeoni, J., Guys, J. M., Mollard, P., Buzelin, J. M., Moscovici, J., Bondonny, J. M., Melin, Y., Lortat-Jacob, S., Aubert, D., Costa, F., Galifer, B., Debeugny, P. Artificial urinary sphincter implantation for neurogenic bladder: a multi-institutional study in 107 children. *Br J Urol*. 1996 Aug; 78: 287-93
- 43091** Karakayali, H., Bilgin, N., Moray, G., Demirbas, M., Ozkardes, H. Major urological complications in 1051 consecutive renal transplants. *Transplant Proc*. 1996 Aug; 28: 2339-40
- 43095** Kalkanis, S. N., Blumenfeld, H., Sherman, J. C., Krebs, D. E., Irizarry, M. C., Parker, S. W., Cosgrove, G. R. Delayed complications thirty-six years after hemispherectomy: a case report. *Epilepsia*. 1996 Aug; 37: 758-62
- 43096** Ryhammer, A. M., Laurberg, S., Hermann, A. P. Long-term effect of vaginal deliveries on anorectal function in normal perimenopausal women. *Dis Colon Rectum*. 1996 Aug; 39: 852-9
- 43098** Gross, J. S., Shua-Haim, J. R. Urinary incontinence responsive to desmopressin: a case report. *J Am Geriatr Soc*. 1996 Aug; 44: 1015-6
- 43104** Kaplinsky, R., Greenfield, S., Wan, J., Fera, M. Expanded followup of intravesical oxybutynin chloride use in children with neurogenic bladder. *J Urol*. 1996 Aug; 156: 753-6
- 43106** Leonard, M. P., Decter, A., Mix, L. W., Johnson, H. W., Coleman, G. U. Treatment of urinary incontinence in children by endoscopically directed bladder neck injection of collagen. *J Urol*. 1996 Aug; 156: 637-40; discussion 640-1
- 43108** Levesque, P. E., Bauer, S. B., Atala, A., Zurakowski, D., Colodny, A., Peters, C., Retik, A. B. Ten-year experience with the artificial urinary sphincter in children. *J Urol*. 1996 Aug; 156: 625-8
- 43109** Lima, S. V., Araujo, L. A., Vilar, F. O., Kummer, C. L., Lima, E. C. Combined use of enterocystoplasty and a new type of artificial sphincter in the treatment of urinary incontinence. *J Urol*. 1996 Aug; 156: 622-4
- 43110** Norton, C. Asking simple questions: promoting continence (repeat) (continuing education credit). *Nurs Stand*. 1996 Jul 31; 10: 5-17; quiz 21-5
- 43111** Cheater, F. Promoting urinary continence (continuing education credit). *Nurs Stand*. 1996 Jul 10; 10: 47-51; quiz 53-4
- 43112** Winters, J. C., Appell, R. A. Collagen injection therapy in the treatment of urinary incontinence. *Tech Urol*. 1996 Summer; 2: 59-64
- 43113** Pearson, B. D., Kelber, S. Urinary incontinence: treatments, interventions, and outcomes. *Clin Nurse Spec*. 1996 Jul; 10: 177-82
- 43115** Lieu, P. K., Chia, H. H., Heng, L. C., Ding, Y. Y., Choo, P. W. Carer-assisted intermittent urethral catheterisation in the management of persistent retention of urine in elderly women. *Ann Acad Med Singapore*. 1996 Jul; 25: 562-5
- 43116** McCarthy, M., Lay, M., Addington-Hall, J. Dying from heart disease. *J R Coll Physicians Lond*. 1996 Jul-Aug; 30: 325-8
- 43118** Miyazaki, E., Tsuda, T., Mochizuki, A., Sugisaki, K., Ando, M., Matsumoto, T., Sawabe, T., Kumamoto, T. Sarcoidosis presenting as bilateral hydronephrosis. *Intern Med*. 1996 Jul; 35: 579-82
- 43119** Castleden, C. M., Parker, S. G. Lower urinary tract dysfunction in Parkinson's disease: changes relate to age not disease. *Age Ageing*. 1996 Jul; 25: 336



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 43122 Canavan, K. ANA endorses guidelines for smoking cessation, urinary incontinence. *Am Nurse*. 1996 Jul-Aug; 28: 8
- 43123 Webster, J. J., Williams, G. Adhesions of the labia minora. *Br J Urol*. 1996 Jul; 78: 146-7
- 43126 Mayeaux, E. J., Jr, Johnson, C. Current concepts in postmenopausal hormone replacement therapy. *J Fam Pract*. 1996 Jul; 43: 69-75
- 43127 Khan, K. S., Chien, P. F. Evaluation of the home pad test in the investigation of female urinary incontinence. *Br J Obstet Gynaecol*. 1996 Jul; 103: 720
- 43129 Williams, M. E., Richman, J., Scatliff, J. A 67-year-old woman with a progressive gait disturbance. *J Am Geriatr Soc*. 1996 Jul; 44: 843-6
- 43130 Chandawarkar, R. Y. Sacrococcygeal chordoma: review of 50 consecutive patients. *World J Surg*. 1996 Jul-Aug; 20: 717-9
- 43132 Raz, S., Stothers, L., Young, G. P., Short, J., Marks, B., Chopra, A., Wahle, G. R. Vaginal wall sling for anatomical incontinence and intrinsic sphincter dysfunction: efficacy and outcome analysis. *J Urol*. 1996 Jul; 156: 166-70
- 43133 Norton, C. Providing appropriate services for continence: an overview. *Nurs Stand*. 1996 Jun 26; 10: 41-5
- 43134 Yusuf, S. W., Booth, S. A., Mishra, R. M. Falls and urinary incontinence in a 66-year-old woman. *Lancet*. 1996 Jun 22; 347: 1738
- 43135 Langford, R. Continence. Behind closed doors. *Nurs Times*. 1996 Jun 12-8; 92: 72
- 43136 Seim, A., Sivertsen, B., Eriksen, B. C., Hunskaar, S. Treatment of urinary incontinence in women in general practice: observational study. *BMJ*. 1996 Jun 8; 312: 1459-62
- 43138 Sampsel, C. M., Miller, J. M., Herzog, A. R., Diokno, A. C. Behavioral modification: group teaching outcomes. *Urol Nurs*. 1996 Jun; 16: 59-63
- 43139 Oostra, K., Everaert, K., Van Laere, M. Urinary incontinence in brain injury. *Brain Inj*. 1996 Jun; 10: 459-64
- 43141 Kaneko, K., Ohtsuka, Y., Suzuki, Y., Yabuta, K., Yamataka, A., Miyano, T. Masked ureteral duplication with ectopic ureter detected by magnetic resonance imaging. *Acta Paediatr Jpn*. 1996 Jun; 38: 291-3
- 43142 Ravalli, R., Brettschneider, N. Nursing assessment and management strategies for urinary incontinence. *J Endourol*. 1996 Jun; 10: 297-300
- 43151 Albo, M., Dupont, M. C., Raz, S. Transvaginal correction of pelvic prolapse. *J Endourol*. 1996 Jun; 10: 231-9
- 43157 Muthukumar, N. Surgical treatment of nonprogressive neurological deficits in children with sacral agenesis. *Neurosurgery*. 1996 Jun; 38: 1133-7; discussion 1137-8
- 43158 Yang, J. M. Factors affecting urethrocystographic parameters in urinary continent women. *J Clin Ultrasound*. 1996 Jun; 24: 249-55
- 43159 Ahmed, S., Fouda-Neel, K., Borghol, M. Continence after bladder-neck reconstruction in patients with bladder exstrophy and pubic diastasis. *Br J Urol*. 1996 Jun; 77: 896-9
- 43160 Jackson, S., Donovan, J., Brookes, S., Eckford, S., Swithinbank, L., Abrams, P. The Bristol Female Lower Urinary Tract Symptoms questionnaire: development and psychometric testing. *Br J Urol*. 1996 Jun; 77: 805-12
- 43161 Chandiramani, V. A., Peterson, T., Duthie, G. S., Fowler, C. J. Urodynamic changes during therapeutic intravesical instillations of capsaicin. *Br J Urol*. 1996 Jun; 77: 792-7
- 43162 Lee, S. S., Robichaux, W., Elsergany, R. E., Ghoniem, G. M. Persistence of injectable collagen in human urethra: case report. *Urology*. 1996 Jun; 47: 940-1
- 43166 Danek, A., Uttner, I., Yoursry, T., Pfister, H. W. Lyme neuroborreliosis disguised as normal pressure hydrocephalus. *Neurology*. 1996 Jun; 46: 1743-5
- 43167 Dooneief, G., Marlink, R., Bell, K., Marder, K., Renjifo, B., Stern, Y., Mayeux, R. Neurologic consequences of HTLV-II infection in injection-drug users. *Neurology*. 1996 Jun; 46: 1556-60

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 43168** Touho, H., Karasawa, J., Tenjin, H., Ueda, S. Omental transplplantation using a superficial temporal artery previously used for encephaloduroarteriosynangiosis. *Surg Neurol.* 1996 Jun; 45: 550-8; discussion 558-9
- 43169** Martensson, O., Duchek, M. Translabial sonography in evaluating the lower female urogenital tract. *AJR Am J Roentgenol.* 1996 Jun; 166: 1327-31
- 43172** McGuire, E. J. This month in Investigative Urology. Commentary on antibody production in response to collagen injection. *J Urol.* 1996 Jun; 155: 1830
- 43173** James, W. H. Smoke them out. *Nature.* 1996 May 30; 381: 363
- 43174** McCarthy, T. C. Cystoscopy and biopsy of the feline lower urinary tract. *Vet Clin North Am Small Anim Pract.* 1996 May; 26: 463-82
- 43175** Lede, R. L., Belizan, J. M., Carroli, G. Is routine use of episiotomy justified?. *Am J Obstet Gynecol.* 1996 May; 174: 1399-402
- 43177** Boemers, T. M., de Jong, T. P., van Gool, J. D., Bax, K. M. Urologic problems in anorectal malformations. Part 2: functional urologic sequelae. *J Pediatr Surg.* 1996 May; 31: 634-7
- 43179** Schaer, G. N., Koechli, O. R., Schuessler, B., Haller, U. Perineal ultrasound: determination of reliable examination procedures. *Ultrasound Obstet Gynecol.* 1996 May; 7: 347-52
- 43180** Cochrane, D. D., Wilson, R. D., Steinbok, P., Farquharson, D. F., Irwin, B., Irvine, B., Chambers, K. Prenatal spinal evaluation and functional outcome of patients born with myelomeningocele: information for improved prenatal counselling and outcome prediction. *Fetal Diagn Ther.* 1996 May-Jun; 11: 159-68
- 43181** Sultan, A. H., Monga, A. K., Stanton, S. L. The pelvic floor sequelae of childbirth. *Br J Hosp Med.* 1996 May 1-14; 55: 575-9
- 43184** Resnick, B., Slocum, D., Ra, L., Moffett, P. Geriatric rehabilitation: nursing interventions and outcomes focusing on urinary function and knowledge of medications. *Rehabil Nurs.* 1996 May-Jun; 21: 142-7
- 43185** Rousseau, T., Sapin, E., Helardot, P. G. Congenital vesicovaginal fistula. *Br J Urol.* 1996 May; 77: 760-1
- 43186** Mouriquand, P. D., Boddy, S. Salvage procedures for failed Benckekroun hydraulic valves: experience in four patients. *Br J Urol.* 1996 May; 77: 740-4
- 43188** Nordstrom, O., Sandin, R. Recall during intermittent propofol anaesthesia. *Br J Anaesth.* 1996 May; 76: 699-701
- 43189** Brown, J. S., Seeley, D. G., Fong, J., Black, D. M., Ensrud, K. E., Grady, D. Urinary incontinence in older women: who is at risk? Study of Osteoporotic Fractures Research Group. *Obstet Gynecol.* 1996 May; 87: 715-21
- 43191** McGuire, E. J., Cespedes, R. D., Cross, C. A., O'Connell, H. E. Videourodynamic studies. *Urol Clin North Am.* 1996 May; 23: 309-21
- 43194** Routt, M. L., Simonian, P. T., Defalco, A. J., Miller, J., Clarke, T. Internal fixation in pelvic fractures and primary repairs of associated genitourinary disruptions: a team approach. *J Trauma.* 1996 May; 40: 784-90
- 43195** Eason, E. L., Feldman, P. Contact dermatitis associated with the use of Always sanitary napkins. *CMAJ.* 1996 Apr 15; 154: 1173-6
- 43196** Dawson, C., Whitfield, H. ABC of urology. Urinary incontinence and urinary infection. *BMJ.* 1996 Apr 13; 312: 961-4
- 43197** Sadler, C. Combatting incontinence after childbirth. *Br J Nurs.* 1996 Apr 11-24; 5: 448-9
- 43198** Haslam, J. Continence. Working together. *Nurs Times.* 1996 Apr 10-16; 92: 68
- 43199** Pomfret, I. Continence. Comprehensive care to order. *Nurs Times.* 1996 Apr 10-16; 92: 62-4
- 43200** Pyne, K., Stott, M. Continence. Delivering the best service. *Nurs Times.* 1996 Apr 10-16; 92: 60-2
- 43201** Stanley, R. Treatment of continence in people with learning disabilities: 2. *Br J Nurs.* 1996 Apr 25-May 8; 5: 492-8
- 43202** Sakakibara, R., Hattori, T., Yasuda, K., Yamanishi, T. Micturitional disturbance after acute hemispheric stroke: analysis of the lesion site by CT and MRI. *J Neurol Sci.* 1996 Apr; 137: 47-56

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 43204** Midgard, R., Riise, T., Nyland, H. Impairment, disability, and handicap in multiple sclerosis. A cross-sectional study in an incident cohort in More and Romsdal County, Norway. *J Neurol.* 1996 Apr; 243: 337-44
- 43205** Zimakoff, J., Stickler, D. J., Pontoppidan, B., Larsen, S. O. Bladder management and urinary tract infections in Danish hospitals, nursing homes, and home care: a national prevalence study. *Infect Control Hosp Epidemiol.* 1996 Apr; 17: 215-21
- 43206** Murthy, V. K., Orkin, B. A., Smith, L. E., Glassman, L. M. Excellent outcome using selective criteria for rectocele repair. *Dis Colon Rectum.* 1996 Apr; 39: 374-8
- 43207** el Ghoneimi, A., Miranda, J., Truong, T., Monfort, G. Ectopic ureter with complete ureteric duplication: conservative surgical management. *J Pediatr Surg.* 1996 Apr; 31: 467-72
- 43208** Johansson, C., Molander, U., Milsom, I., Ekelund, P. Association between urinary incontinence and urinary tract infections, and fractures in postmenopausal women. *Maturitas.* 1996 Apr; 23: 265-71
- 43209** Tetrad, J. W., Golbe, L. I., Forno, L. S., Farmer, P. M. Autopsy-proven progressive supranuclear palsy in two siblings. *Neurology.* 1996 Apr; 46: 931-4
- 43210** Avanoğlu, A., Ulman, I., Herek, O., Ozok, G., Gokdemir, A. Posterior urethral injuries in children. *Br J Urol.* 1996 Apr; 77: 597-600
- 43211** Mevorach, R. A., Bogaert, G. A., Baskin, L. S., Lazzaretti, C. C., Edwards, M. S., Kogan, B. A. Lower urinary tract function in ambulatory children with spina bifida. *Br J Urol.* 1996 Apr; 77: 593-6
- 43212** Woodhouse, C. R., Redgrave, N. G. Late failure of the reconstructed exstrophy bladder. *Br J Urol.* 1996 Apr; 77: 590-2
- 43214** Tarvonen-Schroder, S., Roytta, M., Raiha, I., Kurki, T., Rajala, T., Sourander, L. Clinical features of leuko-araiosis. *J Neurol Neurosurg Psychiatry.* 1996 Apr; 60: 431-6
- 43215** Arnold, S., Hubler, M., Lott-Stolz, G., Rusch, P. Treatment of urinary incontinence in bitches by endoscopic injection of glutaraldehyde cross-linked collagen. *J Small Anim Pract.* 1996 Apr; 37: 163-8
- 43216** Karram, M. M., Partoll, L., Rahe, J. Efficacy of nonsurgical therapy for urinary incontinence. *J Reprod Med.* 1996 Apr; 41: 215-9
- 43217** Landau, R., Last, U., Aldor, R., Hartman, M. Sex and sociocultural correlates of urinary incontinence in Israeli preschool children. *J Gen Psychol.* 1996 Apr; 123: 150-68
- 43219** Misra, D., Chana, J., Drake, D. P., Kiely, E. M., Spitz, L. Operative trauma to the genitourinary tract in the treatment of anorectal malformations: 15 years' experience. *Urology.* 1996 Apr; 47: 559-62
- 43220** King, D. H., Hlavinka, T. C., Sarosdy, M. F. Additional experience with continent urinary diversion using cutaneous ileocecostoplasty. *Urology.* 1996 Apr; 47: 471-5
- 43221** Ouslander, J. G., Simmons, S., Schnelle, J., Uman, G., Fingold, S. Effects of prompted voiding on fecal continence among nursing home residents. *J Am Geriatr Soc.* 1996 Apr; 44: 424-8
- 43222** Ouslander, J. G., Schapira, M., Schnelle, J. F., Fingold, S. Pyuria among chronically incontinent but otherwise asymptomatic nursing home residents. *J Am Geriatr Soc.* 1996 Apr; 44: 420-3
- 43223** Ellsworth, P. I., Webb, H. W., Crump, J. M., Barraza, M. A., Stevens, P. S., Mesrobian, H. G. The Malone antegrade colonic enema enhances the quality of life in children undergoing urological incontinence procedures. *J Urol.* 1996 Apr; 155: 1416-8
- 43224** McMahon, D. R., Cain, M. P., Husmann, D. A., Kramer, S. A. Vesical neck reconstruction in patients with the exstrophy-epispadias complex. *J Urol.* 1996 Apr; 155: 1411-3
- 43225** Schilling, A., Krawczak, G., Friesen, A., Kruse, H. Pregnancy in a patient with an ileal substitute bladder followed by severe destabilization of the pelvic support. *J Urol.* 1996 Apr; 155: 1389-90
- 43226** Nitti, V. W. The role of clinical research in the diagnosis and treatment of urinary incontinence. *J Urol.* 1996 Apr; 155: 1268-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 43229** Ben-Chaim, J., Jeffs, R. D., Reiner, W. G., Gearhart, J. P. The outcome of patients with classic bladder exstrophy in adult life. *J Urol.* 1996 Apr; 155: 1251-2
- 43230** DuBeau, C. Urinary incontinence: taking action against this 'silent epidemic'. Interview by Marc E. Weksler. *Geriatrics.* 1996 Apr; 51: 47-51
- 43231** Reuben, D. B., Maly, R. C., Hirsch, S. H., Frank, J. C., Oakes, A. M., Siu, A. L., Hays, R. D. Physician implementation of and patient adherence to recommendations from comprehensive geriatric assessment. *Am J Med.* 1996 Apr; 100: 444-51
- 43232** Moore, A. A., Siu, A. L. Screening for common problems in ambulatory elderly: clinical confirmation of a screening instrument. *Am J Med.* 1996 Apr; 100: 438-43
- 43233** Davila, G. W. Vaginal prolapse: management with nonsurgical techniques. *Postgrad Med.* 1996 Apr; 99: 171-6, 181, 184-5
- 43236** Luukinen, H., Koski, K., Kivela, S. L., Laippala, P. Social status, life changes, housing conditions, health, functional abilities and life-style as risk factors for recurrent falls among the home-dwelling elderly. *Public Health.* 1996 Mar; 110: 115-8
- 43238** Samsioe, G. Medical and surgical strategies for treating urogynecological disorders. *Int J Fertil Menopausal Stud.* 1996 Mar-Apr; 41: 136-41
- 43239** Wozniak-Petrofsky, J. Periurethral collagen injection in the treatment of urinary incontinence. *Urol Nurs.* 1996 Mar; 16: 20-2
- 43240** Sueppel, C., Arthur, C., Van Why, K., Lepic, M., Foutain, K. A comprehensive screening program for urinary dysfunction in older adults. *Urol Nurs.* 1996 Mar; 16: 14-9
- 43243** Kohler-Ockmore, J., Feneley, R. C. Long-term catheterization of the bladder: prevalence and morbidity. *Br J Urol.* 1996 Mar; 77: 347-51
- 43245** Billington, A. Workplace continence awareness. *Occup Health (Lond).* 1996 Mar; 48: 96
- 43247** Peet, S. M., Castleden, C. M., McGrother, C. W., Duffin, H. M. The management of urinary incontinence in residential and nursing homes for older people. *Age Ageing.* 1996 Mar; 25: 139-43
- 43249** Nakagawa, H., Fujita, T., Kubo, S., Izumoto, S., Nakajima, Y., Tsuruzono, K., Tokiyoshi, K., Hayakawa, T. Ventriculolumbar perfusion chemotherapy with methotrexate and cytosine arabinoside for meningeal carcinomatosis: a pilot study in 13 patients. *Surg Neurol.* 1996 Mar; 45: 256-64
- 43253** Del-Ser, T., Munoz, D. G., Hachinski, V. Temporal pattern of cognitive decline and incontinence is different in Alzheimer's disease and diffuse Lewy body disease. *Neurology.* 1996 Mar; 46: 682-6
- 43254** Boemers, T. M., Soorani-Lunsing, I. J., de Jong, T. P., Pruijs, H. E. Urological problems after surgical treatment of scoliosis in children with myelomeningocele. *J Urol.* 1996 Mar; 155: 1066-9
- 43257** O'Brien, J. Evaluating primary care interventions for incontinence. *Nurs Stand.* 1996 Feb 28; 10: 40-3
- 43258** Henry, T. Continence. Survey shows hidden problem. *Nurs Times.* 1996 Feb 14-20; 92: 62-6
- 43259** Davies, L. A vital consideration. *Nurs Times.* 1996 Feb 7-14; 92: 165
- 43262** Rivas, D. A., Chancellor, M. B., Liu, J. - B., Hanau, C., Bagley, D. H., Goldberg, B. Endoluminal ultrasonographic and histologic evaluation of periurethral collagen injection. *J Endourol.* 1996 Feb; 10: 61-6
- 43263** Singh, G., Thomas, D. G. Artificial urinary sphincter in patients with neurogenic bladder dysfunction. *Br J Urol.* 1996 Feb; 77: 252-5
- 43267** Rabin, J. M., McNett, J., Badlani, G. H. 'Compu-Void II': the computerized voiding diary. *J Med Syst.* 1996 Feb; 20: 19-34
- 43268** Toba, K., Ouchi, Y., Orimo, H., Imura, O., Sasaki, H., Nakamura, Y., Takasaki, M., Kuzuya, F., Sekimoto, H., Yoshioka, H., Ogiwara, T., Kimura, I., Ozawa, T., Fujishima, M. Urinary incontinence in elderly inpatients in Japan: a comparison between general and geriatric hospitals. *Aging (Milano).* 1996 Feb; 8: 47-54

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 43269** Fultz, N. H., Herzog, A. R. Epidemiology of urinary symptoms in the geriatric population. *Urol Clin North Am.* 1996 Feb; 23: 1-10
- 43270** Baker, J., Norton, P. Evaluation of absorbent products for women with mild to moderate urinary incontinence. *Appl Nurs Res.* 1996 Feb; 9: 29-33
- 43273** Versi, E., Orrego, G., Hardy, E., Seddon, G., Smith, P., Anand, D. Evaluation of the home pad test in the investigation of female urinary incontinence. *Br J Obstet Gynaecol.* 1996 Feb; 103: 162-7
- 43274** Wilson, P. D., Herbison, R. M., Herbison, G. P. Obstetric practice and the prevalence of urinary incontinence three months after delivery. *Br J Obstet Gynaecol.* 1996 Feb; 103: 154-61
- 43275** Chua, K. S., Kong, K. H. Functional outcome in brain stem stroke patients after rehabilitation. *Arch Phys Med Rehabil.* 1996 Feb; 77: 194-7
- 43285** Gregory, S. P., Cripps, P. J., Holt, P. E. Comparison of urethral pressure profilometry and contrast radiography in the diagnosis of incompetence of the urethral sphincter mechanism in bitches. *Vet Rec.* 1996 Jan 20; 138: 58-61
- 43286** Newman, D. K. Urinary incontinence management in the USA: the role of the nurse. *Br J Nurs.* 1996 Jan 25-Feb 7; 5: 78, 80, 82-8
- 43294** Petros, P. E. Re: Farrell SA and Tynski G. 'The effect of urethral pressure variation in women.' *Int Urogynecol J* 1996;7:87-93. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 274
- 43298** Hohlbrugger, G. Leaky urothelium and/or vesical ischemia enable urinary potassium to cause idiopathic urgency/frequency syndrome and urge incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 242-55
- 43301** Scowen, P. Childbirth and continence: 2. *Prof Care Mother Child.* 1996; 6: 119-23
- 43302** Penalver, M. A., Barreau, G., Sevin, B. U., Averette, H. E. Surgery for the treatment of locally recurrent disease. *J Natl Cancer Inst Monogr.* 1996; : 117-22
- 43304** Griffiths, D. J., Harrison, G., Moore, K., McCracken, P. Variability of post-void residual urine volume in the elderly. *Urol Res.* 1996; 24: 23-6
- 43305** Myers, A. H., Palmer, M. H., Engel, B. T., Warrenfeltz, D. J., Parker, J. A. Mobility in older patients with hip fractures: examining prefracture status, complications, and outcomes at discharge from the acute-care hospital. *J Orthop Trauma.* 1996; 10: 99-107
- 43306** Dowd, T. T., Campbell, J. M., Jones, J. A. Fluid intake and urinary incontinence in older community-dwelling women. *J Community Health Nurs.* 1996; 13: 179-86
- 43309** Resnick, N. M., Brandeis, G. H., Baumann, M. M., Morris, J. N. Evaluating a national assessment strategy for urinary incontinence in nursing home residents: reliability of the minimum data set and validity of the resident assessment protocol. *Neurourol Urodyn.* 1996; 15: 583-98
- 43313** Kobak, W. H., Rosenberger, K., Walters, M. D. Interobserver variation in the assessment of pelvic organ prolapse. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 121-4
- 43314** Nichols, D. H. What is new in vaginal surgery?. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 115-6
- 43316** Vereecken, R. L. Physiological and pathological urethral pressure variations. *Urol Int.* 1996; 57: 145-50
- 43317** Schultz, A., Talseth, T. Continent urinary diversion in patients with dysfunction of the lower urinary tract. Experience with the detubularized right colonic segment as urinary reservoir. *Scand J Urol Nephrol Suppl.* 1996; 179: 93-6
- 43319** Andersen, J. T., Sander, P. Minimal care--a new concept for the management of urinary incontinence in an open access, interdisciplinary incontinence clinic. The way ahead?. *Scand J Urol Nephrol Suppl.* 1996; 179: 55-60
- 43320** Abrams, P., Klevmark, B. Frequency volume charts: an indispensable part of lower urinary tract assessment. *Scand J Urol Nephrol Suppl.* 1996; 179: 47-53
- 43323** Levin, R. M., Levin, S. S., Wein, A. J. Etiology of incontinence: a review and hypothesis. *Scand J Urol Nephrol Suppl.* 1996; 179: 15-25



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 43326** Marymont, M. H., Geohas, J., Tomita, T., Strauss, L., Brand, W. N., Mittal, B. B. Hyperfractionated craniospinal radiation in medulloblastoma. *Pediatr Neurosurg.* 1996; 24: 178-84
- 43327** Misra, U. K., Kalita, J., Srivastava, M., Mandal, S. K. A study of prognostic predictors of supratentorial haematomas. *J Neurol.* 1996 Jan; 243: 96-100
- 43328** Thorpe, A. C. Significance of rectal contraction noted on multichannel urodynamics. *Neurourol Urodyn.* 1996; 15: 577-8
- 43329** Scowen, P. Childbirth and continence: 1. Prof Care Mother Child. 1996; 6: 91-4
- 43330** McIntosh, L. J., Stanitski, D. F., Mallett, V. T., Frahm, J. D., Richardson, D. A., Evans, M. I. Ehlers-Danlos syndrome: relationship between joint hypermobility, urinary incontinence, and pelvic floor prolapse. *Gynecol Obstet Invest.* 1996; 41: 135-9
- 43331** Turan, C., Zorlu, C. G., Ekin, M., Hancerliogullari, N., Saracoglu, F. Urinary incontinence in women of reproductive age. *Gynecol Obstet Invest.* 1996; 41: 132-4
- 43333** Bladou, F., Houvenaeghel, G., Delpero, J. R., Monges, G., Serment, G., Guerin, G. Construction of a urinary sphincter by means of an electrically stimulated striated muscle: experimental procedure and urodynamic results on canine model. *Int Surg.* 1996 Jan-Mar; 81: 94-8
- 43335** Schaer, G., Koelbl, H., Voigt, R., Merz, E., Anthuber, C., Niemeyer, R., Ralph, G., Bader, W., Fink, D., Grischke, E. Recommendations of the German Association of Urogynecology on functional sonography of the lower female urinary tract. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 105-8
- 43340** Nygaard, I. E. Postvoid residual volume cannot be accurately estimated by bimanual examination. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 74-6
- 43343** Bernstein, I., Sejr, T., Able, I., Andersen, J. T., Fischer-Rasmussen, W., Klarskov, P., Lose, G., Madsen, H., Mortensen, S., Tetzschner, T., Walter, S. Assessment of lower urinary tract symptoms in women by a self-administered questionnaire: test-retest reliability. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7: 37-47
- 43348** Fall, M., Geirsson, G. Positive ice-water test: a predictor of neurological disease?. *World J Urol.* 1996; 14 Suppl 1: S51-4
- 43350** Chancellor, M. B., Rivas, D. A., Bourgeois, I. M. Laplace's law and the risks and prevention of bladder rupture after enterocystoplasty and bladder autoaugmentation. *Neurourol Urodyn.* 1996; 15: 223-33
- 43351** Robinson, D., Rainer, R. O., Washburn, S. A., Clarkson, T. B. Effects of estrogen and progestin replacement on the urogenital tract of the ovariectomized cynomolgus monkey. *Neurourol Urodyn.* 1996; 15: 215-21
- 43354** Carr, M. C., Mitchell, M. E. Continent gastric pouch. *World J Urol.* 1996; 14: 112-6
- 43355** Lang, E. W., Chesnut, R. M., Hennerici, M. Urinary retention and space-occupying lesions of the frontal cortex. *Eur Neurol.* 1996; 36: 43-7
- 43356** Robinson, D., McClish, D. K., Wyman, J. F., Bump, R. C., Fanti, J. A. Comparison between urinary diaries completed with and without intensive patient instructions. *Neurourol Urodyn.* 1996; 15: 143-8
- 43357** Trsinar, B., Kraij, B. Maximal electrical stimulation in children with unstable bladder and nocturnal enuresis and/or daytime incontinence: a controlled study. *Neurourol Urodyn.* 1996; 15: 133-42
- 43359** Griffiths, D. J., McCracken, P. N., Harrison, G. M., Moore, K. N. Urge incontinence in elderly people: factors predicting the severity of urine loss before and after pharmacological treatment. *Neurourol Urodyn.* 1996; 15: 53-7
- 43363** Pantuck, A. J., Barone, J. G., Rosenfeld, D. L., Fleisher, M. H. Occult bilateral ectopic vaginal ureters causing urinary incontinence: diagnosis by computed tomography. *Abdom Imaging.* 1996 Jan-Feb; 21: 78-80
- 43364** Lalos, O., Lalos, A. Urinary, climacteric and sexual symptoms one year after treatment of endometrial and cervical cancer. *Eur J Gynaecol Oncol.* 1996; 17: 128-36
- 43367** Gilja, I., Kovacic, M., Radej, M., Kosuta, D., Bakula, B., Gales, L. The sigmoidorectal pouch (Mainz pouch II). *Eur Urol.* 1996; 29: 210-5

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 43369 Dewan, P. A., Fraundorfer, M. Skin migration following periurethral polytetrafluorethylene injection for urinary incontinence. *Aust N Z J Surg.* 1996 Jan; 66: 57-9
- 43370 Urinary incontinence. Number 213--October 1995 (replaces No. 100, January 1987. Committee on Technical Bulletins of the American College of Obstetricians and Gynecologists. *Int J Gynaecol Obstet.* 1996 Jan; 52: 75-86
- 43372 Wagner, T. H., Patrick, D. L., Bavendam, T. G., Martin, M. L., Buesching, D. P. Quality of life of persons with urinary incontinence: development of a new measure. *Urology.* 1996 Jan; 47: 67-71; discussion 71-2
- 43376 Blok, C. Re: Extensive urodynamic investigation: interaction among diuresis, detrusor instability, urethral relaxation, incontinence and complaints in women with a history of urge incontinence. *J Urol.* 1996 Jan; 155: 290-1
- 43389 Notelovitz, M. Estrogen therapy in the management of problems associated with urogenital ageing: a simple diagnostic test and the effect of the route of hormone administration. *Maturitas.* 1995 Dec; 22 Suppl: S31-3
- 43391 Stenberg, A., Heimer, G., Ulmsten, U. The prevalence of urogenital symptoms in postmenopausal women. *Maturitas.* 1995 Dec; 22 Suppl: S17-S20
- 43392 Bachmann, G. Urogenital ageing: an old problem newly recognized. *Maturitas.* 1995 Dec; 22 Suppl: S1-S5
- 43394 Margolis, M. T., Thoen, L. D., Boike, G. M., Mercer, L. J., Keith, L. G. Asymptomatic endometrial carcinoma after endometrial ablation. *Int J Gynaecol Obstet.* 1995 Dec; 51: 255-8
- 43396 Umlauf, M. G., Mathis, J. A. Urinary incontinence among primiparous women. *Urol Nurs.* 1995 Dec; 15: 112-6
- 43403 Coward, R. T., Horne, C., Peek, C. W. Predicting nursing home admissions among incontinent older adults: a comparison of residential differences across six years. *Gerontologist.* 1995 Dec; 35: 732-43
- 43404 Fried, G. W., Goetz, G., Potts-Nulty, S., Cioschi, H. M., Staas, W. E., Jr A behavioral approach to the treatment of urinary incontinence in a disabled population. *Arch Phys Med Rehabil.* 1995 Dec; 76: 1120-4
- 43408 Addington-Hall, J., Lay, M., Altmann, D., McCarthy, M. Symptom control, communication with health professionals, and hospital care of stroke patients in the last year of life as reported by surviving family, friends, and officials. *Stroke.* 1995 Dec; 26: 2242-8
- 43409 Schnelle, J. F., MacRae, P. G., Ouslander, J. G., Simmons, S. F., Nitta, M. Functional Incidental Training, mobility performance, and incontinence care with nursing home residents. *J Am Geriatr Soc.* 1995 Dec; 43: 1356-62
- 43410 Williams, K., Roe, B., Sindhu, F. Using a handbook to improve nurses' continence care. *Nurs Stand.* 1995 Nov 15-21; 10: 39-42
- 43411 Sakakibara, R., Hattori, T., Tojo, M., Yamanishi, T., Yasuda, K., Hirayama, K. The location of the paths subserving micturition: studies in patients with cervical myelopathy. *J Auton Nerv Syst.* 1995 Nov 6; 55: 165-8
- 43412 O'Brien, J., Long, H. Urinary incontinence: long term effectiveness of nursing intervention in primary care. *BMJ.* 1995 Nov 4; 311: 1208
- 43414 Talbot, L. A., Cox, M. Differences in coping strategies among community-residing older adults with functional urinary continence, dysfunctional urinary continence and actual urinary incontinence. *Ostomy Wound Manage.* 1995 Nov-Dec; 41: 30-2, 34-7
- 43416 Gray, R., Stern, G., Malone-Lee, J. Lower urinary tract dysfunction in Parkinson's disease: changes relate to age and not disease. *Age Ageing.* 1995 Nov; 24: 499-504
- 43417 Perrouin-Verbe, B., Labat, J. J., Richard, I., Mauduyt de la Greve, I., Buzelin, J. M., Mathe, J. F. Clean intermittent catheterisation from the acute period in spinal cord injury patients. Long term evaluation of urethral and genital tolerance. *Paraplegia.* 1995 Nov; 33: 619-24
- 43418 Matsui, M., Enoki, M., Matsui, Y., Oono, S., Ohta, M., Suenaga, A., Kuroda, Y. Seronegative myasthenia gravis associated with atonic urinary bladder and accommodative insufficiency. *J Neurol Sci.* 1995 Nov; 133: 197-9
- 43419 Weiner, H. L., Constantini, S., Cohen, H., Wisoff, J. H. Current treatment of normal-pressure hydrocephalus: comparison of flow-regulated and differential-pressure shunt valves. *Neurosurgery.* 1995 Nov; 37: 877-84

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 43421 Enzelsberger, H., Helmer, H., Kurz, C. Intravesical instillation of oxybutynin in women with idiopathic detrusor instability: a randomised trial. *Br J Obstet Gynaecol.* 1995 Nov; 102: 929-30
- 43423 Ryhammer, A. M., Bek, K. M., Laurberg, S. Multiple vaginal deliveries increase the risk of permanent incontinence of flatus urine in normal premenopausal women. *Dis Colon Rectum.* 1995 Nov; 38: 1206-9
- 43426 Janknegt, R. A., Heesakkers, J. P., Weil, E. H., Baeten, C. G. Electrically stimulated gracilis sphincter (dynamic graciloplasty) for treatment of intrinsic sphincter deficiency: a pilot study on feasibility and side effects. *J Urol.* 1995 Nov; 154: 1830-3
- 43428 Diokno, A., Yuhico, M., Jr Preference, compliance and initial outcome of therapeutic options chosen by female patients with urinary incontinence. *J Urol.* 1995 Nov; 154: 1727-30; discussion 1731
- 43429 Delodovici, M. L., Fowler, C. J. Clinical value of the pudendal somatosensory evoked potential. *Electroencephalogr Clin Neurophysiol.* 1995 Nov; 96: 509-15
- 43430 Langley, T. Training staff to provide a continence helpline. *Prof Nurse.* 1995 Nov; 11: 121-4
- 43432 Wilkinson, K., Williamson, B. Lights, camera, action!. *Nurs Stand.* 1995 Oct 25-31; 10: 19-21
- 43434 Boulter, P. Increasing independence. *Nurs Stand.* 1995 Oct 18-24; 10: 18-20
- 43438 Levi, R., Hultling, C., Seiger, A. The Stockholm Spinal Cord Injury Study: 2. Associations between clinical patient characteristics and post-acute medical problems. *Paraplegia.* 1995 Oct; 33: 585-94
- 43439 Mast, P., Hoebeke, P., Wyndaele, J. J., Oosterlinck, W., Everaert, K. Experience with augmentation cystoplasty. A review. *Paraplegia.* 1995 Oct; 33: 560-4
- 43440 Shader, R. I., Oesterheld, J. R. Case 7: the addled nonagenarian. *J Clin Psychopharmacol.* 1995 Oct; 15: 378
- 43441 Martinez, R. Erdheim-Chester disease: MR of intraaxial and extraaxial brain stem lesions. *AJNR Am J Neuroradiol.* 1995 Oct; 16: 1787-90
- 43445 Prasher, V. P., Filer, A. Behavioural disturbance in people with Down's syndrome and dementia. *J Intellect Disabil Res.* 1995 Oct; 39 ( Pt 5): 432-6
- 43447 Schnelle, J. F., McNeese, P., Crooks, V., Ouslander, J. G. The use of a computer-based model to implement an incontinence management program. *Gerontologist.* 1995 Oct; 35: 656-65
- 43448 Kelleher, C. J., Cardozo, L. D., Tooze-Hobson, P. M. Quality of life and urinary incontinence. *Curr Opin Obstet Gynecol.* 1995 Oct; 7: 404-8
- 43453 van Waalwijk van Doorn, E. S., Gommer, E. D. Ambulatory urodynamics. *Curr Opin Obstet Gynecol.* 1995 Oct; 7: 378-81
- 43455 O'Connell, H. E., McGuire, E. J., Aboseif, S., Usui, A. Transurethral collagen therapy in women. *J Urol.* 1995 Oct; 154: 1463-5
- 43456 Creagh, T. A., McInerney, P. D., Thomas, P. J., Mundy, A. R. Pregnancy after lower urinary tract reconstruction in women. *J Urol.* 1995 Oct; 154: 1323-4
- 43457 Schnelle, J. F., Keeler, E., Hays, R. D., Simmons, S., Ouslander, J. G., Siu, A. L. A cost and value analysis of two interventions with incontinent nursing home residents. *J Am Geriatr Soc.* 1995 Oct; 43: 1112-7
- 43458 Alessi, C. A., Schnelle, J. F., MacRae, P. G., Ouslander, J. G., al-Samarrai, N., Simmons, S. F., Traub, S. Does physical activity improve sleep in impaired nursing home residents?. *J Am Geriatr Soc.* 1995 Oct; 43: 1098-102
- 43460 Smith, W. Initiative to advise shoppers on continence. *Nurs Times.* 1995 Sep 13-19; 91: 11-2
- 43461 Bradley, M., Ferris, W., Barr, O. Continence promotion in adults with learning disabilities. *Nurs Times.* 1995 Sep 27-Oct 3; 91: 38-9
- 43463 Walsh, A. Incontinence in the older woman. *Ir Med J.* 1995 Sep-Oct; 88: 151
- 43464 Carroll, T. A., Kelly, D. Nocturnal enuresis. A parental nightmare. *Ir Med J.* 1995 Sep-Oct; 88: 146, 148

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 43465 Valdeoriola, F., Valls-Sole, J., Tolosa, E. S., Marti, M. J. Striated anal sphincter denervation in patients with progressive supranuclear palsy. *Mov Disord.* 1995 Sep; 10: 550-5
- 43467 Rivas, D. A., Karasick, S., Chancellor, M. B. Cutaneous ileocystostomy (a bladder chimney) for the treatment of severe neurogenic vesical dysfunction. *Paraplegia.* 1995 Sep; 33: 530-5
- 43469 Jones, L. C. Urinary incontinence: a major health issue for women. *AWHONN Voice.* 1995 Sep; 3: 9-10
- 43472 Kuller, J. A., Katz, V. L., McCoy, M. C., Hansen, W. F. Pregnancy complicated by Guillain-Barre syndrome. *South Med J.* 1995 Sep; 88: 987-9
- 43474 Richardson, J. P., Hricz, L. Risk factors for the development of bacteremia in nursing home patients. *Arch Fam Med.* 1995 Sep; 4: 785-9
- 43475 Batista, J. E., Bauer, S. B., Shefner, J. M., Kelly, M. D., Darbey, M. D., Siroky, M. B. Urodynamic findings in children with spinal cord ischemia. *J Urol.* 1995 Sep; 154: 1183-7
- 43479 Stein, R., Fisch, M., Bauer, H., Friedberg, V., Hohenfellner, R. Operative reconstruction of the external and internal genitalia in female patients with bladder exstrophy or incontinent epispadias. *J Urol.* 1995 Sep; 154: 1002-7
- 43480 Brooks, M. J. Assessment and nursing management of homebound clients with urinary incontinence. *Home Healthc Nurse.* 1995 Sep-Oct; 13: 11-6; quiz 17-9
- 43481 Swaffield, J. Quality audit--a review of the literature concerning delivery of continence care. *J Clin Nurs.* 1995 Sep; 4: 277-82
- 43485 Moore, K. N., Gray, M., Rayome, R. Electric stimulation and urinary incontinence: research and alternatives. *Urol Nurs.* 1995 Sep; 15: 94-6
- 43486 Dowd, T. T., Campbell, J. M. Urinary incontinence in an acute care setting. *Urol Nurs.* 1995 Sep; 15: 82-5
- 43487 Sandvik, H., Hunskaar, S. General practitioners' management of female urinary incontinence. Medical records do not reflect patients' recall. *Scand J Prim Health Care.* 1995 Sep; 13: 168-74
- 43488 Mikhail, M. S., Anyaegbunam, A. Lower urinary tract dysfunction in pregnancy: a review. *Obstet Gynecol Surv.* 1995 Sep; 50: 675-83
- 43489 McCandless, S., Mason, G. Physical therapy as an effective change agent in the treatment of patients with urinary incontinence. *J Miss State Med Assoc.* 1995 Sep; 36: 271-4
- 43490 Ryan, A., McFadden, L. Timely intervention. *Nurs Times.* 1995 Aug 16-22; 91: 56, 59
- 43491 Haggard, V. Strong developments. *Nurs Times.* 1995 Aug 16-22; 91: 53-4
- 43494 Morita, T., Kihara, K., Nagamatsu, H., Oshima, H., Kishimoto, T. Effects of clenbuterol on rabbit vesicourethral muscle contractility. *J Smooth Muscle Res.* 1995 Aug; 31: 119-27
- 43496 Sayegh, M. E., French, M. E. Urge incontinence secondary to a large abdominal haematoma. *Br J Urol.* 1995 Aug; 76: 261-2
- 43497 Hellstrom, A., Hanson, E., Hansson, S., Hjalmas, K., Jodal, U. Micturition habits and incontinence at age 17--reinvestigation of a cohort studied at age 7. *Br J Urol.* 1995 Aug; 76: 231-4
- 43498 Williams, E. R., Malone, P. S. The social implications of lower urinary tract reconstruction performed during childhood. *Br J Urol.* 1995 Aug; 76: 226-30
- 43499 Singh, G., Thomas, D. G. Intermittent catheterization following enterocystoplasty. *Br J Urol.* 1995 Aug; 76: 175-8
- 43501 Chaliha, C., Williams, G. Periurethral injection therapy for the treatment of urinary incontinence. *Br J Urol.* 1995 Aug; 76: 151-5
- 43503 Stanton, S. L. An unusual cause of post-menopausal bleeding and incontinence of urine: primary lymphoma of the vagina. *Br J Obstet Gynaecol.* 1995 Aug; 102: 672-3
- 43504 Engberg, S. J., McDowell, B. J., Burgio, K. L., Watson, J. E., Belle, S. Self-care behaviors of older women with urinary incontinence. *J Gerontol Nurs.* 1995 Aug; 21: 7-14

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 43507 Winters, J. C., Appell, R. Periurethral injection of collagen in the treatment of intrinsic sphincteric deficiency in the female patient. *Urol Clin North Am.* 1995 Aug; 22: 673-8
- 43508 Trockman, B. A., Leach, G. E. Surgical treatment of intrinsic urethral dysfunction: injectables (fat). *Urol Clin North Am.* 1995 Aug; 22: 665-71
- 43514 Bloom, D. A., Faerber, G., Bomalaski, M. D. Urinary incontinence in girls. Evaluation, treatment, and its place in the standard model of voiding dysfunctions in children. *Urol Clin North Am.* 1995 Aug; 22: 521-38
- 43515 Romanzi, L. J., Heritz, D. M., Blaivas, J. G. Preliminary assessment of the incontinent woman. *Urol Clin North Am.* 1995 Aug; 22: 513-20
- 43516 Elbadawi, A. Pathology and pathophysiology of detrusor in incontinence. *Urol Clin North Am.* 1995 Aug; 22: 499-512
- 43517 Diokno, A. C. Epidemiology and psychosocial aspects of incontinence. *Urol Clin North Am.* 1995 Aug; 22: 481-5
- 43518 Moreno, J. G., Chancellor, M. B., Karasick, S., King, S., Abdill, C. K., Rivas, D. A. Improved quality of life and sexuality with continent urinary diversion in quadriplegic women with umbilical stoma. *Arch Phys Med Rehabil.* 1995 Aug; 76: 758-62
- 43519 Lentz, S. S., Homesley, H. D. Radiation-induced vesicosacral fistula: treatment with continent urinary diversion. *Gynecol Oncol.* 1995 Aug; 58: 278-80
- 43520 Gerdin, E., Cnattingius, S., Johnson, P. Complications after radiotherapy and radical hysterectomy in early-stage cervical carcinoma. *Acta Obstet Gynecol Scand.* 1995 Aug; 74: 554-61
- 43522 Jayanthi, V. R., Churchill, B. M., McLorie, G. A., Khoury, A. E. Concomitant bladder neck closure and Mitrofanoff diversion for the management of intractable urinary incontinence. *J Urol.* 1995 Aug; 154: 886-8
- 43523 Hensle, T. W., Kirsch, A. J., Kennedy, W. A., 2nd, Reiley, E. A. Bladder neck closure in association with continent urinary diversion. *J Urol.* 1995 Aug; 154: 883-5
- 43524 Walker, R. D., 3rd, Flack, C. E., Hawkins-Lee, B., Lim, D. J., Parramore, H., Hackett, R. L. Rectus fascial wrap: early results of a modification of the rectus fascial sling. *J Urol.* 1995 Aug; 154: 771-4
- 43525 Husmann, D. A., Ewalt, D. H., Glenski, W. J., Bernier, P. A. Ureterocele associated with ureteral duplication and a nonfunctioning upper pole segment: management by partial nephroureterectomy alone. *J Urol.* 1995 Aug; 154: 723-6
- 43526 Bosch, J. L., Groen, J. Sacral (S3) segmental nerve stimulation as a treatment for urge incontinence in patients with detrusor instability: results of chronic electrical stimulation using an implantable neural prosthesis. *J Urol.* 1995 Aug; 154: 504-7
- 43527 MacDiarmid, S. A., Arnold, E. P., Palmer, N. B., Anthony, A. Management of spinal cord injured patients by indwelling suprapubic catheterization. *J Urol.* 1995 Aug; 154: 492-4
- 43528 Piccini, C., Bracco, L., Falcini, M., Pracucci, G., Amaducci, L. Natural history of Alzheimer's disease: prognostic value of plateaux. *J Neurol Sci.* 1995 Aug; 131: 177-82
- 43530 Jain, P., Parada, J. P., David, A., Smith, L. G. Overuse of the indwelling urinary tract catheter in hospitalized medical patients. *Arch Intern Med.* 1995 Jul 10; 155: 1425-9
- 43532 Sandvik, H., Hunskaar, S. The epidemiology of pad consumption among community-dwelling incontinent women. *J Aging Health.* 1995 Aug; 7: 417-26
- 43535 Neumann, C., Schmid, H. Relationship between the degree of cardiovascular autonomic dysfunction and symptoms of neuropathy and other complications of diabetes mellitus. *Braz J Med Biol Res.* 1995 Jul; 28: 751-7
- 43538 Elder, J. S. Autoaugmentation gastrocystoplasty: early clinical results. *J Urol.* 1995 Jul; 154: 322-3
- 43542 Quinn, M. Pelvic floor physiology in women with faecal incontinence and urinary symptoms. *Br J Surg.* 1995 Jul; 82: 998
- 43543 Wennergren, H., Oberg, B. Pelvic floor exercises for children: a method of treating dysfunctional voiding. *Br J Urol.* 1995 Jul; 76: 9-15



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 43545** Chamary, V. L. An unusual cause of iatrogenic bladder stone. *Br J Urol.* 1995 Jul; 76: 138
- 43546** Products and services: continence/incontinence. *Ostomy Wound Manage.* 1995 Jul; 41: 19-22, 24-30, 32 passim
- 43547** Palumbo, M. V. Continence consultation for the rural homebound. *Home Healthc Nurse.* 1995 Jul-Aug; 13: 61-7; quiz 68-70
- 43550** Cummings, V., Holt, R., van der Sloot, C., Moore, K., Griffiths, D. Costs and management of urinary incontinence in long-term care. *J Wound Ostomy Continence Nurs.* 1995 Jul; 22: 193-8
- 43551** Byers, P. H., Ryan, P. A., Regan, M. B., Shields, A., Carta, S. G. Effects of incontinence care cleansing regimens on skin integrity. *J Wound Ostomy Continence Nurs.* 1995 Jul; 22: 187-92
- 43552** Aronovitch, S. A. A descriptive study of the career mobility of ET nurses. *J Wound Ostomy Continence Nurs.* 1995 Jul; 22: 166-72
- 43553** Owen, D. C., Getz, P. A., Bulla, S. A comparison of characteristics of patients with completed stroke: those who achieve continence and those who do not. *Rehabil Nurs.* 1995 Jul-Aug; 20: 197-203
- 43554** Resnick, B. A bladder scan trial in geriatric rehabilitation. *Rehabil Nurs.* 1995 Jul-Aug; 20: 194-6, 203
- 43556** Alessi, C. A., Schnelle, J. F., Traub, S., Ouslander, J. G. Psychotropic medications in incontinent nursing home residents: association with sleep and bed mobility. *J Am Geriatr Soc.* 1995 Jul; 43: 788-92
- 43557** Ouslander, J. G., Schapira, M., Fingold, S., Schnelle, J. Accuracy of rapid urine screening tests among incontinent nursing home residents with asymptomatic bacteriuria. *J Am Geriatr Soc.* 1995 Jul; 43: 772-5
- 43559** Koldewijn, E. L., Hommes, O. R., Lemmens, W. A., Debruyne, F. M., van Kerrebroeck, P. E. Relationship between lower urinary tract abnormalities and disease-related parameters in multiple sclerosis. *J Urol.* 1995 Jul; 154: 169-73
- 43560** Szonyi, G., Collas, D. M., Ding, Y. Y., Malone-Lee, J. G. Oxybutynin with bladder retraining for detrusor instability in elderly people: a randomized controlled trial. *Age Ageing.* 1995 Jul; 24: 287-91
- 43561** Fonda, D., Woodward, M., D'Astoli, M., Chin, W. F. Sustained improvement of subjective quality of life in older community-dwelling people after treatment of urinary incontinence. *Age Ageing.* 1995 Jul; 24: 283-6
- 43563** Incontinence. Causes, management and provision of services. A Working Party of the Royal College of Physicians. *J R Coll Physicians Lond.* 1995 Jul-Aug; 29: 272-4
- 43564** Cheater, F. Promoting urinary continence. *Nurs Stand.* 1995 Jun 21-28; 9: 33-7; quiz 38-9
- 43565** Dolman, M. Continence. Remedial action. *Nurs Times.* 1995 Jun 14-20; 91: 57-60
- 43566** Dillner, L. Incontinence needs better services, says report. *BMJ.* 1995 Jun 3; 310: 1429-30
- 43569** Ouslander, J. G., Schnelle, J. F., Uman, G., Fingold, S., Nigam, J. G., Tuico, E., Jensen, B. B. Does oxybutynin add to the effectiveness of prompted voiding for urinary incontinence among nursing home residents? A placebo-controlled trial. *J Am Geriatr Soc.* 1995 Jun; 43: 610-7
- 43570** van Bennekom, C. A., Jelles, F., Lankhorst, G. J., Bouter, L. M. The Rehabilitation Activities Profile: a validation study of its use as a disability index with stroke patients. *Arch Phys Med Rehabil.* 1995 Jun; 76: 501-7
- 43571** Henly, D. R., Barrett, D. M., Weiland, T. L., O'Connor, M. K., Malizia, A. A., Wein, A. J. Particulate silicone for use in periurethral injections: local tissue effects and search for migration. *J Urol.* 1995 Jun; 153: 2039-43
- 43572** Vukovich, J. G., McKenna, P. H., Grice, G. P., Docimo, S. G. A heterotopic autoinnervated urinary neosphincter. *J Urol.* 1995 Jun; 153: 2010-3
- 43573** Mitteness, L. S., Barker, J. C. Stigmatizing a 'normal' condition: urinary incontinence in late life. *Med Anthropol Q.* 1995 Jun; 9: 188-210
- 43574** Sandvik, H. Criterion validity of responses to patient vignettes: an analysis based on management of female urinary incontinence. *Fam Med.* 1995 Jun; 27: 388-92
- 43575** Nunns, D., Higgins, S. P., Hamad, H., Haye, K. R. An unusual cause of incontinence. *Genitourin Med.* 1995 Jun; 71: 197-8

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 43576 Davis, V. M. Electric stimulation: does nursing have a role in the treatment of adult urinary incontinence?. *Urol Nurs*. 1995 Jun; 15: 56-60
- 43577 Peguero, E., Abou-Khalil, B., Fakhoury, T., Mathews, G. Self-injury and incontinence in psychogenic seizures. *Epilepsia*. 1995 Jun; 36: 586-91
- 43579 Baker, D. I., Bice, T. W. The influence of urinary incontinence on publicly financed home care services to low-income elderly people. *Gerontologist*. 1995 Jun; 35: 360-9
- 43581 Campostrini, F., Garusi, G., Donati, E. A practical technique for conformal simulation in radiation therapy of pelvic tumors. *Int J Radiat Oncol Biol Phys*. 1995 May 15; 32: 355-65
- 43582 Ouslander, J. G., Schapira, M., Schnelle, J. F., Uman, G., Fingold, S., Tuico, E., Nigam, J. G. Does eradicating bacteriuria affect the severity of chronic urinary incontinence in nursing home residents?. *Ann Intern Med*. 1995 May 15; 122: 749-54
- 43583 Ouslander, J. G., Schnelle, J. F., Uman, G., Fingold, S., Nigam, J. G., Tuico, E., Bates-Jensen, B. Predictors of successful prompted voiding among incontinent nursing home residents. *JAMA*. 1995 May 3; 273: 1366-70
- 43585 Hoebeke, P., Van Laecke, E., Raes, A., Renson, C., Theunis, M., Vande Walle, J. Bladder function and non-neurogenic dysfunction in children: classification and terminology. *Acta Urol Belg*. 1995 May; 63: 93-8
- 43586 Cammu, H. Female incontinence. Clinical examination by the gynecologist. *Acta Urol Belg*. 1995 May; 63: 9
- 43590 Wyndaele, J. J. Non surgical treatment of female incontinence. *Acta Urol Belg*. 1995 May; 63: 39-40
- 43592 Vandeberg, C. Female incontinence: critical analysis of diagnostic procedures. *Acta Urol Belg*. 1995 May; 63: 35-6
- 43594 Beco, J. Reducing uncertainty for vesico-urethral sonography in women. *Acta Urol Belg*. 1995 May; 63: 13-29
- 43595 Van Kerrebroek, E. V. Female incontinence: critical analysis of diagnostic procedures. *Acta Urol Belg*. 1995 May; 63: 11-2
- 43596 Vereecken, R. L. Clinical history and computerized questionnaires in the evaluation of incontinence. *Acta Urol Belg*. 1995 May; 63: 1-7
- 43597 Lane, I. F., Lappin, M. R., Seim, H. B., 3rd Evaluation of results of preoperative urodynamic measurements in nine dogs with ectopic ureters. *J Am Vet Med Assoc*. 1995 May 1; 206: 1348-57
- 43598 Willis, J. Intermittent catheters. *Prof Nurse*. 1995 May; 10: 523-4, 527-8
- 43600 Docimo, S. G., Remmenga, S., Segne, R., Dmochowski, R. R. Hysterectomy by the transvaginal approach after intestinal bladder augmentation and psoas hitch reimplantation. *J Am Coll Surg*. 1995 May; 180: 610-2
- 43601 Albers, P., Foster, R. S., Bihle, R., Adams, M. C., Keating, M. A. Ectopic ureters and ureteroceles in adults. *Urology*. 1995 May; 45: 870-4
- 43602 Neal, D. E., Jr, Lahaye, M. E., Lowe, D. C. Improved needle placement technique in periurethral collagen injection. *Urology*. 1995 May; 45: 865-6
- 43607 Bennett, C. J., Young, M. N., Adkins, R. H., Diaz, F. Comparison of bladder management complication outcomes in female spinal cord injury patients. *J Urol*. 1995 May; 153: 1458-60
- 43611 Waaldijk, K. Surgical classification of obstetric fistulas. *Int J Gynaecol Obstet*. 1995 May; 49: 161-3
- 43612 The chief scientist reports .... 'Incontinence research--the way ahead'. *Health Bull (Edinb)*. 1995 May; 53: 174-9
- 43613 Dormal, P. A., Delberghe, X., Roeland, A. Infrarenal aortic aneurysm and spinal cord ischaemia. A new case and review of the literature. *Acta Chir Belg*. 1995 May-Jun; 95: 136-8
- 43614 Weinberger, M. W., Julian, T. M. Voiding dysfunction and incontinence caused by uterine retroversion. A case report. *J Reprod Med*. 1995 May; 40: 387-90
- 43615 Appleby, S. L. A home health perspective on the management of urinary incontinence. *J Wound Ostomy Continence Nurs*. 1995 May; 22: 145-52

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 43617** Thelwell, S., Symon, C., Gay, S., Cottenden, A., Feneley, R. Continence. Systems for leg bags. *Nurs Times*. 1995 Apr 19-25; 91: 62-4
- 43618** Holt, P. E., Moore, A. H. Canine ureteral ectopia: an analysis of 175 cases and comparison of surgical treatments. *Vet Rec*. 1995 Apr 8; 136: 345-9
- 43620** Wall, L. L., Hewitt, J. K., Helms, M. J. Are vaginal and rectal pressures equivalent approximations of one another for the purpose of performing subtracted cystometry?. *Obstet Gynecol*. 1995 Apr; 85: 488-93
- 43621** Weber, A. M., Walters, M. D., Schover, L. R., Mitchinson, A. Sexual function in women with uterovaginal prolapse and urinary incontinence. *Obstet Gynecol*. 1995 Apr; 85: 483-7
- 43622** Shibata, T., Nonomura, K., Kakizaki, H., Murayama, M., Seki, T., Koyanagi, T. A case of unique communication between blind-ending ectopic ureter and ipsilateral hemi-hematocolpometra in uterus didelphys. *J Urol*. 1995 Apr; 153: 1208-10
- 43623** Zimmern, P. Incontinence. *J Urol*. 1995 Apr; 153: 1194-5
- 43626** Oh, C., Divino, C. M., Steinhagen, R. M. Anal fissure. 20-year experience. *Dis Colon Rectum*. 1995 Apr; 38: 378-82
- 43629** Wetle, T., Scherr, P., Branch, L. G., Resnick, N. M., Harris, T., Evans, D., Taylor, J. O. Difficulty with holding urine among older persons in a geographically defined community: prevalence and correlates. *J Am Geriatr Soc*. 1995 Apr; 43: 349-55
- 43637** Kelleher, C. J. Treatment of dysfunctional uterine bleeding. Ignoring urinary incontinence may reduce long term satisfaction. *BMJ*. 1995 Mar 25; 310: 802; discussion 804
- 43638** Ouslander, J. G., Schnelle, J. F. Incontinence in the nursing home. *Ann Intern Med*. 1995 Mar 15; 122: 438-49
- 43642** Skelly, J., Flint, A. J. Urinary incontinence associated with dementia. *J Am Geriatr Soc*. 1995 Mar; 43: 286-94
- 43643** Ouslander, J. G., Schapira, M., Schnelle, J. F. Urine specimen collection from incontinent female nursing home residents. *J Am Geriatr Soc*. 1995 Mar; 43: 279-81
- 43644** Van Savage, J. G., Mesrobian, H. G. The impact of prenatal sonography on the morbidity and outcome of patients with renal duplication anomalies. *J Urol*. 1995 Mar; 153: 768-70
- 43646** Kakizaki, H., Shibata, T., Shinno, Y., Kobayashi, S., Matsumura, K., Koyanagi, T. Fascial sling for the management of urinary incontinence due to sphincter incompetence. *J Urol*. 1995 Mar; 153: 644-7
- 43648** Theoharides, T. C., Sant, G. R., el-Mansoury, M., Letourneau, R., Ucci, A. A., Jr, Meares, E. M., Jr Activation of bladder mast cells in interstitial cystitis: a light and electron microscopic study. *J Urol*. 1995 Mar; 153: 629-36
- 43652** Barger, M., Woolner, B. Primary care for women. Assessment and management of genitourinary tract disorders. *J Nurse Midwifery*. 1995 Mar-Apr; 40: 231-45
- 43653** Biesecker, J. E., Edlich, R. F., Thomas, H. L., Jr, Steers, W. D. Recent advances in absorbent products for the incontinent patient with burns. *J Burn Care Rehabil*. 1995 Mar-Apr; 16: 146-53; discussion 145
- 43654** Rintala, R. J., Lindahl, H. Is normal bowel function possible after repair of intermediate and high anorectal malformations?. *J Pediatr Surg*. 1995 Mar; 30: 491-4
- 43655** Baram, D. A. Hypnosis in reproductive health care: a review and case reports. *Birth*. 1995 Mar; 22: 37-42
- 43656** Sumfest, J. M., Burns, M. W., Mitchell, M. E. Pseudoureterocele: potential for misdiagnosis of an ectopic ureter as a ureterocele. *Br J Urol*. 1995 Mar; 75: 401-5
- 43657** Roberts, J. P., Moon, S., Malone, P. S. Treatment of neuropathic urinary and faecal incontinence with synchronous bladder reconstruction and the antegrade continence enema procedure. *Br J Urol*. 1995 Mar; 75: 386-9
- 43659** Seim, A., Sandvik, H., Hermstad, R., Hunskaar, S. Female urinary incontinence--consultation behaviour and patient experiences: an epidemiological survey in a Norwegian community. *Fam Pract*. 1995 Mar; 12: 18-21

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 43660** Yarker, Y. E., Goa, K. L., Fitton, A. Oxybutynin. A review of its pharmacodynamic and pharmacokinetic properties, and its therapeutic use in detrusor instability. *Drugs Aging*. 1995 Mar; 6: 243-62
- 43662** Dealey, C. Pressure sores and incontinence: a study evaluating the use of topical agents in skin care. *J Wound Care*. 1995 Mar; 4: 103-5
- 43664** Caione, P., Silveri, M., Capitanucci, M. L., Capozza, N., De Gennaro, M. Urinary continence in Mullerian duct anomalies. *Panminerva Med*. 1995 Mar; 37: 14-7
- 43669** Touho, H., Karasawa, J., Ohnishi, H. Cerebral revascularization using gracilis muscle transplantation for childhood moyamoya disease. *Surg Neurol*. 1995 Feb; 43: 191-7; discussion 197-8
- 43671** Shortliffe, L. M. The management of urinary tract infections in children without urinary tract abnormalities. *Urol Clin North Am*. 1995 Feb; 22: 67-73
- 43673** Fall, M. Vaginal wall bipediced flap and other techniques in complicated urethral diverticulum and urethrovaginal fistula. *J Am Coll Surg*. 1995 Feb; 180: 150-6
- 43674** Osterweil, D., Martin, M., Syndulko, K. Predictors of skilled nursing placement in a multilevel long-term-care facility. *J Am Geriatr Soc*. 1995 Feb; 43: 108-12
- 43676** Waller, L., Jonsson, O., Norlen, L., Sullivan, L. Clean intermittent catheterization in spinal cord injury patients: long- term followup of a hydrophilic low friction technique. *J Urol*. 1995 Feb; 153: 345-8
- 43677** Lampel, A., Hohenfellner, M., Schultz-Lampel, D., Thuroff, J. W. In situ tunneled bowel flap tubes: 2 new techniques of a continent outlet for Mainz pouch cutaneous diversion. *J Urol*. 1995 Feb; 153: 308-15
- 43679** Clow, W. M., Joannides, T., Saleem, A. K., Melville-Jones, G. R., Martin, I. An unusual cause of postmenopausal bleeding and incontinence of urine: primary lymphoma of the vagina. *Br J Obstet Gynaecol*. 1995 Feb; 102: 164-5
- 43682** Hays, D. M., Raney, R. B., Wharam, M. D., Wiener, E., Lobe, T. E., Andrassy, R. J., Lawrence, W., Jr, Johnston, J., Webber, B., Maurer, H. M. Children with vesical rhabdomyosarcoma (RMS) treated by partial cystectomy with neoadjuvant or adjuvant chemotherapy, with or without radiotherapy. A report from the Intergroup Rhabdomyosarcoma Study (IRS) Committee. *J Pediatr Hematol Oncol*. 1995 Feb; 17: 46-52
- 43683** Nygaard, I. Prevention of exercise incontinence with mechanical devices. *J Reprod Med*. 1995 Feb; 40: 89-94
- 43684** Pena, A. Anorectal malformations. *Semin Pediatr Surg*. 1995 Feb; 4: 35-47
- 43685** Maloney, C. Evaluation and treatment of urinary incontinence: a primary care approach. *Nurse Pract*. 1995 Feb; 20: 74-5
- 43686** Rhodes, P. A postal survey of continence advisers in England and Wales. *J Adv Nurs*. 1995 Feb; 21: 286-94
- 43687** Gray, M., Rayome, R., Anson, C. Incontinence and clean intermittent catheterization following spinal cord injury. *Clin Nurs Res*. 1995 Feb; 4: 6-18; discussion 19-21
- 43688** Stewart, C. I., McMurdo, M. E. Closing the loop in an audit of urinary incontinence. *Scott Med J*. 1995 Feb; 40: 21-2
- 43690** Retzky, S. S., Rogers, R. M., Jr Urinary incontinence in women. *Clin Symp*. 1995; 47: 2-32
- 43691** Ortiz, V., Goldenberg, S. Hypergastrinemia following gastrocystoplasty in rats. *Urol Res*. 1995; 23: 361-3
- 43692** Sarica, K., Kupeli, S. Agenesis of bladder associated with multiple organ anomalies. *Int Urol Nephrol*. 1995; 27: 697-703
- 43693** Augsburg, H. R., Cruz-Orive, L. M. Stereological analysis of the urethra in sexually intact and spayed female dogs. *Acta Anat (Basel)*. 1995; 154: 135-42
- 43695** Nazar, G. B., Casale, A. J., Roberts, J. G., Linden, R. D. Occult filum terminale syndrome. *Pediatr Neurosurg*. 1995; 23: 228-35
- 43697** Baradnay, G., Kiss, A., Scultety, A. The results and failures of creating a pelvic reservoir in oncology (surgery, urology). *Acta Chir Hung*. 1995-96; 35: 119-27

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 43699** Shapiro, E., Lepor, H. Matrix changes in the bladder associated with normal aging. *Adv Exp Med Biol.* 1995; 385: 187-90; discussion 223-8
- 43700** Gorman, R. Expert system for management of urinary incontinence in women. *Proc Annu Symp Comput Appl Med Care.* 1995; : 527-31
- 43701** Filler, A. G., Britton, J. A., Uttley, D., Marsh, H. T. Adult postrepair myelomeningocele and tethered cord syndrome: good surgical outcome after abrupt neurological decline. *Br J Neurosurg.* 1995; 9: 659-66
- 43702** Breza, J., Hornak, M., Bardos, A., Zvara, P. Transformation of the Bricker to a continent urinary reservoir to eliminate severe complications of uretero-ileostomy performed in eight patients among 200 Bricker. *Ann Urol (Paris).* 1995; 29: 227-31
- 43703** Chida, N., Orikasa, S., Konda, R., Takahashi, M., Ishidoya, S., Ogata, Y. Crossed ureteral ectopia with an ectopic blind-ending ureter. *Urol Int.* 1995; 55: 169-72
- 43704** Grimby, A., Rosenhall, U. Health-related quality of life and dizziness in old age. *Gerontology.* 1995; 41: 286-98
- 43705** Fang, T. C., Chen, K. W., Wu, M. H., Sung, J. M., Huang, J. J. Coumaphos intoxications mimic food poisoning. *J Toxicol Clin Toxicol.* 1995; 33: 699-703
- 43706** Lima, J. S., Reis, C. A. Poisoning due to illegal use of carbamates as a rodenticide in Rio de Janeiro. *J Toxicol Clin Toxicol.* 1995; 33: 687-90
- 43707** Aragona, F., Artibani, W. Re: Periurethral injection of autologous fat for the treatment of sphincteric incontinence. *J Urol.* 1995 Jan; 153: 162-3
- 43709** Cassidy, T. P., Farquhar, D. L. The characteristics of respite patients. *Health Bull (Edinb).* 1995 Jan; 53: 13-9
- 43711** Gearhart, J. P., Peppas, D. S., Jeffs, R. D. The application of continent urinary stomas to bladder augmentation or replacement in the failed exstrophy reconstruction. *Br J Urol.* 1995 Jan; 75: 87-90
- 43712** Fenn, N., Barrington, J. W., Stephenson, T. P. Clam enterocystoplasty and pregnancy. *Br J Urol.* 1995 Jan; 75: 85-6
- 43713** Liu, K. K., Yeung, C. K., Lee, K. H., Ku, K. W. Urinary incontinence due to unilateral vaginally ectopic single ureters. *Br J Urol.* 1995 Jan; 75: 115
- 43715** Gonzalez, R., Buson, H., Reid, C., Reinberg, Y. Seromuscular colocolocystoplasty lined with urothelium: experience with 16 patients. *Urology.* 1995 Jan; 45: 124-9
- 43717** Uebersax, J. S., Wyman, J. F., Shumaker, S. A., McClish, D. K., Fantl, J. A. Short forms to assess life quality and symptom distress for urinary incontinence in women: the Incontinence Impact Questionnaire and the Urogenital Distress Inventory. Continence Program for Women Research Group. *Neurourol Urodyn.* 1995; 14: 131-9
- 43718** Nygaard, I., Zmolek, G. Exercise pad testing in continent exercisers: reproducibility and correlation with voided volume, pyridium staining, and type of exercise. *Neurourol Urodyn.* 1995; 14: 125-9
- 43719** Root, M. V., Johnston, S. D., Johnston, G. R. Vaginal septa in dogs: 15 cases (1983-1992). *J Am Vet Med Assoc.* 1995 Jan 1; 206: 56-8
- 43720** Krishna, A., Gough, D. C., Fishwick, J., Bruce, J. Ileocystoplasty in children: assessing safety and success. *Eur Urol.* 1995; 27: 62-6
- 43721** Singh, G., Thomas, D. G. Enterocystoplasty in the neuropathic bladder. *Neurourol Urodyn.* 1995; 14: 5-10
- 43724** Powers, I., Lowman, S., Williams, D. Urinary incontinence: a study of teaching practices of nursing students. *Ky Nurse.* 1995 Jan-Mar; 43: 19-20
- 43726** Morgan, D. J., Blackburn, M., Bax, M. Adults with spina bifida and/or hydrocephalus. *Postgrad Med J.* 1995 Jan; 71: 17-21
- 43727** Chia, Y. W., Fowler, C. J., Kamm, M. A., Henry, M. M., Lemieux, M. C., Swash, M. Prevalence of bowel dysfunction in patients with multiple sclerosis and bladder dysfunction. *J Neurol.* 1995 Jan; 242: 105-8



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 43729 Tsuboi, K., Yoshii, Y., Hyodo, A., Takada, K., Nose, T. Leukoencephalopathy associated with intra-arterial ACNU in patients with gliomas. *J Neurooncol.* 1995; 23: 223-31
- 43731 Infantino, A., Masin, A., Melega, E., Dodi, G., Lise, M. Does surgery resolve outlet obstruction from rectocele?. *Int J Colorectal Dis.* 1995; 10: 97-100
- 43734 Ghoniem, G. M., Monga, M. Modified pubovaginal sling and Martius graft for repair of the recurrent vesicovaginal fistula involving the internal urinary sphincter. *Eur Urol.* 1995; 27: 241-5
- 43738 Elser, D. M., Fantl, J. A., McClish, D. K. Comparison of 'subjective' and 'objective' measures of severity of urinary incontinence in women. Program for Women Research Group. *Neurourol Urodyn.* 1995; 14: 311-6
- 43739 Flood, H. D., Malhotra, S. J., O'Connell, H. E., Ritchey, M. J., Bloom, D. A., McGuire, E. J. Long-term results and complications using augmentation cystoplasty in reconstructive urology. *Neurourol Urodyn.* 1995; 14: 297-309
- 43740 Meltzer, H., James, H. E., Trauner, D., Katz, R. Syringomyelia of the distal spinal cord in children. *Pediatr Neurosurg.* 1995; 22: 248-50
- 43741 Wong, L. Incontinence has different meanings for different people. *Aust J Adv Nurs.* 1995 Spring; 13: 6-15
- 43742 White, H. M. Choosing continence aids. *Br J Nurs.* 1994 Dec 8-1995 Jan 11; 3: 1158, 1160, 1162-3
- 43743 Cheriyan, S., Greenberger, P. A., Patterson, R. Outcome of cough variant asthma treated with inhaled steroids. *Ann Allergy.* 1994 Dec; 73: 478-80
- 43744 Mayo, N. E., Gloutney, L., Levy, A. R. A randomized trial of identification bracelets to prevent falls among patients in a rehabilitation hospital. *Arch Phys Med Rehabil.* 1994 Dec; 75: 1302-8
- 43745 Branch, L. G., Walker, L. A., Wetle, T. T., DuBeau, C. E., Resnick, N. M. Urinary incontinence knowledge among community-dwelling people 65 years of age and older. *J Am Geriatr Soc.* 1994 Dec; 42: 1257-62
- 43749 Levy, J. B., Jacobs, J. A., Wein, A. J. Combined abdominal and vaginal approach for bladder neck closure and permanent suprapubic tube: urinary diversion in the neurologically impaired woman. *J Urol.* 1994 Dec; 152: 2081-2
- 43752 Mouritsen, L., Strandberg, C., Frimodt-Moller, C. Bladder neck anatomy and mobility: effect of vaginal ultrasound probe. *Br J Urol.* 1994 Dec; 74: 749-52
- 43758 Craig, D. I. Spinal cord injury and pregnancy: the stories of two women. *SCI Nurs.* 1994 Dec; 11: 100-4
- 43761 Sugiyama, T., Hashimoto, K., Kiwamoto, H., Ohnishi, N., Esa, A., Park, Y. C., Kurita, T. Urinary incontinence in senile dementia of the Alzheimer type (SDAT). *Int J Urol.* 1994 Dec; 1: 337-40
- 43762 Pomfret, I. Promoting continence. Part III. Revision notes. *Nurs Times.* 1994 Nov 16-22; 90: suppl 9-12; quiz 13-4
- 43763 Promoting continence. Part II. The role of the nurse. *Nurs Times.* 1994 Nov 9-15; 90: suppl 5-8
- 43765 Professional development. Promoting continence: knowledge for practice (continuing education credit). *Nurs Times.* 1994 Nov 2-8; 90: suppl 1-4
- 43766 Kalra, L., Dale, P., Crome, P. Evaluation of a clinical score for prognostic stratification of elderly stroke patients. *Age Ageing.* 1994 Nov; 23: 492-8
- 43768 Kao, L. W. Detrusor instability--an overview. *J Tenn Med Assoc.* 1994 Nov; 87: 472-4
- 43769 Brink, C. A., Wells, T. J., Sampsel, C. M., Taillie, E. R., Mayer, R. A digital test for pelvic muscle strength in women with urinary incontinence. *Nurs Res.* 1994 Nov-Dec; 43: 352-6
- 43770 Ouslander, J. G., Simmons, S., Tuico, E., Nigam, J. G., Fingold, S., Bates-Jensen, B., Schnelle, J. F. Use of a portable ultrasound device to measure post-void residual volume among incontinent nursing home residents. *J Am Geriatr Soc.* 1994 Nov; 42: 1189-92
- 43771 Butler, R. N., Lewis, M. I., Hoffman, E., Whitehead, E. D. Love and sex after 60: how to evaluate and treat the sexually-active woman. *Geriatrics.* 1994 Nov; 49: 33-4, 37-8, 41-2
- 43773 Brodak, P. P., Scherz, H. C., Packer, M. G., Kaplan, G. W. Is urinary tract screening necessary for patients with cerebral palsy?. *J Urol.* 1994 Nov; 152: 1586-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 43774** Hernandez, R. D., Hurwitz, R. S., Foote, J. E., Zimmern, P. E., Leach, G. E. Nonsurgical management of threatened upper urinary tracts and incontinence in children with myelomeningocele. *J Urol.* 1994 Nov; 152: 1582-5
- 43775** Landau, E. H., Churchill, B. M., Jayanthi, V. R., Gilmour, R. F., Steckler, R. E., McLorie, G. A., Khoury, A. E. The sensitivity of pressure specific bladder volume versus total bladder capacity as a measure of bladder storage dysfunction. *J Urol.* 1994 Nov; 152: 1578-81
- 43776** van Venrooij, G. E., Boon, T. A. Extensive urodynamic investigation: interaction among diuresis, detrusor instability, urethral relaxation, incontinence and complaints in women with a history of urge incontinence. *J Urol.* 1994 Nov; 152: 1535-8
- 43777** Tanagho, E. A. Urinary incontinence. *J Urol.* 1994 Nov; 152: 1471-2
- 43781** Keane, D. The role of a female urodynamics clinic. *Ir Med J.* 1994 Nov-Dec; 87: 164
- 43782** Skoner, M. M. Self-management of urinary incontinence among women 31 to 50 years of age. *Rehabil Nurs.* 1994 Nov-Dec; 19: 339-43, 347
- 43783** Stickler, D. J., Zimakoff, J. Complications of urinary tract infections associated with devices used for long-term bladder management. *J Hosp Infect.* 1994 Nov; 28: 177-94
- 43784** McDowell, B. J., Engberg, S., Weber, E., Brodak, I., Engberg, R. Successful treatment using behavioral interventions of urinary incontinence in homebound older adults. *Geriatr Nurs.* 1994 Nov-Dec; 15: 303-7
- 43785** Dalela, D., Agarwal, R., Mishra, V. K. Giant vaginolith around an unusual foreign body--an uncommon cause of urinary incontinence in a girl. *Br J Urol.* 1994 Nov; 74: 673-4
- 43786** Norton, C., Fader, M. Continence management. *Elder Care.* 1994 Nov-Dec; 6: 23-7
- 43787** Maklebust, J., Magnan, M. A. Risk factors associated with having a pressure ulcer: a secondary data analysis. *Adv Wound Care.* 1994 Nov; 7: 25, 27-8, 31-4 passim
- 43788** Richardson, P. A. Ambulatory surgery for urinary incontinence and vaginal prolapse. *Med J Aust.* 1994 Oct 17; 161: 511
- 43789** Anderson, C. S., Jamrozik, K. D., Broadhurst, R. J., Stewart-Wynne, E. G. Predicting survival for 1 year among different subtypes of stroke. Results from the Perth Community Stroke Study. *Stroke.* 1994 Oct; 25: 1935-44
- 43791** Vachvanichsanong, P., Malagon, M., Moore, E. S. Urinary incontinence due to idiopathic hypercalciuria in children. *J Urol.* 1994 Oct; 152: 1226-8
- 43792** Richmond, J. Continence. The tyranny of interstitial cystitis. *Nurs Times.* 1994 Oct 26-Nov 1; 90: 72
- 43793** Colley, W. Continence. Indwelling urinary catheters. *Nurs Times.* 1994 Oct 26-Nov 1; 90: 70
- 43794** Navon, J. D., Weinberg, A. C., Ahlering, T. E. Continent urinary diversion using a Modified Indiana Pouch in elderly patients. *Am Surg.* 1994 Oct; 60: 786-8
- 43796** Thayer, D. How to assess and control urinary incontinence. *Am J Nurs.* 1994 Oct; 94: 42-7; quiz 48
- 43799** Dewan, P. A., Stefanek, W. Autoaugmentation gastrocystoplasty: early clinical results. *Br J Urol.* 1994 Oct; 74: 460-4
- 43800** Hasan, S. T., Marshall, C., Neal, D. E. Continent urinary diversion using the Mitrofanoff principle. *Br J Urol.* 1994 Oct; 74: 454-9
- 43801** Woodhouse, C. R., MacNeily, A. E. The Mitrofanoff principle: expanding upon a versatile technique. *Br J Urol.* 1994 Oct; 74: 447-53
- 43802** Denays, R., Tondeur, M., Noel, P., Ham, H. R. Bilateral cerebral mediofrontal hypoactivity in Tc-99m HMPAO SPECT imaging. *Clin Nucl Med.* 1994 Oct; 19: 873-6
- 43803** Ismael, N. N. A study on the menopause in Malaysia. *Maturitas.* 1994 Oct; 19: 205-9
- 43804** Samil, R. S., Wishnuwardhani, S. D. Health of Indonesian women city-dwellers of perimenopausal age. *Maturitas.* 1994 Oct; 19: 191-7

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 43807 Leiby, D. M., Shanahan, N. Clinical study: assessing the performance and skin environments of two reusable underpads. *Ostomy Wound Manage.* 1994 Oct; 40: 30-2, 34-7
- 43810 Becker, K., Enck, P., Wilhelm, K., Fischer, H., Lubke, H. J. Colonic and anorectal dysfunction in a patient with the tethered cord syndrome. *Am J Gastroenterol.* 1994 Sep; 89: 1564-8
- 43813 Norton, P., Karram, M., Wall, L. L., Rosenzweig, B., Benson, J. T., Fantl, J. A. Randomized double-blind trial of terodiline in the treatment of urge incontinence in women. *Obstet Gynecol.* 1994 Sep; 84: 386-91
- 43816 Reymert, J., Hunskaar, S. Why do only a minority of perimenopausal women with urinary incontinence consult a doctor?. *Scand J Prim Health Care.* 1994 Sep; 12: 180-3
- 43817 Mansson-Linstrom, A., Dehlin, O., Isacson, A. Urinary incontinence in primary health care. 1. Perceived knowledge and training among various categories of nursing personnel and care units. *Scand J Prim Health Care.* 1994 Sep; 12: 169-74
- 43818 Ho, C. C., Yu, T. J. Urethral prolapse--a case report. *Changcheng Yi Xue Za Zhi.* 1994 Sep; 17: 289-91
- 43819 Mraz, J. P., Sutory, M., Zerhau, P. Simple flap valve for continent urinary diversion. *Br J Urol.* 1994 Sep; 74: 328-32
- 43820 Eckford, S. B., Kohler-Ockmore, J., Feneley, R. C. Long-term follow-up of transvaginal urethral closure and suprapubic cystostomy for urinary incontinence in women with multiple sclerosis. *Br J Urol.* 1994 Sep; 74: 319-21
- 43822 Smith, D. A. Devices for continence. *Nurse Pract Forum.* 1994 Sep; 5: 186-9
- 43823 Webb, M. L. Urinary incontinence in younger women. *Nurse Pract Forum.* 1994 Sep; 5: 164-9
- 43824 Pearce, K. L. Levels I and II--care in the outpatient setting. *Nurse Pract Forum.* 1994 Sep; 5: 146-51
- 43825 McDowell, B. J. Care of urinary incontinence in the home. *Nurse Pract Forum.* 1994 Sep; 5: 138-45
- 43826 Newman, D. K., Burns, P. A. Significance and impact of urinary incontinence. *Nurse Pract Forum.* 1994 Sep; 5: 130-3
- 43827 Martel, R. Rita Martel: treating women's urinary incontinence. Interview by Anita Loos-Hannifan. *Nurse Pract Forum.* 1994 Sep; 5: 122-3
- 43828 Pierson, C. A. 'We share a certain passion'. *Nurse Pract Forum.* 1994 Sep; 5: 121
- 43830 Goals in continence training. *Prof Nurse.* 1994 Sep; 9: 783
- 43832 Gregory, S. P., Holt, P. E. The immediate effect of colposuspension on resting and stressed urethral pressure profiles in anaesthetized incontinent bitches. *Vet Surg.* 1994 Sep-Oct; 23: 330-40
- 43833 Mattsson, S. Urinary incontinence and nocturia in healthy schoolchildren. *Acta Paediatr.* 1994 Sep; 83: 950-4
- 43835 Kjolseth, D., Madsen, B., Knudsen, L. M., Norgaard, J. P., Djurhuus, J. C. Biofeedback treatment of children and adults with idiopathic detrusor instability. *Scand J Urol Nephrol.* 1994 Sep; 28: 243-7
- 43836 Warner, J. P., Harvey, C. A., Barnes, T. R. Clozapine and urinary incontinence. *Int Clin Psychopharmacol.* 1994 Sep; 9: 207-9
- 43837 Ishizuka, O., Igawa, Y., Lecci, A., Maggi, C. A., Mattiasson, A., Andersson, K. E. Role of intrathecal tachykinins for micturition in unanaesthetized rats with and without bladder outlet obstruction. *Br J Pharmacol.* 1994 Sep; 113: 111-6
- 43838 Isshi, K., Hirohata, S., Hashimoto, T., Miyashita, H. Systemic lupus erythematosus presenting with diffuse low density lesions in the cerebral white matter on computed axial tomography scans: its implication in the pathogenesis of diffuse central nervous system lupus. *J Rheumatol.* 1994 Sep; 21: 1758-62
- 43839 Miller, J., Kasper, C., Sampsel, C. Review of muscle physiology with application to pelvic muscle exercise. *Urol Nurs.* 1994 Sep; 14: 92-7
- 43840 Laycock, J. Pelvic muscle exercises: physiotherapy for the pelvic floor. *Urol Nurs.* 1994 Sep; 14: 136-40

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 43841** Smith, D. A., Newman, D. K. Basic elements of biofeedback therapy for pelvic muscle rehabilitation. *Urol Nurs.* 1994 Sep; 14: 130-5
- 43842** Colling, J., McCreedy, M., Owen, T. Urinary tract infection rates among incontinent nursing home and community dwelling elderly. *Urol Nurs.* 1994 Sep; 14: 117-9
- 43843** Arai, Y., Shichiri, Y., Miyakawa, M., Ueda, T., Terai, A., Terachi, T., Takeuchi, H., Yoshida, O. Evolving experience with continent urinary diversion using the Indiana pouch. *Int J Urol.* 1994 Sep; 1: 241-5
- 43844** Carter, D., Green, D. Health promotion. Applying COPC to incontinence. *Nurs Times.* 1994 Aug 31-Sep 6; 90: 44-5
- 43847** Govier, F. E., Pritchett, T. R., Kornman, J. D. Correlation of the cystoscopic appearance and functional integrity of the female urethral sphincteric mechanism. *Urology.* 1994 Aug; 44: 250-3
- 43848** Davila, G. W. Urinary incontinence in women. How to help patients regain bladder control. *Postgrad Med.* 1994 Aug; 96: 103-10
- 43852** Gormley, E. A., Bloom, D. A., McGuire, E. J., Ritchey, M. L. Pubovaginal slings for the management of urinary incontinence in female adolescents. *J Urol.* 1994 Aug; 152: 822-5; discussion 826-7
- 43853** Salle, J. L., de Fraga, J. C., Amarante, A., Silveira, M. L., Lambert, M., Schmidt, M., Rosito, N. C. Urethral lengthening with anterior bladder wall flap for urinary incontinence: a new approach. *J Urol.* 1994 Aug; 152: 803-6
- 43854** Rink, R. C., Adams, M. C., Keating, M. A. The flip-flap technique to lengthen the urethra (Salle procedure) for treatment of neurogenic urinary incontinence. *J Urol.* 1994 Aug; 152: 799-802
- 43855** Franco, I., Kolligian, M., Reda, E. F., Levitt, S. B. The importance of catheter size in the achievement of urinary continence in patients undergoing a Young-Dees-Leadbetter procedure. *J Urol.* 1994 Aug; 152: 710-2
- 43856** Springer, J. P., Kropp, B. P., Thor, K. B. Facilitatory and inhibitory effects of selective norepinephrine reuptake inhibitors on hypogastric nerve-evoked urethral contractions in the cat: a prominent role of urethral beta-adrenergic receptors. *J Urol.* 1994 Aug; 152: 515-9
- 43857** Arrowsmith, S. D. Genitourinary reconstruction in obstetric fistulas. *J Urol.* 1994 Aug; 152: 403-6
- 43858** Herschorn, S., Rangaswamy, S., Radomski, S. B. Urinary undiversion in adults with myelodysplasia: long-term followup. *J Urol.* 1994 Aug; 152: 329-33
- 43859** Knapp, P. M., Jr, Siegel, Y. I., Lingeman, J. E. Laparoscopic retroperitoneal needle suspension urethropexy. *J Endourol.* 1994 Aug; 8: 279-84
- 43860** Sandvik, H., Hunskar, S. Incontinence in women: different response rates may introduce bias in community studies of pad consumption. *J Epidemiol Community Health.* 1994 Aug; 48: 419
- 43861** Gray, E. H., Ordorica, R. C. Assisting your patient with intractable urinary incontinence: absorbent products and devices. *R I Med.* 1994 Aug; 77: 287-9
- 43863** Jackson, N. D. Non-surgical treatment of female incontinence. *R I Med.* 1994 Aug; 77: 273-4
- 43864** Susset, J. Evaluation of female incontinence. *R I Med.* 1994 Aug; 77: 266-72
- 43867** Wenning, G. K., Ben Shlomo, Y., Magalhaes, M., Daniel, S. E., Quinn, N. P. Clinical features and natural history of multiple system atrophy. An analysis of 100 cases. *Brain.* 1994 Aug; 117 ( Pt 4): 835-45
- 43868** Ishigooka, M., Hashimoto, T., Sasagawa, I., Nakada, T., Handa, Y. Electrical pelvic floor stimulation by percutaneous implantable electrode. *Br J Urol.* 1994 Aug; 74: 191-4
- 43870** Wyman, J. F. The psychiatric and emotional impact of female pelvic floor dysfunction. *Curr Opin Obstet Gynecol.* 1994 Aug; 6: 336-9
- 43871** Bourcier, A. P. Physical therapy for female pelvic floor disorders. *Curr Opin Obstet Gynecol.* 1994 Aug; 6: 331-5
- 43873** Henry, M. M. The role of pudendal nerve innervation in female pelvic floor function. *Curr Opin Obstet Gynecol.* 1994 Aug; 6: 324-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 43875 Mallett, V. T., Bump, R. C. The epidemiology of female pelvic floor dysfunction. *Curr Opin Obstet Gynecol.* 1994 Aug; 6: 308-12
- 43876 Science of urinary incontinence. Report of a meeting of Physicians and Scientists, University College London. *Lancet.* 1994 Jul 30; 344: 311-5
- 43878 Ross, J. Continence. A plan of action. *Nurs Times.* 1994 Jul 6-12; 90: 64-6
- 43879 Jones, J. O. Continence. A public inconvenience. Interview by Renata Langford. *Nurs Times.* 1994 Jul 6-12; 90: 62
- 43880 Schwartz, S. L., Kennelly, M. J., McGuire, E. J., Faerber, G. J. Incontinent ileo-vesicostomy urinary diversion in the treatment of lower urinary tract dysfunction. *J Urol.* 1994 Jul; 152: 99-102
- 43884 Corrie, G. D. AHCPR guides oversimplify treatment approach. *J Okla State Med Assoc.* 1994 Jul; 87: 333-4
- 43886 Parra, R. O., Cummings, J. M., Boullier, J. A. Simple detubularization technique for construction of continent colonic urinary reservoirs. *Urology.* 1994 Jul; 44: 35-7
- 43887 Kavoussi, L. R., Moore, R. G., Partin, A. W., Bender, J. S., Zenilman, M. E., Satava, R. M. Telerobotic assisted laparoscopic surgery: initial laboratory and clinical experience. *Urology.* 1994 Jul; 44: 15-9
- 43888 Colling, J. C., Owen, T. R., McCreedy, M. R. Urine volumes and voiding patterns among incontinent nursing home residents. Residents at highest risk for dehydration are often the most difficult to track. *Geriatr Nurs.* 1994 Jul-Aug; 15: 188-92
- 43889 Crino, P. B., Zimmerman, R., Laskowitz, D., Raps, E. C., Rostami, A. M. Magnetic resonance imaging of the cauda equina in Guillain-Barre syndrome. *Neurology.* 1994 Jul; 44: 1334-6
- 43891 McAtee-Smith, J., Hebert, A. A., Rapini, R. P., Goldberg, N. S. Skin lesions of the spinal axis and spinal dysraphism. Fifteen cases and a review of the literature. *Arch Pediatr Adolesc Med.* 1994 Jul; 148: 740-8
- 43892 Kutner, N. G., Schechtman, K. B., Ory, M. G., Baker, D. I. Older adults' perceptions of their health and functioning in relation to sleep disturbance, falling, and urinary incontinence. FICSIT Group. *J Am Geriatr Soc.* 1994 Jul; 42: 757-62
- 43893 Yasumura, S., Haga, H., Nagai, H., Suzuki, T., Amano, H., Shibata, H. Rate of falls and the correlates among elderly people living in an urban community in Japan. *Age Ageing.* 1994 Jul; 23: 323-7
- 43894 Tayal, S. C., Bansal, S. K., Chadha, D. K. Hypopituitarism: a difficult diagnosis in elderly people but worth a search. *Age Ageing.* 1994 Jul; 23: 320-2
- 43895 Talbot, L. A. Coping with urinary incontinence: development and testing of a scale. *Nurs Diagn.* 1994 Jul-Sep; 5: 127-32
- 43896 Carruthers, S. G. Adverse effects of alpha 1-adrenergic blocking drugs. *Drug Saf.* 1994 Jul; 11: 12-20
- 43898 Noe, H. N., Williams, R. S., Causey, J., Smith, D. P. Long-term effects of polytetrafluoroethylene injected into the rat bladder submucosa. *Urology.* 1994 Jun; 43: 852-5; discussion 855-6
- 43902 Rintala, R., Mildh, L., Lindahl, H. Fecal continence and quality of life for adult patients with an operated high or intermediate anorectal malformation. *J Pediatr Surg.* 1994 Jun; 29: 777-80
- 43903 Novell, J. R., Osborne, M. J., Winslet, M. C., Lewis, A. A. Prospective randomized trial of Ivalon sponge versus sutured rectopexy for full-thickness rectal prolapse. *Br J Surg.* 1994 Jun; 81: 904-6
- 43905 Shepherd, J. H., Crawford, R. A. Reconstructive procedures in benign and malignant gynecological surgery. *Curr Opin Obstet Gynecol.* 1994 Jun; 6: 206-9
- 43906 Freedman, E. R., Rickwood, A. M. Urinary incontinence due to unilateral vaginally ectopic single ureters. *Br J Urol.* 1994 Jun; 73: 716-7
- 43907 Freedman, E. R., Singh, G., Donnell, S. C., Rickwood, A. M., Thomas, D. G. Combined bladder neck suspension and augmentation cystoplasty for neuropathic incontinence in female patients. *Br J Urol.* 1994 Jun; 73: 621-4



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 43910** Cochran, I., Flynn, C. A., Goetz, G., Potts-Nulty, S. E., Rece, J., Sensenig, H. Stroke care--piecing together the long-term picture. *Nursing*. 1994 Jun; 24: 34-41; quiz 42
- 43911** Spector, W. D. Correlates of pressure sores in nursing homes: evidence from the National Medical Expenditure Survey. *J Invest Dermatol*. 1994 Jun; 102: 42S-45S
- 43912** Ehren, I., Alm, P., Kinn, A. C. Renal and bladder functions in patients after spinal cord injuries. *Scand J Urol Nephrol*. 1994 Jun; 28: 127-33
- 43913** Young, S. B., Pingeton, D. M. A practical approach to perimenopausal and postmenopausal urinary incontinence. *Obstet Gynecol Clin North Am*. 1994 Jun; 21: 357-79
- 43917** Fischer, W. Therapeutic possibilities and choice of adequate treatment of female urinary incontinence (UI). *Eur J Obstet Gynecol Reprod Biol*. 1994 May 31; 55: 43-4
- 43918** Kralj, B. Epidemiology of female urinary incontinence, classification of urinary incontinence, urinary incontinence in elderly women. *Eur J Obstet Gynecol Reprod Biol*. 1994 May 31; 55: 39-41
- 43919** Eisenstein, S. M., Engelbrecht, D. J., el Masry, W. S. Low back pain and urinary incontinence. A hypothetical relationship. *Spine*. 1994 May 15; 19: 1148-52
- 43921** Seidel, G. K., Millis, S. R., Lichtenberg, P. A., Dijkers, M. Predicting bowel and bladder continence from cognitive status in geriatric rehabilitation patients. *Arch Phys Med Rehabil*. 1994 May; 75: 590-3
- 43922** McDowell, B. J., Silverman, M., Martin, D., Musa, D., Keane, C. Identification and intervention for urinary incontinence by community physicians and geriatric assessment teams. *J Am Geriatr Soc*. 1994 May; 42: 501-5
- 43924** Koldewijn, E. L., Van Kerrebroeck, P. E., Schaafsma, E., Wijkstra, H., Debruyne, F. M., Brindley, G. S. Bladder pressure sensors in an animal model. *J Urol*. 1994 May; 151: 1379-84
- 43926** Griffiths, D. J., McCracken, P. N., Harrison, G. M., Gormley, E. A., Moore, K., Hooper, R., McEwan, A. J., Triscott, J. Cerebral aetiology of urinary urge incontinence in elderly people. *Age Ageing*. 1994 May; 23: 246-50
- 43927** Marzan, K. A., Barron, T. F. MRI abnormalities in Behr syndrome. *Pediatr Neurol*. 1994 May; 10: 247-8
- 43928** Regensberg, D. Objective social continence: understanding continence. *Nurs RSA*. 1994 May; 9: 23-6
- 43929** Sale, P. G., Wyman, J. F. Achievement of goals associated with bladder training by older incontinent women. *Appl Nurs Res*. 1994 May; 7: 93-6
- 43932** Bernard, M. A. Urinary incontinence in elderly females. *J Okla State Med Assoc*. 1994 May; 87: 217-24
- 43933** Kong, K. H., Chan, K. F., Lim, A. C., Tan, E. S. Detrusor hyperreflexia in strokes. *Ann Acad Med Singapore*. 1994 May; 23: 319-21
- 43934** Malissard, M., Souquet, J., Jullien, D. Optimisation of pulse duration for intravaginal electrical stimulation: effect of tissue excitability. *Med Biol Eng Comput*. 1994 May; 32: 327-30
- 43935** Fantl, J. A. The lower urinary tract in women--effect of aging and menopause on continence. *Exp Gerontol*. 1994 May-Aug; 29: 417-22
- 43936** Proudfoot, L. M., Farmer, E. S., McIntosh, J. B. Testing incontinence pads using single-case research designs. *Br J Nurs*. 1994 Apr 14-27; 3: 316, 318-20, 322 passim
- 43938** Fader, M. Continence. From wheelchairs to toilet. *Nurs Times*. 1994 Apr 13-19; 90: 76-80
- 43941** Smith, R. D. Magnetic resonance imaging in the identification of an otherwise undetectable upper pole moiety. *Br J Urol*. 1994 Apr; 73: 470
- 43945** O'Dowd, T. C. Urinary incontinence in women--a conundrum. *Br J Gen Pract*. 1994 Apr; 44: 147-8
- 43946** Khanduja, K. S., Yamashita, H. J., Wise, W. E., Jr, Aguilar, P. S., Hartmann, R. F. Delayed repair of obstetric injuries of the anorectum and vagina. A stratified surgical approach. *Dis Colon Rectum*. 1994 Apr; 37: 344-9
- 43947** Elkins, T. E. Surgery for the obstetric vesicovaginal fistula: a review of 100 operations in 82 patients. *Am J Obstet Gynecol*. 1994 Apr; 170: 1108-18; discussion 1118-20

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Procite Number

- 43949 Chancellor, M. B., Erhard, M. J., Kiilholma, P. J., Karasick, S., Rivas, D. A. Functional urethral closure with pubovaginal sling for destroyed female urethra after long-term urethral catheterization. *Urology*. 1994 Apr; 43: 499-505
- 43951 McGuire, E. J., Appell, R. A. Transurethral collagen injection for urinary incontinence. *Urology*. 1994 Apr; 43: 413-5
- 43952 Sadoughi, N., Pessis, D. Endoscopic vesical neck and uterovaginal suspension for cystocele prolapse repair. *J Am Coll Surg*. 1994 Apr; 178: 326-8
- 43953 Brandeis, G. H., Ooi, W. L., Hossain, M., Morris, J. N., Lipsitz, L. A. A longitudinal study of risk factors associated with the formation of pressure ulcers in nursing homes. *J Am Geriatr Soc*. 1994 Apr; 42: 388-93
- 43956 Connor, J. P., Betrus, G., Fleming, P., Perlmutter, A. D., Reitelman, C. Early cystometrograms can predict the response to intravesical instillation of oxybutynin chloride in myelomeningocele patients. *J Urol*. 1994 Apr; 151: 1045-7
- 43957 Dewan, P. A. Re: Periurethral polytetrafluoroethylene paste injection in incontinent female subjects: surgical indications and improved surgical technique. *J Urol*. 1994 Apr; 151: 1030-1
- 43958 Wallace, K. Female pelvic floor functions, dysfunctions, and behavioral approaches to treatment. *Clin Sports Med*. 1994 Apr; 13: 459-81
- 43959 Ng, K. H. Nocturnal enuresis. *Singapore Med J*. 1994 Apr; 35: 198-200
- 43960 Ding, Y. Y., Jayaratnam, F. J. Urinary incontinence in the hospitalised elderly--a largely reversible disorder. *Singapore Med J*. 1994 Apr; 35: 167-70
- 43961 Waaldijk, K. The immediate surgical management of fresh obstetric fistulas with catheter and/or early closure. *Int J Gynaecol Obstet*. 1994 Apr; 45: 11-6
- 43962 Swierzewski, S. J., 3rd, Gormley, E. A., Belville, W. D., Sweetser, P. M., Wan, J., McGuire, E. J. The effect of terazosin on bladder function in the spinal cord injured patient. *J Urol*. 1994 Apr; 151: 951-4
- 43963 Carvalho, J. P., Souen, J. S., Carramao Sda, S., Yeu, W. L., Pinotti, J. A. Wertheim-Meigs radical hysterectomy. *Rev Paul Med*. 1994 Apr-Jun; 112: 539-42
- 43964 Payne, C. K., Babiarz, J. W., Raz, S. Genitourinary problems in the elderly patient. *Surg Clin North Am*. 1994 Apr; 74: 401-29
- 43968 Senechal, P. K. Symphysis pubis separation during childbirth. *J Am Board Fam Pract*. 1994 Mar-Apr; 7: 141-4
- 43969 Kodama, H., Hieda, I., Kuchinomachi, Y., Takeichi, H., Matsumoto, H. Non-invasive ultrasonic urination sensor for ambulatory patient support. *Methods Inf Med*. 1994 Mar; 33: 97-100
- 43970 Mollard, P., Mouriquand, P. D., Buttin, X. Urinary continence after reconstruction of classical bladder exstrophy (73 cases). *Br J Urol*. 1994 Mar; 73: 298-302
- 43971 Gibb, H., Wong, G. How to choose: nurses' judgements of the effectiveness of a range of currently marketed continence aids. *J Clin Nurs*. 1994 Mar; 3: 77-86
- 43974 Van Savage, J. G., McSherry, S. A., Lepor, H., Mohler, J. L. Effects of alpha-adrenergic agonist on neobladder water and electrolyte transport. *Urology*. 1994 Mar; 43: 324-7
- 43975 Burgio, L. D., McCormick, K. A., Scheve, A. S., Engel, B. T., Hawkins, A., Leahy, E. The effects of changing prompted voiding schedules in the treatment of incontinence in nursing home residents. *J Am Geriatr Soc*. 1994 Mar; 42: 315-20
- 43976 Herzog, A. R., Diokno, A. C., Brown, M. B., Fultz, N. H., Goldstein, N. E. Urinary incontinence as a risk factor for mortality. *J Am Geriatr Soc*. 1994 Mar; 42: 264-8
- 43977 Talbot, L. A. Coping with urinary incontinence: a conceptualization of the process. *Ostomy Wound Manage*. 1994 Mar; 40: 28-30, 32, 34 passim
- 43978 Gregory, S. P. Developments in the understanding of the pathophysiology of urethral sphincter mechanism in competence in the bitch. *Br Vet J*. 1994 Mar-Apr; 150: 135-50

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 43979** Hoppe, A. E. Increasing hope for the incontinent bitch. *Br Vet J.* 1994 Mar-Apr; 150: 113-4
- 43982** Beier-Holgersen, R., Kirkeby, L. T., Nordling, J. 'Clam' ileocystoplasty. *Scand J Urol Nephrol.* 1994 Mar; 28: 55-8
- 43983** Mahran, M. R., Ghoneim, M. A. The application of the modified rectal bladder in management of the compromised urethral damage. *Scand J Urol Nephrol.* 1994 Mar; 28: 49-53
- 43984** Mikami, O., Osawa, O., Matsuda, T., Komatz, Y., Takada, H., Yoshioka, K. The augmented rectal bladder for urinary diversion: experience with the original valved rectum and a valve-less modification. *Int J Urol.* 1994 Mar; 1: 57-60; discussion 61
- 43986** McIntosh, L. J., Richardson, D. A. 30-minute evaluation of incontinence in the older woman. *Geriatrics.* 1994 Feb; 49: 35-8, 43-4
- 43988** Taub, N. A., Wolfe, C. D., Richardson, E., Burney, P. G. Predicting the disability of first-time stroke sufferers at 1 year. 12- month follow-up of a population-based cohort in southeast England. *Stroke.* 1994 Feb; 25: 352-7
- 43990** Appell, R. A. Collagen injection therapy for urinary incontinence. *Urol Clin North Am.* 1994 Feb; 21: 177-82
- 43991** Wilson, T. G., Moreno, J. G., Weinberg, A., Ahlering, T. E. Late complications of the modified Indiana pouch. *J Urol.* 1994 Feb; 151: 331-4
- 43992** Malone, P. S., Wheeler, R. A., Williams, J. E. Continence in patients with spina bifida: long term results. *Arch Dis Child.* 1994 Feb; 70: 107-10
- 43993** Mondoux, L. C. Patients won't ask. *RN.* 1994 Feb; 57: 35-40
- 43994** Fowler, C. J., Beck, R. O., Gerrard, S., Betts, C. D., Fowler, C. G. Intravesical capsaicin for treatment of detrusor hyperreflexia. *J Neurol Neurosurg Psychiatry.* 1994 Feb; 57: 169-73
- 43995** Burgio, K. L., Ives, D. G., Locher, J. L., Arena, V. C., Kuller, L. H. Treatment seeking for urinary incontinence in older adults. *J Am Geriatr Soc.* 1994 Feb; 42: 208-12
- 44000** Muir, P., Goldsmid, S. E., Bellenger, C. R. Management of urinary incontinence in five bitches with incompetence of the urethral sphincter mechanism by colposuspension and a modified sling urethroplasty. *Vet Rec.* 1994 Jan 8; 134: 38-41
- 44001** Lamb, C. R., Gregory, S. P. Ultrasonography of the ureterovesicular junction in the dog: a preliminary report. *Vet Rec.* 1994 Jan 8; 134: 36-8
- 44005** Woodhouse, C. R., Gordon, E. M. The Mitrofanoff principle for urethral failure. *Br J Urol.* 1994 Jan; 73: 55-60
- 44006** Brading, A. F., Turner, W. H. The unstable bladder: towards a common mechanism. *Br J Urol.* 1994 Jan; 73: 3-8
- 44008** Taub, H. C., Stein, M. Bladder distention therapy for symptomatic relief of frequency and urgency: a ten-year review. *Urology.* 1994 Jan; 43: 36-9
- 44009** Schneider, M. S., King, L. R., Surwit, R. S. Kegel exercises and childhood incontinence: a new role for an old treatment. *J Pediatr.* 1994 Jan; 124: 91-2
- 44010** Fernandes, E. T., Reinberg, Y., Vernier, R., Gonzalez, R. Neurogenic bladder dysfunction in children: review of pathophysiology and current management. *J Pediatr.* 1994 Jan; 124: 1-7
- 44013** Igawa, Y., Mattiasson, A., Andersson, K. E. Micturition and premicturition contractions in unanesthetized rats with bladder outlet obstruction. *J Urol.* 1994 Jan; 151: 244-9
- 44014** Williams, M. A., Noe, H. N., Smith, R. A. The importance of urinary tract infection in the evaluation of the incontinent child. *J Urol.* 1994 Jan; 151: 188-90
- 44015** Houser, E. E., Bartholomew, T. H., Cookson, M. S., Marlin, A. E., Little, N. A. A prospective evaluation of leak point pressure, bladder compliance and clinical status in myelodysplasia patients with tethered spinal cords. *J Urol.* 1994 Jan; 151: 177-80; discussion 180-1
- 44019** Woo, J., Ho, S. C., Lau, J., Yuen, Y. K., Chiu, H., Lee, H. C., Chi, I. The prevalence of depressive symptoms and predisposing factors in an elderly Chinese population. *Acta Psychiatr Scand.* 1994 Jan; 89: 8-13

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 44020 Gutierrez-Molina, M., Caminero Rodriguez, A., Martinez Garcia, C., Arpa Gutierrez, J., Morales Bastos, C., Amer, G. Small arterial granular degeneration in familial Binswanger's syndrome. *Acta Neuropathol (Berl)*. 1994; 87: 98-105
- 44021 Sengstaken, E. A., King, S. A. Chronic schizophrenia or meningioma?. *J Am Board Fam Pract*. 1994 Jan-Feb; 7: 71-3
- 44022 Bax, M. Bladder and bowel. *Dev Med Child Neurol*. 1994 Jan; 36: 1-2
- 44023 Wilker, C. E., Meyers-Wallen, V. N., Schlafer, D. H., Dykes, N. L., Kovacs, A., Ball, B. A. XX sex reversal in a llama. *J Am Vet Med Assoc*. 1994 Jan 1; 204: 112-5
- 44026 Candy, M. Raising awareness of a hidden problem: pelvic floor promotion. *Prof Nurse*. 1994 Jan; 9: 278, 280-4
- 44028 North, A. Continence. The client's view. *Nurs Times*. 1994 Jan 26-Feb 1; 90: 80-2
- 44029 Rhodes, P., Parker, G. Continence. Profile of an adviser. *Nurs Times*. 1994 Jan 26-Feb 1; 90: 75-8
- 44031 Ghoniem, G. M. Bladder neck wrap: a modified fascial sling in treatment of incontinence in myelomeningocele patients. *Eur Urol*. 1994; 25: 340-2
- 44032 Aguiar, P. H., Andrioli, M. S., Cabrera, H. N., Cabral, N. D., Scaff, M. Management of hydrocephalus in Paget's disease. Case report. *Zentralbl Neurochir*. 1994; 55: 60-2
- 44035 Mizunaga, M., Miyata, M., Kaneko, S., Yachiku, S., Chiba, K. Intravesical instillation of oxybutynin hydrochloride therapy for patients with a neuropathic bladder. *Paraplegia*. 1994 Jan; 32: 25-9
- 44036 Harari, D., Malone-Lee, J., Ridgway, G. L. An age-related investigation of urinary tract symptoms and infection following urodynamic studies. *Age Ageing*. 1994 Jan; 23: 62-4
- 44037 Lord, A., Eastwood, H. Detrusor hyperreflexia--are there two types?. *Age Ageing*. 1994 Jan; 23: 32-3
- 44038 Autret, E., Jonville, A. P., Dutertre, J. P., Bertiere, M. C., Robert, M., Averous, M., Couet, W. Plasma levels of oxybutynine chloride in children. *Eur J Clin Pharmacol*. 1994; 46: 83-5
- 44039 Breza, J., Alemayehu, H. M., Hornak, M., Zvara, V. Advantages of converting incontinent to continent urinary diversion. *Int Urol Nephrol*. 1994; 26: 447-53
- 44040 Pfister, S. M., Dougherty, M. C. Behavioral management for bladder control: response in selected rural residential care homes. *J Community Health Nurs*. 1994; 11: 155-64
- 44045 Griffiths, D. J., McCracken, P. N., Harrison, G. M., Moore, K. N. Urinary incontinence in the elderly: the brain factor. *Scand J Urol Nephrol Suppl*. 1994; 157: 83-8
- 44046 Nielsen, A. F., Walter, S. Epidemiology of infrequent voiding and associated symptoms. *Scand J Urol Nephrol Suppl*. 1994; 157: 49-53
- 44048 Rasmussen, A., Mouritsen, L., Dalgaard, A., Frimodt-Moller, C. Twenty-four hour pad weighing test: reproducibility and dependency of activity level and fluid intake. *Neurourol Urodyn*. 1994; 13: 261-5
- 44051 Macallum, G. E., Albassam, M. A. Renal toxicity of a nondopaminergic antipsychotic agent, trimethyl imidazopyrazolopyrimidine, in rats. *Toxicol Pathol*. 1994 Jan-Feb; 22: 39-47
- 44052 Itoh, H., Morikawa, A., Makino, I. Urinary bladder dysfunction in spontaneously diabetic Chinese hamsters. *Diabetes Res Clin Pract*. 1994 Jan; 22: 163-70
- 44055 Kreder, K. J., Nygaard, I. E. The diagnosis and management of urinary incontinence in women. *Compr Ther*. 1994; 20: 678-81
- 44056 Ghoniem, G. M., Lapeyrolerie, J., Sood, O. P., Thomas, R. Tulane experience with management of urinary incontinence after placement of an artificial urinary sphincter. *World J Urol*. 1994; 12: 333-6
- 44059 Swithinbank, L. V., Carr, J. C., Abrams, P. H. Longitudinal study of urinary symptoms in children. Longitudinal study of urinary symptoms and incontinence in local schoolchildren. *Scand J Urol Nephrol Suppl*. 1994; 163: 67-73

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 44060** Griffiths, D., Harrison, G., Moore, K., McCracken, P. Long-term changes in urodynamic studies of voiding in the elderly. *Urol Res.* 1994; 22: 235-8
- 44065** Chancellor, M. B., Blaivas, J. G. Urological and sexual problems in multiple sclerosis. *Clin Neurosci.* 1994; 2: 189-95
- 44070** DeLancey, J. O. Childbirth, continence, and the pelvic floor. *N Engl J Med.* 1993 Dec 23; 329: 1956-7
- 44072** Fultz, N. H., Herzog, A. R. Measuring urinary incontinence in surveys. *Gerontologist.* 1993 Dec; 33: 708-13
- 44076** Sherman, S., Umlauf, M. G. Urinary incontinence in community dwelling elders. *Urol Nurs.* 1993 Dec; 13: 120-7
- 44079** Caputo, R. M., Benson, J. T. The Q-tip test and urethrovesical junction mobility. *Obstet Gynecol.* 1993 Dec; 82: 892-6
- 44080** Braslis, K. G., Stephens, D. A. Uretero-fallopian fistula: an unusual complication of open ureterolithotomy. *J Urol.* 1993 Dec; 150: 1900-2
- 44081** Sumfest, J. M., Burns, M. W., Mitchell, M. E. The Mitrofanoff principle in urinary reconstruction. *J Urol.* 1993 Dec; 150: 1875-7; discussion 1877-8
- 44082** Khair, B., Azmy, A. F., Carachi, R., Fyfe, A. H., Drainer, I. K. Continent urinary diversion using Mitrofanoff principle in children with neurogenic bladder. *Eur J Pediatr Surg.* 1993 Dec; 3 Suppl 1: 8-9
- 44083** Jordan, G. H., Winslow, B. H. Laparoscopically assisted continent catheterizable cutaneous appendicovesicostomy. *J Endourol.* 1993 Dec; 7: 517-20
- 44084** Sulak, P. J., Kuehl, T. J., Shull, B. L. Vaginal pessaries and their use in pelvic relaxation. *J Reprod Med.* 1993 Dec; 38: 919-23
- 44085** Sandvik, H., Hunskaar, S., Seim, A., Hermstad, R., Vanvik, A., Bratt, H. Validation of a severity index in female urinary incontinence and its implementation in an epidemiological survey. *J Epidemiol Community Health.* 1993 Dec; 47: 497-9
- 44088** Cardozo, L., Rekers, H., Tapp, A., Barnick, C., Shepherd, A., Schussler, B., Kerr-Wilson, R., van Geelan, J., Barlebo, H., Walter, S. Oestriol in the treatment of postmenopausal urgency: a multicentre study. *Maturitas.* 1993 Dec; 18: 47-53
- 44089** Sultan, A. H., Kamm, M. A., Bartram, C. I., Hudson, C. N. Anal sphincter trauma during instrumental delivery. *Int J Gynaecol Obstet.* 1993 Dec; 43: 263-70
- 44090** Kennedy, A. Continence. Island education. *Nurs Times.* 1993 Nov 24-30; 89: 74-7
- 44092** Chambers, K. Continence. Regained dignity. *Nurs Times.* 1993 Nov 24-30; 89: 65-6
- 44093** Naylor, J. R., Mulley, G. P. Commodes: inconvenient conveniences. *BMJ.* 1993 Nov 13; 307: 1258-60
- 44095** Brubaker, L., Retzky, S., Smith, C., Saclarides, T. Pelvic floor evaluation with dynamic fluoroscopy. *Obstet Gynecol.* 1993 Nov; 82: 863-8
- 44096** Elbadawi, A., Yalla, S. V., Resnick, N. M. Structural basis of geriatric voiding dysfunction. III. Detrusor overactivity. *J Urol.* 1993 Nov; 150: 1668-80
- 44099** Maroun, F. B., Makino, A. P., Tong, T. R., Perkins, P. G., Arts, R., Jacob, J. C., Reddy, R. Cervical myelopathy secondary to ossification of the posterior longitudinal ligament in a Caucasian patient. *Can J Neurol Sci.* 1993 Nov; 20: 329-32
- 44101** Cheater, F. M. Retrospective document survey: identification, assessment and management of urinary incontinence in medical and care of the elderly wards. *J Adv Nurs.* 1993 Nov; 18: 1734-46
- 44102** Moore, K. Controlling urinary incontinence. Interview by Patricia Marck. *AARN News Lett.* 1993 Nov; 49: 26
- 44103** Sakakibara, R., Hattori, T., Tojo, M., Yamanishi, T., Yasuda, K., Hirayama, K. Micturitional disturbance in progressive supranuclear palsy. *J Auton Nerv Syst.* 1993 Nov; 45: 101-6
- 44105** Dippel, D. W., Habbema, J. D. Probabilistic diagnosis of normal pressure hydrocephalus and other treatable cerebral lesions in dementia. *J Neurol Sci.* 1993 Nov; 119: 123-33



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 44108 Marsh, T. D. Estrogens for treating urinary incontinence in women. *Am Pharm.* 1993 Nov; NS33: 47-8, 90
- 44110 Eberle, C. M., Winsemius, D., Garibaldi, R. A. Risk factors and consequences of bacteriuria in non-catheterized nursing home residents. *J Gerontol.* 1993 Nov; 48: M266-71
- 44111 Belmin, J., Hervias, Y., Avellano, E., Oudart, O., Durand, I. Reliability of sampling urine from disposable diapers in elderly incontinent women. *J Am Geriatr Soc.* 1993 Nov; 41: 1182-6
- 44112 Siproudhis, L., Dautremer, S., Ropert, A., Bretagne, J. F., Heresbach, D., Raoul, J. L., Gosselin, M. Dyschezia and rectocele--a marriage of convenience? Physiologic evaluation of the rectocele in a group of 52 women complaining of difficulty in evacuation. *Dis Colon Rectum.* 1993 Nov; 36: 1030-6
- 44113 Goldwasser, B., Ben-Chaim, J., Golomb, J., Leibovitch, I., Mor, Y., Avigad, I. Bladder neck closure with an Indiana stoma outlet as a technique for continent vesicostomy. *Surg Gynecol Obstet.* 1993 Nov; 177: 448-50
- 44115 Skoner, M. M., Haylor, M. J. Managing incontinence: women's normalizing strategies. *Health Care Women Int.* 1993 Nov-Dec; 14: 549-60
- 44116 Sherman, A. M. An introduction to urinary incontinence. *Orthop Nurs.* 1993 Nov-Dec; 12: 27-30
- 44117 Rietberg, C. C., Lindhout, D. Adult patients with spina bifida cystica: genetic counselling, pregnancy and delivery. *Eur J Obstet Gynecol Reprod Biol.* 1993 Nov; 52: 63-70
- 44120 Bent, A. E., Ostergard, D. R., Zwick-Zaffuto, M. Tissue reaction to expanded polytetrafluoroethylene suburethral sling for urinary incontinence: clinical and histologic study. *Am J Obstet Gynecol.* 1993 Nov; 169: 1198-204
- 44123 Ouslander, J. G., Palmer, M. H., Rovner, B. W., German, P. S. Urinary incontinence in nursing homes: incidence, remission and associated factors. *J Am Geriatr Soc.* 1993 Oct; 41: 1083-9
- 44124 Eisman, E., Tries, J. A new probe for measuring electromyographic activity from multiple sites in the anal canal. *Dis Colon Rectum.* 1993 Oct; 36: 946-52
- 44126 Meyrat, B. J., Vernet, O., Berger, D., de Tribolet, N. Pre- and postoperative urodynamic and anorectal manometric findings in children operated upon for a primary tethered cord. *Eur J Pediatr Surg.* 1993 Oct; 3: 309-12
- 44127 Sakakibara, R., Hattori, T., Tojo, M., Yamanishi, T., Yasuda, K., Hirayama, K. Micturitional disturbance in radiation myelopathy. *J Spinal Disord.* 1993 Oct; 6: 402-5
- 44131 Hasson, H. M. Cervical removal at hysterectomy for benign disease. Risks and benefits. *J Reprod Med.* 1993 Oct; 38: 781-90
- 44132 Shiohama, N., Shinomiya, S., Nagaoka, M. Clinical features of anterior bradyrhythmia. *Clin Electroencephalogr.* 1993 Oct; 24: 194-201
- 44140 Barrett, D. M., Parulkar, B. G., Kramer, S. A. Experience with AS 800 artificial sphincter in pediatric and young adult patients. *Urology.* 1993 Oct; 42: 431-6
- 44141 Kavukcu, S., Ozaksoy, D., Turkmen, M., Kovanlikaya, I., Kose, G., Tavli, V. The urological manifestations of the tethered spinal cord. *Turk J Pediatr.* 1993 Oct-Dec; 35: 313-7
- 44142 Yu, T. J. Single unilateral vaginal ectopic ureter. *J Formos Med Assoc.* 1993 Oct; 92: 923-5
- 44143 Simor, A. E., Yake, S. L., Tsimidis, K. Infection due to *Clostridium difficile* among elderly residents of a long-term-care facility. *Clin Infect Dis.* 1993 Oct; 17: 672-8
- 44145 Effects of terodiline on urinary incontinence among older non-institutionalized women. Terodiline in the Elderly American Multicenter Study Group. *J Am Geriatr Soc.* 1993 Sep; 41: 915-22
- 44146 Schnelle, J. F., Ouslander, J. G., Simmons, S. F., Alessi, C. A., Gravel, M. D. The nighttime environment, incontinence care, and sleep disruption in nursing homes. *J Am Geriatr Soc.* 1993 Sep; 41: 910-4
- 44147 Schnelle, J. F., Ouslander, J. G., Simmons, S. F., Alessi, C. A., Gravel, M. D. Nighttime sleep and bed mobility among incontinent nursing home residents. *J Am Geriatr Soc.* 1993 Sep; 41: 903-9

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 44148 Herman, J. M., McLone, D. G., Storrs, B. B., Dauser, R. C. Analysis of 153 patients with myelomeningocele or spinal lipoma reoperated upon for a tethered cord. Presentation, management and outcome. *Pediatr Neurosurg.* 1993 Sep-Oct; 19: 243-9
- 44151 Benson, J. T., McClellan, E. The effect of vaginal dissection on the pudendal nerve. *Obstet Gynecol.* 1993 Sep; 82: 387-9
- 44153 Rintala, R., Lahdenne, P., Lindahl, H., Siimes, M., Heikinheimo, M. Anorectal function in adults operated for a benign sacrococcygeal teratoma. *J Pediatr Surg.* 1993 Sep; 28: 1165-7
- 44154 Vincent, C. Osteitis pubis. *J Am Board Fam Pract.* 1993 Sep-Oct; 6: 492-6
- 44155 Sakakibara, R., Hattori, T., Tojo, M., Yamanishi, T., Yasuda, K., Hirayama, K. Micturitional disturbance in multiple system atrophy. *Jpn J Psychiatry Neurol.* 1993 Sep; 47: 591-8
- 44156 Oot-Giromini, B. A. Pressure ulcer prevalence, incidence and associated risk factors in the community. *Decubitus.* 1993 Sep; 6: 24-32
- 44157 van der Linden, M. C., Gerretsen, G., Brandhorst, M. S., Ooms, E. C., Kremer, C. M., Doesburg, W. H. The effect of estriol on the cytology of urethra and vagina in postmenopausal women with genito-urinary symptoms. *Eur J Obstet Gynecol Reprod Biol.* 1993 Sep; 51: 29-33
- 44158 Ashworth, P. D., Hagan, M. T. The meaning of incontinence: a qualitative study of non-geriatric urinary incontinence sufferers. *J Adv Nurs.* 1993 Sep; 18: 1415-23
- 44160 Clark, A., Romm, J. Effect of urinary incontinence on sexual activity in women. *J Reprod Med.* 1993 Sep; 38: 679-83
- 44161 Brubaker, L., Kotarinos, R. Kegel or cut? Variations on his theme. *J Reprod Med.* 1993 Sep; 38: 672-8
- 44164 Richardson, D. A. Conservative management of urinary incontinence. A symposium. *J Reprod Med.* 1993 Sep; 38: 659-61
- 44165 Stickler, D. J., King, J. B., Winters, C., Morris, S. L. Blockage of urethral catheters by bacterial biofilms. *J Infect.* 1993 Sep; 27: 133-5
- 44166 Igawa, Y., Westerling, D., Mattiasson, A., Andersson, K. E. Effects of morphine metabolites on micturition in normal, unanaesthetized rats. *Br J Pharmacol.* 1993 Sep; 110: 257-62
- 44167 Crome, P., Wijayawardhana, P., Ankier, S. I., Dowell, P., Chevalier, P., Guillet, P. The pharmacokinetics of suriclone after single- and multiple-dose administration in healthy elderly volunteers. *Drugs Aging.* 1993 Sep-Oct; 3: 436-40
- 44168 Holt, P. E., Thrusfield, M. V. Association in bitches between breed, size, neutering and docking, and acquired urinary incontinence due to incompetence of the urethral sphincter mechanism. *Vet Rec.* 1993 Aug 21; 133: 177-80
- 44169 Jilek, R. Elderly toileting: is two hourly too often?. *Nurs Stand.* 1993 Aug 11-17; 7: 25-6
- 44170 Foreman, M. D., Theis, S. L., Anderson, M. A. Adverse events in the hospitalized elderly. *Clin Nurs Res.* 1993 Aug; 2: 360-70
- 44174 Genadry, R. R. Urogynecology. *Curr Opin Obstet Gynecol.* 1993 Aug; 5: 437-9
- 44177 Igawa, Y., Mattiasson, A., Andersson, K. E. Effects of GABA-receptor stimulation and blockade on micturition in normal rats and rats with bladder outflow obstruction. *J Urol.* 1993 Aug; 150: 537-42
- 44179 Sawle, G. V., Playford, E. D., Brooks, D. J., Quinn, N., Frackowiak, R. S. Asymmetrical pre-synaptic and post-synaptic changes in the striatal dopamine projection in dopa naive parkinsonism. Diagnostic implications of the D2 receptor status. *Brain.* 1993 Aug; 116 ( Pt 4): 853-67
- 44182 Hassink, E. A., Rieu, P. N., Severijnen, R. S., vd Staak, F. H., Festen, C. Are adults content or continent after repair for high anal atresia? A long-term follow-up study in patients 18 years of age and older. *Ann Surg.* 1993 Aug; 218: 196-200

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 44183** Karasawa, J., Touho, H., Ohnishi, H., Miyamoto, S., Kikuchi, H. Cerebral revascularization using omental transplantation for childhood moyamoya disease. *J Neurosurg.* 1993 Aug; 79: 192-6
- 44184** Nguyen, D. H., Ganesan, G. S., Sumfest, J. M., Liggitt, D. H., Caruso, A., Burns, M. W., Mitchell, M. E. The use of the AMS800 artificial urinary sphincter in combination with the gastric tube for continence in the canine model. *J Urol.* 1993 Aug; 150: 737-41
- 44186** Nguyen, D. H., Bain, M. A., Salmonson, K. L., Ganesan, G. S., Burns, M. W., Mitchell, M. E. The syndrome of dysuria and hematuria in pediatric urinary reconstruction with stomach. *J Urol.* 1993 Aug; 150: 707-9
- 44188** Caione, P., Lais, A., de Gennaro, M., Capozza, N. Glutaraldehyde cross-linked bovine collagen in exstrophy/epispadias complex. *J Urol.* 1993 Aug; 150: 631-3
- 44189** Gearhart, J. P., Canning, D. A., Peppas, D. S., Jeffs, R. D. Techniques to create continence in the failed bladder exstrophy closure patient. *J Urol.* 1993 Aug; 150: 441-3
- 44190** Gosalbez, R., Jr, Woodard, J. R., Broecker, B. H., Parrott, T. S., Massad, C. The use of stomach in pediatric urinary reconstruction. *J Urol.* 1993 Aug; 150: 438-40
- 44194** Hiraizumi, Y., Transfeldt, E. E., Fujimaki, E., Nakabayashi, H., Ishikawa, T., Sato, H. Electrophysiologic evaluation of intermittent sacral nerve dysfunction in lumbar spinal canal stenosis. *Spine.* 1993 Aug; 18: 1355-60
- 44196** Weiss, R. E., Garden, R. J., Cohen, E. L., Stone, N. N. Covered exstrophy with sequestered colonic remnant. *J Urol.* 1993 Jul; 150: 185-7
- 44197** McCormack, M., Pike, J., Kiruluta, G. Leak point of incontinence: a measure of the interaction between outlet resistance and bladder capacity. *J Urol.* 1993 Jul; 150: 162-4
- 44199** Jakobsen, H., Kromann-Andersen, B., Nielsen, K. K., Maegaard, E. Pad weighing tests with 50% or 75% bladder filling. Does it matter?. *Acta Obstet Gynecol Scand.* 1993 Jul; 72: 377-81
- 44202** Massat, B. J., Gregory, C. R., Ling, G. V., Cardinet, G. H., Lewis, E. L. Cystourethropexy to correct refractory urinary incontinence due to urethral sphincter mechanism incompetence. Preliminary results in ten bitches. *Vet Surg.* 1993 Jul-Aug; 22: 260-8
- 44204** Petrelli, N. J., Nagel, S., Rodriguez-Bigas, M., Piedmonte, M., Herrera, L. Morbidity and mortality following abdominoperineal resection for rectal adenocarcinoma. *Am Surg.* 1993 Jul; 59: 400-4
- 44206** Ghosh, T. S., Kwawukume, E. Y. A new method of achieving total continence in vesico-urethro-vaginal fistula (circumferential fistula) with total urethral destruction-- surgical technique. *West Afr J Med.* 1993 Jul-Sep; 12: 141-3
- 44209** Zimakoff, J., Pontoppidan, B., Larsen, S. O., Stickler, D. J. Management of urinary bladder function in Danish hospitals, nursing homes and home care. *J Hosp Infect.* 1993 Jul; 24: 183-99
- 44210** Gillatt, D. A., Feneley, R. C. Magnetic resonance imaging in the identification of an otherwise undetectable upper pole moiety. *Br J Urol.* 1993 Jul; 72: 122-3
- 44211** Diagnostic and therapeutic technology assessment. Use of Teflon preparations for urinary incontinence and vesicoureteral reflux. *JAMA.* 1993 Jun 16; 269: 2975-80
- 44212** Weese, D. L., Roskamp, D. A., Leach, G. E., Zimmern, P. E. Intravesical oxybutynin chloride: experience with 42 patients. *Urology.* 1993 Jun; 41: 527-30
- 44213** Sherer, D. M., Abramowicz, J. S., Perillo, A. M., Woods, J. R., Jr Post cesarean delivery atonic bladder with overflow incontinence appearing sonographically as a large retrovesical hypoechoic mass. *J Ultrasound Med.* 1993 Jun; 12: 365-7
- 44214** Lagace, E. A., Hansen, W., Hickner, J. M. Prevalence and severity of urinary incontinence in ambulatory adults: an UPRNet study. *J Fam Pract.* 1993 Jun; 36: 610-4
- 44215** Grosshans, C., Passadori, Y., Peter, B. Urinary retention in the elderly: a study of 100 hospitalized patients. *J Am Geriatr Soc.* 1993 Jun; 41: 633-8

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 44217 Milsom, I., Ekelund, P., Molander, U., Arvidsson, L., Areskoug, B. The influence of age, parity, oral contraception, hysterectomy and menopause on the prevalence of urinary incontinence in women. *J Urol.* 1993 Jun; 149: 1459-62
- 44220 Smith, P., Heimer, G., Norgren, A., Ulmsten, U. Localization of steroid hormone receptors in the pelvic muscles. *Eur J Obstet Gynecol Reprod Biol.* 1993 Jun; 50: 83-5
- 44221 Hollowell, J. G., Hill, P. D., Duffy, P. G., Ransley, P. G. Evaluation and treatment of incontinence after bladder neck reconstruction in exstrophy and epispadias. *Br J Urol.* 1993 Jun; 71: 743-9
- 44225 Bunyaratavej, P., La-ornual, S., Kongkanand, A., Prasopsanti, K., Vajrapongse, R. Ten years' experience with enterocystoplasty. *J Med Assoc Thai.* 1993 Jun; 76: 327-33
- 44226 Jolleys, J. V., Wilson, J. V. Urinary incontinence. GPs lack confidence. *BMJ.* 1993 May 15; 306: 1344
- 44227 Ekelund, P., Grimby, A., Milsom, I. Urinary incontinence. Social and financial costs high. *BMJ.* 1993 May 15; 306: 1344
- 44229 Jones, J. A., Mitchell, M. E., Rink, R. C. Improved results using a modification of the Young-Dees-Leadbetter bladder neck repair. *Br J Urol.* 1993 May; 71: 555-61
- 44235 Carter, C. T., Schafer, N. Incidence of urethral disruption in females with traumatic pelvic fractures. *Am J Emerg Med.* 1993 May; 11: 218-20
- 44236 Herschorn, S., Thijssen, A. J., Radomski, S. B. Experience with the hemi-Kock ileocystoplasty with a continent abdominal stoma. *J Urol.* 1993 May; 149: 998-1001
- 44237 Borer, J. G., Corgan, F. J., Krantz, R., Gordon, D. H., Maiman, M., Glassberg, K. I. Unilateral single vaginal ectopic ureter with ipsilateral hypoplastic pelvic kidney and bicornuate uterus. *J Urol.* 1993 May; 149: 1124-7
- 44238 Gearhart, J. P., Peppas, D. S., Jeffs, R. D. Complete genitourinary reconstruction in female epispadias. *J Urol.* 1993 May; 149: 1110-3
- 44240 Keating, M. A., Rink, R. C., Adams, M. C. Appendicovesicostomy: a useful adjunct to continent reconstruction of the bladder. *J Urol.* 1993 May; 149: 1091-4
- 44245 Hayden, D. W., Waters, D. J., Burke, B. A., Manivel, J. C. Disseminated malignant histiocytosis in a golden retriever: clinicopathologic, ultrastructural, and immunohistochemical findings. *Vet Pathol.* 1993 May; 30: 256-64
- 44246 Van Kerrebroeck, P. E., Koldewijn, E. L., Scherpenhuizen, S., Debruyne, F. M. The morbidity due to lower urinary tract function in spinal cord injury patients. *Paraplegia.* 1993 May; 31: 320-9
- 44247 Topper, A. K., Holliday, P. J., Fernie, G. R. Bladder volume estimation in the elderly using a portable ultrasound-based measurement device. *J Med Eng Technol.* 1993 May-Jun; 17: 99-103
- 44249 Mooney, R. A., Newman, D. K., Smith, D. A., Grey, M. Establishing a continence service using AHCPR guidelines. *Ostomy Wound Manage.* 1993 Apr; 39: 28-30, 32
- 44250 Lao, T. T., Halpern, S. H., MacDonald, D., Huh, C. Spinal subdural haematoma in a parturient after attempted epidural anaesthesia. *Can J Anaesth.* 1993 Apr; 40: 340-5
- 44251 Ouslander, J., Schnelle, J., Simmons, S., Bates-Jensen, B., Zeitlin, M. The dark side of incontinence: nighttime incontinence in nursing home residents. *J Am Geriatr Soc.* 1993 Apr; 41: 371-6
- 44252 Hage, J. J., Bouman, F. G., Bloem, J. J. Construction of the fixed part of the neourethra in female-to-male transsexuals: experience in 53 patients. *Plast Reconstr Surg.* 1993 Apr; 91: 904-10; discussion 911-3
- 44254 Golomb, J., Ben-Chaim, J., Goldwasser, B., Korach, J., Mashiach, S. Conservative treatment of a vesicocervical fistula resulting from Shirodkar cervical cerclage. *J Urol.* 1993 Apr; 149: 833-4
- 44257 Klein, H. M., Kirschner-Hermanns, R., Lagunilla, J., Gunther, R. W. Assessment of incontinence with intraurethral US: preliminary results. *Radiology.* 1993 Apr; 187: 141-3
- 44259 Wolfe, C. D., Taub, N. A., Woodrow, J., Richardson, E., Warburton, F. G., Burney, P. G. Does the incidence, severity, or case fatality of stroke vary in southern England?. *J Epidemiol Community Health.* 1993 Apr; 47: 139-43

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 44261 Brocklehurst, J. C. Urinary incontinence in the community--analysis of a MORI poll. *BMJ*. 1993 Mar 27; 306: 832-4
- 44262 Jarvis, G. J. Urinary incontinence in the community. *BMJ*. 1993 Mar 27; 306: 809-10
- 44264 Holt, P. E. Surgical management of congenital urethral sphincter mechanism incompetence in eight female cats and a bitch. *Vet Surg*. 1993 Mar-Apr; 22: 98-104
- 44267 Kurtz, M., Murrey, M., Salmonson, K., Cornell, C. Daytime incontinence. *J Pediatr Health Care*. 1993 Mar-Apr; 7: 92, 99-100
- 44270 Gelber, D. A., Good, D. C., Laven, L. J., Verhulst, S. J. Causes of urinary incontinence after acute hemispheric stroke. *Stroke*. 1993 Mar; 24: 378-82
- 44274 Hooley, J. S. Kegel exercises. *J Fla Med Assoc*. 1993 Mar; 80: 213
- 44276 Whyte, T. D., McNally, D. S., James, E. D. Six-element sensor for measuring vaginal pressure profiles. *Med Biol Eng Comput*. 1993 Mar; 31: 184-6
- 44277 Gormley, E. A., Griffiths, D. J., McCracken, P. N., Harrison, G. M. Polypharmacy and its effect on urinary incontinence in a geriatric population. *Br J Urol*. 1993 Mar; 71: 265-9
- 44278 Holt, P. E. Incontinence in giant schnauzers. *Vet Rec*. 1993 Feb 20; 132: 199-200
- 44279 Hinge, A. J. Incontinence in giant schnauzers. *Vet Rec*. 1993 Feb 6; 132: 144
- 44280 Eckford, S. D., Keane, D. P. Management of detrusor instability. *Br J Hosp Med*. 1993 Feb 17-Mar 2; 49: 282-5
- 44283 Keane, D. P., Winder, A., Lewis, P., Shepherd, A. M., Abrams, P. A combined urodynamic and continence unit--a review of the first 19 years. *Br J Urol*. 1993 Feb; 71: 161-5
- 44287 Schnelle, J. F., Newman, D., White, M., Abbey, J., Wallston, K. A., Fogarty, T., Ory, M. G. Maintaining continence in nursing home residents through the application of industrial quality control. *Gerontologist*. 1993 Feb; 33: 114-21
- 44290 Williams, M. P., Wallhagen, M., Dowling, G. Urinary retention in hospitalized elderly women. *J Gerontol Nurs*. 1993 Feb; 19: 7-14
- 44294 Sit, K. H. Urinary incontinence caused by prazosin. *Singapore Med J*. 1993 Feb; 34: 91
- 44298 Keane, D. P., Eckford, S. D., Shepherd, A. M., Abrams, P. Urodynamic investigation in elderly women. *BMJ*. 1993 Jan 9; 306: 145
- 44299 Williams, N. S., Fowler, C. G., George, B. D., Blandy, J. P., Badenoch, D. F., Patel, J. Electrically stimulated gracilis sphincter for bladder incontinence. *Lancet*. 1993 Jan 9; 341: 115-6
- 44301 Ishigooka, M., Hashimoto, T., Sasagawa, I., Nakada, T., Handa, Y. Technique of percutaneous electrode implantation for electrical pelvic floor stimulation. *Eur Urol*. 1993; 23: 413-6
- 44303 Cohen, H. A., Abarbanel, J., Ashkenasi, A., Frydman, M., Straussberg, R., Varsano, I. Urodynamic manifestations associated with Ramsay-Hunt syndrome. Case report. *Scand J Urol Nephrol*. 1993; 27: 129-31
- 44313 Chao, R., Mayo, M. E., Bejany, D. E., Bavendam, T. Bladder neck closure with continent augmentation or suprapubic catheter in patients with neurogenic bladders. *J Am Paraplegia Soc*. 1993 Jan; 16: 18-22
- 44314 Triolo, J., Breu, B. A. What is your diagnosis? Hemangiosarcoma of the falciform ligament. *J Am Vet Med Assoc*. 1993 Jan 1; 202: 133-4
- 44315 Day, D. G., Bailey, M. Q., Evans, K. L., Smeak, D. D., DiBartola, S. P. Postoperative evaluation of renal function after surgical correction of a ureterovaginal fistula in a cat. *J Am Vet Med Assoc*. 1993 Jan 1; 202: 104-6
- 44318 Dijkema, H. E., Weil, E. H., Mijs, P. T., Janknegt, R. A. Neuromodulation of sacral nerves for incontinence and voiding dysfunctions. Clinical results and complications. *Eur Urol*. 1993; 24: 72-6
- 44323 Broseta, E., Osca, J. M., Morera, J., Martinez-Agullo, E., Jimenez-Cruz, J. F. Urological manifestations of herpes zoster. *Eur Urol*. 1993; 24: 244-7



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 44331** Ishigooka, M., Hashimoto, T., Izumiya, K., Katoh, T., Yaguchi, H., Nakada, T., Handa, Y., Hoshimiya, N. Electrical pelvic floor stimulation in the management of urinary incontinence due to neuropathic overactive bladder. *Front Med Biol Eng.* 1993; 5: 1-10
- 44332** Foreman, M. M., McNulty, A. M. Alterations in K(+)-evoked release of 3H-norepinephrine and contractile responses in urethral and bladder tissues induced by norepinephrine reuptake inhibition. *Life Sci.* 1993; 53: 193-200
- 44333** Rabin, J. M., McNett, J., Badlani, G. H. Computerized voiding diary. *Neurourol Urodyn.* 1993; 12: 541-53; discussion 553-4
- 44335** Arpa Gutierrez, J., Morales, C., Lara, M., Munoz, C., Garcia-Rojo, M., Caminero, A., Gutierrez, M. Type I familial amyloid polyneuropathy and pontine haemorrhage. *Acta Neuropathol (Berl).* 1993; 86: 542-5
- 44336** Mansson, A., Anderson, H., Colleen, S. Time lag to diagnosis of bladder cancer--influence of psychosocial parameters and level of health-care provision. *Scand J Urol Nephrol.* 1993; 27: 363-9
- 44338** Ishigooka, M., Hashimoto, T., Izumiya, K., Sasagawa, I., Nakada, T. Incidence of anal incontinence after long-term follow-up of patients treated by ureterosigmoidostomy. *Int Urol Nephrol.* 1993; 25: 455-60
- 44339** Isambert, J. L., Egon, G., Colombel, P. Adjuvant drug therapy: a review of 30 cases of sacral anterior root stimulator. *Neurourol Urodyn.* 1993; 12: 513-5
- 44340** Egon, G., Colombel, P., Isambert, J. L., Guerin, J., Barat, M. Evolution of bladder contraction in course of time after implantation of a sacral anterior root stimulator. *Neurourol Urodyn.* 1993; 12: 509-12
- 44341** Van Kerrebroeck, P. E., Koldewijn, E. L., Debruyne, F. M. Worldwide experience with the Finetech-Brindley sacral anterior root stimulator. *Neurourol Urodyn.* 1993; 12: 497-503
- 44342** Sarrias, M., Sarrias, F., Borau, A. The 'Barcelona' technique. *Neurourol Urodyn.* 1993; 12: 495-6
- 44343** Del Carro, U., Riva, D., Comi, G. C., Locatelli, T., Magnani, G., Levati, N., Vigano, R., Sambruni, I., Canal, N. Neurophysiological evaluation in detrusor instability. *Neurourol Urodyn.* 1993; 12: 455-62
- 44344** Hellstrom, L., Ekelund, P., Larsson, M., Milsom, I. Adapting incontinent patients incontinence aids to their leakage volumes. *Scand J Caring Sci.* 1993; 7: 67-71
- 44345** Shen, W. C., Lee, S. K., Ho, Y. J., Lee, K. R. Myelography, CT and MRI in leukaemic infiltration of the lumbar theca. *Neuroradiology.* 1993; 35: 516-7
- 44346** Mansi, M., Ahmed, S. Young-Dees-Leadbetter bladder neck reconstruction for sphincteric urinary incontinence: the value of augmentation cystoplasty. *Scand J Urol Nephrol.* 1993; 27: 509-17
- 44349** Brandell, R. A., Brock, J. W., 3rd Common problems in pediatric urology. *Compr Ther.* 1993; 19: 11-6
- 44350** Van Zak, D. B. Non-invasive feedback of external pubococcegeii muscle activity as a treatment for urinary incontinence. *Int J Psychosom.* 1993; 40: 56-9
- 44351** Hamvas, A., Nagy, F., Tanko, A. The role of Melipramine in the treatment of bladder instability. *Ther Hung.* 1993; 41: 150-2
- 44352** Belville, W. D., Swierzewski, S. J., 3rd, Wedemeyer, G., McGuire, E. J. Fiberoptic microtransducer pressure technology: urodynamic implications. *Neurourol Urodyn.* 1993; 12: 171-8
- 44356** Barrett, J. A., Banks, A., Roe, B. Urodynamic investigation in elderly women. *BMJ.* 1992 Dec 5; 305: 1438
- 44359** Borzi, P. A., Bruce, J., Gough, D. C. Continent cutaneous diversions in children: experience with the Mitrofanoff procedure. *Br J Urol.* 1992 Dec; 70: 669-73
- 44360** Hyams, G., McCoull, K., Smith, P. S., Tyrer, S. P. Behavioural continence training in mental handicap: a 10-year follow-up study. *J Intellect Disabil Res.* 1992 Dec; 36 ( Pt 6): 551-8
- 44361** Doan, T., Patterson, R., Greenberger, P. A. Cough variant asthma: usefulness of a diagnostic-therapeutic trial with prednisone. *Ann Allergy.* 1992 Dec; 69: 505-9

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 44365** Herschorn, S., Radomski, S. B., Steele, D. J. Early experience with intraurethral collagen injections for urinary incontinence. *J Urol.* 1992 Dec; 148: 1797-800
- 44366** O'Brien, D. P., Singh, J., Dias, P. S. Spinal epidermoid cyst and cauda equina syndrome in a teenage girl. *Ir J Med Sci.* 1992 Dec; 161: 675-8
- 44372** Merimsky, O., Reider-Groswasser, I., Wigler, N., Chaitchik, S. Encephalopathy in ifosfamide-treated patients. *Acta Neurol Scand.* 1992 Nov; 86: 521-5
- 44373** Belloli, G., Campobasso, P., Mercurella, A. Neuropathic urinary incontinence in pediatric patients: management with artificial sphincter. *J Pediatr Surg.* 1992 Nov; 27: 1461-4
- 44374** Ahmed, S., Morris, L. L., Byard, R. W. Ectopic ureter with complete ureteric duplication in the female child. *J Pediatr Surg.* 1992 Nov; 27: 1455-60
- 44375** Fowler, C. J., van Kerrebroeck, P. E., Nordenbo, A., Van Poppel, H. Treatment of lower urinary tract dysfunction in patients with multiple sclerosis. Committee of the European Study Group of SUDIMS (Sexual and Urological Disorders in Multiple Sclerosis). *J Neurol Neurosurg Psychiatry.* 1992 Nov; 55: 986-9
- 44377** Ronzoni, G., De Vecchis, M., Raschi, R., Cuneo, L., Cagossi, M. Rome pouch: pre-peritoneal continent ileal reservoir with hydraulic valve. *Br J Urol.* 1992 Nov; 70: 514-8
- 44379** Berned Muller, E., Nordwall, A., von Wendt, L. The influence of scoliosis brace treatment on function in children with myelomeningocele. *Acta Paediatr.* 1992 Nov; 81: 925-8
- 44383** Salisz, J. A., Diokno, A. C. The management of injuries to the urethra, bladder or vagina encountered during difficult placement of the artificial urinary sphincter in the female patient. *J Urol.* 1992 Nov; 148: 1528-30
- 44385** Iliffe, S., Tai, S. S., Haines, A., Gallivan, S., Goldenberg, E., Booroff, A., Morgan, P. Are elderly people living alone an at risk group?. *BMJ.* 1992 Oct 24; 305: 1001-4
- 44386** O'Connell, H. E., MacGregor, R. J., Russell, J. M. Female urinary incontinence. Management in primary care. *Med J Aust.* 1992 Oct 19; 157: 537-44
- 44387** Squire, K. R., Adams, S. B. Bilateral ureterocystostomy in a 450-kg horse with ectopic ureters. *J Am Vet Med Assoc.* 1992 Oct 15; 201: 1213-5
- 44390** Philp, J., Cottenden, A., Ledger, D. Continence. The reuser's guide. *Nurs Times.* 1992 Oct 28-Nov 3; 88: 66-72
- 44391** Keane, D. P., Eckford, S. D., Shepherd, A. M., Abrams, P. Referral patterns and diagnoses in women attending a urodynamic unit. *BMJ.* 1992 Oct 3; 305: 808
- 44392** Rekers, H., Drogendijk, A. C., Valkenburg, H. A., Riphagen, F. The menopause, urinary incontinence and other symptoms of the genito- urinary tract. *Maturitas.* 1992 Oct; 15: 101-11
- 44393** McCormick, K. A., Newman, D. K., Colling, J., Pearson, B. D. Urinary incontinence in adults. *Am J Nurs.* 1992 Oct; 92: 75-88
- 44395** Moore, K. H., Gilpin, S. A., Dixon, J. S., Richmond, D. H., Sutherst, J. R. Increase in presumptive sensory nerves of the urinary bladder in idiopathic detrusor instability. *Br J Urol.* 1992 Oct; 70: 370-2
- 44396** Viljoen, A. C. Further experience with the vaginal strips sling operation. *S Afr Med J.* 1992 Oct; 82: 286-7
- 44397** New studies, new treatments, new organization discussed at national NP symposium. *Nurse Pract.* 1992 Oct; 17: 66-8
- 44403** Liptak, G. S., Shurtleff, D. B., Bloss, J. W., Baltus-Hebert, E., Manitta, P. Mobility aids for children with high-level myelomeningocele: parapodium versus wheelchair. *Dev Med Child Neurol.* 1992 Sep; 34: 787-96
- 44405** Vara, A. R., Shanberg, A. M., Sawyer, D. E., Tansey, L. A., Martin, D. C. Modification of Le Bag ileocolonic pouch with improved results. Review of 17 cases. *Urology.* 1992 Sep; 40: 221-6
- 44411** Rohatgi, M., Gupta, D. K., Subbarao, P. Single-system cecoureterocele. *J Pediatr Surg.* 1992 Sep; 27: 1241-3

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 44412 Wszolek, Z. K., Pfeiffer, R. F., Bhatt, M. H., Schelper, R. L., Cordes, M., Snow, B. J., Rodnitzky, R. L., Wolters, E. C., Arwert, F., Calne, D. B. Rapidly progressive autosomal dominant parkinsonism and dementia with pallido-ponto-nigral degeneration. *Ann Neurol.* 1992 Sep; 32: 312-20
- 44415 Kaufman, D. M., Lipton, R. B. The persistent vegetative state: an analysis of clinical correlates and costs. *N Y State J Med.* 1992 Sep; 92: 381-4
- 44416 Bishop, K. R., Dougherty, M., Mooney, R., Gimotty, P., Williams, B. Effects of age, parity, and adherence on pelvic muscle response to exercise. *J Obstet Gynecol Neonatal Nurs.* 1992 Sep-Oct; 21: 401-6
- 44417 Hollowell, J. G., Hill, P. D., Duffy, P. G., Ransley, P. G. Lower urinary tract function after exstrophy closure. *Pediatr Nephrol.* 1992 Sep; 6: 428-32
- 44418 Dirie, M. A., Lindmark, G. The risk of medical complications after female circumcision. *East Afr Med J.* 1992 Sep; 69: 479-82
- 44419 Gregory, S. P., Parkinson, T. J., Holt, P. E. Urethral conformation and position in relation to urinary incontinence in the bitch. *Vet Rec.* 1992 Aug 22; 131: 167-70
- 44422 Atala, A., Bauer, S. B., Dyro, F. M., Shefner, J., Shillito, J., Sathi, S., Scott, R. M. Bladder functional changes resulting from lipomyelomeningocele repair. *J Urol.* 1992 Aug; 148: 592-4
- 44423 Boone, T. B., Roehrborn, C. G., Hurt, G. Transurethral intravesical electrotherapy for neurogenic bladder dysfunction in children with myelodysplasia: a prospective, randomized clinical trial. *J Urol.* 1992 Aug; 148: 550-4
- 44427 Orlander, J. D., Jick, S. S., Dean, A. D., Jick, H. Urinary tract infections and estrogen use in older women. *J Am Geriatr Soc.* 1992 Aug; 40: 817-20
- 44428 Lachs, M. S., Becker, M., Siegal, A. P., Miller, R. L., Tinetti, M. E. Delusions and behavioral disturbances in cognitively impaired elderly persons. *J Am Geriatr Soc.* 1992 Aug; 40: 768-73
- 44429 Fainsinger, R. L., MacEachern, T., Hanson, J., Bruera, E. The use of urinary catheters in terminally ill cancer patients. *J Pain Symptom Manage.* 1992 Aug; 7: 333-8
- 44430 Gynecologic urology. *Curr Opin Obstet Gynecol.* 1992 Aug; 4: 627-31
- 44431 Caputo, R. M., Benson, J. T. Idiopathic fecal incontinence. *Curr Opin Obstet Gynecol.* 1992 Aug; 4: 565-70
- 44433 Kondo, A., Kato, K., Sakakibara, T., Hashizume, Y., Ito, S. Tethered cord syndrome: cause for urge incontinence and pain in lower extremities. *Urology.* 1992 Aug; 40: 143-6
- 44436 Flaherty, J. H., Miller, D. K., Coe, R. M. Impact on caregivers of supporting urinary function in noninstitutionalized, chronically ill seniors. *Gerontologist.* 1992 Aug; 32: 541-5
- 44441 Havranek, P., Hedlund, H., Rubenson, A., Guth, D., Husberg, M., Frykberg, T., Larsson, L. T. Sacrococcygeal teratoma in Sweden between 1978 and 1989: long-term functional results. *J Pediatr Surg.* 1992 Jul; 27: 916-8
- 44447 Wan, J., McGuire, E. J., Bloom, D. A., Ritchey, M. L. The treatment of urinary incontinence in children using glutaraldehyde cross-linked collagen. *J Urol.* 1992 Jul; 148: 127-30
- 44450 Klein, M. C., Gauthier, R. J., Jorgensen, S. H., Robbins, J. M., Kaczorowski, J., Johnson, B., Corriveau, M., Westreich, R., Waghorn, K., Gelfand, M. M., et, a. I. ... Does episiotomy prevent perineal trauma and pelvic floor relaxation?. *Online J Curr Clin Trials.* 1992 Jul 1; Doc No 10: [6019 words; 65 paragraphs]
- 44454 McMurdo, M. E., Davey, P. G., Elder, M. A., Miller, R. M., Old, D. C., Malek, M. A cost-effectiveness study of the management of intractable urinary incontinence by urinary catheterisation or incontinence pads. *J Epidemiol Community Health.* 1992 Jun; 46: 222-6
- 44458 Mulhall, A. U.K. experience with indwelling urethral catheters. *Am J Infect Control.* 1992 Jun; 20: 164
- 44463 Masters, J. C., O'Grady, M. Normal pressure hydrocephalus. A potentially reversible form of dementia. *J Psychosoc Nurs Ment Health Serv.* 1992 Jun; 30: 25-8
- 44467 Hattori, T., Yasuda, K., Sakakibara, R., Yamanishi, T., Kitahara, H., Hirayama, K. Micturitional disturbance in tumors of the lumbosacral area. *J Spinal Disord.* 1992 Jun; 5: 193-7

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 44471 Holt, P. E., Gibbs, C. Congenital urinary incontinence in cats: a review of 19 cases. *Vet Rec.* 1992 May 16; 130: 437-42
- 44473 Mostafa, W. Z., Abahussein, A. A., Alzayer, A. A. Diaper area granuloma of incontinence. *J Dermatol.* 1992 May; 19: 319-22
- 44474 McCarthy, R. J., Lipowitz, A. J., O'Brien, T. D. Continent jejunal reservoir (Kock pouch) for urinary diversion in dogs. *Vet Surg.* 1992 May-Jun; 21: 208-16
- 44475 Monfort, G., Guys, J. M., Coquet, M., Roth, K., Louis, C., Bocciardi, A. Surgical management of duplex ureteroceles. *J Pediatr Surg.* 1992 May; 27: 634-8
- 44476 Gough, M., McDermott, E. W., Lyons, B., Hederman, W. P. Perforation of bladder carcinoma presenting as acute abdomen. *Br J Urol.* 1992 May; 69: 541-2
- 44477 Versi, E. The Stamey endoscopic bladder neck suspension: a clinical and urodynamic investigation, including actuarial follow-up over four years. *Br J Obstet Gynaecol.* 1992 May; 99: 442-3
- 44478 Hildebrand, J., Moussa, Z., Raftopoulos, C., Vanhouche, J., Laute, M. A., Przedborski, S. Variations of homovanillic acid levels in ventricular cerebrospinal fluid. *Acta Neurol Scand.* 1992 May; 85: 340-2
- 44479 Kok, A. L., Voorhorst, F. J., Burger, C. W., van Houten, P., Kenemans, P., Janssens, J. Urinary and faecal incontinence in community-residing elderly women. *Age Ageing.* 1992 May; 21: 211-5
- 44480 Griffiths, D. J., McCracken, P. N., Harrison, G. M., Gormley, E. A. Characteristics of urinary incontinence in elderly patients studied by 24-hour monitoring and urodynamic testing. *Age Ageing.* 1992 May; 21: 195-201
- 44481 Gladman, J. R., Harwood, D. M., Barer, D. H. Predicting the outcome of acute stroke: prospective evaluation of five multivariate models and comparison with simple methods. *J Neurol Neurosurg Psychiatry.* 1992 May; 55: 347-51
- 44483 Hoffman, M. S., Roberts, W. S., Finan, M. A., Fiorica, J. V., Bryson, S. C., Ruffolo, E. H., Cavanagh, D. A comparative study of radical vulvectomy and modified radical vulvectomy for the treatment of invasive squamous cell carcinoma of the vulva. *Gynecol Oncol.* 1992 May; 45: 192-7
- 44484 Khoury, J. M., Webster, G. D. Evaluation of augmentation cystoplasty for severe neuropathic bladder using the hostility score. *Dev Med Child Neurol.* 1992 May; 34: 441-7
- 44490 Kreder, K., Das, A. K., Webster, G. D. The hemi-Kock ileocystoplasty: a versatile procedure in reconstructive urology. *J Urol.* 1992 May; 147: 1248-51
- 44491 Sabnis, R. B., Bapat, S. D., Desai, R. M., Punekar, S. V. Experience of continent urinary diversion with modified Koff's technique. *Arch Esp Urol.* 1992 May; 45: 383-6
- 44495 Malone-Lee, J., Lubel, D., Szonyi, G. Low dose oxybutynin for the unstable bladder. *BMJ.* 1992 Apr 18; 304: 1053
- 44500 Harada, T., Levounis, P., Constantinou, C. E. Rapid evaluation of the efficacy of pharmacologic agents and their analogs in enhancing bladder capacity and reducing the voiding frequency. *J Pharmacol Toxicol Methods.* 1992 Apr; 27: 119-26
- 44501 Hemal, A. K. Re: Actinomycotic vesico-uterine fistula from a wishbone pessary contraceptive device. P. Buckley et al. *Br. J. Urol.*, 68, 206-207, 1991. *Br J Urol.* 1992 Apr; 69: 442
- 44502 Ramsay, I. N., Clancy, S., Hilton, P. Subtrigonal phenol injections in the treatment of idiopathic detrusor instability in the female--a long-term urodynamic follow-up. *Br J Urol.* 1992 Apr; 69: 363-5
- 44503 Goldstein, M., Hawthorne, M. E., Engeberg, S., McDowell, B. J., Burgio, K. L. Urinary incontinence. Why people do not seek help. *J Gerontol Nurs.* 1992 Apr; 18: 15-20
- 44505 Christiansen, J., Sparso, B. Treatment of anal incontinence by an implantable prosthetic anal sphincter. *Ann Surg.* 1992 Apr; 215: 383-6
- 44507 McDowell, B. J., Burgio, K. L., Dombrowski, M., Locher, J. L., Rodriguez, E. An interdisciplinary approach to the assessment and behavioral treatment of urinary incontinence in geriatric outpatients. *J Am Geriatr Soc.* 1992 Apr; 40: 370-4

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 44509 Palmer, M. H., McCormick, K. A., Langford, A., Langlois, J., Alvaran, M. Continence outcomes: documentation on medical records in the nursing home environment. *J Nurs Care Qual.* 1992 Apr; 6: 36-43
- 44510 Kontani, H., Nakagawa, M., Sakai, T. Effects of adrenergic agonists on an experimental urinary incontinence model in anesthetized rabbits. *Jpn J Pharmacol.* 1992 Apr; 58: 339-46
- 44518 McCormick, K. A., Burgio, L. D., Engel, B. T., Scheve, A., Leahy, E. Urinary incontinence: an augmented prompted void approach. *J Gerontol Nurs.* 1992 Mar; 18: 3-10
- 44521 Murphy, S., Denman, S., Bennett, R. G., Greenough, W. B., 3rd, Lindsay, J., Zelesnick, L. B. Methicillin-resistant *Staphylococcus aureus* colonization in a long-term- care facility. *J Am Geriatr Soc.* 1992 Mar; 40: 213-7
- 44522 Creason, N. S., Burgener, S. C., Farrand, L. Guidelines for assessment of incontinence in elderly institutionalized women. *Geriatr Nurs.* 1992 Mar-Apr; 13: 76-9
- 44523 Holmes, S. A., Christmas, T. J., Kirby, R. S., Hendry, W. F. Cystectomy and substitution enterocystoplasty: alternative primary treatment for T2/3 bladder cancer. *Br J Urol.* 1992 Mar; 69: 260-4
- 44524 Rekers, H., Drogendijk, A. C., Valkenburg, H., Riphagen, F. Urinary incontinence in women from 35 to 79 years of age: prevalence and consequences. *Eur J Obstet Gynecol Reprod Biol.* 1992 Feb 28; 43: 229-34
- 44525 Harrington, W. J., Jr, Sheramata, W., Cabral, L. Danazol for urinary incontinence in tropical spastic paraparesis. *Lancet.* 1992 Feb 8; 339: 368
- 44527 Goldberg, N. S., Esterly, N. B., Rothman, K. F., Fallon, J. D., Cropley, T. G., Szaniawski, W., Glassman, M. Perianal pseudoverrucous papules and nodules in children. *Arch Dermatol.* 1992 Feb; 128: 240-2
- 44534 Briggs, M., Williams, E. S. Urinary incontinence. *BMJ.* 1992 Jan 25; 304: 255
- 44535 Oakeshott, P., Hunt, G. M. Urinary incontinence in women. *BMJ.* 1992 Jan 25; 304: 255
- 44536 Wise, B. G., Abbott, D., Kelleher, C. J., Haken, J., Burton, G., Cardozo, L. D. Urinary incontinence. *BMJ.* 1992 Jan 11; 304: 119-20
- 44543 Yokoyama, O., Nagano, K., Kawaguchi, K., Komatsu, K., Egawa, M., Hisazumi, H. The influence of pelvic nerve transection on the neuromuscular system of the canine urinary bladder. *Urol Res.* 1992; 20: 45-8
- 44544 Lyder, C. H., Clemes-Lowrance, C., Davis, A., Sullivan, L., Zucker, A. Structured skin care regimen to prevent perineal dermatitis in the elderly. *J ET Nurs.* 1992 Jan-Feb; 19: 12-6
- 44546 Davidsson, T., Barker, S. B., Mansson, W. Tapering of intussuscepted ileal nipple valve or ileocecal valve to correct secondary incontinence in patients with urinary reservoir. *J Urol.* 1992 Jan; 147: 144-6
- 44547 Mayo, M. E., Chetner, M. P. Lower urinary tract dysfunction in multiple sclerosis. *Urology.* 1992 Jan; 39: 67-70
- 44548 Lamhut, P., Jackson, T. W., Wall, L. L. The treatment of urinary incontinence with electrical stimulation in nursing home patients: a pilot study. *J Am Geriatr Soc.* 1992 Jan; 40: 48-52
- 44551 Kirkeby, L. T., Beier-Holgersen, R., Nordling, J. Successful pregnancy after ileocystoplasty. Case report. *Scand J Urol Nephrol.* 1992; 26: 195
- 44552 Nordstrom, G., Nyman, C. R., Theorell, T. Psychosocial adjustment and general state of health in patients with ileal conduit urinary diversion. *Scand J Urol Nephrol.* 1992; 26: 139-47
- 44553 Stewart, D. A., Taylor, J., Ghosh, S., Macphee, G. J., Abdullah, I., McLenachan, J. M., Stott, D. J. Terodiline causes polymorphic ventricular tachycardia due to reduced heart rate and prolongation of QT interval. *Eur J Clin Pharmacol.* 1992; 42: 577-80
- 44554 van Gool, J. D., Vijverberg, M. A., de Jong, T. P. Functional daytime incontinence: clinical and urodynamic assessment. *Scand J Urol Nephrol Suppl.* 1992; 141: 58-69
- 44561 Demand for urological devices increases among aging population. *Front Med Biol Eng.* 1992; 4: 65-6
- 44563 Colak, A., Tahta, K., Ozcan, O. E., Eryilmaz, M. Congenital lumbosacral lipomas presenting as a form of occult spinal dysraphism. A report of 9 surgically treated cases. *Zentralbl Neurochir.* 1992; 53: 15-9



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 44565** Arena, M. G., Di Rosa, A. E., Arcudi, L., Ruello, C., Magaudo, A., Meduri, M. Voiding disorders in patients with cerebrovascular disease. *Funct Neurol.* 1992 Jan-Feb; 7: 47-9
- 44566** Laverty, S., Pascoe, J. R., Ling, G. V., Lavoie, J. P., Ruby, A. L. Urolithiasis in 68 horses. *Vet Surg.* 1992 Jan-Feb; 21: 56-62
- 44567** McLoughlin, M. A., Walshaw, R., Thomas, M. W., Dunstan, R. W. Gastric conduit urinary diversion in normal dogs. Part I, Upper urinary tract structure, function, and sepsis. *Vet Surg.* 1992 Jan-Feb; 21: 25-32
- 44568** O'Donnell, B. F., Drachman, D. A., Barnes, H. J., Peterson, K. E., Swearer, J. M., Lew, R. A. Incontinence and troublesome behaviors predict institutionalization in dementia. *J Geriatr Psychiatry Neurol.* 1992 Jan-Mar; 5: 45-52
- 44571** Overmeyer, S., Rothenberger, A., Koelfen, W. Psychiatric disturbances in children with hamartomas: a neglected somatopsychic issue. A case report. *Acta Paedopsychiatr.* 1992; 55: 243-9
- 44574** Chapelle, T., Reher, S., Denis, B. Surgical extraction of a bladder stone due to a foreign body. *Acta Urol Belg.* 1992; 60: 85-7
- 44575** Pollack, M. H., Reiter, S., Hammerness, P. Genitourinary and sexual adverse effects of psychotropic medication. *Int J Psychiatry Med.* 1992; 22: 305-27
- 44576** Urinary incontinence in adults. Agency for Health Care Policy and Research. *Clin Pract Guidel Quick Ref Guide Clin.* 1992; : QR1-27
- 44577** Simforoosh, N., Norbala, M. H., Danesh, A., Bassiri, A. Proper use of gastrointestinal tract to achieve continent urinary diversion in 73 patients. *J Urol (Paris).* 1992; 98: 206-9
- 44579** Scarratt, W. K., Furr, M. O., Robertson, J. L. Hepatoencephalopathy and hypocalcemia in a miniature horse mare. *J Am Vet Med Assoc.* 1991 Dec 15; 199: 1754-6
- 44580** Harrington, W. J., Jr, Sheremata, W. A., Snodgrass, S. R., Emerson, S., Phillips, S., Berger, J. R. Tropical spastic paraparesis/HTLV-1-associated myelopathy (TSP/HAM): treatment with an anabolic steroid danazol. *AIDS Res Hum Retroviruses.* 1991 Dec; 7: 1031-4
- 44587** Dandapat, M. C., Mishra, J. N., Das, R. P. Abdominal suture proctopexy for complete prolapse of rectum. *J Indian Med Assoc.* 1991 Dec; 89: 331-3
- 44589** Campbell, E. B., Knight, M., Benson, M., Colling, J. Effect of an incontinence training program on nursing home staff's knowledge, attitudes, and behavior. *Gerontologist.* 1991 Dec; 31: 788-94
- 44590** Palmer, M. H., German, P. S., Ouslander, J. G. Risk factors for urinary incontinence one year after nursing home admission. *Res Nurs Health.* 1991 Dec; 14: 405-12
- 44591** Lie, H. R., Lagergren, J., Rasmussen, F., Lagerkvist, B., Hagelsteen, J., Borjeson, M. C., Muttillainen, M., Taudorf, K. Bowel and bladder control of children with myelomeningocele: a Nordic study. *Dev Med Child Neurol.* 1991 Dec; 33: 1053-61
- 44594** Swanson, S. J., 3rd, Skoog, S. J., Garcia, V., Wahl, R. C. Pseudoadrenal mass: unusual presentation of bronchogenic cyst. *J Pediatr Surg.* 1991 Dec; 26: 1401-3
- 44595** Burgio, K. L., Burgio, L. D., McCormick, K. A., Engel, B. T. Assessing toileting skills and habits in an adult day care center. *J Gerontol Nurs.* 1991 Dec; 17: 32-5
- 44596** Bergman, A., Stanczyk, F. Z., Lobo, R. A. The role of prostaglandins in detrusor instability. *Am J Obstet Gynecol.* 1991 Dec; 165: 1833-6
- 44598** O'Brien, J., Austin, M., Sethi, P., O'Boyle, P. Urinary incontinence: prevalence, need for treatment, and effectiveness of intervention by nurse. *BMJ.* 1991 Nov 23; 303: 1308-12
- 44599** Magaziner, J., Tenney, J. H., DeForge, B., Hebel, J. R., Muncie, H. L., Jr, Warren, J. W. Prevalence and characteristics of nursing home-acquired infections in the aged. *J Am Geriatr Soc.* 1991 Nov; 39: 1071-8
- 44600** Oliver, J. R., Wheelless, C. R., Jr, Fakhoury, G. Correction of incontinent ileocolic urostomy with Kock's nipple valve. *Gynecol Oncol.* 1991 Nov; 43: 178-81

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 44602 Miller, K., Wenderoth, U. K., de Petriconi, R., Kleinschmidt, K., Hautmann, R. The ileal neobladder. Operative technique and results. *Urol Clin North Am.* 1991 Nov; 18: 623-30
- 44603 Luangkhot, R., Peng, B. C., Blaivas, J. G. Ileocecostoplasty for the management of refractory neurogenic bladder: surgical technique and urodynamic findings. *J Urol.* 1991 Nov; 146: 1340-4
- 44612 Almog, S., Winkler, E., Amitai, Y., Dani, S., Shefi, M., Tirosh, M., Shemer, J. Acute pyridostigmine overdose: a report of nine cases. *Isr J Med Sci.* 1991 Nov-Dec; 27: 659-63
- 44615 George, V. K., Russell, G. L., Shutt, A., Gaches, C. G., Ashken, M. H. Clam ileocystoplasty. *Br J Urol.* 1991 Nov; 68: 487-9
- 44616 Chapple, C. R., Hampson, S. J., Turner-Warwick, R. T., Worth, P. H. Subtrigonal phenol injection. How safe and effective is it?. *Br J Urol.* 1991 Nov; 68: 483-6
- 44617 Moore, K. H., Richmond, D. H., Parys, B. T. Sex distribution of adult idiopathic detrusor instability in relation to childhood bedwetting. *Br J Urol.* 1991 Nov; 68: 479-82
- 44618 Hollowell, J. G., Hill, P. D., Duffy, P. G., Ransley, P. G. Bladder function and dysfunction in exstrophy and epispadias. *Lancet.* 1991 Oct 12; 338: 926-8
- 44619 Carter, J. P., Noronha-Blob, L., Audia, V. H., Dupont, A. C., McPherson, D. W., Natalie, K. J., Jr, Rzeszotarski, W. J., Spagnuolo, C. J., Waid, P. P., Kaiser, C. Analogues of oxybutynin. Synthesis and antimuscarinic and bladder activity of some substituted 7-amino-1-hydroxy-5-heptyn-2-ones and related compounds. *J Med Chem.* 1991 Oct; 34: 3065-74
- 44623 Bull, E., Chilton, C. P., Gould, C. A., Sutton, T. M. Single-blind, randomised, parallel group study of the Bard Biocath catheter and a silicone elastomer coated catheter. *Br J Urol.* 1991 Oct; 68: 394-9
- 44625 Lockhart, J. L., Pow-Sang, J. M., Persky, L., Sanford, E., Helal, M. Results, complications and surgical indications of the Florida pouch. *Surg Gynecol Obstet.* 1991 Oct; 173: 289-96
- 44628 Gearhart, J. P., Canning, D. A., Jeffs, R. D. Failed bladder neck reconstruction: options for management. *J Urol.* 1991 Oct; 146: 1082-4
- 44632 Ganzini, L., Heintz, R., Hoffman, W. F., Keepers, G. A., Casey, D. E. Acute extrapyramidal syndromes in neuroleptic-treated elders: a pilot study. *J Geriatr Psychiatry Neurol.* 1991 Oct-Dec; 4: 222-5
- 44635 Delamarter, R. B., Sherman, J. E., Carr, J. B. 1991 Volvo Award in experimental studies. Cauda equina syndrome: neurologic recovery following immediate, early, or late decompression. *Spine.* 1991 Sep; 16: 1022-9
- 44640 Blandy, J. P., Badenoch, D. F., Fowler, C. G., Jenkins, B. J., Thomas, N. W. Early repair of iatrogenic injury to the ureter or bladder after gynecological surgery. *J Urol.* 1991 Sep; 146: 761-5
- 44641 Swaddiwudhipong, W., Koonchote, S., Nguntra, P., Chaovakiratipong, C. Assessment of socio-economic, functional and medical problems among the elderly in one rural community of Thailand. *Southeast Asian J Trop Med Public Health.* 1991 Sep; 22: 299-306
- 44642 Kohn, D., Sinoff, G., Strulov, A., Ciechanover, M., Wei, J. Y. Long-term follow-up of patients aged 75 years and older admitted to an acute care hospital in Israel. *Aging (Milano).* 1991 Sep; 3: 279-85
- 44643 McGuire, E. J., Appell, R. A. Collagen injection for the dysfunctional urethra. *Contemp Urol.* 1991 Sep; 3: 11-9
- 44658 Bump, R. C., Hurt, W. G., Fantl, J. A., Wyman, J. F. Assessment of Kegel pelvic muscle exercise performance after brief verbal instruction. *Am J Obstet Gynecol.* 1991 Aug; 165: 322-7; discussion 327-9
- 44659 Baum, N., Suarez, G., Appell, R. A. Urinary incontinence. Not a 'normal' part of aging. *Postgrad Med.* 1991 Aug; 90: 99-102, 107-9
- 44661 Perlmutter, A. D., Weinstein, M. D., Reitelman, C. Vesical neck reconstruction in patients with epispadias-exstrophy complex. *J Urol.* 1991 Aug; 146: 613-5
- 44663 Bosco, P. J., Bauer, S. B., Colodny, A. H., Mandell, J., Retik, A. B. The long-term results of artificial sphincters in children. *J Urol.* 1991 Aug; 146: 396-9

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 44668 Urinary incontinence among hospitalized persons aged 65 years and older- -United States, 1984-1987. MMWR Morb Mortal Wkly Rep. 1991 Jul 5; 40: 433-6
- 44669 Phillips, T. H., Ritchey, M. L., Dunn, C. D., Sarosdy, M. F. Complications of the Heitz-Boyer urinary diversion: case report of late development of malignancy. J Urol. 1991 Jul; 146: 159-61
- 44672 Page, S. W. Diethylstilboestrol--clinical pharmacology and alternatives in small animal practice. Aust Vet J. 1991 Jul; 68: 226-30
- 44673 Ju, C. C., Swan, L. K., Merriman, A., Choon, T. E., Viegas, O. Urinary incontinence among the elderly people of Singapore. Age Ageing. 1991 Jul; 20: 262-6
- 44677 Kockelbergh, R. C., Tan, J. B., Bates, C. P., Bishop, M. C., Dunn, M., Lemberger, R. J. Clam enterocystoplasty in general urological practice. Br J Urol. 1991 Jul; 68: 38-41
- 44679 Diokno, A. C., Brown, M. B., Herzog, A. R. Relationship between use of diuretics and continence status in the elderly. Urology. 1991 Jul; 38: 39-42
- 44681 Baraldi, M., Zanolli, P., Truzzi, C., Paro, M., Italiano, G., Prosdocimi, M. Urine retention due to intra-spinal cord injection of colchicine in rats: improved recovery of bladder function by monosialoganglioside GM1 and nerve growth factor administration. Funct Neurol. 1991 Jul-Sep; 6: 235-8
- 44682 Wise, L. A., Lappin, M. R. A syndrome resembling feline dysautonomia (Key-Gaskell syndrome) in a dog. J Am Vet Med Assoc. 1991 Jun 15; 198: 2103-6
- 44683 Brown, J., Thomas, E., White, H., McCallum, A. An incontinence helpline service. Nurs Stand. 1991 Jun 12-18; 5: 25-7
- 44687 Khan, Z., Rajaratnam, R., Singh, V. K. Neurogenic bladder in neuroleptic malignant syndrome. Urology. 1991 Jun; 37: 543-4
- 44688 Skehan, M. C., Sutherst, J. R. Re: Biofeedback therapy for female incontinence due to low urethral resistance. J Urol. 1991 Jun; 145: 1278
- 44691 Ahlering, T. E., Weinberg, A. C., Razor, B. Modified Indiana pouch. J Urol. 1991 Jun; 145: 1156-8
- 44692 Quinlan, D. M., Leonard, M. P., Brendler, C. B., Gearhart, J. P., Jeffs, R. D. Use of the Benckekroun hydraulic valve as a catheterizable continence mechanism. J Urol. 1991 Jun; 145: 1151-5
- 44694 Patial, R. K., Bansal, S. K., Sehgal, V. K., Chander, B. Sphincteric involvement in organophosphorus poisoning. J Assoc Physicians India. 1991 Jun; 39: 492-3
- 44695 Hara, M., Watanabe, M., Tagami, H. Jacquet erosive diaper dermatitis in a young girl with urinary incontinence. Pediatr Dermatol. 1991 Jun; 8: 160-1
- 44697 Gutierrez Segura, C., Teixidor de Otto, J. Neurogenic bladder in children: urodynamic studies and results with medical conservative treatment. Eur J Pediatr Surg. 1991 Jun; 1: 177-9
- 44700 Benson, J. T., Sumners, J. E., Pittman, J. S. Definition of normal female pelvic floor anatomy using ultrasonographic techniques. J Clin Ultrasound. 1991 Jun; 19: 275-82
- 44703 Dykes, E. H., Duffy, P. G., Ransley, P. G. The use of the Mitrofanoff principle in achieving clean intermittent catheterisation and urinary continence in children. J Pediatr Surg. 1991 May; 26: 535-8
- 44705 Griffiths, D. J., McCracken, P. N., Harrison, G. M. Incontinence in the elderly: objective demonstration and quantitative assessment. Br J Urol. 1991 May; 67: 467-71
- 44707 Davidson, H. A., Borrie, M. J., Crilly, R. G. Copy task performance and urinary incontinence in Alzheimer's disease. J Am Geriatr Soc. 1991 May; 39: 467-71
- 44710 McGuire, E. J., Gardy, M., Elkins, T., DeLancey, J. O. Treatment of incontinence with pelvic prolapse. Urol Clin North Am. 1991 May; 18: 349-53
- 44716 Thorp, J. M., Jr Exercise-associated urinary incontinence. JAMA. 1991 May 1; 265: 2191-2

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 44717** Pearman, J. W., Bailey, M., Riley, L. P. Bladder instillations of trisdine compared with catheter introducer for reduction of bacteriuria during intermittent catheterisation of patients with acute spinal cord trauma. *Br J Urol.* 1991 May; 67: 483-90
- 44719** Kuhn, W., Rist, M., Zaech, G. A. Intermittent urethral self-catheterisation: long term results (bacteriological evolution, continence, acceptance, complications). *Paraplegia.* 1991 May; 29: 222-32
- 44722** Wiseman, P. A., Malone-Lee, J., Rai, G. S. Terodiline with bladder retraining for treating detrusor instability in elderly people. *BMJ.* 1991 Apr 27; 302: 994-6
- 44724** Brown, J., Thomas, E., McCallum, A., White, H. Campaigning for continence. *Nurs Times.* 1991 Apr 3-9; 87: 66, 68
- 44725** Pike, J. G., Berardinucci, G., Hamburger, B., Kiruluta, G. The surgical management of urinary incontinence in myelodysplastic children. *J Pediatr Surg.* 1991 Apr; 26: 466-70; discussion 470-1
- 44726** Ricketts, R. R., Woodard, J. R., Zwiren, G. T., Andrews, H. G., Broecker, B. H. Modern treatment of cloacal exstrophy. *J Pediatr Surg.* 1991 Apr; 26: 444-8; discussion 448-50
- 44727** Woods, D., Dobranowski, J., Orovan, W. L., Schiff, D. The Koch pouch: radiographic evaluation of the orthotopic and cutaneous forms. *Can Assoc Radiol J.* 1991 Apr; 42: 119-26
- 44730** Gallaspy, J. W. A method for safer urinary incontinence surgery. *Am J Obstet Gynecol.* 1991 Apr; 164: 1151
- 44732** Yachia, D. Re: Pulmonary migration following periurethral polytetrafluoroethylene injection for urinary incontinence. *J Urol.* 1991 Apr; 145: 839-40
- 44734** Kane, R. L., Garrard, J., Buchanan, J. L., Rosenfeld, A., Skay, C., McDermott, S. Improving primary care in nursing homes. *J Am Geriatr Soc.* 1991 Apr; 39: 359-67
- 44736** Holt, P. E., Gregory, S. P. Can urethral pressure profilometry predict the response to colposuspension in bitches?. *Vet Rec.* 1991 Mar 23; 128: 281-2
- 44737** Wise, W. E., Jr, Aguilar, P. S., Padmanabhan, A., Meesig, D. M., Arnold, M. W., Stewart, W. R. Surgical treatment of low rectovaginal fistulas. *Dis Colon Rectum.* 1991 Mar; 34: 271-4
- 44738** Ebrahim, S., Patel, N., Coats, M., Greig, C., Gilley, J., Bangham, C., Stacey, S. Prevalence and severity of morbidity among Gujarati Asian elders: a controlled comparison. *Fam Pract.* 1991 Mar; 8: 57-62
- 44739** Cheng, C., Hendry, W. F., Kirby, R. S., Whitfield, H. N. Detubularisation in cystoplasty: clinical review. *Br J Urol.* 1991 Mar; 67: 303-7
- 44742** Hellstrom, P. A., Tammela, T. L., Kontturi, M. J., Lukkarinen, O. A. The bladder cooling test for urodynamic assessment: analysis of 400 examinations. *Br J Urol.* 1991 Mar; 67: 275-9
- 44745** Halio, J. H. Urinary incontinence in the elderly. *J Am Geriatr Soc.* 1991 Mar; 39: 315
- 44748** Sand, P. K., Brubaker, L. T., Novak, T. Simple standing incremental cystometry as a screening method for detrusor instability. *Obstet Gynecol.* 1991 Mar; 77: 453-7
- 44751** Fantl, J. A., Wyman, J. F., McClish, D. K., Harkins, S. W., Elswick, R. K., Taylor, J. R., Hadley, E. C. Efficacy of bladder training in older women with urinary incontinence. *JAMA.* 1991 Feb 6; 265: 609-13
- 44752** Banks, S. E., Fleming, I. R., Browning, T. N. Urinary incontinence in a bitch caused by vaginoureteral fistulation. *Vet Rec.* 1991 Feb 2; 128: 108
- 44760** Hellstrom, A., Hanson, E., Hansson, S., Hjalmas, K., Jodal, U. Association between urinary symptoms at 7 years old and previous urinary tract infection. *Arch Dis Child.* 1991 Feb; 66: 232-4
- 44761** Noronha-Blob, L., Kachur, J. F. Enantiomers of oxybutynin: in vitro pharmacological characterization at M1, M2 and M3 muscarinic receptors and in vivo effects on urinary bladder contraction, mydriasis and salivary secretion in guinea pigs. *J Pharmacol Exp Ther.* 1991 Feb; 256: 562-7
- 44764** McClish, D. K., Fantl, J. A., Wyman, J. F., Pisani, G., Bump, R. C. Bladder training in older women with urinary incontinence: relationship between outcome and changes in urodynamic observations. *Obstet Gynecol.* 1991 Feb; 77: 281-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 44765** Merguerian, P. A., McLorie, G. A., McMullin, N. D., Khoury, A. E., Husmann, D. A., Churchill, B. M. Continence in bladder exstrophy: determinants of success. *J Urol.* 1991 Feb; 145: 350-2
- 44770** Hosker, G. L. Commentary. Detrusor instability--current management. *Br J Obstet Gynaecol.* 1991 Jan; 98: 114-5
- 44771** Ahlering, T. E., Weinberg, A. C., Razor, B. The modified Indiana pouch. *Acta Urol Belg.* 1991; 59: 135-45
- 44773** Bernstein, I. T., Bennicke, K., Rordam, P., Klarskov, P., Iversen, H. G. Bricker's ileal conduit urinary diversion with a simple non-refluxing uretero ileal anastomosis. *Scand J Urol Nephrol.* 1991; 25: 29-33
- 44776** Kontturi, M. J., Hellstrom, P. A., Tammela, T. L., Lukkarinen, O. A. Colocystoplasty for the treatment of severe interstitial cystitis. *Urol Int.* 1991; 46: 50-4
- 44779** Hellstrom, L., Ekelund, P., Larsson, M., Milsom, I. A comparison between experienced and objectively demonstrated urinary leakage in 85-year old men and women. *Scand J Caring Sci.* 1991; 5: 17-21
- 44781** Sheldon, C., Cormier, M., Crone, K., Wacksman, J. Occult neurovesical dysfunction in children with imperforate anus and its variants. *J Pediatr Surg.* 1991 Jan; 26: 49-54
- 44782** Lundqvist, C., Siosteen, A., Blomstrand, C., Lind, B., Sullivan, M. Spinal cord injuries. Clinical, functional, and emotional status. *Spine.* 1991 Jan; 16: 78-83
- 44783** Creighton, S. M., Plevnik, S., Stanton, S. L. Distal urethral electrical conductance (DUEC)--a preliminary assessment of its role as a quick screening test for incontinent women. *Br J Obstet Gynaecol.* 1991 Jan; 98: 69-72
- 44784** Rabin, J. M., Badlani, G. Importance of complete cytometric evaluation of vesical dysfunction in elderly diabetic patients. *Arch Intern Med.* 1991 Jan; 151: 201-3
- 44785** Newman, D. K., Lynch, K., Smith, D. A., Cell, P. Restoring urinary continence. *Am J Nurs.* 1991 Jan; 91: 28-34
- 44788** Yamashita, H., Kumazawa, J. Voiding dysfunction: patients with human T-lymphotropic-virus-type-1- associated myelopathy. *Urol Int.* 1991; 47 Suppl 1: 69-71
- 44799** Yamakawa, H., Ohkuma, A., Hattori, T., Niikawa, S., Kobayashi, H. Primary intracranial arachnoid cyst in the elderly: a survey on 39 cases. *Acta Neurochir (Wien).* 1991; 113: 42-7
- 44801** Nordstrom, G. M., Nyman, C. R. Living with a urostomy. A follow up with special regard to the peristomal-skin complications, psychosocial and sexual life. *Scand J Urol Nephrol Suppl.* 1991; 138: 247-51
- 44802** Wolf, H., Wandt, H., Jonat, W. Immunohistochemical evidence of estrogen and progesterone receptors in the female lower urinary tract and comparison with the vagina. *Gynecol Obstet Invest.* 1991; 32: 227-31
- 44804** Sahuquillo, J., Rubio, E., Codina, A., Molins, A., Guitart, J. M., Poca, M. A., Chasampi, A. Reappraisal of the intracranial pressure and cerebrospinal fluid dynamics in patients with the so-called 'normal pressure hydrocephalus' syndrome. *Acta Neurochir (Wien).* 1991; 112: 50-61
- 44806** Holt, P. E. Urinary incontinence in the bitch. *Vet Rec.* 1990 Dec 15; 127: 604
- 44807** Tew, B., Laurence, K. M., Jenkins, V. Factors affecting employability among young adults with spina bifida and hydrocephalus. *Z Kinderchir.* 1990 Dec; 45 Suppl 1: 34-6
- 44811** Holt, P. E. Long-term evaluation of colposuspension in the treatment of urinary incontinence due to incompetence of the urethral sphincter mechanism in the bitch. *Vet Rec.* 1990 Dec 1; 127: 537-42
- 44815** MacDonagh, R. P., Forster, D. M., Thomas, D. G. Urinary continence in spinal injury patients following complete sacral posterior rhizotomy. *Br J Urol.* 1990 Dec; 66: 618-22
- 44823** Klose, A. G., Sackett, C. K., Mesrobian, H. G. Management of children with myelodysplasia: urological alternatives. *J Urol.* 1990 Dec; 144: 1446-9
- 44825** Hattori, T., Yasuda, K., Sakakibara, R., Yamanishi, T., Kitahara, H., Hirayama, K. Micturitional disturbance in ossification of the posterior longitudinal ligament in the cervical spine. *J Spinal Disord.* 1990 Dec; 3: 285-7
- 44826** McCormick, K. A., Cella, M., Scheve, A., Engel, B. T. Cost-effectiveness of treating incontinence in severely mobility- impaired long term care residents. *QRB Qual Rev Bull.* 1990 Dec; 16: 439-43



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 44829 Ulmsten, U. Connective tissue factors in the aetiology of female pelvic disorders. *Ann Med.* 1990 Dec; 22: 403
- 44833 Hellstrom, L., Ekelund, P., Milsom, I., Mellstrom, D. The prevalence of urinary incontinence and use of incontinence aids in 85-year-old men and women. *Age Ageing.* 1990 Nov; 19: 383-9
- 44834 Choudhury, S. L., Brocklehurst, J. C., Lye, M. Bacteriuria in non-catheterized elderly patients in the first eight days of hospital stay. *Age Ageing.* 1990 Nov; 19: 376-82
- 44837 Chan, A. S., Ouslander, J. G. Effects of diltiazem on urinary incontinence. *J Am Geriatr Soc.* 1990 Nov; 38: 1265-6
- 44841 Cunsolo, A., Bragaglia, R. B., Manara, G., Poggioli, G., Gozzetti, G. Urogenital dysfunction after abdominoperineal resection for carcinoma of the rectum. *Dis Colon Rectum.* 1990 Nov; 33: 918-22
- 44842 Binstock, M. A., Semrad, N., Dubow, L., Watring, W. Combined vesicovaginal-ureterovaginal fistulas associated with a vaginal foreign body. *Obstet Gynecol.* 1990 Nov; 76: 918-21
- 44843 Mathers, S. E., Ingram, D. A., Swash, M. Electrophysiology of motor pathways for sphincter control in multiple sclerosis. *J Neurol Neurosurg Psychiatry.* 1990 Nov; 53: 955-60
- 44845 Xu, W. P., Song, X. W., Yue, S. Y., Cai, Y. B., Wu, J. Primary sacral tumors and their surgical treatment. A report of 87 cases. *Chin Med J (Engl).* 1990 Nov; 103: 879-84
- 44846 Moore, K. H., Goldstein, M., Hay, D. The treatment of detrusor instability in postmenopausal women with oxybutynin chloride: a double blind placebo controlled study. *Br J Obstet Gynaecol.* 1990 Nov; 97: 1063-4
- 44848 Castro-Gago, M., Novo, I., Cimadevila, A., Pena, J., Rodriguez-Nunez, A., Marques'-Queimadelos, A. Management of neurogenic bladder dysfunction secondary to myelomeningocele. *Eur J Pediatr.* 1990 Nov; 150: 62-5
- 44849 Jessop, M. K. Urinary incontinence in the bitch. *Vet Rec.* 1990 Oct 27; 127: 436
- 44850 Lockhart, J. L., Pow-Sang, J. M., Persky, L., Kahn, P., Helal, M., Sanford, E. A continent colonic urinary reservoir: the Florida pouch. *J Urol.* 1990 Oct; 144: 864-7
- 44854 Kahler, J. S., Leach, M. W., Jang, S., Wong, A. Disseminated aspergillosis attributable to *Aspergillus deflexus* in a springer spaniel. *J Am Vet Med Assoc.* 1990 Oct 1; 197: 871-4
- 44855 MacDermott, J. P., Palmer, J. M., Stone, A. R. Vesicocutaneous fistula secondary to bladder instability. *Br J Urol.* 1990 Oct; 66: 430-1
- 44856 Juma, S., Little, N. A., Raz, S. Basic evaluation of female urinary incontinence. *Am J Kidney Dis.* 1990 Oct; 16: 317-21
- 44859 Maskell, R. Psychiatric aspects of urinary incontinence. *BMJ.* 1990 Sep 15; 301: 556
- 44861 Fonda, D. Taking the 'in' out of incontinence. *Med J Aust.* 1990 Sep 3; 153: 245-7
- 44866 Rose, M. A., Baigis-Smith, J., Smith, D., Newman, D. Behavioral management of urinary incontinence in homebound older adults. *Home Healthc Nurse.* 1990 Sep-Oct; 8: 10-5
- 44870 Johnson, D. E., Muncie, H. L., O'Reilly, J. L., Warren, J. W. An external urine collection device for incontinent women. Evaluation of long-term use. *J Am Geriatr Soc.* 1990 Sep; 38: 1016-22
- 44871 MacAllister, C. G., Perdue, B. D. Endoscopic diagnosis of unilateral ectopic ureter in a yearling filly. *J Am Vet Med Assoc.* 1990 Sep 1; 197: 617-8
- 44875 Eyman, R. K., Grossman, H. J., Chaney, R. H., Call, T. L. The life expectancy of profoundly handicapped people with mental retardation. *N Engl J Med.* 1990 Aug 30; 323: 584-9
- 44877 Holt, P. E., Mair, T. S. Ten cases of bladder paralysis associated with sabulous urolithiasis in horses. *Vet Rec.* 1990 Aug 4; 127: 108-10
- 44879 Simon, J. K. Cones are not a substitute for specialist physiotherapy. *Prof Nurse.* 1990 Aug; 5: 585
- 44880 Fukui, J., Sakai, Y., Hosaka, K., Yamashita, T., Ogawa, A., Shirai, H. A newly designed deodorant pad for urinary incontinence. *J Am Geriatr Soc.* 1990 Aug; 38: 889-92

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 44881** Diokno, A. C., Brock, B. M., Herzog, A. R., Bromberg, J. Medical correlates of urinary incontinence in the elderly. *Urology*. 1990 Aug; 36: 129-38
- 44883** Arnold, M. W., Stewart, W. R., Aguilar, P. S. Rectocele repair. Four years' experience. *Dis Colon Rectum*. 1990 Aug; 33: 684-7
- 44884** Drachman, D. A., O'Donnell, B. F., Lew, R. A., Swearer, J. M. The prognosis in Alzheimer's disease. 'How far' rather than 'how fast' best predicts the course. *Arch Neurol*. 1990 Aug; 47: 851-6
- 44885** Nill, T. G., Peller, P. A., Kropp, K. A. Management of urinary incontinence by bladder tube urethral lengthening and submucosal reimplantation. *J Urol*. 1990 Aug; 144: 559-61; discussion 562-3
- 44886** Mitchell, M. E., Brito, C. G., Rink, R. C. Cloacal exstrophy reconstruction for urinary continence. *J Urol*. 1990 Aug; 144: 554-8; discussion 562-3
- 44887** Hill, D. E., Kramer, S. A. Management of pregnancy after augmentation cystoplasty. *J Urol*. 1990 Aug; 144: 457-9; discussion 460
- 44896** Sauerwein, D., Ingunza, W., Fischer, J., Madersbacher, H., Polkey, C. E., Brindley, G. S., Colombel, P., Teddy, P. Extradural implantation of sacral anterior root stimulators. *J Neurol Neurosurg Psychiatry*. 1990 Aug; 53: 681-4
- 44898** Khoury, A. E., Hendrick, E. B., McLorie, G. A., Kulkarni, A., Churchill, B. M. Occult spinal dysraphism: clinical and urodynamic outcome after division of the filum terminale. *J Urol*. 1990 Aug; 144: 426-8; discussion 428-9, 443-4
- 44900** Hunt, G. M., Whitaker, R. H. A new device for self-catheterisation in wheelchair-bound women. *Br J Urol*. 1990 Aug; 66: 162-3
- 44906** Lagro-Janssen, T. L., Smits, A. J., Van Weel, C. Women with urinary incontinence: self-perceived worries and general practitioners' knowledge of problem. *Br J Gen Pract*. 1990 Aug; 40: 331-4
- 44907** Hu, T. W., Kaltreider, D. L., Igou, J. F., Yu, L. C., Rohner, T. J. Cost effectiveness of training incontinent elderly in nursing homes: a randomized clinical trial. *Health Serv Res*. 1990 Aug; 25: 455-77
- 44910** Burns, A., Jacoby, R., Levy, R. Psychiatric phenomena in Alzheimer's disease. IV: Disorders of behaviour. *Br J Psychiatry*. 1990 Jul; 157: 86-94
- 44913** Garber, S. J., Christmas, T. J., Rickards, D. Voiding dysfunction due to neurosyphilis. *Br J Urol*. 1990 Jul; 66: 19-21
- 44917** Allen-Mersh, T. G., Turner, M. J., Mann, C. V. Effect of abdominal Ivalon rectopexy on bowel habit and rectal wall. *Dis Colon Rectum*. 1990 Jul; 33: 550-3
- 44918** Eigner, E. B., Freiha, F. S. The fate of the remaining bladder following supravescical diversion. *J Urol*. 1990 Jul; 144: 31-3
- 44920** Wan, J. L., McGuire, E. J. Augmentation cystoplasty and closure of the urethra for the destroyed lower urinary tract. *J Am Paraplegia Soc*. 1990 Jul; 13: 40-5
- 44921** Kong, T. K., Morris, J. A., Robinson, J. M., Brocklehurst, J. C. Predicting urodynamic dysfunction from clinical features in incontinent elderly women. *Age Ageing*. 1990 Jul; 19: 257-63
- 44928** Nordstrom, G. M., Nyman, C. R., Theorell, T. The impact on work ability of ileal conduit urinary diversion. *Scand J Soc Med*. 1990 Jun; 18: 115-24
- 44930** von Wendt, L., Simila, S., Niskanen, P., Jarvelin, M. R. Development of bowel and bladder control in the mentally retarded. *Dev Med Child Neurol*. 1990 Jun; 32: 515-8
- 44931** Malone, P. S., Spitz, L., Kiely, E. M., Brereton, R. J., Duffy, P. G., Ransley, P. G. The functional sequelae of sacrococcygeal teratoma. *J Pediatr Surg*. 1990 Jun; 25: 679-80
- 44934** Lowe, B. A., Woodside, J. R. Urodynamic evaluation of patients with continent urinary diversion using cecal reservoir and intussuscepted ileocecal valve. *Urology*. 1990 Jun; 35: 544-7
- 44936** Hill, D. E., Chantigian, P. M., Kramer, S. A. Pregnancy after augmentation cystoplasty. *Surg Gynecol Obstet*. 1990 Jun; 170: 485-7

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 44940** Tapp, A. J., Cardozo, L. D., Versi, E., Cooper, D. The treatment of detrusor instability in post-menopausal women with oxybutynin chloride: a double blind placebo controlled study. *Br J Obstet Gynaecol.* 1990 Jun; 97: 521-6
- 44941** Cardozo, L. Detrusor instability--current management. *Br J Obstet Gynaecol.* 1990 Jun; 97: 463-6
- 44957** Gardiner, R. A., Samaratunga, M. L. Application of the invaginated sleeve technique to form a continent ileal urostomy. *Br J Urol.* 1990 May; 65: 457-61
- 44958** Mandal, A. K., Sharma, S. K., Vaidyanathan, S., Goswami, A. K. Ureterovaginal fistula: summary of 18 years' experience. *Br J Urol.* 1990 May; 65: 453-6
- 44959** Tabbara, I. A., Sibley, D. S., Quesenberry, P. J. Spinal cord compression due to metastatic neoplasm. *South Med J.* 1990 May; 83: 519-23
- 44960** Ross, L. A., Lamb, C. R. Reduction of hydronephrosis and hydroureter associated with ectopic ureters in two dogs after ureterovesical anastomosis. *J Am Vet Med Assoc.* 1990 May 1; 196: 1497-9
- 44963** Hensle, T. W., Connor, J. P., Burbige, K. A. Continent urinary diversion in childhood. *J Urol.* 1990 May; 143: 981-3
- 44971** Butturini, E. Pants are back in style!. *N Z Health Hospital.* 1990 May-Jun; 42: 14, 19
- 44972** Venkatesan, P., Gladman, J., Macfarlane, J. T., Barer, D., Berman, P., Kinnear, W., Finch, R. G. A hospital study of community acquired pneumonia in the elderly. *Thorax.* 1990 Apr; 45: 254-8
- 44973** Peterson, J. S., Patton, A. J., Noronha-Blob, L. Mini-pig urinary bladder function: comparisons of in vitro anticholinergic responses and in vivo cystometry with drugs indicated for urinary incontinence. *J Auton Pharmacol.* 1990 Apr; 10: 65-73
- 44975** Klockgether, T., Schroth, G., Diener, H. C., Dichgans, J. Idiopathic cerebellar ataxia of late onset: natural history and MRI morphology. *J Neurol Neurosurg Psychiatry.* 1990 Apr; 53: 297-305
- 44979** Ouslander, J. G., Zarit, S. H., Orr, N. K., Muira, S. A. Incontinence among elderly community-dwelling dementia patients. Characteristics, management, and impact on caregivers. *J Am Geriatr Soc.* 1990 Apr; 38: 440-5
- 44980** Starer, P., Libow, L. Cystometric evaluation of bladder dysfunction in elderly diabetic patients. *Arch Intern Med.* 1990 Apr; 150: 810-3
- 44981** Fantl, J. A., Wyman, J. F., McClish, D. K., Bump, R. C. Urinary incontinence in community-dwelling women: clinical, urodynamic, and severity characteristics. *Am J Obstet Gynecol.* 1990 Apr; 162: 946-51; discussion 951-2
- 44982** Chen, K. K., Chang, L. S., Chen, M. T., Huang, J. K., Yin, J. H., Lin, S. N. Clinical experience of Kock pouch continent urinary diversion. *Urology.* 1990 Apr; 35: 317-20
- 44984** Schmidt, R. A., Kogan, B. A., Tanagho, E. A. Neuroprostheses in the management of incontinence in myelomeningocele patients. *J Urol.* 1990 Apr; 143: 779-82
- 44986** Stockle, M., Becht, E., Voges, G., Riedmiller, H., Hohenfellner, R. Ureterosigmoidostomy: an outdated approach to bladder exstrophy?. *J Urol.* 1990 Apr; 143: 770-4; discussion 774-5
- 44987** Webber, E. M., Crofts, P. G., Pomeroy, C., Coleman, G. U., Arnold, W. J., Johnson, H. W. Augmentation ileocystoplasty in children with myelodysplasia. *Can J Surg.* 1990 Apr; 33: 135-8
- 44992** Chapman, B. L., Voith, V. L. Behavioral problems in old dogs: 26 cases (1984-1987). *J Am Vet Med Assoc.* 1990 Mar 15; 196: 944-6
- 44993** Taslitz, L. Informed consent revisited. *Hosp Law Newsl.* 1990 Apr; 7: 1-4
- 44996** Sandvik, H., Hunnskaar, S., Eriksen, B. C. Management of urinary incontinence in women in general practice: actions taken at the first consultation. *Scand J Prim Health Care.* 1990 Mar; 8: 3-8
- 44999** Hellstrom, A. L., Hanson, E., Hansson, S., Hjalmas, K., Jodal, U. Micturition habits and incontinence in 7-year-old Swedish school entrants. *Eur J Pediatr.* 1990 Mar; 149: 434-7

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 45000 Fowler, E. M., Ouslander, J., Papen, J. Managing incontinence in the nursing home population. *J Enterostomal Ther.* 1990 Mar-Apr; 17: 77-86
- 45005 Herzog, A. R., Diokno, A. C., Brown, M. B., Normolle, D. P., Brock, B. M. Two-year incidence, remission, and change patterns of urinary incontinence in noninstitutionalized older adults. *J Gerontol.* 1990 Mar; 45: M67-74
- 45022 Fantl, J. A., Wyman, J. F., Harkins, S. W., Hadley, E. C. Bladder training in the management of lower urinary tract dysfunction in women. A review. *J Am Geriatr Soc.* 1990 Mar; 38: 329-32
- 45025 Wyman, J. F., Harkins, S. W., Fantl, J. A. Psychosocial impact of urinary incontinence in the community-dwelling population. *J Am Geriatr Soc.* 1990 Mar; 38: 282-8
- 45027 Engel, B. T., Burgio, L. D., McCormick, K. A., Hawkins, A. M., Scheve, A. A., Leahy, E. Behavioral treatment of incontinence in the long-term care setting. *J Am Geriatr Soc.* 1990 Mar; 38: 361-3
- 45028 Appeldoorn, A., Lemmens, P., Schrauwen, E. Urinary incontinence due to urovagina. *Vet Rec.* 1990 Feb 3; 126: 121
- 45030 Hansson, S., Hjalmas, K., Jodal, U., Sixt, R. Lower urinary tract dysfunction in girls with untreated asymptomatic or covert bacteriuria. *J Urol.* 1990 Feb; 143: 333-5
- 45031 Darling, C. A., Davidson, J. K., Sr, Conway-Welch, C. Female ejaculation: perceived origins, the Grafenberg spot/area, and sexual responsiveness. *Arch Sex Behav.* 1990 Feb; 19: 29-47
- 45034 Francois, Y., Descos, L., Vignal, J. Conservative treatment of low rectovaginal fistula in Crohn's disease. *Int J Colorectal Dis.* 1990 Feb; 5: 12-4
- 45037 Anand, K. B., Wolf-Klein, G. P., Silverstone, F. A., Foley, C. J. Demographic changes and their financial implications. *Clin Geriatr Med.* 1990 Feb; 6: 1-12
- 45038 Zweig, S., Lawhorne, L., Post, R. Factors predicting mortality in rural elderly hospitalized for pneumonia. *J Fam Pract.* 1990 Feb; 30: 153-9
- 45039 De Groote, B., Van Laer, P., Maurus, K., Van Biervliet, J. P., Meeus, L. Embolization of ectopic kidney to control incontinence. *Pediatrics.* 1990 Feb; 85: 217-9
- 45042 Pickersgill, F. Silent epidemic. *Community Outlook.* 1990 Jan 31; : 7-9
- 45053 Noronha-Blob, L., Sturm, B. L., Lowe, V. C., Jackson, K. N., Kachur, J. F. In vitro and in vivo antimuscarinic effects of (-)cis 2,3-dihydro-3-(4-methylpiperazinylmethyl)-2-phenyl-1,5 benzothiazepin-4-(5H)one HCl (BTM-1086) in guinea pig peripheral tissues. *Life Sci.* 1990; 46: 1223-31
- 45054 Burgio, L. D., Engel, B. T., Hawkins, A., McCormick, K., Scheve, A., Jones, L. T. A staff management system for maintaining improvements in continence with elderly nursing home residents. *J Appl Behav Anal.* 1990 Spring; 23: 111-8
- 45056 Bitsch, M., Nerstrom, H., Nordling, J., Hald, T. Upper urinary tract deterioration after implantation of artificial urinary sphincter. *Scand J Urol Nephrol.* 1990; 24: 31-4
- 45059 Jensen, H., Nielsen, K., Frimodt-Moller, C. Abacterial cystitis in urinary incontinent females. *Urol Int.* 1990; 45: 20-4
- 45061 Craig, D. I. The adaptation to pregnancy of spinal cord injured women. *Rehabil Nurs.* 1990 Jan-Feb; 15: 6-9
- 45064 Diokno, A. C., Brown, M. B., Herzog, A. R. Sexual function in the elderly. *Arch Intern Med.* 1990 Jan; 150: 197-200
- 45066 Walters, M. D. The unstable urethra in the female. *Obstet Gynecol.* 1990 Jan; 75: 142-3
- 45067 Delamarter, R. B., Bohlman, H. H., Dodge, L. D., Biro, C. Experimental lumbar spinal stenosis. Analysis of the cortical evoked potentials, microvasculature, and histopathology. *J Bone Joint Surg Am.* 1990 Jan; 72: 110-20
- 45068 Sidi, A. A., Becher, E. F., Reddy, P. K., Dykstra, D. D. Augmentation enterocystoplasty for the management of voiding dysfunction in spinal cord injury patients. *J Urol.* 1990 Jan; 143: 83-5

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 45072 Kornhuber, H. H., Schutz, A. Efficient treatment of neurogenic bladder disorders in multiple sclerosis with initial intermittent catheterization and ultrasound- controlled training. *Eur Neurol.* 1990; 30: 260-7
- 45075 Jarvelin, M. R., Huttunen, N. P., Seppanen, J., Seppanen, U., Moilanen, I. Screening of urinary tract abnormalities among day and nightwetting children. *Scand J Urol Nephrol.* 1990; 24: 181-9
- 45078 Fossberg, E., Sorensen, S., Ruutu, M., Bakke, A., Stien, R., Henriksson, L., Kinn, A. C. Maximal electrical stimulation in the treatment of unstable detrusor and urge incontinence. *Eur Urol.* 1990; 18: 120-3
- 45082 Kaltreider, D. L., Hu, T. W., Igou, J. F., Yu, L. C., Craighead, W. E. Can reminders curb incontinence?. *Geriatr Nurs.* 1990 Jan-Feb; 11: 17-9
- 45087 Stott, D. J., Dutton, M., Williams, B. O., MacDonald, J. Functional capacity and mental status of elderly people in long-term care in west Glasgow. *Health Bull (Edinb).* 1990 Jan; 48: 17-24
- 45090 Caione, P., De Gennaro, M., Zaccara, A., Capozza, N. Female incontinence in childhood: aetiopathogenetic assessment and therapeutic approach. *Int Urol Nephrol.* 1990; 22: 543-51
- 45103 Petros, P.E., Ulmsten, U.I. An integral theory of female urinary incontinence. Experimental and clinical considerations. *Acta Obstet Gynecol Scand Suppl.* 1990; 153: 1-78
- 50000 Choe, J. M. Surgical implantation of the synthetic sling (the 6-point fixation technique and weight-adjusted spacing nomogram): technique and results. *Adv Exp Med Biol.* 2003; 539: 493-507
- 50010 Choe, J. M. The use of synthetic materials in pubovaginal sling. *Adv Exp Med Biol.* 2003; 539: 481-92
- 50020 Choe, J. M. Pubovaginal sling surgery without using abdominal leak point pressure: an outcomes analysis. *Adv Exp Med Biol.* 2003; 539: 467-80
- 50030 Shafik, A. Stress urinary incontinence: new concept of pathogenesis and treatment by pudendal canal decompression. *Adv Exp Med Biol.* 2003; 539: 415-40
- 50040 Frankel, G. Re: Complication of bowel perforation during insertion of tension-free vaginal tape. *J Urol.* 2004 May; 171: 1888
- 50050 Schick, E., Dupont, C., Bertrand, P. E., Jolivet-Tremblay, M., Tessier, J. Predictive value of maximum urethral closure pressure, urethral hypermobility and urethral incompetence in the diagnosis of clinically significant female genuine stress incontinence. *J Urol.* 2004 May; 171: 1871-5
- 50060 Kane, D. D., Kerns, J. M., Lin, D. L., Damaser, M. S. Early structural effects of oestrogen on pudendal nerve regeneration in the rat. *BJU Int.* 2004 Apr; 93: 870-8
- 50070 Carbone, A., Palleschi, G., Ciavarella, S., Morello, P., Tomiselli, G., Parasciani, R., Tubaro, A. Experience with a bone anchor sling for treating female stress urinary incontinence: outcome at 30 months. *BJU Int.* 2004 Apr; 93: 780-8
- 50080 Digesu, G. A., Bombieri, L., Hutchings, A., Khullar, V., Freeman, R. Effects of Burch colposuspension on the relative positions of the bladder neck to the levator ani muscle: An observational study that used magnetic resonance imaging. *Am J Obstet Gynecol.* 2004 Mar; 190: 614-9
- 50090 Meschia, M., Pifarotti, P., Spennacchio, M., Buonaguidi, A., Gattei, U., Somigliana, E. A randomized comparison of tension-free vaginal tape and endopelvic fascia plication in women with genital prolapse and occult stress urinary incontinence. *Am J Obstet Gynecol.* 2004 Mar; 190: 609-13
- 50100 deTayrac, R., Deffieux, X., Droupy, S., Chauveaud-Lambling, A., Calvanese-Benamour, L., Fernandez, H. A prospective randomized trial comparing tension-free vaginal tape and transobturator suburethral tape for surgical treatment of stress urinary incontinence. *Am J Obstet Gynecol.* 2004 Mar; 190: 602-8
- 50110 Woodman, P. J., Ruiz, H. L. Retropubic urethrolisis without resuspension for the management of posturethropy urinary retention and voiding dysfunction. *Mil Med.* 2004 Feb; 169: 117-20
- 50120 Paick, J. S., Ku, J. H., Shin, J. W., Park, K. J., Kim, S. W., Oh, S. J. Shortening of tension-free vaginal tape for the treatment of recurrent incontinence. *J Urol.* 2004 Apr; 171: 1634
- 50130 Game, X., Mouzin, M., Vaessen, C., Malavaud, B., Sarraon, J. P., Rischmann, P. Obturator infected hematoma and urethral erosion following transobturator tape implantation. *J Urol.* 2004 Apr; 171: 1629



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 50140** Lee, C. T., Hafez, K. S., Sheffield, J. H., Joshi, D. P., Montie, J. E. Orthotopic bladder substitution in women: nontraditional applications. *J Urol.* 2004 Apr; 171: 1585-8
- 50150** Gomelsky, A., Rudy, D. C., Dmochowski, R. R. Porcine dermis interposition graft for repair of high grade anterior compartment defects with or without concomitant pelvic organ prolapse procedures. *J Urol.* 2004 Apr; 171: 1581-4
- 50160** Laurikainen, E., Rosti, J., Pitkanen, Y., Kiilholma, P. The Rosti sling: a new, minimally invasive, tension-free technique for the surgical treatment of female urinary incontinence-the first 217 patients. *J Urol.* 2004 Apr; 171: 1576-80; discussion 1580
- 50170** Chandi, D. D., Groenendijk, P. M., Venema, P. L. Functional extracorporeal magnetic stimulation as a treatment for female urinary incontinence: 'the chair'. *BJU Int.* 2004 Mar; 93: 539-42
- 50180** Matharu, G. S., Assassa, R. P., Williams, K. S., Donaldson, M. K., Matthews, R. J., Tincello, D. G., Mayne, C. J. Continence nurse treatment of women's urinary symptoms. *Br J Nurs.* 2004 Feb 12-25; 13: 140-3
- 50190** Wang, A. C. The techniques of trocar insertion and intraoperative urethrocystoscopy in tension-free vaginal taping: an experience of 600 cases. *Acta Obstet Gynecol Scand.* 2004 Mar; 83: 293-8
- 50200** Holroyd-Leduc, J. M., Straus, S. E. Management of urinary incontinence in women: scientific review. *JAMA.* 2004 Feb 25; 291: 986-95
- 50210** Ward, K. L., Hilton, P. A prospective multicenter randomized trial of tension-free vaginal tape and colposuspension for primary urodynamic stress incontinence: two-year follow-up. *Am J Obstet Gynecol.* 2004 Feb; 190: 324-31
- 50220** Brubaker, L. Surgical treatment of urinary incontinence in women. *Gastroenterology.* 2004 Jan; 126: S71-6
- 50230** Dietz, H. P. Ultrasound imaging of the pelvic floor. Part I: two-dimensional aspects. *Ultrasound Obstet Gynecol.* 2004 Jan; 23: 80-92
- 50240** Haslam, J. Nursing management of stress urinary incontinence in women. *Br J Nurs.* 2004 Jan 8-21; 13: 32-40
- 50250** Farrell, S. A., Singh, B., Aldakhil, L. Continence pessaries in the management of urinary incontinence in women. *J Obstet Gynaecol Can.* 2004 Feb; 26: 113-7
- 50260** van Kerrebroeck, P., Abrams, P., Lange, R., Slack, M., Wyndaele, J. J., Yalcin, I., Bump, R. C. Duloxetine versus placebo in the treatment of European and Canadian women with stress urinary incontinence. *BJOG.* 2004 Mar; 111: 249-57
- 50270** Walsh, K., Generao, S. E., White, M. J., Katz, D., Stone, A. R. The influence of age on quality of life outcome in women following a tension-free vaginal tape procedure. *J Urol.* 2004 Mar; 171: 1185-8
- 50280** Blaivas, J. G., Flisser, A. J., Tash, J. A. Treatment of primary bladder neck obstruction in women with transurethral resection of the bladder neck. *J Urol.* 2004 Mar; 171: 1172-5
- 50290** Marinkovic, S. P., Stanton, S. L. Incontinence and voiding difficulties associated with prolapse. *J Urol.* 2004 Mar; 171: 1021-8
- 50300** Wyllie, M. G. Hormone-based approaches: altering the balance. *BJU Int.* 2004 Feb; 93: 415-6
- 50310** Blackwell, A. L., Yoong, W., Moore, K. H. Criterion validity, test-retest reliability and sensitivity to change of the St George Urinary Incontinence Score. *BJU Int.* 2004 Feb; 93: 331-5
- 50320** Hunskaar, S., Lose, G., Sykes, D., Voss, S. The prevalence of urinary incontinence in women in four European countries. *BJU Int.* 2004 Feb; 93: 324-30
- 50330** Barroso, J. C., Ramos, J. G., Martins-Costa, S., Sanches, P. R., Muller, A. F. Transvaginal electrical stimulation in the treatment of urinary incontinence. *BJU Int.* 2004 Feb; 93: 319-23
- 50340** Millard, R. J., Moore, K., Rencken, R., Yalcin, I., Bump, R. C. Duloxetine vs placebo in the treatment of stress urinary incontinence: a four-continent randomized clinical trial. *BJU Int.* 2004 Feb; 93: 311-8
- 50350** Waetjen, L. E., Brown, J. S., Modelska, K., Blackwell, T., Vittinghoff, E., Cummings, S. R. Effect of raloxifene on urinary incontinence: a randomized controlled trial. *Obstet Gynecol.* 2004 Feb; 103: 261-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 50360** Boyles, S. H., Weber, A. M., Meyn, L. Ambulatory procedures for urinary incontinence in the United States, 1994-1996. *Am J Obstet Gynecol.* 2004 Jan; 190: 33-6
- 50370** Birnbaum, H. G., Leong, S. A., Oster, E. F., Kinchen, K., Sun, P. Cost of stress urinary incontinence: a claims data analysis. *Pharmacoeconomics.* 2004; 22: 95-105
- 50380** Sapsford, R. Rehabilitation of pelvic floor muscles utilizing trunk stabilization. *Man Ther.* 2004 Feb; 9: 3-12
- 50390** Wee, H. Y., Low, C., Han, H. C. Burch colposuspension: review of perioperative complications at a women's and children's hospital in Singapore. *Ann Acad Med Singapore.* 2003 Nov; 32: 821-3
- 50400** Kowalczyk, J. A review of the overactive bladder in women and men. *J Gend Specif Med.* 2003; 6: 25-9
- 50410** Tsivian, A., Kessler, O., Mogutin, B., Rosenthal, J., Korczak, D., Levin, S., Sidi, A. A. Tape related complications of the tension-free vaginal tape procedure. *J Urol.* 2004 Feb; 171: 762-4
- 50420** Bradley, C. S., Rovner, E. S. Urodynamically defined stress urinary incontinence and bladder outlet obstruction coexist in women. *J Urol.* 2004 Feb; 171: 757-60; discussion 760-1
- 50430** Galloway, N., Nagaraju, P. The anatomy of incontinence--what practitioners and patients need to know. *Ostomy Wound Manage.* 2003 Dec; 49: 16-26
- 50440** Muir, T. W., Stepp, K. J., Barber, M. D. Adoption of the pelvic organ prolapse quantification system in peer-reviewed literature. *Am J Obstet Gynecol.* 2003 Dec; 189: 1632-5; discussion 1635-6
- 50450** Lovatsis, D., Gupta, C., Dean, E., Lee, F. Tension-free vaginal tape procedure is an ideal treatment for obese patients. *Am J Obstet Gynecol.* 2003 Dec; 189: 1601-4; discussion 1604-5
- 50460** Wong, M. Y., Harmanli, O. H., Agar, M., Dandolu, V., Grody, M. H. Collagen content of nonsupport tissue in pelvic organ prolapse and stress urinary incontinence. *Am J Obstet Gynecol.* 2003 Dec; 189: 1597-9; discussion 1599-1600
- 50470** Richter, H. E., Burgio, K. L., Holley, R. L., Goode, P. S., Locher, J. L., Wright, K. C., Varner, R. E. Cadaveric fascia lata sling for stress urinary incontinence: a prospective quality-of-life analysis. *Am J Obstet Gynecol.* 2003 Dec; 189: 1590-5; discussion 1595-6
- 50480** Elkadry, E. A., Kenton, K. S., FitzGerald, M. P., Shott, S., Brubaker, L. Patient-selected goals: a new perspective on surgical outcome. *Am J Obstet Gynecol.* 2003 Dec; 189: 1551-7; discussion 1557-8
- 50490** Mowzoon, N., Keegan, B. M. 61-year-old woman with shortness of breath after surgery. *Mayo Clin Proc.* 2004 Jan; 79: 117-20
- 50500** Cucchi, A., Siracusano, S., Di Benedetto, P., Comelli, M., Rovereto, B. Urgency of voiding and abdominal pressure transmission in women with mixed urinary incontinence. *Neurourol Urodyn.* 2004; 23: 43-7
- 50510** Handa, V. L., Massof, R. W. Measuring the severity of stress urinary incontinence using the Incontinence Impact Questionnaire. *Neurourol Urodyn.* 2004; 23: 27-32
- 50520** Schick, E., Jolivet-Tremblay, M., Tessier, J., Dupont, C., Bertrand, P. E. Observations on the function of the female urethra: III: An overview with special reference to the relation between urethral hypermobility and urethral incompetence. *Neurourol Urodyn.* 2004; 23: 22-6
- 50530** Dolan, L. M., Smith, A. R., Hosker, G. L. Opening detrusor pressure and the influence of age on success following colposuspension. *Neurourol Urodyn.* 2004; 23: 10-5
- 50540** Levin, I., Groutz, A., Gold, R., Pauzner, D., Lessing, J. B., Gordon, D. Surgical complications and medium-term outcome results of tension-free vaginal tape: a prospective study of 313 consecutive patients. *Neurourol Urodyn.* 2004; 23: 7-9
- 50550** Groutz, A., Rimon, E., Peled, S., Gold, R., Pauzner, D., Lessing, J. B., Gordon, D. Cesarean section: does it really prevent the development of postpartum stress urinary incontinence? A prospective study of 363 women one year after their first delivery. *Neurourol Urodyn.* 2004; 23: 2-6
- 50560** Espino, D. V., Palmer, R. F., Miles, T. P., Mouton, C. P., Lichtenstein, M. J., Markides, K. P. Prevalence and severity of urinary incontinence in elderly Mexican-American women. *J Am Geriatr Soc.* 2003 Nov; 51: 1580-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 50570** Roovers, J. P., van der Vaart, C. H., van der Bom, J. G., van Leeuwen, J. H., Scholten, P. C., Heintz, A. P. A randomised controlled trial comparing abdominal and vaginal prolapse surgery: effects on urogenital function. BJOG. 2004 Jan; 111: 50-6
- 50580** Spiess, P. E., Rabah, D., Herrera, C., Singh, G., Moore, R., Corcos, J. The tensile properties of tension-free vaginal tape and cadaveric fascia lata in an in vivo rat model. BJU Int. 2004 Jan; 93: 171-3
- 50590** Blue, D. R., Daniels, D. V., Gever, J. R., Jett, M. F., O'Yang, C., Tang, H. M., Williams, T. J., Ford, A. P. Pharmacological characteristics of Ro 115-1240, a selective alpha1A/1L-adrenoceptor partial agonist: a potential therapy for stress urinary incontinence. BJU Int. 2004 Jan; 93: 162-70
- 50600** Musselman, D. M., Ford, A. P., Gennevois, D. J., Harbison, M. L., Laurent, A. L., Mokatrin, A. S., Stoltz, R. R., Blue, D. R. A randomized crossover study to evaluate Ro 115-1240, a selective alpha1A/1L-adrenoceptor partial agonist in women with stress urinary incontinence. BJU Int. 2004 Jan; 93: 78-83
- 50610** Sharma, B., Oligbo, N. Delayed vaginal erosion of the tape--a rare complication with TVT. J Obstet Gynaecol. 2004 Jan; 24: 96-8
- 50620** Birnbaum, H., Leong, S., Kabra, A. Lifetime medical costs for women: cardiovascular disease, diabetes, and stress urinary incontinence. Womens Health Issues. 2003 Nov-Dec; 13: 204-13
- 50630** Aungst, M., Wagner, M. Foley balloon to tamponade bleeding in the retropubic space. Obstet Gynecol. 2003 Nov; 102: 1037-8
- 50640** Werner, M., Najari, L., Schuessler, B. Transurethral resection of tension-free vaginal tape penetrating the urethra. Obstet Gynecol. 2003 Nov; 102: 1034-6
- 50650** Burgio, K. L., Goode, P. S., Locher, J. L., Richter, H. E., Roth, D. L., Wright, K. C., Varner, R. E. Predictors of outcome in the behavioral treatment of urinary incontinence in women. Obstet Gynecol. 2003 Nov; 102: 940-7
- 50660** Peyromaure, M., Dayma, T., Zerbib, M. Development of a bladder stone following a tension-free vaginal tape intervention. J Urol. 2004 Jan; 171: 337
- 50670** Singh, M., Bushman, W., Clemens, J. Q. Do pad tests and voiding diaries affect patient willingness to participate in studies of incontinence treatment outcomes?. J Urol. 2004 Jan; 171: 316-8; discussion 318-9
- 50680** Ho, K. L., Witte, M. N., Bird, E. T. 8-ply small intestinal submucosa tension-free sling: spectrum of postoperative inflammation. J Urol. 2004 Jan; 171: 268-71
- 50690** Shah, D. K., Paul, E. M., Rastinehad, A. R., Eisenberg, E. R., Badlani, G. H. Short-term outcome analysis of total pelvic reconstruction with mesh: the vaginal approach. J Urol. 2004 Jan; 171: 261-3
- 50700** Dolan, L. M., Hosker, G. L., Mallett, V. T., Allen, R. E., Smith, A. R. Stress incontinence and pelvic floor neurophysiology 15 years after the first delivery. BJOG. 2003 Dec; 110: 1107-14
- 50710** Pisarska, M., Sajdak, S. Lower urinary tract function after postoperative radiotherapy in the treatment of cervical cancer. Eur J Gynaecol Oncol. 2003; 24: 490-4
- 50720** Yalcin, O., Isikoglu, M., Beji, N. K. Results of TVT operations alone and combined with other vaginal surgical procedures. Arch Gynecol Obstet. 2004 Jan; 269: 96-8
- 50730** Karan, A., Isikoglu, M., Aksac, B., Attar, E., Eskiurt, N., Yalcin, O. Hypermobility syndrome in 105 women with pure urinary stress incontinence and in 105 controls. Arch Gynecol Obstet. 2004 Jan; 269: 89-90
- 50740** de Leval, J. Novel surgical technique for the treatment of female stress urinary incontinence: transobturator vaginal tape inside-out. Eur Urol. 2003 Dec; 44: 724-30
- 50750** Ezzat, I. M. Sling operations in the treatment of stress urinary incontinence: how to adjust sling tension. J Obstet Gynaecol Res. 2003 Dec; 29: 374-9
- 50760** Abstracts of the 28th Annual meeting of the International Urogynecological Association. Buenos Aires, Argentina, 28-31 October 2003. Int Urogynecol J Pelvic Floor Dysfunct. 2003; 14 Suppl 1: S1-S81
- 50770** Fultz, N. H., Burgio, K., Diokno, A. C., Kinchen, K. S., Obenchain, R., Bump, R. C. Burden of stress urinary incontinence for community-dwelling women. Am J Obstet Gynecol. 2003 Nov; 189: 1275-82

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 50780** Rortveit, G., Daltveit, A. K., Hannestad, Y. S., Hunskaar, S. Vaginal delivery parameters and urinary incontinence: the Norwegian EPINCONT study. *Am J Obstet Gynecol.* 2003 Nov; 189: 1268-74
- 50790** FitzGerald, M. P., Brubaker, L. Colpocleisis and urinary incontinence. *Am J Obstet Gynecol.* 2003 Nov; 189: 1241-4
- 50800** Amna, M. B., Randrianantenaina, A., Michel, F. Colic perforation as a complication of tension-free vaginal tape procedure. *J Urol.* 2003 Dec; 170: 2387
- 50810** Madjar, S., Covington-Nichols, C., Secrest, C. L. New periurethral bulking agent for stress urinary incontinence: modified technique and early results. *J Urol.* 2003 Dec; 170: 2327-9
- 50820** Osman, T. Stress incontinence surgery for patients presenting with mixed incontinence and a normal cystometrogram. *BJU Int.* 2003 Dec; 92: 964-8
- 50830** Cannon, T. W., Lee, J. Y., Somogyi, G., Pruchnic, R., Smith, C. P., Huard, J., Chancellor, M. B. Improved sphincter contractility after allogenic muscle-derived progenitor cell injection into the denervated rat urethra. *Urology.* 2003 Nov; 62: 958-63
- 50840** Defreitas, G. A., Lemack, G. E., Zimmern, P. E. Nonintubated uroflowmetry as a predictor of normal pressure flow study in women with stress urinary incontinence. *Urology.* 2003 Nov; 62: 905-8
- 50850** Rutner, A. B., Levine, S. R., Schmaelzle, J. F. Processed porcine small intestine submucosa as a graft material for pubovaginal slings: durability and results. *Urology.* 2003 Nov; 62: 805-9
- 50860** Tseng, L. H., Lo, T. S., Wang, A. C., Liang, C. C., Soong, Y. K. Bladder perforation presenting as vulvar edema after the tension-free vaginal tape procedure. A case report. *J Reprod Med.* 2003 Oct; 48: 824-6
- 50870** Fourie, T., Cohen, P. L. Delayed bowel erosion by tension-free vaginal tape (TVT). *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 362-4
- 50880** Shobeiri, S. A., Echols, K. T., Franco, N. Sinus formation after insertion of a silicone-coated suburethral sling. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 356-7
- 50890** van Brummen, H. J., van de Pol, G., Aalders, C. I., Heintz, A. P., van der Vaart, C. H. Sacrospinous hysteropexy compared to vaginal hysterectomy as primary surgical treatment for a descensus uteri: effects on urinary symptoms. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 350-5; discussion 355
- 50900** Schatz, H., Henriksson, L. Pain during the TVT procedure performed under local anesthesia. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 347-9; discussion 349
- 50910** Krissi, H., Adam, J. E., Stanton, S. L. MRI visualization of the female pelvis in the plane of the tension-free vaginal tape (TVT) procedure. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 342-5; discussion 345-6
- 50920** Kilicarslan, H., Gokce, G., Ayan, S., Guvenal, T., Kaya, K., Gultekin, E. Y. Predictors of outcome after in situ anterior vaginal wall sling surgery. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 339-41; discussion 341
- 50930** Stenberg, A. M., Larsson, G., Johnson, P. Urethral injection for stress urinary incontinence: long-term results with dextranomer/hyaluronic acid copolymer. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 335-8; discussion 338
- 50940** Iglesias, X., Espuna, M. Surgical treatment of urinary stress incontinence using a method for postoperative adjustment of sling tension (Remeex System). *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 326-30; discussion 330
- 50950** Kwon, C. H., Culligan, P. J., Koduri, S., Goldberg, R. P., Sand, P. K. The development of pelvic organ prolapse following isolated Burch retropubic urethropexy. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 321-5; discussion 325
- 50960** Aslan, E., Beji, N. K., Coskun, A., Yalcin, O. An assessment of the importance of pad testing in stress urinary incontinence and the effects of incontinence on the life quality of women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Nov; 14: 316-9; discussion 320
- 50970** Olah, K. S. Vaginal colposuspension: a new approach to an established continence procedure. *J Obstet Gynaecol.* 2003 Nov; 23: 687-8

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 50980** Coyne, K. S., Zhou, Z., Thompson, C., Versi, E. The impact on health-related quality of life of stress, urge and mixed urinary incontinence. *BJU Int.* 2003 Nov; 92: 731-5
- 50990** Fianu-Jonasson, A., Edwall, L. Stress urinary incontinence: feasibility of surgery after urethral injection. *Acta Obstet Gynecol Scand.* 2003 Nov; 82: 1060
- 51000** Lo, T. S., Chang, T. C., Chao, A. S., Chou, H. H., Tseng, L. H., Liang, C. C. Tension-free vaginal tape procedure on genuine stress incontinent women with coexisting genital prolapse. *Acta Obstet Gynecol Scand.* 2003 Nov; 82: 1049-53
- 51010** Bo, K., Finckenhagen, H. B. Is there any difference in measurement of pelvic floor muscle strength in supine and standing position?. *Acta Obstet Gynecol Scand.* 2003 Dec; 82: 1120-4
- 51020** Sarnelli, G., Trovato, C., Imarisio, M., Talleri, D., Braconi, A. Ultrasound assessment of the female perineum: technique, methods, indications and ultrasound anatomy. *Radiol Med (Torino).* 2003 Oct; 106: 357-69
- 51030** Hladik, M., Dubravicky, J., Pribylincova, V., Blasko, M. Current problems of diagnostics and treatment of urinary incontinence in females. *Bratisl Lek Listy.* 2003; 104: 163
- 51040** Siu, L. S., Chang, A. M., Yip, S. K., Chang, A. M. Compliance with a pelvic muscle exercise program as a causal predictor of urinary stress incontinence amongst Chinese women. *Neurourol Urodyn.* 2003; 22: 659-63
- 51050** Bo, K. Pelvic floor muscle strength and response to pelvic floor muscle training for stress urinary incontinence. *Neurourol Urodyn.* 2003; 22: 654-8
- 51060** Dumoulin, C., Bourbonnais, D., Lemieux, M. C. Development of a dynamometer for measuring the isometric force of the pelvic floor musculature. *Neurourol Urodyn.* 2003; 22: 648-53
- 51070** Unsal, A., Saglam, R., Cimentepe, E. Extracorporeal magnetic stimulation for the treatment of stress and urge incontinence in women--results of 1-year follow-up. *Scand J Urol Nephrol.* 2003; 37: 424-8
- 51080** Wennberg, A. L., Edlund, C., Fall, M., Pecker, R. Stamey's abdominovaginal needle colposuspension for the correction of female genuine stress urinary incontinence--long-term results. *Scand J Urol Nephrol.* 2003; 37: 419-23
- 51090** Viktrup, L., Bump, R. C. Pharmacological agents used for the treatment of stress urinary incontinence in women. *Curr Med Res Opin.* 2003; 19: 485-90
- 51100** Kulseng-Hanssen, S., Borstad, E. The development of a questionnaire to measure the severity of symptoms and the quality of life before and after surgery for stress incontinence. *BJOG.* 2003 Nov; 110: 983-8
- 51110** Kulseng-Hanssen, S. The development of a national database of the results of surgery for urinary incontinence in women. *BJOG.* 2003 Nov; 110: 975-82
- 51120** LaSala, C. A., Kuchel, G. A. Evaluation and management of urinary incontinence in elderly women. *Conn Med.* 2003 Sep; 67: 491-5
- 51130** Mitra, S., Hodgkins, J. A case report of migration of buffers to the cecum following Stamey operation. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 216-7
- 51140** ter Meulen, P. H., Berghmans, L. C., van Kerrebroeck, P. E. Systematic review: efficacy of silicone microimplants (Macroplastique) therapy for stress urinary incontinence in adult women. *Eur Urol.* 2003 Nov; 44: 573-82
- 51150** Ustun, Y., Engin-Ustun, Y., Gungor, M., Tezcan, S. Tension-free vaginal tape compared with laparoscopic Burch urethropexy. *J Am Assoc Gynecol Laparosc.* 2003 Aug; 10: 386-9
- 51160** Kung, R. C., Liu, G., Lee, P. E., Lie, K. I., Morgan, J. E. Laparoscopic two-team slings for women with stress urinary incontinence. *J Am Assoc Gynecol Laparosc.* 2003 Aug; 10: 327-33
- 51170** Sousa-Escandon, A., Lema Grille, J., Rodriguez Gomez, J. I., Rios Tallon, L., Uribarri Gonzalez, C., Marques-Queimadelos, A. Externally readjustable device to regulate sling tension in stress urinary incontinence: preliminary results. *J Endourol.* 2003 Sep; 17: 515-21
- 51180** Bai, S. W., Chung, K. A., Rha, K. H., Kim, S. U., Kim, S. K., Park, K. H. Correlation between urodynamic test results, perineal ultrasound and degree of stress urinary incontinence. *J Reprod Med.* 2003 Sep; 48: 718-22
-



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 51190 Boyington, A. R., Dougherty, M. C., Liao, Y. M. Analysis of interactive continence health information on the Web. J Wound Ostomy Continence Nurs. 2003 Sep; 30: 280-6
- 51200 Kuhn, A. Analysis of retropubic colpourethrosuspension results by suburethral sling with REMEEX prosthesis. Eur J Obstet Gynecol Reprod Biol. 2003 Nov 10; 111: 98
- 51210 Dietz, H. P., Steensma, A. B. Which women are most affected by delivery-related changes in pelvic organ mobility?. Eur J Obstet Gynecol Reprod Biol. 2003 Nov 10; 111: 15-8
- 51220 Klausner, T. I. Urologic challenges in the menopausal woman: a case study. Urol Nurs. 2003 Aug; 23: 293-5
- 51230 Balmforth, J., Cardozo, L. D. Trends toward less invasive treatment of female stress urinary incontinence. Urology. 2003 Oct; 62: 52-60
- 51240 Robinson, D., Cardozo, L. D. The role of estrogens in female lower urinary tract dysfunction. Urology. 2003 Oct; 62: 45-51
- 51250 Schuessler, B., Baessler, K. Pharmacologic treatment of stress urinary incontinence: expectations for outcome. Urology. 2003 Oct; 62: 31-8
- 51260 Indrekvam, S., Hunskaar, S. Home electrical stimulation for urinary incontinence: a study of the diffusion of a new technology. Urology. 2003 Oct; 62: 24-30
- 51270 Thor, K. B. Serotonin and norepinephrine involvement in efferent pathways to the urethral rhabdosphincter: implications for treating stress urinary incontinence. Urology. 2003 Oct; 62: 3-9
- 51280 Goldman, H. B. Simple sling incision for the treatment of iatrogenic urethral obstruction. Urology. 2003 Oct; 62: 714-8
- 51290 Cole, E., Gomelsky, A., Dmochowski, R. R. Encapsulation of a porcine dermis pubovaginal sling. J Urol. 2003 Nov; 170: 1950
- 51300 Kobashi, K. C., Govier, F. E. Perioperative complications: the first 140 polypropylene pubovaginal slings. J Urol. 2003 Nov; 170: 1918-21
- 51310 Nuotio, M., Jylha, M., Luukkaala, T., Tammela, T. L. Urinary incontinence in a Finnish population aged 70 and over. Prevalence of types, associated factors and self-reported treatments. Scand J Prim Health Care. 2003 Sep; 21: 182-7
- 51320 Johnson, D. W., ElHajj, M., O'Brien-Best, E. L., Miller, H. J., Fine, P. M. Necrotizing fasciitis after tension-free vaginal tape (TVT) placement. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Oct; 14: 291-3
- 51330 Duggan, P. M., Wilson, P. D., Norton, P., Brown, A. D., Drutz, H. P., Herbison, P. Utilization of preoperative urodynamic investigations by gynecologists who frequently operate for female urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Oct; 14: 282-7; discussion 286-7
- 51340 Fu, X., Rezapour, M., Wu, X., Li, L., Sjogren, C., Ulmsten, U. Expression of estrogen receptor-alpha and -beta in anterior vaginal walls of genuine stress incontinent women. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Oct; 14: 276-81; discussion 281
- 51350 Pang, M. W., Chan, L. W., Yip, S. K. One-year urodynamic outcome and quality of life in patients with concomitant tension-free vaginal tape during pelvic floor reconstruction surgery for genitourinary prolapse and urodynamic stress incontinence. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Oct; 14: 256-60; discussion 259-60
- 51360 Dietz, H. P., Vancaillie, P., Svehla, M., Walsh, W., Steensma, A. B., Vancaillie, T. G. Mechanical properties of urogynecologic implant materials. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Oct; 14: 239-43; discussion 243
- 51370 Beji, N. K., Yalcin, O., Erkan, H. A. The effect of pelvic floor training on sexual function of treated patients. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Oct; 14: 234-8; discussion 238
- 51380 Culligan, P. J., Goldberg, R. P., Sand, P. K. A randomized controlled trial comparing a modified Burch procedure and a suburethral sling: long-term follow-up. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Oct; 14: 229-33; discussion 233
- 51390 Wai, C. Y., Margulis, V., Baugh, B. R., Schaffer, J. I. Multiple vesical calculi and complete vaginal vault prolapse. Am J Obstet Gynecol. 2003 Sep; 189: 884-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 51400 Huang, C. R., Sun, N., Wei-ping, Xie, H. W., Hwang, A. H., Hardy, B. E. The management of old urethral injury in young girls: analysis of 44 cases. *J Pediatr Surg.* 2003 Sep; 38: 1329-32
- 51410 Horowitz, I. R. What's new in gynecology and obstetrics. *J Am Coll Surg.* 2003 Oct; 197: 612-9
- 51420 Iskander, M. N., Kapoor, D. S., Mohammed, A. Subjective outcomes of the TVT procedure. *Int J Gynaecol Obstet.* 2003 Oct; 83: 69-70
- 51430 Oremus, M., Collet, J. P., Shapiro, S. H., Penrod, J., Corcos, J. Surgery versus collagen for female stress urinary incontinence: economic assessment in Ontario and Quebec. *Can J Urol.* 2003 Aug; 10: 1934-44
- 51440 Dmochowski, R. R., Miklos, J. R., Norton, P. A., Zinner, N. R., Yalcin, I., Bump, R. C. Duloxetine versus placebo for the treatment of North American women with stress urinary incontinence. *J Urol.* 2003 Oct; 170: 1259-63
- 51450 Huggins, M. E., Bhatia, N. N., Ostergard, D. R. Urinary incontinence: newer pharmacotherapeutic trends. *Curr Opin Obstet Gynecol.* 2003 Oct; 15: 419-27
- 51460 Betson, L. H., Siddiqui, G., Bhatia, N. N. Intrinsic urethral sphincteric deficiency: critical analysis of various diagnostic modalities. *Curr Opin Obstet Gynecol.* 2003 Oct; 15: 411-7
- 51470 Brubaker, L., Cundiff, G., Fine, P., Nygaard, I., Richter, H., Visco, A., Zyczynski, H., Brown, M. B., Weber, A. A randomized trial of colpopexy and urinary reduction efforts (CARE): design and methods. *Control Clin Trials.* 2003 Oct; 24: 629-42
- 51480 Minassian, V. A., Drutz, H. P., Al-Badr, A. Urinary incontinence as a worldwide problem. *Int J Gynaecol Obstet.* 2003 Sep; 82: 327-38
- 51490 Dmochowski, R., Appell, R. A. Advancements in minimally invasive treatments for female stress urinary incontinence: radiofrequency and bulking agents. *Curr Urol Rep.* 2003 Oct; 4: 350-5
- 51500 Cody, J., Wyness, L., Wallace, S., Glazener, C., Kilonzo, M., Stearns, S., McCormack, K., Vale, L., Grant, A. Systematic review of the clinical effectiveness and cost-effectiveness of tension-free vaginal tape for treatment of urinary stress incontinence. *Health Technol Assess.* 2003; 7: iii, 1-189
- 51510 Nazir, M., Stien, R., Carlsen, E., Jacobsen, A. F., Nesheim, B. I. Early evaluation of bowel symptoms after primary repair of obstetric perineal rupture is misleading: an observational cohort study. *Dis Colon Rectum.* 2003 Sep; 46: 1245-50
- 51520 Al-Badr, A., Ross, S., Soroka, D., Minassian, V. A., Karahalios, A., Drutz, H. P. Voiding patterns and urodynamics after a tension-free vaginal tape procedure. *J Obstet Gynaecol Can.* 2003 Sep; 25: 725-30
- 51530 Zyczynski, H. M., Howden, N. S. Surgical management of urinary incontinence. *Curr Womens Health Rep.* 2003 Oct; 3: 399-404
- 51540 Huang, K. H., Kung, F. T., Liang, H. M., Huang, L. Y., Chang, S. Y. Concomitant surgery with tension-free vaginal tape. *Acta Obstet Gynecol Scand.* 2003 Oct; 82: 948-53
- 51550 Saini, J., Axelrod, F. B., Maayan, C., Stringer, J., Smilen, S. W. Urinary incontinence in familial dysautonomia. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 209-13; discussion 213
- 51560 Amaro, J. L., Oliveira Gameiro, M. O., Padovani, C. R. Treatment of urinary stress incontinence by intravaginal electrical stimulation and pelvic floor physiotherapy. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 204-8; discussion 208
- 51570 Robinson, H., Schulz, J., Flood, C., Hansen, L. A randomized controlled trial of the NEAT expandable tip continence device. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 199-203; discussion 203
- 51580 O'Sullivan, R., Simons, A., Prashar, S., Anderson, P., Louey, M., Moore, K. H. Is objective cure of mild undifferentiated incontinence more readily achieved than that of moderate incontinence? Costs and 2-year outcome. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 193-8; discussion 198
- 51590 Neuman, M. Low incidence of post-TVT genital prolapse. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 191-2; discussion 192
- 51600 Abbas Shobeiri, S., Gasser, R. F., Chesson, R. R., Echols, K. T. The anatomy of midurethral slings and dynamics of neurovascular injury. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 185-90; discussion 190

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 51610** Lukacz, E. S., Lubner, K. M., Nager, C. W. The effects of the tension-free vaginal tape on proximal urethral position: a prospective, longitudinal evaluation. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 179-84; discussion 184
- 51620** Cosson, M., Debodinance, P., Boukerrou, M., Chauvet, M. P., Lobry, P., Crepin, G., Ego, A. Mechanical properties of synthetic implants used in the repair of prolapse and urinary incontinence in women: which is the ideal material?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 169-78; discussion 178
- 51630** Adekanmi, O. A., Freeman, R. M., Bombieri, L. How colposuspensions are performed in the UK: a survey of gynecologists' practice. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Aug; 14: 151-9; discussion 159
- 51640** Stach-Lempinen, B., Hakala, A. L., Laippala, P., Lehtinen, K., Metsanoja, R., Kujansuu, E. Severe depression determines quality of life in urinary incontinent women. *Neurourol Urodyn.* 2003; 22: 563-8
- 51650** Yip, S. K., Sahota, D., Chang, A., Chung, T. Effect of one interval vaginal delivery on the prevalence of stress urinary incontinence: a prospective cohort study. *Neurourol Urodyn.* 2003; 22: 558-62
- 51660** Miller, Y. D., Brown, W. J., Russell, A., Chiarelli, P. Urinary incontinence across the lifespan. *Neurourol Urodyn.* 2003; 22: 550-7
- 51670** Karram, M. M. Pathophysiology of genuine stress incontinence: what do we really know?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Jun; 14: 77
- 51680** Gateau, T., Faramarzi-Roques, R., Le Normand, L., Glemain, P., Buzelin, J. M., Ballanger, P. Clinical and urodynamic repercussions after TVT procedure and how to diminish patient complaints. *Eur Urol.* 2003 Sep; 44: 372-6; discussion 376
- 51690** Kreder, K. J., Jr, Brubaker, L., Mainprize, T. Tolterodine is equally effective in patients with mixed incontinence and those with urge incontinence alone. *BJU Int.* 2003 Sep; 92: 418-21
- 51700** Kuuva, N., Nilsson, C. G. Tension-free vaginal tape procedure: an effective minimally invasive operation for the treatment of recurrent stress urinary incontinence?. *Gynecol Obstet Invest.* 2003; 56: 93-8
- 51710** Damaser, M. S., Broxton-King, C., Ferguson, C., Kim, F. J., Kerns, J. M. Functional and neuroanatomical effects of vaginal distention and pudendal nerve crush in the female rat. *J Urol.* 2003 Sep; 170: 1027-31
- 51720** Hong, B., Park, S., Kim, H. S., Choo, M. S. Factors predictive of urinary retention after a tension-free vaginal tape procedure for female stress urinary incontinence. *J Urol.* 2003 Sep; 170: 852-6
- 51730** Shah, D. K., Paul, E. M., Amukele, S., Eisenberg, E. R., Badlani, G. H. Broad based tension-free synthetic sling for stress urinary incontinence: 5-year outcome. *J Urol.* 2003 Sep; 170: 849-51
- 51740** Farrell, S. A., Beckerson, L. A., Epp, A., Flood, C. G., Lajoie, F., MacMillan, J. B., Mainprize, T. C., Robert, M. Tension-free vaginal tape (TVT) procedure. *J Obstet Gynaecol Can.* 2003 Aug; 25: 692-4, 695-8
- 51750** Tunn, R., Petri, E. Introital and transvaginal ultrasound as the main tool in the assessment of urogenital and pelvic floor dysfunction: an imaging panel and practical approach. *Ultrasound Obstet Gynecol.* 2003 Aug; 22: 205-13
- 51760** Newman, D. K. Stress urinary incontinence in women. *Am J Nurs.* 2003 Aug; 103: 46-55; quiz 55
- 51770** Yang, J. M., Huang, W. C. Bladder wall thickness on ultrasonographic cystourethrography: affecting factors and their implications. *J Ultrasound Med.* 2003 Aug; 22: 777-82
- 51780** Dmochowski, R. R., Sand, P. K., Zinner, N. R., Gittelman, M. C., Davila, G. W., Sanders, S. W. Comparative efficacy and safety of transdermal oxybutynin and oral tolterodine versus placebo in previously treated patients with urge and mixed urinary incontinence. *Urology.* 2003 Aug; 62: 237-42
- 51790** Defreitas, G. A., Wilson, T. S., Zimmern, P. E., Forte, T. B. Three-dimensional ultrasonography: an objective outcome tool to assess collagen distribution in women with stress urinary incontinence. *Urology.* 2003 Aug; 62: 232-6
- 51800** Adams, I., Onwude, J. Secondary colposuspension: results of a prospective study from a tertiary centre. *BJOG.* 2003 Aug; 110: 785; author reply 785

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 51810** Thomson, A. J., Tincello, D. G. The influence of pad test loss on management of women with urodynamic stress incontinence. *BJOG*. 2003 Aug; 110: 771-3
- 51820** Webster, T. M., Gerritzen, R. G. Gone in 24 hours: the feasibility of performing pubovaginal sling surgery with an overnight hospital stay. *Can J Urol*. 2003 Jun; 10: 1905-9
- 51830** Sugaya, K., Owan, T., Hatano, T., Nishijima, S., Miyazato, M., Mukouyama, H., Shiroma, K., Soejima, K., Masaki, Z., Ogawa, Y. Device to promote pelvic floor muscle training for stress incontinence. *Int J Urol*. 2003 Aug; 10: 416-22
- 51840** van Veggel, L., Morrell, M., Harris, C., Dormans-Linssen, M. A new device for the treatment of female stress urinary incontinence. *Proc Inst Mech Eng [H]*. 2003; 217: 317-21
- 51850** Lienemann, A., Fischer, T. Functional imaging of the pelvic floor. *Eur J Radiol*. 2003 Aug; 47: 117-22
- 51860** Deval, B., Levardon, M., Samain, E., Rafii, A., Cortesse, A., Amarenco, G., Ciofu, C., Haab, F. A French multicenter clinical trial of SPARC for stress urinary incontinence. *Eur Urol*. 2003 Aug; 44: 254-8; discussion 258-9
- 51870** Bradway, C. Urinary incontinence among older women. Measurement of the effect on health-related quality of life. *J Gerontol Nurs*. 2003 Jul; 29: 13-9
- 51880** Aksac, B., Aki, S., Karan, A., Yalcin, O., Isikoglu, M., Eskiurt, N. Biofeedback and pelvic floor exercises for the rehabilitation of urinary stress incontinence. *Gynecol Obstet Invest*. 2003; 56: 23-7
- 51890** Parmet, S., Lym, C., Glass, R. M. JAMA patient page. Stress incontinence. *JAMA*. 2003 Jul 16; 290: 426
- 51900** Resnick, N. M., Griffiths, D. J. Expanding treatment options for stress urinary incontinence in women. *JAMA*. 2003 Jul 16; 290: 395-7
- 51910** Goode, P. S., Burgio, K. L., Locher, J. L., Roth, D. L., Umlauf, M. G., Richter, H. E., Varner, R. E., Lloyd, L. K. Effect of behavioral training with or without pelvic floor electrical stimulation on stress incontinence in women: a randomized controlled trial. *JAMA*. 2003 Jul 16; 290: 345-52
- 51920** von Pechmann, W. S., Mutone, M., Fyffe, J., Hale, D. S. Total colpocleisis with high levator plication for the treatment of advanced pelvic organ prolapse. *Am J Obstet Gynecol*. 2003 Jul; 189: 121-6
- 51930** Yalcin, I., Bump, R. C. Validation of two global impression questionnaires for incontinence. *Am J Obstet Gynecol*. 2003 Jul; 189: 98-101
- 51940** Chen, B., Wen, Y., Zhang, Z., Wang, H., Warrington, J. A., Polan, M. L. Menstrual phase-dependent gene expression differences in periurethral vaginal tissue from women with stress incontinence. *Am J Obstet Gynecol*. 2003 Jul; 189: 89-97
- 51950** Ellerkmann, R. M., Dunn, J. S., McBride, A. W., Kummer, L. G., Melick, C. F., Bent, A. E., Blomquist, J. L. A comparison of anticipated pain before and pain rating after the procedure in patients who undergo cystourethroscopy. *Am J Obstet Gynecol*. 2003 Jul; 189: 66-9
- 51960** Chen, B., Wen, Y., Wang, H., Polan, M. L. Differences in estrogen modulation of tissue inhibitor of matrix metalloproteinase-1 and matrix metalloproteinase-1 expression in cultured fibroblasts from continent and incontinent women. *Am J Obstet Gynecol*. 2003 Jul; 189: 59-65
- 51970** Gerstenbluth, R. E., Goldman, H. B. Simultaneous urethral erosion of tension-free vaginal tape and woven polyester pubovaginal sling. *J Urol*. 2003 Aug; 170: 525-6
- 51980** Diokno, A. C., Burgio, K., Fultz, H., Kinchen, K. H., Obenchain, R., Bump, R. C. Prevalence and outcomes of continence surgery in community dwelling women. *J Urol*. 2003 Aug; 170: 507-11
- 51990** Giannantoni, A., Di Stasi, S. M., Cucchi, A., Mearini, E., Bini, V., Porena, M. Pelvic floor muscle behavior during Valsalva leak point pressure measurement in males and females affected by stress urinary incontinence. *J Urol*. 2003 Aug; 170: 485-9
- 52000** Davila, G. W., Bernier, F., Franco, J., Kopka, S. L. Bladder dysfunction in sexual abuse survivors. *J Urol*. 2003 Aug; 170: 476-9

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 52010 Manning, J., Korda, A., Benness, C., Solomon, M. The association of obstructive defecation, lower urinary tract dysfunction and the benign joint hypermobility syndrome: a case-control study. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Jun; 14: 128-32
- 52020 Costantini, E., Pajoncini, C., Zucchi, A., Lombi, R., Bini, V., Mearini, E., Porena, M. Four-corner colposuspension: clinical and functional results. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Jun; 14: 113-8
- 52030 Cosson, M., Boukerrou, M., Narducci, F., Occelli, B., Querleu, D., Crepin, G. Long-term results of the Burch procedure combined with abdominal sacrocolpopexy for treatment of vault prolapse. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Jun; 14: 104-7
- 52040 Thompson, J. A., O'Sullivan, P. B. Levator plate movement during voluntary pelvic floor muscle contraction in subjects with incontinence and prolapse: a cross-sectional study and review. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Jun; 14: 84-8
- 52050 Farrell, K. D., Robinson, L. M., Scott, T. A. Female urinary incontinence health education on the Internet: pitfalls and opportunities. *J Obstet Gynaecol Can.* 2003 Jul; 25: 594-600
- 52060 Al-Badr, A., Ross, S., Soroka, D., Drutz, H. P. What is the available evidence for hormone replacement therapy in women with stress urinary incontinence?. *J Obstet Gynaecol Can.* 2003 Jul; 25: 567-74
- 52070 Qureshi, A., Nicolaou, J., Lynch, C. B., Anjum, M. I., Clay, J. Outcome of tension-free vaginal tape (TVT) procedure in women with stress urinary incontinence--patients' perspective. *J Obstet Gynaecol.* 2003 May; 23: 297-300
- 52080 Bump, R. C., Norton, P. A., Zinner, N. R., Yalcin, I. Mixed urinary incontinence symptoms: urodynamic findings, incontinence severity, and treatment response. *Obstet Gynecol.* 2003 Jul; 102: 76-83
- 52090 Managing postpartum stress urinary incontinence. *Drug Ther Bull.* 2003 Jun; 41: 46-8
- 52100 Tong, Y. C. An alternative method of tension-free vaginal tape implantation for the treatment of female urinary incontinence. *Urol Int.* 2003; 71: 51-4
- 52110 Goel, M. C., Roberts, J. G. Dynamic rectus abdominis tendon colposuspension for female stress urinary incontinence: a new procedure and its follow-up. *Urol Int.* 2003; 71: 45-50
- 52120 Athanasopoulos, A., Barlas, P., Perimenis, P., Dimitrakopoulos, S., Markou, S., Gianitsas, K., Gyftopoulos, K., Hatzipapas, J., Barbaliass, G. Long-term results of transvaginal colposuspension for the treatment of genuine stress incontinence combined with vaginal hysterectomy. *Urol Int.* 2003; 71: 41-4
- 52130 Moore, K. H., O'Sullivan, R. J., Simons, A., Prashar, S., Anderson, P., Louey, M. Randomised controlled trial of nurse continence advisor therapy compared with standard urogynaecology regimen for conservative incontinence treatment: efficacy, costs and two year follow up. *BJOG.* 2003 Jul; 110: 649-57
- 52140 Hartanto, V. H., Lightner, D. J., Nitti, V. W. Endoscopic evacuation of Durasphere. *Urology.* 2003 Jul; 62: 135-7
- 52150 Minervini, A., Salintri, G., Minervini, R. Retroperitoneal urinoma complicating Burch colposuspension. *Int J Gynaecol Obstet.* 2003 Jul; 82: 85-6
- 52160 Mutone, N., Brizendine, E., Hale, D. Factors that influence voiding function after the tension-free vaginal tape procedure for stress urinary incontinence. *Am J Obstet Gynecol.* 2003 Jun; 188: 1477-81; discussion 1481-3
- 52170 Goldberg, R. P., Kwon, C., Gandhi, S., Atkuru, L. V., Sorensen, M., Sand, P. K. Urinary incontinence among mothers of multiples: the protective effect of cesarean delivery. *Am J Obstet Gynecol.* 2003 Jun; 188: 1447-50; discussion 1450-3
- 52180 Dallosso, H. M., McGrother, C. W., Matthews, R. J., Donaldson, M. M. The association of diet and other lifestyle factors with overactive bladder and stress incontinence: a longitudinal study in women. *BJU Int.* 2003 Jul; 92: 69-77
- 52190 LaSala, C. A. Incomplete bladder emptying after the tension-free vaginal tape procedure, necessitating release of the mesh. A report of three cases. *J Reprod Med.* 2003 May; 48: 387-90
- 52200 Sevestre, S., Ciofu, C., Deval, B., Traxer, O., Amarenco, G., Haab, F. Results of the tension-free vaginal tape technique in the elderly. *Eur Urol.* 2003 Jul; 44: 128-31



# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 52210 Bemelmans, B. L., Chapple, C. R. Are slings now the gold standard treatment for the management of female urinary stress incontinence and if so which technique?. *Curr Opin Urol.* 2003 Jul; 13: 301-7
- 52220 Hu, T. W., Wagner, T. H., Bentkover, J. D., LeBlanc, K., Piantentini, A., Stewart, W. F., Corey, R., Zhou, S. Z., Hunt, T. L. Estimated economic costs of overactive bladder in the United States. *Urology.* 2003 Jun; 61: 1123-8
- 52230 Scarpero, H. M., Fiske, J., Xue, X., Nitti, V. W. American Urological Association Symptom Index for lower urinary tract symptoms in women: correlation with degree of bother and impact on quality of life. *Urology.* 2003 Jun; 61: 1118-22
- 52240 Alewijnse, D., Metsemakers, J. F., Mesters, I. E., van den Borne, B. Effectiveness of pelvic floor muscle exercise therapy supplemented with a health education program to promote long-term adherence among women with urinary incontinence. *Neurourol Urodyn.* 2003; 22: 284-95
- 52250 Barbic, M., Kralj, B., Cor, A. Compliance of the bladder neck supporting structures: importance of activity pattern of levator ani muscle and content of elastic fibers of endopelvic fascia. *Neurourol Urodyn.* 2003; 22: 269-76
- 52260 Harvey, M. A. Pelvic floor exercises during and after pregnancy: a systematic review of their role in preventing pelvic floor dysfunction. *J Obstet Gynaecol Can.* 2003 Jun; 25: 487-98
- 52270 Pickard, R., Reaper, J., Wyness, L., Cody, D. J., McClinton, S., N'Dow, J. Periurethral injection therapy for urinary incontinence in women. *Cochrane Database Syst Rev.* 2003; : CD003881
- 52280 Alhasso, A., Glazener, C. M., Pickard, R., N'Dow, J. Adrenergic drugs for urinary incontinence in adults. *Cochrane Database Syst Rev.* 2003; : CD001842
- 52290 Moehrer, B., Hextall, A., Jackson, S. Oestrogens for urinary incontinence in women. *Cochrane Database Syst Rev.* 2003; : CD001405
- 52300 Amundsen, C. L., Flynn, B. J., Webster, G. D. Urethral erosion after synthetic and nonsynthetic pubovaginal slings: differences in management and continence outcome. *J Urol.* 2003 Jul; 170: 134-7; discussion 137
- 52310 Rovner, E. S., Wein, A. J. Diagnosis and reconstruction of the dorsal or circumferential urethral diverticulum. *J Urol.* 2003 Jul; 170: 82-6; discussion 86
- 52320 Radio waves treat stress incontinence. *Health News.* 2003 Jun; 9: 8-9
- 52330 Valpas, A., Kivela, A., Penttinen, J., Kauko, M., Kujansuu, E., Tomas, E., Haarala, M., Meltomaa, S., Nilsson, C. K. Tension-free vaginal tape and laparoscopic mesh colposuspension in the treatment of stress urinary incontinence: immediate outcome and complications--a randomized clinical trial. *Acta Obstet Gynecol Scand.* 2003 Jul; 82: 665-71
- 52340 Goepel, C., Hefler, L., Methfessel, H. D., Koelbl, H. Periurethral connective tissue status of postmenopausal women with genital prolapse with and without stress incontinence. *Acta Obstet Gynecol Scand.* 2003 Jul; 82: 659-64
- 52350 O'Neil, B., Gilmour, D. Approach to urinary incontinence in women. Diagnosis and management by family physicians. *Can Fam Physician.* 2003 May; 49: 611-8
- 52360 Gilmour, D. Urinary incontinence in women. A surgeon's point of view. *Can Fam Physician.* 2003 May; 49: 557-8, 560-1
- 52370 Cassells, C., Watt, E. The impact of incontinence on older spousal caregivers. *J Adv Nurs.* 2003 Jun; 42: 607-16
- 52380 Stember, D. S., Scarpero, H. M., Nitti, V. W. Vaginal granulation tissue secondary to bone anchors: experience in two patients. *J Urol.* 2003 Jun; 169: 2300-1
- 52390 Gomelsky, A., Dmochowski, R. R. Incisional bladder hernia after rectus fascial sling. *J Urol.* 2003 Jun; 169: 2299
- 52400 Tsivian, A., Shtricker, A., Levin, S., Sidi, A. A. Bone anchor 4-corner cystourethropexy: long-term results. *J Urol.* 2003 Jun; 169: 2244-5
- 52410 Kobashi, K. C., Govier, F. E. Management of vaginal erosion of polypropylene mesh slings. *J Urol.* 2003 Jun; 169: 2242-3

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 52420 Croak, A. J., Schulte, V., Peron, S., Klingele, C., Gebhart, J., Lee, R. Transvaginal tape lysis for urinary obstruction after tension-free vaginal tape placement. *J Urol.* 2003 Jun; 169: 2238-41
- 52430 Miller, E. A., Amundsen, C. L., Toh, K. L., Flynn, B. J., Webster, G. D. Preoperative urodynamic evaluation may predict voiding dysfunction in women undergoing pubovaginal sling. *J Urol.* 2003 Jun; 169: 2234-7
- 52440 Tamanini, J. T., D'Ancona, C. A., Tadini, V., Netto, N. R., Jr Macroplastique implantation system for the treatment of female stress urinary incontinence. *J Urol.* 2003 Jun; 169: 2229-33
- 52450 Yu, H. J., Wong, W. Y., Chen, J., Chie, W. C. Quality of life impact and treatment seeking of Chinese women with urinary incontinence. *Qual Life Res.* 2003 May; 12: 327-33
- 52460 Sasso, K. Case study: challenges of pessary management. *J Wound Ostomy Continence Nurs.* 2003 May; 30: 152-7; discussion 157-8
- 52470 Viseshsindh, W., Kochakarn, W., Waikakul, W., Roongruangsilp, U., Siripornpinyo, N., Viseshsindh, V. A randomized controlled trial of pubovaginal sling versus vaginal wall sling for stress urinary incontinence. *J Med Assoc Thai.* 2003 Apr; 86: 308-15
- 52480 Long, C. Y., Hsu, S. C., Wu, T. P., Fu, J. C., Hsu, Y. S., Su, J. H. Effect of laparoscopic hysterectomy on bladder neck and urinary symptoms. *Aust N Z J Obstet Gynaecol.* 2003 Feb; 43: 65-9
- 52490 Demirci, F., Ozdemir, I., Yucel, O., Alhan, A. A new, simple, safe, effective and cost-effective procedure for genuine stress incontinence: midurethral polypropylene sling. *Aust N Z J Obstet Gynaecol.* 2003 Feb; 43: 58-60
- 52500 Sendag, F., Vidinli, H., Kazandi, M., Itil, I. M., Askar, N., Vidinli, B., Pourbagher, A. Role of perineal sonography in the evaluation of patients with stress urinary incontinence. *Aust N Z J Obstet Gynaecol.* 2003 Feb; 43: 54-7
- 52510 Kamo, I., Torimoto, K., Chancellor, M. B., de Groat, W. C., Yoshimura, N. Urethral closure mechanisms under sneeze-induced stress condition in rats: a new animal model for evaluation of stress urinary incontinence. *Am J Physiol Regul Integr Comp Physiol.* 2003 Aug; 285: R356-65
- 52520 Yip, S. K., Chan, A., Pang, S., Leung, P., Tang, C., Shek, D., Chung, T. The impact of urodynamic stress incontinence and detrusor overactivity on marital relationship and sexual function. *Am J Obstet Gynecol.* 2003 May; 188: 1244-8
- 52530 Lieb, J., Das, A. K. Urethral erosion of tension-free vaginal tape. *Scand J Urol Nephrol.* 2003; 37: 184-5
- 52540 Robinson, D., Bidmead, J., Cardozo, L., Muir, G. An unusual cause of voiding dysfunction following colposuspension. *J Obstet Gynaecol.* 2003 Mar; 23: 210-1
- 52550 Kafali, H., Verit, A., Verit, F., Demir, N. Expedient method of urethrovesical junction determination in retropubic colposuspension with intraballoon illumination of Foley catheter. *Urol Int.* 2003; 70: 262-4
- 52560 Schiotz, H. Effect of adding biofeedback to pelvic floor muscle training to treat urodynamic stress incontinence. *Obstet Gynecol.* 2003 May; 101: 1024; reply 1024-5
- 52570 Matsuo, K., Takemura, M., Koyama, M., Murata, Y. Bladder tumor found by tension-free vaginal tape procedure. *Obstet Gynecol.* 2003 May; 101: 937-40
- 52580 Muir, T. W., Tulikangas, P. K., Fidela Paraiso, M., Walters, M. D. The relationship of tension-free vaginal tape insertion and the vascular anatomy. *Obstet Gynecol.* 2003 May; 101: 933-6
- 52590 Karram, M. M., Segal, J. L., Vassallo, B. J., Kleeman, S. D. Complications and untoward effects of the tension-free vaginal tape procedure. *Obstet Gynecol.* 2003 May; 101: 929-32
- 52600 Vassallo, B. J., Kleeman, S. D., Segal, J., Karram, M. M. Urethral erosion of a tension-free vaginal tape. *Obstet Gynecol.* 2003 May; 101: 1055-8
- 52610 Huang, W. C., Yang, J. M. Bladder neck funneling on ultrasound cystourethrography in primary stress urinary incontinence: a sign associated with urethral hypermobility and intrinsic sphincter deficiency. *Urology.* 2003 May; 61: 936-41
- 52620 Tei, T. M., Stolzenburg, T., Buntzen, S., Laurberg, S., Kjeldsen, H. Use of transpelvic rectus abdominis musculocutaneous flap for anal cancer salvage surgery. *Br J Surg.* 2003 May; 90: 575-80

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 52630** Moore, R. D., Miklos, J. R. Colpocleisis and tension-free vaginal tape sling for severe uterine and vaginal prolapse and stress urinary incontinence under local anesthesia. *J Am Assoc Gynecol Laparosc.* 2003 May; 10: 276-80
- 52640** Moran, F., Bradley, J. M., Boyle, L., Elborn, J. S. Incontinence in adult females with cystic fibrosis: a Northern Ireland survey. *Int J Clin Pract.* 2003 Apr; 57: 182-3
- 52650** Zibecchi, L., Greendale, G. A., Ganz, P. A. Continuing education: Comprehensive menopausal assessment: an approach to managing vasomotor and urogenital symptoms in breast cancer survivors. *Oncol Nurs Forum.* 2003 May-Jun; 30: 393-407
- 52660** Wei, T. S., Su, T. H. Tension-free vaginal tape failure caused by sling displacement and successfully retreated using Burch colposuspension. *Acta Obstet Gynecol Scand.* 2003 Apr; 82: 385-6
- 52670** Lo, T. S., Lin, C. T., Huang, H. J., Chang, C. L., Liang, C. C., Soong, Y. K. The use of general anesthesia for the tension-free vaginal tape procedure and concomitant surgery. *Acta Obstet Gynecol Scand.* 2003 Apr; 82: 367-73
- 52680** Dietz, H. P., Mouritsen, L., Ellis, G., Wilson, P. D. Does the tension-free vaginal tape stay where you put it?. *Am J Obstet Gynecol.* 2003 Apr; 188: 950-3
- 52690** Bai, S. W., Jung, B. H., Chung, B. C., Kim, S. U., Kim, J. Y., Rha, K. H., Cho, J. S., Park, Y. W., Park, K. H. Relationship between urinary profile of the endogenous steroids and postmenopausal women with stress urinary incontinence. *Neurourol Urodyn.* 2003; 22: 198-205
- 52700** Petros, P. Changes in bladder neck geometry and closure pressure after midurethral anchoring suggest a musculoelastic mechanism activates closure. *Neurourol Urodyn.* 2003; 22: 191-7
- 52710** Wang, A. C., Chen, M. C. Comparison of tension-free vaginal taping versus modified Burch colposuspension on urethral obstruction: a randomized controlled trial. *Neurourol Urodyn.* 2003; 22: 185-90
- 52720** Chiaffarino, F., Parazzini, F., Lavezzari, M., Giambanco, V. Impact of urinary incontinence and overactive bladder on quality of life. *Eur Urol.* 2003 May; 43: 535-8
- 52730** Ilker, Y., Tarcan, T., Ozveren, B., Yildirim, A. Anterior urethropexy according to lapides: how effective is it in the treatment of genuine female stress incontinence?. *Arch Esp Urol.* 2003 Jan-Feb; 56: 95-9
- 52740** Sapmaz, E., Celik, H. Burch colposuspension performed at cesarean delivery in pregnancies complicated by genuine stress urinary incontinence. *J Reprod Med.* 2003 Mar; 48: 191-3
- 52750** Sartore, A., Pregazzi, R., Bortoli, P., Grimaldi, E., Ricci, G., Guaschino, S. Assessment of pelvic floor muscle function after vaginal delivery. Clinical value of different tests. *J Reprod Med.* 2003 Mar; 48: 171-4
- 52760** Aukee, P., Penttinen, J., Airaksinen, O. The effect of aging on the electromyographic activity of pelvic floor muscles. A comparative study among stress incontinent patients and asymptomatic women. *Maturitas.* 2003 Apr 25; 44: 253-7
- 52770** Ho-Yin, P. L., Man-Wah, P., Shing-Kai, Y. Effects of aging on generic SF-36 quality of life measurements in Hong Kong Chinese women with urinary incontinence. *Acta Obstet Gynecol Scand.* 2003 Mar; 82: 275-9
- 52780** Stoker, J., Rociu, E., Bosch, J. L., Messelink, E. J., van der Hulst, V. P., Groenendijk, A. G., Eijkemans, M. J., Lameris, J. S. High-resolution endovaginal MR imaging in stress urinary incontinence. *Eur Radiol.* 2003 Aug; 13: 2031-7
- 52790** Laurikainen, E., Kiilholma, P. The tension-free vaginal tape procedure for female urinary incontinence without preoperative urodynamic evaluation. *J Am Coll Surg.* 2003 Apr; 196: 579-83
- 52800** Margolis, M. T. Tension-free vaginal tape: outcomes among women with primary versus recurrent stress urinary incontinence. *Obstet Gynecol.* 2003 Apr; 101: 817; author reply 817-8
- 52810** Waetjen, L. E., Subak, L. L., Shen, H., Lin, F., Wang, T. H., Vittinghoff, E., Brown, J. S. Stress urinary incontinence surgery in the United States. *Obstet Gynecol.* 2003 Apr; 101: 671-6
- 52820** Pollak, J. T., Jenkins, P., Kopka, S. L., Davila, G. W. Effect of genital prolapse on assessment of bladder neck mobility by the Q-tip test. *Obstet Gynecol.* 2003 Apr; 101: 662-5

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 52830 Amundsen, C. L., Flynn, B. J., Webster, G. D. Anatomical correction of vaginal vault prolapse by uterosacral ligament fixation in women who also require a pubovaginal sling. *J Urol.* 2003 May; 169: 1770-4
- 52840 Wilson, T. S., Lemack, G. E., Zimmern, P. E. Management of intrinsic sphincteric deficiency in women. *J Urol.* 2003 May; 169: 1662-9
- 52850 Kuo, H. C. Videourodynamic results in stress urinary incontinence patients after pelvic floor muscle training. *J Formos Med Assoc.* 2003 Jan; 102: 23-9
- 52860 Farrell, S. A., Epp, A., Flood, C., Lajoie, F., MacMillan, B., Mainprize, T., Robert, M. The evaluation of stress incontinence prior to primary surgery. *J Obstet Gynaecol Can.* 2003 Apr; 25: 313-24
- 52870 Cor, A., Barbic, M., Kralj, B. Differences in the quantity of elastic fibres and collagen type I and type III in endopelvic fascia between women with stress urinary incontinence and controls. *Urol Res.* 2003 Jun; 31: 61-5
- 52880 Ghezzi, F., Franchi, M., Buttarelli, M., Serati, M., Raio, L., Maddalena, F. The use of suction drains at burch colposuspension and postoperative infectious morbidity. *Arch Gynecol Obstet.* 2003 Apr; 268: 41-4
- 52890 Long, C. Y., Hsu, S. C., Sun, D. J., Chen, C. C., Tsai, E. M., Su, J. H. Abnormal clinical and urodynamic findings in women with severe genitourinary prolapse. *Kaohsiung J Med Sci.* 2002 Dec; 18: 593-7
- 52900 Amarenco, G., Arnould, B., Carita, P., Haab, F., Labat, J. J., Richard, F. European psychometric validation of the CONTILIFE: a Quality of Life questionnaire for urinary incontinence. *Eur Urol.* 2003 Apr; 43: 391-404
- 52910 Carey, J. M., Chon, J. K., Leach, G. E. Urethrolysis with Martius labial fat pad graft for iatrogenic bladder outlet obstruction. *Urology.* 2003 Apr; 61: 21-5
- 52920 Wang, A. C., Chen, M. C. The correlation between preoperative voiding mechanism and surgical outcome of the tension-free vaginal tape procedure, with reference to quality of life. *BJU Int.* 2003 Apr; 91: 502-6
- 52930 Daher, N., Boulanger, J. C., Ulmsten, U. Pre-pubic TVT: an alternative to classic TVT in selected patients with urinary stress incontinence. *Eur J Obstet Gynecol Reprod Biol.* 2003 Apr 25; 107: 205-7
- 52940 Siracusano, S., Pregazzi, R., d'Aloia, G., Sartore, A., Di Benedetto, P., Pecorari, V., Guaschino, S., Pappagallo, G., Belgrano, E. Prevalence of urinary incontinence in young and middle-aged women in an Italian urban area. *Eur J Obstet Gynecol Reprod Biol.* 2003 Apr 25; 107: 201-4
- 52950 van Os-Bossagh, P., Pols, T., Hop, W. C., Bohnen, A. M., Vierhout, M. E., Drogendijk, A. C. Voiding symptoms in chronic pelvic pain (CPP). *Eur J Obstet Gynecol Reprod Biol.* 2003 Apr 25; 107: 185-90
- 52960 Sartore, A., Pregazzi, R., Bortoli, P., Grimaldi, E., Ricci, G., Guaschino, S. Effects of epidural analgesia during labor on pelvic floor function after vaginal delivery. *Acta Obstet Gynecol Scand.* 2003 Feb; 82: 143-6
- 52970 Kim, J. K., Kim, Y. J., Choo, M. S., Cho, K. S. The urethra and its supporting structures in women with stress urinary incontinence: MR imaging using an endovaginal coil. *AJR Am J Roentgenol.* 2003 Apr; 180: 1037-44
- 52980 Hulens, M., Vansant, G., Claessens, A. L., Lysens, R., Muls, E. Predictors of 6-minute walk test results in lean, obese and morbidly obese women. *Scand J Med Sci Sports.* 2003 Apr; 13: 98-105
- 52990 Marinkovic, S. P., Stanton, S. L. Triple compartment prolapse: sacrocolpopexy with anterior and posterior mesh extensions. *BJOG.* 2003 Mar; 110: 323-6
- 53000 Manca, A., Sculpher, M. J., Ward, K., Hilton, P. A cost-utility analysis of tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence. *BJOG.* 2003 Mar; 110: 255-62
- 53010 Hannestad, Y. S., Rortveit, G., Daltveit, A. K., Hunskar, S. Are smoking and other lifestyle factors associated with female urinary incontinence? The Norwegian EPINCONT Study. *BJOG.* 2003 Mar; 110: 247-54
- 53020 Moehrer, B., Carey, M., Wilson, D. Laparoscopic colposuspension: a systematic review. *BJOG.* 2003 Mar; 110: 230-5
- 53030 Palmer, M. H., Fitzgerald, S. Urinary incontinence in working women: a comparison study. *J Womens Health (Larchmt).* 2002 Dec; 11: 879-88
- 53040 Bachmann, G., Wiita, B. External occlusive devices for management of female urinary incontinence. *J Womens Health (Larchmt).* 2002 Nov; 11: 793-800

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 53050** Hartanto, V. H., DiPiazza, D., Ankem, M. K., Baccarini, C., Lobby, N. J. Comparison of recovery from postoperative pain utilizing two sling techniques. *Can J Urol.* 2003 Feb; 10: 1759-63
- 53060** Perk, H., Soyupek, S., Serel, T. A., Kosar, A., Sayin, A., Hoscan, M. B. Tension-free vaginal tape for surgical treatment of stress urinary incontinence: two years follow-up. *Int J Urol.* 2003 Mar; 10: 132-5
- 53070** Kilicarslan, H., Guvenal, T., Ayan, S., Gokce, G., Cetin, A., Gultekin, E. Y. Comparison of outcomes of three different surgical techniques performed for stress urinary incontinence. *Int J Urol.* 2003 Mar; 10: 126-30; discussion 131
- 53080** Bai, S. W., Roh, J. L., Kim, J. Y., Chung, K. A., Kim, S. K., Park, K. H. Outcomes and surgical therapeutic index of Burch colposuspension in stress urinary incontinence. *J Reprod Med.* 2003 Feb; 48: 102-6
- 53090** Skinner, M. H., Kuan, H. Y., Pan, A., Sathirakul, K., Knadler, M. P., Gonzales, C. R., Yeo, K. P., Reddy, S., Lim, M., Ayan-Oshodi, M., Wise, S. D. Duloxetine is both an inhibitor and a substrate of cytochrome P4502D6 in healthy volunteers. *Clin Pharmacol Ther.* 2003 Mar; 73: 170-7
- 53100** Rortveit, G., Daltveit, A. K., Hannestad, Y. S., Hunskaar, S. Urinary incontinence after vaginal delivery or cesarean section. *N Engl J Med.* 2003 Mar 6; 348: 900-7
- 53110** Bai, S. W., Kang, S. H., Kim, S. K., Kim, J. Y., Park, K. H. The effect of pelvic organ prolapse on lower urinary tract function. *Yonsei Med J.* 2003 Feb; 44: 94-8
- 53120** Bombieri, L., Freeman, R. M. Do bladder neck position and amount of elevation influence the outcome of colposuspension?. *BJOG.* 2003 Feb; 110: 197-200
- 53130** Lin, S. Y., Dougherty, M. C. Incontinence impact, symptom distress and treatment-seeking behavior in women with involuntary urine loss in Southern Taiwan. *Int J Nurs Stud.* 2003 Mar; 40: 227-34
- 53140** Molmenti, E. P., Pinto, P. A., Montgomery, R. A., Su, L. M., Kraus, E., Cooper, M., Sonnenday, C. J., Klein, A. S., Kavoussi, L. R., Ratner, L. E. Concomitant surgery with laparoscopic live donor nephrectomy. *Am J Transplant.* 2003 Feb; 3: 219-23
- 53150** Wall, L. L. The treatment of urinary incontinence in 1814. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Feb; 14: 67-9
- 53160** Lee, J. Y., Cannon, T. W., Pruchnic, R., Fraser, M. O., Huard, J., Chancellor, M. B. The effects of periurethral muscle-derived stem cell injection on leak point pressure in a rat model of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Feb; 14: 31-7; discussion 37
- 53170** Yip, S. K., Chung, T. K. Treatment-seeking behavior in Hong Kong Chinese women with urinary symptoms. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Feb; 14: 27-30; discussion 30
- 53180** Arunkalaivanan, A. S., Barrington, J. W. Randomized trial of porcine dermal sling (Pelvicol implant) vs. tension-free vaginal tape (TVT) in the surgical treatment of stress incontinence: a questionnaire-based study. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Feb; 14: 17-23; discussion 21-2
- 53190** Langer, R., Lipshitz, Y., Halperin, R., Pansky, M., Bukovsky, I., Sherman, D. Prevention of genital prolapse following Burch colposuspension: comparison between two surgical procedures. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Feb; 14: 13-6; discussion 16
- 53200** Adekanmi, O. A., Freeman, R. M., Reed, H., Bombieri, L. Improving the diagnosis of genuine stress incontinence in symptomatic women with negative cough stress test: the Distal Urethral Electrical Conductance test (DUEC) revisited. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Feb; 14: 9-12; discussion 12
- 53210** Rafii, A., Darai, E., Haab, F., Samain, E., Levardon, M., Deval, B. Body mass index and outcome of tension-free vaginal tape. *Eur Urol.* 2003 Mar; 43: 288-92
- 53220** van Kerrebroeck, P., ter Meulen, F., Farrelly, E., Larsson, G., Edwall, L., Fianu-Jonasson, A. Treatment of stress urinary incontinence: recent developments in the role of urethral injection. *Urol Res.* 2003 Feb; 30: 356-62
- 53230** Hamid, R., Khastgir, J., Arya, M., Patel, H. R., Shah, P. J. Experience of tension-free vaginal tape for the treatment of stress incontinence in females with neuropathic bladders. *Spinal Cord.* 2003 Feb; 41: 118-21
- 53240** Pit, M. J., De Ruiter, M. C., Lycklama, A., Nijeholt AA, Marani, E., Zwartendijk, J. Anatomy of the arcus tendineus fasciae pelvis in females. *Clin Anat.* 2003 Mar; 16: 131-7



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 53250** Peekers, I., Peekers, R. Early diagnosis and treatment of genuine stress urinary incontinence in women after pregnancy: midwives as detectives. *J Midwifery Womens Health*. 2003 Jan-Feb; 48: 60-6
- 53260** Chen, G. D., Lin, T. L., Hu, S. W., Chen, Y. C., Lin, L. Y. Prevalence and correlation of urinary incontinence and overactive bladder in Taiwanese women. *Neurourol Urodyn*. 2003; 22: 109-17
- 53270** Digesu, G. A., Khullar, V., Cardozo, L., Salvatore, S. Overactive bladder symptoms: do we need urodynamics?. *Neurourol Urodyn*. 2003; 22: 105-8
- 53280** Dmochowski, R. R., Avon, M., Ross, J., Cooper, J. M., Kaplan, R., Love, B., Kohli, N., Albala, D., Shingleton, B. Transvaginal radio frequency treatment of the endopelvic fascia: a prospective evaluation for the treatment of genuine stress urinary incontinence. *J Urol*. 2003 Mar; 169: 1028-32
- 53290** Scarpero, H. M., Dmochowski, R. R., Nitti, V. W. Repeat urethrolisis after failed urethrolisis for iatrogenic obstruction. *J Urol*. 2003 Mar; 169: 1013-6
- 53300** Fleischmann, N., Flisser, A. J., Blaivas, J. G., Panagopoulos, G. Sphincteric urinary incontinence: relationship of vesical leak point pressure, urethral mobility and severity of incontinence. *J Urol*. 2003 Mar; 169: 999-1002
- 53310** Ord, T., Hilton, P. Anaesthesia for tension-free vaginal tape. *Eur Urol*. 2003 Feb; 43: 205-7; author reply 207
- 53320** Hendrix, S. L. Urinary incontinence and menopause: an evidence-based treatment approach. *Dis Mon*. 2002 Oct; 48: 622-36
- 53330** Tamilselvi, A., Duckett, J. R. Surgical correction of genuine stress incontinence in an achondroplastic woman. *J Obstet Gynaecol*. 2002 Nov; 22: 704
- 53340** Kunde, D., Varma, R. Feasibility of performing TVT operation for stress urinary incontinence under general anaesthesia. *J Obstet Gynaecol*. 2002 Nov; 22: 663-5
- 53350** Martinez, A. M., Ramos, N. M., Requena, J. F., Hernandez, J. A. Analysis of retropubic colpourethrosuspension results by suburethral sling with REMEEEX prosthesis. *Eur J Obstet Gynecol Reprod Biol*. 2003 Feb 10; 106: 179-83
- 53360** Cheon, W. C., Mak, J. H., Liu, J. Y. Prospective randomised controlled trial comparing laparoscopic and open colposuspension. *Hong Kong Med J*. 2003 Feb; 9: 10-4
- 53370** Volkmer, B. G., Nessler, T., Rinnab, L., Schradin, T., Hautmann, R. E., Gottfried, H. W. Surgical intervention for complications of tension-free vaginal tape procedure. *J Urol*. 2003 Feb; 169: 570-4
- 53380** Lapitan, M. C., Cody, D. J., Grant, A. M. Open retropubic colposuspension for urinary incontinence in women. *Cochrane Database Syst Rev*. 2003; : CD002912
- 53390** Sugaya, K., Nishijima, S., Oda, M., Owan, T., Ashitomi, K., Miyazato, M., Morozumi, M., Hatano, T., Ogawa, Y. Transabdominal vesical sonography of urethral syndrome and stress incontinence. *Int J Urol*. 2003 Jan; 10: 36-42
- 53400** Lang, J. H., Zhu, L., Sun, Z. J., Chen, J. Estrogen levels and estrogen receptors in patients with stress urinary incontinence and pelvic organ prolapse. *Int J Gynaecol Obstet*. 2003 Jan; 80: 35-9
- 53410** Runowicz, C. D. Hysterectomy options. Total and subtotal surgical procedures prove comparable. *Health News*. 2002 Dec; 8: 4
- 53420** Oremus, M., Collet, J. P., Corcos, J., Shapiro, S. H. A survey of physician efficacy requirements to plan clinical trials. *Pharmacoepidemiol Drug Saf*. 2002 Dec; 11: 677-85
- 53430** Navaneetham, N., Doshani, A. The tension free vaginal tape procedure is successful in the majority of women with indications for surgical treatment of urinary stress incontinence. *BJOG*. 2003 Jan; 110: 89-90
- 53440** Hilton, P., Mohammed, K. A., Ward, K. Postural perineal pain associated with perforation of the lower urinary tract due to insertion of a tension-free vaginal tape. *BJOG*. 2003 Jan; 110: 79-82
- 53450** Dietz, H. P., Clarke, B., Vancailie, T. G. Vaginal childbirth and bladder neck mobility. *Aust N Z J Obstet Gynaecol*. 2002 Nov; 42: 522-5
- 53460** Demirci, F., Yildirim, U., Demirci, E., Ayas, S., Arioglu, P., Kuyumcuoglu, U. Ten-year results of Marshall Marchetti Krantz and anterior colporrhaphy procedures. *Aust N Z J Obstet Gynaecol*. 2002 Nov; 42: 513-4

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 53470 Mostwin, J. L. Pathophysiology: the varieties of bladder overactivity. *Urology*. 2002 Nov; 60: 22-6; discussion 27
- 53480 Ruff, C. C., van Rijswijk, L., Okoli, A. The impact of urinary incontinence in African American women. *Ostomy Wound Manage*. 2002 Dec; 48: 52-8
- 53490 Finkelstein, M. M., Skelly, J., Kaczorowski, J., Swanson, G. Incontinence Quality of Life Instrument in a survey of primary care physicians. *J Fam Pract*. 2002 Nov; 51: 952
- 53500 Adeyoju, A. A., Lupton, E. W. Thimble-assisted Burch colposuspension. *Ann R Coll Surg Engl*. 2002 Nov; 84: 433
- 53510 Tosaka, A., Murota-Kawano, A., Ando, M. Video urodynamics using transrectal ultrasonography for lower urinary tract symptoms in women. *Neurourol Urodyn*. 2003; 22: 33-9
- 53520 Lin, H. H., Torng, P. L., Sheu, B. C., Shau, W. Y., Huang, S. C. Urodynamically age-specific prevalence of urinary incontinence in women with urinary symptoms. *Neurourol Urodyn*. 2003; 22: 29-32
- 53530 Resplande, J., Gholami, S., Bruschini, H., Srougi, M. Urodynamic changes induced by the intravaginal electrode during pelvic floor electrical stimulation. *Neurourol Urodyn*. 2003; 22: 24-8
- 53540 Madjar, S., Balzarro, M., Appell, R. A., Tchetgen, M. B., Nelson, D. Baseline abdominal pressure and valsava leak point pressures-correlation with clinical and urodynamic data. *Neurourol Urodyn*. 2003; 22: 2-6
- 53550 Blaivas, J. G. The Emperor's new clothes. *Neurourol Urodyn*. 2003; 22: 1
- 53560 Aukee, P., Immonen, P., Penttinen, J., Laippala, P., Airaksinen, O. Increase in pelvic floor muscle activity after 12 weeks' training: a randomized prospective pilot study. *Urology*. 2002 Dec; 60: 1020-3; discussion 1023-4
- 53570 Grdal, M., Tekin, A., Erdoan, K., Sengr, F. Endoscopic silicone injection for female stress urinary incontinence due to intrinsic sphincter deficiency: impact of coexisting urethral mobility on treatment outcome. *Urology*. 2002 Dec; 60: 1016-9
- 53580 Viktrup, L. Female stress and urge incontinence in family practice: insight into the lower urinary tract. *Int J Clin Pract*. 2002 Nov; 56: 694-700
- 53590 Hilton, P., Ward, K. L. Pleasing some of the people none of the time. *BMJ*. 2002 Dec 7; 325: 1361
- 53600 Sampsel, C. M., Harlow, S. D., Skurnick, J., Brubaker, L., Bondarenko, I. Urinary incontinence predictors and life impact in ethnically diverse perimenopausal women. *Obstet Gynecol*. 2002 Dec; 100: 1230-8
- 53610 Villet, R., Ercoli, A., Atallah, D., Hoffmann, P., Salet-Lizee, D. Second tension-free vaginal tape procedure and mesh retensioning: two possibilities of treatment of recurrent-persistent genuine stress urinary incontinence after a primary tension-free vaginal tape procedure. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002 Nov; 13: 377-9
- 53620 Meyer, S., Achtari, C., Hohlfeld, P., De Grandi, P., Buchser, E. Effects of epidural analgesia on pelvic floor function after spontaneous delivery: a longitudinal retrospective study. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002 Nov; 13: 359-64; discussion 364-5
- 53630 Wang, K. H., Wang, K. H., Neimark, M., Davila, G. W. Voiding dysfunction following TVT procedure. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002 Nov; 13: 353-7; discussion 358
- 53640 Swart, A. M., Hagerty, J., Corstiaans, A., Rane, A. Management of the very weak pelvic floor. Is there a point?. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002 Nov; 13: 346-8; discussion 348
- 53650 Scott, L., Leddy, M., Bernay, F., Davot, J. L. Evaluation of phenylpropanolamine in the treatment of urethral sphincter mechanism incompetence in the bitch. *J Small Anim Pract*. 2002 Nov; 43: 493-6
- 53660 Neuman, M. Infected hematoma following tension-free vaginal tape implantation. *J Urol*. 2002 Dec; 168: 2549
- 53670 Fritel, X., Zabak, K., Pigne, A., Demaria, F., Benifla, J. L. Predictive value of urethral mobility before suburethral tape procedure for urinary stress incontinence in women. *J Urol*. 2002 Dec; 168: 2472-5
- 53680 Miller, J. M. Criteria for therapeutic use of pelvic floor muscle training in women. *J Wound Ostomy Continence Nurs*. 2002 Nov; 29: 301-11
- 53690 Rardin, C. R., Rosenblatt, P. L., Kohli, N., Miklos, J. R., Heit, M., Lucente, V. R. Release of tension-free vaginal tape for the treatment of refractory postoperative voiding dysfunction. *Obstet Gynecol*. 2002 Nov; 100: 898-902

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Procite Number

- 53700 Rardin, C. R., Kohli, N., Rosenblatt, P. L., Miklos, J. R., Moore, R., Strohsnitter, W. C. Tension-free vaginal tape: outcomes among women with primary versus recurrent stress urinary incontinence. *Obstet Gynecol.* 2002 Nov; 100: 893-7
- 53710 Persson, J., Teleman, P., Eten-Bergquist, C., Wolner-Hanssen, P. Cost-analyzes based on a prospective, randomized study comparing laparoscopic colposuspension with a tension-free vaginal tape procedure. *Acta Obstet Gynecol Scand.* 2002 Nov; 81: 1066-73
- 53720 Huang, W. C., Yang, J. M. Sonographic appearance of a bladder calculus secondary to a suture from a bladder neck suspension. *J Ultrasound Med.* 2002 Nov; 21: 1303-5
- 53730 Yang, J. M., Huang, W. C. Discrimination of bladder disorders in female lower urinary tract symptoms on ultrasonographic cystourethrography. *J Ultrasound Med.* 2002 Nov; 21: 1249-55
- 53740 Dietz, H. P. A systematic review of tension-free urethropexy for stress urinary incontinence: intravaginal slingplasty and the tension-free vaginal tape procedure. *BJU Int.* 2002 Nov; 90: 764; author reply 764
- 53750 Erata, Y. E., Kilic, B., Guclu, S., Saygili, U., Uslu, T. Risk factors for pelvic surgery. *Arch Gynecol Obstet.* 2002 Nov; 267: 14-8
- 53770 Boubilil, V., Ciofu, C., Traxer, O., Sebe, P., Haab, F. Complications of urethral sling procedures. *Curr Opin Obstet Gynecol.* 2002 Oct; 14: 515-20
- 53850 Lee, C. L., Yen, C. F., Wang, C. J., Yuen, L. T., Lee, P. S., Soong, Y. K. Trocar-assisted sling suspension for stress urinary incontinence. *J Am Assoc Gynecol Laparosc.* 2002 Nov; 9: 500-2
- 53860 Ross, J. W., Galen, D. I., Abbott, K., Albala, D., Presthus, J., Su-Ou, C., Turk, T. A prospective multisite study of radiofrequency bipolar energy for treatment of genuine stress incontinence. *J Am Assoc Gynecol Laparosc.* 2002 Nov; 9: 493-9
- 53870 Paraiso, M. F., Muir, T. W., Sokol, A. I. Are midurethral slings the gold standard surgical treatment for primary genuine stress incontinence?. *J Am Assoc Gynecol Laparosc.* 2002 Nov; 9: 405-7
- 53880 Franco, N., Shobeiri, S. A., Echols, K. T. Medium-term follow-up of transvaginal suburethral slings: variance in outcome success using two different evaluation methods. *Urology.* 2002 Oct; 60: 607-10; discussion 610-1
- 53900 Jundt, K., Peschers, U. M., Dimpfl, T. Long-term efficacy of pelvic floor re-education with EMG-controlled biofeedback. *Eur J Obstet Gynecol Reprod Biol.* 2002 Nov 15; 105: 181-5
- 53920 Staskin, D. R., Plzak, L. Synthetic slings: pros and cons. *Curr Urol Rep.* 2002 Oct; 3: 414-7
- 53930 Zimmern, P. E. A new injectable bulking agent for treatment of stress urinary incontinence. *Curr Urol Rep.* 2002 Oct; 3: 400
- 53940 Zimmern, P. E. Autologous fat injection as treatment for female stress urinary incontinence. *Curr Urol Rep.* 2002 Oct; 3: 399
- 53950 Dmochowski, R. R. Radiofrequency bladder neck suspension for the treatment of genuine stress urinary incontinence. *Curr Urol Rep.* 2002 Oct; 3: 378-81
- 53990 Perk, H., Oral, B., Yesildag, A., Serel, T. A., Ozsoy, M., Turgut, T. Magnetic resonance imaging for stress incontinence: evaluation of patients before and after surgical correction. *Eur J Radiol.* 2002 Oct; 44: 44-7
- 54000 Debodinance, P., Delporte, P., Engrand, J. B., Boulogne, M. Tension-free vaginal tape (TVT) in the treatment of urinary stress incontinence: 3 years experience involving 256 operations. *Eur J Obstet Gynecol Reprod Biol.* 2002 Oct 10; 105: 49-58
- 54040 French, C. T., Fletcher, K. E., Irwin, R. S. Gender differences in health-related quality of life in patients complaining of chronic cough. *Chest.* 2004 Feb; 125: 482-8
- 54050 Reed, H., Freeman, R. M., Waterfield, A., Adekanmi, O. Prevalence of bladder neck mobility in asymptomatic non-pregnant nulliparous volunteers. *BJOG.* 2004 Feb; 111: 172-5
- 54060 Moretti, R., Torre, P., Antonello, R. M., Cazzato, G., Griggio, S., Bava, A. Olanzapine as a treatment of neuropsychiatric disorders of Alzheimer's disease and other dementias: a 24-month follow-up of 68 patients. *Am J Alzheimers Dis Other Demen.* 2003 Jul-Aug; 18: 205-14

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 54070** Chen, G. D., Chen, Y., Lee, H. S., Lin, L. Y. The effect of anterior vaginal wall prolapse on urethral pressure profile. *J Soc Gynecol Investig.* 2003 Jul; 10: 309-13
- 54080** DeLancey, J. O., Kearney, R., Chou, Q., Speights, S., Binno, S. The appearance of levator ani muscle abnormalities in magnetic resonance images after vaginal delivery. *Obstet Gynecol.* 2003 Jan; 101: 46-53
- 54090** Shaji, K. S., Smitha, K., Lal, K. P., Prince, M. J. Caregivers of people with Alzheimer's disease: a qualitative study from the Indian 10/66 Dementia Research Network. *Int J Geriatr Psychiatry.* 2003 Jan; 18: 1-6
- 54100** Clarke-O'Neill, S., Pettersson, L., Fader, M., Cottenden, A., Brooks, R. A multicenter comparative evaluation: disposable pads for women with light incontinence. *J Wound Ostomy Continence Nurs.* 2004 Jan-Feb; 31: 32-42
- 54110** Bale, S., Tebble, N., Jones, V., Price, P. The benefits of implementing a new skin care protocol in nursing homes. *J Tissue Viability.* 2004 Apr; 14: 44-50
- 54120** Reid, I. R., Eastell, R., Fogelman, I., Adachi, J. D., Rosen, A., Netelenbos, C., Watts, N. B., Seeman, E., Ciaccia, A. V., Draper, M. W. A comparison of the effects of raloxifene and conjugated equine estrogen on bone and lipids in healthy postmenopausal women. *Arch Intern Med.* 2004 Apr 26; 164: 871-9
- 54130** Yucel, S., Baskin, L. S. An anatomical description of the male and female urethral sphincter complex. *J Urol.* 2004 May; 171: 1890-7
- 54140** Macaulay, M., Clarke-O'Neill, S., Fader, M., Pettersson, L., Cottenden, A. Are washable absorbents effective at containing urinary incontinence?. *Nurs Times.* 2004 Mar 23-29; 100: 58-62
- 54150** Martignoni, E., Nappi, R. E., Citterio, A., Calandrella, D., Zangaglia, R., Mancini, F., Corengia, E., Riboldazzi, G., Polatti, F., Nappi, G. Reproductive life milestones in women with Parkinson's disease. *Funct Neurol.* 2003 Oct-Dec; 18: 211-7
- 54160** Sartore, A., De Seta, F., Maso, G., Pregazzi, R., Grimaldi, E., Guaschino, S. The effects of mediolateral episiotomy on pelvic floor function after vaginal delivery. *Obstet Gynecol.* 2004 Apr; 103: 669-73
- 54170** Carrion, R., Arap, S., Corcione, G., Ferreyra, U., Neyra Argote, G., Cantor, A., Seigne, J., Lockhart, J. A multi-institutional study of orthotopic neobladders: functional results in men and women. *BJU Int.* 2004 Apr; 93: 803-6
- 54180** McGrother, C. W., Donaldson, M. M., Shaw, C., Matthews, R. J., Hayward, T. A., Dallosso, H. M., Jagger, C., Clarke, M., Castleden, C. M. Storage symptoms of the bladder: prevalence, incidence and need for services in the UK. *BJU Int.* 2004 Apr; 93: 763-9
- 54190** Sutherland, S. E., Goldman, H. B. Treatment options for female urinary incontinence. *Med Clin North Am.* 2004 Mar; 88: 345-66
- 54200** Costanzo, E. S., Antes, L. M., Christensen, A. J. Behavioral and medical treatment of chronic polydipsia in a patient with schizophrenia and diabetes insipidus. *Psychosom Med.* 2004 Mar-Apr; 66: 283-6
- 54210** van der Weide, M., Smits, J. Adoption of innovations by specialised nurses: personal, work and organisational characteristics. *Health Policy.* 2004 Apr; 68: 81-92
- 54220** Oglesby, P. A., Carter, A. Ultrasonographic diagnosis of unilateral ectopic ureter in a Labrador dog. *J S Afr Vet Assoc.* 2003 Sep; 74: 84-6
- 54230** Adin, C. A., Farese, J. P., Cross, A. R., Provitola, M. K., Davidson, J. S., Jankunas, H. Urodynamic effects of a percutaneously controlled static hydraulic urethral sphincter in canine cadavers. *Am J Vet Res.* 2004 Mar; 65: 283-8
- 54240** Rollins, G. Hormone alternative doesn't worsen vasomotor symptoms or impact urinary incontinence in postmenopausal women. *Rep Med Guidel Outcomes Res.* 2004 Mar 5; 15: 7-9
- 54250** Moore, C., Kogan, B. A., Parekh, A. Impact of urinary incontinence on self-concept in children with spina bifida. *J Urol.* 2004 Apr; 171: 1659-62
- 54260** Almeida, F. G., Bruschini, H., Srougi, M. Urodynamic and clinical evaluation of 91 female patients with urinary incontinence treated with perineal magnetic stimulation: 1-year followup. *J Urol.* 2004 Apr; 171: 1571-4; discussion 1574-5
- 54270** Goode, P. S. Behavioral and drug therapy for urinary incontinence. *Urology.* 2004 Mar; 63: 58-64

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 54280** Diokno, A. C., Burgio, K., Fultz, N. H., Kinchen, K. S., Obenchain, R., Bump, R. C. Medical and self-care practices reported by women with urinary incontinence. *Am J Manag Care*. 2004 Feb; 10: 69-78
- 54290** Hackley, B., Rousseau, M. E. CEU:Managing menopausal symptoms after the women's health initiative. *J Midwifery Womens Health*. 2004 Mar-Apr; 49: 87-95
- 54300** Kassardjian, Z. G. Sling procedures for urinary incontinence in women. *BJU Int*. 2004 Mar; 93: 665-70
- 54310** Browning, A. Prevention of residual urinary incontinence following successful repair of obstetric vesico-vaginal fistula using a fibro-muscular sling. *BJOG*. 2004 Apr; 111: 357-61
- 54320** el-Lateef Moharram, A. A., el-Raouf, M. A. Retropubic repair of genitourinary fistula using a free supporting graft. *BJU Int*. 2004 Mar; 93: 581-3
- 54330** Uustal Fornell, E., Wingren, G., Kjolhede, P. Factors associated with pelvic floor dysfunction with emphasis on urinary and fecal incontinence and genital prolapse: an epidemiological study. *Acta Obstet Gynecol Scand*. 2004 Apr; 83: 383-9
- 54340** Weigel, R., Senn, P., Weis, J., Krauss, J. K. Severe complications after intrathecal methotrexate (MTX) for treatment of primary central nervous system lymphoma (PCNSL). *Clin Neurol Neurosurg*. 2004 Mar; 106: 82-7
- 54350** Overactive bladder. Relief for urgency, frequency and incontinence. *Mayo Clin Womens Healthsource*. 2004 Mar; 8: 1-2
- 54360** Hulthen de Medina, V., Mellstam, L., Amark, P., Frenckner, B. Neurovesical dysfunction in children after surgery for high or intermediate anorectal malformations. *Acta Paediatr*. 2004 Jan; 93: 43-6
- 54370** Parwani, A. V., Rosenthal, D. L., Epstein, J. I., Ali, S. Z. Pathologic quiz case: a 3-year-old girl with dysuria and urinary incontinence. Primary embryonal rhabdomyosarcoma of the urinary bladder. *Arch Pathol Lab Med*. 2004 Mar; 128: 357-8
- 54380** Holroyd-Leduc, J. M., Straus, S. E. Management of urinary incontinence in women: clinical applications. *JAMA*. 2004 Feb 25; 291: 996-9
- 54390** Ecker, J. L. Once a pregnancy, always a cesarean? Rationale and feasibility of a randomized controlled trial. *Am J Obstet Gynecol*. 2004 Feb; 190: 314-8
- 54400** Weber, A. M. The perspective of a gynecologist on treatment-related research for fecal incontinence in women. *Gastroenterology*. 2004 Jan; 126: S169-71
- 54410** Tang, W. K., Chan, S. S., Chiu, H. F., Ungvari, G. S., Wong, K. S., Kwok, T. C., Mok, V., Wong, K. T., Richards, P. S., Ahuja, A. T. Frequency and determinants of poststroke dementia in Chinese. *Stroke*. 2004 Apr; 35: 930-5
- 54420** Larijani, B., Bastanhagh, M. H., Pajouhi, M., Kargar Shadab, F., Vasigh, A., Aghakhani, S. Presentation and outcome of 93 cases of craniopharyngioma. *Eur J Cancer Care (Engl)*. 2004 Mar; 13: 11-5
- 54430** Laustsen, G., Wimett, L. Drug approval highlights for 2003. *Nurse Pract*. 2004 Feb; 29: 8-15, 19-21; quiz 21-3
- 54440** Forbat, L. Listening to carers talking about the subjects of continence and toileting. *Nurs Times*. 2004 Jan 13-19; 100: 46-9
- 54450** Halachmi, S., Farhat, W., Metcalfe, P., Bagli, D. J., McLorie, G. A., Khoury, A. E. Efficacy of polydimethylsiloxane injection to the bladder neck and leaking diverting stoma for urinary continence. *J Urol*. 2004 Mar; 171: 1287-90
- 54460** Latini, J. M., Brown, J. A., Kreder, K. J. Abdominal sacral colpopexy using autologous fascia lata. *J Urol*. 2004 Mar; 171: 1176-9
- 54470** Diokno, A. C., Sampsel, C. M., Herzog, A. R., Raghunathan, T. E., Hines, S., Messer, K. L., Karl, C., Leite, M. C. Prevention of urinary incontinence by behavioral modification program: a randomized, controlled trial among older women in the community. *J Urol*. 2004 Mar; 171: 1165-71
- 54480** Spain, C. V., Scarlett, J. M., Houpt, K. A. Long-term risks and benefits of early-age gonadectomy in dogs. *J Am Vet Med Assoc*. 2004 Feb 1; 224: 380-7
- 54490** Nesrallah, L. J., Srougi, M., Dall'Oglio, M. F. Orthotopic ileal neobladder: the influence of reservoir volume and configuration on urinary continence and emptying properties. *BJU Int*. 2004 Feb; 93: 375-8



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 54500** Yeung, C. K., Sihoe, J. D., Sit, F. K., Bower, W., Sreedhar, B., Lau, J. Characteristics of primary nocturnal enuresis in adults: an epidemiological study. *BJU Int.* 2004 Feb; 93: 341-5
- 54510** Thomas, P., Ingrand, P., Lalloue, F., Hazif-Thomas, C., Billon, R., Vieban, F., Clement, J. P. Reasons of informal caregivers for institutionalizing dementia patients previously living at home: the Pixel study. *Int J Geriatr Psychiatry.* 2004 Feb; 19: 127-35
- 54520** De Deyn, P. P., Carrasco, M. M., Deberdt, W., Jeandel, C., Hay, D. P., Feldman, P. D., Young, C. A., Lehman, D. L., Breier, A. Olanzapine versus placebo in the treatment of psychosis with or without associated behavioral disturbances in patients with Alzheimer's disease. *Int J Geriatr Psychiatry.* 2004 Feb; 19: 115-26
- 54530** Soon, P. S., Lynch, W., Schwartz, P. Breast cancer presenting initially with urinary incontinence: a case of bladder metastasis from breast cancer. *Breast.* 2004 Feb; 13: 69-71
- 54540** Konagaya, M., Matsumoto, A., Takase, S., Mizutani, T., Sobue, G., Konishi, T., Hayabara, T., Iwashita, H., Ujihira, T., Miyata, K., Matsuoka, Y. Clinical analysis of longstanding subacute myelo-optico-neuropathy: sequelae of cloquinol at 32 years after its ban. *J Neurol Sci.* 2004 Mar 15; 218: 85-90
- 54550** Sakakibara, R., Uchiyama, T., Arai, K., Yamanishi, T., Hattori, T. Lower urinary tract dysfunction in Machado-Joseph disease: a study of 11 clinical-urodynamic observations. *J Neurol Sci.* 2004 Mar 15; 218: 67-72
- 54560** Heit, M., Blackwell, L., Thomas, S., Ouseph, R. Prevalence and severity of urinary incontinence in kidney transplant recipients. *Obstet Gynecol.* 2004 Feb; 103: 352-8
- 54570** Grodstein, F., Lifford, K., Resnick, N. M., Curhan, G. C. Postmenopausal hormone therapy and risk of developing urinary incontinence. *Obstet Gynecol.* 2004 Feb; 103: 254-60
- 54580** Kudoh, K., Kadota, M., Nakayama, Y., Imuta, M., Yasuda, T., Yamashita, Y., Inadome, A., Yoshida, M., Ueda, S. Transcatheter arterial embolization therapy for a hypoplastic pelvic kidney with a single vaginal ectopic ureter to control incontinence: the usefulness of three-dimensional CT angiography using multidetector-row helical CT. *Cardiovasc Intervent Radiol.* 2003 Sep-Oct; 26: 479-81
- 54590** McCrink, A. Evaluating the female pelvic floor. *AWHONN Lifelines.* 2003 Dec-2004 Jan; 7: 516-22
- 54600** Kersun, L. S., Wimmer, R. S., Hoot, A. C., Meadows, A. T. Secondary malignant neoplasms of the bladder after cyclophosphamide treatment for childhood acute lymphocytic leukemia. *Pediatr Blood Cancer.* 2004 Mar; 42: 289-91
- 54610** Meier, U., Kiefer, M., Sprung, C. Evaluation of the Miethke dual- switch valve in patients with normal pressure hydrocephalus. *Surg Neurol.* 2004 Feb; 61: 119-27; discussion 127-8
- 54620** Walker, L. J., Evison, J. G., Garrett, C. Recurrent pancreatitis: not just alcohol, gallstones and scorpion venom. *J R Soc Med.* 2004 Feb; 97: 82-3
- 54630** Eguare, E. I., Neary, P., Crosbie, J., Johnston, S. M., Beddy, P., McGovern, B., Torreggiani, W. C., Conlon, K. C., Keane, F. B. Dynamic magnetic resonance imaging of the pelvic floor in patients with idiopathic combined fecal and urinary incontinence. *J Gastrointest Surg.* 2004 Jan; 8: 73-82; discussion 82
- 54640** Tomizawa, K., Tanaka, S., Saito, B., Ota, K. A peculiar type of dystrophic calcinosis cutis affecting the surface of damaged genital skin and mucosa in an elderly woman with a vesicovaginal fistula. *Br J Dermatol.* 2004 Jan; 150: 169-71
- 54650** Altman, A. U. Lessening the burden. *Rehab Manag.* 2003 Dec; 16: 16-20
- 54660** Sakakibara, R., Uchiyama, T., Asahina, M., Suzuki, A., Yamanishi, T., Hattori, T. Micturition disturbance in acute idiopathic autonomic neuropathy. *J Neurol Neurosurg Psychiatry.* 2004 Feb; 75: 287-91
- 54670** Theofrastous, J. P., Whiteside, J., Paraiso, M. F. The utility of urodynamic testing. *J Am Assoc Gynecol Laparosc.* 2003 Nov; 10: 548-52
- 54680** Phelps, J. Y., Lin, L., Liu, C. Y. Laparoscopic suburethral sling procedure. *J Am Assoc Gynecol Laparosc.* 2003 Nov; 10: 496-500
- 54690** Hirata, H., Matsuyama, H., Yamakawa, G., Suga, A., Tatsumura, M., Ogata, H., Takemoto, M., Tomimatsu, K., Naito, K. Does surgical repair of pelvic prolapse improve patients' quality of life?. *Eur Urol.* 2004 Feb; 45: 213-8

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 54700** Matharu, G. S., Assassa, R. P., Williams, K. S., Donaldson, M., Matthews, R., Tincello, D. G., Mayne, C. J. Objective assessment of urinary incontinence in women: comparison of the one-hour and 24-hour pad tests. *Eur Urol.* 2004 Feb; 45: 208-12
- 54710** Midthun, S., Paur, R., Bruce, A. W. Pyuria detection using a dipstick applied to urine in incontinence pads. *Urol Nurs.* 2003 Dec; 23: 430-5, 437
- 54720** Yang, J. C., Chang, K. C. Exercise-induced acute spinal subdural hematoma: a case report. *Kaohsiung J Med Sci.* 2003 Dec; 19: 624-7
- 54730** Koch, T. R. Anal sphincter injury following forceps delivery. *Am J Gastroenterol.* 2003 Dec; 98: 2798-9
- 54740** Dubosq, F., Doublet, J. D., Traxer, O., Haab, F., Amarenco, G. Incontinence from ectopic ureter: retroperitoneal laparoscopic urovascular exclusion of upper pole. *J Urol.* 2004 Feb; 171: 800-1
- 54750** Landis, J. R., Kaplan, S., Swift, S., Versi, E. Efficacy of antimuscarinic therapy for overactive bladder with varying degrees of incontinence severity. *J Urol.* 2004 Feb; 171: 752-6
- 54760** Identifying and treating reversible causes of urinary incontinence. *Ostomy Wound Manage.* 2003 Dec; 49: 28-33
- 54770** Berman, M. L., Truong, T. H., DiSaia, P. J., Chan, J. K. Modified technique for suprapubic catheter insertion that avoids urinary leakage. *Am J Obstet Gynecol.* 2003 Dec; 189: 1670-1
- 54780** Wai, C. Y., Liehr, P., Tibbals, H. F., Sager, M., Schaffer, J. I., Word, R. A. Effect of periurethral denervation on function of the female urethra. *Am J Obstet Gynecol.* 2003 Dec; 189: 1637-45
- 54790** Toglia, M. R., Nolan, T. E. Morbidity and mortality rates of elective gynecologic surgery in the elderly woman. *Am J Obstet Gynecol.* 2003 Dec; 189: 1584-7; discussion 1587-9
- 54800** Fenner, D. E., Genberg, B., Brahma, P., Marek, L., DeLancey, J. O. Fecal and urinary incontinence after vaginal delivery with anal sphincter disruption in an obstetrics unit in the United States. *Am J Obstet Gynecol.* 2003 Dec; 189: 1543-9; discussion 1549-50
- 54810** Watson, N. M., Brink, C. A., Zimmer, J. G., Mayer, R. D. Use of the Agency for Health Care Policy and Research Urinary Incontinence Guideline in nursing homes. *J Am Geriatr Soc.* 2003 Dec; 51: 1779-86
- 54820** Schnelle, J. F., Cadogan, M. P., Grbic, D., Bates-Jensen, B. M., Osterweil, D., Yoshii, J., Simmons, S. F. A standardized quality assessment system to evaluate incontinence care in the nursing home. *J Am Geriatr Soc.* 2003 Dec; 51: 1754-61
- 54830** Raghavan, P., Raza, W. A., Ahmed, Y. S., Chamberlain, M. A. Prevalence of pressure sores in a community sample of spinal injury patients. *Clin Rehabil.* 2003 Dec; 17: 879-84
- 54840** Godbole, P., Mackinnon, A. E. Expanded PTFE bladder neck slings for incontinence in children: the long-term outcome. *BJU Int.* 2004 Jan; 93: 139-41
- 54850** Robinson, D., Cardozo, L. The effect of continence surgery on urogenital prolapse. *BJU Int.* 2004 Jan; 93: 25-30
- 54860** Skinner, M. H., Kuan, H. Y., Skerjanec, A., Seger, M. E., Heathman, M., O'Brien, L., Reddy, S., Knadler, M. P. Effect of age on the pharmacokinetics of duloxetine in women. *Br J Clin Pharmacol.* 2004 Jan; 57: 54-61
- 54870** Peters, T. J., Horrocks, S., Stoddart, H., Somerset, M. Factors associated with variations in older people's use of community-based continence services. *Health Soc Care Community.* 2004 Jan; 12: 53-62
- 54880** Romero, A. A., Hardart, A., Kobak, W., Qualls, C., Rogers, R. Validation of a Spanish version of the Pelvic Organ Prolapse Incontinence Sexual Questionnaire. *Obstet Gynecol.* 2003 Nov; 102: 1000-5
- 54890** Balmforth, J., Cardozo, L. Assessment of urinary incontinence. *J Br Menopause Soc.* 2003 Sep; 9: 111-6
- 54900** Kajiwara, M., Inoue, K., Usui, A., Kurihara, M., Usui, T. The micturition habits and prevalence of daytime urinary incontinence in Japanese primary school children. *J Urol.* 2004 Jan; 171: 403-7
- 54910** Gimbel, H., Zobbe, V., Andersen, B. M., Filtenborg, T., Gluud, C., Tabor, A. Randomised controlled trial of total compared with subtotal hysterectomy with one-year follow up results. *BJOG.* 2003 Dec; 110: 1088-98

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 54920** Takeda, M., Araki, I., Kamiyama, M., Takihana, Y., Komuro, M., Furuya, Y. Diagnosis and treatment of voiding symptoms. *Urology*. 2003 Nov; 62: 11-9
- 54930** Burgio, K. L., Zyczynski, H., Locher, J. L., Richter, H. E., Redden, D. T., Wright, K. C. Urinary incontinence in the 12-month postpartum period. *Obstet Gynecol*. 2003 Dec; 102: 1291-8
- 54940** Tsao, J. W., Heilman, K. M. Transient memory impairment and hallucinations associated with tolterodine use. *N Engl J Med*. 2003 Dec 4; 349: 2274-5
- 54950** Baumgarten, M., Margolis, D., Gruber-Baldini, A. L., Zimmerman, S., German, P., Hebel, J. R., Magaziner, J. Pressure ulcers and the transition to long-term care. *Adv Skin Wound Care*. 2003 Nov; 16: 299-304
- 54960** Davis, K., Kumar, D., Stanton, S. L., Thakar, R., Fynes, M., Bland, J. Symptoms and anal sphincter morphology following primary repair of third-degree tears. *Br J Surg*. 2003 Dec; 90: 1573-9
- 54970** Clark, A. L., Gregory, T., Smith, V. J., Edwards, R. Epidemiologic evaluation of reoperation for surgically treated pelvic organ prolapse and urinary incontinence. *Am J Obstet Gynecol*. 2003 Nov; 189: 1261-7
- 54980** Frimberger, D., Gearhart, J. P., Mathews, R. Female exstrophy: failure of initial reconstruction and its implications for continence. *J Urol*. 2003 Dec; 170: 2428-31
- 54990** Stothers, L., Laher, I., Christ, G. T. A review of the L-arginine - nitric oxide - guanylate cyclase pathway as a mediator of lower urinary tract physiology and symptoms. *Can J Urol*. 2003 Oct; 10: 1971-80
- 55000** Mouriquand, P. D., Bubanj, T., Feyaerts, A., Jandric, M., Timsit, M., Mollard, P., Mure, P. Y., Basset, T. Long-term results of bladder neck reconstruction for incontinence in children with classical bladder exstrophy or incontinent epispadias. *BJU Int*. 2003 Dec; 92: 997-1001; discussion 1002
- 55010** Pollono, D., Tomarchia, S., Drut, R., Ibanez, O., Ferreyra, M., Cedola, J. Spinal cord compression: a review of 70 pediatric patients. *Pediatr Hematol Oncol*. 2003 Sep; 20: 457-66
- 55020** Mawajdeh, S. M., Al-Qutob, R., Schmidt, A. Measuring reproductive morbidity: a community-based approach, Jordan. *Health Care Women Int*. 2003 Aug; 24: 635-49
- 55030** Sampsel, C. M. Teaching women to use a voiding diary. *Am J Nurs*. 2003 Nov; 103: 62-4
- 55040** Hilton, E. L., Henderson, L. J. Lived female experience of chronic bladder cancer: a phenomenologic case study. *Urol Nurs*. 2003 Oct; 23: 349-54
- 55050** Hendrix, S. L. Long-term use of hormone therapy for urogenital complaints: is there a role?. *Med Clin North Am*. 2003 Sep; 87: 1029-37
- 55060** Julia, J., Yacoub, M., Levy, G. Labial fusion causing urinary incontinence in a postmenopausal female: a case report. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Nov; 14: 360-1
- 55070** Hagglund, D., Walker-Engstrom, M. L., Larsson, G., Leppert, J. Reasons why women with long-term urinary incontinence do not seek professional help: a cross-sectional population-based cohort study. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Nov; 14: 296-304; discussion 304
- 55080** Homma, Y., Paick, J. S., Lee, J. G., Kawabe, K. Clinical efficacy and tolerability of extended-release tolterodine and immediate-release oxybutynin in Japanese and Korean patients with an overactive bladder: a randomized, placebo-controlled trial. *BJU Int*. 2003 Nov; 92: 741-7
- 55090** Hatada, Y. Two-step surgical approach to labial adhesions in a postmenopausal woman. *Acta Obstet Gynecol Scand*. 2003 Nov; 82: 1054-5
- 55100** Spruijt, J., Vierhout, M., Verstraeten, R., Janssens, J., Burger, C. Vaginal electrical stimulation of the pelvic floor: a randomized feasibility study in urinary incontinent elderly women. *Acta Obstet Gynecol Scand*. 2003 Nov; 82: 1043-8
- 55110** Wells, T. J. Curiouser and curiouser... *J Wound Ostomy Continence Nurs*. 2003 Nov; 30: 300-4
- 55120** Schultz, S. E., Kopec, J. A. Impact of chronic conditions. *Health Rep*. 2003 Aug; 14: 41-53
- 55130** Carcio, H. Comprehensive continence care. The nurse practitioner's role. *Adv Nurse Pract*. 2003 Oct; 11: 26-35; quiz 35-6

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 55140 Tannenbaum, C., Mayo, N. Women's health priorities and perceptions of care: a survey to identify opportunities for improving preventative health care delivery for older women. *Age Ageing*. 2003 Nov; 32: 626-35
- 55150 Stikkelbroeck, N. M., Beerendonk, C. C., Willemsen, W. N., Schreuders-Bais, C. A., Feitz, W. F., Rieu, P. N., Hermus, A. R., Otten, B. J. The long term outcome of feminizing genital surgery for congenital adrenal hyperplasia: anatomical, functional and cosmetic outcomes, psychosexual development, and satisfaction in adult female patients. *J Pediatr Adolesc Gynecol*. 2003 Oct; 16: 289-96
- 55160 Leeman, L., Spearman, M., Rogers, R. Repair of obstetric perineal lacerations. *Am Fam Physician*. 2003 Oct 15; 68: 1585-90
- 55170 Basinski, C., Fuller, E., Brizendine, E. J., Benson, J. T. Bladder-anal reflex. *Neurourol Urodyn*. 2003; 22: 683-6
- 55180 Chen, G. D., Hu, S. W., Chen, Y. C., Lin, T. L., Lin, L. Y. Prevalence and correlations of anal incontinence and constipation in Taiwanese women. *Neurourol Urodyn*. 2003; 22: 664-9
- 55190 Teleman, P. M., Gunnarsson, M., Lidfeldt, J., Nerbrand, C., Samsioe, G., Mattiasson, A. Urethral pressure changes in response to squeeze: a population-based study in healthy and incontinent 53- to 63-year-old women. *Am J Obstet Gynecol*. 2003 Oct; 189: 1100-5
- 55200 Kinchen, K. S., Burgio, K., Diokno, A. C., Fultz, N. H., Bump, R., Obenchain, R. Factors associated with women's decisions to seek treatment for urinary incontinence. *J Womens Health (Larchmt)*. 2003 Sep; 12: 687-98
- 55210 Alewijnse, D., Mesters, I., Metsemakers, J., van den Borne, B. Predictors of long-term adherence to pelvic floor muscle exercise therapy among women with urinary incontinence. *Health Educ Res*. 2003 Oct; 18: 511-24
- 55220 Harmanli, O. H., Dandolu, V., Chatwani, A. J., Grody, M. T. Total colpocleisis for severe pelvic organ prolapse. *J Reprod Med*. 2003 Sep; 48: 703-6
- 55230 Midthun, S. J., Paur, R. A., Lindseth, G., Von Duvillard, S. P. Bacteriuria detection with a urine dipstick applied to incontinence pads of nursing home residents. *Geriatr Nurs*. 2003 Jul-Aug; 24: 206-9
- 55240 Hunter, S., Anderson, J., Hanson, D., Thompson, P., Langemo, D., Klug, M. G. Clinical trial of a prevention and treatment protocol for skin breakdown in two nursing homes. *J Wound Ostomy Continence Nurs*. 2003 Sep; 30: 250-8
- 55250 Meyrat, B. J., Tercier, S., Lutz, N., Rilliet, B., Forcada-Guex, M., Vernet, O. Introduction of a urodynamic score to detect pre- and postoperative neurological deficits in children with a primary tethered cord. *Childs Nerv Syst*. 2003 Nov; 19: 716-21
- 55260 Baessler, K., Schuessler, B. Childbirth-induced trauma to the urethral continence mechanism: review and recommendations. *Urology*. 2003 Oct; 62: 39-44
- 55270 Hunskaar, S., Burgio, K., Diokno, A., Herzog, A. R., Hjalmas, K., Lapitan, M. C. Epidemiology and natural history of urinary incontinence in women. *Urology*. 2003 Oct; 62: 16-23
- 55280 Defreitas, G. A., Lemack, G. E., Zimmern, P. E., Dewey, R. B., Roehrborn, C. G., O'Suilleabhain, P. E. Distinguishing neurogenic from non-neurogenic detrusor overactivity: a urodynamic assessment of lower urinary tract symptoms in patients with and without Parkinson's disease. *Urology*. 2003 Oct; 62: 651-5
- 55290 Ansari, M. S., Hemal, A. K., Gupta, N. P., Dogra, P. N. Laparoscopy for the diagnosis and treatment of radiologically occult but symptomatic hypoplastic kidneys. *Urology*. 2003 Oct; 62: 627-31
- 55300 Bremer, R. E., Barber, M. D., Coates, K. W., Dolber, P. C., Thor, K. B. Innervation of the levator ani and coccygeus muscles of the female rat. *Anat Rec*. 2003 Nov; 275A: 1031-41
- 55310 Lopez Pereira, P., Miguelez, C., Caffarati, J., Estornell, F., Anguera, A. Trospium chloride for the treatment of detrusor instability in children. *J Urol*. 2003 Nov; 170: 1978-81
- 55320 de Kort, L. M., Verhulst, J. A., Engelbert, R. H., Uiterwaal, C. S., de Jong, T. P. Lower urinary tract dysfunction in children with generalized hypermobility of joints. *J Urol*. 2003 Nov; 170: 1971-4
- 55330 Spinelli, M., Giardiello, G., Gerber, M., Arduini, A., van den Hombergh, U., Malaguti, S. New sacral neuromodulation lead for percutaneous implantation using local anesthesia: description and first experience. *J Urol*. 2003 Nov; 170: 1905-7

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 55340** Araki, I., Zakoji, H., Komuro, M., Furuya, Y., Fukasawa, M., Takihana, Y., Takeda, M. Lower urinary tract symptoms in men and women without underlying disease causing micturition disorder: a cross-sectional study assessing the natural history of bladder function. *J Urol.* 2003 Nov; 170: 1901-4
- 55350** Zietman, A. L., Sacco, D., Skowronski, U., Gomery, P., Kaufman, D. S., Clark, J. A., Talcott, J. A., Shipley, W. U. Organ conservation in invasive bladder cancer by transurethral resection, chemotherapy and radiation: results of a urodynamic and quality of life study on long-term survivors. *J Urol.* 2003 Nov; 170: 1772-6
- 55360** Ross, J. J., Hu, L. T. Septic arthritis of the pubic symphysis: review of 100 cases. *Medicine (Baltimore).* 2003 Sep; 82: 340-5
- 55370** Soligo, M., Salvatore, S., Milani, R., Lalia, M., Malberti, S., Digesu, G. A., Mariani, S. Double incontinence in urogynecologic practice: a new insight. *Am J Obstet Gynecol.* 2003 Aug; 189: 438-43
- 55380** Grodstein, F., Fretts, R., Lifford, K., Resnick, N., Curhan, G. Association of age, race, and obstetric history with urinary symptoms among women in the Nurses' Health Study. *Am J Obstet Gynecol.* 2003 Aug; 189: 428-34
- 55390** Reichler, I. M., Hubler, M., Jochle, W., Trigg, T. E., Piche, C. A., Arnold, S. The effect of GnRH analogs on urinary incontinence after ablation of the ovaries in dogs. *Theriogenology.* 2003 Oct 15; 60: 1207-16
- 55400** Kuo, H. C. Effectiveness of intravesical resiniferatoxin in treating detrusor hyper-reflexia and external sphincter dyssynergia in patients with chronic spinal cord lesions. *BJU Int.* 2003 Oct; 92: 597-601
- 55410** Kron, M., Loy, S., Sturm, E., Nikolaus, T., Becker, C. Risk indicators for falls in institutionalized frail elderly. *Am J Epidemiol.* 2003 Oct 1; 158: 645-53
- 55420** Yap, L. K., Au, S. Y., Ang, Y. H., Kwan, K. Y., Ng, S. C., Ee, C. H. Who are the residents of a nursing home in Singapore?. *Singapore Med J.* 2003 Feb; 44: 65-73
- 55430** Crimmins, C. R., Rathbun, S. R., Husmann, D. A. Management of urinary incontinence and nocturnal enuresis in attention-deficit hyperactivity disorder. *J Urol.* 2003 Oct; 170: 1347-50
- 55440** Frimberger, D., Lakshmanan, Y., Gearhart, J. P. Continent urinary diversions in the exstrophy complex: why do they fail?. *J Urol.* 2003 Oct; 170: 1338-42
- 55450** Leboeuf, L., Tellez, C. A., Ead, D., Gousse, A. E. Complication of bowel perforation during insertion of tension-free vaginal tape. *J Urol.* 2003 Oct; 170: 1310; discussion 1310-1
- 55460** MacNeily, A. E., Afshar, K., Coleman, G. U., Johnson, H. W. Autoaugmentation by detrusor myotomy: its lack of effectiveness in the management of congenital neuropathic bladder. *J Urol.* 2003 Oct; 170: 1643-6; discussion 1646
- 55470** Chin-Peuckert, L., Komlos, M., Rennick, J. E., Jednak, R., Capolicchio, J. P., Salle, J. L. What is the variability between 2 consecutive cystometries in the same child?. *J Urol.* 2003 Oct; 170: 1614-7
- 55480** Duel, B. P., Steinberg-Epstein, R., Hill, M., Lerner, M. A survey of voiding dysfunction in children with attention deficit-hyperactivity disorder. *J Urol.* 2003 Oct; 170: 1521-3; discussion 1523-4
- 55490** Erickson, B. A., Austin, J. C., Cooper, C. S., Boyt, M. A. Polyethylene glycol 3350 for constipation in children with dysfunctional elimination. *J Urol.* 2003 Oct; 170: 1518-20
- 55500** Cain, M. P., Wu, S. D., Austin, P. F., Herndon, C. D., Rink, R. C. Alpha blocker therapy for children with dysfunctional voiding and urinary retention. *J Urol.* 2003 Oct; 170: 1514-5; discussion 1516-7
- 55510** Bugg, C. E., Jr, Joseph, D. B. Bladder neck cinch for pediatric neurogenic outlet deficiency. *J Urol.* 2003 Oct; 170: 1501-3; discussion 1503-4
- 55520** DeFoor, W., Minevich, E., McEnery, P., Tackett, L., Reeves, D., Sheldon, C. Lower urinary tract reconstruction is safe and effective in children with end stage renal disease. *J Urol.* 2003 Oct; 170: 1497-500; discussion 1500
- 55530** Lal, M. Prevention of urinary and anal incontinence: role of elective cesarean delivery. *Curr Opin Obstet Gynecol.* 2003 Oct; 15: 439-48
- 55540** Lacima, G., Pera, M. Combined fecal and urinary incontinence: an update. *Curr Opin Obstet Gynecol.* 2003 Oct; 15: 405-10



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 55550 Dickersin, K., Munro, M., Langenberg, P., Scherer, R., Frick, K. D., Weber, A. M., Johns, A., Peipert, J. F., Clark, M. Surgical Treatments Outcomes Project for Dysfunctional Uterine Bleeding (STOP-DUB): design and methods. *Control Clin Trials*. 2003 Oct; 24: 591-609
- 55560 Jones, W. K. Understanding barriers to physical activity is a first step in removing them. *Am J Prev Med*. 2003 Oct; 25: 2-4
- 55570 Pehrson, R., Stenman, E., Andersson, K. E. Effects of tramadol on rat detrusor overactivity induced by experimental cerebral infarction. *Eur Urol*. 2003 Oct; 44: 495-9
- 55580 Tash, J., Staskin, D. R. Artificial graft slings at the midurethra: physiology of continence. *Curr Urol Rep*. 2003 Oct; 4: 367-70
- 55590 Sampsel, C. M. Behavioral intervention: the first-line treatment for women with urinary incontinence. *Curr Urol Rep*. 2003 Oct; 4: 356-61
- 55600 Cramer, E. H., Jones, P., Keenan, N. L., Thompson, B. L. Is naturopathy as effective as conventional therapy for treatment of menopausal symptoms?. *J Altern Complement Med*. 2003 Aug; 9: 529-38
- 55610 Frantz, R. A., Xakellis, G. C., Jr, Harvey, P. C., Lewis, A. R. Implementing an incontinence management protocol in long-term care. Clinical outcomes and costs. *J Gerontol Nurs*. 2003 Aug; 29: 46-53
- 55620 Titton, R. L., Gervais, D. A., Hahn, P. F., Harisinghani, M. G., Arellano, R. S., Mueller, P. R. Urine leaks and urinomas: diagnosis and imaging-guided intervention. *Radiographics*. 2003 Sep-Oct; 23: 1133-47
- 55630 Walker, R. D. The management of the failed bladder neck procedure in patients with spina bifida. *BJU Int*. 2003 Oct; 92 Suppl 1: 35-7
- 55640 Bauer, S. B. The management of the myelodysplastic child: a paradigm shift. *BJU Int*. 2003 Oct; 92 Suppl 1: 23-8
- 55650 Lee, A. H., Somerford, P. J., Yau, K. K. Factors influencing survival after stroke in Western Australia. *Med J Aust*. 2003 Sep 15; 179: 289-93
- 55660 Freeman, R., Hill, S., Millard, R., Slack, M., Sutherst, J. Reduced perception of urgency in treatment of overactive bladder with extended-release tolterodine. *Obstet Gynecol*. 2003 Sep; 102: 605-11
- 55670 Learman, L. A., Summitt, R. L., Jr, Varner, R. E., McNeeley, S. G., Goodman-Gruen, D., Richter, H. E., Lin, F., Showstack, J., Ireland, C. C., Vittinghoff, E., Hulley, S. B., Washington, A. E. A randomized comparison of total or supracervical hysterectomy: surgical complications and clinical outcomes. *Obstet Gynecol*. 2003 Sep; 102: 453-62
- 55680 Dede, M., Yagci, G., Yenen, M. C., Gorgulu, S., Deveci, M. S., Cetiner, S., Dilek, S. Retroperitoneal benign schwannoma: report of three cases and analysis of clinico-radiologic findings. *Tohoku J Exp Med*. 2003 Jun; 200: 93-7
- 55690 Chuang, T. Y., Yu, K. J., Penn, I. W., Chang, Y. C., Lin, P. H., Tsai, Y. A. Neurourological changes before and after radical hysterectomy in patients with cervical cancer. *Acta Obstet Gynecol Scand*. 2003 Oct; 82: 954-9
- 55700 Incontinence: the engineering challenge. Proceedings of a seminar sponsored by the Continence Foundation, the Engineering and Physical Sciences Research Council and the Association of Institutions concerned with Medical Engineering. 2001. *Proc Inst Mech Eng [H]*. 2003; 217: i-ii; 233-321
- 55710 Rogers, R. G., Coates, K. W., Kammerer-Doak, D., Khalsa, S., Qualls, C. A short form of the Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire (PISQ-12). *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Aug; 14: 164-8; discussion 168
- 55720 Meijer, R., Ihnenfeldt, D. S., van Limbeek, J., Vermeulen, M., de Haan, R. J. Prognostic factors in the subacute phase after stroke for the future residence after six months to one year. A systematic review of the literature. *Clin Rehabil*. 2003 Aug; 17: 512-20
- 55730 Swithinbank, L., Abrams, P. Prevalence of urinary incontinence in women determined using the BFLUTS questionnaire. *Neurourol Urodyn*. 2003; 22: 617; author reply 617-8
- 55740 Sakakibara, R., Uchiyama, T., Yoshiyama, M., Aotsuka, A., Mori, M., Kanesaka, T., Hattori, T., Yamanishi, T. Micturitional disturbance in a patient with a spinal cavernous angioma. *Neurourol Urodyn*. 2003; 22: 606-10

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 55750** Sakakibara, R., Uchiyama, T., Yoshiyama, M., Yamanishi, T., Hattori, T. Urinary dysfunction in patients with systemic lupus erythematosus. *Neurourol Urodyn.* 2003; 22: 593-6
- 55760** Davis, K., Kumar, D. Pelvic floor dysfunction: a conceptual framework for collaborative patient-centred care. *J Adv Nurs.* 2003 Sep; 43: 555-68
- 55770** Shih, Y. C., Hartzema, A. G., Tolleson-Rinehart, S. Labor costs associated with incontinence in long-term care facilities. *Urology.* 2003 Sep; 62: 442-6
- 55780** Gomelsky, A., Nitti, V. W., Dmochowski, R. R. Management of obstructive voiding dysfunction after incontinence surgery: lessons learned. *Urology.* 2003 Sep; 62: 391-9
- 55790** Reichle, J. K., Peterson, R. A., 2nd, Mahaffey, M. B., Schelling, C. G., Barthez, P. Y. Ureteral fibroepithelial polyps in four dogs. *Vet Radiol Ultrasound.* 2003 Jul-Aug; 44: 433-7
- 55800** Diokno, A. C., Appell, R. A., Sand, P. K., Dmochowski, R. R., Gburek, B. M., Klimberg, I. W., Kell, S. H. Prospective, randomized, double-blind study of the efficacy and tolerability of the extended-release formulations of oxybutynin and tolterodine for overactive bladder: results of the OPERA trial. *Mayo Clin Proc.* 2003 Jun; 78: 687-95
- 55810** Peschers, U. M., Sultan, A. H., Jundt, K., Mayer, A., Drinovac, V., Dimpfl, T. Urinary and anal incontinence after vacuum delivery. *Eur J Obstet Gynecol Reprod Biol.* 2003 Sep 10; 110: 39-42
- 55820** Malone-Lee, J., Henshaw, D. J., Cummings, K. Urodynamic verification of an overactive bladder is not a prerequisite for antimuscarinic treatment response. *BJU Int.* 2003 Sep; 92: 415-7
- 55830** Pomfret, I. J. Understanding post-micturition dribble incontinence in men. *Nurs Times.* 2003 Jul 22-28; 99: 56-7
- 55840** Benson, D. The importance of a thorough continence assessment. *Nurs Times.* 2003 Jul 22-28; 99: 53-4
- 55850** Colley, W. The assessment of continence problems in adults. *Nurs Times.* 2003 Jul 22-28; 99: 50-1
- 55860** Lantz, R. J., Gillespie, T. A., Rash, T. J., Kuo, F., Skinner, M., Kuan, H. Y., Knadler, M. P. Metabolism, excretion, and pharmacokinetics of duloxetine in healthy human subjects. *Drug Metab Dispos.* 2003 Sep; 31: 1142-50
- 55870** Hofmeyr, G. J., Hannah, M. E. Planned caesarean section for term breech delivery. *Cochrane Database Syst Rev.* 2003; : CD000166
- 55880** Bollard, R. C., Gardiner, A., Duthie, G. S., Lindow, S. W. Anal sphincter injury, fecal and urinary incontinence: a 34-year follow-up after forceps delivery. *Dis Colon Rectum.* 2003 Aug; 46: 1083-8
- 55890** Nuotio, M., Tammela, T. L., Luukkaala, T., Jylha, M. Predictors of institutionalization in an older population during a 13-year period: the effect of urge incontinence. *J Gerontol A Biol Sci Med Sci.* 2003 Aug; 58: 756-62
- 55900** Wilson, M. M. Urinary incontinence: bridging the gender gap. *J Gerontol A Biol Sci Med Sci.* 2003 Aug; 58: 752-5
- 55910** Campos-Sousa, R. N., Quagliato, E., da Silva, B. B., de Carvalho, R. M., Jr, Ribeiro, S. C., de Carvalho, D. F. Urinary symptoms in Parkinson's disease: prevalence and associated factors. *Arq Neuropsiquiatr.* 2003 Jun; 61: 359-63
- 55920** Digesu, G. A., Hutchings, A., Salvatore, S., Selvaggi, L., Khullar, V. Reproducibility and reliability of pressure flow parameters in women. *BJOG.* 2003 Aug; 110: 774-6
- 55930** Schnelle, J. F., Cadogan, M. P., Yoshii, J., Al-Samarrai, N. R., Osterweil, D., Bates-Jensen, B. M., Simmons, S. F. The minimum data set urinary incontinence quality indicators: do they reflect differences in care processes related to incontinence?. *Med Care.* 2003 Aug; 41: 909-22
- 55940** White, C. F. Engineered structures for use in disposable incontinence products. *Proc Inst Mech Eng [H].* 2003; 217: 243-51
- 55950** Fader, M. Review of current technologies for urinary incontinence: strengths and limitations. *Proc Inst Mech Eng [H].* 2003; 217: 233-41
- 55960** Saedi, N. A., Schulman, S. L. Natural history of voiding dysfunction. *Pediatr Nephrol.* 2003 Sep; 18: 894-7

## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 
- 55970** Wang, Y., Lim, L. L., Heller, R. F., Fisher, J., Levi, C. R. A prediction model of 1-year mortality for acute ischemic stroke patients. *Arch Phys Med Rehabil.* 2003 Jul; 84: 1006-11
- 55980** Allahdin, S., McKinley, C. A., Mahmood, T. A., Lyth, D. Vaginal wall erosion of the tension-free vaginal tape procedure: an unusual complication. *J Obstet Gynaecol.* 2003 Jul; 23: 443
- 55990** Thome-Souza, S., Freitas, A., Fiore, L. A., Valente, K. D. Lamotrigine and valproate: efficacy of co-administration in a pediatric population. *Pediatr Neurol.* 2003 May; 28: 360-4
- 56000** Engberg, S. J., Bender, M. A., Stilley, C. S. Kegels and communication. *Am J Nurs.* 2003 Jul; 103: 93-4
- 56010** Lappin, M. S., Lawrie, F. W., Richards, T. L., Kramer, E. D. Effects of a pulsed electromagnetic therapy on multiple sclerosis fatigue and quality of life: a double-blind, placebo controlled trial. *Altern Ther Health Med.* 2003 Jul-Aug; 9: 38-48
- 56020** Devroey, D., Van Casteren, V., Buntinx, F. Registration of stroke through the Belgian sentinel network and factors influencing stroke mortality. *Cerebrovasc Dis.* 2003; 16: 272-9
- 56030** Wang, M. Y., Levi, A. D., Green, B. A. Intradural spinal arachnoid cysts in adults. *Surg Neurol.* 2003 Jul; 60: 49-55; discussion 55-6
- 56040** Fialkow, M. F., Melville, J. L., Lentz, G. M., Miller, E. A., Miller, J., Fenner, D. E. The functional and psychosocial impact of fecal incontinence on women with urinary incontinence. *Am J Obstet Gynecol.* 2003 Jul; 189: 127-9
- 56050** Melville, J. L., Miller, E. A., Fialkow, M. F., Lentz, G. M., Miller, J. L., Fenner, D. E. Relationship between patient report and physician assessment of urinary incontinence severity. *Am J Obstet Gynecol.* 2003 Jul; 189: 76-80
- 56060** Boyles, S. H., Weber, A. M., Meyn, L. Procedures for urinary incontinence in the United States, 1979-1997. *Am J Obstet Gynecol.* 2003 Jul; 189: 70-5
- 56070** Dubernard, G., Rouzier, R., Haddad, B., Dubois, P., Paniel, B. J. Correction of uterine prolapse by the vaginal route using the uterosacral ligaments: Shirodkar procedure. *Eur J Obstet Gynecol Reprod Biol.* 2003 Aug 15; 109: 214-8
- 56080** Dik, P., Klijn, A. J., van Gool, J. D., de Jong, T. P. Transvaginal sling suspension of bladder neck in female patients with neurogenic sphincter incontinence. *J Urol.* 2003 Aug; 170: 580-1; discussion 581-2
- 56090** Cole, E. E., Adams, M. C., Brock, J. W., 3rd, Pope, J. C., 4th Outcome of continence procedures in the pediatric patient: a single institutional experience. *J Urol.* 2003 Aug; 170: 560-3; discussion 563
- 56100** Li, J., Hu, T., Wang, M., Jiang, X., Chen, S., Huang, L. Single ureteral ectopia with congenital renal dysplasia. *J Urol.* 2003 Aug; 170: 558-9
- 56110** Chou, E. C., Flisser, A. J., Panagopoulos, G., Blaivas, J. G. Effective treatment for mixed urinary incontinence with a pubovaginal sling. *J Urol.* 2003 Aug; 170: 494-7
- 56120** McLennan, M. T. The role of electrodiagnostic techniques in the reprogramming of patients with a delayed suboptimal response to sacral nerve stimulation. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Jun; 14: 98-103
- 56130** Rufford, J., Hextall, A., Cardozo, L., Khullar, V. A double-blind placebo-controlled trial on the effects of 25 mg estradiol implants on the urge syndrome in postmenopausal women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Jun; 14: 78-83
- 56140** ter Meulen, P. H., Zambon, V., Kessels, A. G., van Kerrebroeck, P. E. Quality of life, functional outcome and durability of the AMS 800 artificial urinary sphincter in patients with intrinsic sphincter deficiency. *Urol Int.* 2003; 71: 55-60
- 56150** Nihira, M. A., Henderson, N. Epidemiology of urinary incontinence in women. *Curr Womens Health Rep.* 2003 Aug; 3: 340-7
- 56160** Robinson, D., Cardozo, L. Risk factors for urinary incontinence in women. *J Br Menopause Soc.* 2003 Jun; 9: 75-9
- 56170** Wijma, J., Potters, A. E., de Wolf, B. T., Tinga, D. J., Aarnoudse, J. G. Anatomical and functional changes in the lower urinary tract following spontaneous vaginal delivery. *BJOG.* 2003 Jul; 110: 658-63

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 56180 Peake, S., Manderson, L. The constraints of a normal life: the management of urinary incontinence by middle aged women. *Women Health*. 2003; 37: 37-51
- 56190 Rodriguez, L. V., Blander, D. S., Dorey, F., Raz, S., Zimmern, P. Discrepancy in patient and physician perception of patient's quality of life related to urinary symptoms. *Urology*. 2003 Jul; 62: 49-53
- 56200 Bland, D. R., Dugan, E., Cohen, S. J., Preisser, J., Davis, C. C., McGann, P. E., Suggs, P. K., Pearce, K. F. The effects of implementation of the Agency for Health Care Policy and Research urinary incontinence guidelines in primary care practices. *J Am Geriatr Soc*. 2003 Jul; 51: 979-84
- 56210 Forster, J. A., Thomas, W. M. Patient preferences and side effects experienced with oral bowel preparations versus self-administered phosphate enema. *Ann R Coll Surg Engl*. 2003 May; 85: 185-6
- 56220 Sterbis, J. R., Lewis, V. L., Bushman, W. Urologic and plastic surgical collaboration for continent diversion when urine leakage is complicated by pressure ulcers or obesity. *J Spinal Cord Med*. 2003 Summer; 26: 124-8
- 56230 Brown, J. S., Nyberg, L. M., Kusek, J. W., Burgio, K. L., Diokno, A. C., Foldspang, A., Fultz, N. H., Herzog, A. R., Hunskaar, S., Milsom, I., Nygaard, I., Subak, L. L., Thom, D. H. Proceedings of the National Institute of Diabetes and Digestive and Kidney Diseases International Symposium on Epidemiologic Issues in Urinary Incontinence in Women. *Am J Obstet Gynecol*. 2003 Jun; 188: S77-88
- 56240 Cruikshank, S. H., Muniz, M. Outcomes study: A comparison of cure rates in 695 patients undergoing sacrospinous ligament fixation alone and with other site-specific procedures--a 16-year study. *Am J Obstet Gynecol*. 2003 Jun; 188: 1509-12; discussion 1512-5
- 56250 Cosson, M., Boukerrou, M., Lacaze, S., Lambaudie, E., Fasel, J., Mesdagh, H., Lobry, P., Ego, A. A study of pelvic ligament strength. *Eur J Obstet Gynecol Reprod Biol*. 2003 Jul 1; 109: 80-7
- 56260 Halaska, M., Ralph, G., Wiedemann, A., Primus, G., Ballering-Bruhl, B., Hofner, K., Jonas, U. Controlled, double-blind, multicentre clinical trial to investigate long-term tolerability and efficacy of trospium chloride in patients with detrusor instability. *World J Urol*. 2003 May; 20: 392-9
- 56270 Stewart, W. F., Van Rooyen, J. B., Cundiff, G. W., Abrams, P., Herzog, A. R., Corey, R., Hunt, T. L., Wein, A. J. Prevalence and burden of overactive bladder in the United States. *World J Urol*. 2003 May; 20: 327-36
- 56280 Schurch, B., Reilly, I., Reitz, A., Curt, A. Electrophysiological recordings during the peripheral nerve evaluation (PNE) test in complete spinal cord injury patients. *World J Urol*. 2003 May; 20: 319-22
- 56290 Rovner, E. S., Wein, A. J. Evaluation of lower urinary tract symptoms in females. *Curr Opin Urol*. 2003 Jul; 13: 273-8
- 56300 Lee, W. Y., Jin, D. K., Oh, M. R., Lee, J. E., Song, S. M., Lee, E. A., Kim, G. M., Chung, J. S., Lee, K. H. Frequency analysis and clinical characterization of spinocerebellar ataxia types 1, 2, 3, 6, and 7 in Korean patients. *Arch Neurol*. 2003 Jun; 60: 858-63
- 56310 Levin, R. M., Whitbeck, C., Borow, A., Burden, O., Leggett, R. E. Effectiveness of vaginally administered oxybutynin on rabbit bladder function. *Urology*. 2003 Jun; 61: 1273-7
- 56320 Sakakibara, R., Hattori, T., Uchiyama, T., Kamura, K., Yamanishi, T. Uroneurological assessment of spina bifida cystica and occulta. *Neurourol Urodyn*. 2003; 22: 328-34
- 56330 Kolominsky-Rabas, P. L., Hilt, M. J., Neundoerfer, B., Heuschmann, P. U. Impact of urinary incontinence after stroke: results from a prospective population-based stroke register. *Neurourol Urodyn*. 2003; 22: 322-7
- 56340 Alessi, C. A., Ouslander, J. G., Maldague, S., Al-Samarrai, N. R., Saliba, D., Osterweil, D., Beck, J. C., Schnelle, J. F. Incidence and costs of acute medical conditions in long-stay incontinent nursing home residents. *J Am Med Dir Assoc*. 2003 Mar-Apr; 4: S4-S18
- 56350 Davies, G. A., Wolfe, L. A., Mottola, M. F., MacKinnon, C., Arsenault, M. Y., Bartellas, E., Cargill, Y., Gleason, T., Iglesias, S., Klein, M., Martel, M. J., Roggensack, A., Wilson, K., Gardiner, P., Graham, T., Haennel, R., Hughson, R. / Exercise in pregnancy and the postpartum period. *J Obstet Gynaecol Can*. 2003 Jun; 25: 516-29
- 56360 Sherman, A. M., Shumaker, S. A., Kancler, C., Zheng, B., Reboussin, D. M., Legault, C., Herrington, D. M. Baseline health-related quality of life in postmenopausal women with coronary heart disease: the Estrogen Replacement and Atherosclerosis (ERA) trial. *J Womens Health (Larchmt)*. 2003 May; 12: 351-62

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 56370** Hoeijmakers, M., Janszen, B., Coert, A., Horspool, L. Pharmacokinetics of oestriol after repeated oral administration to dogs. *Res Vet Sci.* 2003 Aug; 75: 55-9
- 56380** Jameson, M. B., Thompson, P. I., Baguley, B. C., Evans, B. D., Harvey, V. J., Porter, D. J., McCrystal, M. R., Small, M., Bellenger, K., Gumbrell, L., Halbert, G. W., Kestell, P. Clinical aspects of a phase I trial of 5,6-dimethylxanthenone-4-acetic acid (DMXAA), a novel antivasular agent. *Br J Cancer.* 2003 Jun 16; 88: 1844-50
- 56390** Karantanis, E., O'Sullivan, R., Moore, K. H. The 24-hour pad test in continent women and men: normal values and cyclical alterations. *BJOG.* 2003 Jun; 110: 567-71
- 56400** Sugerman, H. J., Wolfe, L. G., Sica, D. A., Clore, J. N. Diabetes and hypertension in severe obesity and effects of gastric bypass-induced weight loss. *Ann Surg.* 2003 Jun; 237: 751-6; discussion 757-8
- 56410** Chen, Y. C., Chen, G. D., Hu, S. W., Lin, T. L., Lin, L. Y. Is the occurrence of storage and voiding dysfunction affected by menopausal transition or associated with the normal aging process?. *Menopause.* 2003 May-Jun; 10: 203-8
- 56420** Wakamatsu, M. M. What affects bladder function more: menopause or age?. *Menopause.* 2003 May-Jun; 10: 191-2
- 56430** Antonakos, C. L., Miller, J. M., Sampsel, C. M. Indices for studying urinary incontinence and levator ani function in primiparous women. *J Clin Nurs.* 2003 Jul; 12: 554-61
- 56440** Moore, K. N., Saltmarche, B., Query, A. Urinary incontinence. Non-surgical management by family physicians. *Can Fam Physician.* 2003 May; 49: 602-10
- 56450** Lindesay, J., Matthews, R., Jagger, C. Factors associated with antipsychotic drug use in residential care: changes between 1990 and 1997. *Int J Geriatr Psychiatry.* 2003 Jun; 18: 511-9
- 56460** Bergquist, S. Pressure ulcer prediction in older adults receiving home health care: implications for use with the OASIS. *Adv Skin Wound Care.* 2003 May-Jun; 16: 132-9
- 56470** Crosbie, J. J., Eguare, E., McGovern, B., Keane, F. B. The influence of bladder filling on anorectal function. *Colorectal Dis.* 2003 May; 5: 251-5
- 56480** Mathews, R. I., Gan, M., Gearhart, J. P. Urogynaecological and obstetric issues in women with the exstrophy-epispadias complex. *BJU Int.* 2003 Jun; 91: 845-9
- 56490** Hvidman, L., Foldspang, A., Mommsen, S., Nielsen, J. B. Postpartum urinary incontinence. *Acta Obstet Gynecol Scand.* 2003 Jun; 82: 556-63
- 56500** Chou, Y. C., Yu, K. J. Entrapped vaginal pessary presented with frequency and urge incontinence. *J Chin Med Assoc.* 2003 Mar; 66: 181-3
- 56510** Colling, J., Owen, T. R., McCreedy, M., Newman, D. The effects of a continence program on frail community-dwelling elderly persons. *Urol Nurs.* 2003 Apr; 23: 117-22, 127-31
- 56520** The state of the science of urinary incontinence. *Urol Nurs.* 2003 Apr; 23: 101-5
- 56530** Behavior therapy and urge incontinence. *Mayo Clin Health Lett.* 2003 May; 21: 4
- 56540** Amarenco, G., Ismael, S. S., Even-Schneider, A., Raibaut, P., Demaille-Wlodyka, S., Parratte, B., Kerdraon, J. Urodynamic effect of acute transcutaneous posterior tibial nerve stimulation in overactive bladder. *J Urol.* 2003 Jun; 169: 2210-5
- 56550** Clarke-O'Neill, S., Pettersson, L., Fader, M. An evaluation of disposable pads for women with light incontinence. *Nurs Times.* 2003 May 13-19; 99: 69-72
- 56560** Nakajima, M., Nakasu, S., Hatsuda, N., Takeichi, Y., Watanabe, K., Matsuda, M. Third ventricular chordoid glioma: case report and review of the literature. *Surg Neurol.* 2003 May; 59: 424-8
- 56570** Miller, Y. D., Brown, W. J., Smith, N., Chiarelli, P. Managing urinary incontinence across the lifespan. *Int J Behav Med.* 2003; 10: 143-61
- 56580** Robinson, D., Cardozo, L. The menopause and HRT. Urogenital effects of hormone therapy. *Best Pract Res Clin Endocrinol Metab.* 2003 Mar; 17: 91-104



## American Urological Association, Inc.

## SUI Guidelines Panel

## Master Bibliography

## sorted by Procite Number

- 56590 de Rekeneire, N., Visser, M., Peila, R., Nevitt, M. C., Cauley, J. A., Tylavsky, F. A., Simonsick, E. M., Harris, T. B. Is a fall just a fall: correlates of falling in healthy older persons. The Health, Aging and Body Composition Study. *J Am Geriatr Soc.* 2003 Jun; 51: 841-6
- 56600 Yang, T., Liu, Z., Liu, Y. Electroacupuncture at ciliao and huiyang for treating neuropathic incontinence of defecation and urination in 30 cases. *J Tradit Chin Med.* 2003 Mar; 23: 53-4
- 56610 Chua, K., Chuo, A., Kong, K. H. Urinary incontinence after traumatic brain injury: incidence, outcomes and correlates. *Brain Inj.* 2003 Jun; 17: 469-78
- 56620 Quint, E. H., Smith, Y. R., Bowerman, R. A., DeLancey, J. O. Spasticity of the pelvic floor mimicking an obstructive anomaly. *J Pediatr Adolesc Gynecol.* 2003 Apr; 16: 83-5
- 56630 Moalli, P. A., Jones Ivy, S., Meyn, L. A., Zyczynski, H. M. Risk factors associated with pelvic floor disorders in women undergoing surgical repair. *Obstet Gynecol.* 2003 May; 101: 869-74
- 56640 Horimoto, Y., Matsumoto, M., Akatsu, H., Ikari, H., Kojima, K., Yamamoto, T., Otsuka, Y., Ojika, K., Ueda, R., Kosaka, K. Autonomic dysfunctions in dementia with Lewy bodies. *J Neurol.* 2003 May; 250: 530-3
- 56650 Lazzeri, M., Calo, G., Spinelli, M., Guerrini, R., Salvadori, S., Beneforti, P., Sandri, S., Regoli, D., Turini, D. Urodynamic effects of intravesical nociceptin/orphanin FQ in neurogenic detrusor overactivity: a randomized, placebo-controlled, double-blind study. *Urology.* 2003 May; 61: 946-50
- 56660 Smith, A. R., Higgs, P. J. Evidence-based practice in urogynaecology. *Hosp Med.* 2003 Apr; 64: 223-9
- 56670 Di Gangi Herms, A. M., Pinggera, G. M., De Jonge, P., Strasser, H., Sollner, W. Assessing health care needs and clinical outcome with urological case complexity: a study using INTERMED. *Psychosomatics.* 2003 May-Jun; 44: 196-203
- 56680 Uchiyama, T., Sakakibara, R., Hattori, T., Yamanishi, T. Short-term effect of a single levodopa dose on micturition disturbance in Parkinson's disease patients with the wearing-off phenomenon. *Mov Disord.* 2003 May; 18: 573-8
- 56690 Sen, S., Zachariah, N., Chacko, J., Thomas, G. Buttressing the divided bladder neck by a rectus abdominis muscle flap to prevent urethral recanalisation in paediatric urinary incontinence. *Pediatr Surg Int.* 2003 Apr; 19: 124-6
- 56700 Ertberg, P., Moller, L. A., Lose, G. A comparison of three methods to evaluate maximum bladder capacity: cystometry, uroflowmetry and a 24-h voiding diary in women with urinary incontinence. *Acta Obstet Gynecol Scand.* 2003 Apr; 82: 374-7
- 56710 Gariballa, S. E. Potentially treatable causes of poor outcome in acute stroke patients with urinary incontinence. *Acta Neurol Scand.* 2003 May; 107: 336-40
- 56720 Turkolmez, K., Gogus, C., Baltaci, S. Construction of a continent outlet using an ileal valve, an in vivo animal model. *Urol Res.* 2003 Jul; 31: 194-7
- 56730 Fader, M., Clarke-O'Neill, S., Cook, D., Dean, G., Brooks, R., Cottenden, A., Malone-Lee, J. Management of night-time urinary incontinence in residential settings for older people: an investigation into the effects of different pad changing regimes on skin health. *J Clin Nurs.* 2003 May; 12: 374-86
- 56740 Chiarelli, P., Murphy, B., Cockburn, J. Women's knowledge, practises, and intentions regarding correct pelvic floor exercises. *Neurourol Urodyn.* 2003; 22: 246-9
- 56750 Gladh, G., Mattsson, S., Lindstrom, S. Intravesical electrical stimulation in the treatment of micturition dysfunction in children. *Neurourol Urodyn.* 2003; 22: 233-42
- 56760 Vandoninck, V., van Balken, M. R., Finazzi Agro, E., Petta, F., Micali, F., Heesakkers, J. P., Debruyne, F. M., Kiemeneij, L. A., Bemelmans, B. L. Percutaneous tibial nerve stimulation in the treatment of overactive bladder: urodynamic data. *Neurourol Urodyn.* 2003; 22: 227-32
- 56770 Shafik, A., Shafik, I. A. Overactive bladder inhibition in response to pelvic floor muscle exercises. *World J Urol.* 2003 May; 20: 374-7
- 56780 Pinter, A. B., Hock, A., Kajtar, P., Dober, I. Long-term follow-up of cancer in neonates and infants: a national survey of 142 patients. *Pediatr Surg Int.* 2003 Jun; 19: 233-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 56790** Robinson, D., Savvas, M., Cardozo, L. An unusual cause of 'incontinence' after hysterectomy. BJU Int. 2003 May; 91: 727-8
- 56800** Quinn, P., Goka, J., Richardson, H. Assessment of an electronic daily diary in patients with overactive bladder. BJU Int. 2003 May; 91: 647-52
- 56810** Dallosso, H. M., Matthews, R. J., McGrother, C. W., Clarke, M., Perry, S. I., Shaw, C., Jagger, C. An investigation into nonresponse bias in a postal survey on urinary symptoms. BJU Int. 2003 May; 91: 631-6
- 56820** Arunkalaivanan, A. S., Barrington, J. W. Questionnaire-based survey on obstetricians and gynaecologists' attitudes towards the surgical management of urinary incontinence in women during their childbearing years. Eur J Obstet Gynecol Reprod Biol. 2003 May 1; 108: 85-93
- 56830** Eva, U. F., Gun, W., Preben, K. Prevalence of urinary and fecal incontinence and symptoms of genital prolapse in women. Acta Obstet Gynecol Scand. 2003 Mar; 82: 280-6
- 56840** Wagenius, J., Laurin, J. Clinical symptoms after anal sphincter rupture: a retrospective study. Acta Obstet Gynecol Scand. 2003 Mar; 82: 246-50
- 56850** Di Carlo, A., Lamassa, M., Baldereschi, M., Pracucci, G., Basile, A. M., Wolfe, C. D., Giroud, M., Rudd, A., Ghetti, A., Inzitari, D. Sex differences in the clinical presentation, resource use, and 3-month outcome of acute stroke in Europe: data from a multicenter multinational hospital-based registry. Stroke. 2003 May; 34: 1114-9
- 56860** Weber, A. M. New approaches to surgery for urinary incontinence and pelvic organ prolapse from the laparoscopic perspective. Clin Obstet Gynecol. 2003 Mar; 46: 44-60
- 56870** Krause, C., Wells, T., Hughes, S., Brink, C., Mayer, R. Incontinence in women: effect of expectancy to regain control and severity of symptoms on treatment outcomes. Urol Nurs. 2003 Feb; 23: 54-61
- 56880** Christ, G. J., Day, N. S., Day, M., Zhao, W., Persson, K., Pandita, R. K., Andersson, K. E. Increased connexin43-mediated intercellular communication in a rat model of bladder overactivity in vivo. Am J Physiol Regul Integr Comp Physiol. 2003 May; 284: R1241-8
- 56890** Olby, N., Levine, J., Harris, T., Munana, K., Skeen, T., Sharp, N. Long-term functional outcome of dogs with severe injuries of the thoracolumbar spinal cord: 87 cases (1996-2001). J Am Vet Med Assoc. 2003 Mar 15; 222: 762-9
- 56900** Reddy, P. P., Redman, J. F. The management of childhood voiding dysfunction. J Ark Med Soc. 2003 Mar; 99: 295-8
- 56910** Oertel, W. H., Wachter, T., Quinn, N. P., Ulm, G., Brandstadter, D. Reduced genital sensitivity in female patients with multiple system atrophy of parkinsonian type. Mov Disord. 2003 Apr; 18: 430-2
- 56920** Mathews, R., Hubbard, J. S., Gearhart, J. P. Ureteral reimplantation before bladder neck plasty in the reconstruction of bladder exstrophy: indications and outcomes. Urology. 2003 Apr; 61: 820-4
- 56930** Brown, J. S., McNaughton, K. S., Wyman, J. F., Burgio, K. L., Harkaway, R., Bergner, D., Altman, D. S., Kaufman, J., Kaufman, K., Gorman, C. J. Measurement characteristics of a voiding diary for use by men and women with overactive bladder. Urology. 2003 Apr; 61: 802-9
- 56940** Mukamel, D. B., Watson, N. M., Meng, H., Spector, W. D. Development of a risk-adjusted urinary incontinence outcome measure of quality for nursing homes. Med Care. 2003 Apr; 41: 467-78
- 56950** Dowd, T., Kolcaba, K., Steiner, R. The addition of coaching to cognitive strategies: interventions for persons with compromised urinary bladder syndrome. J Wound Ostomy Continence Nurs. 2003 Mar; 30: 90-9
- 56960** Mehta, K. M., Simonsick, E. M., Penninx, B. W., Schulz, R., Rubin, S. M., Satterfield, S., Yaffe, K. Prevalence and correlates of anxiety symptoms in well-functioning older adults: findings from the health aging and body composition study. J Am Geriatr Soc. 2003 Apr; 51: 499-504
- 56970** Godbole, P., Bryant, R., MacKinnon, A. E., Roberts, J. P. Endourethral injection of bulking agents for urinary incontinence in children. BJU Int. 2003 Apr; 91: 536-9
- 56980** Warming, L., Christoffersen, C., Riis, B. J., Stakkestad, J. A., Delmas, P. D., Christiansen, C. Adverse effects of a SERM (Levormeloxifene). Safety parameters and bone mineral density 12 months after treatment withdrawal. Maturitas. 2003 Mar 28; 44: 189-99

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 
- 56990** Weir, N. U., Counsell, C. E., McDowall, M., Gunkel, A., Dennis, M. S. Reliability of the variables in a new set of models that predict outcome after stroke. *J Neurol Neurosurg Psychiatry*. 2003 Apr; 74: 447-51
- 57000** But, I. Conservative treatment of female urinary incontinence with functional magnetic stimulation. *Urology*. 2003 Mar; 61: 558-61
- 57010** Hellerstein, S., Linebarger, J. S. Voiding dysfunction in pediatric patients. *Clin Pediatr (Phila)*. 2003 Jan-Feb; 42: 43-9
- 57020** Gerrard, E. R., Jr, Lloyd, L. K., Kubricht, W. S., Kolettis, P. N. Transvaginal ultrasound for the diagnosis of urethral diverticulum. *J Urol*. 2003 Apr; 169: 1395-7
- 57030** The state of the science on urinary incontinence. *Am J Nurs*. 2003 Mar; 103: 45-9
- 57040** Chiarelli, P., Murphy, B., Cockburn, J. Acceptability of a urinary continence promotion programme to women in postpartum. *BJOG*. 2003 Feb; 110: 188-96
- 57050** Krygowska-Wajs, A., Hussey, J. M., Hulihan, M., Farrer, M. J., Tsuboi, Y., Uitti, R. J., Wszolek, Z. K. Two large Polish kindreds with levodopa-responsive Parkinsonism not linked to known Parkinsonian genes and loci. *Parkinsonism Relat Disord*. 2003 Mar; 9: 193-200
- 57060** Prasad, R. S., Smith, S. J., Wright, H. Lower abdominal pressure versus external bladder stimulation to aid bladder emptying in multiple sclerosis: a randomized controlled study. *Clin Rehabil*. 2003 Feb; 17: 42-7
- 57070** Pils, K., Neumann, F., Meisner, W., Schano, W., Vavrovsky, G., Van der Cammen, T. J. Predictors of falls in elderly people during rehabilitation after hip fracture--who is at risk of a second one?. *Z Gerontol Geriatr*. 2003 Feb; 36: 16-22
- 57080** Landi, F., Cesari, M., Russo, A., Onder, G., Lattanzio, F., Bernabei, R. Potentially reversible risk factors and urinary incontinence in frail older people living in community. *Age Ageing*. 2003 Mar; 32: 194-9
- 57090** Wyman, J. F. Treatment of urinary incontinence in men and older women: the evidence shows the efficacy of a variety of techniques. *Am J Nurs*. 2003 Mar; Suppl: 26-35
- 57100** Gray, M. L. Gender, race, and culture in research on UI: sensitivity and screening are integral to adequate patient care. *Am J Nurs*. 2003 Mar; Suppl: 20-5
- 57110** Sampsel, C. M. Behavioral interventions in young and middle-age women: simple interventions to combat a complex problem. *Am J Nurs*. 2003 Mar; Suppl: 9-19
- 57120** Executive summary: a look at the proceedings of the symposium, 'The State of the Science on Urinary Incontinence.'. *Am J Nurs*. 2003 Mar; Suppl: 4-8
- 57130** Bolduc, S., Upadhyay, J., Payton, J., Bagli, D. J., McLorie, G. A., Khoury, A. E., Farhat, W. The use of tolterodine in children after oxybutynin failure. *BJU Int*. 2003 Mar; 91: 398-401
- 57140** Abrams, P., Blaivas, J. G., Fowler, C. J., Fourcroy, J. L., Macdiarmid, S. A., Siegel, S. W., Van Kerrebroeck, P. The role of neuromodulation in the management of urinary urge incontinence. *BJU Int*. 2003 Mar; 91: 355-9
- 57150** Nuotio, M., Tammela, T. L., Luukkaala, T., Jylha, M. Urgency and urge incontinence in an older population: ten-year changes and their association with mortality. *Aging Clin Exp Res*. 2002 Oct; 14: 412-9
- 57160** Ansari, M. S., Gupta, N. P., Kriplani, A. Ectopic ureter with urinary incontinence. An unusual presentation of Mayer-Rokitansky-Kuster-Hauser syndrome. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Feb; 14: 64-6
- 57170** Hvidman, L., Foldspang, A., Mommsen, S., Bugge Nielsen, J. Menstrual cycle, female hormone use and urinary incontinence in premenopausal women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Feb; 14: 56-61; discussion 61
- 57180** Swift, S., Garely, A., Dimpfl, T., Payne, C. A new once-daily formulation of tolterodine provides superior efficacy and is well tolerated in women with overactive bladder. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Feb; 14: 50-4; discussion 54-5
- 57190** Dietz, H. P., Steensma, A. B., Vancaillie, T. G. Levator function in nulliparous women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2003 Feb; 14: 24-6; discussion 26

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 57200** Kerns, J. M., Shott, S., Brubaker, L., Sakamoto, K., Benson, J. T., Fleischer, A. E., Coleman, M. E. Effects of IGF-I gene therapy on the injured rat pudendal nerve. *Int Urogynecol J Pelvic Floor Dysfunct.* 2003 Feb; 14: 2-7; discussion 8
- 57210** Khastgir, J., Hamid, R., Arya, M., Shah, N., Shah, P. J. Surgical and patient reported outcomes of 'clam' augmentation ileocystoplasty in spinal cord injured patients. *Eur Urol.* 2003 Mar; 43: 263-9
- 57220** Shukla, A. R., Pow-Sang, J. M., Helal, M. A., Seigne, J., Ordorica, R., Lockhart, J. L. Urinary incontinence after continent urinary diversion using cecal wrap or plicated ileum: a patient questionnaire review. *Urology.* 2003 Feb; 61: 328-31
- 57230** Abes, M., Sarihan, H., Madenci, E. Evaluation of bone mineral density with dual x-ray absorptiometry for osteoporosis in children with bladder augmentation. *J Pediatr Surg.* 2003 Feb; 38: 230-2
- 57240** Bean, J. F., Kiely, D. K., Cairns, K. D., Morris, J. N. Influence of poststroke urinary incontinence on disability: the nursing home setting. *Am J Phys Med Rehabil.* 2003 Mar; 82: 175-81
- 57250** Bernier, F. Applying Orem's Self-Care Deficit Theory of Nursing to continence care: Part 2. *Urol Nurs.* 2002 Dec; 22: 384-90
- 57260** Bernier, F. Relationship of a pelvic floor rehabilitation program for urinary incontinence to Orem's Self-Care Deficit Theory of Nursing: Part 1. *Urol Nurs.* 2002 Dec; 22: 378-83, 390; quiz 391
- 57270** Janschek, E. C., Hohlagschwandtner, M., Nather, A., Schindl, M., Joura, E. A. A study of non-closure of the peritoneum at vaginal hysterectomy. *Arch Gynecol Obstet.* 2003 Feb; 267: 213-6
- 57280** Bates-Jensen, B. M., Alessi, C. A., Al-Samarrai, N. R., Schnelle, J. F. The effects of an exercise and incontinence intervention on skin health outcomes in nursing home residents. *J Am Geriatr Soc.* 2003 Mar; 51: 348-55
- 57290** Buffa, P., Torre, M., Scarsi, P. L., De Gennaro, M., Battaglini, F., Beseghi, U., Di Lorenzo, F., Cama, A. Caudal regression syndrome: an online multicentre survey. *Urological long-term results.* *Eur J Pediatr Surg.* 2002 Dec; 12 Suppl 1: S26-8
- 57300** Maheswaran, C. M., MacKinnon, A. E. Ambulant? Continent? The missing link. *Eur J Pediatr Surg.* 2002 Dec; 12 Suppl 1: S25-6
- 57310** Marcell, D., Ransel, S., Schiau, M., Duffy, E. G. Treatment options alleviate female urge incontinence. *Nurse Pract.* 2003 Feb; 28: 48-54
- 57320** Littlejohn, J. O., Jr, Kaplan, S. A. An unexpected association between urinary incontinence, depression and sexual dysfunction. *Drugs Today (Barc).* 2002 Nov; 38: 777-82
- 57330** Gauthier, A. R., Jr, Winters, J. C. Incontinent ileovesicostomy in the management of neurogenic bladder dysfunction. *Neurourol Urodyn.* 2003; 22: 142-6
- 57340** van der Vaart, C. H., de Leeuw, J. R., Roovers, J. P., Heintz, A. P. Measuring health-related quality of life in women with urogenital dysfunction: the urogenital distress inventory and incontinence impact questionnaire revisited. *Neurourol Urodyn.* 2003; 22: 97-104
- 57350** Nguyen, H. T., Baskin, L. S. The outcome of bladder neck closure in children with severe urinary incontinence. *J Urol.* 2003 Mar; 169: 1114-6; discussion 1116
- 57360** Tan, T. L., Bergmann, M. A., Griffiths, D., Resnick, N. M. Which stop test is best? Measuring detrusor contractility in older females. *J Urol.* 2003 Mar; 169: 1023-7
- 57370** Morkved, S., Bo, K., Schei, B., Salvesen, K. A. Pelvic floor muscle training during pregnancy to prevent urinary incontinence: a single-blind randomized controlled trial. *Obstet Gynecol.* 2003 Feb; 101: 313-9
- 57380** Glenn, J. Restorative Nursing Bladder Training program: recommending a strategy. *Rehabil Nurs.* 2003 Jan-Feb; 28: 15-22
- 57390** Harper, N., Dunkley, C., Hume, D. Sedation using remifentanyl. *Anaesthesia.* 2003 Feb; 58: 197-8
- 57400** Sugerman, H. J., Sugerman, E. L., DeMaria, E. J., Kellum, J. M., Kennedy, C., Mowery, Y., Wolfe, L. G. Bariatric surgery for severely obese adolescents. *J Gastrointest Surg.* 2003 Jan; 7: 102-7; discussion 107-8

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 57410** Alessi, C. A., Josephson, K. R., Harker, J. O., Pietruszka, F. M., Hoyle, M. T., Rubenstein, L. Z. The yield, reliability, and validity of a postal survey for screening community-dwelling older people. *J Am Geriatr Soc.* 2003 Feb; 51: 194-202
- 57420** Schnelle, J. F., Kapur, K., Alessi, C., Osterweil, D., Beck, J. G., Al-Samarrai, N. R., Ouslander, J. G. Does an exercise and incontinence intervention save healthcare costs in a nursing home population?. *J Am Geriatr Soc.* 2003 Feb; 51: 161-8
- 57430** Tincello, D. G., Teare, J., Fraser, W. D. Second trimester concentration of relaxin and pregnancy related incontinence. *Eur J Obstet Gynecol Reprod Biol.* 2003 Feb 10; 106: 237-8
- 57440** Yoon, H. S., Song, H. H., Ro, Y. J. A comparison of effectiveness of bladder training and pelvic muscle exercise on female urinary incontinence. *Int J Nurs Stud.* 2003 Jan; 40: 45-50
- 57450** Boyles, S. H., Weber, A. M., Meyn, L. Procedures for pelvic organ prolapse in the United States, 1979-1997. *Am J Obstet Gynecol.* 2003 Jan; 188: 108-15
- 57460** Bloch, J., Vernet, O., Aube, M., Villemure, J. G. Non-obstructive hydrocephalus associated with intracranial schwannomas: hyperproteinorrachia as an etiopathological factor?. *Acta Neurochir (Wien).* 2003 Jan; 145: 73-8
- 57470** Rosenblum, N., Eilber, K. S., Raz, S. Herpes zoster following sacral nerve stimulation for overactive bladder. *J Urol.* 2003 Feb; 169: 619-20
- 57480** Parazzini, F., Lavezzari, M., Arbitani, W. Prevalence of overactive bladder and urinary incontinence. *J Fam Pract.* 2002 Dec; 51: 1072-5
- 57490** Han, P. Y., Ezquerro, R., Pan, K. M., Hwang, S., Chung, Y., Lu, J. J. Comorbidities associated with diabetic foot complications among Asian Americans in southern California. *J Am Podiatr Med Assoc.* 2003 Jan-Feb; 93: 37-41
- 57500** Ripetti, V., Caputo, D., Ausania, F., Esposito, E., Bruni, R., Arullani, A. Sacral nerve neuromodulation improves physical, psychological and social quality of life in patients with fecal incontinence. *Tech Coloproctol.* 2002 Dec; 6: 147-52
- 57510** Nygaard, I., Turvey, C., Burns, T. L., Crischilles, E., Wallace, R. Urinary incontinence and depression in middle-aged United States women. *Obstet Gynecol.* 2003 Jan; 101: 149-56
- 57520** Harari, D., Coshall, C., Rudd, A. G., Wolfe, C. D. New-onset fecal incontinence after stroke: prevalence, natural history, risk factors, and impact. *Stroke.* 2003 Jan; 34: 144-50
- 57530** Mattsson, S., Gladh, G. Urethrovaginal reflux--a common cause of daytime incontinence in girls. *Pediatrics.* 2003 Jan; 111: 136-9
- 57540** Hollis, C. Developmental precursors of child- and adolescent-onset schizophrenia and affective psychoses: diagnostic specificity and continuity with symptom dimensions. *Br J Psychiatry.* 2003 Jan; 182: 37-44
- 57550** Kleeman, S. D., Vasallo, B., Segal, J., Karram, M. M. Vesicocervical fistula following insertion of a modified McDonald suture. *BJOG.* 2002 Dec; 109: 1408-9
- 57560** Kwon, C. H., Goldberg, R. P., Koduri, S., Sand, P. K. The use of intraoperative cystoscopy in major vaginal and urogynecologic surgeries. *Am J Obstet Gynecol.* 2002 Dec; 187: 1466-71; discussion 1471-2
- 57570** Amundsen, C. L., Webster, G. D. Sacral neuromodulation in an older, urge-incontinent population. *Am J Obstet Gynecol.* 2002 Dec; 187: 1462-5; discussion 1465
- 57580** Landi, F., Cesari, M., Russo, A., Onder, G., Sgadari, A., Bernabei, R. Benzodiazepines and the risk of urinary incontinence in frail older persons living in the community. *Clin Pharmacol Ther.* 2002 Dec; 72: 729-34
- 57590** Staskin, D. R., Dmochowski, R. R. Future studies of overactive bladder: the need for standardization. *Urology.* 2002 Nov; 60: 90-3
- 57600** Burgio, K. L. Influence of behavior modification on overactive bladder. *Urology.* 2002 Nov; 60: 72-6; discussion 77
- 57610** Wein, A. J., Rovner, E. S. Definition and epidemiology of overactive bladder. *Urology.* 2002 Nov; 60: 7-12; discussion 12



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 57620** Clever, K., Smith, G., Bowser, C., Monroe, K. Evaluating the efficacy of a uniquely delivered skin protectant and its effect on the formation of sacral/buttock pressure ulcers. *Ostomy Wound Manage.* 2002 Dec; 48: 60-7
- 57630** Lewis-Byers, K., Thayer, D. An evaluation of two incontinence skin care protocols in a long-term care setting. *Ostomy Wound Manage.* 2002 Dec; 48: 44-51
- 57640** Ramundo, J. M., Davis, K. E. State of the science: pathology and management of the patient with overactive bladder. *Ostomy Wound Manage.* 2002 Dec; 48: 22-7
- 57650** Vandoninck, V., Van Balken, M. R., Finazzi Agro, E., Petta, F., Caltagirone, C., Heesakkers, J. P., Kiemeney, L. A., Debruyne, F. M., Bemelmans, B. L. Posterior tibial nerve stimulation in the treatment of urge incontinence. *Neurourol Urodyn.* 2003; 22: 17-23
- 57660** Oliver, S., Fowler, C., Mundy, A., Craggs, M. Measuring the sensations of urge and bladder filling during cystometry in urge incontinence and the effects of neuromodulation. *Neurourol Urodyn.* 2003; 22: 7-16
- 57670** Zoubina, E. V., Smith, P. G. Expression of estrogen receptors alpha and beta by sympathetic ganglion neurons projecting to the proximal urethra of female rats. *J Urol.* 2003 Jan; 169: 382-5
- 57680** Block, C. A., Cooper, C. S., Hawtrey, C. E. Long-term efficacy of periurethral collagen injection for the treatment of urinary incontinence secondary to myelomeningocele. *J Urol.* 2003 Jan; 169: 327-9
- 57690** Reinberg, Y., Crocker, J., Wolpert, J., Vandersteen, D. Therapeutic efficacy of extended release oxybutynin chloride, and immediate release and long acting tolterodine tartrate in children with diurnal urinary incontinence. *J Urol.* 2003 Jan; 169: 317-9
- 57700** Quek, M. L., Ginsberg, D. A. Long-term urodynamics followup of bladder augmentation for neurogenic bladder. *J Urol.* 2003 Jan; 169: 195-8
- 57710** Webster, C., Bukkapatnam, R., Seigne, J. D., Pow-Sang, J., Hoffman, M., Helal, M., Ordorica, R., Lockhart, J. L. Continent colonic urinary reservoir (Florida pouch): long-term surgical complications (greater than 11 years). *J Urol.* 2003 Jan; 169: 174-6
- 57720** Teleman, P., Gunnarsson, M., Lidfeldt, J., Nerbrand, C., Samsioe, G., Mattiasson, A. Urodynamic characterisation of women with naive urinary incontinence: a population-based study in subjectively incontinent and healthy 53-63 years old women. *Eur Urol.* 2002 Dec; 42: 583-9
- 57730** Buchanan, R. J., Wang, S., Ju, H. Analyses of the minimum data set: comparisons of nursing home residents with multiple sclerosis to other nursing home residents. *Mult Scler.* 2002 Dec; 8: 512-22
- 57740** Skobejko-Wlodarska, L. Treatment of neuropathic urinary and faecal incontinence. *Eur J Pediatr Surg.* 2002 Oct; 12: 318-21
- 57750** Wall, L. L. Fitsari 'dan Duniya. An African (Hausa) praise song about vesicovaginal fistulas. *Obstet Gynecol.* 2002 Dec; 100: 1328-32
- 57760** Guarisi, T., Pinto-Neto, A. M., Herrmann, V., Faundes, A. Urodynamics in climacteric women with urinary incontinence: correlation with route of delivery. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002 Nov; 13: 366-71; discussion 371
- 57770** Dmochowski, R. Outcomes and consequences: the therapeutic index redefined. *Int Urogynecol J Pelvic Floor Dysfunct.* 2002 Nov; 13: 341
- 57780** Buchanan, R. J., Choi, M., Wang, S., Huang, C. Analyses of nursing home residents in hospice care using the minimum data set. *Palliat Med.* 2002 Nov; 16: 465-80
- 57790** Gonzalez, R., Jednak, R., Franc-Guimond, J., Schimke, C. M. Treating neuropathic incontinence in children with seromuscular colocolocystoplasty and an artificial urinary sphincter. *BJU Int.* 2002 Dec; 90: 909-11
- 57800** Scheepens, W. A., Van Koeveeringe, G. A., De Bie, R. A., Weil, E. H., Van Kerrebroeck, P. E. Long-term efficacy and safety results of the two-stage implantation technique in sacral neuromodulation. *BJU Int.* 2002 Dec; 90: 840-5
- 57810** Mingin, G. C., Nguyen, H. T., Mathias, R. S., Shepherd, J. A., Glidden, D., Baskin, L. S. Growth and metabolic consequences of bladder augmentation in children with myelomeningocele and bladder exstrophy. *Pediatrics.* 2002 Dec; 110: 1193-8

# American Urological Association, Inc. SUI Guidelines Panel

## Master Bibliography sorted by Procite Number

- 57820 Neal, R., Linnane, J. Improving access to continence services: action in Walsall. *Br J Community Nurs.* 2002 Nov; 7: 567, 570-3
- 57830 Zemack, G., Romner, B. Adjustable valves in normal-pressure hydrocephalus: a retrospective study of 218 patients. *Neurosurgery.* 2002 Dec; 51: 1392-400; discussion 1400-2
- 57840 Sumathi, V. P., Murnaghan, M., Dobbs, S. P., McCluggage, W. G. Extragenital mullerian carcinosarcoma arising from the peritoneum: report of two cases. *Int J Gynecol Cancer.* 2002 Nov-Dec; 12: 764-7
- 57850 Shimada, K., Matsumoto, F., Tohda, A., Harada, Y., Naitoh, Y. Surgical management of urinary incontinence in children with anatomical bladder-outlet anomalies. *Int J Urol.* 2002 Oct; 9: 561-6
- 57860 Hoebeke, P., Renson, C., Petillon, L., Vande Walle, J., De Paepe, H. Percutaneous electrical nerve stimulation in children with therapy resistant nonneuropathic bladder sphincter dysfunction: a pilot study. *J Urol.* 2002 Dec; 168: 2605-7; discussion 2607-8
- 57870 Bolduc, S., Capolicchio, G., Upadhyay, J., Bagli, D. J., Khoury, A. E., McLorie, G. A. The fate of the upper urinary tract in exstrophy. *J Urol.* 2002 Dec; 168: 2579-82; discussion 2582
- 57880 St John, W., James, H., McKenzie, S. 'Oh, that's a bit of a nuisance': community-dwelling clients' perspectives of urinary continence health service provision. *J Wound Ostomy Continence Nurs.* 2002 Nov; 29: 312-9
- 57890 Gray, M., Bliss, D. Z., Bookout, K., Colwell, J., Dutcher, J. A., Engberg, S., Evans, E., Jacobson, T., Scemons, D. Evidence-based nursing practice: a primer for the WOC nurse. *J Wound Ostomy Continence Nurs.* 2002 Nov; 29: 283-6
- 57900 Gallagher, S. Outcome research and WOC nursing practice. *J Wound Ostomy Continence Nurs.* 2002 Nov; 29: 278-82
- 57910 Hordienko, G., Smith, J. The Wound, Ostomy and Continence Nursing Conference--a Canadian perspective. *J Wound Ostomy Continence Nurs.* 2002 Nov; 29: 275
- 57920 Bates, F. Assessment of the female patient with urinary incontinence. *Urol Nurs.* 2002 Oct; 22: 305-13, 317; quiz 314
- 57930 Henderson, J. S. It's a given, I think. *Urol Nurs.* 2002 Oct; 22: 302, 342
- 57940 Shaw, C. A systematic review of the literature on the prevalence of sexual impairment in women with urinary incontinence and the prevalence of urinary leakage during sexual activity. *Eur Urol.* 2002 Nov; 42: 432-40
- 57950 Marshall, K., Walsh, D. M., Baxter, G. D. The effect of a first vaginal delivery on the integrity of the pelvic floor musculature. *Clin Rehabil.* 2002 Nov; 16: 795-9
- 57970 Robinson, D., Cardozo, L. Overactive bladder in the female patient: the role of estrogens. *Curr Urol Rep.* 2002 Dec; 3: 452-7
- 57980 Haeusler, G., Leitich, H., van Trotsenburg, M., Kaider, A., Tempfer, C. B. Drug therapy of urinary urge incontinence: a systematic review. *Obstet Gynecol.* 2002 Nov; 100: 1003-16
- 58000 Birch, C., Fynes, M. M. The role of synthetic and biological prostheses in reconstructive pelvic floor surgery. *Curr Opin Obstet Gynecol.* 2002 Oct; 14: 527-35
- 58010 Vodusek, D. B. The role of electrophysiology in the evaluation of incontinence and prolapse. *Curr Opin Obstet Gynecol.* 2002 Oct; 14: 509-14
- 58020 Alewijnse, D., Mesters, I. E., Metsemakers, J. F., van den Borne, B. H. Program development for promoting adherence during and after exercise therapy for urinary incontinence. *Patient Educ Couns.* 2002 Oct -Nov; 48: 147-60
- 58070 Urinary incontinence. *Harv Mens Health Watch.* 2002 Oct; 7: 6-7
- 58110 Crawford, J. T., Adams, W. M. Influence of vestibulovaginal stenosis, pelvic bladder, and recessed vulva on response to treatment for clinical signs of lower urinary tract disease in dogs: 38 cases (1990-1999). *J Am Vet Med Assoc.* 2002 Oct 1; 221: 995-9

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 59012** Hannestad, Y. S., Lie, R. T., Rortveit, G., Hunskaar, S. Familial risk of urinary incontinence in women: population based cross sectional study. *BMJ*. 2004 Oct 16; 329: 889-91
- 59013** Hoyte, L., Jakab, M., Warfield, S. K., Shott, S., Flesh, G., Fielding, J. R. Levator ani thickness variations in symptomatic and asymptomatic women using magnetic resonance-based 3-dimensional color mapping. *Am J Obstet Gynecol*. 2004 Sep; 191: 856-61
- 59014** Nygaard, I. E., McCreery, R., Brubaker, L., Connolly, A., Cundiff, G., Weber, A. M., Zyczynski, H. Abdominal sacrocolpopexy: a comprehensive review. *Obstet Gynecol*. 2004 Oct; 104: 805-23
- 59015** Liang, C. C., Chang, Y. L., Chang, S. D., Lo, T. S., Soong, Y. K. Pessary test to predict postoperative urinary incontinence in women undergoing hysterectomy for prolapse. *Obstet Gynecol*. 2004 Oct; 104: 795-800
- 59016** Lo, T. S., Lee, S. J. Treatment of recurrent genuine stress incontinence by shortening previously implanted tension-free vaginal tape. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 1005-6
- 59017** Stach-Lempinen, B., Sintonen, H., Kujansuu, E. The relationship between clinical parameters and health-related quality of life as measured by the 15D in incontinent women before and after treatment. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 983-8
- 59018** Rohr, G., Kragstrup, J., Gaist, D., Christensen, K. Genetic and environmental influences on urinary incontinence: a Danish population-based twin study of middle-aged and elderly women. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 978-82
- 59019** Aukee, P., Immonen, P., Laaksonen, D. E., Laippala, P., Penttinen, J., Airaksinen, O. The effect of home biofeedback training on stress incontinence. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 973-7
- 59020** Rohr, G., Christensen, K., Ulstrup, K., Kragstrup, J. Reproducibility and validity of simple questions to identify urinary incontinence in elderly women. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 969-72
- 59021** Glavind, K., Tetsche, M. S. Sexual function in women before and after suburethral sling operation for stress urinary incontinence: a retrospective questionnaire study. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 965-8
- 59022** Tok, E. C., Ertunc, D., Dilek, U., Pata, O., Erdogan, O., Aydin, S. The prevalence of stress urinary incontinence among women operated on for abdominal wall hernias. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 962-4
- 59023** Mazouni, C., Karsenty, G., Bretelle, F., Bladou, F., Gannerre, M., Serment, G. Urinary complications and sexual function after the tension-free vaginal tape procedure. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 955-61
- 59024** de Tayrac, R., Gervaise, A., Chauveaud-Lambling, A., Fernandez, H. Combined genital prolapse repair reinforced with a polypropylene mesh and tension-free vaginal tape in women with genital prolapse and stress urinary incontinence: a retrospective case-control study with short-term follow-up. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 950-4
- 59025** Fritel, X., Fauconnier, A., Levet, C., Benifla, J. L. Stress urinary incontinence 4 years after the first delivery: a retrospective cohort survey. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 941-5
- 59026** Allahdin, S., McKinley, C. A., Mahmood, T. A. Tension free vaginal tape: a procedure for all ages. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 937-40
- 59027** Schytt, E., Lindmark, G., Waldenstrom, U. Symptoms of stress incontinence 1 year after childbirth: prevalence and predictors in a national Swedish sample. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 928-36
- 59028** Ertunc, D., Tok, E. C., Pata, O., Dilek, U., Ozdemir, G., Dilek, S. Is stress urinary incontinence a familial condition?. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 912-6
- 59029** Dietz, H. P., Mouritsen, L., Ellis, G., Wilson, P. D. How important is TVT location?. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 904-8
- 59030** Capar, M. A new retropubic suspension operation technique for transvaginal Burch operation, using newly developed equipment. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 898-903
- 59031** Nilsson, C. G. Introduction of a new surgical procedure for treatment of female urinary incontinence. *Acta Obstet Gynecol Scand*. 2004 Oct; 83: 877-80

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 59032** Shaw, M. B., Rink, R. C., Kaefer, M., Cain, M. P., Casale, A. J. Continence and classic bladder exstrophy treated with staged repair. *J Urol.* 2004 Oct; 172: 1450-3; discussion 1453
- 59033** Leng, W. W., Davies, B. J., Tarin, T., Sweeney, D. D., Chancellor, M. B. Delayed treatment of bladder outlet obstruction after sling surgery: association with irreversible bladder dysfunction. *J Urol.* 2004 Oct; 172: 1379-81
- 59034** Crivellaro, S., Smith, J. J., Kocjancic, E., Bresette, J. F. Transvaginal sling using acellular human dermal allograft: safety and efficacy in 253 patients. *J Urol.* 2004 Oct; 172: 1374-8
- 59035** Paick, J. S., Ku, J. H., Shin, J. W., Son, H., Oh, S. J., Kim, S. W. Tension-free vaginal tape procedure for urinary incontinence with low Valsalva leak point pressure. *J Urol.* 2004 Oct; 172: 1370-3
- 59036** Castillo, O. A., Bodden, E., Olivares, R. A., Urena, R. D. Intestinal perforation: an infrequent complication during insertion of tension-free vaginal tape. *J Urol.* 2004 Oct; 172: 1364
- 59037** Yuan, X., Mudge, B. J., Raezer, D. M. Small intestine erosion by artificial urinary sphincter reservoir tubing. *J Urol.* 2004 Oct; 172: 1363
- 59038** Hodroff, M., Portis, A., Siegel, S. W. Endoscopic removal of intravesical polypropylene sling with the holmium laser. *J Urol.* 2004 Oct; 172: 1361-2
- 59039** Kalota, S. J. Small intestinal submucosa tension-free sling: postoperative inflammatory reactions and additional data. *J Urol.* 2004 Oct; 172: 1349-50
- 59040** Ghosh, T., Banfield, P. J., Klazinga, D. A. An unusual complication of tension-free vaginal tape procedure: recurrent anterior vaginal wall abscess and sinus formation. *J Obstet Gynaecol.* 2004 Aug; 24: 590-1
- 59041** Barrington, J. W., Abdel-Fattah, M., Arunkalaivanan, A. S., Austin, S., Isaacs, J. Longitudinal study of Pelvicol pubovaginal slings using magnetic resonance imaging. *J Obstet Gynaecol.* 2004 Aug; 24: 542-6
- 59042** Allahdin, S., McKinley, C., Mahmood, T. A., Lyth, D. Tension-free vaginal tape: 162 cases in a district general hospital. *J Obstet Gynaecol.* 2004 Aug; 24: 539-41
- 59043** Price, N., Jackson, S. R. Clinical audit of the use of tension-free vaginal tape as a surgical treatment for urinary stress incontinence, set against NICE guidelines. *J Obstet Gynaecol.* 2004 Aug; 24: 534-8
- 59044** Bai, S. W., Kim, B. J., Kim, S. K., Park, K. H. Comparison of outcomes between Burch colposuspension with and without concomitant abdominal hysterectomy. *Yonsei Med J.* 2004 Aug 31; 45: 665-70
- 59045** Handa, V. L., Harvey, L., Fox, H. E., Kjerulff, K. H. Parity and route of delivery: does cesarean delivery reduce bladder symptoms later in life?. *Am J Obstet Gynecol.* 2004 Aug; 191: 463-9
- 59046** Jordan, O., Doelker, E., Defabiani, N., Caviezel, A., Iselin, C. Novel injectable urethral bulking agents for the treatment of urinary incontinence. *J Mater Sci Mater Med.* 2004 Apr; 15: 519-22
- 59047** Ankardal, M., Ekerydh, A., Crafoord, K., Milsom, I., Stjern Dahl, J. H., Engh, M. E. A randomised trial comparing open Burch colposuspension using sutures with laparoscopic colposuspension using mesh and staples in women with stress urinary incontinence. *BJOG.* 2004 Sep; 111: 974-81
- 59048** Atala, A. What's new in urology. *J Am Coll Surg.* 2004 Sep; 199: 446-61
- 59049** Groen, J., Bosch, J. L. Bladder contraction strength parameters poorly predict the necessity of long-term catheterization after a pubovaginal rectus fascial sling procedure. *J Urol.* 2004 Sep; 172: 1006-9
- 59050** Paick, J. S., Ku, J. H., Kim, S. W., Oh, S. J., Son, H., Shin, J. W. Tension-free vaginal tape procedure for the treatment of mixed urinary incontinence: significance of maximal urethral closure pressure. *J Urol.* 2004 Sep; 172: 1001-5
- 59051** Tsivian, A., Mogutin, B., Kessler, O., Korczak, D., Levin, S., Sidi, A. A. Tension-free vaginal tape procedure for the treatment of female stress urinary incontinence: long-term results. *J Urol.* 2004 Sep; 172: 998-1000
- 59052** Kocjancic, E., Tarrano, E., Panella, M., Crivellaro, S., Smith, J. J., 3rd, Maso, G., Favro, M., Ceratti, G., Gontero, P., Frea, B. Evaluation of minimally invasive analysis system for cough leak point pressure measurement. *J Urol.* 2004 Sep; 172: 994-7

# American Urological Association, Inc.

## SUI Guidelines Panel

# Master Bibliography

## sorted by Procite Number

- 59053** Patry, G., Bolduc, S., Martineau, G., Fortin, D. Colovaginal fistula: an unusual complication of the tension-free vaginal tape procedure. *J Urol.* 2004 Sep; 172: 972-3
- 59054** Kielb, S. J., Clemens, J. Q. Endoscopic excision of intravesical tension-free vaginal tape with laparoscopic instrument assistance. *J Urol.* 2004 Sep; 172: 971
- 59055** Davila, G. W., Guerette, N. Current treatment options for female urinary incontinence--a review. *Int J Fertil Womens Med.* 2004 May-Jun; 49: 102-12
- 59056** Rogers, R. G., Kammerer-Doak, D., Darrow, A., Murray, K., Olsen, A., Barber, M., Qualls, C. Sexual function after surgery for stress urinary incontinence and/or pelvic organ prolapse: a multicenter prospective study. *Am J Obstet Gynecol.* 2004 Jul; 191: 206-10
- 59057** Yalcin, I., Bump, R. C. The effect of previous treatment experience and incontinence severity on the placebo response of stress urinary incontinence. *Am J Obstet Gynecol.* 2004 Jul; 191: 194-7
- 59058** Rogers, R. G., Kammerer-Doak, D., Olsen, A., Thompson, P. K., Walters, M. D., Lukacz, E. S., Qualls, C. A randomized, double-blind, placebo-controlled comparison of the effect of nitrofurantoin monohydrate macrocrystals on the development of urinary tract infections after surgery for pelvic organ prolapse and/or stress urinary incontinence with suprapubic c. *Am J Obstet Gynecol.* 2004 Jul; 191: 182-7
- 59059** Davis, T. L., Lukacz, E. S., Luber, K. M., Nager, C. W. Determinants of patient satisfaction after the tension-free vaginal tape procedure. *Am J Obstet Gynecol.* 2004 Jul; 191: 176-81
- 59060** Dietz, H. P., Eldridge, A., Grace, M., Clarke, B. Pelvic organ descent in young nulligravid women. *Am J Obstet Gynecol.* 2004 Jul; 191: 95-9
- 59061** de Tayrac, R., Chevalier, N., Chauveaud-Lambling, A., Gervaise, A., Fernandez, H. Risk of urge and stress urinary incontinence at long-term follow-up after vaginal hysterectomy. *Am J Obstet Gynecol.* 2004 Jul; 191: 90-4
- 59062** Brookes, S. T., Donovan, J. L., Wright, M., Jackson, S., Abrams, P. A scored form of the Bristol Female Lower Urinary Tract Symptoms questionnaire: data from a randomized controlled trial of surgery for women with stress incontinence. *Am J Obstet Gynecol.* 2004 Jul; 191: 73-82
- 59063** Ugboma, H. A., Okpani, A. O., Anya, S. E. Genital prolapse in Port Harcourt, Nigeria. *Niger J Med.* 2004 Apr-Jun; 13: 124-9
- 59064** Jackson, R. A., Vittinghoff, E., Kanaya, A. M., Miles, T. P., Resnick, H. E., Kritchevsky, S. B., Simonsick, E. M., Brown, J. S. Urinary incontinence in elderly women: findings from the Health, Aging, and Body Composition Study. *Obstet Gynecol.* 2004 Aug; 104: 301-7
- 59065** Trospium chloride (Sanctura): another anticholinergic for overactive bladder. *Med Lett Drugs Ther.* 2004 Aug 2; 46: 63-4
- 59066** Viereck, V., Bader, W., Skala, C., Gauruder-Burmester, A., Emons, G., Hilgers, R., Krauss, T. Determination of bladder neck position by intraoperative introital ultrasound in colposuspension: outcome at 6-month follow-up. *Ultrasound Obstet Gynecol.* 2004 Aug; 24: 186-91
- 59067** Fisher, K., Riolo, L. What is the evidence regarding specific methods of pelvic floor exercise for a patient with urinary stress incontinence and mild anterior wall prolapse?. *Phys Ther.* 2004 Aug; 84: 744-53
- 59068** Gaining control of urinary stress incontinence. *Johns Hopkins Med Lett Health After 50.* 2004 Aug; 17: 3, 7
- 59069** Karantanis, E., Fynes, M. M., Stanton, S. L. The tension-free vaginal tape in older women. *BJOG.* 2004 Aug; 111: 837-41
- 59070** But, I. Re: Surgical intervention for complications of the tension-free vaginal tape procedure. *J Urol.* 2004 Aug; 172: 777
- 59071** Kumar, V., Chapple, C. C., Chess-Williams, R. Characteristics of adenosine triphosphatase release from porcine and human normal bladder. *J Urol.* 2004 Aug; 172: 744-7
- 59072** Michel, M. C., de la Rosette, J. J., Piro, M., Goepel, M. Does concomitant stress incontinence alter the efficacy of tolterodine in patients with overactive bladder?. *J Urol.* 2004 Aug; 172: 601-4



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 59073** Subasi, M., Arslan, H., Necmioglu, S., Onen, A., Ozen, S., Kaya, M. Long-term outcomes of conservatively treated paediatric pelvic fractures. *Injury*. 2004 Aug; 35: 771-81
- 59074** Avery, J. C., Gill, T. K., MacLennan, A. H., Chittleborough, C. R., Grant, J. F., Taylor, A. W. The impact of incontinence on health-related quality of life in a South Australian population sample. *Aust N Z J Public Health*. 2004 Apr; 28: 173-9
- 59075** Bardsley, A. Key trends in the management and treatment of stress urinary incontinence. *Prof Nurse*. 2004 Jun; 19: 30-2
- 59076** Valpas, A., Kivela, A., Penttinen, J., Kujansuu, E., Haarala, M., Nilsson, C. G. Tension-free vaginal tape and laparoscopic mesh colposuspension for stress urinary incontinence. *Obstet Gynecol*. 2004 Jul; 104: 42-9
- 59077** Bader, A. A., Tamussino, K. F., Winter, R. Placement of a retropubic drain with the tension-free vaginal tape operation. *Eur J Obstet Gynecol Reprod Biol*. 2004 Jul 15; 115: 101-3
- 59078** Zubke, W., Becker, S., Kramer, B., Wallwiener, D. Persistent urinary retention after tension-free vaginal tape: a new surgical solution. *Eur J Obstet Gynecol Reprod Biol*. 2004 Jul 15; 115: 95-8
- 59079** Yan, A., Anne, M., Karine, A., Vanessa, F., Christophe, P., Anne, T., Patrick, M. Cystocele repair by a synthetic vaginal mesh secured anteriorly through the obturator foramen. *Eur J Obstet Gynecol Reprod Biol*. 2004 Jul 15; 115: 90-4
- 59080** Dorairajan, L. N., Gupta, H., Kumar, S. Pelvic fracture-associated urethral injuries in girls: experience with primary repair. *BJU Int*. 2004 Jul; 94: 134-6
- 59081** Abouassaly, R., Steinberg, J. R., Lemieux, M., Marois, C., Gilchrist, L. I., Bourque, J. L., Tu le, M., Corcos, J. Complications of tension-free vaginal tape surgery: a multi-institutional review. *BJU Int*. 2004 Jul; 94: 110-3
- 59082** Nissenkorn, I., Shalev, M., Radziszewski, P., Dobronski, P., Borkowski, A., De Jong, P. R. Patient-adjusted intermittent electrostimulation for treating stress and urge urinary incontinence. *BJU Int*. 2004 Jul; 94: 105-9
- 59083** Thaweekul, Y., Bunyavejchevin, S., Wisawasukmongchol, W., Santingamkun, A. Long term results of anterior colporrhaphy with Kelly plication for the treatment of stress urinary incontinence. *J Med Assoc Thai*. 2004 Apr; 87: 357-60
- 59084** Berkowitz, L. R. Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 20-2004. A 46-year-old woman with pelvic-floor relaxation after a second vaginal delivery. *N Engl J Med*. 2004 Jun 24; 350: 2699-706
- 59085** El-Toukhy, T. A., Hefni, M., Davies, A., Mahadevan, S. The effect of different types of hysterectomy on urinary and sexual functions: a prospective study. *J Obstet Gynaecol*. 2004 Jun; 24: 420-5
- 59086** Cronje, H. S., De Beer, J. A., Bam, R. The pathophysiology of an enterocele and its management. *J Obstet Gynaecol*. 2004 Jun; 24: 408-13
- 59087** Wilson, S., Quek, M. L., Ginsberg, D. A. Transurethral injection of bulking agents for stress urinary incontinence following orthotopic neobladder reconstruction in women. *J Urol*. 2004 Jul; 172: 244-6
- 59088** Meltomaa, S., Backman, T., Haarala, M. Concomitant vaginal surgery did not affect outcome of the tension-free vaginal tape operation during a prospective 3-year followup study. *J Urol*. 2004 Jul; 172: 222-6
- 59089** Quek, M. L., Ginsberg, D. A., Wilson, S., Skinner, E. C., Stein, J. P., Skinner, D. G. Pubovaginal slings for stress urinary incontinence following radical cystectomy and orthotopic neobladder reconstruction in women. *J Urol*. 2004 Jul; 172: 219-21
- 59090** Rodriguez, L. V., de Almeida, F., Dorey, F., Raz, S. Does Valsalva leak point pressure predict outcome after the distal urethral polypropylene sling? Role of urodynamics in the sling era. *J Urol*. 2004 Jul; 172: 210-4
- 59091** Tunuguntla, H. S., Gousse, A. E. Missed bilateral bladder perforation during pubovaginal sling procedure. *J Urol*. 2004 Jul; 172: 189-90
- 59092** Thor, K. B., Donatucci, C. Central nervous system control of the lower urinary tract: new pharmacological approaches to stress urinary incontinence in women. *J Urol*. 2004 Jul; 172: 27-33

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 59093** Davila, G. W., Stanford, E., Korn, A. Prospective trial of gasless laparoscopic Burch colposuspension using conventional surgical instruments. *J Am Assoc Gynecol Laparosc.* 2004 May; 11: 197-203
- 59094** Teleman, P. M., Lidfeldt, J., Nerbrand, C., Samsioe, G., Mattiasson, A. Overactive bladder: prevalence, risk factors and relation to stress incontinence in middle-aged women. *BJOG.* 2004 Jun; 111: 600-4
- 59095** Chaliha, C., Digesu, A., Hutchings, A., Soligo, M., Khullar, V. Caesarean section is protective against stress urinary incontinence: an analysis of women with multiple deliveries. *BJOG.* 2004 Jul; 111: 754-5
- 59096** Gray, M. Stress urinary incontinence in women. *J Am Acad Nurse Pract.* 2004 May; 16: 188-90, 192-7
- 59097** Leboeuf, L., Mendez, L. E., Gousse, A. E. Small bowel obstruction associated with tension-free vaginal tape. *Urology.* 2004 Jun; 63: 1182-4
- 59098** Comiter, C. V., Colegrove, P. M. High rate of vaginal extrusion of silicone-coated polyester sling. *Urology.* 2004 Jun; 63: 1066-70
- 59099** Kuhn, A. Re: de Leval J. Novel surgical technique for the treatment of female stress urinary incontinence: transobturator vaginal tape inside-out. *Eur Urol* 2003;44:724-30. *Eur Urol.* 2004 Jul; 46: 136
- 59100** Delmas, V. Re: de Leval J. Novel surgical technique for the treatment of female stress urinary incontinence: transobturator vaginal tape inside-out. *Eur Urol* 2003;44:724-30. *Eur Urol.* 2004 Jul; 46: 134
- 59101** Costa, P., Grise, P., Droupy, S., Monneins, F., Assenmacher, C., Ballanger, P., Hermieu, J. F., Delmas, V., Boccon-Gibod, L., Ortuno, C. Surgical treatment of female stress urinary incontinence with a trans-obturator-tape (T.O.T.) Uratope: short term results of a prospective multicentric study. *Eur Urol.* 2004 Jul; 46: 102-6; discussion 106-7
- 59102** Hampel, C., Artibani, W., Espuna Pons, M., Haab, F., Jackson, S., Romero, J., Gavart, S., Papanicolaou, S. Understanding the burden of stress urinary incontinence in Europe: a qualitative review of the literature. *Eur Urol.* 2004 Jul; 46: 15-27
- 59104** Haslam, J. The prevalence of stress urinary incontinence in women. *Nurs Times.* 2004 May 18; 100: 71-3
- 59105** Herrmann, V., Arya, L. A., Myers, D. L., Jackson, N. D., Palma, P. C., Riccetto, C. L. Urethral resistance measurement: a new method for evaluation of stress urinary incontinence in women. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 208-11
- 59106** Sun, M. J., Chang, S. Y., Lin, K. C., Chen, G. D. Is an indwelling catheter necessary for bladder drainage after modified Burch colposuspension?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 203-7
- 59107** Feldner, P. C., Jr, Bezerra, L. R., de Castro, R. A., Sartori, M. G., Baracat, E. C., de Lima, G. R., Girao, M. J. Correlation between valsalva leak point pressure and maximal urethral closure pressure in women with stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 194-7
- 59108** Cetinel, B., Demirkesen, O., Onal, B., Akkus, E., Alan, C., Can, G. Are there any factors predicting the cure and complication rates of tension-free vaginal tape?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 188-93
- 59109** Minassian, V. A., Al-Badr, A., Drutz, H. P., Lovatsis, D. Tension-free vaginal tape, Burch, and slings: are there predictors for early postoperative voiding dysfunction?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 183-7
- 59110** Glavind, K., Sander, P. Erosion, defective healing and extrusion after tension-free urethropexy for the treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 179-82
- 59111** Kinchen, K. S., Long, S., Orsini, L., Crown, W., Bump, R. C. Healthcare utilization among women who undergo surgery for stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 154-9
- 59112** Eliasson, K., Nordlander, I., Mattsson, E., Larson, B., Hammarstrom, M. Prevalence of urinary leakage in nulliparous women with respect to physical activity and micturition habits. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 May-Jun; 15: 149-53
- 59113** Dallosso, H., Matthews, R., McGrother, C., Donaldson, M. Diet as a risk factor for the development of stress urinary incontinence: a longitudinal study in women. *Eur J Clin Nutr.* 2004 Jun; 58: 920-6

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 59114** Harmanli, O. H., Dandolu, V., Chatwani, A. J. Collagen content as a risk factor for urinary incontinence. *JAMA*. 2004 May 26; 291: 2431-2
- 59115** Klauser, A., Frauscher, F., Strasser, H., Helweg, G., Kolle, D., Strohmeier, D., Stenzl, A., zur Nedden, D. Age-related rhabdosphincter function in female urinary stress incontinence: assessment of intraurethral sonography. *J Ultrasound Med*. 2004 May; 23: 631-7; quiz 638-9
- 59116** Bergman, J., Robertson, J. R., Elia, G. Effects of a magnetic field on pelvic floor muscle function in women with stress urinary incontinence. *Altern Ther Health Med*. 2004 May-Jun; 10: 70-2
- 59117** Heidrich, S. M., Wells, T. J. Effects of urinary incontinence: psychological well-being and distress in older community-dwelling women. *J Gerontol Nurs*. 2004 May; 30: 47-54
- 59118** Wein, A. J. A randomized crossover study to evaluate Ro 115-1240, a selective alpha-adrenoceptor partial agonist in women with stress urinary incontinence. *BJU Int*. 2004 May; 93: 1115
- 59119** Van Kerrebroeck, P. Duloxetine: an innovative approach for treating stress urinary incontinence. *BJU Int*. 2004 Jul; 94 Suppl 1: 31-7
- 59120** Michel, M. C., Peters, S. L. Role of serotonin and noradrenaline in stress urinary incontinence. *BJU Int*. 2004 Jul; 94 Suppl 1: 23-30
- 59121** Viktrup, L., Summers, K. H., Dennett, S. L. Clinical practice guidelines for the initial management of urinary incontinence in women: a European-focused review. *BJU Int*. 2004 Jul; 94 Suppl 1: 14-22
- 59122** Pesce, F. Current management of stress urinary incontinence. *BJU Int*. 2004 Jul; 94 Suppl 1: 8-13
- 59123** Radley, S. C. Differential diagnosis of stress urinary incontinence. *BJU Int*. 2004 Jul; 94 Suppl 1: 4-7
- 59124** Cardozo, L. New developments in the management of stress urinary incontinence. *BJU Int*. 2004 Jul; 94 Suppl 1: 1-3
- 59125** Benedetti-Panici, P., Zullo, M. A., Plotti, F., Manci, N., Muzii, L., Angioli, R. Long-term bladder function in patients with locally advanced cervical carcinoma treated with neoadjuvant chemotherapy and type 3-4 radical hysterectomy. *Cancer*. 2004 May 15; 100: 2110-7
- 59126** Schick, E., Bertrand, P. E., DuPont, C., Jolivet-Tremblay, M., Tessier, J. Urethral incompetence: an update with special reference to residual maximal urethral closure pressure. *Urology*. 2004 May; 63: 811-4
- 59127** Osmonov, D. K., Portillo, F. J. Re: functional and neuroanatomical effects of vaginal distention and pudendal nerve crush in the female rat. *J Urol*. 2004 Jun; 171: 2388; author reply 2388-9
- 59128** Abramov, Y., Sand, P. K., Gandhi, S., Botros-Brey, S., Goldberg, R. P. Chronic pelvic actinomycosis following a bone anchored sling procedure. *J Urol*. 2004 Jun; 171: 2381
- 59129** Yalcin, I., Versi, E., Benson, J. T., Schafer, W., Bump, R. C. Validation of a clinical algorithm to diagnose stress urinary incontinence for large studies. *J Urol*. 2004 Jun; 171: 2321-5
- 59130** Mydlo, J. H. The impact of obesity in urology. *Urol Clin North Am*. 2004 May; 31: 275-87
- 59131** Wai, C. Y., Corton, M. M., Miller, M., Sailors, J., Schaffer, J. I. Multiple vaginal wall cysts: diagnosis and surgical management. *Obstet Gynecol*. 2004 May; 103: 1099-102
- 59132** Learman, L. A., Summitt, R. L., Jr, Varner, R. E., Richter, H. E., Lin, F., Ireland, C. C., Kuppermann, M., Vittinghoff, E., Showstack, J., Washington, A. E., Hulley, S. B. Hysterectomy versus expanded medical treatment for abnormal uterine bleeding: clinical outcomes in the medicine or surgery trial. *Obstet Gynecol*. 2004 May; 103: 824-33
- 59133** Bai, S. W., Lee, J. W., Shin, J. S., Park, J. H., Kim, S. K., Park, K. H. The predictive values of various parameters in the diagnosis of stress urinary incontinence. *Yonsei Med J*. 2004 Apr 30; 45: 287-92
- 59134** Ellerkmann, R. M., McBride, A. W., Dunn, J. S., Bent, A. E., Blomquist, J. L., Kummer, L. G., Melick, C. F. A comparison of anticipatory and postprocedure pain perception in patients who undergo urodynamic procedures. *Am J Obstet Gynecol*. 2004 Apr; 190: 1034-8

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 59135** Baessler, K., Stanton, S. L. Does Burch colposuspension cure coital incontinence?. *Am J Obstet Gynecol.* 2004 Apr; 190: 1030-3
- 59136** Clemons, J. L., Aguilar, V. C., Tillinghast, T. A., Jackson, N. D., Myers, D. L. Patient satisfaction and changes in prolapse and urinary symptoms in women who were fitted successfully with a pessary for pelvic organ prolapse. *Am J Obstet Gynecol.* 2004 Apr; 190: 1025-9
- 59137** Kamo, I., Cannon, T. W., Conway, D. A., Torimoto, K., Chancellor, M. B., de Groat, W. C., Yoshimura, N. The role of bladder-to-urethral reflexes in urinary continence mechanisms in rats. *Am J Physiol Renal Physiol.* 2004 Sep; 287: F434-41
- 59138** Del Rio, C., Sanchez-Santos, R., Oreja, V., De Oca, J., Biondo, S., Pares, D., Osorio, A., Marti-Rague, J., Jaurrieta, E. Long-term urinary dysfunction after rectal cancer surgery. *Colorectal Dis.* 2004 May; 6: 198-202
- 59139** Dietz, H. P., Ellis, G., Wilson, P. D., Herbison, P. Voiding function after tension-free vaginal tape: a longitudinal study. *Aust N Z J Obstet Gynaecol.* 2004 Apr; 44: 152-5
- 59140** Salonia, A., Zanni, G., Nappi, R. E., Briganti, A., Deho, F., Fabbri, F., Colombo, R., Guazzoni, G., Di Girolamo, V., Rigatti, P., Montorsi, F. Sexual dysfunction is common in women with lower urinary tract symptoms and urinary incontinence: results of a cross-sectional study. *Eur Urol.* 2004 May; 45: 642-8; discussion 648
- 59141** Knight, G. E., Burnstock, G. The effect of pregnancy and the oestrus cycle on purinergic and cholinergic responses of the rat urinary bladder. *Neuropharmacology.* 2004 Jun; 46: 1049-56
- 59144** Goldberg, R. P., Tchetgen, M. B., Sand, P. K., Koduri, S., Rackley, R., Appell, R., Culligan, P. J. Incidence of pubic osteomyelitis after bladder neck suspension using bone anchors. *Urology.* 2004 Apr; 63: 704-8
- 59145** Huang, W. C., Yang, J. M. Anatomic comparison between laparoscopic and open Burch colposuspension for primary stress urinary incontinence. *Urology.* 2004 Apr; 63: 676-81; discussion 681
- 59146** Lo, T. S., Horng, S. G., Liang, C. C., Lee, S. J., Soong, Y. K. Ultrasound assessment of mid-urethra tape at three-year follow-up after tension-free vaginal tape procedure. *Urology.* 2004 Apr; 63: 671-5
- 59147** Carey, J. M., Leach, G. E. Transvaginal surgery in the octogenarian using cadaveric fascia for pelvic prolapse and stress incontinence: minimal one-year results compared to younger patients. *Urology.* 2004 Apr; 63: 665-70
- 59150** Manikandan, R., Kujawa, M., Pearson, E., O'Reilly, P. H., Brown, S. C. Results of the tension-free vaginal tape procedure for stress incontinence: patient's perspective. *Int J Urol.* 2004 Apr; 11: 206-12
- 59151** Ballagh, S. A. Vaginal hormone therapy for urogenital and menopausal symptoms. *Semin Reprod Med.* 2005 May; 23: 126-40
- 59152** Gurbuz, A., Karateke, A., Kabaca, C. Enuresis in childhood, and urinary and fecal incontinence in adult life: do they share a common cause?. *BJU Int.* 2005 May; 95: 1058-62
- 59153** Nesrallah, L. J., Almeida, F. G., Dall'oglio, M. F., Nesrallah, A. J., Srougi, M. Experience with the orthotopic ileal neobladder in women: a mid-term follow-up. *BJU Int.* 2005 May; 95: 1045-7
- 59154** Sakakibara, R., Ito, T., Uchiyama, T., Asahina, M., Liu, Z., Yamamoto, T., Yamanaka, Y., Hattori, T. Lower urinary tract function in dementia of Lewy body type. *J Neurol Neurosurg Psychiatry.* 2005 May; 76: 729-32
- 59155** Hijaz, A., Bena, J., Daneshgari, F. Long-term efficacy of a vaginal sling procedure in a rat model of stress urinary incontinence. *J Urol.* 2005 May; 173: 1817-9
- 59156** Ghoniem, G. M., Van Leeuwen, J. S., Elser, D. M., Freeman, R. M., Zhao, Y. D., Yalcin, I., Bump, R. C. A randomized controlled trial of duloxetine alone, pelvic floor muscle training alone, combined treatment and no active treatment in women with stress urinary incontinence. *J Urol.* 2005 May; 173: 1647-53
- 59157** Domingo, S., Alama, P., Ruiz, N., Perales, A., Pellicer, A. Diagnosis, management and prognosis of vaginal erosion after transobturator suburethral tape procedure using a nonwoven thermally bonded polypropylene mesh. *J Urol.* 2005 May; 173: 1627-30
- 59158** Sun, M. J., Chen, G. D., Chang, S. Y., Lin, K. C., Chen, S. Y. Prevalence of lower urinary tract symptoms during pregnancy in Taiwan. *J Formos Med Assoc.* 2005 Mar; 104: 185-9
- 59159** Pelvic floor exercise can reduce stress incontinence. *Health News.* 2005 Apr; 11: 11

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 59160** Giri, S. K., Drumm, J., Saunders, J. A., McDonald, J., Flood, H. D. Day-case sling surgery for stress urinary incontinence: feasibility and safety. *BJU Int.* 2005 Apr; 95: 827-32
- 59161** Bradshaw, H. D., Radley, S. C., Rosario, D. J., Chapple, C. R. Towards a better understanding of involuntary detrusor activity. *BJU Int.* 2005 Apr; 95: 799-803
- 59162** McIntosh, L. The role of the nurse in the use of vaginal pessaries to treat pelvic organ prolapse and/or urinary incontinence: a literature review. *Urol Nurs.* 2005 Feb; 25: 41-8
- 59163** Hamzeh, R., Oligbo, N. Tension-free tape procedure for a woman with a transplanted kidney. *BJOG.* 2005 Apr; 112: 508
- 59164** Costantini, S., Mistrangelo, E., Francioso, R., Valenzano Menada, M., Risso, D., Lantieri, P. Vaginal versus transabdominal hysterectomy: is mode of hysterectomy to influence pelvic statics or is pelvic statics to influence mode of hysterectomy?. *Acta Obstet Gynecol Scand.* 2005 Apr; 84: 376-9
- 59165** Shafik, A. Re: Functional and neuroanatomical effects of vaginal distention and pudendal nerve crush in the female rat. *J Urol.* 2005 Apr; 173: 1436; author reply 1436
- 59166** Reid, S. V., Parys, B. T. Long-term 5-year followup of the results of the vesica procedure. *J Urol.* 2005 Apr; 173: 1234-6
- 59167** Frederick, R. W., Leach, G. E. Cadaveric prolapse repair with sling: intermediate outcomes with 6 months to 5 years of followup. *J Urol.* 2005 Apr; 173: 1229-33
- 59168** Bonnet, P., Waltregny, D., Reul, O., de Leval, J. Transobturator vaginal tape inside out for the surgical treatment of female stress urinary incontinence: anatomical considerations. *J Urol.* 2005 Apr; 173: 1223-8
- 59169** Latini, J. M., Zimmerman, M. B., Kreder, K. J., Jr Association between valsalva and cough leak point pressures and pelvic organ prolapse quantification in women with stress incontinence. *J Urol.* 2005 Apr; 173: 1219-22
- 59170** Kuo, H. C. Long-term surgical results of pubovaginal sling procedure using polypropylene mesh in the treatment of stress urinary incontinence. *Urol Int.* 2005; 74: 147-52
- 59171** Hendrix, S. L., Cochrane, B. B., Nygaard, I. E., Handa, V. L., Barnabei, V. M., Iglesia, C., Aragaki, A., Naughton, M. J., Wallace, R. B., McNeeley, S. G. Effects of estrogen with and without progestin on urinary incontinence. *JAMA.* 2005 Feb 23; 293: 935-48
- 59172** Schweitzer, K. J., Vierhout, M. E., Milani, A. L. Surgery for pelvic organ prolapse in women of 80 years of age and older. *Acta Obstet Gynecol Scand.* 2005 Mar; 84: 286-9
- 59173** Bafghi, A., Benizri, E. I., Trastour, C., Benizri, E. J., Michiels, J. F., Bongain, A. Multifilament polypropylene mesh for urinary incontinence: 10 cases of infections requiring removal of the sling. *BJOG.* 2005 Mar; 112: 376-8
- 59174** Dietz, H. P., Hansell, N. K., Grace, M. E., Eldridge, A. M., Clarke, B., Martin, N. G. Bladder neck mobility is a heritable trait. *BJOG.* 2005 Mar; 112: 334-9
- 59175** Zullo, M. A., Plotti, F., Bellati, F., Muzii, L., Angioli, R., Panici, P. B. Transurethral polydimethylsiloxane implantation: a valid option for the treatment of stress urinary incontinence due to intrinsic sphincter deficiency without urethral hypermobility. *J Urol.* 2005 Mar; 173: 898-902
- 59176** Lin, A. T., Wang, S. J., Chen, K. K., Chang, L. S. In vivo tension sustained by fascial sling in pubovaginal sling surgery for female stress urinary incontinence. *J Urol.* 2005 Mar; 173: 894-7
- 59177** Kim, J. The development and evaluation of an incontinence intervention program for the elderly women at elderly welfare center. *Taehan Kanho Hakhoe Chi.* 2004 Dec; 34: 1427-33
- 59178** Weiss, B. D. Selecting medications for the treatment of urinary incontinence. *Am Fam Physician.* 2005 Jan 15; 71: 315-22
- 59179** Murphy, M., Culligan, P. J., Arce, C. M., Graham, C. A., Blackwell, L., Heit, M. H. Is the cough-stress test necessary when placing the tension-free vaginal tape?. *Obstet Gynecol.* 2005 Feb; 105: 319-24
- 59180** Palma, P. C., Dambros, M., Riccetto, C. Z., Thiel, M., Netto, N. R., Jr The Ibero-American experience with a re-adjustable minimally invasive sling. *BJU Int.* 2005 Feb; 95: 341-5



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 59181** Chapple, C. R., Wein, A. J., Artibani, W., Brubaker, L., Haab, F., Heesakkers, J. P., Lightner, D. A critical review of diagnostic criteria for evaluating patients with symptomatic stress urinary incontinence. *BJU Int.* 2005 Feb; 95: 327-34
- 59182** Viktrup, L., Koke, S., Burgio, K. L., Ouslander, J. G. Stress urinary incontinence in active elderly women. *South Med J.* 2005 Jan; 98: 79-89
- 59183** McVeigh, C. Perimenopause: more than hot flushes and night sweats for some Australian women. *J Obstet Gynecol Neonatal Nurs.* 2005 Jan-Feb; 34: 21-7
- 59184** Bradley, C. S., Rovner, E. S., Morgan, M. A., Berlin, M., Novi, J. M., Shea, J. A., Arya, L. A. A new questionnaire for urinary incontinence diagnosis in women: development and testing. *Am J Obstet Gynecol.* 2005 Jan; 192: 66-73
- 59185** Chaliha, C., Digesu, G. A., Hutchings, A., Khullar, V. Changes in urethral function with bladder filling in the presence of urodynamic stress incontinence and detrusor overactivity. *Am J Obstet Gynecol.* 2005 Jan; 192: 60-5
- 59186** Kenton, K., Fitzgerald, M. P., Brubaker, L. Striated urethral sphincter activity does not alter urethral pressure during filling cystometry. *Am J Obstet Gynecol.* 2005 Jan; 192: 55-9
- 59187** Abdel-Hady, el-S., Constantine, G. Outcome of the use of tension-free vaginal tape in women with mixed urinary incontinence, previous failed surgery, or low valsalva pressure. *J Obstet Gynaecol Res.* 2005 Feb; 31: 38-42
- 59188** Dubravica, M., Demarin, V. Electromyographic study of the anal sphincter in women. *Coll Antropol.* 2004 Dec; 28: 769-74
- 59189** Qiu, Y., DU, C., Shen, X. Transurethral resection in women with lower urinary tract symptoms. *Int J Urol.* 2004 Dec; 11: 1097-103
- 59190** Milani, R., Salvatore, S., Soligo, M., Pifarotti, P., Meschia, M., Cortese, M. Functional and anatomical outcome of anterior and posterior vaginal prolapse repair with prolene mesh. *BJOG.* 2005 Jan; 112: 107-11
- 59191** Ramsay, I. N. The treatment of stress incontinence--is there a role for laparoscopy?. *BJOG.* 2004 Dec; 111 Suppl 1: 49-52
- 59192** Bombieri, L. Is there a role for colposuspension?. *BJOG.* 2004 Dec; 111 Suppl 1: 46-8
- 59193** Stanton, S. L. Mid-urethral tapes: which? Review of available commercial mid-urethral tapes for the correction of stress incontinence. *BJOG.* 2004 Dec; 111 Suppl 1: 41-5
- 59194** Robinson, D., Cardozo, L. Oestrogens and the lower urinary tract. *BJOG.* 2004 Dec; 111 Suppl 1: 10-4
- 59195** Hilton, P., Dolan, L. M. Pathophysiology of urinary incontinence and pelvic organ prolapse. *BJOG.* 2004 Dec; 111 Suppl 1: 5-9
- 59196** Rodriguez, L. V., Chen, S., Jack, G. S., de Almeida, F., Lee, K. W., Zhang, R. New objective measures to quantify stress urinary incontinence in a novel durable animal model of intrinsic sphincter deficiency. *Am J Physiol Regul Integr Comp Physiol.* 2005 May; 288: R1332-8
- 59197** Lara, M. D., Kothari, S. N., Sugerman, H. J. Surgical management of obesity: a review of the evidence relating to the health benefits and risks. *Treat Endocrinol.* 2005; 4: 55-64
- 59198** Dietz, H. P., Haylen, B. T. Symptoms of voiding dysfunction: what do they really mean?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2005 Jan-Feb; 16: 52-5; discussion 55
- 59199** Dietz, H. P., Wilson, P. D. Laparoscopic colposuspension versus urethropexy: a case-control series. *Int Urogynecol J Pelvic Floor Dysfunct.* 2005 Jan-Feb; 16: 15-8; discussion 18
- 59200** Chan, L. W., Tse, V. W. Unrecognized bladder perforation while placing a suburethral synthetic sling: a minimally invasive technique for removing an intravesical sling segment. *BJU Int.* 2005 Jan; 95: 187-8
- 59201** Duckett, J. R., Jain, S. Groin pain after a tension-free vaginal tape or similar suburethral sling: management strategies. *BJU Int.* 2005 Jan; 95: 95-7
- 59202** Smith, A. L., Moy, M. L. Modern management of women with stress urinary incontinence. *Ostomy Wound Manage.* 2004 Dec; 50: 32-9; quiz 40-1

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 59203** Scholes, D., Hooton, T. M., Roberts, P. L., Gupta, K., Stapleton, A. E., Stamm, W. E. Risk factors associated with acute pyelonephritis in healthy women. *Ann Intern Med.* 2005 Jan 4; 142: 20-7
- 59204** Summaries for patients. Factors associated with acute kidney infections in healthy women. *Ann Intern Med.* 2005 Jan 4; 142: 134
- 59205** Ustun, Y., Engin-Ustun, Y., Gungor, M., Tezcan, S. Randomized comparison of Burch urethropexy procedures concomitant with gynecologic operations. *Gynecol Obstet Invest.* 2005; 59: 19-23
- 59206** Tapp, K., Connolly, A., Visco, A. G. Evaluation of Aa point and cotton-tipped swab test as predictors of urodynamic stress incontinence. *Obstet Gynecol.* 2005 Jan; 105: 115-9
- 59207** Pollock, L. SUI after childbirth. *RCM Midwives.* 2004 Dec; 7: 504
- 59208** Ahmad, S., Nishtar, A., Hafeez, G. A., Khan, Z. Management of vesico-vaginal fistulas in women. *Int J Gynaecol Obstet.* 2005 Jan; 88: 71-5
- 59209** Digesu, G. A., Khullar, V., Cardozo, L., Sethna, F., Salvatore, S. Preoperative pressure-flow studies: useful variables to predict the outcome of continence surgery. *BJU Int.* 2004 Dec; 94: 1296-9
- 59210** Matharu, G., Donaldson, M. M., McGrother, C. W., Matthews, R. J. Relationship between urinary symptoms reported in a postal questionnaire and urodynamic diagnosis. *Neurourol Urodyn.* 2005; 24: 100-5
- 59211** Helstrom, L., Nilsson, B. Impact of vaginal surgery on sexuality and quality of life in women with urinary incontinence or genital descensus. *Acta Obstet Gynecol Scand.* 2005 Jan; 84: 79-84
- 59212** Oskay, U. Y., Beji, N. K., Yalcin, O. A study on urogenital complaints of postmenopausal women aged 50 and over. *Acta Obstet Gynecol Scand.* 2005 Jan; 84: 72-8
- 59213** Dietz, H. P., Eldridge, A., Grace, M., Clarke, B. Does pregnancy affect pelvic organ mobility?. *Aust N Z J Obstet Gynaecol.* 2004 Dec; 44: 517-20
- 59214** Ghezzi, F., Cromi, A., Raio, L., Bergamini, V., Triacca, P., Serati, M., Kuhn, A. Influence of the type of anesthesia and hydrodissection on the complication rate after tension-free vaginal tape procedure. *Eur J Obstet Gynecol Reprod Biol.* 2005 Jan 10; 118: 96-100
- 59215** Wang, A. C., Lee, L. Y., Lin, C. T., Chen, J. R. A histologic and immunohistochemical analysis of defective vaginal healing after continence taping procedures: a prospective case-controlled pilot study. *Am J Obstet Gynecol.* 2004 Dec; 191: 1868-74
- 59216** Amarenco, G., Ismael, S. S., Lagauche, D., Raibaut, P., Rene-Corail, P., Wolff, N., Thoumie, P., Haab, F. Cough anal reflex: strict relationship between intravesical pressure and pelvic floor muscle electromyographic activity during cough. Urodynamic and electrophysiological study. *J Urol.* 2005 Jan; 173: 149-52
- 59217** Bjelic-Radisic, V., Dorfer, M., Tamussino, K., Greimel, E. Psychometric properties and validation of the German-language King's Health Questionnaire in women with stress urinary incontinence. *Neurourol Urodyn.* 2005; 24: 63-8
- 59218** Connolly, T. P. Necrotizing surgical site infection after tension-free vaginal tape. *Obstet Gynecol.* 2004 Dec; 104: 1275-6
- 59219** Long, C. Y., Lo, T. S., Liu, C. M., Hsu, S. C., Chang, Y., Tsai, E. M. Lateral excision of tension-free vaginal tape for the treatment of iatrogenic urethral obstruction. *Obstet Gynecol.* 2004 Dec; 104: 1270-4
- 59220** Segal, J. L., Vassallo, B., Kleeman, S., Silva, W. A., Karram, M. M. Prevalence of persistent and de novo overactive bladder symptoms after the tension-free vaginal tape. *Obstet Gynecol.* 2004 Dec; 104: 1263-9
- 59221** Paraiso, M. F., Walters, M. D., Karram, M. M., Barber, M. D. Laparoscopic Burch colposuspension versus tension-free vaginal tape: a randomized trial. *Obstet Gynecol.* 2004 Dec; 104: 1249-58
- 59222** Minassian, V. A., Al-Badr, A., Pascali, D. U., Lovatsis, D., Drutz, H. P. Tension-free vaginal tape: do patients who fail to follow-up have the same results as those who do?. *Neurourol Urodyn.* 2005; 24: 35-8
- 59223** Haferkamp, A., Mundhenk, J., Bastian, P. J., Reitz, A., Dorsam, J., Pannek, J., Schumacher, S., Schurch, B., Buttner, R., Muller, S. C. Increased expression of connexin 43 in the overactive neurogenic detrusor. *Eur Urol.* 2004 Dec; 46: 799-805

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 59224** Soderberg, M. W., Falconer, C., Bystrom, B., Malmstrom, A., Ekman, G. Young women with genital prolapse have a low collagen concentration. *Acta Obstet Gynecol Scand.* 2004 Dec; 83: 1193-8
- 59225** Zullo, F., Palomba, S., Russo, T., Sbano, F. M., Falbo, A., Morelli, M., Pellicano, M., Mastrantonio, P. Laparoscopic colposuspension using sutures or prolene meshes: a 3-year follow-up. *Eur J Obstet Gynecol Reprod Biol.* 2004 Dec 1; 117: 201-3
- 59226** Anger, J. T., Rodriguez, L. V. Mixed incontinence: stressing about urge. *Curr Urol Rep.* 2004 Dec; 5: 427-31
- 59227** Paick, J. S., Ku, J. H., Shin, J. W., Park, K., Son, H., Oh, S. J., Kim, S. W. Significance of pad test loss for the evaluation of women with urinary incontinence. *Neurourol Urodyn.* 2005; 24: 39-43
- 59228** Turkan, A., Inci, Y., Fazli, D. The short-term effects of physical therapy in different intensities of urodynamic stress incontinence. *Gynecol Obstet Invest.* 2005; 59: 43-8
- 59229** Mikhail, M. S., Rosa, H., Palan, P., Anderson, P. Comparison of preoperative and postoperative pressure transmission ratio and urethral pressure profilometry in patients with successful outcome following the vaginal wall patch sling technique. *Neurourol Urodyn.* 2005; 24: 31-4
- 59230** But, I., Bratus, D., Faganelj, M. Prolene tape in the bladder wall after TVT procedure--intramural tape placement or secondary tape migration?. *Int Urogynecol J Pelvic Floor Dysfunct.* 2005 Jan-Feb; 16: 75-6
- 59231** Early symptoms of ovarian cancer exist but may not be recognized. *Mayo Clin Womens Healthsource.* 2005 Apr; 9: 3
- 59232** Hartmann, K., Viswanathan, M., Palmieri, R., Gartlehner, G., Thorp, J., Jr, Lohr, K. N. Outcomes of routine episiotomy: a systematic review. *JAMA.* 2005 May 4; 293: 2141-8
- 59234** Boemers, T. M., Schimke, C. M. Colpo-wrap: a new continence procedure. *BJU Int.* 2005 May; 95: 1063-4
- 59236** Castellan, M. A., Gosalbez, R., Labbie, A., Ibrahim, E., Disandro, M. Outcomes of continent catheterizable stomas for urinary and fecal incontinence: comparison among different tissue options. *BJU Int.* 2005 May; 95: 1053-7
- 59238** Drake, M. J., Harvey, I. J., Gillespie, J. I., Van Duyl, W. A. Localized contractions in the normal human bladder and in urinary urgency. *BJU Int.* 2005 May; 95: 1002-5
- 59239** Chapple, C., Steers, W., Norton, P., Millard, R., Kralidis, G., Glavind, K., Abrams, P. A pooled analysis of three phase III studies to investigate the efficacy, tolerability and safety of darifenacin, a muscarinic M3 selective receptor antagonist, in the treatment of overactive bladder. *BJU Int.* 2005 May; 95: 993-1001
- 59241** Gill, S. S., Mamdani, M., Naglie, G., Streiner, D. L., Bronskill, S. E., Kopp, A., Shulman, K. I., Lee, P. E., Rochon, P. A. A prescribing cascade involving cholinesterase inhibitors and anticholinergic drugs. *Arch Intern Med.* 2005 Apr 11; 165: 808-13
- 59242** Evans, D. Discreet products for children and teenagers with continence problems. *Nurs Times.* 2005 Mar 22-28; 101: 50-2
- 59243** Goldstein, R. E., Westropp, J. L. Urodynamic testing in the diagnosis of small animal micturition disorders. *Clin Tech Small Anim Pract.* 2005 Feb; 20: 65-72
- 59246** But, I., Faganelj, M., Sostaric, A. Functional magnetic stimulation for mixed urinary incontinence. *J Urol.* 2005 May; 173: 1644-6
- 59247** Zinner, N., Harnett, M., Sabounjian, L., Sandage, B., Jr, Dmochowski, R., Staskin, D. The overactive bladder-symptom composite score: a composite symptom score of toilet voids, urgency severity and urge urinary incontinence in patients with overactive bladder. *J Urol.* 2005 May; 173: 1639-43
- 59249** McGuire, E. J. Urinary incontinence: a diverse condition. *J Urol.* 2005 May; 173: 1453-4
- 59251** Goode, P. S., Burgio, K. L., Halli, A. D., Jones, R. W., Richter, H. E., Redden, D. T., Baker, P. S., Allman, R. M. Prevalence and correlates of fecal incontinence in community-dwelling older adults. *J Am Geriatr Soc.* 2005 Apr; 53: 629-35
- 59253** Stem cells may cure urinary incontinence. In this experimental treatment, a patient's own cells can stop leaks in as little as one day. *Health News.* 2005 Mar; 11: 4-5

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 59254** Friedman, S. M., Steinwachs, D. M., Rathouz, P. J., Burton, L. C., Mukamel, D. B. Characteristics predicting nursing home admission in the program of all-inclusive care for elderly people. *Gerontologist*. 2005 Apr; 45: 157-66
- 59257** Artibani, W., Cerruto, M. A. The role of imaging in urinary incontinence. *BJU Int*. 2005 Apr; 95: 699-703
- 59258** Col, C., Hasdemir, O., Yalcin, E., Guzel, H., Tunc, G., Bilgen, K., Kucukpinar, T. The assessment of urinary function following extended lymph node dissection for colorectal cancer. *Eur J Surg Oncol*. 2005 Apr; 31: 237-41
- 59260** Ruff, C. C. Risk factors for urinary incontinence in African-American women. *Urol Nurs*. 2005 Feb; 25: 33-9
- 59262** Rodriguez-Veiga, E., Mestre-Nieto, L., Martinez-Sainz, P., Garcia-Pascual, A., Martin-Palacios, S., Marin-Garcia, P., Gonzalez-Soriano, J. Stereological study of the external urethral sphincter in the female urethra of the lamb: a new model for studies on urinary continence. *Anat Histol Embryol*. 2005 Apr; 34: 85-92
- 59263** Stanton, A. L., Bernaards, C. A., Ganz, P. A. The BCPT symptom scales: a measure of physical symptoms for women diagnosed with or at risk for breast cancer. *J Natl Cancer Inst*. 2005 Mar 16; 97: 448-56
- 59264** Melville, J. L., Katon, W., Delaney, K., Newton, K. Urinary incontinence in US women: a population-based study. *Arch Intern Med*. 2005 Mar 14; 165: 537-42
- 59265** Teunissen, D., Lagro-Janssen, T. Urinary incontinence in community dwelling elderly: are there sex differences in help-seeking behaviour?. *Scand J Prim Health Care*. 2004 Dec; 22: 209-16
- 59267** Jorgensen, L., Engstad, T., Jacobsen, B. K. Self-reported urinary incontinence in noninstitutionalized long-term stroke survivors: A population-based study. *Arch Phys Med Rehabil*. 2005 Mar; 86: 416-20
- 59269** Nijman, R. J., Borgstein, N. G., Ellsworth, P., Djurhuus, J. C. Tolterodine treatment for children with symptoms of urinary urge incontinence suggestive of detrusor overactivity: results from 2 randomized, placebo controlled trials. *J Urol*. 2005 Apr; 173: 1334-9
- 59270** Stothers, L., Thom, D., Calhoun, E. Urologic diseases in America project: urinary incontinence in males--demographics and economic burden. *J Urol*. 2005 Apr; 173: 1302-8
- 59271** Thom, D. H., Nygaard, I. E., Calhoun, E. A. Urologic diseases in America project: urinary incontinence in women--national trends in hospitalizations, office visits, treatment and economic impact. *J Urol*. 2005 Apr; 173: 1295-301
- 59276** Cardozo, L., Dixon, A. Increased warning time with darifenacin: a new concept in the management of urinary urgency. *J Urol*. 2005 Apr; 173: 1214-8
- 59278** Schuessler, B. Research of surgical outcome of incontinence surgery in women. *Am J Obstet Gynecol*. 2005 Mar; 192: 984-5; author reply 985
- 59279** Swift, S., Woodman, P., O'Boyle, A., Kahn, M., Valley, M., Bland, D., Wang, W., Schaffer, J. Pelvic Organ Support Study (POSST): the distribution, clinical definition, and epidemiologic condition of pelvic organ support defects. *Am J Obstet Gynecol*. 2005 Mar; 192: 795-806
- 59280** Bahl, R., Strachan, B., Murphy, D. J. Pelvic floor morbidity at 3 years after instrumental delivery and cesarean delivery in the second stage of labor and the impact of a subsequent delivery. *Am J Obstet Gynecol*. 2005 Mar; 192: 789-94
- 59281** Wren, P. A., Janz, N. K., Brubaker, L., Fitzgerald, M. P., Weber, A. M., LaPorte, F. B., Wei, J. T. Reliability of health-related quality-of-life measures 1 year after surgical procedures for pelvic floor disorders. *Am J Obstet Gynecol*. 2005 Mar; 192: 780-8
- 59282** Samanci, N., Dora, B., Kizilay, F., Balci, N., Ozcan, E., Arman, M. Factors affecting one year mortality and functional outcome after first ever ischemic stroke in the region of Antalya, Turkey (a hospital-based study). *Acta Neurol Belg*. 2004 Dec; 104: 154-60
- 59283** Bo, K., Sherburn, M. Evaluation of female pelvic-floor muscle function and strength. *Phys Ther*. 2005 Mar; 85: 269-82
- 59284** DuBeau, C. E. Estrogen treatment for urinary incontinence: never, now, or in the future?. *JAMA*. 2005 Feb 23; 293: 998-1001

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 59286** Simmons, R. Conservative and surgical approaches to the treatment of overactive bladder. *Prof Nurse*. 2005 Feb; 20: 31-3
- 59287** Dmochowski, R. Urinary frequency: event measure, outcome significance?. *Curr Urol Rep*. 2005 Mar; 6: 87-8
- 59291** Fornell, E. U., Matthiesen, L., Sjodahl, R., Berg, G. Obstetric anal sphincter injury ten years after: subjective and objective long term effects. *BJOG*. 2005 Mar; 112: 312-6
- 59292** Akbal, C., Genc, Y., Burgu, B., Ozden, E., Tekgul, S. Dysfunctional voiding and incontinence scoring system: quantitative evaluation of incontinence symptoms in pediatric population. *J Urol*. 2005 Mar; 173: 969-73
- 59295** Rao, A. R., Karim, O. M., Motiwala, H. G. Urethral diverticula: a diagnostic dilemma. *BJU Int*. 2005 Mar; 95: 680-1
- 59296** Cardozo, L., Coyne, K. S., Versi, E. Validation of the urgency perception scale. *BJU Int*. 2005 Mar; 95: 591-6
- 59297** Steers, W., Corcos, J., Foote, J., Kralidis, G. An investigation of dose titration with darifenacin, an M3-selective receptor antagonist. *BJU Int*. 2005 Mar; 95: 580-6
- 59298** Kondoh, T., Amamoto, N., Doi, T., Hamada, H., Ogawa, Y., Nakashima, M., Sasaki, H., Aikawa, K., Tanaka, T., Aoki, M., Harada, J., Moriuchi, H. Dramatic improvement in Down syndrome-associated cognitive impairment with donepezil. *Ann Pharmacother*. 2005 Mar; 39: 563-6
- 59299** Chen, C. H., Lee, Y. H., Tzeng, W. S., Huan, S. K. A patient with urgency, frequency, and low serum C reactive protein concentration. *Postgrad Med J*. 2005 Feb; 81: 139-40
- 59300** Elkelini, M., Hassouna, M. M. Canadian experience in sacral neuromodulation. *Urol Clin North Am*. 2005 Feb; 32: 41-9
- 59301** Wall, J., Colley, T. A study to evaluate factors for inclusion in a new self-assessed risk indicator for persons who use a wheelchair for mobility. *J Tissue Viability*. 2005 Jan; 15: 9-16
- 59302** Abeygunasekera, A. M. Clean intermittent catheterisation. *Ceylon Med J*. 2004 Dec; 49: 107-9
- 59305** Trospium chloride (Sanctura): another anticholinergic for overactive bladder. *Obstet Gynecol*. 2005 Feb; 105: 431-2
- 59317** Anders, K. Devices for continence and prolapse. *BJOG*. 2004 Dec; 111 Suppl 1: 61-6
- 59321** Freeman, R. M. The role of pelvic floor muscle training in urinary incontinence. *BJOG*. 2004 Dec; 111 Suppl 1: 37-40
- 59322** Wagg, A. Urinary incontinence--older people: where are we now?. *BJOG*. 2004 Dec; 111 Suppl 1: 15-9
- 59325** Mayne, C. J., Assassa, R. P. Epidemiology of incontinence and prolapse. *BJOG*. 2004 Dec; 111 Suppl 1: 2-4
- 59326** Themistocleous, G. S., Papagelopoulos, P. J., Petraki, K. D., Stilianessi, E. V., Partsinevelos, A. A., Sapkas, G. S. A 23-year-old woman with complete paraplegia and anesthesia below the T8 level. *Clin Orthop Relat Res*. 2005 Jan; : 258-65
- 59327** Newman, D. K. Report of a mail survey of women with bladder control disorders. *Urol Nurs*. 2004 Dec; 24: 499-507
- 59328** Duffau, H., Capelle, L. Incontinence after brain glioma surgery: new insights into the cortical control of micturition and continence. Case report. *J Neurosurg*. 2005 Jan; 102: 148-51
- 59331** Karantanis, E., Allen, W., Stevermuer, T. L., Simons, A. M., O'Sullivan, R., Moore, K. H. The repeatability of the 24-hour pad test. *Int Urogynecol J Pelvic Floor Dysfunct*. 2005 Jan-Feb; 16: 63-8; discussion 68
- 59333** Culligan, P. J., Myers, J. A., Goldberg, R. P., Blackwell, L., Gohmann, S. F., Abell, T. D. Elective cesarean section to prevent anal incontinence and brachial plexus injuries associated with macrosomia--a decision analysis. *Int Urogynecol J Pelvic Floor Dysfunct*. 2005 Jan-Feb; 16: 19-28; discussion 28
- 59335** Barth, A., Reichler, I. M., Hubler, M., Hassig, M., Arnold, S. Evaluation of long-term effects of endoscopic injection of collagen into the urethral submucosa for treatment of urethral sphincter incompetence in female dogs: 40 cases (1993-2000). *J Am Vet Med Assoc*. 2005 Jan 1; 226: 73-6
- 59336** Ermer-Seltun, J. Good counsel on continence. *Ostomy Wound Manage*. 2004 Dec; 50: 20-3



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 59337** Lipton, R. B., Kolodner, K., Wesnes, K. Assessment of cognitive function of the elderly population: effects of darifenacin. *J Urol.* 2005 Feb; 173: 493-8
- 59338** Frankenburg, F. R., Zanarini, M. C. The association between borderline personality disorder and chronic medical illnesses, poor health-related lifestyle choices, and costly forms of health care utilization. *J Clin Psychiatry.* 2004 Dec; 65: 1660-5
- 59341** Kelleher, C. J., Cardozo, L., Chapple, C. R., Haab, F., Ridder, A. M. Improved quality of life in patients with overactive bladder symptoms treated with solifenacin. *BJU Int.* 2005 Jan; 95: 81-5
- 59342** Herschorn, S., Becker, D., Miller, E., Thompson, M., Forte, L. Impact of a health education intervention in overactive bladder patients. *Can J Urol.* 2004 Dec; 11: 2430-7
- 59346** Jackson, S. L., Boyko, E. J., Scholes, D., Abraham, L., Gupta, K., Fihn, S. D. Predictors of urinary tract infection after menopause: a prospective study. *Am J Med.* 2004 Dec 15; 117: 903-11
- 59347** Pereira, C. E., Lynch, J. C. Spinal epidural abscess: an analysis of 24 cases. *Surg Neurol.* 2005; 63 Suppl 1: S26-9
- 59349** Schatz, I. J. Case 27-2004: multiple-system atrophy. *N Engl J Med.* 2004 Dec 30; 351: 2881-3; author reply 2881-3
- 59351** Ishunina, T. A., Kamphorst, W., Swaab, D. F. Metabolic alterations in the hypothalamus and basal forebrain in vascular dementia. *J Neuropathol Exp Neurol.* 2004 Dec; 63: 1243-54
- 59353** Chen, S. Y. The development and testing of the pelvic floor muscle exercise self-efficacy scale. *J Nurs Res.* 2004 Dec; 12: 257-66
- 59354** Constantini, E., Mearini, L., Biscotto, S., Giannantoni, A., Bini, V., Porena, M. Impact of different sized catheters on pressure-flow studies in women with lower urinary tract symptoms. *Neurourol Urodyn.* 2005; 24: 106-10
- 59355** Schmid, D. M., Curt, A., Hauri, D., Schurch, B. Motor evoked potentials (MEP) and evoked pressure curves (EPC) from the urethral compressive musculature (UCM) by functional magnetic stimulation in healthy volunteers and patients with neurogenic incontinence. *Neurourol Urodyn.* 2005; 24: 117-27
- 59356** Glazener, C. M., Herbison, G. P., MacArthur, C., Grant, A., Wilson, P. D. Randomised controlled trial of conservative management of postnatal urinary and faecal incontinence: six year follow up. *BMJ.* 2005 Feb 12; 330: 337
- 59357** Chiarelli, P. Urinary incontinence: the last taboo?. *Aust J Rural Health.* 2004 Dec; 12: 277-8
- 59359** Vandoninck, V., Bemelmans, B. L., Mazzetta, C., Robertson, C., Keech, M., Boyle, P., Kiemeny, L. A. The prevalence of urinary incontinence in community-dwelling married women: a matter of definition. *BJU Int.* 2004 Dec; 94: 1291-5
- 59360** Yokozuka, M., Namima, T., Nakagawa, H., Ichie, M., Handa, Y. Effects and indications of sacral surface therapeutic electrical stimulation in refractory urinary incontinence. *Clin Rehabil.* 2004 Dec; 18: 899-907
- 59364** Dannecker, C., Hillemanns, P., Strauss, A., Hasbargen, U., Hepp, H., Anthuber, C. Episiotomy and perineal tears presumed to be imminent: the influence on the urethral pressure profile, analmanometric and other pelvic floor findings--follow-up study of a randomized controlled trial. *Acta Obstet Gynecol Scand.* 2005 Jan; 84: 65-71
- 59365** Stern, R. M., Vitellaro, K., Thomas, M., Higgins, S. C., Koch, K. L. Electrogastrographic biofeedback: a technique for enhancing normal gastric activity. *Neurogastroenterol Motil.* 2004 Dec; 16: 753-7
- 59368** Wai, C. Y., Liehr, P., Boreham, M. K., Schaffer, J. I., Word, R. A. Effect of periurethral denervation on smooth muscles of the lower urinary tract. *Am J Obstet Gynecol.* 2004 Dec; 191: 1950-60
- 59370** Kessler, T. M., Madersbacher, H., Kiss, G. Bilateral migration of sacral neuromodulation tined leads in a thin patient. *J Urol.* 2005 Jan; 173: 153-4
- 59372** Lam, S. P., Fong, S. Y., Kwok, A., Wong, T., Wing, Y. K. Delayed neuropsychiatric impairment after carbon monoxide poisoning from burning charcoal. *Hong Kong Med J.* 2004 Dec; 10: 428-31
- 59373** Penning-van Beest, F. J., Sturkenboom, M. C., Bemelmans, B. L., Herings, R. M. Undertreatment of urinary incontinence in general practice. *Ann Pharmacother.* 2005 Jan; 39: 17-21

**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Master Bibliography**  
**sorted by Procite Number**

- 
- 59374** Saleh, N., Bener, A., Khenyab, N., Al-Mansori, Z., Al Muraikhi, A. Prevalence, awareness and determinants of health care-seeking behaviour for urinary incontinence in Qatari women: a neglected problem?. *Maturitas*. 2005 Jan 10; 50: 58-65
- 59375** Jenkins, K. R., Fultz, N. H. Functional impairment as a risk factor for urinary incontinence among older Americans. *Neurourol Urodyn*. 2005; 24: 51-5
- 59377** Porru, D., Tinelli, C., Gerardini, M., Giliberto, G. L., Stancati, S., Rovereto, B. Evaluation of urinary and general symptoms and correlation with other clinical parameters in interstitial cystitis patients. *Neurourol Urodyn*. 2005; 24: 69-73
- 59378** Fultz, N. H., Fisher, G. G., Jenkins, K. R. Does urinary incontinence affect middle-aged and older women's time use and activity patterns?. *Obstet Gynecol*. 2004 Dec; 104: 1327-34
- 59384** DuBeau, C. E., Khullar, V., Versi, E. 'Unblinding' in randomized controlled drug trials for urinary incontinence: Implications for assessing outcomes when adverse effects are evident. *Neurourol Urodyn*. 2005; 24: 13-20
- 59385** Hely, M. A., Morris, J. G., Reid, W. G., Trafficante, R. Sydney Multicenter Study of Parkinson's disease: non-L-dopa-responsive problems dominate at 15 years. *Mov Disord*. 2005 Feb; 20: 190-9
- 59387** Giannitsas, K., Perimenis, P., Athanasopoulos, A., Gyftopoulos, K., Nikiforidis, G., Barbalias, G. Comparison of the efficacy of tolterodine and oxybutynin in different urodynamic severity grades of idiopathic detrusor overactivity. *Eur Urol*. 2004 Dec; 46: 776-82; discussion 782-3
- 59391** Staskin, D. R., Harnett, M. D. Effect of tiroprium chloride on somnolence and sleepiness in patients with overactive bladder. *Curr Urol Rep*. 2004 Dec; 5: 423-6
- 59392** Yan, Y. J., Feng, Z. X., Min, Z. H., Jin, Y. X. Single-system ectopic ureters associated with renal dysplasia. *Pediatr Surg Int*. 2004 Dec; 20: 851-4
- 59393** Horrocks, S., Somerset, M., Stoddart, H., Peters, T. J. What prevents older people from seeking treatment for urinary incontinence? A qualitative exploration of barriers to the use of community continence services. *Fam Pract*. 2004 Dec; 21: 689-96
- 59396** Wenning, G. K., Tison, F., Seppi, K., Sampaio, C., Diem, A., Yekhlief, F., Ghorayeb, I., Ory, F., Galitzky, M., Scaravilli, T., Bozi, M., Colosimo, C., Gilman, S., Shults, C. W., Quinn, N. P., Rascol, O., Poewe, W. Development and validation of the Unified Multiple System Atrophy Rating Scale (UMSARS). *Mov Disord*. 2004 Dec; 19: 1391-402
- 59398** Appendino, G., De Petrocellis, L., Trevisani, M., Minassi, A., Daddario, N., Moriello, A. S., Gazzieri, D., Ligresti, A., Campi, B., Fontana, G., Pinna, C., Geppetti, P., Di Marzo, V. Development of the first ultra-potent 'capsaicinoid' agonist at transient receptor potential vanilloid type 1 (TRPV1) channels and its therapeutic potential. *J Pharmacol Exp Ther*. 2005 Feb; 312: 561-70
- 59399** Faria, C. A., Sartori, M. G., Baracat, E. C., de Lima, G. R., Girao, M. J. Effects of tamoxifen on Doppler velocimetry parameters of periurethral vessels in postmenopausal women. *Int Urogynecol J Pelvic Floor Dysfunct*. 2005 Jan-Feb; 16: 56-9; discussion 59
- 59400** Glavind, K., Kempf, L. Colpectomy or Le Fort colpocleisis--a good option in selected elderly patients. *Int Urogynecol J Pelvic Floor Dysfunct*. 2005 Jan-Feb; 16: 48-51; discussion 51
- 59401** Byles, J. E., Chiarelli, P., Hacker, A. H., Bruin, C., Cockburn, J., Parkinson, L. An evaluation of three community-based projects to improve care for incontinence. *Int Urogynecol J Pelvic Floor Dysfunct*. 2005 Jan-Feb; 16: 29-38; discussion 38
- 59402** Larrieu, S., Peres, K., Letenneur, L., Berr, C., Dartigues, J. F., Ritchie, K., Fevrier, B., Alperovitch, A., Barberger-Gateau, P. Relationship between body mass index and different domains of disability in older persons: the 3C study. *Int J Obes Relat Metab Disord*. 2004 Dec; 28: 1555-60
- 59404** Heit, M., Blackwell, L., Ouseph, R. Comorbidities affect the impact of urinary incontinence as measured by disease-specific quality of life instruments. *Int Urogynecol J Pelvic Floor Dysfunct*. 2005 Jan-Feb; 16: 6-11; discussion 11

**7109 articles listed**

SUI Guideline Update Panel

Efficacy - Cure / Dry  
ANY Prolapse\*

|   | SUBJECTIVE Eval |        |                  | OBJECTIVE Eval |        |                  | ANY Eval       |        |                  |
|---|-----------------|--------|------------------|----------------|--------|------------------|----------------|--------|------------------|
|   | 12 - 23 months  |        |                  | 12 - 23 months |        |                  | 12 - 23 months |        |                  |
|   | G/P             | Median | CI (2.5 - 97.5)% | G/P            | Median | CI (2.5 - 97.5)% | G/P            | Median | CI (2.5 - 97.5)% |
| <b>Suspensions</b>  |                 |        |                  |                |        |                  |                |        |                  |
| All Open Retropubic   | 7/460           | 89%    | (84 - 93)%       | 2/35           | 86%    | (69 - 96)%       | 9/517          | 88%    | (83 - 92)%       |
| Burch   | 7/460           | 89%    | (84 - 93)%       | 2/35           | 86%    | (69 - 96)%       | 9/517          | 88%    | (83 - 92)%       |
| Laparoscopic  | 3/150           | 87%    | (75 - 94)%       | 4/146          | 87%    | (81 - 92)%       | 12/564         | 88%    | (85 - 91)%       |
| <b>Slings</b>   |                 |        |                  |                |        |                  |                |        |                  |
| Autologous fascia without bone anchors                        | 1/36            | 89%    | (76 - 96)%       | 2/42           | 97%    | (87 - 100)%      | 3/78           | 92%    | (82 - 97)%       |
| Autologous vaginal wall slings w/without bone anchors         |                 |        |                  |                |        |                  | 1/20           | 70%    | (48 - 86)%       |
| Autologous vaginal wall slings with bone anchors - Suprapubic |                 |        |                  |                |        |                  | 1/19           | 99%    | (88 - 100)%      |
| Cadaveric with bone anchors - Transvaginal                    | 1/234           | 82%    | (77 - 86)%       |                |        |                  | 1/234          | 82%    | (77 - 86)%       |
| Cadaveric without bone anchors                                | 3/133           | 58%    | (36 - 78)%       |                |        |                  | 3/133          | 58%    | (36 - 78)%       |
| Homologous tissue (dermis) without bone anchors               |                 |        |                  |                |        |                  |                |        |                  |
| Synthetic at bladder neck with bone anchors - Suprapubic      |                 |        |                  |                |        |                  |                |        |                  |
| Synthetic at bladder neck with bone anchors - Transvaginal    |                 |        |                  |                |        |                  |                |        |                  |
| Synthetic at bladder neck without bone anchors                |                 |        |                  |                |        |                  | 1/20           | 94%    | (79 - 99)%       |
| Synthetic at midurethra                                       | 8/647           | 85%    | (80 - 89)%       | 8/489          | 86%    | (77 - 93)%       | 14/1089        | 85%    | (80 - 89)%       |
| Other Sling   |                 |        |                  |                |        |                  | 1/126          | 92%    | (86 - 96)%       |
| <b>Injectables</b>  |                 |        |                  |                |        |                  |                |        |                  |
| Other non-degradable synthetics                               |                 |        |                  |                |        |                  |                |        |                  |
| <b>Artificial Sphincter</b>                                   |                 |        |                  |                |        |                  |                |        |                  |

Note: **G/P:** **G** = Number of Groups/Treatment arms extracted / **P** = Number of Patients in those groups

\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment

SUI Guideline Update Panel

Efficacy - Cure / Dry  
ANY Prolapse\*

**Suspensions**

All Open Retropubic  
Burch  
Laparoscopic

**SUBJECTIVE Eval**

24 - 47 months

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 7/346 | 83%    | (75 - 90)%       |
| 6/306 | 83%    | (73 - 91)%       |
| 2/186 | 86%    | (59 - 98)%       |

**OBJECTIVE Eval**

24 - 47 months

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 3/98  | 78%    | (55 - 93)%       |
| 2/58  | 87%    | (59 - 99)%       |
| 2/201 | 91%    | (85 - 96)%       |

**ANY Eval**

24 - 47 months

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 9/403 | 83%    | (75 - 90)%       |
| 7/333 | 85%    | (75 - 93)%       |
| 7/359 | 83%    | (73 - 91)%       |

**Slings**

Autologous fascia without bone anchors  
Autologous vaginal wall slings w/without bone anchors  
Autologous vaginal wall slings with bone anchors - Suprapubic  
Cadaveric with bone anchors - Transvaginal  
Cadaveric without bone anchors  
Homologous tissue (dermis) without bone anchors  
Synthetic at bladder neck with bone anchors - Suprapubic  
Synthetic at bladder neck with bone anchors - Transvaginal  
Synthetic at bladder neck without bone anchors  
Synthetic at midurethra  
Other Sling

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 1/80  | 85%    | (76 - 92)%       |
| 2/60  | 89%    | (64 - 99)%       |
|       |        |                  |
|       |        |                  |
| 1/39  | 39%    | (24 - 54)%       |
|       |        |                  |
|       |        |                  |
|       |        |                  |
| 1/98  | 76%    | (66 - 83)%       |
| 6/543 | 83%    | (74 - 91)%       |
|       |        |                  |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
|       |        |                  |
|       |        |                  |
|       |        |                  |
|       |        |                  |
| 1/19  | 89%    | (70 - 98)%       |
|       |        |                  |
|       |        |                  |
|       |        |                  |
| 1/62  | 61%    | (49 - 73)%       |
| 4/446 | 92%    | (88 - 95)%       |
|       |        |                  |

| G/P    | Median | CI (2.5 - 97.5)% |
|--------|--------|------------------|
| 1/80   | 85%    | (76 - 92)%       |
| 2/60   | 89%    | (64 - 99)%       |
| 1/9    | 87%    | (59 - 99)%       |
|        |        |                  |
| 2/92   | 64%    | (21 - 95)%       |
| 1/19   | 89%    | (70 - 98)%       |
|        |        |                  |
| 1/32   | 81%    | (65 - 92)%       |
| 3/184  | 75%    | (56 - 90)%       |
| 11/881 | 87%    | (81 - 91)%       |
|        |        |                  |

**Injectables**

Other non-degradable synthetics

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

**Artificial Sphincter**

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 1/206 | 81%    | (75 - 86)%       |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 1/206 | 81%    | (75 - 86)%       |

Note: **G/P:** G = Number of Groups/Treatment arms extracted / P = Number of Patients in those groups

\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

SUI Guideline Update Panel

Efficacy - Cure / Dry  
ANY Prolapse\*

**Suspensions**

All Open Retropubic  
Burch  
Laparoscopic

**SUBJECTIVE Eval**

48 months and greater

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 7/541 | 75%    | (61 - 87)%       |
| 6/423 | 71%    | (55 - 85)%       |
|       |        |                  |

**OBJECTIVE Eval**

48 months and greater

| G/P  | Median | CI (2.5 - 97.5)% |
|------|--------|------------------|
| 1/56 | 80%    | (69 - 89)%       |
| 1/56 | 80%    | (69 - 89)%       |
|      |        |                  |

**ANY Eval**

48 months and greater

| G/P     | Median | CI (2.5 - 97.5)% |
|---------|--------|------------------|
| 13/1072 | 67%    | (56 - 76)%       |
| 12/954  | 65%    | (53 - 74)%       |
| 1/34    | 88%    | (74 - 96)%       |

**Slings**

Autologous fascia without bone anchors  
Autologous vaginal wall slings w/without bone anchors  
Autologous vaginal wall slings with bone anchors - Suprapubic  
Cadaveric with bone anchors - Transvaginal  
Cadaveric without bone anchors  
Homologous tissue (dermis) without bone anchors  
Synthetic at bladder neck with bone anchors - Suprapubic  
Synthetic at bladder neck with bone anchors - Transvaginal  
Synthetic at bladder neck without bone anchors  
Synthetic at midurethra  
Other Sling

| G/P  | Median | CI (2.5 - 97.5)% |
|------|--------|------------------|
|      |        |                  |
|      |        |                  |
|      |        |                  |
|      |        |                  |
| 1/13 | 31%    | (11 - 58)%       |
|      |        |                  |
|      |        |                  |
|      |        |                  |
| 1/90 | 82%    | (73 - 89)%       |
|      |        |                  |
|      |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
|       |        |                  |
| 1/82  | 95%    | (89 - 98)%       |
|       |        |                  |
|       |        |                  |
| 1/13  | 31%    | (11 - 58)%       |
|       |        |                  |
| 1/49  | 85%    | (74 - 93)%       |
|       |        |                  |
| 3/182 | 73%    | (62 - 82)%       |
| 2/101 | 76%    | (64 - 85)%       |
|       |        |                  |

**Injectables**

Other non-degradable synthetics

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P  | Median | CI (2.5 - 97.5)% |
|------|--------|------------------|
| 1/16 | 32%    | (13 - 56)%       |

**Artificial Sphincter**

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

Note: **G/P:** G = Number of Groups/Treatment arms extracted / P = Number of Patients in those groups

\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.



SUI Guideline Update Panel

**Efficacy - Cure / Dry / Improved  
 ANY Prolapse\***

|   | <b>SUBJECTIVE Eval</b><br>12 - 23 months |               |                         | <b>OBJECTIVE Eval</b><br>12 - 23 months |               |                         | <b>ANY Eval</b><br>12 - 23 months |               |                         |
|---|--|---------------|-------------------------|---|---------------|-------------------------|-----------------------------------|---------------|-------------------------|
| <b>Suspensions</b>  | <b>G/P</b>                               | <b>Median</b> | <b>CI (2.5 - 97.5)%</b> | <b>G/P</b>                              | <b>Median</b> | <b>CI (2.5 - 97.5)%</b> | <b>G/P</b>                        | <b>Median</b> | <b>CI (2.5 - 97.5)%</b> |
| All Open Retropubic   | 8/638                                    | <b>89%</b>    | (86 - 92)%              | 4/189                                   | <b>92%</b>    | (86 - 97)%              | 12/849                            | <b>90%</b>    | (86 - 97)%              |
| Burch   | 8/638                                    | <b>89%</b>    | (86 - 92)%              | 4/189                                   | <b>92%</b>    | (86 - 97)%              | 12/849                            | <b>90%</b>    | (87 - 92)%              |
| Laparoscopic  | 3/150                                    | <b>88%</b>    | (79 - 94)%              | 6/224                                   | <b>85%</b>    | (78 - 91)%              | 14/642                            | <b>88%</b>    | (85 - 91)%              |
| <b>Slings</b>   | <b>G/P</b>                               | <b>Median</b> | <b>CI (2.5 - 97.5)%</b> | <b>G/P</b>                              | <b>Median</b> | <b>CI (2.5 - 97.5)%</b> | <b>G/P</b>                        | <b>Median</b> | <b>CI (2.5 - 97.5)%</b> |
| Autologous fascia without bone anchors                        | 1/36                                     | <b>89%</b>    | (76 - 96)%              | 2/42                                    | <b>97%</b>    | (87 - 100)%             | 3/78                              | <b>92%</b>    | (82 - 97)%              |
| Autologous vaginal wall slings w/without bone anchors         |  |               |                         |   |               |                         | 1/20                              | <b>99%</b>    | (88 - 100%)             |
| Autologous vaginal wall slings with bone anchors - Suprapubic |  |               |                         |   |               |                         | 1/19                              | <b>99%</b>    | (88 - 100%)             |
| Cadaveric with bone anchors - Transvaginal                    | 1/234                                    | <b>82%</b>    | (77 - 86)%              |   |               |                         | 1/234                             | <b>82%</b>    | (77 - 86)%              |
| Cadaveric without bone anchors                                | 3/133                                    | <b>81%</b>    | (69 - 90)%              |   |               |                         | 3/133                             | <b>81%</b>    | (69 - 90)%              |
| Homologous tissue (dermis) without bone anchors               |  |               |                         |   |               |                         |                                   |               |                         |
| Synthetic at bladder neck with bone anchors - Suprapubic      |  |               |                         |   |               |                         |                                   |               |                         |
| Synthetic at bladder neck with bone anchors - Transvaginal    |  |               |                         |   |               |                         |                                   |               |                         |
| Synthetic at bladder neck without bone anchors                |  |               |                         |   |               |                         | 1/20                              | <b>99%</b>    | (88 - 100%)             |
| Synthetic at midurethra                                       | 9/688                                    | <b>92%</b>    | (88 - 95)%              | 8/460                                   | <b>89%</b>    | (81 - 94)%              | 15/1121                           | <b>93%</b>    | (89 - 95)%              |
| Other Sling   |  |               |                         |   |               |                         | 1/126                             | <b>94%</b>    | (89 - 97)%              |
| <b>Injectables</b>  | <b>G/P</b>                               | <b>Median</b> | <b>CI (2.5 - 97.5)%</b> | <b>G/P</b>                              | <b>Median</b> | <b>CI (2.5 - 97.5)%</b> | <b>G/P</b>                        | <b>Median</b> | <b>CI (2.5 - 97.5)%</b> |
| Other non-degradable synthetics                               |  |               |                         |   |               |                         |                                   |               |                         |
| <b>Artificial Sphincter</b>                                   | <b>G/P</b>                               | <b>Median</b> | <b>CI (2.5 - 97.5)%</b> | <b>G/P</b>                              | <b>Median</b> | <b>CI (2.5 - 97.5)%</b> | <b>G/P</b>                        | <b>Median</b> | <b>CI (2.5 - 97.5)%</b> |
|   |  |               |                         |   |               |                         |                                   |               |                         |

Note: **G/P**: **G** = Number of **G**roups/Treatment arms extracted / **P** = Number of **P**atients in those groups

\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

SUI Guideline Update Panel

**Efficacy - Cure / Dry / Improved  
 ANY Prolapse\***

**SUBJECTIVE Eval**  
 24 - 47 months

**OBJECTIVE Eval**  
 24 - 47 months

**ANY Eval**  
 24 - 47 months

**Suspensions**

All Open Retropubic  
 Burch  
 Laparoscopic

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 7/346 | 93%    | (87 - 97)%       |
| 6/306 | 92%    | (85 - 97)%       |
| 3/199 | 89%    | (77 - 96)%       |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 4/174 | 83%    | (69 - 93)%       |
| 3/134 | 89%    | (77 - 96)%       |
| 2/201 | 95%    | (90 - 99)%       |

| G/P    | Median | CI (2.5 - 97.5)% |
|--------|--------|------------------|
| 10/459 | 91%    | (85 - 95)%       |
| 8/389  | 92%    | (87 - 96)%       |
| 8/372  | 89%    | (84 - 92)%       |

**Slings**

Autologous fascia without bone anchors  
 Autologous vaginal wall slings w/without bone anchors  
 Autologous vaginal wall slings with bone anchors - Suprapubic  
 Cadaveric with bone anchors - Transvaginal  
 Cadaveric without bone anchors  
 Homologous tissue (dermis) without bone anchors  
 Synthetic at bladder neck with bone anchors - Suprapubic  
 Synthetic at bladder neck with bone anchors - Transvaginal  
 Synthetic at bladder neck without bone anchors  
 Synthetic at midurethra  
 Other Sling

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 1/80  | 95%    | (89 - 98)%       |
| 2/60  | 93%    | (81 - 99)%       |
|       |        |                  |
|       |        |                  |
| 1/39  | 39%    | (24 - 54)%       |
|       |        |                  |
|       |        |                  |
| 1/98  | 76%    | (66 - 83)%       |
| 6/543 | 91%    | (86 - 95)%       |
|       |        |                  |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
|       |        |                  |
|       |        |                  |
|       |        |                  |
| 1/19  | 94%    | (78 - 99)%       |
|       |        |                  |
|       |        |                  |
| 1/62  | 61%    | (49 - 73)%       |
| 4/446 | 95%    | (89 - 99)%       |
|       |        |                  |

| G/P    | Median | CI (2.5 - 97.5)% |
|--------|--------|------------------|
| 1/80   | 95%    | (89 - 98)%       |
| 2/60   | 93%    | (81 - 99)%       |
| 1/9    | 87%    | (59 - 99)%       |
|        |        |                  |
| 2/92   | 64%    | (21 - 95)%       |
| 1/19   | 94%    | (78 - 99)%       |
|        |        |                  |
| 1/32   | 87%    | (73 - 96)%       |
| 3/184  | 75%    | (56 - 90)%       |
| 10/769 | 92%    | (88 - 95)%       |
|        |        |                  |

**Injectables**

Other non-degradable synthetics

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

**Artificial Sphincter**

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 1/206 | 88%    | (83 - 92)%       |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 1/206 | 88%    | (83 - 92)%       |

Note: **G/P:** **G** = Number of **G**roups/Treatment arms extracted / **P** = Number of **P**atients in those groups

\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

SUI Guideline Update Panel

**Efficacy - Cure / Dry / Improved  
 ANY Prolapse\***

**SUBJECTIVE Eval**  
 48 months and greater

**OBJECTIVE Eval**  
 48 months and greater

**ANY Eval**  
 48 months and greater

**Suspensions**

All Open Retropubic  
 Burch  
 Laparoscopic

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 8/557 | 80%    | (70 - 87)%       |
| 7/439 | 77%    | (66 - 86)%       |
|       |        |                  |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 3/110 | 80%    | (70 - 88)%       |
| 3/100 | 80%    | (70 - 88)%       |
|       |        |                  |

| G/P     | Median | CI (2.5 - 97.5)% |
|---------|--------|------------------|
| 15/1118 | 78%    | (71 - 83)%       |
| 14/1000 | 76%    | (69 - 82)%       |
| 1/34    | 88%    | (74 - 96)%       |

**Slings**

Autologous fascia without bone anchors  
 Autologous vaginal wall slings w/without bone anchors  
 Autologous vaginal wall slings with bone anchors - Suprapubic  
 Cadaveric with bone anchors - Transvaginal  
 Cadaveric without bone anchors  
 Homologous tissue (dermis) without bone anchors  
 Synthetic at bladder neck with bone anchors - Suprapubic  
 Synthetic at bladder neck with bone anchors - Transvaginal  
 Synthetic at bladder neck without bone anchors  
 Synthetic at midurethra  
 Other Sling

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 1/198 | 70%    | (63 - 76)%       |
|       |        |                  |
|       |        |                  |
|       |        |                  |
| 1/13  | 61%    | (35 - 84)%       |
|       |        |                  |
|       |        |                  |
|       |        |                  |
| 1/90  | 82%    | (73 - 89)%       |
|       |        |                  |
|       |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |
|     |        |                  |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 1/198 | 70%    | (63 - 76)%       |
| 1/82  | 95%    | (89 - 98)%       |
|       |        |                  |
|       |        |                  |
| 1/13  | 61%    | (35 - 84)%       |
|       |        |                  |
| 1/49  | 90%    | (79 - 96)%       |
|       |        |                  |
| 3/182 | 73%    | (62 - 82)%       |
| 2/101 | 81%    | (70 - 90)%       |
|       |        |                  |

**Injectables**

Other non-degradable synthetics

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P  | Median | CI (2.5 - 97.5)% |
|------|--------|------------------|
| 1/16 | 56%    | (33 - 78)%       |

**Artificial Sphincter**

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

Note: **G/P:** **G** = Number of **G**roups/Treatment arms extracted / **P** = Number of **P**atients in those groups

\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

SUI Guideline Update Panel

Retention  
ANY Prolapse\*

> 28 days or Intervention

| Suspensions         | G/P    | Median | CI (2.5 - 97.5)% |
|---------------------|--------|--------|------------------|
| All Open Retropubic | 13/851 | 1%     | (1 - 3)%         |
| Burch               | 10/710 | 1%     | (1 - 3)%         |
| Laparoscopic        | 11/482 | 2%     | (1 - 4)%         |

| Slings  | G/P     | Median | CI (2.5 - 97.5)% |
|---|---------|--------|------------------|
| Autologous fascia without bone anchors                        | 3/301   | 5%     | (2 - 11)%        |
| Autologous vaginal wall slings w/without bone anchors         | 3/142   | 5%     | (1 - 17)%        |
| Autologous vaginal wall slings with bone anchors - Suprapubic | 1/25    | 1%     | (0 - 9)%         |
| Cadaveric without bone anchors                                | 1/26    | 1%     | (0 - 10)%        |
| Synthetic at bladder neck with bone anchors - Suprapubic      | 1/49    | 4%     | (1 - 12)%        |
| Synthetic at bladder neck with bone anchors - Transvaginal    | 2/99    | 1%     | (0 - 6)%         |
| Synthetic at bladder neck without bone anchors                | 7/422   | 10%    | (5 - 18)%        |
| Synthetic at midurethra                                       | 11/1107 | 3%     | (2 - 5)%         |

Note: **G/P:** **G** = Number of **G**roups/Treatment arms extracted / **P** = Number of **P**atients in those groups

\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

SUI Guideline Update Panel

Urgency  
ANY Prolapse\*

|                     |  |  | Urge Incontinence |        |                  |              |        |                  |             |        |                  |
|---------------------|--|--|-------------------|--------|------------------|--------------|--------|------------------|-------------|--------|------------------|
|                     |  |  | New Onset         |        |                  | Pre-Existing |        |                  | Unspecified |        |                  |
| Suspensions         |  |  | G/P               | Median | CI (2.5 - 97.5)% | G/P          | Median | CI (2.5 - 97.5)% | G/P         | Median | CI (2.5 - 97.5)% |
| All Open Retropubic |  |  | 10/457            | 14%    | (8 - 21)%        | 2/143        | 22%    | (4 - 56)%        | 2/256       | 13%    | (7 - 22)%        |
| Burch               |  |  | 9/417             | 14%    | (8 - 22)%        | 1/25         | 48%    | (30 - 67)%       | 2/256       | 13%    | (7 - 22)%        |
| Laparoscopic        |  |  | 5/344             | 11%    | (6 - 17)%        |              |        |                  | 1/32        | 4%     | (0 - 14)%        |

| Slings  |  |  |        |     |           |       |     |            |       |    |           |
|---|--|--|--------|-----|-----------|-------|-----|------------|-------|----|-----------|
| Autologous fascia without bone anchors                        |  |  | 2/97   | 10% | (4 - 19)% |       |     |            |       |    |           |
| Autologous vaginal wall slings w/without bone anchors         |  |  | 3/65   | 13% | (2 - 36)% | 2/15  | 47% | (21 - 75)% |       |    |           |
| Autologous vaginal wall slings with bone anchors - Suprapubic |  |  | 1/9    | 13% | (1 - 41)% |       |     |            |       |    |           |
| Cadaveric with bone anchors - Transvaginal                    |  |  | 1/238  | 6%  | (3 - 9)%  |       |     |            |       |    |           |
| Cadaveric without bone anchors                                |  |  |        |     |           |       |     |            |       |    |           |
| Homologous tissue (dermis) without bone anchors               |  |  | 1/5    | 22% | (2 - 63)% |       |     |            |       |    |           |
| Synthetic at bladder neck with bone anchors - Suprapubic      |  |  |        |     |           |       |     |            |       |    |           |
| Synthetic at bladder neck with bone anchors - Transvaginal    |  |  |        |     |           |       |     |            |       |    |           |
| Synthetic at bladder neck without bone anchors                |  |  | 4/150  | 15% | (5 - 31)% | 3/119 | 29% | (16 - 46)% |       |    |           |
| Synthetic at midurethra                                       |  |  | 11/805 | 11% | (7 - 16)% | 5/107 | 52% | (38 - 66)% | 2/174 | 9% | (1 - 38)% |
| Other Sling   |  |  |        |     |           |       |     |            |       |    |           |

Injectables

Artificial Sphincter

Note: G/P: G = Number of Groups/Treatment arms extracted / P = Number of Patients in those groups

\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.



SUI Guideline Update Panel

Urgency  
ANY Prolapse\*

Suspensions

All Open Retropubic  
Burch  
Laparoscopic

| Urgency Symptoms |        |                  |              |        |                  |             |        |                  |
|------------------|--------|------------------|--------------|--------|------------------|-------------|--------|------------------|
| New Onset        |        |                  | Pre-Existing |        |                  | Unspecified |        |                  |
| G/P              | Median | CI (2.5 - 97.5)% | G/P          | Median | CI (2.5 - 97.5)% | G/P         | Median | CI (2.5 - 97.5)% |
| 8/380            | 9%     | (6 - 13)%        | 2/23         | 40%    | (6 - 83)%        | 2/96        | 9%     | (4 - 18)%        |
| 8/380            | 9%     | (6 - 13)%        | 2/23         | 40%    | (6 - 83)%        | 2/96        | 9%     | (4 - 18)%        |
| 5/190            | 11%    | (4 - 21)%        | 1/2          | 10%    | (0 - 67)%        | 1/40        | 52%    | (37 - 67)%       |

Slings

Autologous fascia without bone anchors  
Autologous vaginal wall slings w/without bone anchors  
Autologous vaginal wall slings with bone anchors - Suprapubic  
Cadaveric with bone anchors - Transvaginal  
Cadaveric without bone anchors  
Homologous tissue (dermis) without bone anchors  
Synthetic at bladder neck with bone anchors - Suprapubic  
Synthetic at bladder neck with bone anchors - Transvaginal  
Synthetic at bladder neck without bone anchors  
Synthetic at midurethra  
Other Sling

|       |     |            |       |     |             |      |     |            |
|-------|-----|------------|-------|-----|-------------|------|-----|------------|
| 1/27  | 23% | (10 - 40)% |       |     |             |      |     |            |
| 1/45  | 1%  | (0 - 5)%   |       |     |             |      |     |            |
|       |     |            |       |     |             |      |     |            |
|       |     |            |       |     |             |      |     |            |
| 1/15  | 14% | (3 - 36)%  | 1/11  | 81% | (53 - 96)%  |      |     |            |
|       |     |            |       |     |             |      |     |            |
| 1/47  | 2%  | (0 - 10)%  | 1/2   | 90% | (33 - 100)% | 1/49 | 2%  | (0 - 10)%  |
| 1/32  | 7%  | (1 - 19)%  |       |     |             |      |     |            |
| 1/45  | 1%  | (0 - 5)%   |       |     |             | 1/47 | 2%  | (0 - 10)%  |
| 8/539 | 13% | (8 - 20)%  | 2/104 | 21% | (4 - 51)%   | 1/39 | 21% | (10 - 35)% |
| 1/126 | 21% | (14 - 29)% |       |     |             |      |     |            |

Injectables

Artificial Sphincter

Note: **G/P:** **G** = Number of **G**roups/Treatment arms extracted / **P** = Number of **P**atients in those groups

\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

**SUI Guideline Update Panel**

**Urgency  
ANY Prolapse\***

**Suspensions**

All Open Retropubic  
Burch  
Laparoscopic

| Unspecified Urgency |        |                  |              |        |                  |             |        |                  |
|---------------------|--------|------------------|--------------|--------|------------------|-------------|--------|------------------|
| New Onset           |        |                  | Pre-Existing |        |                  | Unspecified |        |                  |
| G/P                 | Median | CI (2.5 - 97.5)% | G/P          | Median | CI (2.5 - 97.5)% | G/P         | Median | CI (2.5 - 97.5)% |
| 2/85                | 16%    | (8 - 27)%        |              |        |                  |             |        |                  |
| 2/85                | 16%    | (8 - 27)%        |              |        |                  |             |        |                  |
| 2/73                | 12%    | (5 - 23)%        | 1/51         | 6%     | (2 - 15)%        | 1/30        | 24%    | (11 - 40)%       |

**Slings**

Autologous fascia without bone anchors  
Autologous vaginal wall slings w/without bone anchors  
Autologous vaginal wall slings with bone anchors - Suprapubic  
Cadaveric with bone anchors - Transvaginal  
Cadaveric without bone anchors  
Homologous tissue (dermis) without bone anchors  
Synthetic at bladder neck with bone anchors - Suprapubic  
Synthetic at bladder neck with bone anchors - Transvaginal  
Synthetic at bladder neck without bone anchors  
Synthetic at midurethra  
Other Sling

|      |    |           |      |     |            |       |     |           |
|------|----|-----------|------|-----|------------|-------|-----|-----------|
|      |    |           |      |     |            |       |     |           |
| 1/45 | 1% | (0 - 5)%  |      |     |            | 1/45  | 1%  | (0 - 5)%  |
|      |    |           |      |     |            |       |     |           |
|      |    |           |      |     |            |       |     |           |
|      |    |           |      |     |            | 1/36  | 17% | (7 - 31)% |
|      |    |           |      |     |            |       |     |           |
|      |    |           |      |     |            |       |     |           |
| 2/69 | 5% | (0 - 21)% |      |     |            |       |     |           |
| 1/16 | 1% | (0 - 14)% | 1/59 | 26% | (16 - 38)% | 2/214 | 7%  | (4 - 12)% |
|      |    |           |      |     |            |       |     |           |

**Injectables**

**Artificial Sphincter**

Note: G/P: G = Number of Groups/Treatment arms extracted / P = Number of Patients in those groups

\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

# SUI Guideline Update Panel

## Complications

### ANY Prolapse\*\*

#### Death

#### Transfusion

#### General Medical Complications

Cardiovascular  
 Febrile  
 Infection  
 Infection/Local Extension  
 Neurologic  
 Pulmonary  
 Systemic - Abscess  
 UTI

#### Operative Complications

Bladder Injury  
 Bleeding  
 Bleeding - Acute  
 Bleeding - Hematoma  
 Bowel Injury  
 Erosion Extrusion  
 Erosion Extrusion - Unknown  
 Erosion Extrusion - Urethral-Bladder  
 Erosion Extrusion - Vaginal  
 Nerve Injury  
 Operative CX - Other  
 Osteomyelitis  
 Ureteral Injury  
 Urethral Injury  
 Urinary Tract Injury NS  
 Vaginal Operative CX  
 Wound  
 Abdominal  
 Vaginal

#### Subjective Complications

Pain  
 Sexual Dysfunction  
 Voiding Dysfunction

#### Conversion

#### Other Complications

## Suspensions

| All Retropubic Suspensions |     |                  | Burch Suspension |     |                  | Laparoscopic Suspension |     |                  |
|----------------------------|-----|------------------|------------------|-----|------------------|-------------------------|-----|------------------|
| G/P                        | Med | CI (2.5 - 97.5)% | G/P              | Med | CI (2.5 - 97.5)% | G/P                     | Med | CI (2.5 - 97.5)% |
|                            |     |                  |                  |     |                  |                         |     |                  |

|       |    |           |       |    |           |       |    |          |
|-------|----|-----------|-------|----|-----------|-------|----|----------|
| 7/415 | 6% | (2 - 14)% | 6/375 | 7% | (2 - 16)% | 5/183 | 2% | (1 - 6)% |
|-------|----|-----------|-------|----|-----------|-------|----|----------|

|        |     |            |        |     |            |        |    |           |
|--------|-----|------------|--------|-----|------------|--------|----|-----------|
| 3/342  | 2%  | (1 - 4)%   | 3/342  | 2%  | (1 - 4)%   | 3/185  | 3% | (1 - 6)%  |
| 7/614  | 11% | (5 - 20)%  | 5/513  | 14% | (6 - 26)%  | 3/296  | 2% | (1 - 5)%  |
| 2/280  | 12% | (6 - 19)%  | 2/280  | 12% | (6 - 19)%  |        |    |           |
| 1/51   | 3%  | (1 - 7)%   | 1/51   | 3%  | (1 - 7)%   | 2/164  | 3% | (1 - 9)%  |
|        |     |            |        |     |            |        |    |           |
| 1/33   | 4%  | (0 - 13)%  |        |     |            | 2/151  | 3% | (1 - 7)%  |
| 1/82   | 4%  | (1 - 9)%   | 1/82   | 4%  | (1 - 9)%   | 2/149  | 3% | (1 - 8)%  |
| 10/779 | 17% | (11 - 25)% | 10/779 | 17% | (11 - 25)% | 11/545 | 7% | (5 - 11)% |

|       |     |            |       |    |           |        |    |           |
|-------|-----|------------|-------|----|-----------|--------|----|-----------|
| 8/503 | 3%  | (2 - 6)%   | 8/503 | 3% | (2 - 6)%  | 16/901 | 6% | (4 - 8)%  |
|       |     |            |       |    |           |        |    |           |
| 2/177 | 5%  | (1 - 13)%  | 2/177 | 5% | (1 - 13)% | 2/98   | 2% | (0 - 8)%  |
| 9/600 | 5%  | (3 - 7)%   | 8/560 | 5% | (3 - 7)%  | 7/366  | 3% | (2 - 6)%  |
| 2/150 | 2%  | (0 - 6)%   | 1/82  | 1% | (0 - 6)%  | 3/182  | 3% | (1 - 8)%  |
|       |     |            |       |    |           |        |    |           |
|       |     |            |       |    |           |        |    |           |
| 2/147 | 2%  | (0 - 5)%   | 2/147 | 2% | (0 - 5)%  | 4/201  | 6% | (2 - 11)% |
|       |     |            |       |    |           |        |    |           |
|       |     |            |       |    |           |        |    |           |
| 1/127 | 1%  | (0 - 4)%   | 1/127 | 1% | (0 - 4)%  | 1/36   | 1% | (0 - 7)%  |
| 2/2   | 71% | (23 - 98)% |       | *  |           |        |    |           |
|       | *   |            |       | *  |           | 3/109  | 4% | (1 - 10)% |
|       |     |            |       |    |           |        |    |           |
|       | *   |            |       | *  |           |        |    |           |
|       |     |            |       |    |           | 1/113  | 1% | (0 - 4)%  |
| 5/408 | 5%  | (3 - 9)%   | 5/408 | 5% | (3 - 9)%  | 4/206  | 4% | (1 - 8)%  |
| 3/233 | 5%  | (1 - 12)%  | 1/132 | 1% | (0 - 3)%  | 4/155  | 7% | (2 - 18)% |
|       |     |            |       |    |           | 1/48   | 0% | (0 - 5)%  |

|       |     |           |       |     |           |       |     |           |
|-------|-----|-----------|-------|-----|-----------|-------|-----|-----------|
| 2/76  | 9%  | (2 - 24)% | 2/76  | 9%  | (2 - 24)% | 7/353 | 3%  | (2 - 6)%  |
| 5/262 | 7%  | (4 - 12)% | 5/262 | 7%  | (4 - 12)% | 1/34  | 12% | (4 - 26)% |
| 3/314 | 16% | (5 - 33)% | 3/314 | 16% | (5 - 33)% | 3/104 | 8%  | (3 - 15)% |

|  |  |  |  |  |  |       |     |           |
|--|--|--|--|--|--|-------|-----|-----------|
|  |  |  |  |  |  | 3/219 | 11% | (5 - 20)% |
|--|--|--|--|--|--|-------|-----|-----------|

|       |    |           |       |    |           |      |    |           |
|-------|----|-----------|-------|----|-----------|------|----|-----------|
| 3/183 | 8% | (4 - 14)% | 3/183 | 8% | (4 - 14)% | 1/36 | 6% | (1 - 17)% |
|-------|----|-----------|-------|----|-----------|------|----|-----------|

Note: G/P: G = Number of Groups/Treatment arms extracted / P = Number of Patients in those groups

\* Only case reports of this complication exist, and data are insufficient to estimate the frequency.

\*\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

**SUI Guideline Update Panel**  
**Complications**  
**ANY Prolapse\*\***

**Death**

**Transfusion**

**General Medical Complications**

- Cardiovascular
- Febrile
- Infection
- Infection/Local Extension
- Neurologic
- Pulmonary
- Systemic - Abscess
- UTI

**Operative Complications**

- Bladder Injury
- Bleeding
- Bleeding - Acute
- Bleeding - Hematoma
- Bowel Injury
- Erosion Extrusion
- Erosion Extrusion - Unknown
- Erosion Extrusion - Urethral-Bladder
- Erosion Extrusion - Vaginal
- Nerve Injury
- Operative CX - Other
- Osteomyelitis
- Ureteral Injury
- Urethral Injury
- Urinary Tract Injury NS
- Vaginal Operative CX
- Wound
- Abdominal
- Vaginal

**Subjective Complications**

- Pain
- Sexual Dysfunction
- Voiding Dysfunction

**Conversion**

**Other Complications**

**Slings**

| Autologous fascia    |     |                  | Autologous Vaginal Wall Slings |     |                  |                             |     |                  |
|----------------------|-----|------------------|--------------------------------|-----|------------------|-----------------------------|-----|------------------|
| without Bone Anchors |     |                  | with/without Bone anchors      |     |                  | w Bone Anchors - Suprapubic |     |                  |
| G/P                  | Med | CI (2.5 - 97.5)% | G/P                            | Med | CI (2.5 - 97.5)% | G/P                         | Med | CI (2.5 - 97.5)% |
|                      |     |                  |                                |     |                  |                             |     |                  |
| 1/198                | 4%  | (2 - 7)%         | 2/35                           | 9%  | (2 - 24)%        |                             |     |                  |

|      |     |           |      |     |           |  |  |  |
|------|-----|-----------|------|-----|-----------|--|--|--|
|      |     |           | 1/15 | 8%  | (1 - 27)% |  |  |  |
|      |     |           |      |     |           |  |  |  |
| 1/80 | 4%  | (1 - 10)% | 2/32 | 22% | (8 - 42)% |  |  |  |
|      |     |           |      |     |           |  |  |  |
|      |     |           |      |     |           |  |  |  |
| 1/80 | 10% | (5 - 18)% |      |     |           |  |  |  |
|      |     |           |      |     |           |  |  |  |
| 1/80 | 8%  | (3 - 15)% | 1/20 | 1%  | (0 - 12)% |  |  |  |

|       |    |           |      |    |           |  |   |  |
|-------|----|-----------|------|----|-----------|--|---|--|
| 2/278 | 8% | (1 - 26)% | 1/82 | 3% | (1 - 8)%  |  |   |  |
|       |    |           |      |    |           |  |   |  |
| 1/80  | 8% | (3 - 15)% | 1/20 | 6% | (1 - 21)% |  |   |  |
|       |    |           |      |    |           |  |   |  |
| 1/80  | 1% | (0 - 6)%  |      |    |           |  |   |  |
|       |    |           |      |    |           |  |   |  |
|       |    |           |      |    |           |  |   |  |
|       | *  |           | 1/20 | 1% | (0 - 12)% |  |   |  |
|       |    |           |      |    |           |  |   |  |
|       |    |           |      |    |           |  |   |  |
|       |    |           | 1/82 | 1% | (0 - 6)%  |  |   |  |
|       |    |           |      |    |           |  | * |  |
|       |    |           | 1/20 | 1% | (0 - 12)% |  |   |  |
|       |    |           |      |    |           |  |   |  |
|       |    |           |      |    |           |  |   |  |
| 2/278 | 4% | (2 - 8)%  |      |    |           |  |   |  |
|       |    |           | 1/82 | 3% | (1 - 8)%  |  | * |  |
|       |    |           | 2/65 | 3% | (0 - 11)% |  |   |  |

|      |    |          |      |    |           |  |  |  |
|------|----|----------|------|----|-----------|--|--|--|
| 1/80 | 3% | (1 - 8)% | 1/45 | 3% | (0 - 10)% |  |  |  |
|      |    |          |      |    |           |  |  |  |
|      |    |          |      |    |           |  |  |  |

|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|

|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|

Note: G/P: G = Number of Groups/Treatment arms extracted / P = Number of Patients in those group

\* Only case reports of this complication exist, and data are insufficient to estimate the frequency.

\*\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.





**SUI Guideline Update Panel  
 Complications  
 ANY Prolapse\*\***

**Slings**

**Synthetic at Bladder Neck**

**Death**

**Transfusion**

**General Medical Complications**

- Cardiovascular
- Febrile
- Infection
- Infection/Local Extension
- Neurologic
- Pulmonary
- Systemic - Abscess
- UTI

**Operative Complications**

- Bladder Injury
- Bleeding
- Bleeding - Acute
- Bleeding - Hematoma
- Bowel Injury
- Erosion Extrusion
- Erosion Extrusion - Unknown
- Erosion Extrusion - Urethral-Bladder
- Erosion Extrusion - Vaginal
- Nerve Injury
- Operative CX - Other
- Osteomyelitis
- Ureteral Injury
- Urethral Injury
- Urinary Tract Injury NS
- Vaginal Operative CX
- Wound
- Abdominal
- Vaginal

**Subjective Complications**

- Pain
- Sexual Dysfunction
- Voiding Dysfunction

**Conversion**

**Other Complications**

| with Bone Anchors |     |                  | w Bone Anchors - Suprapubic |     |                  | without Bone Anchors |     |                  |
|-------------------|-----|------------------|-----------------------------|-----|------------------|----------------------|-----|------------------|
| G/P               | Med | CI (2.5 - 97.5)% | G/P                         | Med | CI (2.5 - 97.5)% | G/P                  | Med | CI (2.5 - 97.5)% |
|                   |     |                  |                             |     |                  |                      |     |                  |
|                   |     |                  |                             |     |                  | 2/92                 | 53% | (40 - 66)%       |

|  |  |  |      |    |          |       |     |            |
|--|--|--|------|----|----------|-------|-----|------------|
|  |  |  |      |    |          |       |     |            |
|  |  |  |      |    |          | 1/47  | 2%  | (0 - 10)%  |
|  |  |  | 1/49 | 0% | (0 - 5)% | 1/20  | 25% | (10 - 46)% |
|  |  |  |      |    |          |       |     |            |
|  |  |  |      |    |          |       |     |            |
|  |  |  |      |    |          |       |     |            |
|  |  |  |      |    |          |       |     |            |
|  |  |  |      |    |          | 3/112 | 9%  | (4 - 17)%  |

|  |   |  |      |    |          |       |     |            |
|--|---|--|------|----|----------|-------|-----|------------|
|  |   |  |      |    |          | 1/24  | 1%  | (0 - 10)%  |
|  |   |  |      |    |          |       |     |            |
|  |   |  |      |    |          | 3/112 | 11% | (3 - 24)%  |
|  |   |  |      |    |          |       |     |            |
|  |   |  |      |    |          |       |     |            |
|  |   |  |      |    |          | 2/143 | 12% | (2 - 36)%  |
|  |   |  | 1/49 | 2% | (0 - 9)% | 1/20  | 1%  | (0 - 12)%  |
|  |   |  | 1/49 | 0% | (0 - 5)% | 4/223 | 9%  | (5 - 19)%  |
|  | * |  |      |    |          |       |     |            |
|  |   |  |      |    |          |       |     |            |
|  |   |  |      |    |          |       |     |            |
|  |   |  |      |    |          |       |     |            |
|  |   |  |      |    |          | 1/98  | 1%  | (0 - 12)%  |
|  |   |  |      |    |          |       |     |            |
|  |   |  |      |    |          |       |     |            |
|  |   |  |      |    |          | 1/98  | 20% | (14 - 30)% |
|  |   |  |      |    |          | 1/98  | 40% | (31 - 50)% |
|  |   |  |      |    |          | 1/98  | 26% | (18 - 35)% |
|  |   |  |      |    |          | 1/20  | 1%  | (0 - 12)%  |

|  |  |      |    |           |       |     |           |
|--|--|------|----|-----------|-------|-----|-----------|
|  |  | 1/49 | 4% | (1 - 12)% | 1/62  | 2%  | (0 - 7)%  |
|  |  | 1/49 | 4% | (1 - 12)% |       |     |           |
|  |  | 1/49 | 0% | (0 - 5)%  | 2/122 | 16% | (3 - 38)% |

|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|

|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|

Note: G/P: G = Number of Groups/Treatment arms extracted / P = Number of Patients in those group

\* Only case reports of this complication exist, and data are insufficient to estimate the frequency.

\*\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

# SUI Guideline Update Panel Complications ANY Prolapse\*\*

## Death

## Transfusion

## General Medical Complications

Cardiovascular  
Febrile  
Infection  
Infection/Local Extension  
Neurologic  
Pulmonary  
Systemic - Abscess  
UTI

## Operative Complications

Bladder Injury  
Bleeding  
Bleeding - Acute  
Bleeding - Hematoma  
Bowel Injury  
Erosion Extrusion  
Erosion Extrusion - Unknown  
Erosion Extrusion - Urethral-Bladder  
Erosion Extrusion - Vaginal  
Nerve Injury  
Operative CX - Other  
Osteomyelitis  
Ureteral Injury  
Urethral Injury  
Urinary Tract Injury NS  
Vaginal Operative CX  
Wound  
Abdominal  
Vaginal

## Subjective Complications

Pain  
Sexual Dysfunction  
Voiding Dysfunction

## Conversion

## Other Complications

| Slings                  |     |                  |           |     |                  |             |     |                  |
|-------------------------|-----|------------------|-----------|-----|------------------|-------------|-----|------------------|
| Synthetic at Midurethra |     |                  | Xenograft |     |                  | Other Sling |     |                  |
| G/P                     | Med | CI (2.5 - 97.5)% | G/P       | Med | CI (2.5 - 97.5)% | G/P         | Med | CI (2.5 - 97.5)% |
| 9/3189                  | 1%  | (0 - 1)%         |           |     |                  | 1/126       | 0%  | (0 - 2)%         |

|         |    |           |      |     |            |       |    |          |
|---------|----|-----------|------|-----|------------|-------|----|----------|
| 2/2113  | 0% | (0 - 1)%  |      |     |            |       |    |          |
| 3/468   | 8% | (4 - 14)% |      |     |            |       |    |          |
| 1/1455  | 1% | (0 - 1)%  | 1/18 | 17% | (5 - 38)%  |       |    |          |
|         | *  |           |      |     |            |       |    |          |
| 1/75    | 2% | (0 - 6)%  |      |     |            |       |    |          |
|         |    |           |      |     |            |       |    |          |
| 2/111   | 3% | (1 - 9)%  | 1/10 | 60% | (30 - 85)% |       |    |          |
| 16/3016 | 7% | (5 - 9)%  |      |     |            | 1/126 | 1% | (0 - 4)% |

|         |    |          |      |     |           |       |    |           |
|---------|----|----------|------|-----|-----------|-------|----|-----------|
| 29/4248 | 6% | (5 - 8)% |      |     |           | 1/126 | 3% | (1 - 6)%  |
|         |    |          |      |     |           |       |    |           |
| 6/1921  | 2% | (1 - 3)% |      |     |           | 1/126 | 0% | (0 - 2)%  |
| 15/3770 | 3% | (2 - 4)% |      |     |           |       |    |           |
|         | *  |          |      |     |           |       |    |           |
|         |    |          |      |     |           |       |    |           |
| 6/632   | 4% | (2 - 7)% |      |     |           |       |    |           |
| 5/308   | 3% | (1 - 8)% |      |     |           |       |    |           |
| 6/2185  | 2% | (1 - 5)% |      |     |           |       |    |           |
| 3/1891  | 1% | (0 - 2)% |      |     |           |       |    |           |
|         |    |          |      |     |           |       |    |           |
|         |    |          |      |     |           |       |    |           |
|         |    |          |      |     |           |       |    |           |
| 5/1801  | 2% | (1 - 3)% |      |     |           | 1/126 | 0% | (0 - 2)%  |
|         |    |          |      |     |           |       |    |           |
| 3/393   | 1% | (0 - 3)% | 1/18 | 17% | (5 - 38)% | 1/126 | 5% | (2 - 10)% |
| 2/301   | 2% | (0 - 6)% |      |     |           |       |    |           |
| 3/1612  | 1% | (0 - 2)% |      |     |           |       |    |           |
| 1/45    | 1% | (0 - 5)% |      |     |           |       |    |           |

|        |     |           |  |  |  |  |  |  |
|--------|-----|-----------|--|--|--|--|--|--|
| 4/1985 | 3%  | (1 - 7)%  |  |  |  |  |  |  |
|        |     |           |  |  |  |  |  |  |
| 9/2407 | 16% | (6 - 33)% |  |  |  |  |  |  |

|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|

|       |    |          |  |  |  |  |  |  |
|-------|----|----------|--|--|--|--|--|--|
| 1/193 | 1% | (0 - 2)% |  |  |  |  |  |  |
|-------|----|----------|--|--|--|--|--|--|

Note: G/P: G = Number of Groups/Treatment arms extracted / P = Number of Patients in those group  
\* Only case reports of this complication exist, and data are insufficient to estimate the frequency.  
\*\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

**SUI Guideline Update Panel**  
**Complications**  
**ANY Prolapse\*\***

**Injectables**

| Collagen |     |                  | Artificial Sphincter |     |                  |
|----------|-----|------------------|----------------------|-----|------------------|
| G/P      | Med | CI (2.5 - 97.5)% | G/P                  | Med | CI (2.5 - 97.5)% |
|          |     |                  |                      |     |                  |
|          |     |                  |                      |     |                  |

**Death**

**Transfusion**

**General Medical Complications**

Cardiovascular  
 Febrile  
 Infection  
 Infection/Local Extension  
 Neurologic  
 Pulmonary  
 Systemic - Abscess  
 UTI

|       |    |       |    |          |
|-------|----|-------|----|----------|
|       |    | 1/206 | 1% | (0 - 3)% |
|       |    |       |    |          |
|       |    |       |    |          |
|       |    |       |    |          |
|       |    |       |    |          |
|       |    |       |    |          |
| 1/105 | 2% |       |    | (0 - 6)% |

**Operative Complications**

Bladder Injury  
 Bleeding  
 Bleeding - Acute  
 Bleeding - Hematoma  
 Bowel Injury  
 Erosion Extrusion  
 Erosion Extrusion - Unknown  
 Erosion Extrusion - Urethral-Bladder  
 Erosion Extrusion - Vaginal  
 Nerve Injury  
 Operative CX - Other  
 Osteomyelitis  
 Ureteral Injury  
 Urethral Injury  
 Urinary Tract Injury NS  
 Vaginal Operative CX  
 Wound  
 Abdominal  
 Vaginal

|  |  |       |     |            |
|--|--|-------|-----|------------|
|  |  | 2/206 | 15% | (10 - 22)% |
|  |  |       |     |            |
|  |  | 1/179 | 4%  | (2 - 8)%   |
|  |  |       |     |            |
|  |  | 1/206 | 7%  | (4 - 11)%  |
|  |  | 1/206 | 3%  | (1 - 6)%   |
|  |  |       |     |            |
|  |  |       |     |            |
|  |  |       |     |            |
|  |  | 2/206 | 2%  | (0 - 9)%   |
|  |  |       |     |            |
|  |  | 2/206 | 13% | (6 - 22)%  |
|  |  |       |     |            |
|  |  | 1/179 | 7%  | (4 - 12)%  |
|  |  |       |     |            |

**Subjective Complications**

Pain  
 Sexual Dysfunction  
 Voiding Dysfunction

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

**Conversion**

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

**Other Complications**

|  |  |       |    |          |
|--|--|-------|----|----------|
|  |  | 1/206 | 3% | (2 - 7)% |
|--|--|-------|----|----------|

Note: G/P: G = Number of Groups/Treatment arms extracted / P = Number of Patients in those group

\* Only case reports of this complication exist, and data are insufficient to estimate the frequency.

\*\*By any evaluation method, including subjective and objective; includes groups/arms in which ANY patient had a concurrent prolapse treatment.

SUI Guideline Update Panel

Efficacy - Cure / Dry  
 NO Prolapse

|   | SUBJECTIVE Eval |        |                  | OBJECTIVE Eval |        |                  | ANY Eval       |        |                  |
|---|-----------------|--------|------------------|----------------|--------|------------------|----------------|--------|------------------|
|   | 12 - 23 months  |        |                  | 12 - 23 months |        |                  | 12 - 23 months |        |                  |
|   | G/P             | Median | CI (2.5 - 97.5)% | G/P            | Median | CI (2.5 - 97.5)% | G/P            | Median | CI (2.5 - 97.5)% |
| <b>Suspensions</b>                                    |                 |        |                  |                |        |                  |                |        |                  |
| All Open Retropubic                                   | 12/867          | 80%    | (71 - 87)%       | 6/369          | 82%    | (74 - 89)%       | 15/1085        | 82%    | (74 - 87)%       |
| Burch   | 11/862          | 79%    | (69 - 87)%       | 5/354          | 81%    | (72 - 89)%       | 14/1070        | 81%    | (73 - 87)%       |
| Laparoscopic  | 4/189           | 66%    | (40 - 87)%       | 5/234          | 74%    | (64 - 83)%       | 9/368          | 69%    | (52 - 84)%       |
| <b>Slings</b>   |                 |        |                  |                |        |                  |                |        |                  |
| Autologous fascia without bone anchors                | 2/283           | 82%    | (59 - 95)%       |                |        |                  | 4/342          | 90%    | (76 - 98)%       |
| Autologous vaginal wall slings w/without bone anchors | 1/39            | 79%    | (65 - 90)%       |                |        |                  | 1/39           | 79%    | (65 - 90)%       |
| Autologous vaginal wall slings with bone anchors      |                 |        |                  |                |        |                  |                |        |                  |
| Cadaveric without bone anchors                        | 1/104           | 74%    | (65 - 82)%       |                |        |                  | 1/104          | 74%    | (65 - 82)%       |
| Synthetic at bladder neck with bone anchors           | 1/24            | 91%    | (76 - 98)%       |                |        |                  | 2/34           | 88%    | (71 - 97)%       |
| Synthetic at bladder neck without bone anchors        |                 |        |                  |                |        |                  |                |        |                  |
| Synthetic at midurethra                               | 10/917          | 85%    | (79 - 90)%       | 6/756          | 88%    | (85 - 91)%       | 14/1215        | 84%    | (78 - 89)%       |
| <b>Injectables</b>                                    |                 |        |                  |                |        |                  |                |        |                  |
| Collagen  | 4/207           | 50%    | (39 - 61)%       | 4/128          | 55%    | (44 - 64)%       | 7/340          | 48%    | (41 - 55)%       |
|   | G/P             | Median | CI (2.5 - 97.5)% | G/P            | Median | CI (2.5 - 97.5)% | G/P            | Median | CI (2.5 - 97.5)% |
| <b>Artificial Sphincter</b>                           |                 |        |                  |                |        |                  |                |        |                  |

Note: **G/P:** G = Number of Groups/Treatment arms extracted / P = Number of Patients in those groups

SUI Guideline Update Panel

Efficacy - Cure / Dry  
 NO Prolapse

**Suspensions**

All Open Retropubic  
 Burch  
 Laparoscopic

**Slings**

Autologous fascia without bone anchors  
 Autologous vaginal wall slings w/without bone anchors  
 Autologous vaginal wall slings with bone anchors  
 Cadaveric without bone anchors  
 Synthetic at bladder neck with bone anchors  
 Synthetic at bladder neck without bone anchors  
 Synthetic at midurethra

**Injectables**

Collagen

**Artificial Sphincter**

**SUBJECTIVE Eval**

24 - 47 months

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 6/478 | 74%    | (60 - 85)%       |
| 5/450 | 74%    | (58 - 87)%       |
| 4/172 | 74%    | (61 - 85)%       |

**OBJECTIVE Eval**

24 - 47 months

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 2/137 | 81%    | (70 - 90)%       |
| 2/137 | 81%    | (70 - 89)%       |
| 2/53  | 56%    | (31 - 80)%       |

**ANY Eval**

24 - 47 months

| G/P    | Median | CI (2.5 - 97.5)% |
|--------|--------|------------------|
| 13/803 | 76%    | (68 - 82)%       |
| 12/775 | 76%    | (68 - 83)%       |
| 4/172  | 74%    | (61 - 85)%       |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 3/125 | 82%    | (74 - 89)%       |
|       |        |                  |
| 1/58  | 79%    | (68 - 88)%       |
| 1/63  | 71%    | (59 - 81)%       |
|       |        |                  |
| 3/101 | 69%    | (55 - 81)%       |
| 2/188 | 67%    | (43 - 86)%       |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
|       |        |                  |
|       |        |                  |
|       |        |                  |
|       |        |                  |
| 4/62  | 60%    | (43 - 75)%       |
| 3/258 | 84%    | (76 - 89)%       |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 6/232 | 81%    | (72 - 88)%       |
|       |        |                  |
| 1/58  | 79%    | (68 - 88)%       |
| 2/71  | 80%    | (43 - 98)%       |
|       |        |                  |
| 9/349 | 73%    | (64 - 80)%       |
| 7/483 | 81%    | (72 - 88)%       |

| G/P  | Median | CI (2.5 - 97.5)% |
|------|--------|------------------|
| 1/26 | 39%    | (22 - 58)%       |

| G/P  | Median | CI (2.5 - 97.5)% |
|------|--------|------------------|
| 3/95 | 42%    | (28 - 57)%       |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 4/210 | 32%    | (24 - 42)%       |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P  | Median | CI (2.5 - 97.5)% |
|------|--------|------------------|
| 3/78 | 83%    | (71 - 91)%       |

Note: **G/P:** G = Number of Groups/Treatment arms extracted / P = Number of Patients in those groups



SUI Guideline Update Panel

Efficacy - Cure / Dry  
NO Prolapse

**Suspensions**

All Open Retropubic  
Burch  
Laparoscopic

| SUBJECTIVE Eval       |        |                  |  |
|-----------------------|--------|------------------|--|
| 48 months and greater |        |                  |  |
| G/P                   | Median | CI (2.5 - 97.5)% |  |
| 10/691                | 65%    | (55 - 74)%       |  |
| 7/598                 | 68%    | (55 - 79)%       |  |
|                       |        |                  |  |

| OBJECTIVE Eval        |        |                  |  |
|-----------------------|--------|------------------|--|
| 48 months and greater |        |                  |  |
| G/P                   | Median | CI (2.5 - 97.5)% |  |
| 3/157                 | 69%    | (55 - 82)%       |  |
| 3/157                 | 69%    | (55 - 82)%       |  |
|                       |        |                  |  |

| ANY Eval              |        |                  |  |
|-----------------------|--------|------------------|--|
| 48 months and greater |        |                  |  |
| G/P                   | Median | CI (2.5 - 97.5)% |  |
| 17/1259               | 73%    | (64 - 77)%       |  |
| 13/1065               | 73%    | (65 - 80)%       |  |
|                       |        |                  |  |

**Slings**

Autologous fascia without bone anchors  
Autologous vaginal wall slings w/without bone anchors  
Autologous vaginal wall slings with bone anchors  
Cadaveric without bone anchors  
Synthetic at bladder neck with bone anchors  
Synthetic at bladder neck without bone anchors  
Synthetic at midurethra

| G/P   | Median | CI (2.5 - 97.5)% |  |
|-------|--------|------------------|--|
| 2/284 | 71%    | (38 - 93)%       |  |
|       |        |                  |  |
|       |        |                  |  |
|       |        |                  |  |
|       |        |                  |  |
|       |        |                  |  |
|       |        |                  |  |

| G/P  | Median | CI (2.5 - 97.5)% |  |
|------|--------|------------------|--|
|      |        |                  |  |
|      |        |                  |  |
|      |        |                  |  |
|      |        |                  |  |
|      |        |                  |  |
| 1/80 | 85%    | (76 - 92)%       |  |

| G/P   | Median | CI (2.5 - 97.5)% |  |
|-------|--------|------------------|--|
| 4/368 | 82%    | (67 - 93)%       |  |
| 1/29  | 96%    | (85 - 100)%      |  |
|       |        |                  |  |
| 1/27  | 92%    | (78 - 98)%       |  |
|       |        |                  |  |
| 3/199 | 84%    | (77 - 89)%       |  |

**Injectables**

Collagen

| G/P | Median | CI (2.5 - 97.5)% |  |
|-----|--------|------------------|--|
|     |        |                  |  |

| G/P | Median | CI (2.5 - 97.5)% |  |
|-----|--------|------------------|--|
|     |        |                  |  |

| G/P  | Median | CI (2.5 - 97.5)% |  |
|------|--------|------------------|--|
| 1/40 | 30%    | (18 - 45)%       |  |

**Artificial Sphincter**

| G/P | Median | CI (2.5 - 97.5)% |  |
|-----|--------|------------------|--|
|     |        |                  |  |

| G/P | Median | CI (2.5 - 97.5)% |  |
|-----|--------|------------------|--|
|     |        |                  |  |

| G/P | Median | CI (2.5 - 97.5)% |  |
|-----|--------|------------------|--|
|     |        |                  |  |

Note: **G/P:** **G** = Number of Groups/Treatment arms extracted / **P** = Number of Patients in those groups

SUI Guideline Update Panel

Efficacy - Cure / Dry / Improved  
 NO Prolapse

|   | SUBJECTIVE Eval |        |                  | OBJECTIVE Eval |        |                  | ANY Eval       |        |                  |
|---|-----------------|--------|------------------|----------------|--------|------------------|----------------|--------|------------------|
|   | 12 - 23 months  |        |                  | 12 - 23 months |        |                  | 12 - 23 months |        |                  |
|   | G/P             | Median | CI (2.5 - 97.5)% | G/P            | Median | CI (2.5 - 97.5)% | G/P            | Median | CI (2.5 - 97.5)% |
| <b>Suspensions</b>                                    |                 |        |                  |                |        |                  |                |        |                  |
| All Open Retropubic                                   | 13/950          | 86%    | (81 - 90)%       | 6/431          | 84%    | (78 - 89)%       | 16/1168        | 86%    | (82 - 90)%       |
| Burch   | 12/935          | 86%    | (81 - 89)%       | 6/431          | 84%    | (78 - 89)%       | 15/1143        | 86%    | (81 - 89)%       |
| Laparoscopic  | 6/242           | 89%    | (83 - 94)%       | 7/287          | 77%    | (66 - 86)%       | 10/370         | 87%    | (79 - 93)%       |
| <b>Slings</b>   |                 |        |                  |                |        |                  |                |        |                  |
| Autologous fascia without bone anchors                | 2/283           | 92%    | (88 - 96)%       |                |        |                  | 4/342          | 93%    | (89 - 95)%       |
| Autologous vaginal wall slings w/without bone anchors | 1/39            | 79%    | (65 - 90)%       |                |        |                  | 1/39           | 79%    | (65 - 90)%       |
| Autologous vaginal wall slings with bone anchors      |                 |        |                  |                |        |                  |                |        |                  |
| Cadaveric without bone anchors                        | 1/104           | 93%    | (87 - 97)%       |                |        |                  | 1/104          | 93%    | (87 - 97)%       |
| Synthetic at bladder neck with bone anchors           | 1/24            | 91%    | (76 - 98)%       |                |        |                  | 2/34           | 88%    | (71 - 97)%       |
| Synthetic at bladder neck without bone anchors        |                 |        |                  |                |        |                  |                |        |                  |
| Synthetic at midurethra                               | 10/917          | 90%    | (86 - 94)%       | 6/674          | 89%    | (86 - 92)%       | 13/1166        | 88%    | (82 - 92)%       |
| <b>Injectables</b>                                    |                 |        |                  |                |        |                  |                |        |                  |
| Collagen  | 4/207           | 76%    | (69 - 82)%       | 4/128          | 57%    | (46 - 68)%       | 7/340          | 69%    | (62 - 75)%       |
|   | G/P             | Median | CI (2.5 - 97.5)% | G/P            | Median | CI (2.5 - 97.5)% | G/P            | Median | CI (2.5 - 97.5)% |
| <b>Artificial Sphincter</b>                           |                 |        |                  |                |        |                  |                |        |                  |

Note: **G/P:** **G** = Number of **G**roups/Treatment arms extracted / **P** = Number of **P**atients in those groups

SUI Guideline Update Panel

Efficacy - Cure / Dry / Improved  
 NO Prolapse

**Suspensions**

All Open Retropubic  
 Burch  
 Laparoscopic

**SUBJECTIVE Eval**

24 - 47 months

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 6/478 | 82%    | (73 - 90)%       |
| 5/450 | 83%    | (73 - 91)%       |
| 4/172 | 74%    | (61 - 85)%       |

**OBJECTIVE Eval**

24 - 47 months

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 2/137 | 81%    | (70 - 89)%       |
| 2/137 | 81%    | (70 - 89)%       |
| 2/53  | 56%    | (31 - 80)%       |

**ANY Eval**

24 - 47 months

| G/P    | Median | CI (2.5 - 97.5)% |
|--------|--------|------------------|
| 13/903 | 83%    | (77 - 88)%       |
| 12/775 | 84%    | (77 - 89)%       |
| 4/172  | 74%    | (61 - 85)%       |

**Slings**

Autologous fascia without bone anchors  
 Autologous vaginal wall slings w/without bone anchors  
 Autologous vaginal wall slings with bone anchors  
 Cadaveric without bone anchors  
 Synthetic at bladder neck with bone anchors  
 Synthetic at bladder neck without bone anchors  
 Synthetic at midurethra

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 3/125 | 92%    | (81 - 98)%       |
|       |        |                  |
| 1/58  | 79%    | (68 - 88)%       |
| 1/63  | 78%    | (66 - 87)%       |
|       |        |                  |
| 3/101 | 87%    | (72 - 96)%       |
| 2/188 | 71%    | (24 - 97)%       |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
|       |        |                  |
|       |        |                  |
|       |        |                  |
|       |        |                  |
| 4/62  | 60%    | (43 - 75)%       |
| 3/258 | 89%    | (78 - 96)%       |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 6/232 | 92%    | (84 - 96)%       |
|       |        |                  |
| 1/58  | 79%    | (68 - 88)%       |
| 2/72  | 80%    | (60 - 93)%       |
|       |        |                  |
| 9/349 | 80%    | (71 - 88)%       |
| 9/587 | 92%    | (84 - 97)%       |

**Injectables**

Collagen

| G/P  | Median | CI (2.5 - 97.5)% |
|------|--------|------------------|
| 1/26 | 69%    | (50 - 84)%       |

| G/P  | Median | CI (2.5 - 97.5)% |
|------|--------|------------------|
| 3/95 | 45%    | (29 - 61)%       |

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 4/210 | 55%    | (41 - 69)%       |

**Artificial Sphincter**

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P | Median | CI (2.5 - 97.5)% |
|-----|--------|------------------|
|     |        |                  |

| G/P  | Median | CI (2.5 - 97.5)% |
|------|--------|------------------|
| 3/78 | 91%    | (81 - 97)%       |

Note: **G/P:** G = Number of Groups/Treatment arms extracted / P = Number of Patients in those groups

SUI Guideline Update Panel

Efficacy - Cure / Dry / Improved  
 NO Prolapse

**Suspensions**

All Open Retropubic  
 Burch  
 Laparoscopic

**SUBJECTIVE Eval**

48 months and greater

| G/P    | Median | CI (2.5 - 97.5)% |
|--------|--------|------------------|
| 10/691 | 79%    | (69 - 86)%       |
| 7/598  | 84%    | (76 - 90)        |
|        |        |                  |

**OBJECTIVE Eval**

48 months and greater

| G/P   | Median | CI (2.5 - 97.5)% |
|-------|--------|------------------|
| 3/157 | 69%    | (55 - 82)%       |
| 3/157 | 69%    | (55 - 82)%       |
|       |        |                  |

**ANY Eval**

48 months and greater

| G/P     | Median | CI (2.5 - 97.5)% |
|---------|--------|------------------|
| 17/1259 | 79%    | (73 - 85)%       |
| 13/1065 | 83%    | (76 - 88)%       |
|         |        |                  |

**Slings**

Autologous fascia without bone anchors  
 Autologous vaginal wall slings w/without bone anchors  
 Autologous vaginal wall slings with bone anchors  
 Cadaveric without bone anchors  
 Synthetic at bladder neck with bone anchors  
 Synthetic at bladder neck without bone anchors  
 Synthetic at midurethra

G/P Median CI (2.5 - 97.5)%

|       |     |            |
|-------|-----|------------|
| 2/284 | 81% | (63 - 93)% |
|       |     |            |
|       |     |            |
|       |     |            |
|       |     |            |
|       |     |            |
|       |     |            |

G/P Median CI (2.5 - 97.5)%

|      |     |           |
|------|-----|-----------|
|      |     |           |
|      |     |           |
|      |     |           |
|      |     |           |
|      |     |           |
|      |     |           |
| 1/80 | 89% | (80 - 94) |

G/P Median CI (2.5 - 97.5)%

|       |     |             |
|-------|-----|-------------|
| 4/368 | 86% | (78 - 92)%  |
| 1/29  | 96% | (85 - 100)% |
|       |     |             |
|       |     |             |
| 1/27  | 92% | (78 - 98)%  |
|       |     |             |
| 3/199 | 91% | (84 - 96)%  |

**Injectables**

Collagen

G/P Median CI (2.5 - 97.5)%

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

G/P Median CI (2.5 - 97.5)%

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

G/P Median CI (2.5 - 97.5)%

|      |     |            |
|------|-----|------------|
| 1/40 | 70% | (55 - 82)% |
|------|-----|------------|

**Artificial Sphincter**

G/P Median CI (2.5 - 97.5)%

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

G/P Median CI (2.5 - 97.5)%

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

G/P Median CI (2.5 - 97.5)%

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

Note: **G/P:** G = Number of Groups/Treatment arms extracted / P = Number of Patients in those groups

SUI Guideline Update Panel

Retention  
 NO Prolapse

> 28 days or Intervention

| Suspensions         | G/P   | Median | CI (2.5 - 97.5)% |
|---------------------|-------|--------|------------------|
| All Open Retropubic | 8/619 | 4%     | (1 - 8)%         |
| Burch               | 5/347 | 3%     | (1 - 7)%         |
| Laparoscopic        | 5/188 | 4%     | (1 - 8)%         |

| Slings  | G/P     | Median | CI (2.5 - 97.5)% |
|---|---------|--------|------------------|
| Autologous fascia without bone anchors                | 8/480   | 8%     | (4 - 15)%        |
| Autologous vaginal wall slings w/without bone anchors | 2/68    | 2%     | (0 - 8)%         |
| Synthetic at bladder neck without bone anchors        | 4/360   | 9%     | (5 - 15)%        |
| Synthetic at midurethra                               | 17/2119 | 3%     | (2 - 4)%         |

| Injectables | G/P   | Median | CI (2.5 - 97.5)% |
|-------------|-------|--------|------------------|
| Collagen    | 2/104 | 1%     | (0 - 5)%         |

Note: **G/P:** **G** = Number of Groups/Treatment arms extracted / **P** = Number of Patients in those groups



## Urge Incontinence

© 2009 American Urological Association, Inc. All rights reserved.

**SUI Guideline Update Panel**

**Urgency  
NO Prolapse**

**Suspensions**

All Open Retropubic  
Burch  
Laparoscopic

**Slings**

Autologous fascia without bone anchors  
Autologous vaginal wall slings w/without bone anchors  
Cadaveric without bone anchors  
Synthetic at bladder neck with bone anchors  
Synthetic at bladder neck without bone anchors  
Synthetic at midurethra

**Injectables**

Collagen

**Urgency Symptons**

| New Onset |        |                  | Pre-Existing |        |                  | Unspecified |        |                  |
|-----------|--------|------------------|--------------|--------|------------------|-------------|--------|------------------|
| G/P       | Median | CI (2.5 - 97.5)% | G/P          | Median | CI (2.5 - 97.5)% | G/P         | Median | CI (2.5 - 97.5)% |
| 5/476     | 15%    | (7 - 27)%        | 1/90         | 0%     | (0 - 3)%         | 1/102       | 0%     | (0 - 2)%         |
| 5/476     | 15%    | (7 - 27)%        | 1/90         | 0%     | (0 - 3)%         | 1/102       | 0%     | (0 - 2)%         |
|           |        |                  |              |        |                  |             |        |                  |

|       |     |            |       |     |            |       |     |            |
|-------|-----|------------|-------|-----|------------|-------|-----|------------|
| 5/228 | 16% | (10 - 23)% | 3/63  | 41% | (28 - 55)% |       |     |            |
|       |     |            |       |     |            |       |     |            |
| 1/8   | 14% | (1 - 45)%  |       |     |            |       |     |            |
|       |     |            |       |     |            |       |     |            |
| 3/108 | 13% | (6 - 23)%  |       |     |            |       |     |            |
| 4/190 | 14% | (5 - 30)%  | 4/178 | 38% | (27 - 50)% | 2/532 | 45% | (11 - 83)% |

|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|

**SUI Guideline Update Panel**

**Urgency  
NO Prolapse**

**Suspensions**

All Open Retropubic  
Burch  
Laparoscopic

**Slings**

Autologous fascia without bone anchors  
Autologous vaginal wall slings w/without bone anchors  
Cadaveric without bone anchors  
Synthetic at bladder neck with bone anchors  
Synthetic at bladder neck without bone anchors  
Synthetic at midurethra

**Injectables**

Collagen

**Unspecified Urgency**

| New Onset |        |                  | Pre-Existing |        |                  | Unspecified |        |                  |
|-----------|--------|------------------|--------------|--------|------------------|-------------|--------|------------------|
| G/P       | Median | CI (2.5 - 97.5)% | G/P          | Median | CI (2.5 - 97.5)% | G/P         | Median | CI (2.5 - 97.5)% |
| 2/95      | 28%    | (18 - 40)%       | 2/116        | 23%    | (11 - 39)%       | 1/36        | 9%     | (2 - 21)%        |
| 2/95      | 28%    | (18 - 40)%       | 2/116        | 23%    | (11 - 39)%       | 1/36        | 9%     | (2 - 21)%        |
|           |        |                  |              |        |                  | 2/55        | 9%     | (2 - 23)%        |

|      |     |            |      |     |            |  |  |  |
|------|-----|------------|------|-----|------------|--|--|--|
| 1/10 | 11% | (1 - 38)%  | 1/15 | 40% | (19 - 65)% |  |  |  |
|      |     |            |      |     |            |  |  |  |
|      |     |            |      |     |            |  |  |  |
|      |     |            |      |     |            |  |  |  |
| 1/53 | 32% | (21 - 45)% |      |     |            |  |  |  |
|      |     |            |      |     |            |  |  |  |

|      |     |           |  |  |  |      |     |            |
|------|-----|-----------|--|--|--|------|-----|------------|
| 3/86 | 17% | (6 - 35)% |  |  |  | 1/28 | 36% | (20 - 54)% |
|------|-----|-----------|--|--|--|------|-----|------------|

SUI Guideline Update Panel  
Complications  
NO Prolapse

Death

Transfusion

General Medical Complications

Cardiovascular

Dermatologic

Febrile

Infection

Infection/Local Extension

Neurologic

Pulmonary

Systemic - Abscess

UTI

Operative Complications

Bladder Injury

Bleeding

Bleeding - Acute

Bleeding - Hematoma

Bowel Injury

Erosion Extrusion - Unknown

Erosion Extrusion - Urethral-Bladder

Erosion Extrusion - Vaginal

Nerve Injury

Osteomyelitis

Ureteral Injury

Urethral Injury

Urinary Tract Injury NS

Vaginal Operative CX

Wound

Wound - Abdominal

Wound - Vaginal

Subjective Complications

Pain

Sexual Dysfunction

Voiding Dysfunction

Conversion

Other Complications

Suspensions

All Retropubic Suspensions

Burch Suspension

Laparoscopic Suspension

G/P Med CI (2.5 - 97.5)%

G/P Med CI (2.5 - 97.5)%

G/P Med CI (2.5 - 97.5)%

2/170 3% (0 - 14)%

2/170 3% (0 - 14)%

6/321 6% (2 - 12)%

4/169 9%§ (3 - 19)%

1/24 5% (0 - 18)%

6/592 2% (1 - 4)%

3/294 3% (1 - 8)%

7/426 8% (5 - 12)%

3/113 11% (5 - 20)%

1/60 0% (0 - 4)%

1/98 2% (0 - 6)%

1/98 2% (0 - 6)%

1/31 4% (0 - 14)%

\*

\*

1/113 1% (0 - 4)%

1/113 1% (0 - 4)%

1/15 8% (1 - 27)%

1/51 2% (0 - 9)%

1/62 7% (2 - 15)%

1/62 7% (2 - 15)%

17/1442 13% (9 - 19)%

10/978 15% (8 - 24)%

1/51 2% (0 - 9)%

10/887 4% (2 - 7)%

7/589 6% (2 - 12)%

5/165 5% (2 - 10)%

3/433 4% (1 - 9)%

2/334 2% (0 - 6)%

6/484 3% (2 - 6)%

5/469 3% (1 - 5)%

1/51 2% (0 - 9)%

1/31 4% (0 - 14)%

1/31 4% (0 - 14)%

1/31 4% (0 - 14)%

2/102 19%§ (1 - 70)%

\*

\*

5/1739 1% (1 - 2)%

4/1640 1% (1 - 2)%

3/57 11% (1 - 42)%

2/55 2% (0 - 10)%

1/60 2% (0 - 8)%

13/1229 6% (4 - 7)%

8/793 6% (4 - 9)%

1/51 2% (0 - 9)%

9/761 4% (3 - 6)%

5/449 4% (2 - 7)%

9/980 5% (3 - 8)%

6/756 6% (3 - 12)%

\*

8/989 4% (2 - 6)%

5/801 3% (2 - 4)%

6/636 9% (5 - 15)%

5/583 10% (5 - 18)%

1/60 5% (1 - 13)%

1/17 7% (1 - 24)%

1/17 7% (1 - 24)%

3/184 5% (2 - 9)%

3/253 5% (0 - 20)%

2/154 14% (0 - 66)%

1/51 2% (0 - 9)%

Note: **G/P:** **G** = Number of Groups/Treatment arms extracted **P** = Number of Patients in those groups

\* Only case reports of this complication exist, and data are insufficient to estimate the frequency.

§ Although this estimate is based on some published data, the panel believes the estimates are not consistent with their experience.

SUI Guideline Update Panel  
Complications  
NO Prolapse

Death

Transfusion

General Medical Complications

Cardiovascular

Dermatologic

Febrile

Infection

Infection/Local Extension

Neurologic

Pulmonary

Systemic - Abscess

UTI

Operative Complications

Bladder Injury

Bleeding

Bleeding - Acute

Bleeding - Hematoma

Bowel Injury

Erosion Extrusion - Unknown

Erosion Extrusion - Urethral-Bladder

Erosion Extrusion - Vaginal

Nerve Injury

Osteomyelitis

Ureteral Injury

Urethral Injury

Urinary Tract Injury NS

Vaginal Operative CX

Wound

Wound - Abdominal

Wound - Vaginal

Subjective Complications

Pain

Sexual Dysfunction

Voiding Dysfunction

Conversion

Other Complications

Slings

Autologous fascia

Autologous Vaginal Wall Slings

Cadaveric

without Bone Anchors

with/without Bone anchors

without Bone Anchors

G/P Med CI (2.5 - 97.5)%

G/P Med CI (2.5 - 97.5)%

G/P Med CI (2.5 - 97.5)%

1/90 0% (0 - 3)%

3/194 4% (1 - 11)%

1/63 0% (0 - 4)%

2/338 2% (0 - 5)%

1/71 0% (0 - 3)%

1/63 7% (2 - 14)%

1/30 4%§ (0 - 15)%

1/91 1% (0 - 5)%

1/104 2% (0 - 6)%

5/241 16% (6 - 31)%

2/402 4% (2 - 7)%

1/63 7% (2 - 14)%

6/423 4% (2 - 9)%

1/29 1% (0 - 8)%

1/20 6% (1 - 21)%

1/247 1% (0 - 3)%

1/104 1% (0 - 4)%

1/33 1% (0 - 7)%

\*

4/370 2% (0 - 7)%

1/63 0% (0 - 4)%

1/373 2% (1 - 4)%

\*

1/104 1% (0 - 4)%

2/111 8% (3 - 16)%

1/247 1% (0 - 3)%

2/402 5% (3 - 8)%

3/63 10% (1 - 35)%

4/105 8% (3 - 16)%

\*

1/8 38%§ (12 - 71)%

Note: **G/P**: **G** = Number of Groups/Treatment arms extracted **P** = Number of Patients in those groups

\* Only case reports of this complication exist, and data are insufficient to estimate the frequency.

§ Although this estimate is based on some published data, the panel believes the estimates are not consistent with their experience.



SUI Guideline Update Panel  
Complications  
NO Prolapse

Death

Transfusion

General Medical Complications

- Cardiovascular
- Dermatologic
- Febrile
- Infection
- Infection/Local Extension
- Neurologic
- Pulmonary
- Systemic - Abscess
- UTI

Operative Complications

- Bladder Injury
- Bleeding
- Bleeding - Acute
- Bleeding - Hematoma
- Bowel Injury
- Erosion Extrusion - Unknown
- Erosion Extrusion - Urethral-Bladder
- Erosion Extrusion - Vaginal
- Nerve Injury
- Osteomyelitis
- Ureteral Injury
- Urethral Injury
- Urinary Tract Injury NS
- Vaginal Operative CX
- Wound
- Wound - Abdominal
- Wound - Vaginal

Subjective Complications

- Pain
- Sexual Dysfunction
- Voiding Dysfunction

Conversion

Other Complications

| Slings                    |     |                  |  |                             |     |                  |  |                               |     |                  |  |
|---------------------------|-----|------------------|--|-----------------------------|-----|------------------|--|-------------------------------|-----|------------------|--|
| Synthetic at Bladder Neck |     |                  |  |                             |     |                  |  |                               |     |                  |  |
| with Bone Anchors         |     |                  |  | w Bone Anchors - Suprapubic |     |                  |  | w Bone Anchors - Transvaginal |     |                  |  |
| G/P                       | Med | CI (2.5 - 97.5)% |  | G/P                         | Med | CI (2.5 - 97.5)% |  | G/P                           | Med | CI (2.5 - 97.5)% |  |
|                           |     |                  |  |                             |     |                  |  |                               |     |                  |  |
|                           |     |                  |  |                             |     |                  |  |                               |     |                  |  |
|                           |     |                  |  |                             |     |                  |  |                               |     |                  |  |
|                           |     |                  |  |                             |     |                  |  |                               |     |                  |  |
|                           |     |                  |  |                             |     |                  |  |                               |     |                  |  |
|                           |     |                  |  |                             |     |                  |  |                               |     |                  |  |
|                           |     |                  |  |                             |     |                  |  |                               |     |                  |  |
|                           |     |                  |  |                             |     |                  |  |                               |     |                  |  |
|                           |     |                  |  |                             |     |                  |  |                               |     |                  |  |
|                           |     |                  |  |                             |     |                  |  |                               |     |                  |  |
|                           |     |                  |  |                             |     |                  |  |                               |     |                  |  |

|      |      |           |       |    |          |  |  |  |  |   |  |
|------|------|-----------|-------|----|----------|--|--|--|--|---|--|
| 1/11 | 10%§ | (1 - 35)% |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
| 1/10 | 21%§ | (4 - 50)% |       |    |          |  |  |  |  | * |  |
|      |      |           |       |    |          |  |  |  |  | * |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      | *    |           | 1/108 | 3% | (1 - 7)% |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |
|      |      |           |       |    |          |  |  |  |  |   |  |

|  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |

|  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|

|  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|

Note: G/P: G = Number of Groups/Treatment arms extracted / P = Number of Patients in those groups  
 \* Only case reports of this complication exist, and data are insufficient to estimate the frequency.  
 § Although this estimate is based on some published data, the panel believes the estimates are not consistent with their experience.

SUI Guideline Update Panel  
Complications  
NO Prolapse

Death

Transfusion

General Medical Complications

- Cardiovascular
- Dermatologic
- Febrile
- Infection
- Infection/Local Extension
- Neurologic
- Pulmonary
- Systemic - Abscess
- UTI

Operative Complications

- Bladder Injury
- Bleeding
- Bleeding - Acute
- Bleeding - Hematoma
- Bowel Injury
- Erosion Extrusion - Unknown
- Erosion Extrusion - Urethral-Bladder
- Erosion Extrusion - Vaginal
- Nerve Injury
- Osteomyelitis
- Ureteral Injury
- Urethral Injury
- Urinary Tract Injury NS
- Vaginal Operative CX
- Wound
- Wound - Abdominal
- Wound - Vaginal

Subjective Complications

- Pain
- Sexual Dysfunction
- Voiding Dysfunction

Conversion

Other Complications

Slings

Synthetic at Bladder Neck

| without Bone Anchors |     |                  | Synthetic at Midurethra |     |                  | Other Sling |     |                  |
|----------------------|-----|------------------|-------------------------|-----|------------------|-------------|-----|------------------|
| G/P                  | Med | CI (2.5 - 97.5)% | G/P                     | Med | CI (2.5 - 97.5)% | G/P         | Med | CI (2.5 - 97.5)% |
|                      |     |                  | 1/25                    | 1%  | (0 - 9)%         |             |     |                  |
| 1/200                | 1%  | (0 - 3)%         | 3/569                   | 2%  | (1 - 4)%         |             |     |                  |

|       |     |           |       |    |           |  |   |  |
|-------|-----|-----------|-------|----|-----------|--|---|--|
|       |     |           | 2/261 | 1% | (0 - 3)%  |  |   |  |
|       |     |           |       |    |           |  |   |  |
|       |     |           |       |    |           |  | * |  |
|       |     |           |       |    |           |  |   |  |
|       |     |           | 2/174 | 7% | (4 - 13)% |  |   |  |
|       |     |           |       |    |           |  |   |  |
|       |     |           |       |    |           |  |   |  |
| 2/315 | 3%  | (1 - 5)%  | 1/25  | 1% | (0 - 9)%  |  |   |  |
| 2/224 | 10% | (2 - 27)% | 9/771 | 8% | (5 - 13)% |  |   |  |

|       |      |           |         |    |           |  |   |  |
|-------|------|-----------|---------|----|-----------|--|---|--|
| 1/200 | 1%   | (0 - 2)%  | 23/1925 | 6% | (4 - 8)%  |  |   |  |
|       |      |           |         |    |           |  |   |  |
|       |      |           | 6/705   | 3% | (1 - 5)%  |  |   |  |
|       |      |           | 7/1035  | 3% | (2 - 4)%  |  |   |  |
|       |      |           | 3/256   | 1% | (0 - 4)%  |  |   |  |
| 2/501 | 17%§ | (9 - 28)% | 6/621   | 1% | (0 - 3)%  |  |   |  |
| 3/346 | 3%   | (1 - 9)%  |         |    |           |  |   |  |
| 6/591 | 8%   | (4 - 15)% | 9/891   | 7% | (2 - 15)% |  | * |  |
| 1/200 | 1%   | (0 - 2)%  | 1/404   | 0% | (0 - 1)%  |  |   |  |
|       |      |           |         |    |           |  |   |  |
|       |      |           |         |    |           |  |   |  |
|       |      |           |         | *  |           |  | * |  |
|       |      |           |         |    |           |  |   |  |
|       |      |           | 2/302   | 2% | (0 - 7)%  |  |   |  |
| 2/385 | 7%   | (3 - 14)% | 3/280   | 2% | (1 - 5)%  |  |   |  |
|       |      |           | 2/75    | 2% | (0 - 8)%  |  |   |  |
|       |      |           | 4/189   | 4% | (1 - 7)%  |  |   |  |

|       |    |           |        |    |          |  |  |  |
|-------|----|-----------|--------|----|----------|--|--|--|
| 2/264 | 9% | (2 - 23)% | 2/512  | 1% | (0 - 3)% |  |  |  |
|       |    |           | 1/62   | 0% | (0 - 4)% |  |  |  |
|       |    |           | 1/1175 | 2% | (1 - 3)% |  |  |  |

|  |  |  |  |  |  |  |   |  |
|--|--|--|--|--|--|--|---|--|
|  |  |  |  |  |  |  | * |  |
|--|--|--|--|--|--|--|---|--|

|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|

Note: G/P: G = Number of Groups/Treatment arms extracted / P = Number of Patients in those groups

\* Only case reports of this complication exist, and data are insufficient to estimate the frequency.

§ Although this estimate is based on some published data, the panel believes the estimates are not consistent with their experience.

## SUI Guideline Update Panel

### Complications

#### NO Prolapse

## Injectables

[illegible]

## General Medical Complications

|                                  |       |            |           |  |  |  |
|----------------------------------|-------|------------|-----------|--|--|--|
| <b>Cardiovascular</b>            |       |            |           |  |  |  |
| <b>Dermatologic</b>              | 3/399 | <b>5%</b>  | (1 - 17)% |  |  |  |
| <b>Febrile</b>                   |       |            |           |  |  |  |
| <b>Infection</b>                 |       |            |           |  |  |  |
| <b>Infection/Local Extension</b> |       |            |           |  |  |  |
| <b>Neurologic</b>                |       |            |           |  |  |  |
| <b>Pulmonary</b>                 | 1/60  | <b>2%</b>  | (0 - 8)%  |  |  |  |
| <b>Systemic - Abscess</b>        | 1/115 | <b>1%</b>  | (0 - 4)%  |  |  |  |
| <b>UTI</b>                       | 6/381 | <b>10%</b> | (5 - 17)% |  |  |  |

## Operative Complications

|                                      |       |    |          |  |      |                             |
|--------------------------------------|-------|----|----------|--|------|-----------------------------|
| Bladder Injury                       |       |    |          |  |      |                             |
| Bleeding                             |       |    |          |  |      |                             |
| Bleeding - Acute                     | 4/251 | 5% | (3 - 8)% |  |      |                             |
| Bleeding - Hematoma                  |       |    |          |  |      |                             |
| Bowel Injury                         |       |    |          |  |      |                             |
| Erosion Extrusion - Unknown          |       |    |          |  | 1/18 | 28% <del>5</del> (11 - 51)% |
| Erosion Extrusion - Urethral-Bladder |       |    |          |  |      |                             |
| Erosion Extrusion - Vaginal          |       |    |          |  |      |                             |
| Nerve Injury                         |       |    |          |  |      |                             |
| Osteomyelitis                        |       |    |          |  |      |                             |
| Ureteral Injury                      |       |    |          |  |      |                             |
| Urethral Injury                      |       | *  |          |  | *    |                             |
| Urinary Tract Injury NS              |       |    |          |  |      |                             |
| Vaginal Operative CX                 |       |    |          |  |      |                             |
| Wound                                |       |    |          |  |      |                             |
| Wound - Abdominal                    |       |    |          |  |      |                             |
| Wound - Vaginal                      |       |    |          |  |      |                             |

### Subjective Complications

|                     |  |   |  |  |  |  |
|---------------------|--|---|--|--|--|--|
| Pain                |  | * |  |  |  |  |
| Sexual Dysfunction  |  |   |  |  |  |  |
| Voiding Dysfunction |  |   |  |  |  |  |

## Conversion

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|

## Other Complications

|       |             |           |  |  |      |             |           |
|-------|-------------|-----------|--|--|------|-------------|-----------|
| 3/342 | <b>27%§</b> | (2 - 76)% |  |  | 1/18 | <b>23%§</b> | (8 - 45)% |
|-------|-------------|-----------|--|--|------|-------------|-----------|

Note: G/P: G = Number of Groups/Treatment arms extracted / P = Number of Patients in those groups

\* Only case reports of this complication exist, and data are insufficient to estimate the frequency.

§ Although this estimate is based on some published data, the panel believes the estimates are not consistent with their experience.

## American Urological Association, Inc. SUI Guidelines Panel

## Complications for Groups with Uniform SUI Treatment - with or without Prolapse RX

### Artificial Sphincter

Acute Bleeding  
Bladder Injury  
Bowel Injury  
Death  
Fistula  
Infection - Wound  
Other Complications  
PE/DVT  
Removal of Foreign Body - other  
Urethral Erosion  
Vascular Injury  
Wound - Abdominal Minor  
Wound - Vaginal

### Autologous fascia with bone anchors - Suprapubic

Infection - UTI  
Infection - Wound  
None (per Author)

### Autologous fascia without bone anchors

Acute Bleeding  
Bladder Injury  
Bowel Injury  
Death  
DVT  
Dysuria  
Hematoma  
Infection  
Infection - UTI  
Infection - Wound  
None (per Author)  
Other Complications  
Pain  
PE/DVT  
Pulmonary  
Removal of Foreign Body - other  
Sexual Dysfunction  
Stitches  
Transfusion

## American Urological Association, Inc. SUI Guidelines Panel

## Complications for Groups with Uniform SUI Treatment - with or without Prolapse RX

Urethral Erosion  
Wound - Abdominal  
Wound - Abdominal Major  
Wound - Abdominal Minor  
Wound - Vaginal Minor

### **Autologous vaginal wall slings w/without bone anchors**

Acute Bleeding  
Bladder Injury  
Death  
Dysuria  
Fistula  
Infection - Local Extension  
Infection - UTI  
Infection - Wound  
MI  
None (per Author)  
Other Complications  
Pain  
Sexual Dysfunction  
Stitches  
Transfusion  
Urethral Erosion  
Wound - Abdominal  
Wound - Abdominal Major  
Wound - Abdominal Minor  
Wound - Vaginal Major  
Wound - Vaginal Minor

### **Autologous vaginal wall slings with bone anchors - Suprapubic**

None (per Author)  
Other Complications  
Removal of Foreign Body - other  
Wound - Abdominal Major

### **Burch Suspension**

Acute Bleeding  
Bladder Injury  
Bowel Injury  
Death



**American Urological Association, Inc.**  
**SUI Guidelines Panel**

**Complications for Groups with Uniform SUI  
 Treatment - with or without Prolapse RX**

---

DVT  
 Dysuria  
 Fistula  
 Hematoma  
 Infection  
 Infection - Local Extension  
 Infection - Systemic  
 Infection - UTI  
 Infection - Wound  
 None (per Author)  
 Other Complications  
 Pain  
 PE/DVT  
 Pulmonary  
 Rectal Injury  
 Sexual Dysfunction  
 Transfusion  
 Urethral Erosion  
 Vascular Injury  
 Wound  
 Wound - Abdominal  
 Wound - Abdominal Major  
 Wound - Abdominal Minor

**Cadaveric with bone anchors**

Wound - Vaginal Major

**Cadaveric with bone anchors - Transvaginal**

Bladder Injury  
 Infection - Systemic  
 Infection - UTI  
 Other Complications  
 Pain  
 Sexual Dysfunction  
 Wound - Vaginal Minor

**Cadaveric without bone anchors**

Bladder Injury  
 Hematoma  
 Infection - UTI

## American Urological Association, Inc. SUI Guidelines Panel

## Complications for Groups with Uniform SUI Treatment - with or without Prolapse RX

Infection - Wound  
Other Complications  
Removal of Foreign Body - other  
Transfusion  
Urethral Erosion  
Wound - Abdominal  
Wound - Abdominal Major

### Collagen

Acute Bleeding  
Infection - UTI  
Infection - Wound  
None (per Author)  
Other Complications  
Pulmonary

### Cooper's ligament sling (all sling materials)

CVA  
Death  
Hematoma  
Other Complications

### Homologous tissue (dermis) with bone anchors - Transvaginal

Acute Bleeding  
Bladder Injury  
Bowel Injury  
Infection - Local Extension  
Other Complications  
Sexual Dysfunction  
Wound - Vaginal Minor

### Homologous tissue (dermis) without bone anchors

None (per Author)  
Other Complications  
Wound - Vaginal Major

### Laparoscopic Suspension

Acute Bleeding  
Bladder Injury

## American Urological Association, Inc. SUI Guidelines Panel

## Complications for Groups with Uniform SUI Treatment - with or without Prolapse RX

---

Bowel Injury  
Dysuria  
Fistula  
Hematoma  
Infection  
Infection - Local Extension  
Infection - Systemic  
Infection - UTI  
Infection - Wound  
None (per Author)  
Other Complications  
Pain  
PE/DVT  
Pulmonary  
Removal of Foreign Body - other  
Sexual Dysfunction  
Stitches  
Transfusion  
Ureteral Injury  
Vascular Injury  
Wound  
Wound - Abdominal  
Wound - Abdominal Major  
Wound - Abdominal Minor  
Wound - Vaginal  
Wound - Vaginal Major

### MMK

Hematoma  
Infection - UTI  
Infection - Wound  
Other Complications  
Pulmonary  
Sexual Dysfunction  
Stitches  
Transfusion  
Wound - Abdominal

### Open Retropubic Suspensions

Acute Bleeding

## American Urological Association, Inc. SUI Guidelines Panel

## Complications for Groups with Uniform SUI Treatment - with or without Prolapse RX

Bladder Injury  
Bowel Injury  
Hematoma  
Infection - Local Extension  
Infection - Systemic  
Infection - UTI  
Infection - Wound  
Other Complications  
PE/DVT  
Transfusion  
Vascular Injury  
Wound - Abdominal Major  
Wound - Abdominal Minor

### Other degradable materials

Death  
Hematoma  
Infection - UTI  
Other Complications  
PE/DVT

### Other Injectables

Death  
Infection - UTI  
Other Complications  
Removal of Foreign Body - other  
Wound - Abdominal Major  
Wound - Abdominal Minor

### Other non-degradable synthetics

Dysuria  
Infection - UTI  
Other Complications

### Other Sling

Acute Bleeding  
Bladder Injury  
Infection  
Infection - UTI

## American Urological Association, Inc. SUI Guidelines Panel

## Complications for Groups with Uniform SUI Treatment - with or without Prolapse RX

None (per Author)  
Other Complications  
Transfusion  
Wound - Vaginal Major

### Other Suspensions

Acute Bleeding  
Bladder Injury  
Bowel Injury  
Dysuria  
Hematoma  
Infection - Systemic  
Infection - UTI  
Infection - Wound  
None (per Author)  
Other Complications  
PE/DVT  
Pulmonary  
Removal of Foreign Body - other  
Sexual Dysfunction  
Stitches  
Transfusion  
Wound - Abdominal Minor

### Synthetic at bladder neck with bone anchors

Bladder Injury  
None (per Author)  
Other Complications  
Wound - Vaginal

### Synthetic at bladder neck with bone anchors - Suprapubic

Bladder Injury  
Infection  
Other Complications  
Removal of Foreign Body - other  
Sexual Dysfunction  
Urethral Erosion  
Wound - Abdominal Minor



## American Urological Association, Inc. SUI Guidelines Panel

## Complications for Groups with Uniform SUI Treatment - with or without Prolapse RX

### Synthetic at bladder neck with bone anchors - Transvaginal

Acute Bleeding  
Bladder Injury  
Hematoma  
Infection - UTI  
Infection - Wound  
Other Complications  
Removal of Foreign Body - other  
Sexual Dysfunction  
Urethral Erosion  
Wound - Vaginal Major  
Wound - Vaginal Minor

### Synthetic at bladder neck without bone anchors

Acute Bleeding  
Bladder Injury  
Bowel Injury  
Hematoma  
Infection - Systemic  
Infection - UTI  
Infection - Wound  
MI  
None (per Author)  
Other Complications  
Pulmonary  
Removal of Foreign Body - other  
Sexual Dysfunction  
Stitches  
Transfusion  
Urethral Erosion  
Wound  
Wound - Abdominal  
Wound - Abdominal Major  
Wound - Abdominal Minor  
Wound - Vaginal  
Wound - Vaginal Major  
Wound - Vaginal Minor

### Synthetic at midurethra

Acute Bleeding

## American Urological Association, Inc. SUI Guidelines Panel

## Complications for Groups with Uniform SUI Treatment - with or without Prolapse RX

---

Bladder Injury  
 Bowel Injury  
 Death  
 Dysuria  
 Fistula  
 Hematoma  
 Infection  
 Infection - Local Extension  
 Infection - Systemic  
 Infection - UTI  
 Infection - Wound  
 MI  
 None (per Author)  
 Other Complications  
 PE/DVT  
 Removal of Foreign Body - other  
 Sexual Dysfunction  
 Transfusion  
 Urethral Erosion  
 Vascular Injury  
 Wound  
 Wound - Abdominal  
 Wound - Abdominal Major  
 Wound - Abdominal Minor  
 Wound - Vaginal  
 Wound - Vaginal Major  
 Wound - Vaginal Minor

### Transvaginal Cooper's Ligament Suspension


Death  
 Hematoma  
 None (per Author)  
 Other Complications  
 Wound - Vaginal Minor

### Xenograft without bone anchors


Wound - Abdominal Major  
 Wound - Vaginal Major  
 Wound - Vaginal Minor

## Appendix A18 – Outcomes Graphs

### No Prolapse Patients: Median Cure/Dry Rate Subjective Evaluation - 12-23 Mos




### No Prolapse Patients: Median Cure/Dry Rate Objective Evaluation - 12-23 Mos




## Appendix A18 – Outcomes Graphs

### No Prolapse Patients: Median Cure/Dry Rate Subjective Evaluation - 24-47 Mos




### No Prolapse Patients: Median Cure/Dry Rate Objective Evaluation - 24-47 Mos




## Appendix A18 – Outcomes Graphs

### No Prolapse Patients: Median Cure/Dry Rate Subjective Evaluation - 48+ Mos




### No Prolapse Patients: Median Cure/Dry Rate Objective Evaluation - 48+ Mos






## Appendix A18 – Outcomes Graphs

### No Prolapse Patients: Retention > 28 days or Intervention




### No Prolapse Patients: Urgency Urge Incontinence - New Onset




## Appendix A18 – Outcomes Graphs

### No Prolapse Patients: Urgency Urge Incontinence - Pre-Existing




### No Prolapse Patients: General Medical Complications All Retropubic Suspensions




## Appendix A18 – Outcomes Graphs

### No Prolapse Patients: General Medical Complications Autologous Fascia Sling




### No Prolapse Patients: General Medical Complications Synthetic at Mid-Urethra




## Appendix A18 – Outcomes Graphs

### No Prolapse Patients: Operative Complications All Retropubic Suspensions




### No Prolapse Patients: Operative Complications Autologous Fascia Sling




## Appendix A18 – Outcomes Graphs

### No Prolapse Patients: Operative Complications Synthetic at Mid-Urethra




### Any Prolapse Patients: Median Cure/Dry Rate Subjective Evaluation - 12-23 Mos




## Appendix A18 – Outcomes Graphs

### Any Prolapse Patients: Median Cure/Dry Rate Objective Evaluation - 12-23 Mos




### Any Prolapse Patients: Median Cure/Dry Rate Subjective Evaluation - 24-47 Mos






## Appendix A18 – Outcomes Graphs

### Any Prolapse Patients: Median Cure/Dry Rate Objective Evaluation - 24-47 Mos




### Any Prolapse Patients: Median Cure/Dry Rate Subjective Evaluation - 48+ Mos




## Appendix A18 – Outcomes Graphs

### Any Prolapse Patients: Median Cure/Dry Rate Objective Evaluation - 48+ Mos




### Any Prolapse Patients: Retention > 28 days or Intervention




## Appendix A18 – Outcomes Graphs

### Any Prolapse Patients: Urgency Urge Incontinence - New Onset




### Any Prolapse Patients: Urgency Urge Incontinence - Pre-Existing




## Appendix A18 – Outcomes Graphs

### Any Prolapse Patients: General Medical Complications All Retropubic Suspensions




### Any Prolapse Patients: General Medical Complications Autologous Fascia Sling




## Appendix A18 – Outcomes Graphs

### Any Prolapse Patients: General Medical Complications Synthetic at Bladder Neck




### Any Prolapse Patients: Operative Complications All Retropubic Suspensions




## Appendix A18 – Outcomes Graphs

### Any Prolapse Patients: Operative Complications Autologous Fascia Sling



### Any Prolapse Patients: Operative Complications Synthetic at Bladder Neck





## Appendix A18 – Outcomes Graphs

### Any Prolapse Patients: Operative Complications Xenograft - Synthetic at Mid-Urethra

